



ANALYSIS REPORT BBM21-11941

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	09-Aug-2021
Project	The Brewer Gold Project	Date Analysed	20-Aug-2021 - 07-Oct-2021
Submission Number	*SD* PANCON_RESOURCES / Hole	Date Completed	07-Oct-2021
B21C-014/ 23 CORE		SGS Order Number	BBM21-11941
Number of Samples	23		

Methods Summary		
Number of Sample	Method Code	Description
23	G_WGH_KG	Weight of samples received
22	G_PRP	Combined Sample Preparation
23	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
21	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
21	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
21	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
1	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
Analytical interferences for V is in effect due to Fe in scheme GE_ICP40Q12.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1752201	2.44	0.022	2.87	625	0.01	3
1752202	3.77	0.112	4.18	604	0.06	6
1752203	5.82	0.157	0.40	587	0.03	15
1752204	4.44	0.044	0.16	150	<0.01	4
1752205	5.56	0.091	0.33	60	0.01	10
1752206	3.95	0.148	4.01	1004	0.10	12
1752207	4.63	0.012	2.50	949	0.05	12
1752208	3.04	0.069	1.46	356	0.05	17
1752209	2.94	0.056	5.08	1480	0.12	8
1752210	0.05	7.339	-	-	-	-
1752211	3.98	0.067	0.78	418	0.07	7
1752212	1.72	0.070	0.65	778	0.06	5
1752213	3.86	1.268	0.35	75	0.02	8
1752214	3.18	0.131	3.83	324	0.01	10
1752215	4.17	0.322	1.49	186	0.02	2
1752216	5.52	0.305	2.00	244	0.02	7
1752217	5.49	0.080	2.34	304	0.03	12
1752218	5.59	0.103	2.26	246	0.02	6
1752219	6.67	0.090	2.48	210	0.02	9
1752220	1.60	<0.005	-	-	-	-
1752221	4.33	0.008	0.14	429	<0.01	15
1752222	4.18	0.045	0.20	46	0.02	12
1752223	1.31	0.081	2.74	149	0.04	11
*Blk BLANK	-	-	0.01	1	<0.01	<1
*Std OREAS 905	-	-	7.37	2715	0.58	9
*Std OREAS 601b	-	-	6.61	328	0.88	10
*Rep 1752206	-	0.150	-	-	-	-
*Std SN106	-	8.357	-	-	-	-
*Std OREAS 238	-	2.987	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 250b	-	0.324	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752201	4.7	0.98	1.10	1	<0.01	22
1752202	50.9	12.58	0.04	1	<0.01	18
1752203	45.0	12.13	0.02	<1	<0.01	32
1752204	11.5	2.93	0.04	<1	<0.01	22
1752205	43.8	12.69	0.06	<1	<0.01	25
1752206	62.3	>15.00	0.71	1	<0.01	17
1752207	10.4	1.80	1.64	<1	0.01	35
1752208	43.3	13.22	0.42	<1	<0.01	35
1752209	20.6	7.23	0.48	3	<0.01	18
1752211	17.3	3.41	0.09	<1	<0.01	25
1752212	21.7	4.88	0.06	<1	<0.01	23
1752213	157	>15.00	0.02	<1	<0.01	12
1752214	22.3	6.99	1.47	<1	0.01	19
1752215	26.7	3.98	0.25	<1	<0.01	24
1752216	17.1	6.75	0.16	<1	<0.01	25
1752217	46.8	3.64	0.08	1	<0.01	23
1752218	52.1	5.43	0.05	<1	<0.01	28
1752219	57.8	4.66	0.16	1	<0.01	23
1752221	20.9	2.13	0.02	<1	<0.01	64

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752222	17.0	4.35	0.05	<1	<0.01	55
1752223	31.8	8.92	1.00	<1	<0.01	49
*Blk BLANK	<0.5	0.02	<0.01	<1	<0.01	<2
*Std OREAS 905	1486	4.09	2.92	20	0.28	390
*Std OREAS 601b	963	2.33	2.41	22	0.10	215

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752201	0.14	1	0.07	0.05	265	0.11
1752202	0.03	<1	0.27	0.28	1747	0.29
1752203	0.01	<1	0.11	0.12	562	0.09
1752204	0.01	1	0.02	0.03	39.1	0.22
1752205	0.02	<1	0.02	0.07	74.4	0.05
1752206	0.10	<1	0.34	0.31	2487	0.16
1752207	0.20	2	0.28	0.18	1139	0.28
1752208	0.06	<1	0.15	0.15	889	0.14
1752209	0.10	<1	0.30	0.31	2414	0.14
1752211	0.04	<1	0.11	0.22	1650	0.54
1752212	0.03	<1	0.14	0.21	1400	0.36
1752213	0.01	<1	0.06	0.15	284	0.04
1752214	0.17	<1	0.08	0.06	290	0.05
1752215	0.04	<1	0.06	0.07	353	0.06
1752216	0.03	<1	0.06	0.09	446	0.05
1752217	0.02	3	0.06	2.82	544	0.06
1752218	0.02	3	0.05	>5.00	514	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752219	0.03	4	0.07	3.92	458	0.06
1752221	0.01	3	0.03	0.04	47.1	<0.01
1752222	0.02	8	0.03	2.58	164	0.04
1752223	0.13	35	0.09	4.82	637	0.03
*Blk BLANK	0.01	<1	<0.01	0.01	<0.5	<0.01
*Std OREAS 905	2.27	8	0.03	0.07	154	0.12
*Std OREAS 601b	1.79	6	0.03	1.46	242	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	59	3	131	0.22	3	0.3
1752202	26	2	930	0.93	26	0.1
1752203	36	2	285	1.13	39	0.1
1752204	15	2	209	0.47	19	<0.1
1752205	9	5	137	1.27	32	<0.1
1752206	40	2	1040	1.43	95	0.3
1752207	109	4	499	0.08	16	0.5
1752208	28	3	41.1	0.91	16	0.2
1752209	38	2	101	0.38	17	0.2
1752211	21	3	40.5	0.42	13	0.1
1752212	17	9	59.9	0.61	13	<0.1
1752213	NR	1	112	1.90	40	<0.1
1752214	89	3	21.4	0.49	12	0.1
1752215	18	1	45.1	0.27	27	<0.1
1752216	10	1	72.3	0.38	20	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752217	8	2	136	0.15	10	<0.1
1752218	5	1	174	0.14	10	<0.1
1752219	11	2	164	0.17	9	0.1
1752221	<2	3	10.4	0.06	2	<0.1
1752222	3	2	73.5	0.18	8	<0.1
1752223	54	3	161	0.50	8	0.2
*Blk BLANK	<2	2	0.8	0.03	<1	<0.1
*Std OREAS 905	7	135	256	0.57	35	3.2
*Std OREAS 601b	10	306	182	52.95	290	2.4
*Blk BLANK	-	-	-	<0.02	<1	<0.1
*Std OREAS 905	-	-	-	0.51	33	3.2

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	14.91	<0.02	28.38	0.2	2	0.85
1752202	47.11	0.06	133	0.2	<1	3.98
1752203	38.64	0.08	73.69	0.2	<1	2.29
1752204	14.72	0.03	3.68	0.1	<1	1.38
1752205	124	0.05	8.20	0.2	<1	0.91
1752206	41.69	0.07	369	0.2	1	7.11
1752207	6.42	0.05	300	0.3	3	3.04
1752208	14.19	0.07	226	1.0	<1	5.08
1752209	83.16	0.05	403	0.2	<1	6.13
1752211	33.56	0.05	138	0.1	<1	6.43
1752212	49.59	0.03	131	0.2	<1	4.78

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752213	214	0.07	65.42	0.5	<1	2.15
1752214	29.88	0.06	75.31	0.2	2	1.16
1752215	20.25	0.11	42.19	0.3	<1	0.88
1752216	25.34	0.16	39.12	0.2	<1	0.98
1752217	17.47	0.05	29.74	8.0	<1	1.11
1752218	10.93	0.17	42.08	8.9	<1	1.30
1752219	9.02	0.11	61.14	7.0	<1	1.25
1752221	3.07	0.08	51.30	0.2	<1	0.36
1752222	2.95	0.07	35.99	8.2	<1	0.48
1752223	3.84	0.05	122	24.0	2	1.28
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.66	0.35	91.35	14.6	7	3.62
*Std OREAS 601b	18.02	2.04	71.07	3.1	5	2.58
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.72	0.35	92.27	14.5	5	3.55

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	0.65	0.44	1.4	40.6	3.43	0.19
1752202	3.26	1.48	5.1	125	23.05	0.93
1752203	1.66	0.93	3.1	15.4	7.41	0.49
1752204	1.23	0.09	0.6	3.6	5.46	0.34
1752205	0.86	0.15	0.6	7.6	3.33	0.23
1752206	5.88	4.99	14.4	57.4	27.76	1.71
1752207	2.11	4.04	10.7	18.3	12.82	0.68

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752208	4.48	2.56	7.6	8.5	0.62	1.26
1752209	4.87	4.73	13.5	52.4	1.28	1.42
1752211	5.90	1.48	5.4	10.7	1.00	1.62
1752212	4.19	1.55	5.2	7.7	1.36	1.16
1752213	2.14	0.74	2.2	4.6	3.98	0.56
1752214	0.92	1.14	3.1	23.7	0.43	0.28
1752215	0.76	0.64	1.9	17.4	0.96	0.21
1752216	0.82	0.55	1.8	27.1	1.72	0.23
1752217	0.84	0.44	1.7	25.9	3.69	0.23
1752218	1.06	0.55	1.9	24.0	4.78	0.30
1752219	1.10	0.85	2.5	25.4	4.47	0.31
1752221	0.12	0.35	1.0	1.7	0.25	0.06
1752222	0.45	0.49	1.3	1.3	2.03	0.13
1752223	1.09	1.54	4.0	14.1	4.16	0.31
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	0.03	<0.05
*Std OREAS 905	1.04	1.39	5.9	24.4	6.93	0.52
*Std OREAS 601b	0.82	0.96	4.2	22.8	5.16	0.38
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.16	1.34	5.9	25.0	6.97	0.45

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	0.41	19.0	0.14	16.12	3.3	12.9
1752202	0.20	64.8	0.66	119	9.1	49.2
1752203	0.11	38.2	0.35	121	2.5	29.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752204	0.05	2.1	0.28	35.91	6.1	1.7
1752205	0.05	4.1	0.19	76.20	1.6	3.8
1752206	0.28	201	1.23	155	5.5	134
1752207	0.51	164	0.40	9.22	7.8	116
1752208	0.24	127	0.87	44.97	0.6	76.7
1752209	0.22	231	1.01	101	1.1	137
1752211	0.10	65.4	1.32	57.29	4.3	51.3
1752212	0.10	62.2	0.94	33.46	1.8	47.4
1752213	0.10	37.7	0.52	95.07	1.0	22.3
1752214	0.43	39.4	0.22	45.50	0.5	32.6
1752215	0.10	20.8	0.18	253	0.9	18.3
1752216	0.09	20.3	0.20	511	1.0	15.4
1752217	0.05	14.8	0.19	17.35	1.7	11.7
1752218	0.04	21.9	0.25	234	2.3	15.8
1752219	0.04	30.8	0.23	218	1.8	24.2
1752221	0.02	29.9	0.02	6.68	0.1	14.0
1752222	0.03	19.5	0.10	72.05	1.0	14.1
1752223	0.28	66.5	0.24	5.12	0.8	44.2
*Blk BLANK	<0.02	0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.66	44.5	0.10	3.25	17.8	38.7
*Std OREAS 601b	0.48	35.2	0.07	5.23	14.3	28.8
*Blk BLANK	<0.02	0.1	<0.01	<0.05	<0.1	0.1
*Std OREAS 905	0.57	46.2	0.08	3.27	18.1	37.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	387	3.87	23.0	2.78	4.2	9
1752202	2868	14.33	0.5	6.45	28.5	163
1752203	589	8.26	0.5	11.43	15.9	104
1752204	39.4	0.45	0.7	3.47	9.4	39
1752205	69.4	1.01	1.3	3.17	5.6	159
1752206	1640	37.38	14.7	4.57	53.2	252
1752207	909	31.67	33.7	4.02	13.6	16
1752208	435	22.05	9.3	1.37	35.3	163
1752209	1354	39.39	9.7	2.87	38.4	83
1752211	1522	14.70	1.6	4.54	44.4	80
1752212	1274	13.86	1.2	2.86	33.0	51
1752213	210	6.77	0.5	0.74	19.0	491
1752214	116	8.59	31.3	1.36	11.5	38
1752215	169	4.88	5.3	1.64	5.6	45
1752216	219	4.30	3.2	1.17	6.1	44
1752217	282	3.25	1.7	0.47	5.0	31
1752218	253	4.50	1.1	0.41	6.6	32
1752219	179	6.75	3.2	0.58	6.6	32
1752221	117	4.87	0.5	0.68	0.6	<2
1752222	72.9	3.88	1.1	0.55	3.2	37
1752223	293	12.90	21.4	1.43	12.3	77
*Blk BLANK	1.1	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	30.3	10.25	143	1.95	5.7	3
*Std OREAS 601b	318	8.03	97.9	24.41	4.0	12
*Blk BLANK	0.6	<0.05	0.2	<0.05	<0.5	<2
*Std OREAS 905	30.5	10.10	135	1.90	5.6	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	2.1	3.3	0.30	0.18	10.96	5.3
1752202	7.5	3.4	0.60	0.65	43.13	31.7
1752203	4.5	0.6	0.15	0.41	136	15.3
1752204	0.4	1.9	0.37	0.14	32.69	2.7
1752205	0.7	0.5	0.10	0.11	51.20	3.3
1752206	23.2	2.0	0.36	1.42	29.83	76.4
1752207	19.7	4.7	0.50	0.89	5.21	51.3
1752208	12.4	0.7	<0.05	0.80	22.15	41.8
1752209	22.4	1.3	<0.05	1.30	14.52	72.1
1752211	7.9	7.7	0.06	0.87	9.45	43.8
1752212	7.6	2.0	0.07	0.72	11.93	32.8
1752213	3.5	0.3	<0.05	0.29	41.95	15.7
1752214	5.8	2.8	<0.05	0.28	21.01	13.5
1752215	3.1	1.6	<0.05	0.19	38.10	8.3
1752216	2.7	1.2	<0.05	0.20	22.61	7.7
1752217	2.0	1.4	0.06	0.22	13.29	6.0
1752218	2.7	1.7	0.10	0.24	5.42	8.3
1752219	4.1	1.7	<0.05	0.26	7.12	10.4
1752221	1.7	<0.3	<0.05	0.12	1.82	0.9
1752222	2.4	0.9	<0.05	0.12	2.86	6.3
1752223	7.2	2.1	<0.05	0.34	4.19	21.7
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.2	3.7	1.16	0.78	0.09	14.2
*Std OREAS 601b	5.4	3.4	0.95	0.55	12.09	11.8
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.4	4.0	1.20	0.68	0.08	15.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES / Hole
 B21C-014/ 23 CORE
 Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752201	0.82	0.11	1.18	5.3	4.4	0.8
1752202	0.04	0.56	7.82	10.3	20.9	4.2
1752203	<0.02	0.29	2.88	4.0	11.4	2.2
1752204	0.03	0.22	2.00	10.3	8.3	1.8
1752205	0.06	0.15	1.35	3.7	6.0	1.2
1752206	0.71	1.03	9.86	7.7	43.1	7.7
1752207	1.58	0.36	4.87	10.3	15.0	2.6
1752208	0.40	0.77	6.46	3.1	31.7	5.6
1752209	0.51	0.86	8.71	4.9	34.3	6.4
1752211	0.14	1.07	10.70	13.7	38.5	8.2
1752212	0.06	0.76	7.51	8.0	27.9	5.8
1752213	0.03	0.39	3.53	1.4	14.3	3.2
1752214	1.19	0.17	1.67	1.1	6.6	1.3
1752215	0.20	0.14	1.58	2.4	5.2	1.1
1752216	0.19	0.14	1.48	3.5	5.5	1.1
1752217	0.52	0.15	1.60	2.2	5.5	1.1
1752218	0.55	0.20	2.02	3.8	7.2	1.5
1752219	0.41	0.18	1.98	3.1	7.4	1.5
1752221	0.03	<0.05	0.40	0.3	0.9	<0.1
1752222	0.15	0.08	0.72	1.4	2.9	0.6
1752223	1.05	0.20	1.82	0.9	7.6	1.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.66	0.12	4.84	2.8	16.3	0.7
*Std OREAS 601b	1.43	0.09	4.52	6.2	11.4	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.71	0.11	5.07	2.9	15.7	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES / Hole
B21C-014/ 23 CORE
Number of Samples 23

ANALYSIS REPORT BBM21-11941

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752218	5.708
*Rep 1752218	5.661
*Blk BLANK	<0.005
*Std GS314-2	2.542

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received