



ANALYSIS REPORT BBM21-11940

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	09-Aug-2021
Project	The Brewer Gold Project	Date Analysed	26-Aug-2021 - 05-Oct-2021
Submission Number	*SD*PANCONRESOURCES/BrewerG	Date Completed	05-Oct-2021
old-Hole B21C-013/145 Core(1-72)		SGS Order Number	BBM21-11940
Number of Samples	72		

Methods Summary

Number of Sample	Method Code	Description
72	G_WGH_KG	Weight of samples received
67	G_PRP	Combined Sample Preparation
72	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
66	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
66	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
66	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
12	GE_CSA06V	Total Sulphur and Carbon, IR Combustion
1	GO_CSA06V	Ore grade Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	µg / kg	%	ppm m / m	%	ppm m / m
1752001	3.49	0.696	0.16	21	0.26	14
1752002	3.08	0.350	0.13	16	<0.01	17
1752003	4.13	0.218	0.48	71	<0.01	21
1752004	3.94	0.554	0.62	285	0.02	27
1752005	5.41	0.615	0.55	96	0.03	23
1752006	3.61	0.170	0.25	11	<0.01	34
1752007	5.17	0.198	0.15	21	<0.01	40
1752008	3.60	0.141	0.22	23	<0.01	23
1752009	3.69	0.124	0.57	29	<0.01	27
1752010	0.06	7.944	-	-	-	-
1752011	4.92	0.422	2.69	138	0.05	17
1752012	3.87	0.634	1.46	72	0.07	23
1752013	3.41	0.395	1.63	296	0.07	14
1752014	6.16	0.251	2.36	154	0.07	13
1752015	5.81	0.469	1.15	200	0.08	19
1752016	5.08	0.232	0.52	120	0.02	19
1752017	5.97	0.794	0.24	39	<0.01	30
1752018	3.84	1.119	0.57	38	0.01	20
1752019	6.01	0.537	0.43	99	0.01	20
1752020	1.55	<0.005	-	-	-	-
1752021	6.06	0.216	0.30	42	0.02	21
1752022	5.97	0.513	0.27	31	0.01	17
1752023	7.01	0.082	0.33	65	0.02	18
1752024	6.69	0.336	3.68	18	0.19	17
1752025	6.93	1.592	0.98	54	0.01	25
1752026	5.36	0.255	5.73	36	0.03	14
1752027	6.33	0.134	0.94	172	0.03	25
1752028	6.29	0.205	4.79	107	0.09	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	µg / kg	%	ppm m / m	%	ppm m / m
1752029	5.45	0.291	6.34	503	0.12	13
1752030	-	0.269	-	-	-	-
1752031	5.61	0.130	7.50	346	0.12	11
1752032	6.03	0.067	6.78	125	0.09	8
1752033	3.96	0.086	7.30	222	0.15	7
1752034	3.71	0.109	8.04	996	0.12	8
1752035	4.08	0.110	2.94	142	0.10	19
1752036	7.18	0.053	0.60	850	0.05	37
1752037	4.74	0.069	0.86	706	0.11	19
1752038	5.19	0.057	0.44	452	0.09	27
1752039	5.14	0.091	0.42	167	0.08	20
1752040	0.06	1.903	-	-	-	-
1752041	7.02	0.058	0.37	299	0.04	17
1752042	5.64	0.032	0.20	616	0.03	27
1752043	6.41	0.214	0.50	101	0.08	25
1752044	6.41	0.055	0.15	199	0.03	21
1752045	5.10	0.032	0.13	108	0.02	34
1752046	6.93	0.035	0.10	56	0.01	45
1752047	5.39	0.044	0.08	24	<0.01	24
1752048	6.45	0.126	0.09	109	<0.01	34
1752049	6.74	<0.005	0.09	241	<0.01	21
1752050	1.90	<0.005	7.21	751	1.16	9
1752051	5.88	0.028	0.13	254	<0.01	22
1752052	3.75	0.045	0.36	88	0.02	27
1752053	6.22	0.023	4.18	267	0.03	14
1752054	5.65	0.030	5.65	568	0.08	9
1752055	6.13	0.017	5.71	394	0.03	6
1752056	5.87	0.013	5.77	411	0.06	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10,000 µg / kg	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1752057	3.69	0.012	5.82	850	0.02	4
1752058	4.12	0.019	6.73	302	0.04	7
1752059	5.16	0.015	5.73	310	0.04	5
1752060	-	0.020	-	-	-	-
1752061	5.77	0.018	5.81	290	0.03	8
1752062	5.82	0.025	6.04	188	0.05	7
1752063	3.76	0.024	5.53	241	0.03	5
1752064	4.87	0.049	4.46	206	0.04	6
1752065	5.09	0.048	1.17	146	0.04	11
1752066	5.25	0.024	5.69	314	0.03	9
1752067	5.66	0.030	2.21	372	0.05	11
1752068	6.75	0.009	7.24	414	0.02	7
1752069	6.16	0.016	3.99	436	0.04	13
1752070	0.06	0.322	-	-	-	-
1752071	5.20	0.008	5.70	454	0.05	7
1752072	6.06	0.017	5.38	350	0.03	17
*Dup 1752039	-	0.079	0.45	104	0.08	28
*Std OREAS 238	-	3.024	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 601b	-	-	6.37	611	0.89	18
*Rep 1752054	-	-	5.41	588	0.08	12
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.15	2690	0.59	15
*Rep 1752001	-	-	0.23	26	0.29	14
*Std OREAS 601b	-	-	6.85	445	0.91	17
*Std OREAS 905	-	-	7.27	2434	0.58	12
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 238	-	3.207	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	µg / kg	%	ppm m / m	%	ppm m / m
*Rep 1752011	-	384	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.787	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752039	-	76	-	-	-	-
*Std OREAS 250b	-	0.301	-	-	-	-
*Rep 1752059	-	13	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752001	331	2.99	0.03	2	0.01	41
1752002	214	1.50	0.04	1	<0.01	22
1752003	651	4.09	0.16	2	<0.01	30
1752004	46.5	1.63	0.15	1	<0.01	25
1752005	147	1.13	0.09	1	<0.01	30
1752006	190	1.27	0.07	<1	<0.01	22
1752007	150	2.02	0.03	1	<0.01	33
1752008	35.5	1.72	0.05	1	<0.01	26
1752009	66.8	2.12	0.12	1	<0.01	29
1752011	607	2.55	0.40	2	<0.01	19
1752012	685	5.05	0.03	2	<0.01	28
1752013	534	2.73	0.03	2	0.01	24
1752014	674	3.27	0.28	2	<0.01	24
1752015	655	3.24	0.16	1	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752016	547	3.22	0.02	1	<0.01	26
1752017	2378	5.07	0.03	1	<0.01	28
1752018	1468	3.51	0.10	<1	<0.01	29
1752019	1857	5.48	0.04	1	<0.01	27
1752021	2661	10.26	0.02	1	<0.01	30
1752022	2785	7.86	0.02	1	<0.01	27
1752023	129	12.15	<0.01	<1	<0.01	37
1752024	237	>15.00	0.03	2	<0.01	38
1752025	4218	11.28	0.05	1	<0.01	31
1752026	280	8.78	0.04	4	<0.01	23
1752027	189	2.44	0.08	1	<0.01	26
1752028	864	4.05	0.11	3	<0.01	22
1752029	1547	1.58	0.75	2	<0.01	13
1752031	369	2.12	0.11	4	<0.01	14
1752032	91.3	4.11	0.02	3	<0.01	19
1752033	65.3	2.56	0.05	3	<0.01	13
1752034	216	1.01	0.03	3	<0.01	16
1752035	220	3.41	0.03	2	<0.01	18
1752036	113	1.38	0.03	<1	<0.01	23
1752037	154	1.57	0.01	<1	<0.01	19
1752038	135	2.16	<0.01	<1	<0.01	25
1752039	106	5.08	<0.01	3	<0.01	23
1752041	98.0	3.27	<0.01	3	<0.01	19
1752042	128	1.21	<0.01	3	<0.01	20
1752043	144	4.79	0.01	3	<0.01	21
1752044	128	3.56	<0.01	3	<0.01	23
1752045	96.0	1.37	<0.01	2	<0.01	27
1752046	152	1.86	<0.01	2	<0.01	23

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752047	144	1.28	<0.01	2	<0.01	21
1752048	1524	1.82	<0.01	<1	<0.01	20
1752049	67.5	1.31	<0.01	2	<0.01	18
1752050	7.1	1.95	4.34	25	0.27	371
1752051	119	1.75	<0.01	2	<0.01	18
1752052	171	2.99	<0.01	2	<0.01	18
1752053	40.2	3.27	0.02	3	<0.01	14
1752054	84.5	2.19	0.09	4	<0.01	10
1752055	23.3	1.87	0.08	3	<0.01	10
1752056	21.3	2.08	0.04	3	<0.01	10
1752057	18.3	1.95	0.02	3	<0.01	7
1752058	22.7	3.07	0.04	3	<0.01	9
1752059	28.5	1.36	0.47	1	<0.01	9
1752061	30.5	1.51	0.40	2	<0.01	11
1752062	34.0	2.86	0.06	3	<0.01	11
1752063	44.9	3.92	0.26	3	<0.01	12
1752064	78.0	5.11	0.03	3	<0.01	15
1752065	76.9	5.92	0.06	2	<0.01	17
1752066	41.5	2.32	0.38	3	<0.01	14
1752067	80.8	2.80	0.20	2	<0.01	18
1752068	17.5	3.11	0.29	2	<0.01	16
1752069	83.7	2.39	0.06	2	<0.01	17
1752071	41.6	0.71	0.50	3	<0.01	15
1752072	45.6	2.32	0.24	2	<0.01	16
*Dup 1752039	113	4.96	<0.01	3	<0.01	22
*Std OREAS 601b	996	2.14	2.35	24	0.09	207
*Rep 1752054	77.8	2.09	0.08	4	<0.01	9
*Blk BLANK	<0.5	<0.01	<0.01	1	<0.01	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 905	1546	3.83	2.98	22	0.27	370
*Rep 1752001	313	2.71	0.04	2	0.03	47
*Std OREAS 601b	1028	2.27	2.31	22	0.09	223
*Std OREAS 905	1496	3.81	2.73	19	0.25	371
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752001	<0.01	9	<0.01	2.32	33.6	0.04
1752002	0.01	4	<0.01	0.47	44.4	0.09
1752003	<0.01	9	<0.01	3.54	37.3	0.05
1752004	<0.01	4	0.05	0.35	255	0.06
1752005	<0.01	6	0.05	0.48	221	0.06
1752006	<0.01	5	<0.01	1.13	16.9	0.08
1752007	<0.01	5	<0.01	1.07	14.0	0.07
1752008	<0.01	3	<0.01	0.40	23.3	0.08
1752009	0.01	4	<0.01	1.04	32.4	0.07
1752011	0.08	7	0.08	2.49	403	0.04
1752012	0.04	9	0.09	>5.00	274	0.03
1752013	0.02	7	0.06	2.84	226	0.05
1752014	0.03	7	0.10	3.59	400	0.04
1752015	0.05	7	0.11	3.40	500	0.04
1752016	0.02	5	0.04	3.24	332	0.04
1752017	0.03	9	0.02	4.88	84.2	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752018	<0.01	6	0.02	3.22	161	0.05
1752019	<0.01	7	0.01	>5.00	125	0.04
1752021	<0.01	13	0.02	>5.00	163	0.04
1752022	<0.01	8	0.01	>5.00	105	0.03
1752023	<0.01	28	0.02	>5.00	36.7	0.02
1752024	0.01	86	0.17	>5.00	229	0.01
1752025	<0.01	15	0.02	>5.00	79.6	0.02
1752026	0.01	16	0.07	>5.00	623	0.02
1752027	0.04	6	0.05	2.31	378	0.08
1752028	0.02	10	0.15	4.12	1033	0.05
1752029	0.09	9	0.15	1.79	900	0.06
1752031	0.02	9	0.15	2.32	854	0.05
1752032	<0.01	6	0.12	4.34	589	0.03
1752033	0.07	5	0.23	2.74	936	0.06
1752034	0.03	4	0.20	1.32	1439	0.07
1752035	0.01	8	0.13	3.88	637	0.05
1752036	0.04	5	0.07	1.34	420	0.11
1752037	<0.01	5	0.13	1.63	896	0.09
1752038	<0.01	4	0.10	2.11	534	0.11
1752039	<0.01	6	0.10	>5.00	516	0.07
1752041	<0.01	5	0.05	3.73	233	0.08
1752042	<0.01	3	0.05	1.25	275	0.10
1752043	0.05	4	0.12	>5.00	561	0.06
1752044	<0.01	6	0.03	4.04	183	0.09
1752045	<0.01	3	0.02	1.33	125	0.11
1752046	0.04	4	0.02	1.94	65.1	0.10
1752047	<0.01	3	<0.01	1.31	28.3	0.09
1752048	0.02	4	0.01	2.03	24.2	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752049	0.04	3	0.02	1.35	53.8	0.08
1752050	2.50	3	0.05	0.03	187	0.21
1752051	0.01	4	0.02	1.89	53.1	0.10
1752052	<0.01	6	0.02	3.26	117	0.08
1752053	0.01	4	0.07	4.00	421	0.06
1752054	0.02	3	0.11	2.68	596	0.05
1752055	0.01	2	0.07	2.30	499	0.06
1752056	0.01	2	0.09	2.56	315	0.06
1752057	<0.01	2	0.03	2.36	226	0.06
1752058	<0.01	3	0.06	3.72	248	0.05
1752059	0.05	2	0.07	1.67	507	0.07
1752061	0.05	3	0.07	1.81	431	0.09
1752062	0.01	5	0.10	3.60	444	0.05
1752063	0.03	3	0.08	4.87	432	0.05
1752064	0.01	7	0.10	>5.00	611	0.04
1752065	<0.01	5	0.06	>5.00	271	0.08
1752066	0.05	3	0.07	2.75	445	0.08
1752067	0.02	6	0.08	3.38	439	0.06
1752068	0.03	3	0.05	3.65	359	0.06
1752069	<0.01	3	0.06	2.77	323	0.06
1752071	0.06	1	0.09	0.81	414	0.09
1752072	0.03	3	0.08	2.72	254	0.10
*Dup 1752039	<0.01	6	0.09	>5.00	497	0.07
*Std OREAS 601b	1.77	5	0.03	1.51	236	0.12
*Rep 1752054	0.02	3	0.11	2.60	571	0.06
*Blk BLANK	0.02	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.34	9	0.03	0.08	163	0.12
*Rep 1752001	0.01	9	<0.01	2.19	37.6	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 601b	1.79	7	0.03	1.43	244	0.12
*Std OREAS 905	2.24	9	0.03	0.07	155	0.11
*Blk BLANK	0.02	<1	<0.01	<0.01	<0.5	<0.01

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752001	3	5	99.8	0.94	35	<0.1
1752002	6	4	147	0.71	11	<0.1
1752003	5	3	140	1.05	18	<0.1
1752004	9	3	100.0	0.74	33	<0.1
1752005	6	3	108	0.71	23	<0.1
1752006	6	3	117	0.49	13	<0.1
1752007	4	2	148	0.44	12	<0.1
1752008	4	2	152	0.42	13	<0.1
1752009	5	2	136	0.41	13	<0.1
1752011	18	3	109	1.28	34	<0.1
1752012	4	3	93.6	1.47	49	<0.1
1752013	4	4	108	0.81	20	<0.1
1752014	16	3	102	1.10	16	<0.1
1752015	11	11	84.6	0.85	47	<0.1
1752016	3	15	119	0.86	61	<0.1
1752017	3	11	107	3.60	64	<0.1
1752018	8	59	90.8	2.22	202	<0.1
1752019	3	4	97.1	2.06	36	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752021	<2	8	85.3	4.97	79	<0.1
1752022	<2	4	87.5	3.30	39	<0.1
1752023	<2	<1	77.3	0.38	16	<0.1
1752024	<2	<1	86.1	0.57	21	<0.1
1752025	3	40	88.2	7.35	189	<0.1
1752026	8	2	144	0.50	21	<0.1
1752027	9	1	139	0.47	13	<0.1
1752028	15	2	139	1.13	14	0.1
1752029	45	2	126	2.01	13	0.1
1752031	25	2	140	0.50	13	0.2
1752032	18	2	108	0.16	6	0.1
1752033	23	2	110	0.16	11	0.2
1752034	28	6	95.5	0.35	23	0.2
1752035	13	1	78.4	0.29	16	0.1
1752036	11	1	77.0	0.58	7	<0.1
1752037	11	<1	41.8	0.46	11	<0.1
1752038	11	<1	63.8	0.22	7	<0.1
1752039	7	2	81.4	0.23	4	<0.1
1752041	8	2	77.9	0.26	4	<0.1
1752042	10	3	81.8	0.15	5	<0.1
1752043	7	2	78.7	0.33	5	<0.1
1752044	9	3	84.4	0.20	8	<0.1
1752045	10	2	93.7	0.15	7	<0.1
1752046	9	2	89.2	0.30	6	<0.1
1752047	8	2	80.8	0.17	8	<0.1
1752048	7	12	77.7	1.06	83	<0.1
1752049	8	1	76.0	0.15	3	<0.1
1752050	20	43	58.7	0.21	1	2.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752051	9	2	77.4	0.16	6	<0.1
1752052	7	5	77.6	0.15	9	<0.1
1752053	15	2	97.2	0.11	6	0.1
1752054	22	4	78.9	0.16	16	0.2
1752055	21	2	86.5	0.11	5	0.2
1752056	16	2	89.3	0.09	5	0.3
1752057	15	3	82.3	0.07	4	0.1
1752058	15	4	85.2	0.12	4	0.2
1752059	39	7	95.5	0.14	5	0.1
1752061	36	1	98.8	0.09	6	0.1
1752062	16	2	82.0	0.17	7	0.2
1752063	29	1	77.8	0.09	6	0.1
1752064	13	3	77.0	0.14	9	0.1
1752065	9	2	77.2	0.14	6	<0.1
1752066	30	2	99.5	0.10	9	0.2
1752067	14	2	76.8	0.10	6	<0.1
1752068	26	1	88.1	0.15	4	0.1
1752069	12	2	81.3	0.19	10	0.1
1752071	26	2	76.2	0.12	4	0.2
1752072	23	2	99.7	0.14	8	0.2
*Dup 1752039	7	2	76.9	0.24	4	<0.1
*Std OREAS 601b	11	310	171	52.01	285	2.4
*Rep 1752054	22	4	79.8	0.12	15	0.3
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Std OREAS 905	9	141	237	0.71	35	2.9
*Rep 1752001	5	6	100.0	1.10	34	<0.1
*Std OREAS 601b	11	322	180	48.26	293	2.4
*Std OREAS 905	8	136	241	0.70	33	2.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752001	29.19	0.09	5.15	12.7	<1	0.47
1752002	18.78	0.04	4.30	3.4	<1	0.59
1752003	60.28	0.12	4.39	10.0	<1	0.58
1752004	132	0.06	33.39	1.6	<1	0.74
1752005	79.13	0.05	44.66	2.5	<1	0.64
1752006	21.17	0.09	3.15	4.9	<1	0.44
1752007	18.47	0.06	1.94	4.1	<1	0.42
1752008	20.20	0.03	3.84	1.9	<1	0.51
1752009	28.44	0.04	3.28	4.1	<1	0.51
1752011	95.69	0.05	60.56	14.5	<1	1.01
1752012	81.09	0.23	56.82	31.9	<1	0.88
1752013	55.81	0.12	53.70	35.2	<1	1.12
1752014	70.33	0.05	63.26	6.4	<1	1.09
1752015	486	0.33	45.35	10.2	<1	1.00
1752016	79.50	0.57	29.41	11.5	<1	0.86
1752017	171	0.36	10.57	31.6	<1	0.50
1752018	155	1.64	16.79	17.6	<1	0.44
1752019	82.99	0.18	11.25	23.3	<1	0.50
1752021	148	0.39	14.91	32.2	<1	0.49
1752022	145	0.22	8.34	24.3	<1	0.47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752023	16.74	0.22	3.76	36.6	<1	0.42
1752024	38.71	0.08	0.87	83.8	<1	0.69
1752025	203	1.44	10.12	25.3	<1	0.75
1752026	20.62	0.17	132	48.9	<1	1.57
1752027	19.72	0.13	50.91	12.0	<1	1.01
1752028	64.53	0.12	90.65	21.5	<1	1.72
1752029	88.75	0.12	106	14.9	<1	1.97
1752031	22.71	0.08	153	12.9	<1	2.07
1752032	8.23	0.08	106	14.0	<1	1.34
1752033	6.86	0.12	154	17.8	<1	1.81
1752034	16.47	0.16	183	15.5	<1	2.00
1752035	13.66	0.25	65.35	26.3	<1	1.30
1752036	8.34	0.09	37.78	13.5	<1	1.27
1752037	14.88	0.19	87.75	16.8	<1	1.77
1752038	19.14	0.09	69.41	10.6	<1	1.62
1752039	28.05	0.11	104	14.2	<1	1.76
1752041	13.55	0.07	60.31	13.5	<1	1.36
1752042	9.29	0.07	72.77	8.6	<1	1.55
1752043	22.60	0.14	96.06	15.1	<1	1.75
1752044	13.39	0.11	47.08	15.6	<1	1.38
1752045	8.49	0.12	36.69	7.3	<1	1.18
1752046	8.24	0.09	25.50	6.4	<1	1.16
1752047	8.23	0.12	11.96	3.4	<1	0.86
1752048	72.95	0.39	12.05	4.5	<1	0.85
1752049	5.55	0.03	24.01	2.9	<1	0.78
1752050	0.17	<0.02	108	3.1	3	3.73
1752051	9.00	0.07	19.20	4.6	<1	0.87
1752052	10.80	0.10	34.32	9.8	<1	0.98

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752053	9.43	0.06	66.11	9.5	<1	1.42
1752054	10.42	0.06	87.09	8.6	<1	1.64
1752055	9.30	0.05	76.62	7.9	<1	1.38
1752056	4.29	0.04	47.74	6.5	<1	1.37
1752057	2.12	0.02	33.26	5.2	<1	0.99
1752058	2.84	0.04	54.84	7.1	<1	1.11
1752059	6.40	0.05	58.53	3.2	<1	1.36
1752061	3.74	0.04	53.12	5.0	<1	1.34
1752062	4.43	0.06	86.29	9.0	<1	1.30
1752063	7.70	0.05	56.17	7.6	<1	1.19
1752064	11.42	0.12	72.24	17.3	<1	1.36
1752065	11.25	0.18	32.37	14.7	<1	1.16
1752066	7.36	0.15	55.76	11.2	<1	1.37
1752067	9.49	0.09	42.78	8.8	<1	1.24
1752068	4.49	0.06	45.20	9.8	<1	1.30
1752069	14.22	0.08	49.30	8.1	<1	1.38
1752071	10.83	0.04	47.61	3.1	<1	1.31
1752072	6.12	0.06	48.77	8.7	<1	1.70
*Dup 1752039	29.41	0.11	100	13.7	<1	1.80
*Std OREAS 601b	17.46	2.05	68.29	2.7	5	2.43
*Rep 1752054	10.48	0.07	87.91	8.3	<1	1.63
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.93	0.36	96.08	14.3	7	3.63
*Rep 1752001	29.35	0.10	6.26	12.9	<1	0.57
*Std OREAS 601b	17.97	2.09	69.49	3.0	5	2.67
*Std OREAS 905	5.74	0.33	86.25	14.4	7	3.51
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752001	0.46	0.09	0.4	0.9	2.43	0.12
1752002	0.60	0.08	0.4	1.0	3.40	0.15
1752003	0.57	0.06	0.3	2.6	3.28	0.15
1752004	0.51	0.34	1.1	3.9	2.60	0.15
1752005	0.41	0.47	1.4	3.0	2.60	0.12
1752006	0.53	<0.05	0.2	1.6	2.82	0.12
1752007	0.48	<0.05	0.2	0.9	3.40	0.12
1752008	0.55	0.06	0.3	1.4	3.58	0.14
1752009	0.54	0.06	0.3	3.5	3.37	0.13
1752011	0.52	0.71	2.5	14.6	2.77	0.16
1752012	0.54	0.64	2.1	7.8	2.39	0.15
1752013	0.83	0.62	2.1	8.4	2.91	0.22
1752014	0.66	0.90	2.7	11.7	2.71	0.19
1752015	0.65	0.75	2.2	5.0	2.80	0.19
1752016	0.55	0.52	1.6	2.4	2.92	0.15
1752017	0.47	0.12	0.5	1.4	2.65	0.12
1752018	0.39	0.17	0.6	3.7	2.25	0.10
1752019	0.50	0.14	0.5	2.7	2.44	0.12
1752021	0.45	0.18	0.6	2.3	2.14	0.11
1752022	0.45	0.12	0.4	1.8	2.17	0.12
1752023	0.45	0.05	0.2	1.5	1.81	0.11
1752024	0.52	0.05	0.3	14.1	2.29	0.15
1752025	0.49	0.17	0.7	5.1	2.31	0.15
1752026	0.82	1.24	4.2	38.8	3.62	0.25
1752027	0.65	0.62	1.9	5.6	3.35	0.19
1752028	0.77	1.48	4.8	31.3	3.62	0.25
1752029	0.76	1.60	5.6	42.9	3.25	0.25
1752031	1.01	2.49	6.9	44.2	3.54	0.31

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752032	0.72	1.65	4.6	39.3	2.71	0.22
1752033	0.74	2.28	6.4	53.9	2.81	0.25
1752034	0.63	2.76	8.0	61.9	2.39	0.23
1752035	0.60	1.05	3.4	21.0	2.13	0.20
1752036	0.79	0.72	2.3	3.9	2.13	0.25
1752037	0.85	1.47	4.6	4.7	1.96	0.27
1752038	0.90	1.00	3.1	2.2	2.34	0.29
1752039	0.98	1.35	4.1	2.0	2.16	0.32
1752041	1.02	0.74	2.3	1.4	2.15	0.29
1752042	1.07	0.94	2.8	0.9	2.31	0.33
1752043	0.96	1.54	4.5	2.4	2.18	0.31
1752044	1.05	0.67	2.1	0.8	2.31	0.31
1752045	0.93	0.51	1.5	0.6	2.66	0.27
1752046	0.98	0.31	1.0	0.4	2.47	0.28
1752047	0.79	0.15	0.6	0.2	2.29	0.22
1752048	0.75	0.14	0.5	0.2	2.15	0.21
1752049	0.68	0.27	0.9	0.2	2.09	0.19
1752050	2.05	1.10	4.5	17.6	2.14	0.75
1752051	0.79	0.27	0.9	0.3	2.18	0.22
1752052	0.80	0.49	1.4	1.3	2.20	0.22
1752053	0.91	1.25	3.6	22.5	2.98	0.27
1752054	0.85	1.63	4.6	28.7	2.50	0.27
1752055	0.80	1.46	4.0	24.7	2.55	0.24
1752056	0.91	0.96	2.8	19.8	2.98	0.27
1752057	0.73	0.70	1.8	18.7	2.38	0.21
1752058	0.81	0.92	2.4	15.7	2.97	0.24
1752059	0.82	1.42	4.0	12.9	2.86	0.25
1752061	0.94	1.14	3.3	12.0	3.21	0.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element Method Lower Limit Upper Limit Unit	Er GE_IMS40Q12 0.05 1,000 ppm m / m	Eu GE_IMS40Q12 0.05 500 ppm m / m	Gd GE_IMS40Q12 0.1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m	@Hf GE_IMS40Q12 0.02 500 ppm m / m	Ho GE_IMS40Q12 0.05 500 ppm m / m
1752062	0.84	1.47	3.7	14.9	2.70	0.25
1752063	0.69	1.33	3.6	24.1	2.47	0.19
1752064	0.73	1.73	4.8	21.9	2.25	0.23
1752065	0.85	0.73	2.3	6.0	2.23	0.24
1752066	0.83	1.37	3.9	18.5	3.31	0.25
1752067	0.71	1.28	3.7	6.0	2.40	0.22
1752068	0.86	1.10	3.3	19.2	2.93	0.25
1752069	0.90	1.25	3.7	13.5	2.47	0.28
1752071	0.74	1.32	4.1	24.2	2.25	0.24
1752072	1.20	1.09	3.4	31.2	2.75	0.37
*Dup 1752039	0.99	1.29	4.0	2.0	2.11	0.33
*Std OREAS 601b	0.75	0.92	4.0	22.2	5.10	0.37
*Rep 1752054	0.86	1.65	4.6	28.5	2.45	0.27
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.07	1.41	5.9	25.7	7.01	0.52
*Rep 1752001	0.52	0.11	0.5	1.1	2.66	0.14
*Std OREAS 601b	0.77	0.92	3.9	23.6	5.02	0.36
*Std OREAS 905	1.00	1.31	5.4	24.8	6.38	0.47
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05

Element Method Lower Limit Upper Limit Unit	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m	Nd GE_IMS40Q12 0.1 1,000 ppm m / m
1752001	0.05	2.7	0.12	38.26	1.3	2.1
1752002	0.04	2.1	0.16	13.50	2.0	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752003	0.11	2.4	0.15	49.92	1.3	1.5
1752004	0.18	18.0	0.13	26.51	1.4	10.1
1752005	0.10	25.4	0.11	16.37	1.6	13.2
1752006	0.05	1.6	0.16	9.19	2.0	1.1
1752007	0.04	1.0	0.15	13.46	1.6	0.8
1752008	0.06	2.0	0.16	11.01	1.9	1.4
1752009	0.07	1.8	0.15	13.83	1.7	1.1
1752011	0.14	32.1	0.14	29.14	1.1	19.5
1752012	0.04	30.6	0.14	54.54	0.9	18.2
1752013	0.03	28.2	0.21	28.07	1.3	18.5
1752014	0.09	28.5	0.19	11.85	1.1	25.0
1752015	0.10	21.5	0.17	13.51	1.0	18.8
1752016	0.08	15.4	0.15	166	1.2	10.6
1752017	0.35	5.6	0.13	92.60	1.2	4.0
1752018	0.36	9.5	0.12	26.14	1.3	5.0
1752019	0.08	6.5	0.14	18.43	1.1	3.4
1752021	0.13	8.8	0.13	17.48	1.1	4.4
1752022	0.07	5.2	0.13	25.51	0.9	3.0
1752023	<0.02	2.2	0.13	23.34	0.6	1.4
1752024	0.04	0.4	0.12	8.41	0.5	0.6
1752025	0.18	5.8	0.12	35.62	0.7	3.3
1752026	0.05	68.7	0.21	49.64	0.9	46.6
1752027	0.03	29.4	0.17	17.19	2.1	17.7
1752028	0.07	53.4	0.20	17.78	1.6	35.0
1752029	0.21	53.6	0.19	12.93	2.1	44.0
1752031	0.05	70.1	0.25	22.92	1.6	64.5
1752032	0.03	49.1	0.18	21.87	1.0	46.6
1752033	0.03	73.0	0.17	21.00	1.8	65.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752034	0.04	94.1	0.14	17.94	2.2	75.4
1752035	0.04	34.4	0.13	14.16	1.3	27.6
1752036	0.03	20.8	0.18	17.81	2.4	15.4
1752037	0.03	46.5	0.18	16.86	2.0	33.3
1752038	0.04	35.5	0.20	12.86	2.4	27.1
1752039	0.02	46.8	0.21	10.62	1.8	41.6
1752041	0.02	26.7	0.21	8.19	1.9	24.6
1752042	<0.02	32.8	0.23	7.16	1.9	28.3
1752043	0.03	40.0	0.20	9.00	1.5	40.8
1752044	0.02	21.5	0.22	13.27	2.0	18.9
1752045	0.02	17.7	0.20	26.11	2.0	14.2
1752046	<0.02	12.3	0.21	34.22	2.0	9.6
1752047	<0.02	6.0	0.18	27.37	1.7	4.5
1752048	0.06	6.1	0.17	35.14	1.6	4.4
1752049	<0.02	11.6	0.16	2.81	1.6	8.6
1752050	0.03	51.9	0.29	4.67	15.3	39.8
1752051	<0.02	9.3	0.19	10.52	2.0	7.1
1752052	0.03	16.3	0.20	20.13	1.9	13.5
1752053	0.02	26.8	0.23	7.18	1.8	28.1
1752054	0.05	37.0	0.19	4.57	1.6	33.4
1752055	0.04	31.0	0.19	4.64	1.7	31.3
1752056	<0.02	19.9	0.22	2.72	1.8	21.4
1752057	<0.02	12.6	0.18	2.43	1.8	16.4
1752058	<0.02	22.5	0.19	3.12	1.6	24.9
1752059	0.07	23.2	0.20	4.78	2.2	28.9
1752061	0.07	21.3	0.24	4.97	2.5	22.0
1752062	0.02	34.1	0.21	7.77	1.5	36.4
1752063	0.05	23.1	0.18	6.13	1.5	25.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element Method Lower Limit Upper Limit Unit	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m	Nd GE_IMS40Q12 0.1 1,000 ppm m / m
1752064	0.03	27.2	0.18	10.21	1.2	40.0
1752065	0.06	13.4	0.18	9.00	1.9	15.3
1752066	0.07	23.6	0.22	6.45	2.4	27.4
1752067	0.04	18.2	0.17	7.80	1.5	21.6
1752068	0.04	18.9	0.22	4.41	1.9	20.3
1752069	0.02	19.6	0.21	3.93	1.6	25.2
1752071	0.06	18.8	0.18	3.87	2.5	25.1
1752072	0.03	19.9	0.25	4.16	2.9	25.4
*Dup 1752039	0.03	44.9	0.21	11.02	1.8	40.3
*Std OREAS 601b	0.47	31.5	0.07	5.24	14.9	28.1
*Rep 1752054	0.05	36.9	0.19	4.97	1.7	33.3
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.65	43.0	0.10	3.37	18.3	40.3
*Rep 1752001	0.05	3.2	0.14	37.30	1.5	2.7
*Std OREAS 601b	0.48	34.8	0.07	5.09	14.5	29.7
*Std OREAS 905	0.60	41.7	0.09	3.33	17.4	37.4
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
1752001	22.1	0.59	0.7	1.06	2.7	62
1752002	26.7	0.48	0.9	2.77	4.7	39
1752003	25.0	0.47	6.4	1.65	4.5	112
1752004	148	3.37	4.6	6.00	3.0	53

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752005	176	4.39	2.7	2.88	3.1	36
1752006	14.4	0.34	1.8	1.42	4.0	18
1752007	8.6	0.21	0.7	1.68	5.1	28
1752008	16.8	0.41	1.4	3.59	4.8	31
1752009	25.9	0.33	4.1	2.93	4.3	31
1752011	474	6.27	9.1	1.87	4.0	71
1752012	285	5.82	0.7	1.22	3.2	67
1752013	274	5.84	1.0	0.60	4.1	49
1752014	422	7.59	6.1	1.33	4.2	69
1752015	202	5.31	4.0	10.33	4.2	115
1752016	211	3.12	0.7	16.03	3.6	53
1752017	51.0	1.19	0.8	6.91	3.3	104
1752018	74.7	1.68	2.5	46.00	2.9	88
1752019	70.0	1.12	1.0	2.04	3.1	51
1752021	99.0	1.44	0.4	2.81	2.8	169
1752022	54.8	0.88	0.5	1.04	2.7	74
1752023	16.9	0.40	0.3	0.41	2.5	54
1752024	88.2	0.13	1.2	0.47	2.8	207
1752025	37.3	1.07	1.3	3.98	2.7	103
1752026	314	14.17	1.2	1.27	4.3	57
1752027	200	5.41	1.4	0.99	3.1	25
1752028	570	9.76	1.7	0.96	3.6	33
1752029	635	12.33	12.5	1.00	3.6	42
1752031	389	18.28	2.0	0.86	3.6	15
1752032	241	12.98	0.4	0.40	2.7	18
1752033	409	18.56	1.2	0.67	3.6	12
1752034	798	21.39	0.6	1.06	3.0	6
1752035	398	7.59	0.7	0.72	2.5	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752036	324	4.18	1.2	0.73	3.0	6
1752037	690	9.75	<0.2	0.89	3.0	7
1752038	389	8.03	<0.2	0.88	3.7	9
1752039	309	11.91	<0.2	0.46	2.8	16
1752041	136	6.86	<0.2	0.39	2.9	13
1752042	167	7.99	<0.2	0.54	3.3	5
1752043	424	11.05	<0.2	0.56	2.9	13
1752044	118	5.26	<0.2	0.74	2.8	11
1752045	72.7	4.03	<0.2	0.63	3.7	5
1752046	31.3	2.77	<0.2	0.44	3.3	6
1752047	12.1	1.28	<0.2	0.55	3.6	5
1752048	10.6	1.26	<0.2	2.69	3.5	18
1752049	21.8	2.55	<0.2	0.41	3.1	7
1752050	23.3	11.66	148	0.11	4.2	<2
1752051	22.5	2.08	<0.2	0.33	3.1	13
1752052	73.7	3.73	<0.2	0.42	2.8	11
1752053	312	7.72	0.2	0.45	3.9	13
1752054	417	9.62	1.2	0.57	3.6	9
1752055	323	8.71	1.1	0.27	3.9	7
1752056	178	5.70	0.5	0.35	4.6	7
1752057	116	4.25	0.2	0.34	1.8	7
1752058	94.7	6.65	0.6	0.34	3.9	11
1752059	321	7.46	5.3	0.40	4.9	11
1752061	263	6.29	4.7	0.33	5.2	6
1752062	200	10.14	0.7	0.32	3.7	11
1752063	287	6.75	3.2	0.29	3.6	13
1752064	420	9.54	0.5	0.27	2.6	15
1752065	156	3.92	0.7	0.37	2.3	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
1752066	292	6.92	5.0	0.31	4.8	8
1752067	266	5.36	2.8	0.26	2.7	9
1752068	202	5.23	3.9	0.26	4.1	10
1752069	195	6.25	0.8	0.34	3.3	9
1752071	255	6.13	6.6	0.38	3.4	2
1752072	139	6.29	2.9	0.50	4.7	8
*Dup 1752039	317	11.41	<0.2	0.43	2.7	15
*Std OREAS 601b	305	7.87	95.2	23.25	3.0	9
*Rep 1752054	417	9.67	1.2	0.53	3.4	9
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	31.9	10.80	137	2.03	4.1	2
*Rep 1752001	23.8	0.72	1.5	1.41	2.9	59
*Std OREAS 601b	311	8.45	101	22.81	3.5	10
*Std OREAS 905	30.2	10.41	135	1.80	4.4	2
*Blk BLANK	0.5	<0.05	<0.2	<0.05	<0.5	<2

Element Method Lower Limit Upper Limit Unit	Sm GE_IMS40Q12 0.1 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m
1752001	0.4	5.2	0.06	0.06	7.89	1.8
1752002	0.4	7.2	0.07	0.07	5.77	2.4
1752003	0.3	10.2	0.08	0.06	15.25	2.2
1752004	1.6	10.0	0.07	0.14	41.61	4.9
1752005	2.1	9.9	0.07	0.15	20.51	6.7
1752006	0.2	5.2	0.07	<0.05	8.83	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752007	0.2	3.2	0.07	<0.05	9.02	1.2
1752008	0.3	5.4	0.09	0.06	9.75	1.9
1752009	0.3	6.9	0.09	0.06	9.70	1.8
1752011	3.3	10.9	0.07	0.27	23.41	8.4
1752012	3.1	4.7	0.06	0.21	15.02	5.8
1752013	3.0	5.6	0.08	0.23	11.51	6.2
1752014	4.1	3.4	0.07	0.27	12.42	7.9
1752015	3.5	4.4	0.05	0.21	72.75	7.6
1752016	2.2	5.7	0.06	0.17	19.36	4.8
1752017	0.7	52.2	0.06	0.06	18.80	2.5
1752018	0.8	9.5	0.05	0.07	26.57	3.5
1752019	0.6	5.6	0.07	0.07	8.56	3.2
1752021	0.8	5.0	0.07	0.08	24.59	3.5
1752022	0.6	5.2	0.05	0.06	10.83	2.6
1752023	0.2	2.0	<0.05	<0.05	2.64	1.3
1752024	0.1	2.7	<0.05	0.08	4.28	0.7
1752025	0.6	13.7	<0.05	0.12	17.38	2.4
1752026	6.8	4.7	0.07	0.44	9.08	13.4
1752027	3.1	7.5	0.12	0.21	7.91	8.7
1752028	7.6	6.6	0.11	0.47	10.94	16.5
1752029	8.4	11.5	0.15	0.59	14.85	12.6
1752031	12.4	4.6	0.12	0.59	5.61	17.8
1752032	8.8	2.4	0.08	0.39	3.61	13.5
1752033	12.3	4.9	0.14	0.55	2.96	20.1
1752034	14.3	8.9	0.16	0.69	3.47	23.2
1752035	5.3	6.1	0.09	0.34	4.64	9.7
1752036	3.3	10.2	0.10	0.26	1.65	8.0
1752037	6.7	8.7	0.07	0.50	3.18	14.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752038	4.8	9.5	0.10	0.36	3.21	8.6
1752039	6.7	7.1	0.11	0.45	1.81	12.0
1752041	3.8	7.5	0.10	0.29	1.54	7.6
1752042	4.6	8.8	0.06	0.34	0.94	9.4
1752043	7.2	6.1	0.08	0.48	1.63	11.0
1752044	3.3	7.6	0.10	0.26	1.42	5.8
1752045	2.4	7.5	0.07	0.20	1.43	4.5
1752046	1.6	7.5	0.06	0.17	1.27	3.0
1752047	0.8	4.8	<0.05	0.11	3.99	2.0
1752048	0.7	14.2	<0.05	0.10	23.15	2.0
1752049	1.4	4.4	0.06	0.12	2.45	3.2
1752050	6.4	1.6	1.08	0.67	0.14	20.2
1752051	1.2	6.4	0.08	0.13	2.22	2.8
1752052	2.4	7.1	0.10	0.19	2.93	4.3
1752053	5.3	4.4	0.12	0.39	2.96	6.4
1752054	6.9	5.9	0.12	0.47	2.10	8.6
1752055	6.4	3.7	0.12	0.38	3.65	7.7
1752056	4.4	2.7	0.13	0.30	1.96	5.8
1752057	3.3	2.2	0.15	0.19	1.02	3.7
1752058	4.3	1.9	0.14	0.24	2.20	7.6
1752059	5.7	3.4	0.15	0.38	3.49	7.7
1752061	4.5	4.9	0.18	0.33	1.77	7.2
1752062	6.6	2.5	0.11	0.33	1.94	10.5
1752063	5.6	2.4	0.11	0.33	3.53	6.2
1752064	8.0	2.3	0.09	0.44	3.88	8.1
1752065	3.2	3.3	0.13	0.25	4.60	3.9
1752066	5.9	4.1	0.18	0.37	2.56	7.3
1752067	5.2	2.6	0.11	0.36	2.16	5.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752068	4.5	3.0	0.15	0.32	1.39	6.0
1752069	5.7	2.0	0.11	0.35	2.09	6.3
1752071	5.6	4.0	0.19	0.40	1.49	6.2
1752072	5.3	3.8	0.19	0.37	1.51	5.7
*Dup 1752039	6.5	6.8	0.10	0.44	1.69	11.9
*Std OREAS 601b	5.4	3.5	1.10	0.53	12.10	12.0
*Rep 1752054	6.9	6.0	0.13	0.48	2.13	8.7
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.9	4.6	1.33	0.78	0.10	15.0
*Rep 1752001	0.5	6.1	0.09	0.08	12.21	1.9
*Std OREAS 601b	5.7	3.4	1.08	0.52	11.70	12.0
*Std OREAS 905	7.5	3.8	1.22	0.71	0.27	13.7
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752001	0.07	0.09	0.96	1.1	3.1	0.7
1752002	0.04	0.12	1.47	1.6	3.9	1.0
1752003	0.10	0.12	1.43	1.5	4.0	0.9
1752004	0.08	0.09	1.35	1.6	3.3	0.8
1752005	0.07	0.08	1.18	1.5	2.8	0.7
1752006	0.22	0.10	1.35	1.1	3.0	0.9
1752007	0.24	0.10	1.59	1.0	2.9	0.9
1752008	0.18	0.10	1.52	1.3	3.4	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752009	0.21	0.11	1.33	1.4	3.3	0.9
1752011	0.43	0.10	1.29	1.5	3.6	0.8
1752012	0.24	0.10	1.12	1.0	3.8	0.8
1752013	0.06	0.15	1.49	1.3	5.5	1.2
1752014	0.21	0.13	1.37	0.9	4.5	1.1
1752015	0.14	0.12	1.45	0.8	4.7	1.0
1752016	0.04	0.10	1.34	1.2	3.7	0.9
1752017	0.07	0.09	1.07	1.3	3.1	0.8
1752018	0.18	0.08	0.97	1.2	2.5	0.7
1752019	0.10	0.10	1.00	0.9	3.2	0.8
1752021	0.31	0.08	0.88	0.8	2.8	0.7
1752022	0.18	0.10	0.87	0.8	3.2	0.8
1752023	0.09	0.08	0.70	0.6	3.1	0.7
1752024	0.10	0.09	0.81	0.5	4.3	0.7
1752025	0.18	0.09	0.84	0.9	3.6	0.7
1752026	0.29	0.14	1.40	0.8	6.4	1.2
1752027	0.38	0.12	1.20	2.0	5.2	1.0
1752028	0.21	0.14	1.30	1.6	6.4	1.1
1752029	0.64	0.13	1.34	2.1	6.3	1.1
1752031	0.14	0.18	1.56	1.7	8.1	1.4
1752032	0.03	0.13	1.16	1.1	5.4	1.1
1752033	0.11	0.13	1.27	1.6	6.4	1.0
1752034	0.05	0.11	1.18	2.1	5.3	0.8
1752035	0.22	0.10	0.84	1.4	4.8	0.8
1752036	0.06	0.14	1.02	2.1	5.9	1.1
1752037	0.09	0.14	1.20	1.6	6.7	1.0
1752038	0.04	0.16	1.25	1.8	7.4	1.2
1752039	<0.02	0.17	1.41	1.7	7.8	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)
 Number of Samples 72

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
1752041	<0.02	0.17	1.16	1.5	7.7	1.2
1752042	<0.02	0.18	1.31	1.4	8.3	1.4
1752043	<0.02	0.17	1.25	1.5	7.4	1.2
1752044	<0.02	0.18	1.22	1.4	7.5	1.3
1752045	<0.02	0.16	1.38	1.1	6.6	1.2
1752046	<0.02	0.16	1.12	1.3	7.0	1.2
1752047	<0.02	0.14	1.03	1.0	5.5	1.0
1752048	0.03	0.13	0.93	0.8	5.2	1.0
1752049	<0.02	0.12	0.99	0.9	4.6	0.9
1752050	0.65	0.29	4.42	0.3	20.6	2.0
1752051	<0.02	0.14	1.00	1.0	5.3	1.1
1752052	<0.02	0.15	1.02	1.3	5.5	1.2
1752053	<0.02	0.17	1.34	1.4	6.5	1.3
1752054	0.09	0.14	1.17	1.1	6.7	1.1
1752055	0.09	0.15	1.15	1.0	6.0	1.1
1752056	<0.02	0.16	1.10	1.3	7.1	1.2
1752057	<0.02	0.14	0.96	1.1	4.7	1.0
1752058	<0.02	0.15	1.06	1.0	5.8	1.1
1752059	0.61	0.15	1.21	1.3	5.9	1.1
1752061	0.49	0.18	1.30	1.8	6.4	1.4
1752062	0.06	0.16	1.12	1.1	5.8	1.2
1752063	0.34	0.13	1.05	1.0	4.8	1.0
1752064	0.03	0.13	1.11	1.0	5.2	1.1
1752065	0.02	0.14	0.94	1.4	5.9	1.1
1752066	0.47	0.16	1.34	1.5	5.9	1.3
1752067	0.17	0.13	1.04	1.1	5.2	1.0
1752068	0.30	0.16	1.16	1.2	6.0	1.3
1752069	0.05	0.16	1.14	1.0	6.6	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11940

*SD*PANCONRESOURCES/Brewer

Gold-Hole B21C-013/145 Core(1-72)

Number of Samples 72

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752071	0.48	0.13	1.14	1.5	5.3	1.0
1752072	0.31	0.20	1.30	2.1	9.1	1.5
*Dup 1752039	<0.02	0.17	1.36	1.5	7.9	1.2
*Std OREAS 601b	1.42	0.09	4.80	6.1	10.9	0.5
*Rep 1752054	0.10	0.15	1.20	1.2	6.4	1.1
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.70	0.13	5.26	2.7	15.9	0.7
*Rep 1752001	0.07	0.10	1.05	1.3	3.5	0.8
*Std OREAS 601b	1.45	0.09	4.65	5.9	11.6	0.5
*Std OREAS 905	0.66	0.11	4.74	2.6	15.2	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1

Element	@S	@S
Method	GE_CSA06V	GO_CSA06V
Lower Limit	0.005	0.01
Upper Limit	30	75
Unit	%	%
1752012	5.650	-
1752019	6.130	-
1752021	11.038	-
1752022	9.645	-
1752023	13.941	-
1752024	>30.000	37.74
1752025	13.335	-
1752026	10.678	-
1752039	5.920	-
1752043	5.644	-
1752064	6.390	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*PANCONRESOURCES/Brewer
Gold-Hole B21C-013/145 Core(1-72)
Number of Samples 72

ANALYSIS REPORT BBM21-11940

Element	@S	@S
Method	GE_CSA06V	GO_CSA06V
Lower Limit	0.005	0.01
Upper Limit	30	75
Unit	%	%
1752065	7.130	-
*Dup 1752039	5.877	-
*Std OREAS 135	7.106	-
*Blk BLANK	0.007	-
*Rep 1752019	6.103	-
*Std OREAS 134a	19.005	-
*Rep 1752024	-	37.91
*Std HCC-1	-	34.00
*Blk BLANK	-	<0.01

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-11942

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	09-Aug-2021
Project	The Brewer Gold Project	Date Analysed	26-Aug-2021 - 29-Sep-2021
Submission Number	*SD*PANCONRESOURCES/BrewerG	Date Completed	05-Oct-2021
		SGS Order Number	BBM21-11942
oldHole B21C-013/145 Core(72-145)			
Number of Samples	73		

Methods Summary		
<u>Number of Sample</u>	<u>Method Code</u>	<u>Description</u>
73	G_WGH_KG	Weight of samples received
68	G_PRP	Combined Sample Preparation
73	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
66	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
66	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
66	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
6	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.

This report cancels and supersedes the report BBM_U0014660856 dated 30-Sep-2021 issued by SGS Canada (Burnaby).
Au unit to ppm

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*PANCONRESOURCES/Brewer
GoldHole B21C-013/145 Core(72-145)
Number of Samples 73

ANALYSIS REPORT BBM21-11942

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

6-Oct-2021 6:18PM BBM_U0014892146

Page 2 of 34

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752073	6.03	<0.005	5.33	730	0.06	3
1752074	5.83	0.026	0.76	607	0.08	19
1752075	6.07	0.023	1.10	311	0.08	10
1752076	5.76	0.012	4.60	414	0.05	7
1752077	6.17	0.014	6.58	204	0.04	7
1752078	5.83	0.023	6.32	106	0.02	9
1752079	5.84	0.015	5.50	306	0.03	6
1752080	2.83	<0.005	-	-	-	-
1752081	6.10	0.029	4.65	122	0.04	4
1752082	6.60	0.028	2.67	164	0.05	11
1752083	5.66	0.019	3.61	169	0.04	7
1752084	3.78	0.051	4.35	84	0.05	4
1752085	5.63	0.039	3.43	336	0.06	6
1752086	6.27	0.017	5.92	147	0.05	5
1752087	3.41	0.037	2.09	414	0.06	6
1752088	2.06	0.029	2.12	375	0.05	7
1752089	5.45	0.022	2.84	227	0.05	7
1752090	-	0.022	-	-	-	-
1752091	5.83	0.014	3.47	267	0.05	7
1752092	5.12	0.005	4.40	368	0.06	6
1752093	5.78	0.005	6.50	363	0.04	5
1752094	4.12	0.009	0.90	112	0.05	12
1752095	6.02	0.010	0.24	112	0.03	17
1752096	5.79	0.023	4.18	266	0.09	9
1752097	3.47	<0.005	0.39	118	0.02	15
1752098	4.44	0.010	0.25	157	0.04	20
1752099	4.06	0.030	0.38	673	0.08	18
1752100	0.06	0.233	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752101	5.56	0.065	1.48	400	0.13	12
1752102	5.84	0.027	0.44	467	0.07	15
1752103	4.99	0.012	0.52	378	0.02	10
1752104	4.85	0.029	1.00	316	0.10	18
1752105	5.61	0.025	0.65	400	0.06	13
1752106	5.67	0.021	3.53	450	0.07	13
1752107	5.70	0.033	3.32	213	0.08	9
1752108	4.79	0.034	4.87	154	0.09	9
1752109	6.25	0.016	3.07	452	0.04	9
1752110	0.06	<0.005	-	-	-	-
1752111	5.67	0.028	5.83	264	0.03	4
1752112	5.68	0.031	5.01	77	0.01	6
1752113	5.23	0.031	4.36	212	0.02	9
1752114	6.33	0.043	4.99	118	0.05	9
1752115	5.81	0.036	6.10	387	0.05	6
1752116	5.63	0.032	6.07	200	0.06	5
1752117	5.53	0.048	6.40	279	0.05	8
1752118	5.32	0.030	6.53	226	0.05	7
1752119	5.66	0.044	6.41	158	0.03	7
1752120	-	0.043	-	-	-	-
1752121	5.82	0.034	6.50	161	0.03	6
1752122	4.57	0.031	6.72	179	0.06	5
1752123	4.62	0.038	5.85	353	0.04	6
1752124	6.25	0.696	5.35	161	0.04	8
1752125	5.07	0.050	5.65	353	0.04	5
1752126	5.09	0.045	6.33	173	0.02	6
1752127	5.19	0.044	5.43	213	0.04	6
1752128	5.34	0.033	5.33	246	0.07	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752129	5.74	0.031	5.43	551	0.04	6
1752130	0.06	0.719	-	-	-	-
1752131	5.21	0.048	5.69	171	0.03	9
1752132	5.77	0.032	5.80	182	0.04	5
1752133	5.99	0.019	6.16	353	0.02	11
1752134	3.32	0.019	5.89	199	0.05	11
1752135	3.44	0.028	5.48	50	0.02	11
1752136	3.53	<0.005	4.21	15	<0.01	11
1752137	3.47	<0.005	7.11	12	0.01	10
1752138	4.55	0.016	8.26	41	0.02	4
1752139	5.03	0.031	6.40	51	0.02	8
1752140	1.78	<0.005	-	-	-	-
1752141	5.01	0.006	7.00	38	0.02	8
1752142	5.56	0.048	7.43	151	0.03	5
1752143	5.58	0.026	6.48	247	0.02	9
1752144	5.97	0.019	5.88	376	0.06	7
1752145	6.25	0.014	6.60	139	0.06	12
*Dup 1752111	-	0.025	5.53	240	0.03	8
*Rep 1752090	-	0.015	-	-	-	-
*Std OREAS 250b	-	0.320	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	3.192	-	-	-	-
*Rep 1752118	-	0.029	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752141	-	0.016	-	-	-	-
*Std OREAS 601b	-	-	6.37	611	0.89	18
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.15	2690	0.59	15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 905	-	-	7.25	2527	0.58	13
*Std OREAS 601b	-	-	6.79	753	0.89	18
*Rep 1752109	-	-	2.96	491	0.04	10
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.41	2613	0.58	14
*Rep 1752132	-	-	6.75	242	0.04	4
*Blk BLANK	-	-	<0.01	2	<0.01	<1
*Std OREAS 601b	-	-	6.66	601	0.89	16

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752073	36.4	0.72	1.41	2	<0.01	12
1752074	359	1.87	0.07	2	<0.01	16
1752075	1048	2.15	0.21	2	<0.01	15
1752076	31.6	1.61	0.74	2	<0.01	11
1752077	17.3	2.22	0.04	3	<0.01	16
1752078	40.5	3.36	0.19	2	<0.01	21
1752079	19.6	2.27	0.48	2	<0.01	12
1752081	43.8	6.12	0.05	2	<0.01	15
1752082	53.1	5.65	0.03	1	<0.01	16
1752083	24.0	3.84	0.03	1	<0.01	18
1752084	49.0	6.47	0.02	2	<0.01	12
1752085	168	4.09	0.02	1	<0.01	14
1752086	18.7	3.96	0.03	2	<0.01	15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752087	35.2	3.41	0.01	<1	<0.01	16
1752088	35.6	2.47	0.08	1	<0.01	16
1752089	25.7	2.68	0.06	1	<0.01	20
1752091	26.1	2.49	0.11	<1	<0.01	15
1752092	14.1	1.97	0.17	2	<0.01	12
1752093	13.0	3.40	0.02	2	<0.01	11
1752094	21.2	2.23	<0.01	<1	<0.01	18
1752095	24.6	2.10	<0.01	<1	<0.01	19
1752096	34.9	3.24	0.02	2	<0.01	15
1752097	21.9	1.57	<0.01	<1	<0.01	36
1752098	27.8	1.91	<0.01	<1	<0.01	20
1752099	27.5	2.50	<0.01	<1	<0.01	28
1752101	34.4	2.94	0.02	1	<0.01	21
1752102	30.9	3.11	<0.01	<1	<0.01	25
1752103	29.9	0.72	<0.01	<1	<0.01	24
1752104	47.7	1.75	<0.01	<1	<0.01	21
1752105	35.2	2.25	<0.01	<1	<0.01	22
1752106	21.1	2.57	0.02	1	<0.01	17
1752107	29.3	3.29	0.03	1	<0.01	17
1752108	38.6	3.61	0.03	2	<0.01	13
1752109	19.9	2.70	0.06	1	<0.01	32
1752111	24.3	4.10	0.02	2	<0.01	18
1752112	31.4	4.42	0.02	2	<0.01	21
1752113	24.2	4.11	0.02	2	<0.01	29
1752114	25.5	4.57	<0.01	1	<0.01	22
1752115	15.5	4.19	<0.01	1	<0.01	23
1752116	19.5	3.90	<0.01	<1	<0.01	23
1752117	20.9	3.36	0.01	1	<0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752118	18.0	3.22	<0.01	1	<0.01	26
1752119	25.3	4.38	<0.01	1	<0.01	22
1752121	26.4	3.78	0.01	1	<0.01	21
1752122	30.0	3.69	0.01	1	<0.01	15
1752123	17.3	3.82	0.04	1	<0.01	17
1752124	19.2	4.95	0.02	1	<0.01	20
1752125	34.1	3.34	0.02	1	<0.01	23
1752126	23.3	3.81	0.02	<1	<0.01	23
1752127	37.3	3.41	0.01	<1	<0.01	21
1752128	31.6	2.49	0.14	<1	<0.01	20
1752129	13.7	2.64	0.01	1	<0.01	17
1752131	17.4	5.21	0.02	1	<0.01	20
1752132	11.4	3.13	0.04	1	<0.01	17
1752133	7.8	3.69	0.02	2	<0.01	22
1752134	7.3	3.13	0.01	1	<0.01	16
1752135	8.1	2.52	0.03	1	<0.01	21
1752136	6.6	0.42	0.09	1	<0.01	37
1752137	7.6	0.41	0.05	2	<0.01	29
1752138	6.5	2.22	0.05	1	<0.01	18
1752139	8.0	2.60	0.03	1	<0.01	16
1752141	5.8	3.44	0.04	1	<0.01	20
1752142	5.5	4.02	0.04	1	<0.01	20
1752143	6.2	3.02	0.07	<1	<0.01	19
1752144	10.0	3.33	0.02	<1	<0.01	22
1752145	11.1	2.92	0.02	<1	<0.01	24
*Dup 1752111	24.3	4.14	0.02	2	<0.01	18
*Std OREAS 601b	996	2.14	2.35	24	0.09	207
*Blk BLANK	<0.5	<0.01	<0.01	1	<0.01	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 905	1546	3.83	2.98	22	0.27	370
*Std OREAS 905	1534	3.82	2.94	20	0.25	376
*Std OREAS 601b	1011	2.25	2.35	21	0.09	220
*Rep 1752109	20.0	2.69	0.06	1	<0.01	31
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1567	4.05	2.91	20	0.26	357
*Rep 1752132	10.6	3.17	0.05	1	<0.01	17
*Blk BLANK	1.2	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	992	2.27	2.36	22	0.09	205

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752073	0.15	2	0.11	0.90	602	0.10
1752074	0.02	4	0.09	2.18	253	0.08
1752075	0.03	3	0.09	2.60	354	0.07
1752076	0.07	2	0.09	1.92	468	0.08
1752077	0.05	2	0.07	2.66	248	0.07
1752078	0.04	3	0.04	3.46	206	0.06
1752079	0.07	2	0.06	2.30	295	0.07
1752081	0.02	4	0.05	>5.00	241	0.04
1752082	0.05	4	0.06	>5.00	242	0.04
1752083	0.02	3	0.07	3.88	357	0.05
1752084	0.04	5	0.08	>5.00	374	0.04
1752085	0.02	3	0.08	4.22	368	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752086	0.02	2	0.09	4.21	453	0.04
1752087	0.03	3	0.07	3.32	274	0.06
1752088	0.02	2	0.06	2.46	279	0.06
1752089	0.04	2	0.06	2.64	317	0.05
1752091	0.03	3	0.06	2.59	303	0.06
1752092	0.04	1	0.07	1.94	323	0.05
1752093	0.02	2	0.06	3.51	260	0.04
1752094	0.05	2	0.06	2.20	189	0.07
1752095	0.01	2	0.03	1.98	68.1	0.08
1752096	0.02	2	0.10	3.40	375	0.05
1752097	0.02	3	0.02	1.30	80.9	0.06
1752098	0.05	2	0.05	1.96	195	0.09
1752099	0.01	2	0.08	2.65	394	0.10
1752101	0.01	2	0.13	3.20	549	0.08
1752102	<0.01	3	0.07	3.28	239	0.09
1752103	<0.01	2	0.02	0.61	99.2	0.11
1752104	0.01	2	0.09	1.83	359	0.10
1752105	<0.01	3	0.06	2.31	258	0.09
1752106	0.02	3	0.08	2.89	488	0.09
1752107	0.02	5	0.09	3.61	582	0.09
1752108	0.02	5	0.10	4.12	690	0.07
1752109	0.03	5	0.05	2.95	333	0.05
1752111	0.02	4	0.05	4.56	337	0.06
1752112	0.02	5	0.02	>5.00	179	0.04
1752113	0.02	8	0.03	4.47	198	0.04
1752114	0.02	6	0.08	>5.00	509	0.05
1752115	0.01	6	0.09	4.47	412	0.05
1752116	0.01	6	0.11	4.15	391	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752117	0.02	4	0.09	3.67	417	0.06
1752118	0.01	3	0.08	3.52	351	0.06
1752119	0.01	3	0.07	4.64	391	0.05
1752121	0.02	3	0.05	4.05	397	0.06
1752122	0.02	3	0.07	4.09	436	0.05
1752123	0.02	2	0.06	3.90	476	0.05
1752124	0.02	2	0.05	4.89	387	0.04
1752125	0.02	3	0.06	3.56	410	0.05
1752126	0.02	4	0.04	3.87	225	0.05
1752127	0.01	3	0.06	3.68	398	0.06
1752128	0.03	2	0.10	2.50	592	0.06
1752129	0.02	2	0.06	2.81	350	0.05
1752131	0.02	3	0.04	>5.00	237	0.04
1752132	0.02	2	0.05	3.37	395	0.04
1752133	0.02	2	0.04	3.91	266	0.05
1752134	0.02	2	0.07	3.35	300	0.05
1752135	0.04	2	0.03	2.67	176	0.05
1752136	0.02	2	<0.01	0.07	37.1	0.02
1752137	0.02	2	<0.01	0.13	34.9	0.02
1752138	0.03	2	0.03	2.28	191	0.03
1752139	0.03	2	0.03	2.80	158	0.05
1752141	0.02	2	0.02	3.65	129	0.03
1752142	0.02	3	0.03	4.33	170	0.04
1752143	0.02	2	0.03	3.11	161	0.04
1752144	0.02	2	0.08	3.61	448	0.04
1752145	0.02	2	0.07	3.02	367	0.05
*Dup 1752111	0.01	4	0.05	4.44	319	0.06
*Std OREAS 601b	1.77	5	0.03	1.51	236	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
*Blk BLANK	0.02	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.34	9	0.03	0.08	163	0.12
*Std OREAS 905	2.30	7	0.03	0.08	160	0.11
*Std OREAS 601b	1.79	5	0.03	1.39	234	0.12
*Rep 1752109	0.03	5	0.05	2.83	318	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.43	8	0.03	0.08	159	0.11
*Rep 1752132	0.02	2	0.05	3.33	411	0.06
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.85	5	0.03	1.48	241	0.12

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
1752073	55	2	85.5	0.05	5	0.2
1752074	9	2	72.2	0.09	6	<0.1
1752075	12	1	78.4	0.08	3	<0.1
1752076	39	1	96.5	0.10	5	0.2
1752077	15	2	87.0	0.15	5	0.1
1752078	18	<1	85.6	0.06	4	0.1
1752079	33	<1	81.6	0.18	3	0.2
1752081	10	<1	74.0	0.10	5	0.1
1752082	9	1	61.2	0.46	5	0.1
1752083	12	2	67.7	0.07	2	0.2
1752084	12	2	79.6	0.12	4	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752085	10	2	77.0	0.11	3	0.1
1752086	16	2	83.8	0.08	3	0.2
1752087	7	<1	66.0	0.10	2	<0.1
1752088	11	<1	69.4	0.06	3	<0.1
1752089	10	<1	70.5	0.07	2	<0.1
1752091	15	31	80.6	0.05	2	<0.1
1752092	21	1	74.0	0.03	2	0.1
1752093	13	2	82.7	0.13	5	0.2
1752094	4	1	64.0	0.12	2	<0.1
1752095	4	<1	61.3	0.09	1	<0.1
1752096	10	1	70.7	0.06	5	0.1
1752097	3	<1	51.7	0.05	2	<0.1
1752098	4	<1	68.1	0.12	2	<0.1
1752099	5	1	72.2	0.09	2	<0.1
1752101	7	1	60.7	0.15	3	<0.1
1752102	5	<1	58.5	0.11	3	<0.1
1752103	7	2	59.3	0.13	2	<0.1
1752104	9	<1	63.8	0.08	4	<0.1
1752105	8	<1	62.4	0.06	3	<0.1
1752106	14	2	80.6	0.07	4	0.1
1752107	14	<1	80.3	0.20	5	<0.1
1752108	15	<1	70.6	0.18	4	0.1
1752109	11	<1	50.1	0.10	2	0.1
1752111	16	<1	62.1	0.05	3	<0.1
1752112	11	<1	64.3	0.09	3	<0.1
1752113	10	1	54.6	0.07	2	<0.1
1752114	12	<1	75.6	0.17	5	0.1
1752115	15	<1	65.0	0.08	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752116	16	<1	63.2	0.11	2	0.2
1752117	17	<1	80.1	0.15	3	0.2
1752118	17	<1	82.4	0.06	3	0.1
1752119	18	2	66.9	0.10	3	<0.1
1752121	19	1	69.3	0.06	4	0.1
1752122	18	3	77.4	0.07	6	0.1
1752123	15	2	75.0	0.10	3	<0.1
1752124	14	2	78.4	0.11	3	<0.1
1752125	15	2	83.8	0.05	4	0.2
1752126	16	2	95.1	0.07	3	0.2
1752127	15	1	73.8	0.10	4	0.2
1752128	24	2	65.7	0.10	3	0.2
1752129	16	1	56.6	0.06	2	0.2
1752131	16	<1	58.4	<0.02	3	0.1
1752132	16	2	79.1	<0.02	2	0.1
1752133	16	2	81.9	0.10	2	0.1
1752134	18	3	60.4	<0.02	2	0.1
1752135	14	2	51.7	0.05	2	0.1
1752136	10	3	20.0	<0.02	1	<0.1
1752137	12	3	23.9	<0.02	1	<0.1
1752138	15	2	45.8	<0.02	2	0.1
1752139	18	2	60.6	0.06	3	0.1
1752141	21	3	55.7	<0.02	2	0.1
1752142	21	2	70.6	0.06	2	0.1
1752143	16	2	60.4	<0.02	2	0.2
1752144	19	2	68.7	<0.02	2	0.2
1752145	22	3	57.4	0.06	3	0.2
*Dup 1752111	15	<1	62.5	0.14	2	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
*Std OREAS 601b	11	310	171	52.01	285	2.4
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Std OREAS 905	9	141	237	0.71	35	2.9
*Std OREAS 905	9	136	243	0.66	31	2.9
*Std OREAS 601b	11	320	179	47.36	270	2.3
*Rep 1752109	10	<1	45.4	0.05	2	<0.1
*Blk BLANK	<2	<1	<0.5	0.02	<1	<0.1
*Std OREAS 905	8	138	229	0.62	35	2.7
*Rep 1752132	18	2	88.6	<0.02	2	0.1
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	315	164	51.92	281	2.3

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	Dy GE_IMS40Q12 0.05 1,000 ppm m / m
1752073	3.77	0.06	63.41	4.4	<1	1.77
1752074	4.66	0.06	65.57	6.2	<1	1.72
1752075	4.17	0.03	54.93	4.9	<1	1.53
1752076	3.37	0.03	76.83	8.2	<1	1.68
1752077	2.24	0.05	53.26	7.5	<1	0.99
1752078	2.57	0.07	57.14	8.0	<1	1.03
1752079	2.54	0.07	60.73	5.6	<1	1.14
1752081	4.59	0.04	40.52	11.3	<1	1.26
1752082	4.37	0.04	42.79	11.1	<1	1.29
1752083	2.88	0.06	47.82	8.1	<1	1.65

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752084	5.88	0.06	56.65	13.4	<1	1.38
1752085	4.99	0.05	61.70	9.8	<1	1.56
1752086	2.24	0.05	60.87	8.9	<1	1.66
1752087	3.22	0.05	43.28	11.0	<1	1.16
1752088	2.42	0.05	47.43	7.0	<1	1.28
1752089	1.98	0.05	48.55	7.0	<1	1.35
1752091	2.01	0.04	54.38	7.9	<1	1.39
1752092	1.46	<0.02	50.27	5.2	<1	1.53
1752093	1.34	0.03	49.23	7.8	<1	1.70
1752094	2.12	0.05	48.31	6.0	<1	1.15
1752095	2.01	0.06	19.56	4.9	<1	1.08
1752096	3.68	0.09	61.08	8.9	<1	1.69
1752097	1.71	0.04	15.28	4.3	<1	1.05
1752098	2.79	0.05	36.03	6.0	<1	1.54
1752099	3.85	0.06	56.36	6.2	<1	1.70
1752101	6.45	0.08	59.16	8.3	<1	2.04
1752102	4.52	0.07	40.45	7.6	<1	2.10
1752103	1.54	0.12	8.78	1.4	<1	2.64
1752104	4.59	0.08	40.32	4.5	<1	1.56
1752105	3.64	0.09	37.43	5.5	<1	1.76
1752106	2.20	0.08	67.68	6.1	<1	1.71
1752107	3.58	0.09	69.07	9.3	<1	1.74
1752108	3.14	0.09	47.80	8.8	<1	1.92
1752109	1.64	0.06	47.05	5.3	<1	1.10
1752111	1.52	0.04	50.50	8.6	<1	1.18
1752112	1.72	0.09	52.61	9.1	<1	1.02
1752113	2.09	0.11	39.14	9.7	<1	1.32
1752114	2.90	0.05	51.74	9.6	<1	1.96

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752115	2.18	0.04	48.81	10.2	<1	2.19
1752116	2.86	0.05	35.37	10.0	<1	2.01
1752117	2.92	0.03	51.13	7.8	<1	1.87
1752118	2.65	0.11	44.56	7.3	<1	1.74
1752119	4.05	<0.02	50.66	7.5	<1	1.85
1752121	3.91	0.04	48.91	7.8	<1	1.81
1752122	4.43	0.09	50.46	7.3	<1	1.73
1752123	3.81	0.03	52.89	7.2	<1	1.41
1752124	6.46	0.04	46.79	7.0	<1	1.41
1752125	4.16	0.05	48.96	5.7	<1	1.46
1752126	2.64	0.07	46.43	6.7	<1	1.47
1752127	3.78	0.05	48.07	6.3	<1	1.66
1752128	3.54	0.04	53.07	3.9	<1	2.34
1752129	2.01	0.02	46.71	3.8	<1	1.55
1752131	3.08	<0.02	49.69	6.7	<1	1.51
1752132	2.30	<0.02	57.32	5.8	<1	1.67
1752133	1.35	<0.02	50.84	5.9	<1	1.58
1752134	1.29	0.03	51.92	4.8	<1	1.49
1752135	1.39	0.02	50.78	4.2	<1	0.99
1752136	0.25	0.04	11.17	0.2	<1	0.33
1752137	0.15	0.02	12.13	0.3	<1	0.32
1752138	1.03	<0.02	51.14	4.6	<1	1.37
1752139	1.39	0.03	42.16	5.6	<1	1.12
1752141	1.17	0.03	35.76	5.2	<1	1.01
1752142	1.63	0.02	34.73	6.6	<1	1.30
1752143	1.27	0.03	42.20	4.9	<1	1.53
1752144	1.70	0.05	59.68	5.6	<1	2.05
1752145	1.38	0.05	50.65	5.5	<1	2.34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	Dy GE_IMS40Q12 0.05 1,000 ppm m / m
*Dup 1752111	1.55	0.04	49.56	9.2	<1	1.15
*Std OREAS 601b	17.46	2.05	68.29	2.7	5	2.43
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.93	0.36	96.08	14.3	7	3.63
*Std OREAS 905	5.84	0.32	91.53	14.1	7	3.66
*Std OREAS 601b	17.67	2.24	69.87	2.9	5	2.55
*Rep 1752109	1.66	0.05	47.32	5.1	<1	1.07
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.95	0.35	91.71	14.2	7	3.44
*Rep 1752132	2.27	<0.02	58.29	5.9	<1	1.73
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 601b	17.12	2.09	69.05	2.8	5	2.35

Element Method Lower Limit Upper Limit Unit	Er GE_IMS40Q12 0.05 1,000 ppm m / m	Eu GE_IMS40Q12 0.05 500 ppm m / m	Gd GE_IMS40Q12 0.1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m	@Hf GE_IMS40Q12 0.02 500 ppm m / m	Ho GE_IMS40Q12 0.05 500 ppm m / m
1752073	1.04	1.74	5.2	37.2	2.63	0.31
1752074	0.90	1.32	3.9	3.2	2.04	0.31
1752075	0.96	1.26	3.7	4.8	2.43	0.30
1752076	1.00	1.74	5.1	19.6	2.98	0.31
1752077	0.80	1.01	2.7	16.3	2.59	0.22
1752078	0.69	0.90	2.6	13.1	2.24	0.20
1752079	0.75	1.03	2.7	17.8	2.18	0.21
1752081	0.85	0.74	2.0	15.3	1.90	0.26
1752082	0.85	0.77	2.2	10.4	1.59	0.25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752083	1.00	0.98	2.8	15.4	1.77	0.32
1752084	0.85	1.00	2.9	16.9	2.06	0.25
1752085	0.87	1.05	3.0	11.9	2.02	0.27
1752086	0.87	1.20	3.6	20.7	2.19	0.28
1752087	0.77	0.77	2.1	6.5	1.81	0.23
1752088	0.78	0.75	2.2	6.3	1.81	0.24
1752089	0.76	0.80	2.4	8.6	1.87	0.24
1752091	0.85	0.81	2.4	10.6	2.15	0.26
1752092	0.90	0.79	2.5	13.1	2.09	0.28
1752093	1.04	0.72	2.3	19.3	2.35	0.32
1752094	0.75	0.58	1.7	2.5	1.66	0.23
1752095	0.72	0.26	1.0	0.4	1.59	0.22
1752096	0.80	0.90	2.9	13.3	1.81	0.28
1752097	0.67	0.25	0.9	0.9	1.36	0.21
1752098	0.96	0.54	1.8	0.5	1.82	0.30
1752099	0.89	0.92	2.8	0.6	1.85	0.29
1752101	0.87	1.09	3.4	4.0	1.65	0.32
1752102	1.11	0.65	2.1	0.8	1.43	0.39
1752103	1.46	0.28	1.4	1.0	1.54	0.51
1752104	0.78	0.68	2.2	3.7	1.58	0.27
1752105	1.01	0.62	2.0	2.3	1.56	0.33
1752106	0.94	1.15	3.3	25.1	2.19	0.29
1752107	0.89	1.07	3.1	16.2	2.15	0.29
1752108	0.94	0.94	2.9	20.4	1.85	0.31
1752109	0.62	0.66	1.9	12.6	1.32	0.19
1752111	0.73	0.71	2.0	12.8	1.81	0.22
1752112	0.77	0.63	1.8	16.2	1.87	0.22
1752113	0.89	0.55	1.7	22.2	1.49	0.27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752114	1.16	0.98	3.1	17.0	2.05	0.36
1752115	1.29	0.92	3.1	12.9	2.11	0.41
1752116	1.08	0.74	2.7	12.3	1.64	0.36
1752117	1.19	0.87	2.8	12.0	2.46	0.35
1752118	1.14	0.71	2.4	12.4	2.46	0.33
1752119	1.20	0.99	3.3	12.8	1.94	0.37
1752121	1.21	0.99	3.3	14.2	2.04	0.37
1752122	1.26	0.96	3.1	14.3	2.32	0.35
1752123	0.93	0.99	3.3	12.6	2.10	0.27
1752124	0.91	0.88	2.9	11.6	2.16	0.27
1752125	0.91	0.98	3.2	11.7	2.32	0.28
1752126	1.16	0.71	2.4	13.0	2.49	0.32
1752127	1.07	0.96	3.4	12.4	1.96	0.34
1752128	1.11	1.23	4.8	10.8	1.88	0.38
1752129	1.02	0.89	3.2	12.9	1.63	0.31
1752131	1.10	0.84	2.9	12.0	1.61	0.33
1752132	1.05	1.17	4.2	11.3	2.16	0.32
1752133	1.16	0.92	3.2	11.6	2.33	0.33
1752134	0.84	0.90	3.1	10.7	1.75	0.27
1752135	0.66	0.69	2.1	9.3	1.47	0.20
1752136	0.27	0.20	0.7	7.0	0.65	0.07
1752137	0.27	0.19	0.6	11.1	0.76	0.07
1752138	0.82	0.92	3.3	14.6	1.28	0.26
1752139	0.79	0.65	2.0	13.4	1.63	0.24
1752141	0.74	0.52	1.6	12.2	1.60	0.22
1752142	1.02	0.65	2.4	13.7	1.90	0.29
1752143	1.19	0.67	2.3	11.9	1.82	0.34
1752144	1.14	1.35	4.8	10.8	1.99	0.36

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752145	1.26	1.25	4.6	12.5	1.70	0.42
*Dup 1752111	0.72	0.71	1.9	12.3	1.83	0.22
*Std OREAS 601b	0.75	0.92	4.0	22.2	5.10	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.07	1.41	5.9	25.7	7.01	0.52
*Std OREAS 905	1.02	1.31	5.5	23.7	6.48	0.50
*Std OREAS 601b	0.70	0.89	3.7	22.6	4.80	0.35
*Rep 1752109	0.60	0.67	1.8	12.5	1.27	0.20
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.02	1.35	5.7	24.0	6.47	0.49
*Rep 1752132	1.13	1.15	4.1	13.0	2.38	0.32
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.70	0.88	3.8	21.9	4.64	0.34

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752073	0.17	25.5	0.22	2.96	2.7	30.8
1752074	<0.02	27.8	0.19	4.38	1.9	28.7
1752075	0.03	22.8	0.21	3.26	1.9	25.4
1752076	0.06	31.6	0.23	2.78	2.2	37.4
1752077	<0.02	21.4	0.21	2.99	2.2	27.3
1752078	<0.02	26.4	0.16	2.78	1.9	25.0
1752079	0.04	26.2	0.17	2.11	1.9	28.1
1752081	<0.02	18.6	0.18	3.38	1.2	17.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752082	<0.02	20.7	0.17	5.46	1.3	17.5
1752083	<0.02	22.4	0.19	3.48	1.3	21.2
1752084	<0.02	26.8	0.20	7.04	1.2	22.2
1752085	<0.02	29.1	0.19	7.72	1.7	25.3
1752086	<0.02	26.9	0.17	3.07	1.4	27.5
1752087	<0.02	18.0	0.17	6.74	1.7	17.8
1752088	<0.02	21.6	0.16	7.50	1.5	18.8
1752089	<0.02	21.9	0.15	2.81	1.2	19.8
1752091	0.02	24.1	0.18	3.64	1.5	21.7
1752092	0.03	21.6	0.19	2.72	1.4	21.2
1752093	<0.02	22.3	0.22	3.89	1.5	18.9
1752094	<0.02	22.7	0.16	3.85	1.8	17.6
1752095	<0.02	9.1	0.15	2.87	1.8	6.5
1752096	<0.02	28.0	0.16	3.97	1.3	22.0
1752097	<0.02	7.6	0.14	3.17	1.5	5.3
1752098	<0.02	16.2	0.18	3.91	2.0	13.0
1752099	<0.02	26.3	0.17	3.28	2.1	20.7
1752101	<0.02	26.7	0.16	3.35	2.0	22.7
1752102	<0.02	19.3	0.17	2.91	2.1	15.1
1752103	<0.02	3.9	0.20	2.21	2.1	3.6
1752104	<0.02	18.5	0.15	2.70	2.1	14.7
1752105	<0.02	17.6	0.18	2.62	2.3	14.4
1752106	<0.02	29.1	0.20	2.47	2.2	33.3
1752107	<0.02	31.9	0.19	2.68	2.4	28.2
1752108	<0.02	22.6	0.18	2.87	2.0	19.7
1752109	<0.02	24.3	0.12	2.28	1.4	17.6
1752111	<0.02	24.4	0.16	2.55	2.0	19.1
1752112	<0.02	29.1	0.18	1.80	1.1	18.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752113	<0.02	20.5	0.18	1.99	1.2	14.9
1752114	<0.02	23.3	0.23	2.08	1.7	22.9
1752115	<0.02	23.2	0.23	2.03	1.5	20.6
1752116	<0.02	15.6	0.19	2.07	1.6	16.2
1752117	<0.02	24.7	0.25	1.79	1.9	20.4
1752118	<0.02	21.7	0.24	1.98	1.8	17.5
1752119	<0.02	23.8	0.22	2.28	2.0	21.8
1752121	<0.02	22.9	0.24	1.84	2.3	22.0
1752122	<0.02	24.3	0.26	2.22	1.6	22.3
1752123	<0.02	25.0	0.22	1.76	1.5	23.1
1752124	<0.02	22.1	0.22	1.87	1.4	20.6
1752125	<0.02	22.8	0.22	1.87	1.5	22.1
1752126	<0.02	23.0	0.26	2.30	1.7	19.6
1752127	<0.02	22.2	0.23	2.13	1.8	22.7
1752128	<0.02	24.5	0.22	1.98	1.8	25.1
1752129	<0.02	21.7	0.22	1.93	1.5	20.9
1752131	<0.02	24.4	0.23	3.41	1.1	21.3
1752132	<0.02	26.7	0.25	2.26	1.3	28.4
1752133	<0.02	25.0	0.29	3.00	1.6	22.0
1752134	<0.02	24.6	0.18	2.81	1.7	21.8
1752135	<0.02	26.5	0.14	2.76	1.3	20.0
1752136	<0.02	5.6	0.06	4.21	0.5	5.1
1752137	<0.02	6.3	0.07	3.62	0.6	5.1
1752138	<0.02	25.0	0.16	2.28	1.1	22.4
1752139	<0.02	21.0	0.17	2.93	1.5	17.6
1752141	<0.02	18.4	0.19	3.04	1.0	13.9
1752142	<0.02	16.5	0.23	2.16	1.3	15.3
1752143	<0.02	21.3	0.23	3.94	1.1	16.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method Lower Limit Upper Limit Unit	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m	Nd GE_IMS40Q12 0.1 1,000 ppm m / m
1752144	<0.02	26.9	0.25	2.14	1.2	28.7
1752145	<0.02	23.2	0.24	3.00	1.4	24.8
*Dup 1752111	<0.02	24.2	0.16	2.79	1.9	18.6
*Std OREAS 601b	0.47	31.5	0.07	5.24	14.9	28.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.65	43.0	0.10	3.37	18.3	40.3
*Std OREAS 905	0.62	45.0	0.09	3.07	17.6	38.9
*Std OREAS 601b	0.47	33.7	0.07	5.06	14.4	28.3
*Rep 1752109	<0.02	24.2	0.12	2.29	1.3	17.5
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.63	45.4	0.09	3.43	17.0	39.3
*Rep 1752132	<0.02	26.3	0.26	2.30	1.8	27.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.45	34.0	0.07	5.02	13.3	28.3

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
1752073	340	7.81	18.3	0.45	6.0	3
1752074	134	7.69	0.9	0.35	2.7	6
1752075	185	6.52	2.6	0.27	4.0	9
1752076	234	9.48	9.5	0.32	6.0	6
1752077	84.1	6.76	0.6	0.44	3.6	7
1752078	64.4	6.90	3.1	0.40	4.2	11
1752079	95.7	7.80	7.0	0.42	5.6	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752081	91.4	4.92	1.0	0.34	3.9	16
1752082	105	5.00	0.6	0.41	2.9	14
1752083	141	5.76	0.5	0.41	3.1	10
1752084	142	6.56	0.5	0.51	3.6	24
1752085	154	7.23	0.3	0.52	3.6	14
1752086	178	7.63	0.6	0.38	3.6	12
1752087	104	5.18	<0.2	0.49	3.0	10
1752088	105	5.64	1.2	0.33	3.2	7
1752089	115	5.93	0.9	0.36	3.2	9
1752091	108	6.71	1.8	0.50	3.7	8
1752092	112	6.27	2.6	0.38	3.6	7
1752093	87.9	5.72	0.4	0.40	4.2	13
1752094	55.1	5.36	<0.2	0.35	2.9	6
1752095	17.4	2.13	<0.2	0.35	2.9	5
1752096	125	6.83	0.3	0.63	3.2	12
1752097	25.5	1.67	<0.2	0.21	2.2	5
1752098	56.3	3.98	<0.2	0.31	3.0	6
1752099	114	6.32	<0.2	0.50	3.1	6
1752101	167	6.78	0.7	0.68	2.8	11
1752102	51.2	4.51	<0.2	0.41	2.7	14
1752103	18.8	1.01	<0.2	0.50	2.9	2
1752104	104	4.51	<0.2	0.81	2.8	7
1752105	70.5	4.32	<0.2	0.44	2.8	9
1752106	149	8.84	0.5	0.44	4.5	12
1752107	159	8.24	0.4	0.56	4.4	13
1752108	141	5.68	0.5	0.56	3.9	12
1752109	74.3	5.25	1.3	0.40	2.5	8
1752111	58.7	5.69	0.4	0.44	3.5	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*PANCONRESOURCES/Brewer
 GoldHole B21C-013/145 Core(72-145)
 Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752112	32.6	5.55	0.5	0.44	3.9	16
1752113	37.1	4.49	0.3	0.34	2.8	12
1752114	85.9	6.41	0.3	0.39	4.0	14
1752115	69.3	5.79	0.2	0.31	4.5	11
1752116	64.5	4.35	<0.2	0.32	2.3	9
1752117	66.7	5.97	0.4	0.35	5.1	9
1752118	51.7	5.06	0.2	0.39	5.1	10
1752119	65.5	5.76	0.2	0.31	4.3	10
1752121	60.1	5.64	0.4	0.65	4.4	9
1752122	83.7	5.87	0.3	0.88	4.9	9
1752123	93.8	6.09	0.9	0.78	4.1	8
1752124	65.0	5.44	0.4	0.72	4.1	10
1752125	76.0	5.68	0.4	1.40	4.3	8
1752126	43.0	5.11	0.5	0.83	4.2	8
1752127	72.2	5.79	0.3	1.09	3.9	7
1752128	92.2	6.35	2.7	1.85	4.0	5
1752129	67.5	5.54	0.3	0.59	3.4	5
1752131	43.7	5.65	0.4	0.34	3.5	10
1752132	70.4	7.11	1.2	0.33	4.5	9
1752133	46.7	5.84	0.5	0.34	5.1	12
1752134	49.4	5.87	0.3	0.41	4.1	9
1752135	28.2	5.40	0.7	0.36	3.5	7
1752136	6.8	1.29	2.5	0.26	1.6	<2
1752137	5.8	1.36	1.3	0.28	1.9	<2
1752138	27.3	5.82	1.1	0.27	2.8	6
1752139	25.7	4.64	0.7	0.47	2.7	7
1752141	19.8	3.80	1.1	0.26	5.1	8
1752142	24.8	3.93	1.0	0.36	4.7	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method	@Pb GE_IMS40Q12	Pr GE_IMS40Q12	@Rb GE_IMS40Q12	@Sb GE_IMS40Q12	@Sc GE_IMS40Q12	@Se GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752143	25.9	4.64	1.9	0.32	4.6	7
1752144	56.4	7.31	0.5	0.61	5.3	7
1752145	39.1	6.23	0.4	0.62	5.3	6
*Dup 1752111	53.4	5.63	0.4	0.45	3.4	11
*Std OREAS 601b	305	7.87	95.2	23.25	3.0	9
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	31.9	10.80	137	2.03	4.1	2
*Std OREAS 905	31.3	11.11	137	1.88	4.5	3
*Std OREAS 601b	306	8.16	97.6	22.92	2.8	9
*Rep 1752109	73.7	5.29	1.2	0.37	2.4	8
*Blk BLANK	0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	32.0	10.61	139	1.86	4.8	3
*Rep 1752132	70.9	7.03	1.1	0.40	4.8	10
*Blk BLANK	0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	292	7.71	96.1	22.31	3.5	8

Element Method	Sm GE_IMS40Q12	@Sn GE_IMS40Q12	@Ta GE_IMS40Q12	@Tb GE_IMS40Q12	@Te GE_IMS40Q12	@Th GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752073	7.6	6.7	0.19	0.48	1.98	8.6
1752074	5.9	2.9	0.11	0.40	3.32	6.4
1752075	5.6	1.9	0.12	0.37	2.37	5.5
1752076	8.2	2.9	0.16	0.48	1.75	8.4
1752077	5.0	2.0	0.19	0.24	1.78	6.6
1752078	4.7	2.0	0.17	0.24	2.06	7.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752079	5.1	2.5	0.15	0.25	2.33	6.6
1752081	3.4	1.0	0.09	0.23	2.76	4.9
1752082	3.4	1.3	0.08	0.25	3.69	5.5
1752083	4.2	1.1	0.09	0.31	2.71	6.2
1752084	4.4	1.2	0.08	0.31	5.82	7.4
1752085	4.7	1.8	0.11	0.34	3.68	7.3
1752086	5.4	1.0	0.10	0.39	2.55	6.8
1752087	3.3	1.3	0.11	0.24	3.77	5.3
1752088	3.3	1.2	0.09	0.27	2.25	5.6
1752089	3.3	1.0	0.08	0.30	2.14	5.5
1752091	3.5	1.3	0.10	0.29	2.14	6.3
1752092	3.6	1.2	0.09	0.31	1.51	6.6
1752093	3.1	1.1	0.12	0.32	1.92	6.8
1752094	2.8	1.4	0.09	0.20	1.06	7.3
1752095	1.1	1.4	0.08	0.16	1.47	3.8
1752096	4.0	1.5	0.09	0.37	3.02	7.8
1752097	1.0	1.4	0.06	0.15	1.13	2.7
1752098	2.4	1.9	0.07	0.25	1.58	6.3
1752099	4.0	2.1	0.10	0.35	1.44	9.0
1752101	4.6	2.1	0.12	0.42	3.38	8.7
1752102	2.7	2.0	0.11	0.33	1.73	7.3
1752103	0.9	1.9	0.08	0.34	0.85	2.0
1752104	2.9	2.5	0.10	0.29	5.11	4.7
1752105	2.8	1.9	0.13	0.29	2.96	4.6
1752106	5.7	2.4	0.15	0.38	2.44	6.2
1752107	4.7	2.7	0.16	0.38	5.21	7.5
1752108	3.8	1.5	0.14	0.37	4.04	5.9
1752109	3.0	1.3	0.10	0.21	1.57	6.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752111	3.3	1.3	0.14	0.23	2.50	7.1
1752112	3.1	1.1	0.07	0.18	2.24	7.8
1752113	2.6	1.2	0.09	0.22	3.13	5.7
1752114	4.3	1.9	0.11	0.38	4.09	6.9
1752115	4.2	1.4	0.12	0.40	4.01	7.3
1752116	3.3	1.5	0.12	0.38	4.07	4.6
1752117	3.9	1.7	0.14	0.35	4.31	7.5
1752118	3.3	1.1	0.11	0.30	3.48	6.6
1752119	4.5	1.0	0.18	0.38	4.96	6.1
1752121	4.6	1.1	0.24	0.37	4.63	6.2
1752122	4.5	0.9	0.14	0.35	5.89	6.5
1752123	4.8	0.9	0.12	0.36	3.14	6.3
1752124	4.1	0.7	0.11	0.32	5.98	5.8
1752125	4.6	0.8	0.11	0.34	4.70	6.1
1752126	3.6	0.8	0.12	0.27	4.99	6.0
1752127	4.7	0.7	0.14	0.38	5.47	6.0
1752128	5.4	0.9	0.14	0.57	6.13	6.3
1752129	4.2	0.6	0.10	0.34	2.20	5.9
1752131	4.2	0.6	0.07	0.32	3.35	6.2
1752132	5.8	0.7	0.10	0.43	1.99	6.5
1752133	4.6	0.9	0.11	0.33	1.73	6.3
1752134	4.2	1.0	0.12	0.35	1.35	6.0
1752135	3.6	1.0	0.09	0.22	1.00	6.1
1752136	1.0	0.6	<0.05	0.07	0.06	1.2
1752137	1.0	0.4	<0.05	0.07	0.09	1.4
1752138	4.8	0.5	0.08	0.33	1.10	5.3
1752139	3.3	0.6	0.11	0.22	2.05	4.2
1752141	2.6	0.4	0.07	0.19	1.46	4.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752142	3.2	0.5	0.10	0.28	2.16	4.4
1752143	3.1	0.6	0.08	0.29	1.40	5.4
1752144	6.0	<0.3	0.09	0.55	2.06	6.8
1752145	5.5	<0.3	0.10	0.54	2.04	6.0
*Dup 1752111	3.2	1.4	0.14	0.21	2.51	7.2
*Std OREAS 601b	5.4	3.5	1.10	0.53	12.10	12.0
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.9	4.6	1.33	0.78	0.10	15.0
*Std OREAS 905	7.9	4.0	1.25	0.77	0.11	15.0
*Std OREAS 601b	5.4	3.3	1.05	0.49	11.59	11.4
*Rep 1752109	3.0	1.1	0.09	0.21	1.40	6.8
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.8	3.8	1.17	0.74	0.11	14.6
*Rep 1752132	5.7	0.9	0.14	0.43	2.01	6.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.5	3.1	0.98	0.49	11.68	11.2

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752073	1.59	0.17	1.37	2.0	8.0	1.3
1752074	0.09	0.15	1.15	0.8	7.2	1.1
1752075	0.22	0.16	1.20	0.8	7.7	1.2
1752076	0.94	0.18	1.49	1.6	7.0	1.4
1752077	<0.02	0.15	1.20	1.8	4.8	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752078	0.21	0.12	1.02	1.3	4.9	1.0
1752079	0.56	0.14	1.01	1.4	5.6	1.1
1752081	0.15	0.15	0.88	1.1	7.3	1.1
1752082	0.20	0.14	0.84	1.5	7.3	1.0
1752083	0.08	0.17	0.97	1.4	8.8	1.2
1752084	0.08	0.15	1.04	1.0	6.9	1.2
1752085	0.07	0.15	1.07	1.4	7.5	1.1
1752086	0.08	0.14	1.04	0.9	7.8	1.0
1752087	0.06	0.13	0.96	0.9	6.5	1.0
1752088	0.12	0.14	0.90	0.8	6.6	1.0
1752089	0.17	0.13	0.88	0.8	6.6	1.0
1752091	0.19	0.14	1.08	1.0	7.1	1.1
1752092	0.22	0.15	1.01	0.8	7.8	1.1
1752093	0.02	0.17	1.04	0.9	9.7	1.3
1752094	<0.02	0.13	0.81	0.8	6.6	0.9
1752095	0.02	0.13	0.74	0.6	6.1	0.9
1752096	0.03	0.13	1.05	0.7	7.3	0.9
1752097	0.04	0.11	0.67	0.7	6.2	0.8
1752098	<0.02	0.16	0.96	1.0	8.7	1.1
1752099	<0.02	0.14	1.07	1.2	8.1	1.1
1752101	0.03	0.13	1.13	1.1	9.0	0.9
1752102	0.03	0.16	0.95	0.8	11.7	1.1
1752103	0.03	0.20	0.91	0.8	15.8	1.3
1752104	0.02	0.13	0.99	0.9	7.2	0.9
1752105	0.04	0.16	0.98	1.1	9.6	1.1
1752106	0.03	0.16	1.26	1.6	7.9	1.1
1752107	0.03	0.15	1.30	1.5	7.8	1.1
1752108	0.04	0.15	1.13	1.3	8.5	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752109	0.08	0.10	0.72	0.9	5.3	0.7
1752111	0.02	0.12	0.89	1.5	6.1	0.9
1752112	0.03	0.14	0.81	0.9	6.5	1.1
1752113	0.03	0.15	0.70	0.9	7.5	1.1
1752114	0.03	0.19	1.04	1.2	10.1	1.4
1752115	<0.02	0.21	0.94	1.0	12.3	1.4
1752116	<0.02	0.16	0.88	1.0	9.3	1.1
1752117	<0.02	0.20	1.00	0.8	10.0	1.5
1752118	<0.02	0.19	0.98	0.7	9.9	1.4
1752119	<0.02	0.19	0.98	0.7	10.4	1.3
1752121	<0.02	0.20	1.01	0.8	10.3	1.4
1752122	<0.02	0.22	1.08	0.6	9.7	1.6
1752123	<0.02	0.16	1.08	0.6	7.4	1.3
1752124	<0.02	0.16	1.13	0.6	7.3	1.3
1752125	<0.02	0.16	1.11	0.6	7.5	1.2
1752126	<0.02	0.20	1.10	0.6	9.1	1.6
1752127	<0.02	0.18	1.03	0.7	9.0	1.3
1752128	0.13	0.18	0.98	0.9	10.1	1.3
1752129	<0.02	0.18	0.85	0.7	8.5	1.3
1752131	<0.02	0.19	0.92	0.5	8.9	1.4
1752132	<0.02	0.19	1.19	0.5	8.4	1.5
1752133	<0.02	0.21	1.20	0.5	8.9	1.6
1752134	<0.02	0.14	0.92	0.6	7.1	1.1
1752135	<0.02	0.11	0.69	0.5	5.4	0.8
1752136	0.02	<0.05	0.27	0.2	2.0	0.4
1752137	<0.02	0.05	0.29	0.2	2.1	0.4
1752138	<0.02	0.13	0.77	0.4	6.7	1.0
1752139	<0.02	0.14	0.84	0.5	5.8	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number

ANALYSIS REPORT BBM21-11942

*SD*PANCONRESOURCES/Brewer

GoldHole B21C-013/145 Core(72-145)

Number of Samples 73

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
1752141	<0.02	0.14	0.81	0.4	5.7	1.1
1752142	<0.02	0.18	1.06	0.5	7.5	1.4
1752143	0.02	0.19	0.87	0.4	10.0	1.4
1752144	<0.02	0.20	1.13	0.4	9.8	1.5
1752145	<0.02	0.21	1.06	0.4	11.2	1.5
*Dup 1752111	0.02	0.13	0.89	1.5	6.0	0.9
*Std OREAS 601b	1.42	0.09	4.80	6.1	10.9	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.70	0.13	5.26	2.7	15.9	0.7
*Std OREAS 905	0.71	0.12	4.89	2.6	16.2	0.6
*Std OREAS 601b	1.46	0.08	4.62	6.2	10.7	0.5
*Rep 1752109	0.09	0.10	0.71	0.8	5.3	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.68	0.12	5.21	2.5	16.3	0.6
*Rep 1752132	<0.02	0.20	1.26	0.6	8.4	1.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.36	0.08	4.46	5.5	10.8	0.5

Element Method Lower Limit Upper Limit Unit	@S GE_CSA06V 0.005 30 %
1752081	7.330
1752082	6.402
1752084	7.755
1752112	5.179
1752114	5.410

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*PANCONRESOURCES/Brewer
GoldHole B21C-013/145 Core(72-145)
Number of Samples 73

ANALYSIS REPORT BBM21-11942

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752131	5.769

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received