



ANALYSIS REPORT BBM21-11961

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

| | | | |
|---------------------------|----------------------------|------------------|---------------------------|
| Order Number | PO# | Date Received | 09-Aug-2021 |
| Project | The Brewer Gold Project | Date Analysed | 20-Aug-2021 - 28-Oct-2021 |
| Submission Number | *SD* PANCON_RESOURCES/Hole | Date Completed | 28-Oct-2021 |
| B21C-014B/177 Core (1-76) | | SGS Order Number | BBM21-11961 |
| Number of Samples | 76 | | |

| Methods Summary | | |
|-------------------------|--------------------|--|
| <u>Number of Sample</u> | <u>Method Code</u> | <u>Description</u> |
| 76 | G_WGH_KG | Weight of samples received |
| 71 | G_PRP | Combined Sample Preparation |
| 76 | GE_FAA30V5 | Au, FAS, exploration grade, AAS, 30g-5ml |
| 69 | GE_DIG40Q12 | 4 Acid Digest (HCL/HCLO4/HF/HNO3) |
| 69 | GE_ICP40Q12 | 4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml |
| 69 | GE_IMS40Q12 | 4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml |
| 53 | GE_CSA06V | Total Sulphur and Carbon, IR Combustion |
| 1 | GO_CSA06V | Ore grade Total Sulphur and Carbon, IR Combustion |

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
Analytical interferences for V is in effect due to Fe in scheme GE_ICP40Q12.
This report cancels and supersedes the report BBM_U0015595898 dated 24-Oct-2021 issued by SGS Canada (Burnaby).
OL samples updated.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES/Hole
B21C-014B/177 Core (1-76)
Number of Samples 76

ANALYSIS REPORT BBM21-11961

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

30-Oct-2021 12:18AM BBM_U0015830568

Page 2 of 36

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752224 | 1.80 | 0.060 | 2.16 | 196 | 0.03 | 6 |
| 1752225 | 5.33 | 0.115 | 0.51 | 97 | 0.03 | 10 |
| 1752226 | 5.67 | 0.217 | 0.24 | 104 | 0.04 | 13 |
| 1752227 | 5.85 | 0.180 | 0.24 | 121 | 0.03 | 23 |
| 1752228 | 7.28 | 0.111 | 0.88 | 60 | 0.04 | 13 |
| 1752229 | 6.44 | 0.117 | 0.17 | 33 | 0.04 | 26 |
| 1752230 | 0.06 | 0.669 | - | - | - | - |
| 1752231 | 6.33 | 0.162 | 0.41 | 27 | 0.04 | 12 |
| 1752232 | 6.34 | 0.097 | 0.33 | 125 | 0.04 | 10 |
| 1752233 | 4.76 | 0.126 | 0.33 | 179 | 0.04 | 18 |
| 1752234 | 6.29 | 0.075 | 0.46 | 106 | 0.03 | 20 |
| 1752235 | 3.45 | 0.081 | 0.89 | 166 | 0.03 | 12 |
| 1752236 | 4.06 | 0.255 | 1.22 | 204 | 0.02 | 15 |
| 1752237 | 4.41 | 0.988 | 0.84 | 238 | 0.01 | 9 |
| 1752238 | 5.29 | 0.552 | 0.68 | 74 | <0.01 | 12 |
| 1752239 | 5.96 | 0.169 | 0.77 | 230 | 0.02 | 12 |
| 1752240 | 1.43 | 0.006 | - | - | - | - |
| 1752241 | 5.91 | 0.168 | 0.77 | 278 | 0.01 | 24 |
| 1752242 | 3.26 | 0.409 | 0.29 | 143 | 0.02 | 15 |
| 1752243 | 3.79 | 0.360 | 0.22 | 104 | 0.01 | 32 |
| 1752244 | 5.97 | 0.490 | 1.30 | 52 | 0.02 | 22 |
| 1752245 | 4.88 | 0.302 | 1.02 | 75 | 0.02 | 29 |
| 1752246 | 5.78 | 0.161 | 0.73 | 88 | 0.02 | 25 |
| 1752247 | 3.31 | 0.207 | 0.92 | 56 | 0.02 | 30 |
| 1752248 | 6.31 | 0.154 | 1.22 | 173 | 0.01 | 16 |
| 1752249 | 2.90 | 0.247 | 0.55 | 52 | <0.01 | 33 |
| 1752250 | - | 0.241 | - | - | - | - |
| 1752251 | 2.05 | 0.126 | 2.06 | 61 | 0.02 | 32 |
| 1752252 | 5.18 | 0.190 | 1.07 | 26 | 0.03 | 19 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element Method | WTKG G_WGH_KG | @Au GE_FAA30V5 | @Al GE_ICP40Q12 | @Ba GE_ICP40Q12 | @Ca GE_ICP40Q12 | @Cr GE_ICP40Q12 |
|----------------|------------------|-------------------|--------------------|--------------------|--------------------|--------------------|
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752253 | 5.62 | 0.136 | 0.93 | 14 | 0.03 | 23 |
| 1752254 | 4.89 | 0.474 | 0.90 | <1 | 0.04 | 17 |
| 1752255 | 4.88 | 0.351 | 1.01 | 10 | 0.02 | 19 |
| 1752256 | 5.42 | 0.295 | 0.83 | 43 | 0.01 | 20 |
| 1752257 | 4.98 | 0.408 | 0.34 | 69 | <0.01 | 26 |
| 1752258 | 4.73 | 1.046 | 0.56 | 7 | 0.02 | 26 |
| 1752259 | 6.72 | 1.066 | 0.52 | 42 | 0.05 | 22 |
| 1752260 | 0.07 | 3.282 | - | - | - | - |
| 1752261 | 5.97 | 0.589 | 0.55 | 68 | 0.02 | 19 |
| 1752262 | 5.48 | 0.285 | 0.48 | 80 | 0.02 | 25 |
| 1752263 | 5.01 | 0.222 | 0.51 | 84 | 0.02 | 19 |
| 1752264 | 7.04 | 0.316 | 1.12 | 106 | 0.01 | 14 |
| 1752265 | 3.96 | 0.303 | 0.72 | 179 | 0.02 | 19 |
| 1752266 | 4.86 | 0.014 | 0.12 | 19 | <0.01 | 19 |
| 1752267 | 5.16 | 0.221 | 0.66 | 71 | 0.02 | 21 |
| 1752268 | 4.90 | 0.272 | 0.98 | 85 | 0.02 | 30 |
| 1752269 | 5.12 | 0.151 | 1.09 | 106 | 0.02 | 21 |
| 1752270 | 1.02 | 0.006 | - | - | - | - |
| 1752271 | 5.60 | 0.280 | 0.43 | 17 | <0.01 | 21 |
| 1752272 | 4.99 | 0.188 | 0.75 | 64 | 0.02 | 20 |
| 1752273 | 5.81 | 0.307 | 0.87 | 39 | 0.01 | 19 |
| 1752274 | 5.91 | 1.322 | 0.20 | 24 | 0.01 | 34 |
| 1752275 | 5.46 | 0.263 | 0.27 | 53 | 0.01 | 28 |
| 1752276 | 5.79 | 0.281 | 0.78 | 38 | 0.02 | 33 |
| 1752277 | 5.58 | 0.154 | 0.33 | 31 | 0.02 | 42 |
| 1752278 | 5.56 | 0.492 | 0.38 | 18 | <0.01 | 31 |
| 1752279 | 5.39 | 0.182 | 0.71 | 45 | 0.03 | 28 |
| 1752280 | - | 0.158 | - | - | - | - |
| 1752281 | 5.75 | 0.210 | 0.70 | 6 | <0.01 | 34 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element Method | WTKG G_WGH_KG | @Au GE_FAA30V5 | @Al GE_ICP40Q12 | @Ba GE_ICP40Q12 | @Ca GE_ICP40Q12 | @Cr GE_ICP40Q12 |
|-----------------|------------------|-------------------|--------------------|--------------------|--------------------|--------------------|
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752282 | 5.05 | 0.164 | 0.37 | 13 | <0.01 | 46 |
| 1752283 | 5.70 | 0.376 | 0.66 | 27 | 0.03 | 48 |
| 1752284 | 5.59 | 0.249 | 0.95 | 20 | 0.03 | 26 |
| 1752285 | 5.53 | 0.293 | 0.73 | 70 | 0.02 | 31 |
| 1752286 | 5.88 | 0.201 | 0.76 | 88 | <0.01 | 31 |
| 1752287 | 5.58 | 0.419 | 0.73 | 75 | 0.01 | 45 |
| 1752288 | 6.12 | 0.219 | 0.97 | 94 | 0.02 | 42 |
| 1752289 | 5.42 | 0.162 | 1.00 | 82 | 0.02 | 37 |
| 1752290 | 0.05 | 1.755 | - | - | - | - |
| 1752291 | 5.17 | 0.187 | 0.97 | 154 | 0.02 | 32 |
| 1752292 | 5.69 | 0.214 | 0.98 | 83 | 0.02 | 35 |
| 1752293 | 3.19 | 0.184 | 0.78 | 101 | 0.02 | 42 |
| 1752294 | 4.19 | 0.254 | 1.03 | 62 | 0.01 | 18 |
| 1752295 | 5.95 | 0.161 | 0.96 | 77 | 0.02 | 17 |
| 1752296 | 5.77 | 0.299 | 0.76 | 97 | 0.01 | 41 |
| 1752297 | 6.25 | 0.236 | 0.73 | 102 | <0.01 | 29 |
| 1752298 | 5.73 | 0.173 | 0.89 | 45 | 0.01 | 22 |
| 1752299 | 6.17 | 0.287 | 0.66 | 19 | 0.02 | 24 |
| *Dup 1752262 | - | 0.340 | 0.45 | 72 | 0.02 | 25 |
| *Std SN106 | - | 8.357 | - | - | - | - |
| *Std OREAS 238 | - | 2.987 | - | - | - | - |
| *Std OREAS 250b | - | 0.324 | - | - | - | - |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Rep 1752233 | - | 0.128 | - | - | - | - |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Rep 1752265 | - | 0.293 | - | - | - | - |
| *Blk BLANK | - | 0.008 | - | - | - | - |
| *Rep 1752291 | - | 0.170 | - | - | - | - |
| *Std OREAS 238 | - | 2.914 | - | - | - | - |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-----------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| *Rep 1752295 | - | - | 1.03 | 84 | 0.02 | 24 |
| *Blk BLANK | - | - | <0.01 | 1 | <0.01 | <1 |
| *Std OREAS 905 | - | - | 7.16 | 2722 | 0.57 | 14 |
| *Std OREAS 601b | - | - | 6.62 | 369 | 0.86 | 22 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |
| *Rep 1752258 | - | - | 0.53 | 4 | 0.02 | 26 |
| *Std OREAS 601b | - | - | 6.35 | 441 | 0.86 | 15 |
| *Std OREAS 905 | - | - | 7.26 | 2609 | 0.57 | 13 |
| *Blk BLANK | - | - | <0.01 | 1 | <0.01 | <1 |
| *Std OREAS 601b | - | - | 6.59 | 829 | 0.87 | 24 |
| *Blk BLANK | - | - | 0.01 | 1 | <0.01 | <1 |
| *Std OREAS 905 | - | - | 7.37 | 2715 | 0.58 | 9 |
| *Std OREAS 601b | - | - | 6.61 | 328 | 0.88 | 10 |
| *Rep 1752231 | - | - | 0.44 | 43 | 0.04 | 15 |

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752224 | 62.2 | 5.45 | 0.13 | 1 | <0.01 | 18 |
| 1752225 | 73.3 | 7.64 | 0.13 | <1 | <0.01 | 23 |
| 1752226 | 94.2 | 6.99 | 0.01 | <1 | <0.01 | 19 |
| 1752227 | 85.2 | 7.67 | <0.01 | <1 | <0.01 | 26 |
| 1752228 | 94.3 | 9.06 | 0.02 | <1 | <0.01 | 21 |
| 1752229 | 78.3 | 10.12 | <0.01 | <1 | <0.01 | 27 |
| 1752231 | 84.1 | 12.48 | <0.01 | <1 | <0.01 | 20 |
| 1752232 | 70.6 | 8.27 | <0.01 | <1 | <0.01 | 26 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752233 | 83.4 | 9.21 | <0.01 | <1 | <0.01 | 23 |
| 1752234 | 92.2 | 7.80 | <0.01 | <1 | <0.01 | 26 |
| 1752235 | 129 | 6.21 | 0.03 | <1 | <0.01 | 24 |
| 1752236 | 136 | 6.28 | 0.10 | <1 | <0.01 | 24 |
| 1752237 | 113 | 6.92 | 0.06 | <1 | <0.01 | 24 |
| 1752238 | 173 | 8.97 | 0.08 | <1 | <0.01 | 28 |
| 1752239 | 174 | 7.73 | 0.03 | <1 | <0.01 | 22 |
| 1752241 | 103 | 5.17 | 0.09 | <1 | <0.01 | 32 |
| 1752242 | 33.7 | 7.48 | 0.04 | <1 | <0.01 | 35 |
| 1752243 | 28.2 | 4.22 | 0.05 | <1 | <0.01 | 49 |
| 1752244 | 131 | 8.69 | 0.05 | <1 | <0.01 | 31 |
| 1752245 | 151 | 6.80 | 0.06 | <1 | <0.01 | 31 |
| 1752246 | 241 | 6.96 | <0.01 | <1 | <0.01 | 24 |
| 1752247 | 443 | 7.31 | <0.01 | <1 | <0.01 | 22 |
| 1752248 | 165 | 6.24 | <0.01 | <1 | <0.01 | 22 |
| 1752249 | 141 | 5.14 | <0.01 | <1 | <0.01 | 23 |
| 1752251 | 206 | 9.48 | 0.06 | 2 | <0.01 | 21 |
| 1752252 | 231 | 10.87 | 0.03 | <1 | <0.01 | 31 |
| 1752253 | 172 | 14.03 | 0.04 | <1 | <0.01 | 30 |
| 1752254 | 856 | >15.00 | 0.01 | <1 | <0.01 | 38 |
| 1752255 | 440 | >15.00 | 0.17 | <1 | <0.01 | 31 |
| 1752256 | 359 | 5.98 | 0.05 | <1 | <0.01 | 28 |
| 1752257 | 667 | 8.83 | <0.01 | <1 | <0.01 | 27 |
| 1752258 | 1582 | >15.00 | 0.02 | <1 | <0.01 | 31 |
| 1752259 | 2161 | >15.00 | <0.01 | <1 | <0.01 | 26 |
| 1752261 | 1565 | 13.56 | 0.02 | <1 | <0.01 | 34 |
| 1752262 | 582 | 10.04 | 0.03 | <1 | <0.01 | 27 |
| 1752263 | 297 | 6.92 | 0.02 | <1 | <0.01 | 35 |
| 1752264 | 421 | 8.29 | 0.20 | <1 | <0.01 | 30 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element Method | @Cu GE_ICP40Q12 | @Fe GE_ICP40Q12 | @K GE_ICP40Q12 | @Li GE_ICP40Q12 | @Mg GE_ICP40Q12 | @Mn GE_ICP40Q12 |
|----------------|--------------------|--------------------|-------------------|--------------------|--------------------|--------------------|
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752265 | 434 | 7.14 | 0.07 | 1 | <0.01 | 25 |
| 1752266 | 12.6 | 2.13 | 0.04 | <1 | <0.01 | 64 |
| 1752267 | 114 | 7.59 | 0.14 | <1 | <0.01 | 32 |
| 1752268 | 159 | 8.44 | 0.14 | <1 | <0.01 | 28 |
| 1752269 | 91.2 | 4.01 | 0.12 | <1 | <0.01 | 47 |
| 1752271 | 75.2 | 14.95 | 0.08 | <1 | <0.01 | 46 |
| 1752272 | 197 | 4.85 | 0.08 | <1 | <0.01 | 50 |
| 1752273 | 182 | 8.76 | 0.10 | 1 | <0.01 | 32 |
| 1752274 | 39.9 | 14.94 | 0.05 | <1 | <0.01 | 56 |
| 1752275 | 79.0 | 4.65 | 0.03 | <1 | <0.01 | 42 |
| 1752276 | 187 | 5.55 | 0.02 | 2 | <0.01 | 32 |
| 1752277 | 64.8 | 5.32 | 0.07 | <1 | <0.01 | 54 |
| 1752278 | 114 | >15.00 | 0.08 | <1 | <0.01 | 44 |
| 1752279 | 69.1 | 12.32 | 0.21 | <1 | <0.01 | 43 |
| 1752281 | 86.0 | >15.00 | 0.21 | <1 | <0.01 | 48 |
| 1752282 | 32.5 | 10.79 | 0.11 | <1 | <0.01 | 58 |
| 1752283 | 92.2 | 9.57 | 0.16 | <1 | <0.01 | 34 |
| 1752284 | 722 | 10.64 | 0.06 | 2 | <0.01 | 31 |
| 1752285 | 458 | 6.01 | 0.02 | 2 | <0.01 | 25 |
| 1752286 | 359 | 5.38 | <0.01 | 2 | <0.01 | 26 |
| 1752287 | 751 | 9.84 | <0.01 | 1 | <0.01 | 25 |
| 1752288 | 196 | 4.83 | 0.02 | 1 | <0.01 | 28 |
| 1752289 | 249 | 4.80 | 0.06 | 1 | <0.01 | 25 |
| 1752291 | 357 | 4.96 | 0.01 | 1 | <0.01 | 26 |
| 1752292 | 291 | 9.89 | 0.12 | 1 | <0.01 | 26 |
| 1752293 | 593 | 7.81 | 0.03 | 1 | <0.01 | 29 |
| 1752294 | 404 | 14.40 | <0.01 | 2 | <0.01 | 25 |
| 1752295 | 219 | 6.75 | <0.01 | 2 | <0.01 | 25 |
| 1752296 | 621 | 7.82 | 0.01 | 1 | <0.01 | 25 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752297 | 487 | 7.86 | 0.01 | 1 | <0.01 | 35 |
| 1752298 | 326 | 4.89 | 0.01 | 2 | <0.01 | 28 |
| 1752299 | 797 | 14.24 | <0.01 | 2 | <0.01 | 31 |
| *Dup 1752262 | 527 | 9.54 | 0.03 | <1 | <0.01 | 26 |
| *Rep 1752295 | 200 | 6.54 | <0.01 | 2 | <0.01 | 25 |
| *Blk BLANK | 0.6 | <0.01 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 905 | 1503 | 3.94 | 2.90 | 20 | 0.28 | 370 |
| *Std OREAS 601b | 981 | 2.27 | 2.47 | 22 | 0.10 | 217 |
| *Blk BLANK | 0.5 | 0.01 | <0.01 | <1 | <0.01 | <2 |
| *Rep 1752258 | 1560 | >15.00 | 0.02 | <1 | <0.01 | 29 |
| *Std OREAS 601b | 965 | 2.23 | 2.23 | 20 | 0.09 | 216 |
| *Std OREAS 905 | 1522 | 3.90 | 2.89 | 20 | 0.27 | 388 |
| *Blk BLANK | <0.5 | 0.02 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 601b | 995 | 2.24 | 2.47 | 23 | 0.09 | 218 |
| *Blk BLANK | <0.5 | 0.02 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 905 | 1486 | 4.09 | 2.92 | 20 | 0.28 | 390 |
| *Std OREAS 601b | 963 | 2.33 | 2.41 | 22 | 0.10 | 215 |
| *Rep 1752231 | 90.2 | 13.39 | <0.01 | <1 | <0.01 | 21 |

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752224 | 0.03 | 4 | 0.07 | 4.99 | 541 | 0.05 |
| 1752225 | 0.03 | 13 | 0.06 | >5.00 | 263 | 0.07 |
| 1752226 | 0.02 | 11 | 0.07 | >5.00 | 341 | 0.11 |
| 1752227 | 0.01 | 12 | 0.06 | >5.00 | 283 | 0.09 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752228 | 0.02 | 17 | 0.08 | >5.00 | 491 | 0.07 |
| 1752229 | 0.01 | 25 | 0.06 | >5.00 | 325 | 0.08 |
| 1752231 | 0.01 | 41 | 0.08 | >5.00 | 495 | 0.06 |
| 1752232 | 0.02 | 26 | 0.08 | 4.80 | 469 | 0.13 |
| 1752233 | 0.01 | 16 | 0.07 | >5.00 | 449 | 0.09 |
| 1752234 | 0.01 | 18 | 0.06 | >5.00 | 401 | 0.10 |
| 1752235 | 0.01 | 8 | 0.07 | >5.00 | 418 | 0.10 |
| 1752236 | 0.02 | 27 | 0.04 | 3.57 | 254 | 0.09 |
| 1752237 | 0.02 | 31 | 0.04 | 4.13 | 213 | 0.05 |
| 1752238 | 0.02 | 32 | 0.02 | >5.00 | 110 | 0.05 |
| 1752239 | 0.01 | 13 | 0.04 | >5.00 | 224 | 0.06 |
| 1752241 | 0.02 | 10 | 0.03 | 2.72 | 145 | 0.05 |
| 1752242 | 0.01 | 2 | 0.04 | 0.41 | 224 | 0.04 |
| 1752243 | 0.01 | 3 | 0.03 | 0.09 | 166 | 0.03 |
| 1752244 | 0.01 | 18 | 0.05 | 4.41 | 257 | 0.03 |
| 1752245 | 0.01 | 29 | 0.05 | >5.00 | 236 | 0.03 |
| 1752246 | 0.01 | 38 | 0.04 | 4.64 | 121 | 0.06 |
| 1752247 | 0.01 | 44 | 0.04 | >5.00 | 112 | 0.07 |
| 1752248 | <0.01 | 29 | 0.03 | 3.77 | 74.4 | 0.06 |
| 1752249 | <0.01 | 24 | 0.01 | 3.05 | 26.2 | 0.11 |
| 1752251 | 0.02 | 25 | 0.03 | >5.00 | 138 | 0.04 |
| 1752252 | 0.01 | 39 | 0.05 | >5.00 | 234 | 0.05 |
| 1752253 | 0.02 | 48 | 0.08 | >5.00 | 242 | 0.04 |
| 1752254 | <0.01 | 138 | 0.08 | >5.00 | 188 | 0.03 |
| 1752255 | 0.03 | 84 | 0.04 | >5.00 | 134 | 0.02 |
| 1752256 | 0.01 | 40 | 0.03 | >5.00 | 63.6 | 0.04 |
| 1752257 | <0.01 | 65 | 0.02 | >5.00 | 41.0 | 0.04 |
| 1752258 | 0.01 | 105 | 0.03 | >5.00 | 81.3 | 0.03 |
| 1752259 | <0.01 | 160 | 0.09 | >5.00 | 182 | 0.04 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752261 | 0.01 | 77 | 0.03 | >5.00 | 75.1 | 0.03 |
| 1752262 | 0.01 | 56 | 0.03 | >5.00 | 142 | 0.03 |
| 1752263 | 0.01 | 26 | 0.03 | >5.00 | 123 | 0.02 |
| 1752264 | 0.04 | 35 | 0.03 | >5.00 | 92.9 | 0.03 |
| 1752265 | 0.02 | 26 | 0.03 | >5.00 | 102 | 0.03 |
| 1752266 | 0.02 | 9 | <0.01 | 1.80 | 18.5 | <0.01 |
| 1752267 | 0.03 | 24 | 0.03 | >5.00 | 87.6 | 0.04 |
| 1752268 | 0.03 | 28 | 0.05 | >5.00 | 142 | 0.03 |
| 1752269 | 0.03 | 17 | 0.05 | 4.23 | 131 | 0.03 |
| 1752271 | 0.02 | 55 | 0.01 | >5.00 | 69.0 | 0.03 |
| 1752272 | 0.03 | 18 | 0.03 | >5.00 | 126 | 0.03 |
| 1752273 | 0.03 | 28 | 0.03 | >5.00 | 104 | 0.03 |
| 1752274 | 0.02 | 109 | 0.01 | >5.00 | 63.5 | 0.02 |
| 1752275 | 0.02 | 16 | 0.02 | 4.45 | 99.5 | 0.03 |
| 1752276 | 0.01 | 15 | 0.03 | >5.00 | 89.7 | 0.04 |
| 1752277 | 0.02 | 25 | 0.02 | >5.00 | 60.5 | 0.02 |
| 1752278 | 0.02 | 56 | 0.01 | >5.00 | 39.3 | 0.02 |
| 1752279 | 0.04 | 37 | 0.03 | >5.00 | 60.7 | 0.03 |
| 1752281 | 0.07 | 57 | <0.01 | >5.00 | 40.9 | 0.03 |
| 1752282 | 0.03 | 57 | <0.01 | >5.00 | 35.5 | 0.01 |
| 1752283 | 0.04 | 33 | 0.03 | >5.00 | 148 | 0.02 |
| 1752284 | 0.02 | 26 | 0.04 | >5.00 | 103 | 0.04 |
| 1752285 | <0.01 | 19 | 0.03 | >5.00 | 70.3 | 0.04 |
| 1752286 | <0.01 | 16 | 0.02 | >5.00 | 47.7 | 0.04 |
| 1752287 | <0.01 | 28 | 0.02 | >5.00 | 65.1 | 0.03 |
| 1752288 | <0.01 | 15 | 0.03 | 4.83 | 105 | 0.05 |
| 1752289 | 0.02 | 13 | 0.03 | 4.94 | 130 | 0.05 |
| 1752291 | 0.01 | 13 | 0.03 | 5.00 | 129 | 0.06 |
| 1752292 | 0.03 | 23 | 0.02 | >5.00 | 87.0 | 0.04 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752293 | 0.02 | 21 | 0.02 | >5.00 | 89.2 | 0.05 |
| 1752294 | 0.01 | 35 | 0.02 | >5.00 | 72.8 | 0.03 |
| 1752295 | <0.01 | 18 | 0.03 | >5.00 | 125 | 0.05 |
| 1752296 | <0.01 | 26 | 0.02 | >5.00 | 82.2 | 0.05 |
| 1752297 | <0.01 | 28 | 0.02 | >5.00 | 68.5 | 0.04 |
| 1752298 | 0.01 | 16 | 0.02 | 4.58 | 98.9 | 0.05 |
| 1752299 | <0.01 | 47 | 0.02 | >5.00 | 65.1 | 0.03 |
| *Dup 1752262 | <0.01 | 54 | 0.03 | >5.00 | 127 | 0.03 |
| *Rep 1752295 | 0.01 | 17 | 0.03 | >5.00 | 122 | 0.07 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.01 | <0.5 | <0.01 |
| *Std OREAS 905 | 2.26 | 8 | 0.03 | 0.07 | 159 | 0.12 |
| *Std OREAS 601b | 1.83 | 6 | 0.03 | 1.44 | 253 | 0.13 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.02 | <0.5 | <0.01 |
| *Rep 1752258 | <0.01 | 105 | 0.03 | >5.00 | 82.3 | 0.03 |
| *Std OREAS 601b | 1.76 | 5 | 0.03 | 1.37 | 221 | 0.12 |
| *Std OREAS 905 | 2.53 | 8 | 0.03 | 0.08 | 157 | 0.12 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.02 | 0.6 | <0.01 |
| *Std OREAS 601b | 1.83 | 6 | 0.03 | 1.51 | 244 | 0.13 |
| *Blk BLANK | 0.01 | <1 | <0.01 | 0.01 | <0.5 | <0.01 |
| *Std OREAS 905 | 2.27 | 8 | 0.03 | 0.07 | 154 | 0.12 |
| *Std OREAS 601b | 1.79 | 6 | 0.03 | 1.46 | 242 | 0.13 |
| *Rep 1752231 | 0.01 | 45 | 0.09 | >5.00 | 556 | 0.07 |

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 8 | 2 | 165 | 0.16 | 9 | 0.1 |
| 1752225 | 7 | 2 | 186 | 0.18 | 6 | <0.1 |
| 1752226 | <2 | 3 | 195 | 0.31 | 6 | <0.1 |
| 1752227 | <2 | 2 | 188 | 0.40 | 6 | <0.1 |
| 1752228 | <2 | 2 | 177 | 0.46 | 9 | <0.1 |
| 1752229 | <2 | 3 | 166 | 0.31 | 8 | <0.1 |
| 1752231 | <2 | 2 | 142 | 0.43 | 12 | <0.1 |
| 1752232 | 4 | 2 | 179 | 0.55 | 10 | <0.1 |
| 1752233 | <2 | 2 | 178 | 0.75 | 13 | <0.1 |
| 1752234 | 4 | 2 | 183 | 0.24 | 9 | <0.1 |
| 1752235 | 6 | 4 | 183 | 0.22 | 8 | <0.1 |
| 1752236 | 9 | 2 | 184 | 0.72 | 16 | <0.1 |
| 1752237 | 4 | 2 | 127 | 1.54 | 19 | <0.1 |
| 1752238 | 2 | 2 | 121 | 1.34 | 33 | <0.1 |
| 1752239 | 3 | 14 | 122 | 1.06 | 21 | <0.1 |
| 1752241 | 9 | 1 | 100 | 0.45 | 14 | <0.1 |
| 1752242 | 10 | 1 | 92.9 | 0.61 | 10 | <0.1 |
| 1752243 | 8 | 2 | 58.8 | 1.99 | 18 | <0.1 |
| 1752244 | 4 | 3 | 95.9 | 1.09 | 30 | <0.1 |
| 1752245 | 6 | 30 | 82.3 | 0.93 | 21 | <0.1 |
| 1752246 | 5 | 2 | 110 | 0.83 | 30 | <0.1 |
| 1752247 | 5 | 4 | 108 | 0.89 | 43 | <0.1 |
| 1752248 | 5 | 2 | 127 | 1.22 | 24 | <0.1 |
| 1752249 | 6 | 2 | 157 | 0.91 | 30 | <0.1 |
| 1752251 | 4 | 2 | 111 | 0.46 | 11 | 0.1 |
| 1752252 | <2 | 2 | 118 | 0.63 | 23 | <0.1 |
| 1752253 | <2 | 2 | 93.9 | 0.48 | 19 | <0.1 |
| 1752254 | NR | 5 | 95.8 | 3.99 | 80 | <0.1 |
| 1752255 | 4 | 3 | 75.3 | 1.91 | 39 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 6 | 2 | 98.7 | 0.74 | 15 | <0.1 |
| 1752257 | <2 | 2 | 86.1 | 0.96 | 21 | <0.1 |
| 1752258 | <2 | 9 | 90.6 | 7.09 | 87 | <0.1 |
| 1752259 | <2 | 7 | 113 | 5.21 | 78 | <0.1 |
| 1752261 | <2 | 2 | 79.3 | 2.96 | 108 | <0.1 |
| 1752262 | <2 | 1 | 78.9 | 1.00 | 44 | <0.1 |
| 1752263 | <2 | 2 | 59.3 | 0.75 | 19 | <0.1 |
| 1752264 | 10 | 3 | 79.8 | 0.81 | 35 | <0.1 |
| 1752265 | 5 | 2 | 73.1 | 0.67 | 28 | <0.1 |
| 1752266 | 5 | 2 | 7.5 | 0.07 | 3 | <0.1 |
| 1752267 | 7 | 2 | 83.5 | 0.35 | 20 | <0.1 |
| 1752268 | 8 | 2 | 78.3 | 0.43 | 18 | <0.1 |
| 1752269 | 10 | 2 | 60.7 | 0.23 | 5 | <0.1 |
| 1752271 | <2 | 1 | 83.7 | 0.36 | 11 | <0.1 |
| 1752272 | 6 | 3 | 53.1 | 0.33 | 13 | <0.1 |
| 1752273 | 4 | 2 | 76.9 | 0.50 | 19 | <0.1 |
| 1752274 | <2 | 2 | 50.3 | 0.44 | 10 | <0.1 |
| 1752275 | 7 | 2 | 71.6 | 0.23 | 9 | <0.1 |
| 1752276 | 3 | 2 | 89.2 | 0.39 | 15 | <0.1 |
| 1752277 | 5 | 2 | 47.4 | 0.19 | 5 | <0.1 |
| 1752278 | <2 | 1 | 81.2 | 0.39 | 15 | <0.1 |
| 1752279 | 7 | 2 | 117 | 0.23 | 9 | <0.1 |
| 1752281 | 3 | 2 | 133 | 0.25 | 13 | <0.1 |
| 1752282 | 3 | 2 | 36.2 | 0.10 | 6 | <0.1 |
| 1752283 | 5 | 1 | 66.6 | 0.28 | 9 | <0.1 |
| 1752284 | <2 | 3 | 99.0 | 0.96 | 18 | <0.1 |
| 1752285 | <2 | 10 | 94.2 | 0.62 | 36 | <0.1 |
| 1752286 | <2 | 27 | 98.0 | 0.47 | 20 | <0.1 |
| 1752287 | <2 | 6 | 92.7 | 1.09 | 42 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | 4 | 4 | 96.4 | 0.25 | 16 | <0.1 |
| 1752289 | 6 | 4 | 96.9 | 0.42 | 21 | <0.1 |
| 1752291 | 4 | 7 | 110 | 0.55 | 26 | <0.1 |
| 1752292 | 5 | 5 | 99.5 | 0.42 | 24 | <0.1 |
| 1752293 | 3 | 11 | 106 | 0.45 | 37 | <0.1 |
| 1752294 | <2 | 12 | 98.8 | 0.56 | 49 | <0.1 |
| 1752295 | 3 | 4 | 108 | 0.36 | 22 | <0.1 |
| 1752296 | <2 | 11 | 111 | 0.65 | 44 | <0.1 |
| 1752297 | <2 | 6 | 93.4 | 0.59 | 23 | <0.1 |
| 1752298 | 3 | 6 | 103 | 0.55 | 21 | <0.1 |
| 1752299 | <2 | 4 | 101 | 1.08 | 35 | <0.1 |
| *Dup 1752262 | <2 | 2 | 70.9 | 0.99 | 45 | <0.1 |
| *Rep 1752295 | 4 | 5 | 111 | 0.39 | 22 | <0.1 |
| *Blk BLANK | 2 | <1 | <0.5 | <0.02 | <1 | <0.1 |
| *Std OREAS 905 | 9 | 132 | 251 | 0.59 | 34 | 3.2 |
| *Std OREAS 601b | 12 | 304 | 176 | 48.52 | 266 | 2.5 |
| *Blk BLANK | 3 | <1 | <0.5 | <0.02 | <1 | <0.1 |
| *Rep 1752258 | <2 | 8 | 90.5 | 6.85 | 86 | <0.1 |
| *Std OREAS 601b | 12 | 308 | 178 | 50.21 | 293 | 2.4 |
| *Std OREAS 905 | 9 | 140 | 244 | 0.53 | 35 | 3.1 |
| *Blk BLANK | <2 | 1 | <0.5 | - | - | - |
| *Std OREAS 601b | 10 | 305 | 178 | - | - | - |
| *Blk BLANK | <2 | 2 | 0.8 | 0.03 | <1 | <0.1 |
| *Std OREAS 905 | 7 | 135 | 256 | 0.57 | 35 | 3.2 |
| *Std OREAS 601b | 10 | 306 | 182 | 52.95 | 290 | 2.4 |
| *Rep 1752231 | <2 | 3 | 162 | - | - | - |
| *Rep 1752231 | - | - | - | 0.46 | 11 | <0.1 |
| *Blk BLANK | - | - | - | <0.02 | <1 | <0.1 |
| *Std OREAS 905 | - | - | - | 0.51 | 33 | 3.2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element Method Lower Limit Upper Limit Unit | @Bi GE_IMS40Q12 0.04 10,000 ppm m / m | @Cd GE_IMS40Q12 0.02 10,000 ppm m / m | @Ce GE_IMS40Q12 0.05 1,000 ppm m / m | @Co GE_IMS40Q12 0.1 10,000 ppm m / m | @Cs GE_IMS40Q12 1 1,000 ppm m / m | Dy GE_IMS40Q12 0.05 1,000 ppm m / m |
|---|---|---|--|--|---|---|
| 1752224 | 7.25 | 0.06 | 65.54 | 8.3 | <1 | 1.26 |
| 1752225 | 7.15 | 0.03 | 47.01 | 11.6 | <1 | 1.06 |
| 1752226 | 19.25 | 0.07 | 39.84 | 27.5 | <1 | 1.09 |
| 1752227 | 17.64 | 0.10 | 39.47 | 24.7 | <1 | 1.07 |
| 1752228 | 17.24 | 0.10 | 33.64 | 16.1 | <1 | 1.21 |
| 1752229 | 17.21 | 0.12 | 32.55 | 28.3 | <1 | 1.07 |
| 1752231 | 34.57 | 0.12 | 40.89 | 31.0 | <1 | 1.19 |
| 1752232 | 24.27 | 0.05 | 32.06 | 14.0 | <1 | 1.29 |
| 1752233 | 26.15 | 0.08 | 29.79 | 13.6 | <1 | 1.43 |
| 1752234 | 25.43 | 0.11 | 27.93 | 18.1 | <1 | 1.29 |
| 1752235 | 17.47 | 0.04 | 28.18 | 13.2 | <1 | 1.36 |
| 1752236 | 24.66 | 0.10 | 27.72 | 35.0 | <1 | 1.36 |
| 1752237 | 34.03 | 0.12 | 35.01 | 34.5 | <1 | 0.98 |
| 1752238 | 34.79 | 0.17 | 19.66 | 32.9 | <1 | 0.78 |
| 1752239 | 53.01 | 0.09 | 22.75 | 9.9 | <1 | 0.96 |
| 1752241 | 34.89 | 0.06 | 19.23 | 8.4 | <1 | 0.69 |
| 1752242 | 29.95 | 0.02 | 44.28 | 3.7 | <1 | 0.85 |
| 1752243 | 28.67 | 0.02 | 34.93 | 0.4 | <1 | 0.61 |
| 1752244 | 46.29 | 0.04 | 29.02 | 17.3 | <1 | 1.07 |
| 1752245 | 54.65 | 0.10 | 39.69 | 19.3 | <1 | 0.72 |
| 1752246 | 54.93 | 0.11 | 17.31 | 15.7 | <1 | 0.71 |
| 1752247 | 183 | 0.22 | 22.39 | 21.9 | <1 | 0.72 |
| 1752248 | 54.33 | 0.09 | 18.80 | 23.2 | <1 | 0.84 |
| 1752249 | 36.29 | 0.06 | 6.76 | 16.9 | <1 | 0.75 |
| 1752251 | 20.41 | 0.14 | 39.38 | 35.5 | <1 | 1.05 |
| 1752252 | 26.29 | 0.16 | 40.70 | 35.9 | <1 | 1.71 |
| 1752253 | 32.63 | 0.08 | 43.11 | 49.2 | <1 | 1.57 |
| 1752254 | 165 | 0.30 | 63.30 | 277 | <1 | 1.25 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752255 | 72.55 | 0.19 | 38.53 | 124 | <1 | 0.96 |
| 1752256 | 23.76 | 0.15 | 13.96 | 58.0 | <1 | 0.65 |
| 1752257 | 40.38 | 0.10 | 8.85 | 64.3 | <1 | 0.47 |
| 1752258 | 189 | 0.40 | 21.54 | 176 | <1 | 0.91 |
| 1752259 | 206 | 0.37 | 74.26 | 201 | <1 | 1.46 |
| 1752261 | 135 | 0.33 | 18.19 | 143 | <1 | 0.73 |
| 1752262 | 35.59 | 0.10 | 39.15 | 145 | <1 | 0.88 |
| 1752263 | 25.42 | 0.12 | 29.56 | 64.2 | <1 | 0.90 |
| 1752264 | 28.90 | 0.16 | 23.59 | 71.2 | <1 | 0.76 |
| 1752265 | 31.73 | 0.12 | 19.63 | 62.2 | <1 | 0.64 |
| 1752266 | 1.20 | 0.07 | 2.39 | 10.0 | <1 | 0.15 |
| 1752267 | 11.25 | 0.07 | 21.52 | 44.8 | <1 | 0.70 |
| 1752268 | 15.93 | 0.10 | 32.95 | 50.5 | <1 | 0.72 |
| 1752269 | 9.25 | 0.07 | 29.11 | 25.0 | <1 | 0.84 |
| 1752271 | 10.83 | 0.06 | 17.19 | 120 | <1 | 0.72 |
| 1752272 | 11.38 | 0.10 | 22.15 | 29.5 | <1 | 0.60 |
| 1752273 | 16.18 | 0.08 | 22.29 | 48.3 | <1 | 0.57 |
| 1752274 | 8.54 | 0.05 | 11.05 | 175 | <1 | 0.33 |
| 1752275 | 9.88 | 0.04 | 20.24 | 21.8 | <1 | 0.60 |
| 1752276 | 16.10 | 0.10 | 20.24 | 26.4 | <1 | 0.66 |
| 1752277 | 5.24 | 0.08 | 11.92 | 41.6 | <1 | 0.43 |
| 1752278 | 12.19 | 0.07 | 11.73 | 94.9 | <1 | 0.62 |
| 1752279 | 8.18 | 0.04 | 12.16 | 82.9 | <1 | 0.96 |
| 1752281 | 9.73 | <0.02 | 6.93 | 104 | <1 | 1.14 |
| 1752282 | 2.53 | 0.04 | 3.66 | 93.8 | <1 | 0.24 |
| 1752283 | 11.07 | 0.03 | 22.59 | 42.3 | <1 | 0.51 |
| 1752284 | 50.32 | 0.17 | 22.55 | 34.6 | <1 | 0.75 |
| 1752285 | 33.62 | 0.39 | 15.88 | 28.3 | <1 | 0.72 |
| 1752286 | 27.01 | 0.18 | 13.97 | 24.1 | <1 | 0.64 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752287 | 51.59 | 0.20 | 17.46 | 42.3 | <1 | 0.69 |
| 1752288 | 14.08 | 0.14 | 23.31 | 22.6 | <1 | 0.82 |
| 1752289 | 21.67 | 0.27 | 26.88 | 19.8 | <1 | 0.84 |
| 1752291 | 22.87 | 0.46 | 24.69 | 19.8 | <1 | 0.86 |
| 1752292 | 18.73 | 0.23 | 19.22 | 31.0 | <1 | 0.74 |
| 1752293 | 24.85 | 0.36 | 18.53 | 23.3 | <1 | 0.81 |
| 1752294 | 33.49 | 0.46 | 14.87 | 50.5 | <1 | 0.74 |
| 1752295 | 18.55 | 0.17 | 27.28 | 21.0 | <1 | 0.84 |
| 1752296 | 33.99 | 0.42 | 18.00 | 29.7 | <1 | 0.86 |
| 1752297 | 23.06 | 0.28 | 17.96 | 29.7 | <1 | 0.74 |
| 1752298 | 24.84 | 0.32 | 25.89 | 18.5 | <1 | 0.89 |
| 1752299 | 45.05 | 0.24 | 17.80 | 43.9 | <1 | 0.91 |
| *Dup 1752262 | 36.22 | 0.13 | 39.48 | 143 | <1 | 0.88 |
| *Rep 1752295 | 16.99 | 0.18 | 26.59 | 20.3 | <1 | 0.81 |
| *Blk BLANK | <0.04 | <0.02 | <0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 905 | 5.82 | 0.36 | 93.01 | 13.3 | 8 | 3.49 |
| *Std OREAS 601b | 17.24 | 2.10 | 68.19 | 2.7 | 5 | 2.43 |
| *Blk BLANK | 0.08 | <0.02 | 0.06 | 0.1 | <1 | <0.05 |
| *Rep 1752258 | 180 | 0.37 | 20.82 | 172 | <1 | 0.85 |
| *Std OREAS 601b | 17.90 | 2.17 | 67.20 | 2.9 | 5 | 2.34 |
| *Std OREAS 905 | 5.72 | 0.35 | 88.10 | 13.7 | 7 | 3.29 |
| *Blk BLANK | <0.04 | <0.02 | <0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 905 | 5.66 | 0.35 | 91.35 | 14.6 | 7 | 3.62 |
| *Std OREAS 601b | 18.02 | 2.04 | 71.07 | 3.1 | 5 | 2.58 |
| *Rep 1752231 | 34.60 | 0.11 | 42.12 | 30.7 | <1 | 1.28 |
| *Blk BLANK | <0.04 | <0.02 | <0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 905 | 5.72 | 0.35 | 92.27 | 14.5 | 5 | 3.55 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 1.01 | 0.89 | 2.6 | 20.6 | 4.47 | 0.29 |
| 1752225 | 0.97 | 0.63 | 2.0 | 5.8 | 5.09 | 0.27 |
| 1752226 | 0.92 | 0.55 | 1.7 | 4.0 | 5.20 | 0.26 |
| 1752227 | 0.95 | 0.52 | 1.5 | 2.9 | 4.96 | 0.26 |
| 1752228 | 0.89 | 0.52 | 1.8 | 17.7 | 4.83 | 0.26 |
| 1752229 | 0.86 | 0.43 | 1.5 | 2.6 | 4.51 | 0.25 |
| 1752231 | 0.85 | 0.60 | 2.1 | 10.6 | 4.54 | 0.21 |
| 1752232 | 0.89 | 0.43 | 1.9 | 7.2 | 5.01 | 0.26 |
| 1752233 | 0.91 | 0.42 | 1.9 | 6.3 | 4.99 | 0.27 |
| 1752234 | 0.93 | 0.33 | 1.5 | 7.7 | 5.06 | 0.27 |
| 1752235 | 0.96 | 0.39 | 1.6 | 9.9 | 5.03 | 0.28 |
| 1752236 | 1.11 | 0.39 | 1.5 | 17.3 | 5.28 | 0.31 |
| 1752237 | 0.69 | 0.52 | 1.6 | 10.3 | 3.38 | 0.21 |
| 1752238 | 0.63 | 0.29 | 1.0 | 7.5 | 3.28 | 0.18 |
| 1752239 | 0.64 | 0.37 | 1.4 | 9.1 | 3.27 | 0.19 |
| 1752241 | 0.51 | 0.30 | 1.1 | 7.6 | 2.59 | 0.14 |
| 1752242 | 0.58 | 0.59 | 1.8 | 6.7 | 2.49 | 0.16 |
| 1752243 | 0.42 | 0.48 | 1.4 | 1.9 | 1.53 | 0.12 |
| 1752244 | 0.59 | 0.50 | 1.8 | 13.0 | 2.44 | 0.19 |
| 1752245 | 0.52 | 0.52 | 1.6 | 10.5 | 2.19 | 0.14 |
| 1752246 | 0.59 | 0.23 | 1.0 | 8.8 | 2.81 | 0.15 |
| 1752247 | 0.58 | 0.28 | 1.1 | 11.3 | 2.85 | 0.15 |
| 1752248 | 0.64 | 0.26 | 1.1 | 15.2 | 3.42 | 0.17 |
| 1752249 | 0.60 | 0.13 | 0.7 | 7.6 | 4.35 | 0.16 |
| 1752251 | 0.66 | 0.48 | 1.7 | 22.1 | 2.90 | 0.19 |
| 1752252 | 0.80 | 0.65 | 2.3 | 10.5 | 3.03 | 0.27 |
| 1752253 | 0.61 | 0.80 | 2.8 | 10.7 | 2.45 | 0.22 |
| 1752254 | 0.63 | 0.83 | 2.4 | 10.9 | 2.55 | 0.19 |
| 1752255 | 0.55 | 0.50 | 1.6 | 8.7 | 1.98 | 0.17 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 0.59 | 0.19 | 0.7 | 7.3 | 2.58 | 0.15 |
| 1752257 | 0.43 | 0.10 | 0.4 | 3.5 | 2.41 | 0.12 |
| 1752258 | 0.62 | 0.29 | 1.1 | 5.2 | 2.38 | 0.17 |
| 1752259 | 0.73 | 0.91 | 3.1 | 7.8 | 3.49 | 0.23 |
| 1752261 | 0.54 | 0.26 | 0.9 | 5.5 | 2.16 | 0.15 |
| 1752262 | 0.62 | 0.51 | 1.6 | 3.9 | 2.51 | 0.18 |
| 1752263 | 0.58 | 0.41 | 1.3 | 4.6 | 1.72 | 0.17 |
| 1752264 | 0.58 | 0.32 | 1.0 | 8.2 | 2.11 | 0.16 |
| 1752265 | 0.53 | 0.27 | 0.9 | 5.5 | 2.09 | 0.14 |
| 1752266 | 0.06 | 0.07 | 0.3 | 0.6 | 0.19 | <0.05 |
| 1752267 | 0.56 | 0.28 | 0.9 | 4.8 | 2.15 | 0.15 |
| 1752268 | 0.57 | 0.42 | 1.3 | 7.5 | 1.97 | 0.15 |
| 1752269 | 0.49 | 0.44 | 1.5 | 7.5 | 1.56 | 0.15 |
| 1752271 | 0.61 | 0.25 | 0.8 | 2.9 | 2.08 | 0.16 |
| 1752272 | 0.39 | 0.33 | 1.1 | 4.8 | 1.39 | 0.11 |
| 1752273 | 0.50 | 0.28 | 0.8 | 5.4 | 2.04 | 0.13 |
| 1752274 | 0.31 | 0.14 | 0.4 | 1.3 | 1.18 | 0.08 |
| 1752275 | 0.49 | 0.26 | 0.8 | 2.2 | 1.87 | 0.13 |
| 1752276 | 0.57 | 0.26 | 0.9 | 4.9 | 2.28 | 0.15 |
| 1752277 | 0.36 | 0.16 | 0.6 | 1.7 | 1.29 | 0.10 |
| 1752278 | 0.62 | 0.17 | 0.6 | 2.2 | 2.16 | 0.16 |
| 1752279 | 0.90 | 0.20 | 0.8 | 3.5 | 3.12 | 0.23 |
| 1752281 | 1.11 | 0.16 | 0.7 | 3.4 | 3.76 | 0.29 |
| 1752282 | 0.22 | 0.06 | 0.2 | 1.5 | 0.87 | 0.06 |
| 1752283 | 0.43 | 0.28 | 0.9 | 2.8 | 1.66 | 0.11 |
| 1752284 | 0.67 | 0.29 | 1.0 | 5.3 | 2.45 | 0.18 |
| 1752285 | 0.62 | 0.22 | 0.9 | 4.5 | 2.40 | 0.16 |
| 1752286 | 0.57 | 0.21 | 0.8 | 4.6 | 2.46 | 0.15 |
| 1752287 | 0.59 | 0.24 | 0.9 | 4.6 | 2.39 | 0.16 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | 0.65 | 0.32 | 1.1 | 5.8 | 2.44 | 0.18 |
| 1752289 | 0.65 | 0.37 | 1.3 | 6.5 | 2.47 | 0.17 |
| 1752291 | 0.65 | 0.36 | 1.3 | 5.7 | 2.60 | 0.18 |
| 1752292 | 0.58 | 0.27 | 1.0 | 5.7 | 2.44 | 0.16 |
| 1752293 | 0.61 | 0.29 | 1.2 | 4.4 | 2.49 | 0.16 |
| 1752294 | 0.63 | 0.20 | 0.8 | 6.0 | 2.46 | 0.17 |
| 1752295 | 0.65 | 0.37 | 1.3 | 5.5 | 2.70 | 0.17 |
| 1752296 | 0.65 | 0.26 | 1.1 | 4.8 | 2.82 | 0.18 |
| 1752297 | 0.57 | 0.25 | 0.9 | 4.4 | 2.40 | 0.16 |
| 1752298 | 0.65 | 0.35 | 1.3 | 5.2 | 2.67 | 0.18 |
| 1752299 | 0.66 | 0.24 | 1.1 | 4.4 | 2.59 | 0.19 |
| *Dup 1752262 | 0.62 | 0.51 | 1.5 | 3.9 | 2.32 | 0.18 |
| *Rep 1752295 | 0.62 | 0.36 | 1.3 | 6.2 | 2.78 | 0.16 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 905 | 1.14 | 1.37 | 5.8 | 23.9 | 6.71 | 0.48 |
| *Std OREAS 601b | 0.81 | 0.86 | 4.1 | 22.0 | 4.78 | 0.34 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Rep 1752258 | 0.58 | 0.27 | 1.0 | 5.1 | 2.33 | 0.17 |
| *Std OREAS 601b | 0.79 | 0.88 | 3.8 | 24.2 | 5.07 | 0.34 |
| *Std OREAS 905 | 1.07 | 1.32 | 5.5 | 25.8 | 6.66 | 0.46 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | 0.03 | <0.05 |
| *Std OREAS 905 | 1.04 | 1.39 | 5.9 | 24.4 | 6.93 | 0.52 |
| *Std OREAS 601b | 0.82 | 0.96 | 4.2 | 22.8 | 5.16 | 0.38 |
| *Rep 1752231 | 0.91 | 0.62 | 2.2 | 10.2 | 4.61 | 0.22 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 905 | 1.16 | 1.34 | 5.9 | 25.0 | 6.97 | 0.45 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 0.04 | 33.2 | 0.24 | 142 | 1.6 | 25.1 |
| 1752225 | 0.04 | 25.9 | 0.23 | 16.33 | 2.0 | 17.4 |
| 1752226 | 0.03 | 22.6 | 0.24 | 19.45 | 3.1 | 14.2 |
| 1752227 | 0.02 | 21.8 | 0.23 | 15.81 | 2.5 | 14.1 |
| 1752228 | 0.05 | 18.5 | 0.21 | 10.75 | 2.3 | 11.8 |
| 1752229 | 0.05 | 17.9 | 0.21 | 12.41 | 2.3 | 11.4 |
| 1752231 | 0.05 | 20.7 | 0.17 | 28.42 | 2.0 | 13.8 |
| 1752232 | 0.05 | 18.3 | 0.21 | 14.07 | 3.4 | 11.0 |
| 1752233 | 0.08 | 16.9 | 0.23 | 17.68 | 2.5 | 10.4 |
| 1752234 | 0.05 | 15.4 | 0.22 | 20.18 | 2.5 | 9.4 |
| 1752235 | 0.04 | 15.6 | 0.22 | 19.97 | 2.7 | 9.6 |
| 1752236 | 0.06 | 15.3 | 0.25 | 62.47 | 2.6 | 10.0 |
| 1752237 | 0.05 | 18.5 | 0.17 | 117 | 1.6 | 13.7 |
| 1752238 | 0.05 | 11.1 | 0.15 | 123 | 1.4 | 7.1 |
| 1752239 | 0.04 | 12.6 | 0.15 | 17.18 | 1.8 | 8.3 |
| 1752241 | 0.03 | 10.5 | 0.11 | 10.27 | 1.4 | 7.6 |
| 1752242 | 0.06 | 23.7 | 0.12 | 47.98 | 1.2 | 16.3 |
| 1752243 | 0.07 | 18.0 | 0.08 | 42.70 | 0.6 | 13.2 |
| 1752244 | 0.04 | 15.9 | 0.12 | 237 | 1.0 | 12.3 |
| 1752245 | 0.06 | 21.0 | 0.10 | 83.74 | 1.0 | 14.4 |
| 1752246 | 0.04 | 10.2 | 0.13 | 12.60 | 1.7 | 5.7 |
| 1752247 | 0.05 | 12.7 | 0.12 | 11.01 | 1.9 | 7.6 |
| 1752248 | 0.04 | 10.4 | 0.14 | 9.67 | 1.6 | 6.7 |
| 1752249 | 0.03 | 3.6 | 0.14 | 18.78 | 3.0 | 2.7 |
| 1752251 | 0.03 | 20.6 | 0.14 | 9.74 | 1.1 | 13.7 |
| 1752252 | 0.02 | 21.0 | 0.15 | 8.82 | 1.4 | 15.6 |
| 1752253 | 0.05 | 21.4 | 0.11 | 9.14 | 1.0 | 16.2 |
| 1752254 | 0.13 | 28.7 | 0.12 | 39.32 | 1.1 | 25.5 |
| 1752255 | 0.12 | 18.7 | 0.11 | 14.22 | 0.7 | 14.6 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 0.05 | 7.2 | 0.12 | 6.32 | 1.1 | 5.4 |
| 1752257 | 0.03 | 4.7 | 0.10 | 4.37 | 1.3 | 3.0 |
| 1752258 | 0.15 | 10.9 | 0.13 | 12.69 | 1.0 | 8.4 |
| 1752259 | 0.26 | 36.2 | 0.15 | 25.27 | 1.4 | 27.3 |
| 1752261 | 0.05 | 9.2 | 0.11 | 9.61 | 0.9 | 7.2 |
| 1752262 | 0.05 | 20.2 | 0.14 | 10.06 | 1.1 | 14.3 |
| 1752263 | 0.02 | 15.6 | 0.12 | 11.34 | 0.7 | 11.7 |
| 1752264 | 0.06 | 12.6 | 0.12 | 8.06 | 0.9 | 9.1 |
| 1752265 | 0.03 | 10.6 | 0.11 | 12.78 | 1.2 | 7.4 |
| 1752266 | <0.02 | 1.2 | 0.01 | 4.74 | 0.2 | 1.3 |
| 1752267 | 0.03 | 11.6 | 0.11 | 12.08 | 1.1 | 8.2 |
| 1752268 | 0.04 | 15.5 | 0.11 | 8.87 | 1.0 | 12.7 |
| 1752269 | 0.04 | 15.4 | 0.09 | 7.50 | 0.7 | 11.5 |
| 1752271 | 0.02 | 9.5 | 0.13 | 13.14 | 0.9 | 6.6 |
| 1752272 | 0.03 | 11.9 | 0.07 | 7.67 | 0.8 | 8.7 |
| 1752273 | 0.03 | 12.1 | 0.11 | 20.65 | 0.9 | 8.3 |
| 1752274 | 0.02 | 5.9 | 0.07 | 11.10 | 0.5 | 4.2 |
| 1752275 | 0.02 | 11.2 | 0.10 | 13.50 | 0.9 | 7.7 |
| 1752276 | <0.02 | 11.0 | 0.12 | 12.13 | 1.3 | 7.5 |
| 1752277 | 0.03 | 6.7 | 0.07 | 9.88 | 0.5 | 4.5 |
| 1752278 | 0.03 | 6.5 | 0.14 | 22.15 | 0.8 | 4.5 |
| 1752279 | 0.06 | 6.6 | 0.20 | 18.19 | 0.9 | 4.7 |
| 1752281 | 0.05 | 4.0 | 0.24 | 151 | 0.9 | 2.8 |
| 1752282 | <0.02 | 2.2 | 0.05 | 11.98 | 0.5 | 1.3 |
| 1752283 | 0.03 | 12.9 | 0.09 | 19.79 | 0.7 | 7.5 |
| 1752284 | 0.02 | 11.6 | 0.14 | 9.84 | 1.1 | 8.5 |
| 1752285 | <0.02 | 8.5 | 0.13 | 11.33 | 1.1 | 5.6 |
| 1752286 | <0.02 | 7.7 | 0.12 | 12.03 | 1.2 | 4.8 |
| 1752287 | 0.03 | 9.5 | 0.12 | 22.17 | 1.0 | 6.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | <0.02 | 12.5 | 0.13 | 17.37 | 1.6 | 8.1 |
| 1752289 | 0.04 | 14.2 | 0.13 | 12.22 | 1.6 | 9.4 |
| 1752291 | 0.05 | 13.3 | 0.13 | 8.57 | 1.7 | 8.7 |
| 1752292 | 0.08 | 10.1 | 0.12 | 9.62 | 1.1 | 6.9 |
| 1752293 | 0.07 | 9.8 | 0.13 | 7.05 | 1.4 | 6.5 |
| 1752294 | 0.07 | 8.0 | 0.13 | 5.78 | 1.0 | 5.1 |
| 1752295 | 0.06 | 14.2 | 0.13 | 7.04 | 1.5 | 9.3 |
| 1752296 | 0.11 | 9.8 | 0.14 | 9.06 | 1.5 | 6.4 |
| 1752297 | 0.06 | 9.8 | 0.12 | 9.81 | 1.2 | 6.4 |
| 1752298 | 0.04 | 13.9 | 0.13 | 9.16 | 1.5 | 9.3 |
| 1752299 | 0.04 | 9.4 | 0.13 | 7.29 | 1.2 | 6.2 |
| *Dup 1752262 | 0.05 | 20.3 | 0.14 | 9.60 | 1.0 | 14.5 |
| *Rep 1752295 | 0.06 | 14.4 | 0.13 | 6.90 | 2.0 | 9.3 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | 0.05 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.69 | 47.2 | 0.08 | 3.35 | 17.6 | 37.0 |
| *Std OREAS 601b | 0.48 | 35.1 | 0.07 | 5.04 | 14.2 | 26.7 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | <0.05 | <0.1 | <0.1 |
| *Rep 1752258 | 0.14 | 10.5 | 0.12 | 12.19 | 1.0 | 8.1 |
| *Std OREAS 601b | 0.46 | 34.3 | 0.06 | 5.10 | 14.8 | 26.9 |
| *Std OREAS 905 | 0.62 | 44.3 | 0.08 | 3.27 | 18.1 | 36.6 |
| *Blk BLANK | <0.02 | 0.1 | <0.01 | <0.05 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.66 | 44.5 | 0.10 | 3.25 | 17.8 | 38.7 |
| *Std OREAS 601b | 0.48 | 35.2 | 0.07 | 5.23 | 14.3 | 28.8 |
| *Rep 1752231 | 0.04 | 21.0 | 0.18 | 28.58 | 2.3 | 14.1 |
| *Blk BLANK | <0.02 | 0.1 | <0.01 | <0.05 | <0.1 | 0.1 |
| *Std OREAS 905 | 0.57 | 46.2 | 0.08 | 3.27 | 18.1 | 37.7 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 234 | 7.04 | 2.9 | 0.57 | 6.6 | 43 |
| 1752225 | 139 | 4.92 | 2.9 | 0.77 | 7.1 | 62 |
| 1752226 | 247 | 4.18 | 0.3 | 0.78 | 6.4 | 38 |
| 1752227 | 212 | 4.15 | 0.2 | 0.67 | 6.0 | 32 |
| 1752228 | 436 | 3.51 | 0.4 | 0.76 | 6.2 | 52 |
| 1752229 | 294 | 3.38 | <0.2 | 0.73 | 5.7 | 48 |
| 1752231 | 676 | 4.03 | 0.5 | 1.04 | 5.1 | 62 |
| 1752232 | 562 | 3.33 | <0.2 | 1.00 | 6.0 | 60 |
| 1752233 | 554 | 3.10 | <0.2 | 0.71 | 6.0 | 89 |
| 1752234 | 459 | 2.85 | <0.2 | 0.96 | 5.7 | 29 |
| 1752235 | 392 | 2.88 | 0.6 | 0.74 | 6.2 | 38 |
| 1752236 | 227 | 2.94 | 2.0 | 1.88 | 7.2 | 73 |
| 1752237 | 174 | 3.82 | 1.3 | 2.44 | 4.6 | 60 |
| 1752238 | 136 | 2.08 | 1.6 | 1.79 | 4.4 | 73 |
| 1752239 | 261 | 2.41 | 0.6 | 2.23 | 4.0 | 70 |
| 1752241 | 141 | 2.20 | 1.8 | 1.78 | 3.5 | 32 |
| 1752242 | 139 | 4.91 | 0.9 | 6.17 | 3.7 | 27 |
| 1752243 | 81.2 | 3.90 | 1.0 | 4.67 | 3.1 | 55 |
| 1752244 | 235 | 3.47 | 0.9 | 1.90 | 3.7 | 73 |
| 1752245 | 274 | 4.35 | 1.1 | 2.44 | 3.2 | 55 |
| 1752246 | 404 | 1.85 | <0.2 | 2.90 | 3.8 | 85 |
| 1752247 | 370 | 2.44 | <0.2 | 2.84 | 3.6 | 62 |
| 1752248 | 195 | 2.10 | <0.2 | 2.04 | 4.3 | 56 |
| 1752249 | 81.3 | 0.78 | <0.2 | 1.11 | 4.4 | 57 |
| 1752251 | 140 | 4.29 | 1.2 | 1.18 | 3.7 | 57 |
| 1752252 | 216 | 4.61 | 0.6 | 1.34 | 4.0 | 46 |
| 1752253 | 164 | 4.77 | 0.8 | 1.63 | 2.9 | 45 |
| 1752254 | 260 | 7.48 | 0.4 | 3.75 | 2.7 | 117 |
| 1752255 | 122 | 4.44 | 3.6 | 1.82 | 3.3 | 64 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 62.4 | 1.64 | 1.1 | 0.65 | 4.0 | 28 |
| 1752257 | 41.3 | 1.02 | 0.2 | 0.99 | 3.3 | 29 |
| 1752258 | 116 | 2.57 | 0.4 | 3.42 | 3.4 | 100 |
| 1752259 | 356 | 9.10 | 0.3 | 4.30 | 4.4 | 104 |
| 1752261 | 74.2 | 2.17 | 0.5 | 1.87 | 3.3 | 70 |
| 1752262 | 109 | 4.71 | 0.7 | 1.08 | 5.2 | 49 |
| 1752263 | 86.7 | 3.47 | 0.4 | 0.76 | 3.0 | 30 |
| 1752264 | 78.2 | 2.73 | 3.7 | 1.04 | 3.5 | 32 |
| 1752265 | 59.8 | 2.24 | 1.3 | 1.04 | 3.2 | 39 |
| 1752266 | 5.0 | 0.31 | 0.8 | 0.17 | <0.5 | 7 |
| 1752267 | 74.1 | 2.48 | 2.8 | 0.61 | 3.5 | 35 |
| 1752268 | 101 | 3.77 | 2.6 | 0.87 | 3.3 | 30 |
| 1752269 | 72.1 | 3.41 | 2.4 | 0.33 | 2.8 | 16 |
| 1752271 | 32.9 | 1.97 | 1.9 | 0.69 | 4.0 | 56 |
| 1752272 | 52.7 | 2.62 | 1.8 | 0.38 | 2.3 | 21 |
| 1752273 | 50.8 | 2.55 | 2.2 | 0.79 | 3.3 | 40 |
| 1752274 | 26.5 | 1.28 | 1.1 | 0.37 | 2.1 | 79 |
| 1752275 | 42.8 | 2.28 | 0.5 | 0.38 | 2.9 | 19 |
| 1752276 | 61.0 | 2.30 | 0.5 | 0.64 | 3.3 | 23 |
| 1752277 | 24.8 | 1.38 | 1.7 | 0.40 | 2.2 | 22 |
| 1752278 | 25.7 | 1.34 | 1.9 | 0.72 | 4.2 | 75 |
| 1752279 | 24.8 | 1.39 | 4.8 | 0.72 | 6.7 | 53 |
| 1752281 | 25.9 | 0.79 | 5.0 | 0.84 | 6.7 | 81 |
| 1752282 | 16.3 | 0.40 | 2.1 | 0.30 | 1.7 | 48 |
| 1752283 | 118 | 2.46 | 3.2 | 0.41 | 2.9 | 40 |
| 1752284 | 68.0 | 2.60 | 1.3 | 0.86 | 3.9 | 41 |
| 1752285 | 58.8 | 1.74 | 0.3 | 3.09 | 3.6 | 25 |
| 1752286 | 46.3 | 1.53 | <0.2 | 0.75 | 3.4 | 18 |
| 1752287 | 51.9 | 1.99 | <0.2 | 1.49 | 3.5 | 39 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | 54.4 | 2.58 | 0.2 | 0.83 | 3.6 | 22 |
| 1752289 | 91.3 | 3.08 | 1.3 | 1.19 | 3.5 | 21 |
| 1752291 | 77.9 | 2.79 | 0.2 | 1.66 | 3.7 | 22 |
| 1752292 | 70.6 | 2.16 | 2.6 | 1.14 | 3.8 | 43 |
| 1752293 | 76.0 | 2.08 | 0.6 | 4.18 | 3.6 | 38 |
| 1752294 | 45.4 | 1.68 | <0.2 | 5.73 | 3.6 | 65 |
| 1752295 | 92.4 | 3.07 | <0.2 | 0.59 | 3.8 | 21 |
| 1752296 | 60.1 | 2.01 | <0.2 | 4.34 | 3.7 | 43 |
| 1752297 | 40.7 | 1.99 | 0.2 | 1.98 | 3.3 | 42 |
| 1752298 | 46.5 | 2.97 | 0.3 | 0.59 | 3.7 | 21 |
| 1752299 | 43.8 | 2.02 | 0.2 | 1.42 | 3.6 | 75 |
| *Dup 1752262 | 108 | 4.80 | 0.6 | 0.99 | 4.6 | 46 |
| *Rep 1752295 | 90.6 | 3.08 | <0.2 | 1.08 | 3.8 | 29 |
| *Blk BLANK | <0.5 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 905 | 29.4 | 10.81 | 137 | 1.89 | 4.6 | 3 |
| *Std OREAS 601b | 322 | 8.00 | 94.2 | 22.99 | 3.6 | 10 |
| *Blk BLANK | 0.6 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Rep 1752258 | 111 | 2.44 | 0.4 | 3.66 | 3.4 | 103 |
| *Std OREAS 601b | 327 | 7.86 | 101 | 24.30 | 3.3 | 9 |
| *Std OREAS 905 | 28.8 | 10.37 | 143 | 1.97 | 4.2 | 2 |
| *Blk BLANK | 1.1 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 905 | 30.3 | 10.25 | 143 | 1.95 | 5.7 | 3 |
| *Std OREAS 601b | 318 | 8.03 | 97.9 | 24.41 | 4.0 | 12 |
| *Rep 1752231 | 664 | 4.14 | 1.1 | 0.95 | 5.0 | 64 |
| *Blk BLANK | 0.6 | <0.05 | 0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 905 | 30.5 | 10.10 | 135 | 1.90 | 5.6 | 2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 4.2 | 1.4 | 0.07 | 0.27 | 4.81 | 11.7 |
| 1752225 | 3.0 | 1.8 | 0.08 | 0.20 | 7.08 | 8.9 |
| 1752226 | 2.5 | 2.0 | 0.08 | 0.19 | 13.11 | 8.8 |
| 1752227 | 2.3 | 1.6 | 0.10 | 0.18 | 8.55 | 8.5 |
| 1752228 | 2.1 | 1.4 | 0.09 | 0.23 | 9.38 | 8.6 |
| 1752229 | 2.0 | 1.5 | <0.05 | 0.19 | 6.01 | 8.0 |
| 1752231 | 2.6 | 1.6 | 0.10 | 0.22 | 4.66 | 12.3 |
| 1752232 | 1.8 | 2.4 | 0.13 | 0.25 | 20.27 | 8.7 |
| 1752233 | 1.7 | 1.7 | 0.11 | 0.29 | 13.08 | 8.2 |
| 1752234 | 1.5 | 1.8 | <0.05 | 0.24 | 7.66 | 7.8 |
| 1752235 | 1.7 | 1.9 | 0.10 | 0.25 | 8.49 | 7.8 |
| 1752236 | 1.8 | 2.2 | 0.11 | 0.22 | 15.60 | 7.4 |
| 1752237 | 2.4 | 1.4 | 0.07 | 0.20 | 22.38 | 7.5 |
| 1752238 | 1.3 | 1.7 | 0.07 | 0.13 | 13.29 | 5.0 |
| 1752239 | 1.6 | 1.6 | 0.09 | 0.18 | 21.93 | 6.0 |
| 1752241 | 1.4 | 1.3 | 0.09 | 0.12 | 20.63 | 4.2 |
| 1752242 | 2.9 | 1.2 | <0.05 | 0.17 | 30.16 | 6.9 |
| 1752243 | 2.3 | 0.9 | <0.05 | 0.13 | 18.61 | 5.8 |
| 1752244 | 2.4 | 1.1 | 0.07 | 0.20 | 17.18 | 5.6 |
| 1752245 | 2.6 | 1.1 | 0.06 | 0.15 | 19.93 | 7.1 |
| 1752246 | 1.0 | 1.6 | 0.10 | 0.12 | 29.40 | 4.4 |
| 1752247 | 1.4 | 2.2 | 0.12 | 0.13 | 78.17 | 5.6 |
| 1752248 | 1.3 | 1.2 | 0.09 | 0.15 | 15.84 | 5.5 |
| 1752249 | 0.7 | 1.4 | 0.15 | 0.11 | 9.19 | 3.3 |
| 1752251 | 2.3 | 1.4 | 0.07 | 0.21 | 8.96 | 6.8 |
| 1752252 | 3.1 | 2.1 | 0.08 | 0.30 | 5.45 | 7.0 |
| 1752253 | 3.3 | 2.7 | 0.06 | 0.35 | 10.77 | 5.9 |
| 1752254 | 4.3 | 7.8 | 0.07 | 0.26 | 22.99 | 6.7 |
| 1752255 | 2.5 | 5.6 | <0.05 | 0.17 | 16.55 | 4.9 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 0.9 | 2.2 | 0.07 | 0.09 | 7.64 | 3.2 |
| 1752257 | 0.5 | 1.7 | 0.10 | 0.07 | 16.46 | 1.8 |
| 1752258 | 1.4 | 4.6 | 0.06 | 0.15 | 56.25 | 3.6 |
| 1752259 | 4.8 | 8.1 | 0.11 | 0.35 | 64.00 | 9.3 |
| 1752261 | 1.2 | 3.9 | 0.05 | 0.12 | 19.46 | 3.1 |
| 1752262 | 2.6 | 2.2 | <0.05 | 0.16 | 14.62 | 6.7 |
| 1752263 | 2.0 | 1.8 | <0.05 | 0.15 | 9.37 | 4.5 |
| 1752264 | 1.6 | 3.4 | 0.05 | 0.12 | 9.64 | 4.2 |
| 1752265 | 1.3 | 2.8 | 0.07 | 0.10 | 19.11 | 3.6 |
| 1752266 | 0.3 | 0.5 | <0.05 | <0.05 | 1.18 | 0.3 |
| 1752267 | 1.4 | 2.7 | 0.06 | 0.11 | 4.35 | 3.8 |
| 1752268 | 2.1 | 2.5 | 0.06 | 0.13 | 16.26 | 4.7 |
| 1752269 | 2.0 | 1.9 | <0.05 | 0.15 | 4.27 | 4.4 |
| 1752271 | 1.2 | 2.1 | <0.05 | 0.11 | 10.74 | 2.8 |
| 1752272 | 1.6 | 2.1 | <0.05 | 0.12 | 8.04 | 3.8 |
| 1752273 | 1.4 | 2.7 | <0.05 | 0.09 | 6.11 | 4.0 |
| 1752274 | 0.7 | 1.2 | <0.05 | <0.05 | 22.65 | 1.8 |
| 1752275 | 1.3 | 1.7 | 0.05 | 0.09 | 19.84 | 3.4 |
| 1752276 | 1.3 | 2.3 | 0.07 | 0.11 | 19.92 | 3.9 |
| 1752277 | 0.8 | 1.2 | <0.05 | 0.07 | 5.95 | 2.2 |
| 1752278 | 0.8 | 1.9 | <0.05 | 0.08 | 14.39 | 2.4 |
| 1752279 | 0.9 | 2.3 | 0.05 | 0.12 | 3.78 | 2.7 |
| 1752281 | 0.6 | 2.6 | <0.05 | 0.13 | 13.78 | 1.7 |
| 1752282 | 0.3 | 1.1 | <0.05 | <0.05 | 7.54 | 0.7 |
| 1752283 | 1.3 | 1.9 | <0.05 | 0.09 | 10.28 | 3.5 |
| 1752284 | 1.4 | 2.6 | 0.07 | 0.12 | 10.94 | 4.2 |
| 1752285 | 1.0 | 2.3 | 0.07 | 0.11 | 16.71 | 3.5 |
| 1752286 | 0.9 | 2.8 | 0.07 | 0.10 | 15.40 | 3.5 |
| 1752287 | 1.1 | 3.0 | 0.06 | 0.11 | 24.43 | 3.8 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | 1.4 | 3.3 | 0.09 | 0.13 | 11.63 | 4.3 |
| 1752289 | 1.7 | 3.6 | 0.09 | 0.15 | 14.58 | 5.2 |
| 1752291 | 1.5 | 3.9 | 0.10 | 0.15 | 13.97 | 5.0 |
| 1752292 | 1.2 | 3.7 | 0.06 | 0.13 | 6.15 | 4.2 |
| 1752293 | 1.2 | 3.4 | 0.08 | 0.15 | 12.94 | 4.4 |
| 1752294 | 0.9 | 2.7 | 0.06 | 0.11 | 23.77 | 3.4 |
| 1752295 | 1.6 | 3.6 | 0.09 | 0.16 | 5.54 | 6.0 |
| 1752296 | 1.1 | 3.5 | 0.09 | 0.15 | 18.63 | 4.3 |
| 1752297 | 1.1 | 3.2 | 0.07 | 0.12 | 11.05 | 3.7 |
| 1752298 | 1.6 | 3.2 | 0.09 | 0.15 | 4.65 | 5.3 |
| 1752299 | 1.1 | 2.4 | 0.07 | 0.15 | 25.50 | 3.7 |
| *Dup 1752262 | 2.7 | 1.9 | 0.07 | 0.16 | 14.64 | 6.6 |
| *Rep 1752295 | 1.6 | 4.5 | 0.11 | 0.16 | 14.91 | 5.9 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | 0.07 | <0.2 |
| *Std OREAS 905 | 7.5 | 4.0 | 1.18 | 0.69 | 0.13 | 14.8 |
| *Std OREAS 601b | 5.3 | 3.2 | 0.97 | 0.48 | 12.02 | 12.1 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| *Rep 1752258 | 1.4 | 4.5 | 0.06 | 0.15 | 55.24 | 3.5 |
| *Std OREAS 601b | 5.2 | 3.4 | 1.08 | 0.46 | 12.00 | 11.0 |
| *Std OREAS 905 | 7.3 | 4.1 | 1.23 | 0.64 | <0.05 | 12.8 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| *Std OREAS 905 | 7.2 | 3.7 | 1.16 | 0.78 | 0.09 | 14.2 |
| *Std OREAS 601b | 5.4 | 3.4 | 0.95 | 0.55 | 12.09 | 11.8 |
| *Rep 1752231 | 2.6 | 1.7 | 0.12 | 0.24 | 5.57 | 12.3 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| *Std OREAS 905 | 7.4 | 4.0 | 1.20 | 0.68 | 0.08 | 15.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element Method | @TI GE_IMS40Q12 | Tm GE_IMS40Q12 | @U GE_IMS40Q12 | @W GE_IMS40Q12 | @Y GE_IMS40Q12 | @Yb GE_IMS40Q12 |
|----------------|--------------------|-------------------|-------------------|-------------------|-------------------|--------------------|
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752224 | 0.32 | 0.19 | 1.94 | 2.5 | 7.2 | 1.4 |
| 1752225 | 0.35 | 0.18 | 1.92 | 1.7 | 6.6 | 1.4 |
| 1752226 | 0.32 | 0.18 | 1.92 | 2.5 | 6.4 | 1.4 |
| 1752227 | 0.32 | 0.17 | 1.99 | 2.3 | 6.4 | 1.4 |
| 1752228 | 0.42 | 0.16 | 1.86 | 2.1 | 6.2 | 1.3 |
| 1752229 | 0.54 | 0.16 | 1.74 | 1.9 | 6.0 | 1.3 |
| 1752231 | 0.32 | 0.13 | 1.91 | 2.4 | 6.0 | 1.2 |
| 1752232 | 0.21 | 0.16 | 1.96 | 2.9 | 5.9 | 1.3 |
| 1752233 | 0.42 | 0.16 | 2.12 | 2.3 | 6.2 | 1.3 |
| 1752234 | 0.47 | 0.17 | 2.06 | 2.9 | 6.4 | 1.3 |
| 1752235 | 0.35 | 0.17 | 2.06 | 3.1 | 6.6 | 1.4 |
| 1752236 | 0.67 | 0.20 | 2.11 | 3.2 | 7.9 | 1.6 |
| 1752237 | 0.62 | 0.12 | 1.32 | 1.6 | 5.0 | 1.0 |
| 1752238 | 1.01 | 0.12 | 1.21 | 1.7 | 4.4 | 0.9 |
| 1752239 | 0.44 | 0.12 | 1.25 | 1.3 | 4.4 | 0.9 |
| 1752241 | 0.33 | 0.09 | 1.02 | 0.9 | 3.5 | 0.7 |
| 1752242 | 0.15 | 0.09 | 1.04 | 1.3 | 3.9 | 0.8 |
| 1752243 | 0.09 | 0.07 | 0.70 | 0.7 | 2.7 | 0.5 |
| 1752244 | 0.61 | 0.09 | 1.00 | 1.6 | 4.2 | 0.7 |
| 1752245 | 0.93 | 0.08 | 0.93 | 1.0 | 3.5 | 0.7 |
| 1752246 | 1.24 | 0.10 | 1.20 | 1.3 | 4.2 | 0.8 |
| 1752247 | 1.47 | 0.10 | 1.19 | 1.3 | 4.2 | 0.8 |
| 1752248 | 0.95 | 0.11 | 1.35 | 1.1 | 4.7 | 0.9 |
| 1752249 | 1.33 | 0.10 | 1.44 | 1.5 | 4.4 | 0.9 |
| 1752251 | 0.34 | 0.11 | 1.13 | 0.8 | 4.8 | 0.9 |
| 1752252 | 0.11 | 0.12 | 1.21 | 1.2 | 6.5 | 1.0 |
| 1752253 | 0.11 | 0.09 | 0.97 | 0.8 | 5.2 | 0.7 |
| 1752254 | 0.12 | 0.09 | 1.12 | 1.2 | 5.0 | 0.8 |
| 1752255 | 0.20 | 0.08 | 0.91 | 0.7 | 4.5 | 0.7 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @TI | Tm | @U | @W | @Y | @Yb |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752256 | 0.16 | 0.10 | 1.19 | 0.7 | 4.4 | 0.8 |
| 1752257 | 0.12 | 0.08 | 0.91 | 0.8 | 3.2 | 0.6 |
| 1752258 | 0.14 | 0.10 | 1.10 | 0.7 | 4.7 | 0.8 |
| 1752259 | 0.15 | 0.12 | 1.50 | 1.2 | 6.0 | 0.9 |
| 1752261 | 0.16 | 0.09 | 0.92 | 0.6 | 4.2 | 0.7 |
| 1752262 | 0.10 | 0.11 | 0.98 | 0.7 | 5.3 | 0.8 |
| 1752263 | 0.09 | 0.09 | 0.81 | 0.5 | 4.8 | 0.7 |
| 1752264 | 0.25 | 0.10 | 0.98 | 0.5 | 4.6 | 0.8 |
| 1752265 | 0.16 | 0.08 | 0.89 | 0.6 | 3.9 | 0.7 |
| 1752266 | 0.03 | <0.05 | 0.11 | 0.1 | 0.5 | <0.1 |
| 1752267 | 0.16 | 0.09 | 0.94 | 0.6 | 4.4 | 0.7 |
| 1752268 | 0.20 | 0.09 | 0.90 | 0.5 | 4.3 | 0.7 |
| 1752269 | 0.14 | 0.07 | 0.75 | 0.4 | 4.3 | 0.6 |
| 1752271 | 0.12 | 0.10 | 0.75 | 0.4 | 4.8 | 0.8 |
| 1752272 | 0.12 | 0.06 | 0.63 | 0.4 | 3.3 | 0.5 |
| 1752273 | 0.16 | 0.08 | 0.84 | 0.4 | 3.8 | 0.7 |
| 1752274 | 0.07 | 0.05 | 0.46 | 0.3 | 2.4 | 0.4 |
| 1752275 | 0.07 | 0.08 | 0.78 | 0.5 | 3.8 | 0.7 |
| 1752276 | 0.08 | 0.09 | 0.95 | 0.6 | 4.4 | 0.8 |
| 1752277 | 0.08 | 0.05 | 0.53 | 0.3 | 2.8 | 0.5 |
| 1752278 | 0.13 | 0.10 | 0.82 | 0.4 | 4.6 | 0.9 |
| 1752279 | 0.21 | 0.16 | 1.10 | 0.5 | 6.9 | 1.3 |
| 1752281 | 0.23 | 0.19 | 1.26 | 0.6 | 9.0 | 1.5 |
| 1752282 | 0.11 | <0.05 | 0.33 | 0.3 | 1.5 | 0.3 |
| 1752283 | 0.19 | 0.07 | 0.69 | 0.4 | 3.0 | 0.6 |
| 1752284 | 0.13 | 0.11 | 1.09 | 0.6 | 5.1 | 0.9 |
| 1752285 | 0.09 | 0.10 | 1.06 | 0.7 | 4.5 | 0.8 |
| 1752286 | 0.07 | 0.10 | 1.08 | 1.1 | 4.0 | 0.8 |
| 1752287 | 0.08 | 0.10 | 1.03 | 1.3 | 4.4 | 0.8 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @TI | Tm | @U | @W | @Y | @Yb |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752288 | 0.07 | 0.11 | 1.09 | 1.2 | 4.8 | 0.8 |
| 1752289 | 0.12 | 0.10 | 1.17 | 1.1 | 4.6 | 0.8 |
| 1752291 | 0.08 | 0.11 | 1.24 | 1.0 | 4.8 | 0.9 |
| 1752292 | 0.16 | 0.09 | 1.14 | 0.6 | 4.4 | 0.8 |
| 1752293 | 0.10 | 0.10 | 1.22 | 0.7 | 4.4 | 0.8 |
| 1752294 | 0.08 | 0.11 | 1.05 | 0.5 | 4.8 | 0.8 |
| 1752295 | 0.07 | 0.11 | 1.30 | 0.7 | 4.8 | 0.9 |
| 1752296 | 0.10 | 0.11 | 1.31 | 0.7 | 4.9 | 0.9 |
| 1752297 | 0.08 | 0.09 | 1.04 | 0.6 | 4.3 | 0.8 |
| 1752298 | 0.07 | 0.11 | 1.25 | 0.7 | 5.1 | 0.8 |
| 1752299 | 0.09 | 0.11 | 1.24 | 0.6 | 5.3 | 0.9 |
| *Dup 1752262 | 0.11 | 0.10 | 0.93 | 0.6 | 5.1 | 0.8 |
| *Rep 1752295 | 0.07 | 0.10 | 1.29 | 0.9 | 4.6 | 0.9 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.66 | 0.11 | 5.33 | 2.5 | 15.5 | 0.6 |
| *Std OREAS 601b | 1.37 | 0.09 | 4.78 | 5.5 | 10.9 | 0.5 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Rep 1752258 | 0.14 | 0.10 | 1.07 | 0.7 | 4.6 | 0.8 |
| *Std OREAS 601b | 1.37 | 0.08 | 4.68 | 5.7 | 10.6 | 0.5 |
| *Std OREAS 905 | 0.67 | 0.11 | 4.93 | 2.5 | 14.9 | 0.6 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.66 | 0.12 | 4.84 | 2.8 | 16.3 | 0.7 |
| *Std OREAS 601b | 1.43 | 0.09 | 4.52 | 6.2 | 11.4 | 0.5 |
| *Rep 1752231 | 0.32 | 0.14 | 1.92 | 2.3 | 6.2 | 1.2 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.71 | 0.11 | 5.07 | 2.9 | 15.7 | 0.7 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @S | @S |
|-------------|-----------|-----------|
| Method | GE_CSA06V | GO_CSA06V |
| Lower Limit | 0.005 | 0.01 |
| Upper Limit | 30 | 75 |
| Unit | % | % |
| 1752225 | 6.808 | - |
| 1752226 | 7.407 | - |
| 1752227 | 8.624 | - |
| 1752228 | 8.697 | - |
| 1752229 | 11.569 | - |
| 1752231 | 14.704 | - |
| 1752233 | 6.466 | - |
| 1752234 | 8.330 | - |
| 1752235 | 6.140 | - |
| 1752238 | 7.029 | - |
| 1752239 | 5.482 | - |
| 1752245 | 5.861 | - |
| 1752247 | 7.139 | - |
| 1752251 | 11.163 | - |
| 1752252 | 12.824 | - |
| 1752253 | 16.077 | - |
| 1752254 | >30.000 | 30.72 |
| 1752255 | 19.990 | - |
| 1752256 | 6.914 | - |
| 1752257 | 10.408 | - |
| 1752258 | 19.730 | - |
| 1752259 | 29.479 | - |
| 1752261 | 19.348 | - |
| 1752262 | 11.690 | - |
| 1752263 | 9.268 | - |
| 1752264 | 9.547 | - |
| 1752265 | 8.060 | - |
| 1752267 | 8.474 | - |
| 1752268 | 10.091 | - |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @S | @S |
|--------------|-----------|-----------|
| Method | GE_CSA06V | GO_CSA06V |
| Lower Limit | 0.005 | 0.01 |
| Upper Limit | 30 | 75 |
| Unit | % | % |
| 1752271 | 18.737 | - |
| 1752272 | 5.199 | - |
| 1752273 | 10.377 | - |
| 1752274 | 18.001 | - |
| 1752276 | 6.204 | - |
| 1752277 | 5.571 | - |
| 1752278 | 19.048 | - |
| 1752279 | 15.043 | - |
| 1752281 | 18.935 | - |
| 1752282 | 11.089 | - |
| 1752283 | 11.765 | - |
| 1752284 | 12.433 | - |
| 1752285 | 6.827 | - |
| 1752286 | 5.984 | - |
| 1752287 | 11.900 | - |
| 1752291 | 5.265 | - |
| 1752292 | 10.917 | - |
| 1752293 | 8.844 | - |
| 1752294 | 16.855 | - |
| 1752295 | 7.424 | - |
| 1752296 | 9.264 | - |
| 1752297 | 8.833 | - |
| 1752299 | 17.254 | - |
| *Dup 1752262 | 12.885 | - |
| *Blk BLANK | <0.005 | - |
| *Rep 1752245 | 5.915 | - |
| *Std GS314-2 | 2.570 | - |
| *Rep 1752231 | 14.716 | - |
| *Blk BLANK | <0.005 | - |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES/Hole
B21C-014B/177 Core (1-76)
Number of Samples 76

ANALYSIS REPORT BBM21-11961

| Element | @S | @S |
|--------------|-----------|-----------|
| Method | GE_CSA06V | GO_CSA06V |
| Lower Limit | 0.005 | 0.01 |
| Upper Limit | 30 | 75 |
| Unit | % | % |
| *Std GS314-2 | 2.566 | - |
| *Rep 1752254 | - | 30.80 |
| *Blk BLANK | - | <0.01 |
| *Std HCC-1 | - | 34.26 |
| *Blk BLANK | 0.006 | - |
| *Std GS314-2 | 2.569 | - |

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-11962

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

| | | | |
|-----------------------------|----------------------------|------------------|---------------------------|
| Project | The Brewer Gold Project | Date Received | 09-Aug-2021 |
| Submission Number | *SD* PANCON_RESOURCES/Hole | Date Analysed | 20-Aug-2021 - 21-Oct-2021 |
| B21C-014B/177 Core (77-152) | | Date Completed | 22-Oct-2021 |
| Number of Samples | 76 | SGS Order Number | BBM21-11962 |

Methods Summary

| Number of Sample | Method Code | Description |
|------------------|-------------|--|
| 76 | G_WGH_KG | Weight of samples received |
| 70 | G_PRP | Combined Sample Preparation |
| 76 | GE_FAA30V5 | Au, FAS, exploration grade, AAS, 30g-5ml |
| 70 | GE_DIG40Q12 | 4 Acid Digest (HCL/HClO4/HF/HNO3) |
| 70 | GE_ICP40Q12 | 4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml |
| 70 | GE_IMS40Q12 | 4 Acid Digest Package (HCL/HClO4/HF/HNO3), ICP-MS, 0.2g-12ml |
| 44 | GE_CSA06V | Total Sulphur and Carbon, IR Combustion |

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

22-Oct-2021 7:27PM BBM_U0015551093

Page 1 of 34

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752300 | 2.54 | <0.005 | 8.21 | 811 | 1.16 | 9 |
| 1752301 | 5.27 | 0.180 | 0.77 | 30 | 0.02 | 25 |
| 1752302 | 4.16 | 0.232 | 0.77 | 60 | 0.02 | 23 |
| 1752303 | 6.28 | 0.121 | 0.90 | 28 | <0.01 | 28 |
| 1752304 | 6.70 | 0.185 | 0.96 | 33 | <0.01 | 33 |
| 1752305 | 5.77 | 0.330 | 0.90 | 41 | 0.01 | 23 |
| 1752306 | 5.24 | 0.410 | 0.54 | 10 | <0.01 | 20 |
| 1752307 | 5.60 | 0.097 | 1.34 | 37 | 0.01 | 20 |
| 1752308 | 6.18 | 0.195 | 1.11 | 95 | 0.02 | 16 |
| 1752309 | 6.07 | 0.190 | 1.43 | 45 | 0.03 | 14 |
| 1752310 | - | 0.134 | - | - | - | - |
| 1752311 | 5.75 | 0.186 | 1.74 | 53 | 0.03 | 18 |
| 1752312 | 4.23 | 0.232 | 0.69 | 102 | 0.02 | 20 |
| 1752313 | 3.38 | 0.234 | 0.77 | 30 | 0.03 | 29 |
| 1752314 | 5.69 | 0.211 | 0.84 | 48 | 0.03 | 23 |
| 1752315 | 5.11 | 0.118 | 0.23 | 32 | <0.01 | 48 |
| 1752316 | 5.03 | 0.120 | 0.76 | 136 | 0.03 | 23 |
| 1752317 | 5.87 | 0.143 | 0.47 | 53 | 0.03 | 28 |
| 1752318 | 6.00 | 0.191 | 0.85 | 129 | 0.02 | 21 |
| 1752319 | 5.07 | 0.189 | 1.12 | 66 | 0.03 | 26 |
| 1752320 | 0.07 | 1.059 | - | - | - | - |
| 1752321 | 5.71 | 0.081 | 1.66 | 217 | 0.02 | 28 |
| 1752322 | 4.28 | 0.048 | 1.66 | 156 | 0.02 | 20 |
| 1752323 | 5.12 | 0.147 | 1.01 | 61 | 0.02 | 19 |
| 1752324 | 4.86 | <0.005 | 0.03 | 11 | <0.01 | 43 |
| 1752325 | 4.50 | 0.095 | 1.07 | 148 | 0.02 | 22 |
| 1752326 | 5.61 | 0.224 | 0.80 | 71 | 0.02 | 22 |
| 1752327 | 5.56 | 0.157 | 1.07 | 72 | 0.02 | 16 |
| 1752328 | 6.34 | 0.141 | 1.15 | 173 | 0.02 | 23 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752329 | 5.63 | 0.163 | 0.77 | 103 | 0.02 | 21 |
| 1752330 | 2.01 | <0.005 | 7.11 | 766 | 1.07 | 11 |
| 1752331 | 6.10 | 0.168 | 1.24 | 98 | 0.04 | 23 |
| 1752332 | 4.43 | 0.211 | 0.59 | 101 | 0.02 | 26 |
| 1752333 | 6.33 | 0.133 | 0.42 | 68 | 0.02 | 24 |
| 1752334 | 5.95 | 0.136 | 1.03 | 174 | 0.02 | 28 |
| 1752335 | 5.85 | 0.247 | 0.67 | 86 | 0.02 | 32 |
| 1752336 | 3.86 | 0.123 | 0.20 | 47 | 0.01 | 25 |
| 1752337 | 4.37 | 0.153 | 0.54 | 126 | 0.02 | 44 |
| 1752338 | 5.78 | 0.166 | 1.45 | 31 | <0.01 | 17 |
| 1752339 | 6.62 | 0.268 | 2.40 | 47 | <0.01 | 22 |
| 1752340 | - | 0.229 | - | - | - | - |
| 1752341 | 5.10 | 0.069 | 0.16 | 12 | <0.01 | 36 |
| 1752342 | 2.96 | 0.012 | 0.79 | 19 | <0.01 | 44 |
| 1752343 | 6.29 | 0.156 | 1.84 | 85 | 0.02 | 9 |
| 1752344 | 4.23 | <0.005 | 0.07 | 10 | <0.01 | 19 |
| 1752345 | 5.36 | 0.165 | 1.25 | 104 | 0.02 | 21 |
| 1752346 | 3.81 | 0.095 | 1.88 | 64 | 0.01 | 12 |
| 1752347 | 3.45 | 0.008 | 0.08 | 4 | <0.01 | 24 |
| 1752348 | 5.39 | 0.084 | 1.45 | 20 | <0.01 | 14 |
| 1752349 | 5.08 | 0.084 | 2.49 | 86 | 0.01 | 20 |
| 1752350 | 0.07 | 0.458 | - | - | - | - |
| 1752351 | 6.32 | 0.098 | 1.80 | 173 | 0.02 | 23 |
| 1752352 | 6.73 | 0.183 | 1.01 | 35 | 0.03 | 28 |
| 1752353 | 5.60 | 0.123 | 1.11 | 81 | 0.02 | 11 |
| 1752354 | 5.88 | 0.090 | 1.16 | 145 | 0.02 | 18 |
| 1752355 | 5.38 | 0.138 | 1.08 | 64 | 0.02 | 21 |
| 1752356 | 7.14 | 0.086 | 1.19 | 89 | 0.03 | 29 |
| 1752357 | 1.91 | 0.055 | 1.77 | 277 | 0.02 | 29 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element Method Lower Limit Upper Limit Unit | WTKG G_WGH_KG 0.01 -- kg | @Au GE_FAA30V5 0.005 10 ppm m / m | @Al GE_ICP40Q12 0.01 15 % | @Ba GE_ICP40Q12 1 10,000 ppm m / m | @Ca GE_ICP40Q12 0.01 15 % | @Cr GE_ICP40Q12 1 10,000 ppm m / m |
|---|--------------------------------------|---|---------------------------------------|--|---------------------------------------|--|
| 1752358 | 5.49 | 0.067 | 4.38 | 48 | 0.06 | 10 |
| 1752359 | 5.32 | 0.091 | 0.62 | 48 | 0.01 | 19 |
| 1752360 | 0.06 | <0.005 | - | - | - | - |
| 1752361 | 5.25 | 0.023 | 0.11 | 4 | <0.01 | 13 |
| 1752362 | 3.67 | <0.005 | 0.03 | 1 | <0.01 | 32 |
| 1752363 | 3.78 | 0.012 | 0.31 | 7 | <0.01 | 29 |
| 1752364 | 5.27 | 0.069 | 1.06 | 133 | 0.03 | 22 |
| 1752365 | 5.45 | 0.084 | 1.16 | 119 | 0.03 | 28 |
| 1752366 | 6.43 | 0.098 | 2.93 | 126 | 0.02 | 13 |
| 1752367 | 3.65 | 0.065 | 1.38 | 63 | 0.02 | 25 |
| 1752368 | 4.80 | 0.124 | 0.92 | <1 | <0.01 | 26 |
| 1752369 | 5.68 | 0.124 | 4.75 | 75 | 0.02 | 23 |
| 1752370 | - | 0.131 | - | - | - | - |
| 1752371 | 4.40 | 0.034 | 4.98 | 37 | 0.02 | 20 |
| 1752372 | 3.09 | 0.006 | 0.27 | 6 | <0.01 | 34 |
| 1752373 | 3.04 | 0.007 | 0.47 | 5 | <0.01 | 21 |
| 1752374 | 6.42 | 0.030 | 5.52 | 54 | 0.02 | 21 |
| 1752375 | 5.50 | 0.041 | 3.40 | 29 | 0.02 | 27 |
| *Dup 1752338 | - | 0.181 | 1.42 | 33 | <0.01 | 18 |
| *Std SN106 | - | 8.187 | - | - | - | - |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Rep 1752317 | - | 0.143 | - | - | - | - |
| *Rep 1752332 | - | 0.203 | - | - | - | - |
| *Std OREAS 238 | - | 3.110 | - | - | - | - |
| *Std OREAS 250b | - | 0.335 | - | - | - | - |
| *Rep 1752369 | - | 0.119 | - | - | - | - |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Std OREAS 502c | - | 0.485 | - | - | - | - |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-----------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Std OREAS 238 | - | 2.995 | - | - | - | - |
| *Std SN106 | - | 8.125 | - | - | - | - |
| *Std OREAS 905 | - | - | 7.71 | 2967 | 0.61 | 28 |
| *Std OREAS 601b | - | - | 6.37 | 451 | 0.85 | 15 |
| *Rep 1752358 | - | - | 4.46 | 40 | 0.07 | 9 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |
| *Blk BLANK | - | - | 0.01 | 1 | <0.01 | <1 |
| *Std OREAS 905 | - | - | 6.98 | 2651 | 0.55 | 14 |
| *Std OREAS 601b | - | - | 6.29 | 856 | 0.82 | 21 |
| *Std OREAS 905 | - | - | 7.70 | 2894 | 0.61 | 15 |
| *Rep 1752308 | - | - | 1.08 | 105 | 0.02 | 17 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |
| *Std OREAS 601b | - | - | 6.39 | 408 | 0.84 | 16 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |
| *Std OREAS 70b | - | - | 3.85 | 192 | 3.06 | 719 |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Std OREAS 238 | - | 3.050 | - | - | - | - |

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752300 | 7.9 | 1.95 | 4.23 | 25 | 0.29 | 360 |
| 1752301 | 346 | 9.21 | 0.01 | 2 | <0.01 | 102 |
| 1752302 | 599 | 8.90 | 0.01 | 3 | <0.01 | 31 |
| 1752303 | 367 | 5.15 | 0.02 | 3 | <0.01 | 83 |
| 1752304 | 345 | 9.29 | 0.02 | 4 | <0.01 | 35 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752305 | 578 | 11.08 | 0.04 | 3 | <0.01 | 92 |
| 1752306 | 112 | 11.50 | 0.03 | 1 | <0.01 | 40 |
| 1752307 | 91.9 | 8.26 | 0.09 | 3 | <0.01 | 35 |
| 1752308 | 431 | 13.54 | 0.01 | 3 | <0.01 | 88 |
| 1752309 | 350 | 9.04 | 0.01 | 3 | <0.01 | 27 |
| 1752311 | 336 | 8.80 | 0.01 | 3 | <0.01 | 75 |
| 1752312 | 673 | 11.47 | 0.01 | 3 | <0.01 | 77 |
| 1752313 | 768 | 9.40 | <0.01 | 4 | <0.01 | 28 |
| 1752314 | 385 | 8.64 | 0.01 | 14 | <0.01 | 20 |
| 1752315 | 152 | 7.71 | 0.01 | 1 | <0.01 | 38 |
| 1752316 | 196 | 6.88 | 0.02 | 3 | <0.01 | 55 |
| 1752317 | 213 | 6.32 | 0.02 | 2 | <0.01 | 28 |
| 1752318 | 270 | 6.58 | 0.04 | 1 | <0.01 | 97 |
| 1752319 | 230 | 7.83 | <0.01 | 4 | <0.01 | 26 |
| 1752321 | 139 | 4.66 | <0.01 | 4 | <0.01 | 93 |
| 1752322 | 107 | 3.83 | <0.01 | 3 | <0.01 | 45 |
| 1752323 | 254 | 6.86 | <0.01 | 5 | <0.01 | 25 |
| 1752324 | 22.0 | 2.20 | <0.01 | <1 | <0.01 | 218 |
| 1752325 | 142 | 3.89 | 0.01 | 4 | <0.01 | 24 |
| 1752326 | 192 | 8.04 | 0.01 | 3 | <0.01 | 68 |
| 1752327 | 175 | 4.94 | 0.01 | 3 | <0.01 | 24 |
| 1752328 | 159 | 5.08 | <0.01 | 3 | <0.01 | 56 |
| 1752329 | 189 | 7.26 | <0.01 | 2 | <0.01 | 33 |
| 1752330 | 6.6 | 2.41 | 4.09 | 24 | 0.25 | 392 |
| 1752331 | 121 | 6.46 | <0.01 | 4 | <0.01 | 24 |
| 1752332 | 126 | 6.08 | 0.01 | 2 | <0.01 | 71 |
| 1752333 | 106 | 6.13 | 0.01 | 3 | <0.01 | 34 |
| 1752334 | 106 | 5.72 | 0.02 | 3 | <0.01 | 64 |
| 1752335 | 151 | 5.05 | <0.01 | 3 | <0.01 | 24 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752336 | 75.1 | 2.74 | <0.01 | <1 | <0.01 | 40 |
| 1752337 | 95.3 | 5.16 | 0.01 | 2 | <0.01 | 115 |
| 1752338 | 48.4 | 5.91 | 0.13 | 13 | <0.01 | 70 |
| 1752339 | 48.2 | 6.45 | 0.45 | 6 | <0.01 | 24 |
| 1752341 | 26.5 | 1.41 | 0.04 | <1 | <0.01 | 42 |
| 1752342 | 19.9 | 2.85 | 0.14 | 2 | <0.01 | 165 |
| 1752343 | 51.2 | 5.68 | 0.13 | 8 | <0.01 | 17 |
| 1752344 | 14.8 | 2.51 | <0.01 | <1 | <0.01 | 238 |
| 1752345 | 81.6 | 5.79 | 0.04 | 7 | <0.01 | 20 |
| 1752346 | 50.2 | 4.07 | 0.05 | 7 | <0.01 | 50 |
| 1752347 | 17.9 | 1.27 | <0.01 | <1 | <0.01 | 37 |
| 1752348 | 42.5 | 6.15 | 0.24 | 3 | <0.01 | 67 |
| 1752349 | 46.0 | 4.66 | 0.09 | 7 | <0.01 | 41 |
| 1752351 | 123 | 5.30 | 0.02 | 4 | <0.01 | 21 |
| 1752352 | 355 | 7.65 | 0.01 | 3 | <0.01 | 75 |
| 1752353 | 153 | 5.27 | 0.01 | 3 | <0.01 | 25 |
| 1752354 | 163 | 4.94 | 0.03 | 3 | <0.01 | 17 |
| 1752355 | 230 | 5.25 | <0.01 | 3 | <0.01 | 49 |
| 1752356 | 183 | 4.79 | <0.01 | 2 | <0.01 | 22 |
| 1752357 | 94.5 | 3.55 | 0.01 | <1 | <0.01 | 57 |
| 1752358 | 160 | 9.63 | 0.01 | 12 | <0.01 | 14 |
| 1752359 | 43.7 | 4.46 | 0.03 | 1 | <0.01 | 85 |
| 1752361 | 29.7 | 2.41 | 0.02 | <1 | <0.01 | 29 |
| 1752362 | 19.6 | 1.88 | <0.01 | <1 | <0.01 | 193 |
| 1752363 | 20.0 | 1.30 | 0.03 | <1 | <0.01 | 41 |
| 1752364 | 59.0 | 3.99 | 0.02 | 2 | <0.01 | 46 |
| 1752365 | 92.7 | 4.29 | 0.06 | 2 | <0.01 | 22 |
| 1752366 | 93.7 | 5.66 | 0.05 | 4 | <0.01 | 18 |
| 1752367 | 48.8 | 4.81 | 0.06 | 1 | <0.01 | 110 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752368 | 63.5 | >15.00 | 0.15 | <1 | <0.01 | 103 |
| 1752369 | 34.2 | 7.69 | 0.02 | 5 | <0.01 | 26 |
| 1752371 | 13.9 | 2.86 | 0.03 | 5 | <0.01 | 31 |
| 1752372 | 9.4 | 2.03 | 0.01 | <1 | <0.01 | 187 |
| 1752373 | 9.7 | 1.32 | 0.02 | <1 | <0.01 | 36 |
| 1752374 | 27.9 | 4.25 | 0.10 | 7 | <0.01 | 46 |
| 1752375 | 30.8 | 2.92 | 0.13 | 7 | <0.01 | 26 |
| *Dup 1752338 | 51.6 | 5.73 | 0.13 | 15 | <0.01 | 21 |
| *Std OREAS 905 | 1663 | 4.22 | 2.99 | 22 | 0.30 | 404 |
| *Std OREAS 601b | 960 | 2.18 | 2.32 | 22 | 0.10 | 201 |
| *Rep 1752358 | 166 | 10.16 | 0.02 | 13 | <0.01 | 14 |
| *Blk BLANK | <0.5 | <0.01 | <0.01 | <1 | <0.01 | <2 |
| *Blk BLANK | <0.5 | 0.01 | <0.01 | 2 | <0.01 | <2 |
| *Std OREAS 905 | 1483 | 3.82 | 2.92 | 19 | 0.26 | 366 |
| *Std OREAS 601b | 962 | 2.19 | 2.40 | 21 | 0.09 | 207 |
| *Std OREAS 905 | 1652 | 4.27 | 3.04 | 22 | 0.30 | 387 |
| *Rep 1752308 | 422 | 13.91 | 0.01 | 2 | <0.01 | 85 |
| *Blk BLANK | <0.5 | <0.01 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 601b | 978 | 2.18 | 2.30 | 22 | 0.10 | 203 |
| *Blk BLANK | <0.5 | 0.01 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 70b | 55.9 | 5.21 | 0.64 | 37 | 14.20 | 1075 |

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752300 | 2.62 | 3 | 0.04 | 0.03 | 184 | 0.21 |
| 1752301 | 0.01 | 26 | 0.02 | >5.00 | 72.3 | 0.05 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752302 | 0.01 | 32 | 0.02 | >5.00 | 97.5 | 0.04 |
| 1752303 | 0.01 | 17 | 0.02 | 4.80 | 112 | 0.05 |
| 1752304 | 0.02 | 36 | 0.01 | >5.00 | 63.9 | 0.04 |
| 1752305 | 0.01 | 45 | 0.02 | >5.00 | 81.6 | 0.04 |
| 1752306 | 0.01 | 35 | 0.01 | >5.00 | 73.2 | 0.02 |
| 1752307 | 0.02 | 24 | 0.02 | >5.00 | 113 | 0.03 |
| 1752308 | 0.01 | 26 | 0.04 | >5.00 | 226 | 0.05 |
| 1752309 | 0.01 | 18 | 0.06 | >5.00 | 361 | 0.04 |
| 1752311 | 0.01 | 16 | 0.06 | >5.00 | 367 | 0.06 |
| 1752312 | 0.01 | 23 | 0.04 | >5.00 | 309 | 0.04 |
| 1752313 | 0.01 | 21 | 0.06 | >5.00 | 537 | 0.04 |
| 1752314 | 0.01 | 23 | 0.05 | >5.00 | 430 | 0.04 |
| 1752315 | <0.01 | 18 | 0.01 | >5.00 | 119 | 0.04 |
| 1752316 | 0.01 | 13 | 0.04 | >5.00 | 369 | 0.05 |
| 1752317 | 0.01 | 13 | 0.04 | >5.00 | 306 | 0.05 |
| 1752318 | 0.02 | 14 | 0.03 | >5.00 | 216 | 0.05 |
| 1752319 | 0.01 | 12 | 0.05 | >5.00 | 470 | 0.05 |
| 1752321 | <0.01 | 8 | 0.04 | 4.53 | 375 | 0.08 |
| 1752322 | <0.01 | 6 | 0.04 | 3.94 | 339 | 0.09 |
| 1752323 | 0.01 | 20 | 0.04 | >5.00 | 341 | 0.06 |
| 1752324 | 0.01 | 5 | <0.01 | 0.16 | 4.8 | <0.01 |
| 1752325 | 0.01 | 11 | 0.03 | 4.17 | 236 | 0.08 |
| 1752326 | 0.01 | 18 | 0.04 | >5.00 | 224 | 0.06 |
| 1752327 | <0.01 | 9 | 0.04 | >5.00 | 319 | 0.07 |
| 1752328 | 0.01 | 10 | 0.04 | >5.00 | 383 | 0.09 |
| 1752329 | 0.01 | 16 | 0.04 | >5.00 | 345 | 0.07 |
| 1752330 | 2.56 | 2 | 0.04 | 0.04 | 177 | 0.20 |
| 1752331 | 0.01 | 13 | 0.07 | >5.00 | 615 | 0.06 |
| 1752332 | 0.01 | 10 | 0.03 | >5.00 | 246 | 0.11 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752333 | 0.01 | 15 | 0.03 | >5.00 | 218 | 0.05 |
| 1752334 | <0.01 | 10 | 0.04 | >5.00 | 346 | 0.09 |
| 1752335 | 0.01 | 14 | 0.03 | >5.00 | 288 | 0.07 |
| 1752336 | <0.01 | 10 | 0.02 | 2.67 | 122 | 0.05 |
| 1752337 | <0.01 | 12 | 0.04 | 4.71 | 310 | 0.08 |
| 1752338 | 0.04 | 14 | 0.02 | >5.00 | 140 | 0.06 |
| 1752339 | 0.07 | 16 | 0.01 | >5.00 | 95.4 | 0.04 |
| 1752341 | 0.02 | 6 | <0.01 | 1.13 | 54.9 | 0.02 |
| 1752342 | 0.03 | 7 | <0.01 | 1.45 | 21.1 | 0.05 |
| 1752343 | 0.03 | 12 | 0.03 | >5.00 | 275 | 0.06 |
| 1752344 | 0.01 | 4 | <0.01 | 0.30 | 12.1 | <0.01 |
| 1752345 | 0.02 | 11 | 0.03 | >5.00 | 204 | 0.05 |
| 1752346 | 0.02 | 8 | 0.02 | 4.25 | 143 | 0.09 |
| 1752347 | <0.01 | 6 | <0.01 | 1.07 | 9.6 | <0.01 |
| 1752348 | 0.05 | 11 | 0.01 | >5.00 | 86.9 | 0.05 |
| 1752349 | 0.03 | 8 | 0.02 | 4.97 | 190 | 0.07 |
| 1752351 | 0.01 | 8 | 0.05 | >5.00 | 426 | 0.09 |
| 1752352 | 0.01 | 12 | 0.05 | >5.00 | 407 | 0.07 |
| 1752353 | 0.01 | 10 | 0.03 | >5.00 | 217 | 0.05 |
| 1752354 | 0.01 | 6 | 0.03 | >5.00 | 247 | 0.07 |
| 1752355 | <0.01 | 8 | 0.04 | >5.00 | 338 | 0.07 |
| 1752356 | 0.01 | 8 | 0.05 | >5.00 | 396 | 0.07 |
| 1752357 | 0.02 | 5 | 0.05 | 3.69 | 422 | 0.09 |
| 1752358 | 0.02 | 7 | 0.13 | >5.00 | 1165 | 0.05 |
| 1752359 | 0.01 | 12 | 0.02 | 4.40 | 120 | 0.07 |
| 1752361 | 0.02 | 8 | <0.01 | 2.41 | 16.4 | 0.02 |
| 1752362 | 0.01 | 3 | <0.01 | 0.04 | 5.5 | <0.01 |
| 1752363 | 0.01 | 5 | <0.01 | 1.01 | 25.7 | 0.02 |
| 1752364 | 0.02 | 6 | 0.06 | 4.12 | 460 | 0.09 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element Method Lower Limit Upper Limit Unit | @Na GE_ICP40Q12 0.01 15 % | @Ni GE_ICP40Q12 1 10,000 ppm m / m | @P GE_ICP40Q12 0.01 15 % | @S GE_ICP40Q12 0.01 5 % | @Sr GE_ICP40Q12 0.5 10,000 ppm m / m | @Ti GE_ICP40Q12 0.01 15 % |
|---|---------------------------------------|--|--------------------------------------|-------------------------------------|--|---------------------------------------|
| 1752365 | 0.02 | 5 | 0.04 | 4.81 | 293 | 0.08 |
| 1752366 | 0.02 | 7 | 0.04 | >5.00 | 317 | 0.07 |
| 1752367 | 0.02 | 7 | 0.03 | 4.47 | 188 | 0.05 |
| 1752368 | 0.04 | 52 | <0.01 | >5.00 | 14.9 | 0.05 |
| 1752369 | 0.02 | 9 | 0.04 | >5.00 | 257 | 0.07 |
| 1752371 | 0.02 | 4 | 0.03 | 3.21 | 208 | 0.06 |
| 1752372 | 0.02 | 4 | <0.01 | 0.29 | 9.4 | <0.01 |
| 1752373 | 0.02 | 7 | <0.01 | 1.12 | 6.1 | <0.01 |
| 1752374 | 0.04 | 5 | 0.04 | 4.51 | 315 | 0.09 |
| 1752375 | 0.05 | 5 | 0.02 | 3.35 | 166 | 0.05 |
| *Dup 1752338 | 0.04 | 15 | 0.02 | >5.00 | 149 | 0.04 |
| *Std OREAS 905 | 2.53 | 11 | 0.03 | 0.08 | 167 | 0.13 |
| *Std OREAS 601b | 1.86 | 5 | 0.03 | 1.55 | 236 | 0.13 |
| *Rep 1752358 | 0.02 | 7 | 0.14 | >5.00 | 1216 | 0.05 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.02 | <0.5 | <0.01 |
| *Blk BLANK | 0.01 | <1 | <0.01 | 0.02 | 0.7 | <0.01 |
| *Std OREAS 905 | 2.31 | 9 | 0.03 | 0.08 | 156 | 0.12 |
| *Std OREAS 601b | 1.83 | 6 | 0.03 | 1.49 | 240 | 0.13 |
| *Std OREAS 905 | 2.54 | 9 | 0.03 | 0.10 | 164 | 0.13 |
| *Rep 1752308 | 0.01 | 26 | 0.04 | >5.00 | 231 | 0.05 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.01 | <0.5 | <0.01 |
| *Std OREAS 601b | 1.87 | 5 | 0.03 | 1.49 | 233 | 0.13 |
| *Blk BLANK | <0.01 | <1 | <0.01 | <0.01 | <0.5 | <0.01 |
| *Std OREAS 70b | 0.82 | 2038 | 0.02 | 0.28 | 74.8 | 0.17 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 20 | 40 | 63.4 | <0.02 | 1 | 1.9 |
| 1752301 | <2 | 4 | 104 | 0.40 | 17 | <0.1 |
| 1752302 | <2 | 5 | 101 | 0.62 | 19 | <0.1 |
| 1752303 | <2 | 2 | 108 | 0.43 | 10 | <0.1 |
| 1752304 | <2 | 3 | 91.7 | 0.36 | 15 | <0.1 |
| 1752305 | <2 | 5 | 103 | 0.75 | 18 | <0.1 |
| 1752306 | <2 | 4 | 70.7 | 0.26 | 9 | <0.1 |
| 1752307 | <2 | 3 | 94.2 | 0.09 | 7 | <0.1 |
| 1752308 | <2 | 3 | 98.6 | 0.60 | 18 | <0.1 |
| 1752309 | <2 | 3 | 105 | 0.50 | 13 | <0.1 |
| 1752311 | <2 | 4 | 113 | 0.46 | 13 | <0.1 |
| 1752312 | <2 | 11 | 102 | 1.02 | 38 | <0.1 |
| 1752313 | <2 | 26 | 101 | 0.99 | 91 | <0.1 |
| 1752314 | <2 | 21 | 106 | 0.46 | 65 | <0.1 |
| 1752315 | <2 | 9 | 91.9 | 0.13 | 15 | <0.1 |
| 1752316 | <2 | 14 | 103 | 0.22 | 31 | <0.1 |
| 1752317 | <2 | 11 | 107 | 0.20 | 25 | <0.1 |
| 1752318 | <2 | 4 | 89.5 | 0.25 | 9 | <0.1 |
| 1752319 | <2 | 4 | 107 | 0.37 | 12 | <0.1 |
| 1752321 | 5 | 3 | 131 | 0.17 | 10 | <0.1 |
| 1752322 | 6 | 2 | 134 | 0.20 | 5 | <0.1 |
| 1752323 | <2 | 3 | 113 | 0.32 | 11 | <0.1 |
| 1752324 | <2 | 4 | 3.5 | <0.02 | 2 | <0.1 |
| 1752325 | 3 | 3 | 118 | 0.16 | 6 | <0.1 |
| 1752326 | <2 | 3 | 115 | 0.30 | 13 | <0.1 |
| 1752327 | 2 | 3 | 111 | 0.27 | 9 | <0.1 |
| 1752328 | 4 | 4 | 116 | 0.26 | 15 | <0.1 |
| 1752329 | <2 | 5 | 113 | 0.27 | 18 | <0.1 |
| 1752330 | 18 | 38 | 59.8 | <0.02 | 1 | 2.3 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | <2 | 5 | 111 | 0.27 | 16 | <0.1 |
| 1752332 | 2 | 4 | 130 | 0.22 | 11 | <0.1 |
| 1752333 | <2 | 5 | 97.6 | 0.20 | 13 | <0.1 |
| 1752334 | 4 | 5 | 127 | 0.20 | 21 | <0.1 |
| 1752335 | <2 | 5 | 121 | 0.29 | 20 | <0.1 |
| 1752336 | <2 | 4 | 66.0 | 0.12 | 11 | <0.1 |
| 1752337 | <2 | 4 | 112 | 0.19 | 13 | <0.1 |
| 1752338 | 7 | <1 | 107 | 0.16 | 9 | <0.1 |
| 1752339 | 19 | <1 | 104 | 0.21 | 31 | 0.1 |
| 1752341 | <2 | 3 | 33.2 | 0.06 | 3 | <0.1 |
| 1752342 | 7 | 3 | 60.9 | 0.04 | 3 | <0.1 |
| 1752343 | 6 | 2 | 133 | 0.15 | 11 | 0.1 |
| 1752344 | <2 | 2 | 3.1 | 0.03 | 3 | <0.1 |
| 1752345 | <2 | 2 | 109 | 0.20 | 11 | <0.1 |
| 1752346 | 5 | 8 | 121 | 0.14 | 6 | <0.1 |
| 1752347 | <2 | 2 | 9.0 | 0.03 | 2 | <0.1 |
| 1752348 | 9 | 2 | 96.8 | 0.11 | 12 | <0.1 |
| 1752349 | 7 | 2 | 112 | 0.11 | 8 | <0.1 |
| 1752351 | 5 | 2 | 125 | 0.20 | 15 | <0.1 |
| 1752352 | <2 | 4 | 103 | 0.43 | 49 | <0.1 |
| 1752353 | <2 | 4 | 97.4 | 0.24 | 17 | <0.1 |
| 1752354 | 3 | 2 | 112 | 0.34 | 10 | <0.1 |
| 1752355 | 2 | 2 | 112 | 0.38 | 11 | <0.1 |
| 1752356 | 4 | 3 | 111 | 0.32 | 10 | <0.1 |
| 1752357 | 9 | <1 | 113 | 1.73 | 9 | <0.1 |
| 1752358 | 12 | <1 | 105 | 0.15 | 11 | 0.2 |
| 1752359 | 2 | 2 | 90.7 | 0.13 | 6 | <0.1 |
| 1752361 | <2 | 4 | 33.4 | 0.08 | 3 | <0.1 |
| 1752362 | <2 | 2 | 2.2 | 0.03 | 2 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | <2 | 3 | 25.0 | 0.04 | 2 | <0.1 |
| 1752364 | 5 | 3 | 113 | 0.12 | 4 | <0.1 |
| 1752365 | 4 | 4 | 117 | 0.18 | 9 | <0.1 |
| 1752366 | 7 | 3 | 120 | 0.15 | 6 | 0.1 |
| 1752367 | 5 | 3 | 79.4 | 0.09 | 6 | <0.1 |
| 1752368 | <2 | <1 | 124 | 0.25 | 9 | <0.1 |
| 1752369 | 7 | 2 | 147 | 0.11 | 6 | <0.1 |
| 1752371 | 11 | 2 | 74.3 | 0.04 | 3 | <0.1 |
| 1752372 | <2 | 3 | 6.7 | 0.04 | 1 | <0.1 |
| 1752373 | <2 | 2 | 4.8 | <0.02 | 1 | <0.1 |
| 1752374 | 15 | 2 | 116 | 0.07 | 4 | <0.1 |
| 1752375 | 11 | 3 | 96.7 | 0.08 | 2 | <0.1 |
| *Dup 1752338 | 6 | <1 | 105 | 0.15 | 9 | <0.1 |
| *Std OREAS 905 | 7 | 142 | 275 | 0.61 | 36 | 3.3 |
| *Std OREAS 601b | 10 | 308 | 185 | 50.14 | 288 | 2.2 |
| *Rep 1752358 | 9 | 4 | 124 | 0.16 | 9 | 0.1 |
| *Blk BLANK | <2 | <1 | 1.1 | 0.02 | <1 | <0.1 |
| *Blk BLANK | <2 | <1 | <0.5 | - | - | - |
| *Std OREAS 905 | 8 | 139 | 243 | - | - | - |
| *Std OREAS 601b | 11 | 313 | 173 | - | - | - |
| *Std OREAS 905 | 8 | 138 | 274 | 0.51 | 37 | 2.8 |
| *Rep 1752308 | <2 | 3 | 100 | 0.57 | 16 | <0.1 |
| *Blk BLANK | <2 | 2 | 0.8 | 0.04 | <1 | <0.1 |
| *Std OREAS 601b | 10 | 307 | 184 | 50.16 | 290 | 2.4 |
| *Blk BLANK | <2 | 1 | <0.5 | <0.02 | <1 | <0.1 |
| *Std OREAS 70b | 60 | 111 | 58.2 | 0.19 | 139 | 1.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 0.08 | <0.02 | 108 | 3.5 | 3 | 3.63 |
| 1752301 | 16.68 | 0.10 | 21.99 | 22.8 | <1 | 0.90 |
| 1752302 | 27.55 | 0.18 | 25.52 | 33.0 | <1 | 0.89 |
| 1752303 | 19.07 | 0.10 | 36.74 | 20.2 | <1 | 0.75 |
| 1752304 | 19.20 | 0.10 | 15.58 | 31.2 | <1 | 0.57 |
| 1752305 | 25.54 | 0.13 | 21.34 | 40.1 | <1 | 0.68 |
| 1752306 | 7.01 | 0.11 | 21.49 | 42.2 | <1 | 0.43 |
| 1752307 | 6.02 | 0.12 | 26.76 | 28.6 | <1 | 0.56 |
| 1752308 | 23.56 | 0.13 | 34.75 | 27.9 | <1 | 0.82 |
| 1752309 | 21.30 | 0.18 | 43.94 | 25.2 | <1 | 0.92 |
| 1752311 | 21.70 | 0.20 | 43.61 | 23.3 | <1 | 0.95 |
| 1752312 | 35.93 | 0.43 | 45.46 | 23.3 | <1 | 0.75 |
| 1752313 | 45.86 | 0.95 | 38.75 | 21.9 | <1 | 0.98 |
| 1752314 | 24.49 | 0.93 | 36.95 | 21.2 | <1 | 0.95 |
| 1752315 | 7.59 | 0.26 | 32.08 | 21.0 | <1 | 0.65 |
| 1752316 | 10.36 | 0.61 | 33.85 | 15.4 | <1 | 0.92 |
| 1752317 | 12.77 | 0.53 | 44.02 | 16.6 | <1 | 0.96 |
| 1752318 | 12.10 | 0.14 | 35.87 | 19.8 | <1 | 0.75 |
| 1752319 | 17.74 | 0.42 | 34.27 | 17.7 | <1 | 1.05 |
| 1752321 | 10.71 | 0.15 | 26.20 | 12.2 | <1 | 1.18 |
| 1752322 | 8.21 | 0.10 | 23.06 | 11.6 | <1 | 1.12 |
| 1752323 | 12.21 | 0.15 | 23.95 | 24.0 | <1 | 1.02 |
| 1752324 | 0.18 | 0.04 | 0.82 | 1.3 | <1 | 0.05 |
| 1752325 | 8.42 | 0.10 | 20.46 | 15.4 | <1 | 0.81 |
| 1752326 | 10.13 | 0.12 | 28.98 | 28.5 | <1 | 0.86 |
| 1752327 | 10.08 | 0.08 | 21.12 | 25.4 | <1 | 0.87 |
| 1752328 | 9.83 | 0.19 | 21.71 | 25.8 | <1 | 0.94 |
| 1752329 | 11.99 | 0.19 | 21.59 | 31.1 | <1 | 0.93 |
| 1752330 | 0.11 | 0.03 | 97.81 | 3.5 | 3 | 3.99 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | 10.45 | 0.22 | 35.35 | 44.8 | <1 | 1.39 |
| 1752332 | 7.58 | 0.19 | 24.36 | 26.6 | <1 | 1.04 |
| 1752333 | 7.24 | 0.15 | 25.53 | 28.8 | <1 | 0.83 |
| 1752334 | 9.70 | 0.21 | 28.40 | 27.8 | <1 | 1.29 |
| 1752335 | 11.90 | 0.20 | 23.98 | 37.1 | <1 | 1.17 |
| 1752336 | 4.88 | 0.13 | 13.89 | 16.4 | <1 | 0.62 |
| 1752337 | 7.81 | 0.19 | 26.12 | 25.3 | <1 | 1.09 |
| 1752338 | 4.42 | 0.06 | 49.33 | 38.1 | <1 | 0.91 |
| 1752339 | 5.07 | 0.10 | 26.47 | 43.1 | <1 | 0.82 |
| 1752341 | 1.25 | 0.05 | 17.27 | 7.0 | <1 | 0.21 |
| 1752342 | 0.40 | 0.03 | 11.23 | 8.2 | <1 | 0.34 |
| 1752343 | 4.64 | 0.08 | 39.63 | 30.6 | <1 | 0.98 |
| 1752344 | 0.11 | <0.02 | 0.48 | 2.0 | <1 | <0.05 |
| 1752345 | 6.74 | 0.07 | 25.63 | 31.2 | <1 | 0.76 |
| 1752346 | 4.76 | 0.05 | 25.97 | 19.5 | <1 | 0.80 |
| 1752347 | 0.29 | 0.04 | 1.66 | 8.7 | <1 | 0.06 |
| 1752348 | 3.40 | 0.08 | 27.78 | 23.5 | <1 | 0.64 |
| 1752349 | 3.10 | 0.08 | 40.67 | 12.1 | <1 | 0.79 |
| 1752351 | 7.36 | 0.07 | 31.86 | 21.5 | <1 | 0.98 |
| 1752352 | 16.23 | 0.18 | 26.94 | 45.6 | <1 | 0.93 |
| 1752353 | 6.66 | 0.14 | 25.62 | 25.8 | <1 | 0.78 |
| 1752354 | 10.10 | 0.06 | 26.70 | 16.1 | <1 | 0.80 |
| 1752355 | 11.33 | 0.09 | 26.82 | 24.1 | <1 | 0.86 |
| 1752356 | 8.75 | 0.10 | 25.09 | 14.8 | <1 | 0.92 |
| 1752357 | 6.46 | 0.08 | 29.14 | 10.1 | <1 | 1.03 |
| 1752358 | 8.76 | 0.08 | 75.62 | 13.3 | <1 | 1.41 |
| 1752359 | 4.23 | 0.10 | 22.93 | 23.0 | <1 | 0.66 |
| 1752361 | 1.07 | 0.03 | 2.30 | 15.5 | <1 | 0.20 |
| 1752362 | 0.12 | 0.03 | 0.18 | 0.6 | <1 | <0.05 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | 0.45 | 0.03 | 4.44 | 5.7 | <1 | 0.16 |
| 1752364 | 4.35 | 0.10 | 33.58 | 13.7 | <1 | 1.20 |
| 1752365 | 5.09 | 0.18 | 33.08 | 14.3 | <1 | 0.99 |
| 1752366 | 5.69 | 0.12 | 38.61 | 20.8 | <1 | 0.83 |
| 1752367 | 4.51 | 0.07 | 21.13 | 11.9 | <1 | 0.54 |
| 1752368 | 4.07 | 0.05 | 4.06 | 132 | <1 | 0.75 |
| 1752369 | 3.67 | 0.03 | 44.80 | 36.5 | <1 | 1.17 |
| 1752371 | 1.73 | 0.02 | 46.53 | 7.5 | <1 | 0.79 |
| 1752372 | 0.13 | 0.02 | 1.03 | 1.8 | <1 | 0.05 |
| 1752373 | 0.24 | <0.02 | 0.58 | 8.8 | <1 | <0.05 |
| 1752374 | 2.28 | 0.03 | 53.41 | 12.5 | <1 | 1.09 |
| 1752375 | 1.89 | 0.06 | 25.10 | 10.6 | <1 | 0.99 |
| *Dup 1752338 | 4.63 | 0.07 | 50.74 | 38.1 | <1 | 0.84 |
| *Std OREAS 905 | 5.92 | 0.39 | 92.45 | 15.0 | 7 | 3.69 |
| *Std OREAS 601b | 17.35 | 2.05 | 67.25 | 2.8 | 5 | 2.53 |
| *Rep 1752358 | 8.81 | 0.09 | 75.36 | 13.4 | <1 | 1.39 |
| *Blk BLANK | <0.04 | <0.02 | 0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 905 | 5.72 | 0.34 | 101 | 15.7 | 8 | 3.69 |
| *Rep 1752308 | 23.69 | 0.11 | 35.03 | 27.5 | <1 | 0.85 |
| *Blk BLANK | <0.04 | <0.02 | 0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 601b | 17.59 | 2.27 | 69.24 | 3.0 | 5 | 2.67 |
| *Blk BLANK | <0.04 | <0.02 | 0.09 | <0.1 | <1 | <0.05 |
| *Std OREAS 70b | 0.89 | 0.36 | 27.23 | 77.6 | 4 | 1.80 |

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 2.13 | 1.16 | 4.7 | 19.1 | 2.16 | 0.77 |
| 1752301 | 0.62 | 0.33 | 1.3 | 4.6 | 2.76 | 0.19 |
| 1752302 | 0.63 | 0.43 | 1.6 | 4.4 | 2.63 | 0.19 |
| 1752303 | 0.61 | 0.53 | 1.6 | 5.3 | 2.92 | 0.18 |
| 1752304 | 0.51 | 0.26 | 0.8 | 5.8 | 2.39 | 0.14 |
| 1752305 | 0.66 | 0.28 | 0.9 | 4.9 | 2.95 | 0.19 |
| 1752306 | 0.47 | 0.28 | 0.8 | 2.7 | 1.98 | 0.13 |
| 1752307 | 0.60 | 0.34 | 1.0 | 5.7 | 2.65 | 0.17 |
| 1752308 | 0.69 | 0.45 | 1.5 | 5.6 | 2.78 | 0.20 |
| 1752309 | 0.69 | 0.66 | 2.0 | 7.6 | 2.95 | 0.20 |
| 1752311 | 0.72 | 0.66 | 2.0 | 8.8 | 3.22 | 0.22 |
| 1752312 | 0.65 | 0.63 | 1.7 | 4.2 | 2.87 | 0.18 |
| 1752313 | 0.69 | 0.58 | 1.8 | 5.6 | 3.01 | 0.20 |
| 1752314 | 0.71 | 0.50 | 1.6 | 6.2 | 3.04 | 0.21 |
| 1752315 | 0.62 | 0.42 | 1.2 | 1.2 | 2.65 | 0.18 |
| 1752316 | 0.67 | 0.53 | 1.6 | 5.1 | 2.97 | 0.21 |
| 1752317 | 0.81 | 0.63 | 1.8 | 2.8 | 3.20 | 0.23 |
| 1752318 | 0.67 | 0.50 | 1.4 | 4.2 | 2.62 | 0.20 |
| 1752319 | 0.77 | 0.43 | 1.5 | 7.4 | 3.05 | 0.23 |
| 1752321 | 0.92 | 0.33 | 1.3 | 11.0 | 3.72 | 0.27 |
| 1752322 | 0.93 | 0.32 | 1.2 | 10.9 | 3.87 | 0.27 |
| 1752323 | 0.82 | 0.39 | 1.3 | 6.5 | 3.35 | 0.24 |
| 1752324 | <0.05 | <0.05 | <0.1 | 0.3 | 0.09 | <0.05 |
| 1752325 | 0.82 | 0.33 | 1.0 | 6.1 | 3.47 | 0.23 |
| 1752326 | 0.75 | 0.42 | 1.3 | 4.7 | 3.25 | 0.22 |
| 1752327 | 0.74 | 0.34 | 1.2 | 6.7 | 3.28 | 0.21 |
| 1752328 | 0.72 | 0.33 | 1.3 | 7.9 | 3.29 | 0.21 |
| 1752329 | 0.72 | 0.34 | 1.2 | 5.7 | 3.16 | 0.21 |
| 1752330 | 2.47 | 1.28 | 5.0 | 19.5 | 2.28 | 0.85 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | 0.89 | 0.58 | 2.0 | 9.4 | 3.18 | 0.29 |
| 1752332 | 0.88 | 0.40 | 1.3 | 3.9 | 3.58 | 0.25 |
| 1752333 | 0.65 | 0.40 | 1.3 | 3.1 | 2.78 | 0.19 |
| 1752334 | 0.96 | 0.51 | 1.7 | 8.9 | 3.59 | 0.28 |
| 1752335 | 0.92 | 0.44 | 1.5 | 5.2 | 3.36 | 0.28 |
| 1752336 | 0.51 | 0.24 | 0.8 | 1.4 | 1.97 | 0.15 |
| 1752337 | 0.91 | 0.52 | 1.5 | 4.0 | 3.25 | 0.26 |
| 1752338 | 0.89 | 0.58 | 1.5 | 6.6 | 3.54 | 0.25 |
| 1752339 | 0.83 | 0.31 | 0.9 | 11.7 | 2.87 | 0.23 |
| 1752341 | 0.21 | 0.20 | 0.5 | 0.5 | 0.87 | 0.06 |
| 1752342 | 0.37 | 0.11 | 0.3 | 2.9 | 1.66 | 0.09 |
| 1752343 | 0.86 | 0.55 | 1.6 | 9.6 | 3.67 | 0.24 |
| 1752344 | <0.05 | <0.05 | <0.1 | 0.5 | 0.07 | <0.05 |
| 1752345 | 0.69 | 0.36 | 1.1 | 6.8 | 2.89 | 0.19 |
| 1752346 | 0.77 | 0.34 | 1.0 | 10.1 | 3.21 | 0.22 |
| 1752347 | 0.06 | <0.05 | <0.1 | 0.3 | 0.24 | <0.05 |
| 1752348 | 0.63 | 0.31 | 0.8 | 5.9 | 2.65 | 0.17 |
| 1752349 | 0.71 | 0.46 | 1.2 | 13.1 | 3.04 | 0.20 |
| 1752351 | 0.71 | 0.44 | 1.4 | 11.2 | 3.33 | 0.21 |
| 1752352 | 0.61 | 0.41 | 1.4 | 6.4 | 2.69 | 0.19 |
| 1752353 | 0.65 | 0.35 | 1.0 | 6.5 | 2.46 | 0.18 |
| 1752354 | 0.62 | 0.35 | 1.1 | 6.9 | 2.98 | 0.18 |
| 1752355 | 0.60 | 0.38 | 1.3 | 7.0 | 2.92 | 0.18 |
| 1752356 | 0.65 | 0.36 | 1.2 | 7.9 | 2.77 | 0.19 |
| 1752357 | 0.68 | 0.39 | 1.3 | 13.4 | 3.17 | 0.21 |
| 1752358 | 0.59 | 0.89 | 2.7 | 37.9 | 3.05 | 0.22 |
| 1752359 | 0.52 | 0.30 | 0.9 | 3.0 | 2.27 | 0.15 |
| 1752361 | 0.20 | <0.05 | 0.1 | 0.3 | 0.87 | 0.06 |
| 1752362 | <0.05 | <0.05 | <0.1 | 0.3 | 0.03 | <0.05 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | 0.15 | 0.06 | 0.2 | 0.9 | 0.69 | <0.05 |
| 1752364 | 0.71 | 0.58 | 1.9 | 5.2 | 2.92 | 0.24 |
| 1752365 | 0.62 | 0.47 | 1.5 | 5.3 | 3.07 | 0.19 |
| 1752366 | 0.66 | 0.50 | 1.4 | 12.3 | 3.07 | 0.20 |
| 1752367 | 0.45 | 0.28 | 0.8 | 5.7 | 2.06 | 0.13 |
| 1752368 | 0.82 | 0.07 | 0.3 | 2.9 | 3.35 | 0.21 |
| 1752369 | 1.21 | 0.62 | 1.6 | 13.4 | 3.74 | 0.33 |
| 1752371 | 0.78 | 0.61 | 1.6 | 16.8 | 1.90 | 0.21 |
| 1752372 | <0.05 | <0.05 | <0.1 | 1.1 | 0.20 | <0.05 |
| 1752373 | <0.05 | <0.05 | <0.1 | 1.2 | 0.13 | <0.05 |
| 1752374 | 1.02 | 0.76 | 1.9 | 16.8 | 2.99 | 0.27 |
| 1752375 | 0.88 | 0.39 | 1.1 | 10.9 | 2.33 | 0.25 |
| *Dup 1752338 | 0.88 | 0.59 | 1.5 | 6.0 | 3.27 | 0.24 |
| *Std OREAS 905 | 1.08 | 1.41 | 6.0 | 26.2 | 7.20 | 0.55 |
| *Std OREAS 601b | 0.79 | 0.94 | 4.0 | 23.2 | 5.12 | 0.36 |
| *Rep 1752358 | 0.61 | 0.89 | 2.7 | 37.0 | 2.99 | 0.22 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 905 | 1.18 | 1.56 | 6.6 | 26.3 | 7.58 | 0.58 |
| *Rep 1752308 | 0.70 | 0.47 | 1.5 | 5.5 | 2.88 | 0.20 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 601b | 0.91 | 1.08 | 4.5 | 23.9 | 5.64 | 0.44 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 70b | 1.09 | 0.46 | 1.8 | 10.1 | 1.84 | 0.35 |

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 0.03 | 55.1 | 0.30 | 4.51 | 16.6 | 37.1 |
| 1752301 | 0.02 | 12.1 | 0.14 | 8.14 | 1.8 | 7.7 |
| 1752302 | 0.03 | 14.1 | 0.15 | 8.46 | 1.2 | 8.9 |
| 1752303 | 0.02 | 21.4 | 0.14 | 9.79 | 1.7 | 13.1 |
| 1752304 | <0.02 | 8.8 | 0.12 | 8.11 | 1.3 | 5.6 |
| 1752305 | 0.04 | 12.1 | 0.15 | 6.33 | 1.5 | 7.4 |
| 1752306 | 0.04 | 12.8 | 0.11 | 6.18 | 0.8 | 7.5 |
| 1752307 | <0.02 | 15.0 | 0.15 | 21.74 | 1.1 | 9.5 |
| 1752308 | 0.02 | 19.1 | 0.16 | 6.61 | 1.7 | 11.5 |
| 1752309 | <0.02 | 23.6 | 0.16 | 8.74 | 1.4 | 15.8 |
| 1752311 | <0.02 | 23.2 | 0.17 | 8.58 | 2.0 | 15.7 |
| 1752312 | 0.03 | 24.0 | 0.15 | 15.26 | 1.4 | 17.0 |
| 1752313 | 0.02 | 18.6 | 0.16 | 24.44 | 1.2 | 14.8 |
| 1752314 | 0.03 | 19.7 | 0.16 | 25.85 | 1.2 | 13.6 |
| 1752315 | <0.02 | 18.6 | 0.15 | 18.65 | 1.2 | 12.0 |
| 1752316 | <0.02 | 17.7 | 0.17 | 10.94 | 1.6 | 13.5 |
| 1752317 | <0.02 | 23.7 | 0.17 | 11.15 | 1.6 | 17.1 |
| 1752318 | <0.02 | 19.2 | 0.15 | 12.64 | 1.5 | 13.9 |
| 1752319 | 0.05 | 18.1 | 0.17 | 9.62 | 1.6 | 12.8 |
| 1752321 | 0.08 | 13.7 | 0.21 | 8.35 | 2.5 | 9.7 |
| 1752322 | 0.07 | 12.4 | 0.21 | 8.64 | 2.8 | 8.8 |
| 1752323 | 0.04 | 12.2 | 0.18 | 12.85 | 2.0 | 9.1 |
| 1752324 | <0.02 | 0.5 | <0.01 | 4.38 | 0.2 | 0.4 |
| 1752325 | 0.03 | 11.0 | 0.19 | 9.68 | 2.5 | 8.0 |
| 1752326 | 0.03 | 15.4 | 0.17 | 16.78 | 1.9 | 11.2 |
| 1752327 | 0.04 | 10.9 | 0.18 | 15.57 | 2.0 | 8.1 |
| 1752328 | 0.03 | 11.4 | 0.17 | 14.79 | 2.7 | 8.2 |
| 1752329 | 0.03 | 11.7 | 0.16 | 17.56 | 1.8 | 8.2 |
| 1752330 | 0.03 | 51.6 | 0.34 | 5.39 | 16.3 | 36.3 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | 0.02 | 18.4 | 0.20 | 12.89 | 1.8 | 13.7 |
| 1752332 | <0.02 | 13.0 | 0.20 | 12.33 | 3.2 | 9.7 |
| 1752333 | <0.02 | 13.4 | 0.15 | 11.48 | 1.4 | 9.8 |
| 1752334 | <0.02 | 14.8 | 0.21 | 15.02 | 2.7 | 11.3 |
| 1752335 | <0.02 | 12.3 | 0.21 | 21.90 | 2.2 | 9.5 |
| 1752336 | <0.02 | 7.5 | 0.11 | 9.23 | 1.3 | 5.4 |
| 1752337 | <0.02 | 13.3 | 0.20 | 11.75 | 2.5 | 11.0 |
| 1752338 | <0.02 | 27.8 | 0.23 | 7.47 | 2.1 | 17.7 |
| 1752339 | 0.05 | 14.3 | 0.19 | 85.47 | 1.3 | 9.6 |
| 1752341 | <0.02 | 10.1 | 0.05 | 6.93 | 0.5 | 6.0 |
| 1752342 | <0.02 | 6.7 | 0.10 | 6.77 | 1.5 | 3.7 |
| 1752343 | 0.02 | 20.7 | 0.21 | 11.50 | 2.0 | 14.8 |
| 1752344 | <0.02 | 0.3 | <0.01 | 2.19 | 0.3 | 0.2 |
| 1752345 | <0.02 | 13.1 | 0.15 | 7.46 | 1.7 | 9.9 |
| 1752346 | <0.02 | 13.7 | 0.18 | 5.69 | 2.7 | 9.5 |
| 1752347 | <0.02 | 0.9 | 0.01 | 2.99 | 0.2 | 0.6 |
| 1752348 | 0.02 | 15.8 | 0.15 | 7.52 | 1.5 | 9.5 |
| 1752349 | <0.02 | 21.4 | 0.17 | 8.99 | 2.2 | 14.5 |
| 1752351 | 0.03 | 15.9 | 0.17 | 6.88 | 2.6 | 12.7 |
| 1752352 | 0.05 | 12.6 | 0.14 | 7.76 | 2.1 | 11.4 |
| 1752353 | <0.02 | 13.3 | 0.15 | 6.25 | 1.6 | 9.7 |
| 1752354 | <0.02 | 13.9 | 0.15 | 6.23 | 1.9 | 9.9 |
| 1752355 | <0.02 | 13.0 | 0.14 | 6.46 | 2.1 | 10.5 |
| 1752356 | 0.02 | 12.5 | 0.15 | 6.64 | 2.0 | 9.3 |
| 1752357 | <0.02 | 14.6 | 0.16 | 8.14 | 3.1 | 10.8 |
| 1752358 | <0.02 | 37.5 | 0.14 | 5.22 | 1.8 | 28.5 |
| 1752359 | <0.02 | 12.8 | 0.12 | 4.97 | 1.9 | 8.2 |
| 1752361 | <0.02 | 1.3 | 0.05 | 2.01 | 0.4 | 0.9 |
| 1752362 | <0.02 | 0.1 | <0.01 | 3.03 | 0.2 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | <0.02 | 2.6 | 0.04 | 3.39 | 0.4 | 1.5 |
| 1752364 | <0.02 | 16.8 | 0.15 | 6.49 | 2.6 | 13.5 |
| 1752365 | <0.02 | 17.1 | 0.15 | 8.76 | 2.3 | 12.7 |
| 1752366 | <0.02 | 20.6 | 0.16 | 31.06 | 1.9 | 13.7 |
| 1752367 | <0.02 | 10.9 | 0.12 | 30.74 | 1.6 | 8.0 |
| 1752368 | <0.02 | 2.2 | 0.21 | 32.27 | 1.3 | 1.5 |
| 1752369 | <0.02 | 22.7 | 0.31 | 13.92 | 2.2 | 17.2 |
| 1752371 | <0.02 | 24.5 | 0.18 | 3.86 | 2.0 | 17.1 |
| 1752372 | <0.02 | 0.5 | 0.01 | 2.96 | 0.3 | 0.4 |
| 1752373 | <0.02 | 0.3 | <0.01 | 3.02 | 0.1 | 0.2 |
| 1752374 | <0.02 | 28.9 | 0.24 | 4.77 | 2.8 | 19.7 |
| 1752375 | <0.02 | 13.9 | 0.21 | 5.71 | 1.4 | 9.4 |
| *Dup 1752338 | <0.02 | 28.2 | 0.20 | 7.55 | 1.5 | 17.9 |
| *Std OREAS 905 | 0.70 | 44.6 | 0.10 | 3.40 | 19.6 | 39.1 |
| *Std OREAS 601b | 0.49 | 32.6 | 0.07 | 4.89 | 15.4 | 27.8 |
| *Rep 1752358 | 0.02 | 36.9 | 0.13 | 5.28 | 1.5 | 28.1 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | <0.05 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.62 | 48.7 | 0.11 | 3.35 | 20.5 | 40.2 |
| *Rep 1752308 | 0.02 | 19.1 | 0.16 | 6.83 | 1.6 | 11.7 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | 0.05 | <0.1 | <0.1 |
| *Std OREAS 601b | 0.47 | 35.3 | 0.09 | 5.00 | 15.6 | 29.5 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | <0.05 | <0.1 | <0.1 |
| *Std OREAS 70b | 0.04 | 15.2 | 0.16 | 2.81 | 3.5 | 10.4 |

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 23.9 | 10.87 | 157 | 0.12 | 4.6 | <2 |
| 1752301 | 35.5 | 2.29 | 0.4 | 0.67 | 3.2 | 33 |
| 1752302 | 55.1 | 2.69 | 0.3 | 0.89 | 3.0 | 27 |
| 1752303 | 51.8 | 3.84 | 0.5 | 0.45 | 3.3 | 21 |
| 1752304 | 31.8 | 1.66 | 0.4 | 0.75 | 3.2 | 46 |
| 1752305 | 44.8 | 2.18 | 0.8 | 1.13 | 3.3 | 43 |
| 1752306 | 31.7 | 2.23 | 0.8 | 0.79 | 2.4 | 39 |
| 1752307 | 38.7 | 2.80 | 2.3 | 0.63 | 3.3 | 31 |
| 1752308 | 123 | 3.64 | 0.3 | 0.78 | 3.2 | 86 |
| 1752309 | 181 | 4.81 | 0.3 | 0.70 | 3.5 | 78 |
| 1752311 | 190 | 4.77 | 0.3 | 0.84 | 3.7 | 78 |
| 1752312 | 121 | 5.06 | 0.4 | 1.51 | 3.1 | 48 |
| 1752313 | 244 | 4.52 | 0.2 | 4.04 | 3.2 | 42 |
| 1752314 | 183 | 4.10 | 0.3 | 4.63 | 3.3 | 32 |
| 1752315 | 40.5 | 3.48 | 0.3 | 2.18 | 2.9 | 27 |
| 1752316 | 116 | 3.86 | 0.7 | 11.63 | 3.2 | 29 |
| 1752317 | 108 | 4.93 | 0.5 | 5.61 | 3.4 | 28 |
| 1752318 | 67.0 | 4.01 | 1.0 | 0.66 | 3.1 | 23 |
| 1752319 | 194 | 3.82 | <0.2 | 0.71 | 3.4 | 35 |
| 1752321 | 165 | 2.91 | <0.2 | 0.44 | 4.1 | 21 |
| 1752322 | 137 | 2.56 | <0.2 | 0.36 | 4.1 | 18 |
| 1752323 | 110 | 2.69 | 0.2 | 0.80 | 3.6 | 41 |
| 1752324 | 1.6 | 0.10 | <0.2 | 0.19 | <0.5 | <2 |
| 1752325 | 96.5 | 2.26 | 0.3 | 0.49 | 3.8 | 22 |
| 1752326 | 87.0 | 3.22 | 0.3 | 0.64 | 3.5 | 37 |
| 1752327 | 134 | 2.39 | 0.3 | 0.42 | 3.4 | 26 |
| 1752328 | 170 | 2.46 | 0.2 | 0.65 | 3.4 | 32 |
| 1752329 | 156 | 2.40 | <0.2 | 0.55 | 3.2 | 36 |
| 1752330 | 24.6 | 10.85 | 159 | 0.13 | 5.2 | <2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | 260 | 4.04 | 0.3 | 1.29 | 3.9 | 33 |
| 1752332 | 95.3 | 2.80 | 0.3 | 1.57 | 4.1 | 38 |
| 1752333 | 80.0 | 2.88 | 0.3 | 1.33 | 3.0 | 27 |
| 1752334 | 132 | 3.34 | 0.3 | 1.39 | 4.2 | 40 |
| 1752335 | 106 | 2.78 | <0.2 | 2.04 | 4.0 | 29 |
| 1752336 | 38.4 | 1.57 | <0.2 | 1.15 | 2.3 | 14 |
| 1752337 | 99.0 | 3.12 | 0.3 | 1.61 | 3.7 | 29 |
| 1752338 | 39.6 | 5.14 | 3.7 | 0.64 | 5.8 | 34 |
| 1752339 | 27.9 | 2.76 | 10.6 | 0.86 | 5.9 | 44 |
| 1752341 | 12.7 | 1.77 | 1.0 | 0.42 | 1.4 | 5 |
| 1752342 | 3.9 | 1.11 | 3.5 | 0.49 | 3.3 | 7 |
| 1752343 | 74.3 | 4.25 | 3.6 | 0.63 | 5.4 | 35 |
| 1752344 | 1.1 | <0.05 | 0.3 | 0.33 | <0.5 | <2 |
| 1752345 | 59.9 | 2.74 | 1.0 | 1.18 | 3.9 | 39 |
| 1752346 | 38.6 | 2.74 | 1.4 | 0.55 | 4.4 | 21 |
| 1752347 | 2.1 | 0.16 | 0.3 | 0.19 | <0.5 | 4 |
| 1752348 | 24.5 | 2.83 | 5.9 | 0.49 | 4.2 | 33 |
| 1752349 | 51.6 | 4.28 | 2.3 | 0.74 | 4.6 | 27 |
| 1752351 | 161 | 3.56 | 0.4 | 0.77 | 4.3 | 39 |
| 1752352 | 144 | 3.12 | 0.3 | 1.09 | 3.5 | 53 |
| 1752353 | 54.8 | 2.75 | 0.5 | 0.78 | 3.5 | 29 |
| 1752354 | 78.3 | 2.83 | 0.6 | 0.43 | 3.9 | 37 |
| 1752355 | 98.7 | 2.99 | <0.2 | 0.38 | 3.7 | 36 |
| 1752356 | 124 | 2.70 | <0.2 | 0.76 | 3.7 | 32 |
| 1752357 | 150 | 3.09 | 0.6 | 1.14 | 4.1 | 23 |
| 1752358 | 311 | 8.33 | 0.4 | 1.29 | 3.9 | 78 |
| 1752359 | 31.4 | 2.43 | 0.9 | 0.35 | 3.0 | 21 |
| 1752361 | 3.8 | 0.25 | 0.5 | 0.28 | 1.5 | 10 |
| 1752362 | 0.9 | <0.05 | <0.2 | 0.31 | <0.5 | <2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | 4.7 | 0.45 | 0.9 | 0.28 | 1.2 | 5 |
| 1752364 | 112 | 3.74 | 0.5 | 0.59 | 3.7 | 20 |
| 1752365 | 78.2 | 3.64 | 1.6 | 1.99 | 4.1 | 26 |
| 1752366 | 86.1 | 4.02 | 1.2 | 1.11 | 4.6 | 28 |
| 1752367 | 49.3 | 2.25 | 1.3 | 0.32 | 2.9 | 23 |
| 1752368 | 6.5 | 0.42 | 3.9 | 0.45 | 5.6 | 74 |
| 1752369 | 63.6 | 4.89 | 0.5 | 0.67 | 8.2 | 27 |
| 1752371 | 49.5 | 4.87 | 0.7 | 0.49 | 4.7 | 8 |
| 1752372 | 2.7 | 0.11 | 0.3 | 0.19 | <0.5 | <2 |
| 1752373 | 2.4 | 0.06 | 0.6 | 0.10 | <0.5 | 4 |
| 1752374 | 58.6 | 5.69 | 2.5 | 0.70 | 7.1 | 13 |
| 1752375 | 30.4 | 2.66 | 3.2 | 0.47 | 5.3 | 7 |
| *Dup 1752338 | 41.0 | 5.27 | 3.5 | 0.55 | 5.6 | 34 |
| *Std OREAS 905 | 30.2 | 10.46 | 146 | 1.96 | 5.5 | 3 |
| *Std OREAS 601b | 294 | 7.65 | 98.8 | 22.66 | 3.9 | 11 |
| *Rep 1752358 | 328 | 8.24 | 0.4 | 1.16 | 3.9 | 66 |
| *Blk BLANK | 0.6 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 905 | 30.9 | 10.87 | 142 | 2.04 | 5.8 | 3 |
| *Rep 1752308 | 125 | 3.65 | 0.3 | 0.76 | 3.2 | 82 |
| *Blk BLANK | <0.5 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 601b | 324 | 8.35 | 95.9 | 23.34 | 4.0 | 11 |
| *Blk BLANK | 0.6 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 70b | 12.9 | 3.00 | 32.3 | 0.56 | 13.4 | <2 |

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 5.7 | 1.7 | 1.11 | 0.67 | <0.05 | 15.7 |
| 1752301 | 1.3 | 3.0 | 0.11 | 0.18 | 5.38 | 3.6 |
| 1752302 | 1.6 | 2.9 | 0.08 | 0.21 | 7.05 | 4.1 |
| 1752303 | 2.1 | 3.6 | 0.10 | 0.19 | 4.23 | 5.9 |
| 1752304 | 1.0 | 2.7 | 0.08 | 0.11 | 11.83 | 3.0 |
| 1752305 | 1.2 | 3.6 | 0.09 | 0.12 | 6.69 | 3.8 |
| 1752306 | 1.2 | 1.9 | <0.05 | 0.09 | 4.86 | 3.3 |
| 1752307 | 1.5 | 2.5 | 0.07 | 0.11 | 3.60 | 4.4 |
| 1752308 | 1.7 | 3.2 | 0.11 | 0.18 | 5.26 | 5.3 |
| 1752309 | 2.5 | 2.5 | 0.09 | 0.23 | 4.92 | 6.1 |
| 1752311 | 2.5 | 3.6 | 0.13 | 0.23 | 6.39 | 6.3 |
| 1752312 | 2.6 | 2.8 | 0.09 | 0.19 | 5.38 | 6.4 |
| 1752313 | 2.2 | 2.6 | 0.09 | 0.25 | 7.44 | 5.0 |
| 1752314 | 1.9 | 2.1 | 0.08 | 0.22 | 6.87 | 5.8 |
| 1752315 | 1.8 | 2.2 | 0.07 | 0.13 | 3.57 | 5.1 |
| 1752316 | 2.2 | 3.2 | 0.10 | 0.20 | 8.43 | 5.6 |
| 1752317 | 2.7 | 2.7 | 0.10 | 0.23 | 7.18 | 7.1 |
| 1752318 | 2.4 | 2.9 | 0.09 | 0.17 | 5.60 | 5.8 |
| 1752319 | 1.8 | 3.1 | 0.11 | 0.23 | 6.68 | 6.2 |
| 1752321 | 1.5 | 4.1 | 0.17 | 0.22 | 6.27 | 5.1 |
| 1752322 | 1.3 | 4.7 | 0.19 | 0.20 | 3.75 | 4.9 |
| 1752323 | 1.5 | 4.3 | 0.13 | 0.19 | 5.78 | 4.9 |
| 1752324 | <0.1 | 0.3 | <0.05 | <0.05 | 0.23 | <0.2 |
| 1752325 | 1.4 | 4.6 | 0.16 | 0.15 | 7.53 | 4.6 |
| 1752326 | 1.9 | 3.1 | 0.12 | 0.16 | 6.44 | 5.5 |
| 1752327 | 1.4 | 4.1 | 0.14 | 0.16 | 5.32 | 4.5 |
| 1752328 | 1.4 | 4.9 | 0.17 | 0.19 | 7.98 | 4.5 |
| 1752329 | 1.4 | 3.4 | 0.13 | 0.19 | 7.88 | 4.6 |
| 1752330 | 6.2 | 1.8 | 1.15 | 0.75 | 0.36 | 18.6 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752331 | 2.3 | 3.3 | 0.13 | 0.31 | 11.14 | 5.9 |
| 1752332 | 1.6 | 5.2 | 0.21 | 0.19 | 16.49 | 4.7 |
| 1752333 | 1.6 | 2.4 | 0.06 | 0.17 | 5.59 | 4.7 |
| 1752334 | 1.9 | 4.5 | 0.18 | 0.25 | 18.75 | 5.4 |
| 1752335 | 1.7 | 4.1 | 0.15 | 0.23 | 26.42 | 5.1 |
| 1752336 | 0.9 | 2.6 | <0.05 | 0.11 | 4.82 | 2.9 |
| 1752337 | 2.0 | 4.5 | 0.16 | 0.21 | 12.01 | 5.5 |
| 1752338 | 2.7 | 3.1 | 0.11 | 0.15 | 11.64 | 8.7 |
| 1752339 | 1.5 | 3.5 | 0.07 | 0.11 | 15.40 | 4.7 |
| 1752341 | 0.9 | 0.9 | <0.05 | <0.05 | 2.35 | 2.7 |
| 1752342 | 0.6 | 2.3 | 0.07 | <0.05 | 0.70 | 2.0 |
| 1752343 | 2.6 | 3.0 | 0.11 | 0.17 | 6.15 | 6.9 |
| 1752344 | <0.1 | <0.3 | <0.05 | <0.05 | 0.16 | <0.2 |
| 1752345 | 1.7 | 2.9 | 0.10 | 0.13 | 14.66 | 4.8 |
| 1752346 | 1.5 | 3.6 | 0.15 | 0.13 | 4.17 | 4.8 |
| 1752347 | <0.1 | 0.4 | <0.05 | <0.05 | 0.62 | 0.3 |
| 1752348 | 1.6 | 2.9 | 0.09 | 0.10 | 6.97 | 4.7 |
| 1752349 | 2.2 | 3.8 | 0.13 | 0.13 | 6.76 | 6.8 |
| 1752351 | 2.1 | 4.8 | 0.15 | 0.18 | 10.72 | 6.0 |
| 1752352 | 1.9 | 5.1 | 0.11 | 0.18 | 21.42 | 4.7 |
| 1752353 | 1.6 | 3.2 | 0.09 | 0.13 | 5.12 | 4.7 |
| 1752354 | 1.6 | 2.8 | 0.11 | 0.14 | 17.77 | 4.9 |
| 1752355 | 1.7 | 4.6 | 0.12 | 0.17 | 6.18 | 5.0 |
| 1752356 | 1.5 | 4.2 | 0.12 | 0.17 | 12.02 | 4.7 |
| 1752357 | 1.6 | 5.1 | 0.19 | 0.19 | 10.47 | 5.4 |
| 1752358 | 4.2 | 3.3 | 0.10 | 0.35 | 7.02 | 10.2 |
| 1752359 | 1.4 | 2.4 | 0.10 | 0.12 | 4.46 | 4.0 |
| 1752361 | 0.2 | 0.6 | <0.05 | <0.05 | 1.70 | 0.5 |
| 1752362 | <0.1 | <0.3 | <0.05 | <0.05 | 0.19 | <0.2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752363 | 0.2 | 0.6 | <0.05 | <0.05 | 0.92 | 0.8 |
| 1752364 | 2.5 | 3.3 | 0.15 | 0.24 | 4.14 | 5.8 |
| 1752365 | 2.1 | 2.9 | 0.13 | 0.20 | 10.60 | 5.9 |
| 1752366 | 2.2 | 2.5 | 0.11 | 0.16 | 7.15 | 6.5 |
| 1752367 | 1.2 | 2.1 | 0.08 | 0.09 | 5.43 | 3.6 |
| 1752368 | 0.3 | 1.8 | 0.06 | 0.07 | 4.08 | 1.4 |
| 1752369 | 2.8 | 1.7 | 0.12 | 0.18 | 9.64 | 7.1 |
| 1752371 | 2.8 | 1.4 | 0.13 | 0.16 | 3.63 | 7.2 |
| 1752372 | <0.1 | <0.3 | <0.05 | <0.05 | 0.23 | <0.2 |
| 1752373 | <0.1 | <0.3 | <0.05 | <0.05 | 0.42 | <0.2 |
| 1752374 | 3.3 | 2.2 | 0.17 | 0.20 | 5.09 | 9.0 |
| 1752375 | 1.8 | 1.4 | 0.07 | 0.16 | 4.18 | 4.6 |
| *Dup 1752338 | 2.8 | 2.4 | 0.09 | 0.14 | 11.70 | 8.9 |
| *Std OREAS 905 | 7.4 | 4.4 | 1.39 | 0.80 | 0.19 | 14.8 |
| *Std OREAS 601b | 5.2 | 3.5 | 1.11 | 0.52 | 12.13 | 11.7 |
| *Rep 1752358 | 4.2 | 3.1 | 0.09 | 0.35 | 5.70 | 10.1 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | 0.10 | <0.2 |
| *Std OREAS 905 | 7.7 | 4.6 | 1.46 | 0.86 | 0.14 | 14.2 |
| *Rep 1752308 | 1.7 | 3.1 | 0.10 | 0.19 | 7.01 | 5.3 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | 0.06 | <0.2 |
| *Std OREAS 601b | 5.6 | 4.0 | 1.27 | 0.62 | 13.14 | 12.2 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| *Std OREAS 70b | 2.0 | 1.2 | 0.27 | 0.28 | 0.06 | 6.0 |

| Element | @Tl | Tm | @U | @W | @Y | @Yb |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @TI | Tm | @U | @W | @Y | @Yb |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752300 | 0.69 | 0.31 | 3.91 | 0.3 | 18.8 | 2.0 |
| 1752301 | 0.07 | 0.11 | 1.08 | 0.8 | 4.2 | 0.9 |
| 1752302 | 0.07 | 0.12 | 1.07 | 0.6 | 3.9 | 0.8 |
| 1752303 | 0.07 | 0.11 | 1.10 | 1.0 | 3.8 | 0.9 |
| 1752304 | 0.08 | 0.09 | 0.88 | 1.0 | 3.2 | 0.7 |
| 1752305 | 0.08 | 0.12 | 1.01 | 1.0 | 4.2 | 0.9 |
| 1752306 | 0.07 | 0.08 | 0.67 | 0.6 | 2.9 | 0.6 |
| 1752307 | 0.14 | 0.11 | 0.93 | 0.8 | 3.7 | 0.8 |
| 1752308 | 0.06 | 0.12 | 1.13 | 0.9 | 4.5 | 0.9 |
| 1752309 | 0.09 | 0.12 | 1.32 | 1.0 | 4.4 | 0.9 |
| 1752311 | 0.09 | 0.13 | 1.39 | 1.3 | 4.6 | 1.0 |
| 1752312 | 0.09 | 0.12 | 1.16 | 0.8 | 4.1 | 0.9 |
| 1752313 | 0.08 | 0.12 | 1.35 | 0.7 | 4.3 | 0.9 |
| 1752314 | 0.10 | 0.13 | 1.41 | 0.7 | 4.4 | 1.0 |
| 1752315 | 0.04 | 0.11 | 0.97 | 1.2 | 3.9 | 0.9 |
| 1752316 | 0.08 | 0.12 | 1.24 | 1.8 | 4.5 | 0.9 |
| 1752317 | 0.07 | 0.14 | 1.33 | 0.9 | 5.1 | 1.0 |
| 1752318 | 0.12 | 0.11 | 1.04 | 1.2 | 4.4 | 0.9 |
| 1752319 | 0.17 | 0.13 | 1.56 | 1.2 | 5.0 | 1.0 |
| 1752321 | 0.11 | 0.16 | 1.73 | 1.3 | 5.8 | 1.2 |
| 1752322 | 0.09 | 0.16 | 1.68 | 1.3 | 5.5 | 1.2 |
| 1752323 | 0.26 | 0.15 | 1.37 | 1.0 | 5.2 | 1.1 |
| 1752324 | <0.02 | <0.05 | <0.05 | <0.1 | 0.2 | <0.1 |
| 1752325 | 0.29 | 0.14 | 1.33 | 1.3 | 5.0 | 1.1 |
| 1752326 | 1.11 | 0.14 | 1.31 | 0.9 | 4.9 | 1.0 |
| 1752327 | 1.30 | 0.13 | 1.36 | 1.0 | 4.5 | 1.0 |
| 1752328 | 1.88 | 0.13 | 1.47 | 1.1 | 4.5 | 1.0 |
| 1752329 | 1.85 | 0.12 | 1.40 | 0.9 | 4.3 | 1.0 |
| 1752330 | 0.72 | 0.33 | 4.23 | 0.4 | 21.4 | 2.2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element Method Lower Limit Upper Limit Unit | @TI GE_IMS40Q12 0.02 10,000 ppm m / m | Tm GE_IMS40Q12 0.05 500 ppm m / m | @U GE_IMS40Q12 0.05 10,000 ppm m / m | @W GE_IMS40Q12 0.1 10,000 ppm m / m | @Y GE_IMS40Q12 0.1 10,000 ppm m / m | @Yb GE_IMS40Q12 0.1 1,000 ppm m / m |
|---|---|---|--|---|---|---|
| 1752331 | 2.00 | 0.16 | 1.63 | 0.9 | 5.8 | 1.2 |
| 1752332 | 1.89 | 0.16 | 1.37 | 1.3 | 5.4 | 1.2 |
| 1752333 | 2.00 | 0.12 | 1.14 | 0.8 | 4.0 | 0.9 |
| 1752334 | 1.60 | 0.18 | 1.60 | 1.3 | 5.9 | 1.2 |
| 1752335 | 2.42 | 0.16 | 1.41 | 1.0 | 5.8 | 1.2 |
| 1752336 | 1.32 | 0.09 | 0.76 | 1.0 | 3.2 | 0.7 |
| 1752337 | 1.47 | 0.16 | 1.29 | 1.4 | 5.7 | 1.1 |
| 1752338 | 1.12 | 0.17 | 1.32 | 2.0 | 6.4 | 1.3 |
| 1752339 | 2.10 | 0.15 | 1.12 | 1.6 | 5.8 | 1.1 |
| 1752341 | 0.24 | <0.05 | 0.32 | 0.4 | 1.5 | 0.3 |
| 1752342 | 0.19 | 0.07 | 0.52 | 0.8 | 2.5 | 0.6 |
| 1752343 | 0.73 | 0.16 | 1.41 | 1.0 | 6.1 | 1.1 |
| 1752344 | 0.02 | <0.05 | <0.05 | <0.1 | 0.4 | <0.1 |
| 1752345 | 0.83 | 0.12 | 1.14 | 0.8 | 4.8 | 0.9 |
| 1752346 | 0.40 | 0.14 | 1.25 | 1.3 | 5.8 | 1.1 |
| 1752347 | 0.03 | <0.05 | 0.09 | 0.2 | 0.5 | <0.1 |
| 1752348 | 0.42 | 0.11 | 0.96 | 0.8 | 4.5 | 0.9 |
| 1752349 | 0.21 | 0.13 | 1.27 | 1.0 | 5.2 | 1.0 |
| 1752351 | 0.32 | 0.14 | 1.44 | 1.1 | 5.2 | 1.0 |
| 1752352 | 0.62 | 0.10 | 1.23 | 0.8 | 4.5 | 0.8 |
| 1752353 | 0.30 | 0.12 | 1.06 | 0.8 | 4.8 | 0.9 |
| 1752354 | 0.18 | 0.11 | 1.25 | 0.8 | 4.5 | 0.9 |
| 1752355 | 0.19 | 0.11 | 1.32 | 0.9 | 4.3 | 0.8 |
| 1752356 | 0.11 | 0.11 | 1.33 | 0.9 | 4.6 | 0.9 |
| 1752357 | 0.10 | 0.12 | 1.46 | 4.6 | 4.7 | 0.9 |
| 1752358 | 0.07 | 0.10 | 1.70 | 0.9 | 4.9 | 0.8 |
| 1752359 | 0.52 | 0.09 | 0.93 | 0.8 | 3.8 | 0.7 |
| 1752361 | 0.03 | <0.05 | 0.28 | 0.2 | 1.4 | 0.3 |
| 1752362 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element Method Lower Limit Upper Limit Unit | @TI GE_IMS40Q12 0.02 10,000 ppm m / m | Tm GE_IMS40Q12 0.05 500 ppm m / m | @U GE_IMS40Q12 0.05 10,000 ppm m / m | @W GE_IMS40Q12 0.1 10,000 ppm m / m | @Y GE_IMS40Q12 0.1 10,000 ppm m / m | @Yb GE_IMS40Q12 0.1 1,000 ppm m / m |
|---|---|---|--|---|---|---|
| 1752363 | 0.03 | <0.05 | 0.25 | 0.2 | 1.0 | 0.2 |
| 1752364 | 0.06 | 0.12 | 1.28 | 1.0 | 5.5 | 0.9 |
| 1752365 | 0.11 | 0.11 | 1.25 | 1.0 | 4.7 | 0.9 |
| 1752366 | 0.13 | 0.12 | 1.31 | 1.2 | 5.0 | 1.0 |
| 1752367 | 0.07 | 0.09 | 0.84 | 0.9 | 3.4 | 0.7 |
| 1752368 | 0.15 | 0.15 | 0.86 | 0.7 | 6.1 | 1.2 |
| 1752369 | 0.04 | 0.24 | 1.53 | 1.1 | 8.8 | 1.8 |
| 1752371 | 0.04 | 0.13 | 0.93 | 0.8 | 5.8 | 1.1 |
| 1752372 | <0.02 | <0.05 | 0.07 | 0.1 | 0.3 | <0.1 |
| 1752373 | <0.02 | <0.05 | 0.05 | 0.2 | 0.3 | <0.1 |
| 1752374 | 0.10 | 0.17 | 1.27 | 1.3 | 7.3 | 1.4 |
| 1752375 | 0.11 | 0.16 | 1.09 | 0.6 | 6.5 | 1.2 |
| *Dup 1752338 | 1.13 | 0.16 | 1.32 | 1.6 | 6.2 | 1.2 |
| *Std OREAS 905 | 0.74 | 0.13 | 5.06 | 3.0 | 16.8 | 0.7 |
| *Std OREAS 601b | 1.46 | 0.09 | 4.59 | 6.1 | 11.2 | 0.5 |
| *Rep 1752358 | 0.07 | 0.10 | 1.71 | 0.9 | 5.0 | 0.8 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.70 | 0.14 | 5.19 | 3.0 | 16.5 | 0.7 |
| *Rep 1752308 | 0.06 | 0.13 | 1.16 | 1.0 | 4.5 | 0.9 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 601b | 1.44 | 0.11 | 4.83 | 6.6 | 11.5 | 0.6 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 70b | 0.31 | 0.15 | 1.58 | 5.3 | 9.8 | 1.0 |

| Element Method Lower Limit Upper Limit Unit | @S GE_CSA06V 0.005 30 % |
|---|-------------------------------------|
|---|-------------------------------------|

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES/Hole
B21C-014B/177 Core (77-152)
Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @S |
|-------------|-----------|
| Method | GE_CSA06V |
| Lower Limit | 0.005 |
| Upper Limit | 30 |
| Unit | % |
| 1752301 | 9.632 |
| 1752302 | 9.863 |
| 1752304 | 10.422 |
| 1752305 | 12.314 |
| 1752306 | 13.502 |
| 1752307 | 9.236 |
| 1752308 | 15.385 |
| 1752309 | 10.679 |
| 1752311 | 9.787 |
| 1752312 | 12.923 |
| 1752313 | 11.128 |
| 1752314 | 10.320 |
| 1752315 | 8.529 |
| 1752316 | 7.665 |
| 1752317 | 7.446 |
| 1752318 | 6.736 |
| 1752319 | 9.048 |
| 1752323 | 7.931 |
| 1752326 | 8.662 |
| 1752327 | 5.630 |
| 1752328 | 5.418 |
| 1752329 | 8.292 |
| 1752331 | 7.577 |
| 1752332 | 6.309 |
| 1752333 | 6.882 |
| 1752334 | 6.130 |
| 1752335 | 5.418 |
| 1752338 | 6.538 |
| 1752339 | 7.527 |
| 1752343 | 6.566 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES/Hole
B21C-014B/177 Core (77-152)
Number of Samples 76

ANALYSIS REPORT BBM21-11962

| Element | @S |
|--------------|-----------|
| Method | GE_CSA06V |
| Lower Limit | 0.005 |
| Upper Limit | 30 |
| Unit | % |
| 1752345 | 6.434 |
| 1752348 | 6.314 |
| 1752351 | 6.031 |
| 1752352 | 8.291 |
| 1752353 | 5.950 |
| 1752354 | 5.682 |
| 1752355 | 5.753 |
| 1752356 | 5.417 |
| 1752358 | 11.912 |
| 1752366 | 6.567 |
| 1752368 | 20.956 |
| 1752369 | 9.065 |
| *Dup 1752338 | 6.598 |

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-11963

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

| | | | |
|------------------------------|----------------------------|------------------|---------------------------|
| Order Number | PO# | Date Received | 09-Aug-2021 |
| Project | The Brewer Gold Project | Date Analysed | 20-Aug-2021 - 03-Oct-2021 |
| Submission Number | *SD* PANCON_RESOURCES/Hole | Date Completed | 03-Oct-2021 |
| B21C-014B/177 Core (153-177) | | SGS Order Number | BBM21-11963 |
| Number of Samples | 25 | | |

Methods Summary

| Number of Sample | Method Code | Description |
|------------------|-------------|--|
| 25 | G_WGH_KG | Weight of samples received |
| 23 | G_PRP | Combined Sample Preparation |
| 25 | GE_FAA30V5 | Au, FAS, exploration grade, AAS, 30g-5ml |
| 22 | GE_DIG40Q12 | 4 Acid Digest (HCL/HCLO4/HF/HNO3) |
| 22 | GE_ICP40Q12 | 4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml |
| 22 | GE_IMS40Q12 | 4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml |
| 5 | GE_CSA06V | Total Sulphur and Carbon, IR Combustion |

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element Method | WTKG G_WGH_KG | @Au GE_FAA30V5 | @Al GE_ICP40Q12 | @Ba GE_ICP40Q12 | @Ca GE_ICP40Q12 | @Cr GE_ICP40Q12 |
|-----------------|------------------|-------------------|--------------------|--------------------|--------------------|--------------------|
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| 1752376 | 5.75 | 0.013 | 1.31 | 6 | <0.01 | 35 |
| 1752377 | 3.64 | 0.010 | 0.16 | 1 | <0.01 | 22 |
| 1752378 | 3.21 | <0.005 | 0.09 | 1 | <0.01 | 13 |
| 1752379 | 4.67 | 0.033 | 5.28 | 31 | 0.01 | 15 |
| 1752380 | 0.05 | 0.332 | - | - | - | - |
| 1752381 | 4.46 | <0.005 | 0.02 | 2 | <0.01 | 22 |
| 1752382 | 5.14 | <0.005 | 0.03 | 3 | <0.01 | 8 |
| 1752383 | 3.20 | <0.005 | 0.02 | 2 | <0.01 | 7 |
| 1752384 | 3.10 | <0.005 | 0.02 | 2 | <0.01 | 32 |
| 1752385 | 6.54 | 0.031 | 3.56 | 25 | 0.01 | 15 |
| 1752386 | 5.75 | 0.058 | 6.60 | 143 | 0.03 | 10 |
| 1752387 | 5.39 | 0.063 | 7.42 | 114 | 0.04 | 12 |
| 1752388 | 7.53 | 0.099 | 6.18 | 179 | 0.03 | 12 |
| 1752389 | 4.19 | 0.043 | 0.33 | 3 | <0.01 | 16 |
| 1752390 | 1.42 | <0.005 | - | - | - | - |
| 1752391 | 5.12 | 0.006 | 0.10 | 2 | <0.01 | 11 |
| 1752392 | 5.02 | 0.054 | 6.89 | 190 | 0.02 | 8 |
| 1752393 | 5.93 | 0.069 | 6.01 | 235 | 0.04 | 18 |
| 1752394 | 5.57 | 0.056 | 3.64 | 101 | 0.04 | 18 |
| 1752395 | 5.66 | 0.045 | 4.40 | 61 | 0.02 | 17 |
| 1752396 | 5.41 | 0.060 | 5.57 | 111 | 0.06 | 11 |
| 1752397 | 3.09 | 0.050 | 4.78 | 71 | 0.02 | 11 |
| 1752398 | 5.33 | 0.053 | 5.07 | 66 | 0.02 | 9 |
| 1752399 | 5.64 | 0.005 | 0.20 | 2 | <0.01 | 10 |
| 1752400 | - | <0.005 | - | - | - | - |
| *Std OREAS 601b | - | - | 6.55 | 1206 | 0.89 | 18 |
| *Rep 1752393 | - | - | 5.70 | 244 | 0.04 | 12 |
| *Std OREAS 905 | - | - | 7.29 | 2503 | 0.58 | 12 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | WTKG | @Au | @Al | @Ba | @Ca | @Cr |
|-----------------|----------|------------|-------------|-------------|-------------|-------------|
| Method | G_WGH_KG | GE_FAA30V5 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 0.005 | 0.01 | 1 | 0.01 | 1 |
| Upper Limit | -- | 10 | 15 | 10,000 | 15 | 10,000 |
| Unit | kg | ppm m / m | % | ppm m / m | % | ppm m / m |
| *Blk BLANK | - | <0.005 | - | - | - | - |
| *Rep 1752376 | - | 0.015 | - | - | - | - |
| *Std OREAS 238 | - | 2.995 | - | - | - | - |
| *Std SN106 | - | 8.125 | - | - | - | - |
| *Std OREAS 905 | - | - | 7.71 | 2967 | 0.61 | 28 |
| *Std OREAS 601b | - | - | 6.37 | 451 | 0.85 | 15 |
| *Blk BLANK | - | - | <0.01 | <1 | <0.01 | <1 |
| *Blk BLANK | - | - | 0.01 | 1 | <0.01 | <1 |

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752376 | 27.4 | 2.43 | 0.08 | 3 | <0.01 | 82 |
| 1752377 | 24.7 | 2.98 | 0.03 | <1 | <0.01 | 167 |
| 1752378 | 10.8 | 0.33 | 0.02 | <1 | <0.01 | 34 |
| 1752379 | 23.3 | 6.18 | 0.67 | 10 | <0.01 | 22 |
| 1752381 | 12.9 | 1.62 | <0.01 | <1 | <0.01 | 175 |
| 1752382 | 11.1 | 0.33 | <0.01 | <1 | <0.01 | 36 |
| 1752383 | 8.1 | 0.34 | <0.01 | <1 | <0.01 | 37 |
| 1752384 | 5.9 | 1.62 | <0.01 | <1 | <0.01 | 174 |
| 1752385 | 21.9 | 3.82 | 0.06 | 5 | <0.01 | 28 |
| 1752386 | 29.1 | 6.00 | 0.01 | 4 | <0.01 | 22 |
| 1752387 | 30.1 | 6.79 | 0.06 | 3 | <0.01 | 46 |
| 1752388 | 32.4 | 5.07 | 0.04 | 4 | <0.01 | 29 |
| 1752389 | 20.1 | 3.01 | 0.03 | <1 | <0.01 | 74 |
| 1752391 | 12.2 | 0.74 | 0.01 | <1 | <0.01 | 63 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @Cu | @Fe | @K | @Li | @Mg | @Mn |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.5 | 0.01 | 0.01 | 1 | 0.01 | 2 |
| Upper Limit | 10,000 | 15 | 15 | 10,000 | 15 | 10,000 |
| Unit | ppm m / m | % | % | ppm m / m | % | ppm m / m |
| 1752392 | 24.3 | 3.46 | 0.02 | 3 | <0.01 | 31 |
| 1752393 | 67.0 | 5.66 | 0.01 | 2 | <0.01 | 34 |
| 1752394 | 22.5 | 4.12 | 0.09 | 2 | <0.01 | 37 |
| 1752395 | 25.1 | 4.55 | 0.04 | 3 | <0.01 | 44 |
| 1752396 | 102 | 4.76 | 0.04 | 2 | <0.01 | 29 |
| 1752397 | 67.7 | 3.24 | 0.07 | 1 | <0.01 | 29 |
| 1752398 | 53.4 | 3.60 | 0.05 | 2 | <0.01 | 26 |
| 1752399 | 16.5 | 0.50 | 0.01 | <1 | <0.01 | 55 |
| *Std OREAS 601b | 1001 | 2.27 | 2.33 | 22 | 0.10 | 220 |
| *Rep 1752393 | 64.0 | 5.44 | 0.01 | 2 | <0.01 | 33 |
| *Std OREAS 905 | 1499 | 4.01 | 2.89 | 20 | 0.27 | 373 |
| *Blk BLANK | 0.8 | <0.01 | <0.01 | <1 | <0.01 | <2 |
| *Std OREAS 905 | 1663 | 4.22 | 2.99 | 22 | 0.30 | 404 |
| *Std OREAS 601b | 960 | 2.18 | 2.32 | 22 | 0.10 | 201 |
| *Blk BLANK | <0.5 | <0.01 | <0.01 | <1 | <0.01 | <2 |
| *Blk BLANK | <0.5 | 0.01 | <0.01 | 2 | <0.01 | <2 |

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752376 | 0.04 | 6 | <0.01 | 2.01 | 26.3 | 0.02 |
| 1752377 | 0.02 | 8 | <0.01 | 1.70 | 2.1 | <0.01 |
| 1752378 | 0.02 | 2 | <0.01 | 0.03 | 1.0 | <0.01 |
| 1752379 | 0.22 | 24 | 0.01 | >5.00 | 101 | 0.02 |
| 1752381 | <0.01 | 3 | <0.01 | 0.01 | 1.7 | <0.01 |
| 1752382 | 0.01 | 2 | <0.01 | 0.02 | 1.8 | <0.01 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @Na | @Ni | @P | @S | @Sr | @Ti |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 |
| Lower Limit | 0.01 | 1 | 0.01 | 0.01 | 0.5 | 0.01 |
| Upper Limit | 15 | 10,000 | 15 | 5 | 10,000 | 15 |
| Unit | % | ppm m / m | % | % | ppm m / m | % |
| 1752383 | 0.01 | 2 | <0.01 | 0.01 | 1.8 | <0.01 |
| 1752384 | 0.01 | 4 | <0.01 | 0.02 | 2.9 | <0.01 |
| 1752385 | 0.05 | 9 | 0.01 | 3.86 | 93.9 | 0.03 |
| 1752386 | 0.01 | 9 | 0.05 | >5.00 | 369 | 0.04 |
| 1752387 | 0.04 | 13 | 0.07 | >5.00 | 410 | 0.05 |
| 1752388 | 0.03 | 9 | 0.05 | >5.00 | 336 | 0.04 |
| 1752389 | 0.02 | 13 | <0.01 | 2.44 | 6.8 | <0.01 |
| 1752391 | 0.01 | 4 | <0.01 | 0.20 | 3.0 | <0.01 |
| 1752392 | 0.02 | 4 | 0.03 | 3.66 | 217 | 0.04 |
| 1752393 | 0.02 | 6 | 0.06 | >5.00 | 551 | 0.04 |
| 1752394 | 0.04 | 10 | 0.03 | 4.08 | 147 | 0.03 |
| 1752395 | 0.02 | 7 | 0.03 | 4.71 | 212 | 0.03 |
| 1752396 | 0.03 | 4 | 0.09 | 4.97 | 736 | 0.04 |
| 1752397 | 0.02 | 5 | 0.04 | 3.12 | 260 | 0.04 |
| 1752398 | 0.02 | 5 | 0.04 | 3.71 | 264 | 0.03 |
| 1752399 | 0.01 | 3 | <0.01 | 0.03 | 3.2 | <0.01 |
| *Std OREAS 601b | 1.88 | 6 | 0.03 | 1.42 | 236 | 0.12 |
| *Rep 1752393 | 0.02 | 5 | 0.06 | >5.00 | 520 | 0.04 |
| *Std OREAS 905 | 2.37 | 9 | 0.03 | 0.07 | 155 | 0.11 |
| *Blk BLANK | <0.01 | <1 | <0.01 | <0.01 | <0.5 | <0.01 |
| *Std OREAS 905 | 2.53 | 11 | 0.03 | 0.08 | 167 | 0.13 |
| *Std OREAS 601b | 1.86 | 5 | 0.03 | 1.55 | 236 | 0.13 |
| *Blk BLANK | <0.01 | <1 | <0.01 | 0.02 | <0.5 | <0.01 |
| *Blk BLANK | 0.01 | <1 | <0.01 | 0.02 | 0.7 | <0.01 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 4 | 6 | 23.2 | 0.05 | 2 | <0.1 |
| 1752377 | <2 | 3 | 1.1 | 0.04 | 2 | <0.1 |
| 1752378 | <2 | 3 | <0.5 | 0.04 | <1 | <0.1 |
| 1752379 | 26 | 2 | 64.9 | 0.08 | 3 | 0.2 |
| 1752381 | <2 | 3 | <0.5 | 0.03 | 2 | <0.1 |
| 1752382 | <2 | 4 | <0.5 | 0.04 | 2 | <0.1 |
| 1752383 | <2 | 3 | <0.5 | 0.05 | 2 | <0.1 |
| 1752384 | <2 | 4 | <0.5 | 0.02 | 1 | <0.1 |
| 1752385 | 10 | 3 | 47.3 | 0.06 | 2 | <0.1 |
| 1752386 | 19 | 4 | 79.3 | 0.07 | 4 | <0.1 |
| 1752387 | 19 | 3 | 89.1 | 0.07 | 5 | <0.1 |
| 1752388 | 14 | 2 | 76.0 | 0.10 | 5 | 0.1 |
| 1752389 | <2 | 2 | 2.4 | 0.04 | 2 | <0.1 |
| 1752391 | <2 | 2 | <0.5 | 0.03 | 1 | <0.1 |
| 1752392 | 14 | 1 | 78.1 | 0.09 | 4 | 0.1 |
| 1752393 | 14 | 3 | 79.9 | 0.15 | 5 | 0.1 |
| 1752394 | 10 | 2 | 62.3 | 0.08 | 2 | <0.1 |
| 1752395 | 11 | 2 | 77.6 | 0.08 | 3 | <0.1 |
| 1752396 | 16 | 3 | 81.0 | 0.18 | 6 | 0.1 |
| 1752397 | 16 | 1 | 77.9 | 0.26 | 3 | 0.1 |
| 1752398 | 15 | 2 | 81.1 | 0.13 | 3 | 0.2 |
| 1752399 | <2 | 2 | <0.5 | 0.03 | <1 | <0.1 |
| *Std OREAS 601b | 11 | 315 | 175 | 39.94 | 289 | 2.1 |
| *Rep 1752393 | 13 | 2 | 73.8 | 0.12 | 4 | 0.1 |
| *Std OREAS 905 | 7 | 134 | 240 | 0.55 | 35 | 2.7 |
| *Blk BLANK | <2 | <1 | <0.5 | <0.02 | <1 | <0.1 |
| *Std OREAS 905 | 7 | 142 | 275 | 0.61 | 36 | 3.3 |
| *Std OREAS 601b | 10 | 308 | 185 | 50.14 | 288 | 2.2 |
| *Blk BLANK | <2 | <1 | 1.1 | 0.02 | <1 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @V | @Zn | @Zr | @Ag | @As | @Be |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_ICP40Q12 | GE_ICP40Q12 | GE_ICP40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 2 | 1 | 0.5 | 0.02 | 1 | 0.1 |
| Upper Limit | 10,000 | 10,000 | 10,000 | 100 | 10,000 | 2,500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| *Blk BLANK | <2 | <1 | <0.5 | - | - | - |

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 0.70 | 0.03 | 5.26 | 9.1 | <1 | 0.22 |
| 1752377 | 0.26 | 0.03 | 0.16 | 10.5 | <1 | <0.05 |
| 1752378 | 0.08 | 0.02 | 0.08 | 0.3 | <1 | <0.05 |
| 1752379 | 2.24 | 0.03 | 27.02 | 42.2 | 1 | 0.72 |
| 1752381 | 0.05 | 0.03 | 0.10 | 0.5 | <1 | <0.05 |
| 1752382 | 0.05 | 0.03 | 0.10 | 0.2 | <1 | <0.05 |
| 1752383 | 0.05 | 0.03 | 0.08 | 0.2 | <1 | <0.05 |
| 1752384 | <0.04 | 0.02 | 0.06 | 0.4 | <1 | <0.05 |
| 1752385 | 1.41 | 0.04 | 19.35 | 15.5 | <1 | 0.56 |
| 1752386 | 2.67 | 0.03 | 50.57 | 9.1 | <1 | 0.94 |
| 1752387 | 3.08 | 0.09 | 48.37 | 12.5 | <1 | 0.90 |
| 1752388 | 5.03 | 0.09 | 52.03 | 11.6 | <1 | 0.92 |
| 1752389 | 0.43 | 0.03 | 0.62 | 16.5 | <1 | <0.05 |
| 1752391 | 0.08 | 0.05 | 0.16 | 1.3 | <1 | <0.05 |
| 1752392 | 2.15 | 0.07 | 37.16 | 10.4 | <1 | 0.96 |
| 1752393 | 5.02 | 0.07 | 53.35 | 12.5 | <1 | 1.17 |
| 1752394 | 1.91 | 0.02 | 23.93 | 16.3 | <1 | 0.67 |
| 1752395 | 2.43 | 0.05 | 35.58 | 12.2 | <1 | 0.76 |
| 1752396 | 6.83 | 0.08 | 51.19 | 12.3 | <1 | 1.20 |
| 1752397 | 4.05 | 0.05 | 43.35 | 9.5 | <1 | 0.87 |
| 1752398 | 3.68 | 0.06 | 48.38 | 11.3 | <1 | 0.97 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @Bi | @Cd | @Ce | @Co | @Cs | Dy |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.04 | 0.02 | 0.05 | 0.1 | 1 | 0.05 |
| Upper Limit | 10,000 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752399 | 0.08 | 0.03 | 0.31 | 0.3 | <1 | <0.05 |
| *Std OREAS 601b | 17.80 | 2.06 | 69.40 | 3.0 | 5 | 2.54 |
| *Rep 1752393 | 4.93 | 0.06 | 51.56 | 12.0 | <1 | 1.12 |
| *Std OREAS 905 | 5.74 | 0.34 | 89.86 | 14.4 | 7 | 3.61 |
| *Blk BLANK | <0.04 | <0.02 | <0.05 | <0.1 | <1 | <0.05 |
| *Std OREAS 905 | 5.92 | 0.39 | 92.45 | 15.0 | 7 | 3.69 |
| *Std OREAS 601b | 17.35 | 2.05 | 67.25 | 2.8 | 5 | 2.53 |
| *Blk BLANK | <0.04 | <0.02 | 0.05 | <0.1 | <1 | <0.05 |

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 0.19 | 0.08 | 0.2 | 3.9 | 0.59 | 0.06 |
| 1752377 | <0.05 | <0.05 | <0.1 | 0.7 | <0.02 | <0.05 |
| 1752378 | <0.05 | <0.05 | <0.1 | 0.3 | <0.02 | <0.05 |
| 1752379 | 0.60 | 0.40 | 1.1 | 14.4 | 1.69 | 0.17 |
| 1752381 | <0.05 | <0.05 | <0.1 | 0.2 | <0.02 | <0.05 |
| 1752382 | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| 1752383 | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| 1752384 | <0.05 | <0.05 | <0.1 | 0.2 | <0.02 | <0.05 |
| 1752385 | 0.47 | 0.31 | 0.9 | 11.3 | 1.19 | 0.14 |
| 1752386 | 0.80 | 0.79 | 2.0 | 23.2 | 2.09 | 0.23 |
| 1752387 | 0.80 | 0.80 | 2.0 | 21.2 | 2.33 | 0.22 |
| 1752388 | 0.76 | 0.73 | 1.8 | 14.8 | 1.94 | 0.21 |
| 1752389 | <0.05 | <0.05 | <0.1 | 0.8 | 0.06 | <0.05 |
| 1752391 | <0.05 | <0.05 | <0.1 | 0.3 | <0.02 | <0.05 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | Er | Eu | Gd | @Ga | @Hf | Ho |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.05 | 0.05 | 0.1 | 0.1 | 0.02 | 0.05 |
| Upper Limit | 1,000 | 500 | 1,000 | 1,000 | 500 | 500 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752392 | 0.68 | 0.55 | 1.5 | 14.1 | 1.90 | 0.22 |
| 1752393 | 0.73 | 0.84 | 2.4 | 12.7 | 1.99 | 0.22 |
| 1752394 | 0.61 | 0.33 | 0.8 | 8.3 | 1.43 | 0.17 |
| 1752395 | 0.66 | 0.51 | 1.4 | 10.3 | 1.87 | 0.19 |
| 1752396 | 0.78 | 0.95 | 2.7 | 16.5 | 2.04 | 0.23 |
| 1752397 | 0.78 | 0.64 | 1.6 | 12.1 | 1.88 | 0.22 |
| 1752398 | 0.81 | 0.73 | 1.9 | 13.1 | 2.06 | 0.24 |
| 1752399 | <0.05 | <0.05 | <0.1 | 0.5 | <0.02 | <0.05 |
| *Std OREAS 601b | 0.77 | 0.94 | 4.0 | 22.7 | 5.13 | 0.36 |
| *Rep 1752393 | 0.68 | 0.82 | 2.2 | 12.3 | 1.85 | 0.22 |
| *Std OREAS 905 | 1.08 | 1.35 | 5.8 | 24.4 | 6.76 | 0.52 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |
| *Std OREAS 905 | 1.08 | 1.41 | 6.0 | 26.2 | 7.20 | 0.55 |
| *Std OREAS 601b | 0.79 | 0.94 | 4.0 | 23.2 | 5.12 | 0.36 |
| *Blk BLANK | <0.05 | <0.05 | <0.1 | <0.1 | <0.02 | <0.05 |

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | <0.02 | 2.9 | 0.05 | 5.22 | 0.5 | 2.1 |
| 1752377 | <0.02 | <0.1 | <0.01 | 2.75 | 0.1 | <0.1 |
| 1752378 | <0.02 | <0.1 | <0.01 | 3.71 | <0.1 | <0.1 |
| 1752379 | 0.06 | 15.0 | 0.14 | 8.06 | 1.3 | 9.9 |
| 1752381 | <0.02 | <0.1 | <0.01 | 3.31 | 0.1 | <0.1 |
| 1752382 | <0.02 | <0.1 | <0.01 | 2.63 | <0.1 | <0.1 |
| 1752383 | <0.02 | <0.1 | <0.01 | 2.97 | <0.1 | <0.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @In | @La | @Lu | @Mo | @Nb | Nd |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.1 | 0.01 | 0.05 | 0.1 | 0.1 |
| Upper Limit | 500 | 10,000 | 1,000 | 10,000 | 1,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752384 | <0.02 | <0.1 | <0.01 | 3.34 | 0.2 | <0.1 |
| 1752385 | <0.02 | 9.9 | 0.12 | 3.51 | 0.7 | 7.9 |
| 1752386 | <0.02 | 26.2 | 0.19 | 6.33 | 1.6 | 19.6 |
| 1752387 | <0.02 | 23.3 | 0.18 | 12.11 | 1.8 | 19.6 |
| 1752388 | <0.02 | 25.8 | 0.16 | 57.00 | 1.2 | 21.1 |
| 1752389 | <0.02 | 0.3 | <0.01 | 3.63 | <0.1 | 0.3 |
| 1752391 | <0.02 | <0.1 | <0.01 | 3.02 | <0.1 | <0.1 |
| 1752392 | <0.02 | 17.9 | 0.15 | 4.94 | 1.3 | 15.0 |
| 1752393 | <0.02 | 25.4 | 0.16 | 4.34 | 1.3 | 21.4 |
| 1752394 | <0.02 | 12.0 | 0.14 | 5.86 | 0.8 | 9.3 |
| 1752395 | <0.02 | 17.4 | 0.16 | 4.00 | 1.0 | 13.6 |
| 1752396 | <0.02 | 23.7 | 0.16 | 49.22 | 1.3 | 22.2 |
| 1752397 | <0.02 | 21.2 | 0.18 | 15.53 | 1.4 | 16.7 |
| 1752398 | <0.02 | 24.5 | 0.20 | 8.23 | 1.3 | 19.2 |
| 1752399 | <0.02 | 0.1 | <0.01 | 3.07 | <0.1 | 0.1 |
| *Std OREAS 601b | 0.48 | 34.3 | 0.07 | 5.28 | 15.2 | 28.2 |
| *Rep 1752393 | <0.02 | 24.7 | 0.15 | 4.00 | 1.2 | 20.6 |
| *Std OREAS 905 | 0.66 | 43.4 | 0.09 | 3.54 | 18.5 | 37.4 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | 0.09 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.70 | 44.6 | 0.10 | 3.40 | 19.6 | 39.1 |
| *Std OREAS 601b | 0.49 | 32.6 | 0.07 | 4.89 | 15.4 | 27.8 |
| *Blk BLANK | <0.02 | <0.1 | <0.01 | <0.05 | <0.1 | <0.1 |

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @Pb | Pr | @Rb | @Sb | @Sc | @Se |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.5 | 0.05 | 0.2 | 0.05 | 0.5 | 2 |
| Upper Limit | 10,000 | 1,000 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 5.7 | 0.55 | 2.0 | 0.20 | 1.6 | 7 |
| 1752377 | 0.9 | <0.05 | 0.7 | 0.20 | <0.5 | 7 |
| 1752378 | 0.7 | <0.05 | 0.6 | 0.08 | <0.5 | <2 |
| 1752379 | 23.2 | 3.01 | 17.8 | 0.36 | 5.7 | 24 |
| 1752381 | 0.8 | <0.05 | <0.2 | 0.25 | <0.5 | <2 |
| 1752382 | 0.9 | <0.05 | <0.2 | 0.13 | <0.5 | <2 |
| 1752383 | 0.8 | <0.05 | <0.2 | 0.10 | <0.5 | <2 |
| 1752384 | 0.7 | <0.05 | <0.2 | 0.15 | <0.5 | <2 |
| 1752385 | 17.7 | 2.27 | 1.6 | 0.24 | 3.1 | 9 |
| 1752386 | 69.8 | 5.79 | 0.3 | 0.31 | 5.1 | 12 |
| 1752387 | 82.7 | 5.69 | 1.6 | 0.39 | 5.0 | 13 |
| 1752388 | 60.1 | 6.16 | 1.1 | 0.54 | 4.4 | 11 |
| 1752389 | 1.6 | 0.08 | 0.7 | 0.14 | <0.5 | 11 |
| 1752391 | 0.9 | <0.05 | 0.4 | 0.14 | <0.5 | <2 |
| 1752392 | 39.6 | 4.45 | 0.6 | 0.38 | 3.8 | 5 |
| 1752393 | 99.1 | 6.43 | 0.4 | 0.49 | 4.4 | 10 |
| 1752394 | 27.2 | 2.78 | 2.4 | 0.24 | 3.6 | 9 |
| 1752395 | 38.3 | 4.11 | 1.1 | 0.29 | 4.5 | 9 |
| 1752396 | 135 | 6.31 | 1.0 | 0.48 | 4.4 | 10 |
| 1752397 | 58.1 | 5.03 | 1.7 | 0.41 | 4.7 | 6 |
| 1752398 | 60.4 | 5.63 | 1.3 | 0.38 | 4.8 | 8 |
| 1752399 | 0.8 | <0.05 | 0.4 | 0.14 | <0.5 | <2 |
| *Std OREAS 601b | 286 | 8.30 | 101 | 24.07 | 4.1 | 10 |
| *Rep 1752393 | 96.5 | 6.09 | 0.4 | 0.43 | 4.2 | 9 |
| *Std OREAS 905 | 28.4 | 10.83 | 142 | 1.92 | 5.3 | 2 |
| *Blk BLANK | <0.5 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |
| *Std OREAS 905 | 30.2 | 10.46 | 146 | 1.96 | 5.5 | 3 |
| *Std OREAS 601b | 294 | 7.65 | 98.8 | 22.66 | 3.9 | 11 |
| *Blk BLANK | 0.6 | <0.05 | <0.2 | <0.05 | <0.5 | <2 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element Method | Sm GE_IMS40Q12 | @Sn GE_IMS40Q12 | @Ta GE_IMS40Q12 | @Tb GE_IMS40Q12 | @Te GE_IMS40Q12 | @Th GE_IMS40Q12 |
|-----------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 0.3 | 0.7 | <0.05 | <0.05 | 1.12 | 0.9 |
| 1752377 | <0.1 | <0.3 | <0.05 | <0.05 | 0.53 | <0.2 |
| 1752378 | <0.1 | <0.3 | <0.05 | <0.05 | 0.11 | <0.2 |
| 1752379 | 1.9 | 2.0 | 0.14 | 0.12 | 3.85 | 4.0 |
| 1752381 | <0.1 | <0.3 | <0.05 | <0.05 | 0.08 | <0.2 |
| 1752382 | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| 1752383 | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| 1752384 | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| 1752385 | 1.4 | 0.7 | <0.05 | 0.10 | 3.69 | 2.8 |
| 1752386 | 3.5 | 1.1 | 0.13 | 0.19 | 6.82 | 7.3 |
| 1752387 | 3.5 | 1.6 | 0.13 | 0.20 | 7.55 | 7.4 |
| 1752388 | 3.5 | 1.1 | 0.09 | 0.20 | 12.13 | 7.7 |
| 1752389 | <0.1 | <0.3 | <0.05 | <0.05 | 1.30 | <0.2 |
| 1752391 | <0.1 | <0.3 | <0.05 | <0.05 | 0.11 | <0.2 |
| 1752392 | 2.6 | 1.0 | 0.10 | 0.18 | 5.44 | 5.6 |
| 1752393 | 3.8 | 1.1 | 0.08 | 0.26 | 8.73 | 8.9 |
| 1752394 | 1.5 | 0.7 | <0.05 | 0.10 | 6.23 | 3.8 |
| 1752395 | 2.4 | 0.9 | 0.05 | 0.15 | 6.28 | 5.2 |
| 1752396 | 4.2 | 1.4 | 0.08 | 0.30 | 7.89 | 7.5 |
| 1752397 | 3.0 | 1.4 | 0.08 | 0.17 | 5.87 | 6.5 |
| 1752398 | 3.3 | 1.3 | 0.08 | 0.20 | 6.45 | 7.0 |
| 1752399 | <0.1 | <0.3 | <0.05 | <0.05 | 0.06 | <0.2 |
| *Std OREAS 601b | 5.5 | 3.5 | 1.03 | 0.52 | 11.64 | 11.6 |
| *Rep 1752393 | 3.7 | 1.0 | 0.07 | 0.25 | 8.58 | 8.7 |
| *Std OREAS 905 | 7.7 | 4.1 | 1.28 | 0.75 | 0.16 | 13.9 |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | <0.05 | <0.2 |
| *Std OREAS 905 | 7.4 | 4.4 | 1.39 | 0.80 | 0.19 | 14.8 |
| *Std OREAS 601b | 5.2 | 3.5 | 1.11 | 0.52 | 12.13 | 11.7 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | Sm | @Sn | @Ta | @Tb | @Te | @Th |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.1 | 0.3 | 0.05 | 0.05 | 0.05 | 0.2 |
| Upper Limit | 1,000 | 1,000 | 10,000 | 10,000 | 1,000 | 10,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| *Blk BLANK | <0.1 | <0.3 | <0.05 | <0.05 | 0.10 | <0.2 |

| Element | @Ti | Tm | @U | @W | @Y | @Yb |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752376 | 0.06 | <0.05 | 0.23 | 0.3 | 1.4 | 0.3 |
| 1752377 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752378 | <0.02 | <0.05 | <0.05 | 0.1 | <0.1 | <0.1 |
| 1752379 | 0.44 | 0.11 | 0.80 | 0.6 | 4.3 | 0.9 |
| 1752381 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752382 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752383 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752384 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752385 | 0.05 | 0.09 | 0.64 | 0.6 | 3.4 | 0.7 |
| 1752386 | 0.03 | 0.14 | 1.24 | 1.0 | 5.7 | 1.1 |
| 1752387 | 0.07 | 0.14 | 1.23 | 1.2 | 5.6 | 1.1 |
| 1752388 | 0.07 | 0.13 | 1.09 | 1.0 | 5.1 | 1.0 |
| 1752389 | <0.02 | <0.05 | <0.05 | <0.1 | 0.2 | <0.1 |
| 1752391 | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| 1752392 | 0.04 | 0.12 | 1.10 | 0.6 | 4.8 | 0.9 |
| 1752393 | 0.04 | 0.13 | 1.21 | 0.6 | 5.5 | 0.9 |
| 1752394 | 0.07 | 0.10 | 0.76 | 0.5 | 4.4 | 0.8 |
| 1752395 | 0.04 | 0.12 | 1.22 | 0.5 | 4.6 | 0.9 |
| 1752396 | 0.05 | 0.14 | 1.41 | 1.0 | 5.5 | 1.0 |
| 1752397 | 0.06 | 0.14 | 0.86 | 0.9 | 5.7 | 1.0 |
| 1752398 | 0.05 | 0.14 | 1.04 | 0.9 | 5.9 | 1.1 |

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-014B/177 Core (153-177)
 Number of Samples 25

ANALYSIS REPORT BBM21-11963

| Element | @TI | Tm | @U | @W | @Y | @Yb |
|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 | GE_IMS40Q12 |
| Lower Limit | 0.02 | 0.05 | 0.05 | 0.1 | 0.1 | 0.1 |
| Upper Limit | 10,000 | 500 | 10,000 | 10,000 | 10,000 | 1,000 |
| Unit | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m | ppm m / m |
| 1752399 | <0.02 | <0.05 | <0.05 | <0.1 | 0.1 | <0.1 |
| *Std OREAS 601b | 1.43 | 0.09 | 4.46 | 6.1 | 11.4 | 0.5 |
| *Rep 1752393 | 0.04 | 0.11 | 1.15 | 0.5 | 5.3 | 0.9 |
| *Std OREAS 905 | 0.69 | 0.13 | 4.80 | 2.7 | 16.3 | 0.7 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |
| *Std OREAS 905 | 0.74 | 0.13 | 5.06 | 3.0 | 16.8 | 0.7 |
| *Std OREAS 601b | 1.46 | 0.09 | 4.59 | 6.1 | 11.2 | 0.5 |
| *Blk BLANK | <0.02 | <0.05 | <0.05 | <0.1 | <0.1 | <0.1 |

| Element | @S |
|----------------|-----------|
| Method | GE_CSA06V |
| Lower Limit | 0.005 |
| Upper Limit | 30 |
| Unit | % |
| 1752379 | 7.013 |
| 1752386 | 6.868 |
| 1752387 | 7.690 |
| 1752388 | 5.853 |
| 1752393 | 6.362 |
| *Rep 1752393 | 6.334 |
| *Blk BLANK | <0.005 |
| *Std OREAS 135 | 7.164 |

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received