



ANALYSIS REPORT BBM21-11904

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	16-Aug-2021
Project	The Brewer Gold Project	Date Analysed	16-Aug-2021 - 30-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/ Hole	Date Completed	30-Aug-2021
B21C-015/ 18 Core (RUSH)		SGS Order Number	BBM21-11904
Number of Samples	18		

Methods Summary

Number of Sample	Method Code	Description
18	G_WGH_KG	Weight of samples received
17	G_PRP	Combined Sample Preparation
18	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
18	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
18	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
18	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
1	GO_DIG42Q100	4 Acid Digest (HCL/HCLO4/HF/HNO3)
1	GO_ICP42Q100	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-100ml
15	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752563	5.31	2.078	1.35	99	0.04	18
1752564	8.20	1.457	0.65	49	0.02	24
1752565	2.44	0.394	1.16	85	0.02	16
1752566	3.73	6.071	1.19	58	0.02	31
1752567	5.94	1.969	1.42	83	0.02	20
1752568	5.04	0.857	2.45	81	0.03	27
1752569	4.93	1.571	1.58	64	0.03	27
1752570	0.07	2.959	7.30	369	5.85	159
1752571	4.49	4.991	0.49	66	0.02	36
1752572	6.23	5.352	0.51	98	0.02	35
1752573	3.76	0.806	1.01	55	0.01	29
1752574	3.01	0.695	0.44	101	0.01	32
1752575	3.57	1.220	0.89	74	0.01	30
1752576	4.32	0.684	1.34	70	0.02	20
1752577	3.84	3.444	1.81	125	0.03	22
1752578	3.72	2.135	1.46	217	0.02	20
1752579	3.62	1.026	0.89	94	0.01	33
1752580	1.62	0.009	8.30	786	1.25	12
*Rep 1752565	-	0.390	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Std OREAS 238	-	2.984	-	-	-	-
*Std OREAS 601b	-	-	6.88	911	0.91	17
*Rep 1752569	-	-	1.47	72	0.03	34
*Blk BLANK	-	-	<0.01	1	<0.01	<1
*Std OREAS 905	-	-	7.30	2541	0.57	15
*Blk BLANK	-	0.008	-	-	-	-
*Std OREAS 238	-	3.033	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752563	2326	10.52	0.04	<1	<0.01	63
1752564	4936	>15.00	0.02	<1	<0.01	77
1752565	836	6.48	0.01	<1	<0.01	50
1752566	>10000	>15.00	0.01	<1	<0.01	97
1752567	5747	12.37	0.02	<1	<0.01	61
1752568	1294	11.93	0.01	<1	<0.01	83
1752569	1421	13.17	0.01	<1	<0.01	36
1752570	122	9.73	0.63	12	3.68	2536
1752571	5747	>15.00	<0.01	<1	<0.01	44
1752572	2129	14.77	0.01	<1	<0.01	32
1752573	752	>15.00	0.03	<1	<0.01	41
1752574	454	7.44	0.06	<1	<0.01	45
1752575	830	8.29	0.06	<1	<0.01	37
1752576	683	>15.00	0.12	<1	<0.01	34
1752577	483	8.87	0.05	<1	<0.01	57
1752578	75.8	6.25	0.03	<1	<0.01	47
1752579	93.7	4.96	0.02	<1	<0.01	53
1752580	6.6	2.17	4.42	26	0.28	409
*Std OREAS 601b	1034	2.35	2.39	22	0.10	224
*Rep 1752569	1412	12.93	0.02	<1	<0.01	38
*Blk BLANK	1.0	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1471	3.95	2.77	20	0.25	377

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752563	0.02	23	0.05	>5.00	431	0.04
1752564	0.02	53	0.02	>5.00	117	0.02
1752565	0.02	17	0.03	>5.00	242	0.04
1752566	0.02	57	0.03	>5.00	221	0.03
1752567	0.02	73	0.03	>5.00	251	0.03
1752568	0.01	37	0.05	>5.00	319	0.05
1752569	0.02	66	0.05	>5.00	390	0.03
1752570	1.89	117	0.17	1.75	316	0.80
1752571	0.01	106	0.03	>5.00	196	0.03
1752572	<0.01	47	0.03	>5.00	267	0.04
1752573	0.01	29	0.02	>5.00	121	0.02
1752574	0.02	14	0.02	>5.00	141	0.03
1752575	0.02	22	0.02	>5.00	170	0.03
1752576	0.03	51	0.03	>5.00	231	0.02
1752577	0.02	22	0.04	>5.00	227	0.03
1752578	0.02	14	0.05	>5.00	247	0.02
1752579	0.01	12	0.03	4.89	217	0.03
1752580	2.76	3	0.04	<0.01	192	0.22
*Std OREAS 601b	1.84	6	0.03	1.53	241	0.13
*Rep 1752569	0.02	67	0.05	>5.00	388	0.03
*Blk BLANK	<0.01	<1	<0.01	0.02	0.6	<0.01
*Std OREAS 905	2.24	9	0.03	0.04	149	0.11

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	9	37	70.9	2.19	382	<0.1
1752564	<2	81	60.1	3.91	741	<0.1
1752565	7	15	96.0	1.02	130	<0.1
1752566	6	439	91.9	19.31	5191	<0.1
1752567	9	64	90.4	5.72	579	<0.1
1752568	9	8	111	1.96	46	<0.1
1752569	5	4	89.6	3.06	36	<0.1
1752570	156	113	105	0.68	2116	0.9
1752571	2	9	85.2	15.41	58	<0.1
1752572	2	4	121	4.36	37	<0.1
1752573	2	3	75.1	1.91	69	<0.1
1752574	5	2	76.6	0.89	15	<0.1
1752575	5	3	68.0	3.02	14	<0.1
1752576	7	2	60.5	1.55	19	<0.1
1752577	6	2	79.2	1.71	15	<0.1
1752578	5	2	68.6	0.48	4	<0.1
1752579	3	2	88.3	0.39	5	<0.1
1752580	19	43	50.0	0.04	<1	2.3
*Std OREAS 601b	11	325	170	52.18	289	2.3
*Rep 1752569	5	3	91.4	3.05	35	<0.1
*Blk BLANK	<2	<1	<0.5	0.02	<1	<0.1
*Std OREAS 905	8	134	230	-	-	-

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	193	2.55	38.24	46.4	<1	1.52
1752564	406	6.39	14.30	119	<1	0.86
1752565	63.24	0.88	21.30	36.8	<1	0.97
1752566	2647	28.50	23.50	205	<1	1.00
1752567	531	4.25	22.17	140	<1	0.98
1752568	87.04	0.40	35.17	73.4	<1	1.30
1752569	101	0.18	40.55	225	<1	1.14
1752570	4.53	0.19	29.51	32.8	2	4.37
1752571	778	0.22	23.13	248	<1	1.07
1752572	233	0.09	38.22	172	<1	1.26
1752573	69.68	0.32	17.87	72.2	<1	0.94
1752574	35.02	0.22	25.28	40.5	<1	0.94
1752575	54.77	0.14	26.65	61.2	<1	0.71
1752576	44.88	0.14	14.49	183	<1	0.67
1752577	37.42	0.10	41.51	37.8	<1	1.01
1752578	9.88	0.04	53.08	16.3	<1	1.11
1752579	7.72	0.05	54.20	14.6	<1	0.92
1752580	0.07	<0.02	119	3.1	3	3.92
*Std OREAS 601b	17.32	2.16	70.24	2.6	6	2.72
*Rep 1752569	102	0.17	39.77	216	<1	1.16
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	0.97	0.73	2.5	8.4	1.82	0.30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752564	0.56	0.21	1.0	4.7	1.81	0.18
1752565	0.77	0.34	1.4	8.0	2.82	0.22
1752566	0.81	0.38	1.4	7.2	2.76	0.23
1752567	0.74	0.42	1.5	8.6	2.69	0.21
1752568	0.99	0.62	2.0	14.3	3.24	0.28
1752569	0.88	0.71	2.2	9.0	2.73	0.24
1752570	2.21	1.45	4.9	15.5	2.91	0.84
1752571	0.76	0.38	1.5	3.7	2.48	0.22
1752572	1.03	0.56	2.0	3.4	3.35	0.29
1752573	0.75	0.26	1.0	6.3	2.14	0.22
1752574	0.67	0.37	1.4	2.4	2.20	0.20
1752575	0.52	0.40	1.2	5.2	1.85	0.15
1752576	0.51	0.30	1.0	8.0	1.77	0.15
1752577	0.67	0.64	1.8	10.8	2.25	0.20
1752578	0.62	0.79	2.4	7.5	1.87	0.19
1752579	0.67	0.77	2.1	4.2	2.36	0.19
1752580	2.26	1.13	4.6	18.5	1.97	0.77
*Std OREAS 601b	0.90	0.96	4.2	23.0	5.33	0.40
*Rep 1752569	0.86	0.69	2.2	8.0	2.61	0.24
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	0.12	17.7	0.18	16.54	1.0	17.8
1752564	0.35	7.1	0.12	37.19	0.7	5.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752565	0.12	11.0	0.18	13.41	1.1	8.3
1752566	2.37	12.0	0.19	260	0.7	9.3
1752567	0.33	10.3	0.18	31.94	0.9	9.4
1752568	0.23	16.3	0.23	31.88	1.4	14.7
1752569	0.15	19.4	0.19	28.77	0.9	17.2
1752570	0.08	15.8	0.27	4.19	13.7	18.6
1752571	0.20	11.5	0.17	29.39	0.8	9.5
1752572	0.10	19.5	0.24	17.93	1.0	15.2
1752573	0.05	8.9	0.16	27.41	0.7	7.1
1752574	0.06	13.0	0.15	12.40	0.9	10.0
1752575	0.04	13.5	0.11	26.63	0.8	10.6
1752576	0.06	6.9	0.11	20.40	0.6	6.5
1752577	0.02	21.3	0.14	26.80	0.9	16.8
1752578	<0.02	28.4	0.11	11.72	0.7	20.3
1752579	<0.02	28.7	0.14	16.48	1.0	20.9
1752580	0.03	48.8	0.29	4.77	15.8	35.5
*Std OREAS 601b	0.50	35.1	0.08	5.30	14.6	29.8
*Rep 1752569	0.16	19.0	0.19	28.71	0.8	16.8
*Blk BLANK	<0.02	<0.1	<0.01	0.08	<0.1	<0.1

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	445	4.60	0.6	17.20	3.2	69
1752564	152	1.60	0.3	37.18	1.6	155
1752565	249	2.31	0.3	7.51	2.7	37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752566	303	2.56	0.2	897	2.4	314
1752567	334	2.57	0.4	22.70	2.4	96
1752568	434	4.13	0.2	4.06	3.4	63
1752569	595	4.72	0.3	5.51	2.7	61
1752570	14.0	4.39	20.0	4.99	16.4	4
1752571	255	2.61	<0.2	10.49	2.0	100
1752572	225	4.25	0.2	3.14	3.1	62
1752573	124	2.01	0.6	3.47	2.0	88
1752574	77.0	2.80	1.0	0.79	2.0	22
1752575	66.9	2.95	1.1	0.57	1.6	24
1752576	114	1.74	2.3	1.32	1.6	52
1752577	74.1	4.75	0.9	0.86	2.0	30
1752578	71.0	5.73	0.7	0.58	1.8	25
1752579	71.9	5.93	0.4	0.89	2.3	20
1752580	22.2	10.38	209	0.16	4.9	<2
*Std OREAS 601b	333	8.23	98.8	23.87	3.6	10
*Rep 1752569	588	4.60	0.3	5.85	2.7	55
*Blk BLANK	0.6	<0.05	<0.2	<0.05	<0.5	<2

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	3.5	3.9	0.08	0.30	121	4.3
1752564	1.2	7.5	0.06	0.15	287	3.3
1752565	1.7	4.2	0.08	0.19	46.15	4.6
1752566	1.9	15.2	<0.05	0.18	>1000	4.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752567	1.9	6.7	0.06	0.19	539	4.0
1752568	2.8	7.8	0.09	0.25	22.97	5.8
1752569	3.2	5.6	0.07	0.25	18.00	6.3
1752570	4.7	1.5	0.91	0.73	3.52	3.2
1752571	1.8	9.5	0.07	0.20	143	4.4
1752572	2.7	8.8	0.08	0.24	31.08	7.1
1752573	1.3	4.8	0.06	0.14	83.75	3.8
1752574	1.8	3.5	0.06	0.18	27.83	4.5
1752575	1.9	2.5	0.05	0.14	6.79	4.8
1752576	1.3	3.5	0.05	0.12	11.68	3.1
1752577	3.0	2.4	0.07	0.20	26.75	7.1
1752578	3.6	1.4	<0.05	0.25	18.20	8.5
1752579	3.5	1.7	0.07	0.21	13.57	8.9
1752580	5.9	1.8	1.11	0.69	0.36	18.1
*Std OREAS 601b	5.6	3.7	1.16	0.58	15.93	12.3
*Rep 1752569	3.2	5.0	0.06	0.25	19.12	6.4
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	0.06	<0.2

Element	@Tl	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752563	0.23	0.15	0.94	0.8	7.3	1.1
1752564	0.18	0.09	0.87	0.8	3.6	0.8
1752565	0.10	0.14	1.24	1.0	5.0	1.1
1752566	0.20	0.14	1.20	1.8	4.8	1.1
1752567	0.15	0.13	1.20	1.0	4.7	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752568	0.19	0.18	1.44	1.8	6.6	1.3
1752569	0.32	0.15	1.20	1.0	5.5	1.1
1752570	0.13	0.30	1.06	3.6	19.4	1.8
1752571	0.35	0.14	1.08	0.9	4.8	1.0
1752572	0.21	0.18	1.40	0.9	6.4	1.4
1752573	0.25	0.13	0.95	0.5	4.9	1.0
1752574	0.19	0.12	1.14	0.5	4.3	0.9
1752575	0.18	0.09	0.77	0.5	3.3	0.7
1752576	0.29	0.09	0.70	0.4	3.2	0.7
1752577	0.14	0.10	0.87	0.5	4.2	0.8
1752578	0.05	0.10	0.74	0.4	3.9	0.7
1752579	0.04	0.12	0.90	0.5	4.3	0.9
1752580	0.75	0.31	3.75	0.4	20.3	2.0
*Std OREAS 601b	1.50	0.10	4.62	6.1	11.4	0.6
*Rep 1752569	0.31	0.15	1.20	0.9	5.3	1.1
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1

Element	Cu	@S
Method	GO_ICP42Q100	GE_CSA06V
Lower Limit	0.01	0.005
Upper Limit	30	30
Unit	%	%
1752563	-	11.224
1752564	-	>30.000
1752565	-	6.751
1752566	3.04	19.533
1752567	-	13.718
1752568	-	12.632

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/ Hole
 B21C-015/ 18 Core (RUSH)
 Number of Samples 18

ANALYSIS REPORT BBM21-11904

Element	Cu	@S
Method	GO_ICP42Q100	GE_CSA06V
Lower Limit	0.01	0.005
Upper Limit	30	30
Unit	%	%
1752569	-	14.619
1752571	-	19.597
1752572	-	16.333
1752573	-	21.440
1752574	-	7.938
1752575	-	9.060
1752576	-	22.749
1752577	-	9.263
1752578	-	6.424
*Rep 1752578	-	6.445
*Std OREAS 134a	-	19.149
*Blk BLANK	-	0.005
*Rep 1752566	3.06	-
*Blk BLANK	<0.01	-
*Std OREAS 624	3.10	-
*Rep 1752569	-	14.619
*Std OREAS 134a	-	18.923
*Blk BLANK	-	<0.005
*Blk BLANK	-	0.011
*Std HCC-1	-	>30.000

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-12502

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	30-Aug-2021
Project	The Brewer Gold Project	Date Analysed	10-Sep-2021 - 28-Oct-2021
Submission Number	*SD* PANCON_RESOURCES /Hole	Date Completed	29-Oct-2021
B21C-015/162 CORE(1-76)		SGS Order Number	BBM21-12502
Number of Samples	76		

Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
71	G_PRP	Combined Sample Preparation
76	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
69	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
69	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
69	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
10	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752501	1.23	0.026	4.02	83	0.03	13
1752502	4.27	0.036	1.70	80	0.01	2
1752503	3.96	0.033	0.27	65	<0.01	5
1752504	3.46	0.385	0.16	74	<0.01	7
1752505	4.55	0.432	0.07	120	<0.01	12
1752506	5.19	0.205	0.07	15	<0.01	10
1752507	5.13	0.069	0.05	11	<0.01	16
1752508	4.61	0.254	0.08	7	<0.01	12
1752509	5.73	0.167	0.90	50	0.01	6
1752510	0.06	0.754	-	-	-	-
1752511	3.75	0.311	1.92	68	0.01	7
1752512	3.44	0.316	1.39	43	<0.01	6
1752513	2.52	0.651	4.44	182	0.04	3
1752514	4.39	0.729	13.05	971	0.07	7
1752515	5.52	0.147	8.29	534	0.06	2
1752516	4.69	0.169	8.18	443	0.07	4
1752517	4.62	0.410	10.35	622	0.05	7
1752518	3.26	0.122	5.14	944	0.04	8
1752519	3.02	0.079	5.38	1013	0.02	12
1752520	2.29	<0.005	-	-	-	-
1752521	4.56	0.023	8.15	899	0.04	126
1752522	4.78	0.042	4.67	825	0.03	4
1752523	3.15	0.017	5.40	1678	0.05	3
1752524	5.89	0.045	8.97	5261	0.08	4
1752525	5.05	0.038	4.84	762	0.04	3
1752526	4.85	0.052	3.63	842	0.04	3
1752527	3.66	0.041	4.43	832	0.04	3
1752528	5.26	0.025	5.15	813	0.04	11
1752529	6.14	0.038	5.93	1428	0.06	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752530	-	0.047	-	-	-	-
1752531	3.30	0.011	3.74	2052	0.06	4
1752532	4.54	0.148	3.56	598	0.03	4
1752533	4.35	0.054	2.12	878	0.03	6
1752534	4.51	0.024	4.23	2582	0.03	3
1752535	3.33	0.026	2.73	192	0.02	7
1752536	4.77	0.372	2.62	380	0.03	8
1752537	4.99	0.434	4.40	99	0.04	7
1752538	5.46	0.307	3.42	346	0.04	9
1752539	4.75	0.519	4.46	118	0.04	6
1752540	0.08	8.025	-	-	-	-
1752541	6.15	0.507	2.97	87	0.04	14
1752542	3.01	0.225	3.96	1948	0.07	11
1752543	5.87	0.460	4.44	174	0.04	12
1752544	6.06	0.630	5.14	366	0.03	9
1752545	6.11	0.876	5.37	81	0.03	12
1752546	5.25	0.727	5.75	79	0.04	14
1752547	4.45	0.660	1.39	219	0.04	15
1752548	4.30	0.362	0.95	276	0.02	13
1752549	5.31	0.292	0.49	294	0.02	26
1752550	2.42	<0.005	-	-	-	-
1752551	5.09	0.215	1.07	235	0.02	31
1752552	4.45	0.192	4.08	285	0.03	10
1752553	3.60	0.129	4.79	333	0.02	9
1752554	5.23	0.167	3.29	277	0.03	14
1752555	5.70	0.193	3.74	144	0.03	21
1752556	4.42	0.359	3.62	77	0.03	14
1752557	4.86	0.468	3.74	109	0.02	11
1752558	4.27	0.556	0.91	151	0.03	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752559	4.68	0.498	3.06	143	0.04	10
1752560	-	0.586	-	-	-	-
1752561	3.48	0.338	3.47	80	0.05	21
1752562	3.27	1.933	3.08	85	0.04	17
1752581	4.02	0.618	0.63	110	0.02	25
1752582	5.25	0.388	1.57	158	0.02	20
1752583	4.61	0.191	0.36	53	0.01	29
1752584	3.81	0.343	2.84	223	0.03	17
1752585	4.02	0.199	5.98	69	0.02	18
1752586	5.01	0.211	4.39	203	0.02	16
1752587	5.08	0.114	4.31	219	0.01	14
1752588	4.07	0.204	4.20	170	0.01	13
1752589	3.98	0.168	3.68	240	0.02	19
1752590	-	0.157	-	-	-	-
1752591	4.22	0.117	3.10	482	0.03	15
1752592	5.63	0.076	5.11	909	0.02	16
1752593	4.96	0.183	5.07	152	0.04	14
1752594	4.58	0.101	4.92	523	0.05	20
*Dup 1752539	-	0.526	5.52	321	0.04	5
*Std OREAS 905	-	-	7.35	2611	0.56	13
*Std OREAS 601b	-	-	6.40	1082	0.86	18
*Blk BLANK	-	-	0.01	2	<0.01	1
*Rep 1752539	-	-	4.23	175	0.04	6
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.441	-	-	-	-
*Rep 1752523	-	0.019	-	-	-	-
*Std SN106	-	8.769	-	-	-	-
*Rep 1752537	-	0.442	-	-	-	-
*Blk BLANK	-	0.008	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Rep 1752555	-	0.195	-	-	-	-
*Rep 1752543	-	-	4.58	177	0.04	10
*Std OREAS 601b	-	-	6.40	384	0.84	22
*Std OREAS 905	-	-	7.58	2675	0.60	15
*Blk BLANK	-	-	<0.01	1	<0.01	<1
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.632	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.203	-	-	-	-
*Std SN106	-	8.534	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 507	-	0.175	-	-	-	-

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752501	33.9	1.49	0.22	6	0.02	26
1752502	10.9	0.59	0.23	<1	<0.01	17
1752503	5.3	0.66	0.04	<1	<0.01	31
1752504	18.2	1.65	0.03	<1	<0.01	18
1752505	23.8	0.88	0.02	<1	<0.01	26
1752506	13.4	0.81	0.02	<1	<0.01	19
1752507	6.1	0.48	0.02	<1	<0.01	21
1752508	14.7	1.19	0.03	<1	<0.01	26
1752509	19.8	1.62	0.31	<1	<0.01	17
1752511	7.3	0.73	0.70	<1	<0.01	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752512	5.9	0.26	0.42	<1	<0.01	15
1752513	10.1	0.51	0.82	<1	<0.01	15
1752514	54.9	3.05	0.88	6	<0.01	21
1752515	22.5	0.40	0.85	2	<0.01	16
1752516	72.6	0.70	0.94	2	<0.01	12
1752517	212	2.43	1.77	4	<0.01	16
1752518	161	1.42	0.65	2	<0.01	11
1752519	739	1.42	0.56	3	<0.01	16
1752521	143	2.94	0.48	5	0.02	11
1752522	15.2	0.45	0.38	2	<0.01	15
1752523	11.5	0.33	0.30	2	<0.01	18
1752524	14.0	0.85	0.36	3	<0.01	20
1752525	16.3	0.76	0.11	1	<0.01	16
1752526	30.2	0.56	0.05	<1	<0.01	13
1752527	33.5	0.63	0.04	1	<0.01	17
1752528	49.7	0.80	0.15	1	<0.01	15
1752529	58.0	1.21	0.13	2	<0.01	18
1752531	23.3	0.48	0.18	<1	<0.01	16
1752532	19.5	0.44	0.09	<1	<0.01	14
1752533	7.8	0.28	0.06	<1	<0.01	19
1752534	7.5	0.18	0.43	1	<0.01	12
1752535	7.2	1.03	0.31	<1	<0.01	18
1752536	234	2.40	0.15	<1	<0.01	14
1752537	370	5.38	0.04	<1	<0.01	19
1752538	185	3.02	0.02	<1	<0.01	16
1752539	271	3.96	0.02	<1	<0.01	18
1752541	489	3.60	0.03	<1	<0.01	21
1752542	199	0.52	0.22	<1	<0.01	19
1752543	732	3.14	0.01	<1	<0.01	22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752544	399	3.90	<0.01	<1	<0.01	26
1752545	858	4.37	<0.01	<1	<0.01	23
1752546	879	4.02	<0.01	<1	<0.01	28
1752547	673	3.58	<0.01	<1	<0.01	17
1752548	512	4.31	<0.01	<1	<0.01	21
1752549	205	4.39	<0.01	<1	<0.01	21
1752551	191	6.07	0.01	<1	<0.01	22
1752552	259	5.04	<0.01	<1	<0.01	21
1752553	183	3.61	0.01	<1	<0.01	20
1752554	178	3.30	0.01	<1	<0.01	22
1752555	318	3.62	0.12	<1	<0.01	19
1752556	584	4.45	0.06	<1	<0.01	23
1752557	919	3.97	0.03	<1	<0.01	20
1752558	1263	5.14	0.03	<1	<0.01	25
1752559	1418	7.79	0.01	<1	<0.01	19
1752561	557	5.92	0.03	<1	<0.01	20
1752562	4984	7.95	0.01	<1	<0.01	27
1752581	104	3.51	0.03	<1	<0.01	47
1752582	220	4.03	0.02	<1	<0.01	40
1752583	55.9	4.75	<0.01	<1	<0.01	49
1752584	552	3.67	0.19	<1	<0.01	31
1752585	189	6.10	0.37	<1	<0.01	22
1752586	113	5.14	0.26	<1	<0.01	30
1752587	62.8	3.65	0.76	<1	<0.01	32
1752588	39.6	5.80	0.25	<1	<0.01	30
1752589	50.3	4.16	0.04	<1	<0.01	20
1752591	84.3	2.60	0.17	<1	<0.01	20
1752592	51.5	2.00	0.55	<1	<0.01	26
1752593	270	3.28	0.05	<1	<0.01	25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752594	385	3.30	0.02	<1	<0.01	26
*Dup 1752539	303	3.89	0.02	<1	<0.01	21
*Std OREAS 905	1503	4.10	2.91	20	0.26	378
*Std OREAS 601b	992	2.31	2.42	22	0.09	222
*Blk BLANK	0.7	<0.01	<0.01	<1	<0.01	<2
*Rep 1752539	276	3.85	0.02	<1	<0.01	18
*Rep 1752543	779	3.22	<0.01	<1	<0.01	23
*Std OREAS 601b	978	2.22	2.26	21	0.09	206
*Std OREAS 905	1591	4.20	2.91	21	0.27	378
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752501	0.05	9	0.02	0.06	162	0.11
1752502	0.03	2	0.02	0.02	150	0.06
1752503	<0.01	3	<0.01	<0.01	25.9	0.07
1752504	<0.01	<1	<0.01	0.12	21.9	0.13
1752505	<0.01	2	<0.01	0.15	12.8	0.15
1752506	0.01	2	<0.01	<0.01	4.1	0.14
1752507	0.01	1	<0.01	<0.01	2.7	0.19
1752508	<0.01	2	<0.01	0.43	4.2	0.11
1752509	0.03	<1	0.02	0.25	104	0.11
1752511	0.06	1	0.02	0.03	160	0.10
1752512	0.04	<1	0.02	0.02	90.3	0.13
1752513	0.10	1	0.07	0.09	495	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752514	0.28	3	0.18	2.60	1612	0.15
1752515	0.14	1	0.13	0.45	1313	0.08
1752516	0.15	2	0.14	0.81	1599	0.07
1752517	0.40	2	0.17	2.60	1373	0.13
1752518	0.16	1	0.12	1.53	905	0.17
1752519	0.26	2	0.06	1.13	392	0.07
1752521	0.29	38	0.05	0.09	190	0.72
1752522	0.14	1	0.07	0.08	539	0.12
1752523	0.09	2	0.17	0.14	1002	0.12
1752524	0.08	2	0.27	0.31	1785	0.16
1752525	0.04	1	0.09	0.34	835	0.08
1752526	0.03	1	0.08	0.59	735	0.09
1752527	0.03	1	0.08	0.63	732	0.11
1752528	0.04	1	0.08	0.84	835	0.15
1752529	0.04	1	0.12	1.30	1197	0.13
1752531	0.05	1	0.11	0.55	1109	0.12
1752532	0.03	<1	0.06	0.32	523	0.13
1752533	0.02	1	0.05	0.10	458	0.09
1752534	0.06	<1	0.07	0.18	594	0.08
1752535	0.04	1	0.04	0.13	301	0.07
1752536	0.03	2	0.09	2.53	315	0.05
1752537	0.02	4	0.09	>5.00	701	0.04
1752538	0.02	2	0.07	3.37	640	0.07
1752539	0.02	2	0.09	4.42	653	0.07
1752541	0.02	6	0.06	3.67	557	0.09
1752542	0.05	2	0.12	0.58	1132	0.11
1752543	0.01	5	0.11	3.33	929	0.06
1752544	0.01	4	0.07	3.88	772	0.06
1752545	0.01	5	0.07	4.38	774	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752546	0.02	6	0.10	4.23	989	0.06
1752547	0.01	4	0.07	3.83	740	0.06
1752548	0.01	5	0.03	4.32	220	0.05
1752549	0.01	5	0.05	4.12	433	0.05
1752551	0.01	6	0.05	>5.00	460	0.04
1752552	0.01	4	0.06	>5.00	548	0.05
1752553	0.01	4	0.05	3.97	450	0.07
1752554	0.02	4	0.06	3.36	644	0.07
1752555	0.04	4	0.06	3.79	633	0.09
1752556	0.02	5	0.05	4.82	487	0.07
1752557	0.02	4	0.04	4.20	341	0.07
1752558	0.02	7	0.04	>5.00	253	0.08
1752559	0.02	11	0.07	>5.00	559	0.06
1752561	0.02	9	0.10	>5.00	795	0.08
1752562	0.02	14	0.08	>5.00	615	0.06
1752581	0.02	11	0.03	3.18	232	0.02
1752582	0.01	10	0.05	3.86	306	0.03
1752583	0.01	7	0.03	1.59	121	0.01
1752584	0.03	6	0.09	3.44	364	0.05
1752585	0.05	5	0.06	>5.00	509	0.06
1752586	0.04	6	0.04	>5.00	357	0.06
1752587	0.10	6	0.03	3.70	207	0.03
1752588	0.04	5	0.03	>5.00	222	0.04
1752589	0.02	4	0.05	4.46	459	0.05
1752591	0.03	3	0.06	2.71	567	0.07
1752592	0.08	3	0.06	1.83	457	0.07
1752593	0.02	4	0.09	3.49	792	0.09
1752594	0.02	4	0.09	3.39	749	0.07
*Dup 1752539	0.02	2	0.10	4.33	726	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 905	2.28	8	0.03	0.07	156	0.12
*Std OREAS 601b	1.80	6	0.03	1.48	243	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep 1752539	0.02	2	0.09	4.41	660	0.07
*Rep 1752543	0.01	5	0.11	3.34	943	0.06
*Std OREAS 601b	1.84	6	0.03	1.45	225	0.12
*Std OREAS 905	2.48	9	0.03	0.09	154	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.8	<0.01

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	37	4	99.0	0.12	18	0.2
1752502	15	1	93.0	0.11	4	<0.1
1752503	5	1	26.4	<0.02	2	<0.1
1752504	9	1	98.5	0.38	11	<0.1
1752505	8	<1	101	0.60	10	<0.1
1752506	7	1	74.4	0.09	6	<0.1
1752507	11	1	96.9	0.09	4	<0.1
1752508	6	1	69.3	0.80	5	<0.1
1752509	14	<1	68.6	0.32	6	<0.1
1752511	21	<1	60.6	0.10	3	<0.1
1752512	15	<1	61.2	0.05	3	<0.1
1752513	30	2	77.6	0.10	4	0.1
1752514	45	<1	152	1.57	15	0.2
1752515	50	<1	99.0	0.29	3	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752516	55	2	99.4	0.32	3	0.1
1752517	69	4	149	0.83	7	0.2
1752518	37	3	187	0.14	4	0.1
1752519	35	4	114	0.16	5	0.2
1752521	164	5	38.8	0.17	9	0.7
1752522	31	<1	148	0.06	3	0.2
1752523	28	3	151	0.04	2	0.2
1752524	41	2	201	0.04	4	0.2
1752525	25	<1	119	0.14	2	<0.1
1752526	20	<1	107	0.04	2	<0.1
1752527	22	2	129	0.04	2	<0.1
1752528	30	1	147	0.03	2	<0.1
1752529	28	<1	142	0.08	3	<0.1
1752531	29	<1	86.3	0.05	1	<0.1
1752532	25	<1	105	0.10	5	<0.1
1752533	12	<1	80.0	0.08	3	<0.1
1752534	43	<1	123	0.09	2	<0.1
1752535	31	2	108	0.08	4	<0.1
1752536	19	2	110	0.24	24	<0.1
1752537	13	2	101	0.73	40	<0.1
1752538	15	<1	98.0	0.33	18	<0.1
1752539	17	<1	110	0.50	25	<0.1
1752541	17	2	103	0.52	33	<0.1
1752542	39	2	100.0	0.32	16	<0.1
1752543	19	2	92.0	0.60	18	<0.1
1752544	19	2	100	0.42	10	<0.1
1752545	17	<1	93.1	0.94	11	<0.1
1752546	20	2	80.0	0.86	26	<0.1
1752547	7	3	70.1	0.86	14	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752548	3	1	68.9	0.81	11	<0.1
1752549	3	2	61.0	0.62	7	<0.1
1752551	3	<1	56.6	0.30	8	<0.1
1752552	10	1	81.7	0.35	7	<0.1
1752553	17	1	91.0	0.21	7	<0.1
1752554	14	2	73.9	0.26	9	<0.1
1752555	27	2	88.7	0.40	19	<0.1
1752556	20	5	86.0	0.64	46	<0.1
1752557	16	14	91.3	0.97	129	<0.1
1752558	8	23	95.9	1.27	204	<0.1
1752559	13	28	89.3	1.48	253	<0.1
1752561	16	10	92.9	0.67	90	<0.1
1752562	11	79	90.5	4.72	813	<0.1
1752581	3	2	61.5	0.20	7	<0.1
1752582	4	2	64.1	0.38	7	<0.1
1752583	2	3	43.8	0.58	4	<0.1
1752584	12	2	107	0.75	5	<0.1
1752585	26	1	115	0.33	8	<0.1
1752586	17	<1	96.1	0.27	4	<0.1
1752587	36	2	73.2	0.10	5	<0.1
1752588	15	1	96.2	0.12	4	<0.1
1752589	6	<1	105	0.16	5	<0.1
1752591	12	<1	109	0.16	4	<0.1
1752592	30	1	100	0.08	3	<0.1
1752593	14	<1	131	0.29	6	<0.1
1752594	13	1	92.3	0.27	9	<0.1
*Dup 1752539	22	<1	125	0.48	27	<0.1
*Std OREAS 905	7	133	245	0.48	33	3.1
*Std OREAS 601b	10	313	177	50.18	284	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<2	2	<0.5	0.04	<1	<0.1
*Rep 1752539	16	1	110	0.47	25	<0.1
*Rep 1752543	20	2	93.2	0.66	18	<0.1
*Std OREAS 601b	10	295	174	48.01	261	2.2
*Std OREAS 905	8	138	247	0.55	35	3.4
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	10.21	<0.02	30.50	0.8	<1	0.81
1752502	8.66	<0.02	22.97	0.5	<1	0.63
1752503	27.51	0.02	3.41	0.2	<1	0.25
1752504	74.00	<0.02	2.06	0.1	<1	0.41
1752505	66.71	<0.02	1.31	0.3	<1	0.76
1752506	42.73	<0.02	0.76	0.1	<1	0.25
1752507	38.26	<0.02	0.47	0.1	<1	0.31
1752508	61.99	<0.02	0.47	0.4	<1	0.23
1752509	40.67	<0.02	14.42	0.2	<1	0.29
1752511	125	<0.02	16.21	<0.1	<1	0.33
1752512	100	<0.02	7.96	0.1	<1	0.25
1752513	228	0.02	34.93	0.1	<1	0.63
1752514	186	0.09	76.54	1.2	<1	1.27
1752515	43.35	<0.02	69.55	0.4	<1	1.05
1752516	38.15	<0.02	87.77	0.7	<1	0.96
1752517	81.07	<0.02	107	0.8	1	1.73

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752518	42.14	<0.02	119	0.5	<1	1.80
1752519	17.19	<0.02	59.92	0.6	<1	1.16
1752521	4.28	<0.02	32.37	1.0	<1	2.46
1752522	9.55	<0.02	58.46	0.1	<1	1.15
1752523	10.83	0.02	69.25	0.2	<1	1.21
1752524	27.45	<0.02	103	0.2	<1	1.70
1752525	6.83	<0.02	127	0.2	<1	0.88
1752526	6.86	<0.02	101	0.3	<1	0.79
1752527	7.04	<0.02	116	0.2	<1	0.79
1752528	9.27	<0.02	104	0.3	<1	0.97
1752529	15.70	<0.02	119	0.3	<1	1.70
1752531	8.22	<0.02	68.52	0.5	<1	1.55
1752532	11.89	<0.02	55.41	0.4	<1	1.20
1752533	21.17	<0.02	43.36	0.1	<1	0.92
1752534	10.58	<0.02	46.21	0.1	<1	0.99
1752535	5.10	<0.02	21.27	0.1	<1	0.78
1752536	32.79	0.07	13.47	4.8	<1	0.98
1752537	100.00	0.08	37.88	11.7	<1	1.56
1752538	41.53	0.05	37.93	6.7	<1	1.42
1752539	54.31	0.04	58.76	9.5	<1	1.58
1752541	45.61	0.07	53.98	5.7	<1	1.33
1752542	42.90	0.02	106	1.5	<1	1.58
1752543	58.15	0.07	53.97	7.8	<1	1.12
1752544	37.38	0.11	61.13	8.6	<1	1.10
1752545	56.23	0.10	37.06	16.1	<1	1.08
1752546	60.88	0.14	41.88	16.3	<1	1.11
1752547	50.45	0.07	39.03	17.0	<1	1.09
1752548	20.89	0.07	15.32	14.3	<1	0.86
1752549	22.34	0.06	27.20	11.2	<1	0.83

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752551	12.54	0.05	27.18	13.7	<1	0.88
1752552	16.69	0.08	48.13	10.8	<1	1.11
1752553	12.14	0.07	49.17	8.9	<1	1.28
1752554	13.86	0.06	51.50	7.2	<1	1.44
1752555	24.81	0.09	54.19	8.6	<1	1.57
1752556	37.65	0.32	47.13	14.9	<1	1.44
1752557	51.55	0.93	41.38	14.9	<1	1.50
1752558	74.00	1.65	38.32	24.3	<1	1.61
1752559	88.06	1.87	46.17	28.4	<1	1.43
1752561	42.92	0.64	53.69	20.3	<1	1.63
1752562	272	4.47	47.19	49.3	<1	1.53
1752581	4.66	0.08	57.43	12.8	<1	0.69
1752582	9.56	0.06	79.21	16.1	<1	0.77
1752583	2.99	0.08	22.21	6.5	<1	0.75
1752584	19.43	0.04	62.20	8.5	<1	1.43
1752585	14.26	0.04	52.66	11.1	<1	1.24
1752586	14.08	0.04	46.20	10.3	<1	0.98
1752587	2.74	0.06	56.36	9.3	<1	0.72
1752588	3.94	0.05	52.83	10.9	<1	0.80
1752589	12.62	0.11	64.98	10.1	<1	1.15
1752591	15.36	0.04	49.51	12.3	<1	1.35
1752592	4.30	0.03	58.80	9.0	<1	1.40
1752593	19.08	0.03	59.18	11.7	<1	1.81
1752594	17.45	0.06	58.02	9.0	<1	1.50
*Dup 1752539	58.58	0.07	62.43	8.8	<1	1.67
*Std OREAS 905	5.81	0.34	91.18	15.7	7	3.43
*Std OREAS 601b	17.36	2.00	69.95	3.2	5	2.29
*Blk BLANK	<0.04	<0.02	0.11	<0.1	<1	<0.05
*Rep 1752539	56.64	0.06	57.11	9.4	<1	1.47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1752543	62.66	0.06	55.19	8.1	<1	1.18
*Std OREAS 601b	16.32	1.92	68.54	2.6	5	2.31
*Std OREAS 905	5.97	0.36	91.13	14.8	7	3.34
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	0.64	0.34	1.1	15.9	2.84	0.18
1752502	0.63	0.25	0.8	9.1	2.45	0.16
1752503	0.19	0.05	0.2	1.5	0.71	0.05
1752504	0.32	0.06	0.4	1.2	2.28	0.08
1752505	0.38	0.13	0.8	0.7	2.43	0.12
1752506	0.21	<0.05	0.1	0.6	1.86	0.06
1752507	0.32	<0.05	0.1	0.4	2.41	0.08
1752508	0.23	<0.05	0.1	0.9	1.71	0.06
1752509	0.23	0.14	0.5	7.8	1.53	0.06
1752511	0.19	0.21	0.8	16.1	1.48	0.05
1752512	0.18	0.11	0.4	11.6	1.52	0.05
1752513	0.27	0.44	1.6	35.3	1.99	0.09
1752514	0.38	0.89	3.2	109	3.86	0.15
1752515	0.26	0.90	3.0	74.3	2.59	0.11
1752516	0.20	1.04	3.4	74.5	2.36	0.10
1752517	0.79	1.55	5.0	83.6	4.15	0.28
1752518	1.03	1.54	4.9	33.1	5.33	0.31
1752519	0.78	0.92	2.8	36.2	3.16	0.24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752521	0.88	1.35	3.9	28.7	1.19	0.36
1752522	0.71	0.77	2.3	31.0	4.11	0.22
1752523	0.67	1.09	3.1	36.6	4.18	0.21
1752524	0.90	1.49	4.5	67.7	5.22	0.30
1752525	0.48	1.20	3.2	29.5	3.33	0.16
1752526	0.43	0.95	2.6	20.7	2.98	0.14
1752527	0.48	1.02	2.6	25.6	3.60	0.15
1752528	0.74	1.11	2.9	32.5	4.18	0.20
1752529	1.25	1.59	4.4	35.9	4.10	0.36
1752531	0.89	1.34	3.8	23.2	2.45	0.27
1752532	0.77	0.71	2.4	24.8	3.06	0.23
1752533	0.54	0.66	2.2	15.7	1.68	0.17
1752534	0.55	0.72	2.6	39.4	3.36	0.17
1752535	0.52	0.36	1.3	26.8	2.85	0.14
1752536	0.70	0.30	1.2	21.9	2.69	0.20
1752537	0.94	0.69	2.6	45.0	2.81	0.29
1752538	1.04	0.63	2.0	46.3	2.70	0.29
1752539	1.23	0.87	2.5	59.8	3.20	0.35
1752541	1.17	0.80	2.3	28.8	2.98	0.37
1752542	1.24	1.72	4.3	35.1	3.20	0.41
1752543	0.92	0.91	2.4	38.2	2.76	0.29
1752544	1.02	0.78	2.0	42.5	2.98	0.31
1752545	0.93	0.61	1.8	44.1	2.77	0.28
1752546	0.84	0.76	2.3	49.1	2.42	0.27
1752547	0.79	0.63	2.1	12.1	1.95	0.27
1752548	0.75	0.24	0.8	8.1	1.97	0.24
1752549	0.68	0.41	1.4	4.2	1.69	0.22
1752551	0.69	0.42	1.4	8.2	1.57	0.22
1752552	1.02	0.57	1.8	23.0	2.45	0.32

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752553	1.17	0.62	1.9	24.5	2.84	0.37
1752554	1.13	0.83	2.4	15.2	2.24	0.36
1752555	1.19	1.02	2.8	16.5	2.69	0.40
1752556	1.11	0.90	2.5	17.0	2.58	0.36
1752557	1.19	0.72	2.0	17.9	2.69	0.39
1752558	1.19	0.73	2.4	5.1	2.82	0.40
1752559	1.03	0.81	2.5	18.5	2.53	0.35
1752561	1.06	0.92	3.0	20.5	2.72	0.37
1752562	1.07	0.82	2.8	19.2	2.71	0.36
1752581	0.45	0.75	2.2	2.4	1.84	0.16
1752582	0.49	1.02	2.9	6.8	1.90	0.18
1752583	0.39	0.45	1.6	1.6	1.22	0.15
1752584	0.96	0.94	3.0	12.7	2.90	0.34
1752585	1.04	0.62	1.9	25.6	3.44	0.33
1752586	0.94	0.55	1.6	14.7	2.97	0.29
1752587	0.71	0.65	1.7	14.1	2.40	0.22
1752588	0.78	0.62	1.7	12.7	3.03	0.25
1752589	1.07	0.89	2.4	12.4	3.46	0.32
1752591	1.12	0.74	2.1	11.3	3.51	0.37
1752592	1.15	0.82	2.4	20.0	3.28	0.37
1752593	1.39	1.04	3.3	19.3	4.27	0.45
1752594	1.09	0.95	2.9	16.0	3.10	0.36
*Dup 1752539	1.27	0.91	2.6	73.0	3.44	0.36
*Std OREAS 905	1.00	1.36	6.0	26.4	7.03	0.49
*Std OREAS 601b	0.72	0.99	4.0	24.7	5.14	0.34
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep 1752539	1.14	0.86	2.4	57.0	3.02	0.32
*Rep 1752543	0.97	0.91	2.5	41.8	3.05	0.31
*Std OREAS 601b	0.76	0.90	3.8	21.5	5.23	0.39

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	1.07	1.24	5.7	25.6	7.42	0.56
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	0.06	15.2	0.15	11.11	3.8	10.3
1752502	0.03	11.3	0.16	3.94	1.8	7.8
1752503	<0.02	1.7	0.04	4.98	1.9	1.2
1752504	0.09	1.0	0.08	38.19	2.9	0.8
1752505	0.07	0.6	0.08	26.64	3.2	0.8
1752506	0.04	0.4	0.06	8.25	2.8	0.3
1752507	<0.02	0.2	0.08	5.75	3.7	0.2
1752508	<0.02	0.2	0.06	8.42	2.5	0.2
1752509	0.06	6.9	0.06	13.20	2.6	4.6
1752511	0.09	7.7	0.04	6.42	2.3	6.0
1752512	0.06	3.9	0.05	8.28	2.7	2.8
1752513	0.10	16.8	0.07	15.90	2.3	12.0
1752514	0.09	37.6	0.08	183	4.3	26.9
1752515	0.10	36.0	0.06	73.33	2.0	25.2
1752516	0.10	42.3	0.04	63.51	1.9	33.4
1752517	0.23	47.1	0.16	131	3.5	45.0
1752518	0.09	55.4	0.26	63.85	4.2	48.6
1752519	0.08	26.1	0.16	93.44	1.9	25.8
1752521	0.19	12.7	0.09	50.90	4.2	17.4
1752522	0.06	27.2	0.16	22.97	3.1	21.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752523	0.04	34.8	0.16	12.46	3.1	28.2
1752524	0.06	49.2	0.21	19.57	4.3	42.9
1752525	0.03	59.1	0.12	15.82	2.2	49.3
1752526	<0.02	46.1	0.11	14.20	2.3	42.9
1752527	<0.02	54.3	0.13	15.57	2.9	48.4
1752528	0.02	49.0	0.19	11.94	4.0	45.1
1752529	0.02	56.5	0.32	9.26	3.5	50.0
1752531	0.03	28.8	0.21	6.77	2.8	33.9
1752532	0.02	26.4	0.20	21.22	2.8	19.7
1752533	<0.02	21.2	0.13	12.90	1.5	16.8
1752534	0.07	23.8	0.14	10.22	2.4	16.3
1752535	0.05	11.5	0.13	9.07	2.0	7.2
1752536	0.02	6.7	0.16	7.06	1.5	5.4
1752537	<0.02	18.0	0.20	8.39	1.5	15.0
1752538	<0.02	17.6	0.23	5.22	2.1	14.9
1752539	<0.02	27.8	0.27	6.58	2.4	21.7
1752541	0.03	25.1	0.29	5.47	2.6	24.9
1752542	0.08	41.8	0.31	7.26	3.4	62.9
1752543	0.06	25.1	0.25	10.07	1.9	24.6
1752544	0.05	27.9	0.27	14.56	2.2	27.0
1752545	0.07	17.2	0.25	20.18	1.9	16.1
1752546	0.06	19.3	0.21	20.08	1.9	17.6
1752547	0.02	18.0	0.19	13.35	1.6	14.7
1752548	<0.02	7.1	0.18	7.51	1.5	6.1
1752549	<0.02	12.8	0.17	7.30	1.4	10.2
1752551	<0.02	12.5	0.16	6.90	1.2	10.5
1752552	<0.02	23.9	0.25	6.28	1.6	16.8
1752553	<0.02	23.3	0.29	5.81	2.3	21.3
1752554	<0.02	22.0	0.25	12.59	2.0	23.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752555	0.05	24.6	0.27	23.75	2.8	26.7
1752556	0.06	20.4	0.25	15.87	2.2	21.6
1752557	0.05	18.2	0.26	10.99	2.2	17.8
1752558	0.06	16.8	0.26	22.44	2.1	17.7
1752559	0.08	19.6	0.24	9.80	1.9	20.5
1752561	0.03	23.9	0.26	4.90	2.3	23.6
1752562	0.32	21.0	0.26	59.42	1.9	21.0
1752581	<0.02	31.4	0.12	6.49	0.8	21.4
1752582	<0.02	42.0	0.12	6.51	1.0	29.9
1752583	0.02	11.5	0.09	15.51	0.5	7.9
1752584	0.03	30.6	0.20	16.34	1.5	25.6
1752585	0.04	25.4	0.25	11.10	2.0	18.1
1752586	0.02	22.8	0.23	3.51	1.9	16.4
1752587	0.08	30.5	0.18	3.78	1.0	21.2
1752588	0.02	28.1	0.21	2.91	1.3	20.2
1752589	<0.02	33.6	0.28	25.06	1.7	25.7
1752591	0.05	23.3	0.28	46.93	2.1	18.7
1752592	0.10	30.5	0.27	11.81	2.2	23.1
1752593	0.05	27.3	0.37	6.15	2.7	25.0
1752594	0.06	27.0	0.27	4.12	2.2	24.0
*Dup 1752539	0.02	29.0	0.28	7.22	2.9	23.0
*Std OREAS 905	0.64	43.7	0.09	3.46	19.0	38.1
*Std OREAS 601b	0.47	34.1	0.06	5.26	15.8	28.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Rep 1752539	<0.02	26.8	0.25	6.57	2.1	21.1
*Rep 1752543	0.06	25.7	0.27	10.44	2.1	25.7
*Std OREAS 601b	0.45	34.2	0.07	5.01	15.0	28.4
*Std OREAS 905	0.66	44.0	0.10	3.40	19.3	38.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	@Pb GE_IMS40Q12	Pr GE_IMS40Q12	@Rb GE_IMS40Q12	@Sb GE_IMS40Q12	@Sc GE_IMS40Q12	@Se GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	52.5	3.05	7.0	2.50	5.4	<2
1752502	50.2	2.27	3.3	1.06	4.1	12
1752503	8.7	0.33	0.6	0.75	1.0	4
1752504	9.9	0.22	0.5	3.78	1.5	37
1752505	6.3	0.16	0.3	5.41	1.4	28
1752506	2.1	0.08	0.3	2.21	0.8	9
1752507	1.2	<0.05	0.2	1.46	1.1	8
1752508	2.5	0.05	0.3	1.80	0.9	37
1752509	65.6	1.42	3.4	1.63	1.6	22
1752511	105	1.70	7.5	1.01	2.4	14
1752512	68.2	0.80	4.7	0.63	2.1	9
1752513	312	3.49	9.7	0.70	3.1	7
1752514	892	8.14	11.3	3.15	2.1	116
1752515	620	7.13	11.1	0.61	2.9	14
1752516	695	9.56	12.6	0.50	3.3	20
1752517	584	12.49	24.7	0.98	7.5	55
1752518	370	13.66	9.6	1.23	8.4	28
1752519	154	6.91	9.2	0.88	5.4	21
1752521	123	3.93	12.5	1.72	20.2	10
1752522	217	5.95	6.6	1.01	7.4	8
1752523	363	7.62	5.5	1.41	7.0	4
1752524	710	11.51	6.0	2.07	8.9	14
1752525	386	13.70	1.7	0.65	5.4	10
1752526	327	11.83	0.7	0.58	4.4	7
1752527	320	13.47	0.7	0.71	5.2	8
1752528	382	12.15	2.5	1.13	6.4	11
1752529	581	13.66	2.1	1.51	7.9	18
1752531	558	8.15	3.1	1.02	6.4	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752532	284	5.58	1.5	3.65	7.1	7
1752533	260	4.46	0.8	1.19	5.1	4
1752534	347	4.54	6.4	1.17	6.2	3
1752535	190	2.03	4.2	1.66	5.1	12
1752536	153	1.43	2.1	14.60	4.5	28
1752537	328	3.98	0.8	27.17	4.6	65
1752538	328	4.05	0.3	10.84	4.1	31
1752539	317	6.03	0.3	15.57	4.8	48
1752541	257	6.54	0.6	8.00	3.8	35
1752542	572	14.55	3.8	4.58	4.0	12
1752543	402	6.40	<0.2	2.06	3.6	40
1752544	338	7.14	<0.2	1.79	4.1	37
1752545	352	4.18	<0.2	2.21	4.1	42
1752546	459	4.62	<0.2	5.38	3.8	43
1752547	329	4.06	<0.2	0.70	3.0	29
1752548	109	1.62	<0.2	0.51	3.0	31
1752549	192	2.76	<0.2	0.59	2.7	33
1752551	183	2.89	0.2	0.66	2.6	32
1752552	236	4.86	<0.2	0.87	4.2	23
1752553	207	5.68	0.2	1.53	4.7	16
1752554	271	5.78	<0.2	1.36	3.8	14
1752555	251	6.62	2.3	4.01	4.8	20
1752556	232	5.27	1.0	12.67	4.5	29
1752557	168	4.55	0.5	10.33	4.7	32
1752558	153	4.33	0.5	13.16	4.0	39
1752559	306	5.13	0.4	19.88	4.2	56
1752561	530	6.02	0.6	14.76	4.6	48
1752562	407	5.47	0.4	108	4.8	125
1752581	69.7	6.04	0.8	0.42	2.8	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752582	90.7	8.36	0.5	0.39	3.4	16
1752583	36.6	2.16	<0.2	0.17	3.0	19
1752584	97.9	7.01	3.4	0.56	6.0	20
1752585	243	5.17	6.0	0.57	7.2	34
1752586	154	4.62	4.5	0.52	5.5	21
1752587	78.4	6.02	14.5	0.87	5.8	13
1752588	85.6	5.64	5.0	0.41	5.4	19
1752589	160	7.09	0.8	0.49	5.2	16
1752591	225	5.10	3.3	0.65	5.3	10
1752592	162	6.36	10.3	0.51	6.5	8
1752593	284	6.55	0.8	1.88	7.8	12
1752594	281	6.63	0.3	3.35	5.9	11
*Dup 1752539	351	6.38	0.3	17.40	5.2	45
*Std OREAS 905	31.4	10.46	134	1.87	5.6	2
*Std OREAS 601b	297	7.84	100	23.16	3.8	10
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Rep 1752539	316	5.89	0.3	15.41	4.6	42
*Rep 1752543	434	6.58	<0.2	1.91	4.0	42
*Std OREAS 601b	293	7.69	93.1	21.89	3.7	9
*Std OREAS 905	33.7	10.21	142	2.00	5.7	3
*Blk BLANK	0.8	<0.05	<0.2	<0.05	<0.5	<2

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	1.6	3.3	0.25	0.13	7.30	6.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752502	1.3	4.4	0.10	0.10	2.61	3.9
1752503	0.2	4.1	0.08	<0.05	2.26	0.7
1752504	0.2	17.5	0.14	0.06	7.29	1.5
1752505	0.3	16.4	0.14	0.13	9.61	1.5
1752506	<0.1	5.2	0.06	<0.05	3.85	1.2
1752507	<0.1	12.0	0.16	<0.05	2.16	1.5
1752508	<0.1	6.2	0.09	<0.05	8.60	1.2
1752509	0.7	9.5	0.11	0.06	7.95	2.4
1752511	1.0	10.1	0.12	0.08	2.89	2.5
1752512	0.5	9.5	0.12	0.05	1.37	1.7
1752513	2.1	11.7	0.15	0.17	1.89	5.0
1752514	4.1	24.9	0.34	0.37	5.43	9.9
1752515	4.3	14.0	0.16	0.33	0.96	8.6
1752516	5.1	13.0	0.17	0.35	1.70	7.6
1752517	7.4	20.8	0.28	0.50	4.02	11.1
1752518	8.1	14.5	0.28	0.50	2.56	14.5
1752519	4.5	5.9	0.14	0.27	1.31	8.0
1752521	4.5	2.0	0.30	0.48	11.32	2.5
1752522	3.7	7.8	0.18	0.26	2.68	7.3
1752523	5.3	6.3	0.19	0.31	3.86	9.0
1752524	7.6	9.1	0.27	0.46	9.08	11.6
1752525	7.0	4.2	0.14	0.31	0.51	11.6
1752526	5.8	3.1	0.13	0.27	0.75	7.5
1752527	6.5	3.3	0.17	0.26	0.85	8.0
1752528	6.4	5.1	0.25	0.28	1.20	8.0
1752529	8.2	4.5	0.23	0.44	3.12	10.6
1752531	6.8	3.5	0.16	0.39	0.42	8.5
1752532	3.6	4.3	0.17	0.27	11.10	6.6
1752533	3.4	2.8	0.07	0.23	3.60	7.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752534	3.4	4.3	0.15	0.27	6.16	8.4
1752535	1.4	3.6	0.11	0.15	4.91	4.7
1752536	1.2	3.2	0.07	0.16	29.88	3.5
1752537	2.9	2.8	0.10	0.31	122	6.8
1752538	2.6	3.8	0.13	0.26	67.38	5.5
1752539	3.7	5.1	0.16	0.29	88.78	6.7
1752541	4.5	4.9	0.17	0.30	83.14	6.4
1752542	10.8	4.5	0.24	0.47	54.86	7.1
1752543	4.7	2.4	0.14	0.29	81.38	7.1
1752544	4.4	2.5	0.17	0.26	89.17	6.5
1752545	3.0	2.5	0.17	0.24	86.39	6.8
1752546	3.5	2.9	0.16	0.29	90.37	7.1
1752547	3.0	2.9	0.12	0.25	33.41	5.6
1752548	1.2	2.4	0.10	0.13	9.27	3.2
1752549	2.0	2.2	0.09	0.18	18.03	4.7
1752551	2.0	1.9	0.08	0.18	10.52	4.3
1752552	2.9	2.8	0.11	0.24	4.96	6.5
1752553	3.5	2.9	0.16	0.25	10.85	5.9
1752554	4.2	2.5	0.15	0.31	11.48	5.8
1752555	5.1	3.6	0.19	0.35	28.32	5.9
1752556	4.5	3.2	0.14	0.31	75.38	5.2
1752557	3.5	2.5	0.14	0.29	58.57	4.9
1752558	3.8	5.1	0.13	0.33	124	4.8
1752559	3.8	4.1	0.10	0.33	167	5.2
1752561	4.3	4.4	0.16	0.41	150	6.3
1752562	3.9	8.5	0.12	0.36	>1000	5.9
1752581	3.7	1.6	0.05	0.23	7.23	10.1
1752582	5.3	1.9	0.06	0.28	7.89	13.6
1752583	1.8	1.3	<0.05	0.19	18.39	3.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752584	4.6	2.9	0.09	0.35	19.37	11.3
1752585	3.0	3.5	0.14	0.26	12.03	8.8
1752586	2.7	2.2	0.14	0.20	19.81	7.7
1752587	3.5	3.1	0.07	0.18	12.59	8.8
1752588	3.3	1.9	0.09	0.18	6.32	9.3
1752589	4.5	2.5	0.13	0.26	12.97	9.4
1752591	3.5	3.8	0.15	0.28	11.90	5.8
1752592	4.2	3.8	0.17	0.30	6.94	7.9
1752593	5.0	4.2	0.22	0.42	17.82	7.2
1752594	4.5	2.9	0.19	0.37	21.63	5.5
*Dup 1752539	3.9	5.0	0.20	0.30	86.96	7.0
*Std OREAS 905	7.3	4.6	1.37	0.69	<0.05	15.1
*Std OREAS 601b	5.2	3.8	1.13	0.49	12.59	11.8
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1752539	3.6	3.9	0.14	0.28	87.25	6.6
*Rep 1752543	4.9	2.6	0.16	0.29	80.64	7.6
*Std OREAS 601b	5.4	3.8	1.19	0.55	13.64	12.3
*Std OREAS 905	7.7	4.9	1.45	0.80	0.99	16.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2

Element	@Ti	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752501	0.17	0.12	1.17	2.1	4.9	0.9
1752502	0.17	0.12	0.94	3.1	4.4	0.9
1752503	0.03	<0.05	0.29	2.2	1.3	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element Method	@TI GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752504	0.02	0.06	0.71	4.1	2.3	0.4
1752505	<0.02	0.06	0.78	4.2	2.8	0.5
1752506	<0.02	<0.05	0.50	3.7	1.6	0.3
1752507	<0.02	0.06	0.72	7.8	2.3	0.5
1752508	0.02	<0.05	0.50	3.3	1.7	0.3
1752509	0.23	<0.05	0.49	4.4	1.8	0.3
1752511	0.50	<0.05	0.48	4.0	1.4	0.3
1752512	0.31	<0.05	0.52	2.3	1.3	0.3
1752513	0.60	0.05	0.77	2.4	2.2	0.4
1752514	0.91	0.06	1.76	8.1	2.9	0.4
1752515	0.69	<0.05	1.04	5.9	2.5	0.3
1752516	0.78	<0.05	1.06	5.0	2.0	0.2
1752517	1.30	0.13	1.75	7.1	6.5	1.0
1752518	0.44	0.19	2.23	6.8	7.8	1.4
1752519	0.31	0.13	1.12	5.4	7.0	1.0
1752521	0.30	0.11	0.49	1.0	8.5	0.6
1752522	0.24	0.13	1.66	3.0	6.2	0.9
1752523	0.17	0.12	1.77	5.0	5.3	0.9
1752524	0.22	0.16	2.78	5.1	7.4	1.2
1752525	0.07	0.09	1.75	2.7	3.5	0.7
1752526	0.02	0.08	1.63	1.8	3.2	0.6
1752527	0.02	0.09	1.92	2.1	3.7	0.7
1752528	0.09	0.14	2.08	3.3	4.9	1.1
1752529	0.07	0.24	2.43	3.2	9.0	1.8
1752531	0.10	0.16	1.71	2.9	7.0	1.2
1752532	0.06	0.15	1.67	2.8	5.7	1.2
1752533	0.05	0.10	1.49	1.6	4.0	0.8
1752534	0.31	0.11	1.72	1.9	4.2	0.8
1752535	0.25	0.10	1.28	1.5	3.8	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752536	0.13	0.12	1.07	1.4	5.3	0.9
1752537	0.06	0.17	1.32	1.7	7.9	1.2
1752538	0.02	0.19	1.37	2.1	8.0	1.3
1752539	0.05	0.22	1.57	2.5	9.5	1.6
1752541	0.04	0.23	1.55	2.7	8.7	1.5
1752542	0.22	0.24	1.71	5.0	8.7	1.7
1752543	0.04	0.20	1.33	1.7	6.3	1.3
1752544	0.02	0.20	1.49	1.8	6.7	1.4
1752545	0.04	0.19	1.27	1.9	6.3	1.3
1752546	0.09	0.17	1.19	1.7	6.0	1.2
1752547	0.03	0.15	1.03	1.1	5.8	1.0
1752548	0.06	0.15	0.81	1.0	5.2	1.0
1752549	<0.02	0.14	0.81	1.2	5.2	0.9
1752551	0.07	0.14	0.75	0.7	5.3	0.9
1752552	0.02	0.20	1.12	1.3	7.4	1.4
1752553	<0.02	0.23	1.23	2.1	8.4	1.6
1752554	0.06	0.21	1.09	1.8	8.5	1.4
1752555	0.18	0.22	1.30	2.3	8.9	1.5
1752556	0.11	0.21	1.21	1.6	8.5	1.4
1752557	0.07	0.22	1.21	1.8	9.3	1.5
1752558	0.08	0.22	1.23	1.4	9.3	2.1
1752559	0.06	0.21	1.27	1.4	8.1	1.3
1752561	0.08	0.21	1.39	1.7	8.3	1.4
1752562	0.12	0.20	1.35	1.6	8.1	1.4
1752581	0.05	0.09	0.83	0.5	3.4	0.6
1752582	0.03	0.09	0.92	0.5	3.8	0.7
1752583	<0.02	0.07	0.64	0.3	3.4	1.2
1752584	0.16	0.18	1.47	0.9	7.8	1.1
1752585	0.36	0.20	1.59	1.8	7.6	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752586	0.20	0.18	1.09	1.5	6.7	1.2
1752587	0.58	0.14	0.86	0.7	5.2	1.0
1752588	0.22	0.16	1.09	0.9	5.8	1.1
1752589	0.03	0.20	1.28	1.3	7.6	1.4
1752591	0.11	0.23	1.37	1.8	8.3	1.5
1752592	0.39	0.23	1.28	1.6	8.3	1.5
1752593	0.03	0.29	1.57	2.8	10.1	1.9
1752594	<0.02	0.22	1.27	2.1	7.6	1.4
*Dup 1752539	0.06	0.23	1.68	2.9	10.0	1.7
*Std OREAS 905	0.73	0.12	5.21	2.9	15.8	0.6
*Std OREAS 601b	1.46	0.09	4.81	6.4	10.9	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1752539	0.05	0.21	1.52	2.2	9.3	1.4
*Rep 1752543	0.04	0.20	1.42	1.9	6.7	1.4
*Std OREAS 601b	1.41	0.10	4.68	6.7	10.3	0.5
*Std OREAS 905	0.73	0.13	5.53	3.1	15.4	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752537	5.776
1752551	6.871
1752552	6.289
1752558	5.647
1752559	9.091

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES /Hole
B21C-015/162 CORE(1-76)
Number of Samples 76

ANALYSIS REPORT BBM21-12502

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752561	6.805
1752562	9.146
1752585	7.013
1752586	5.486
1752588	6.511
*Std OREAS 135	7.262
*Blk BLANK	<0.005
*Rep 1752586	5.485

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-12503

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	30-Aug-2021
Project	The Brewer Gold Project	Date Analysed	10-Sep-2021 - 28-Oct-2021
Submission Number	*SD* PANCON_RESOURCES /Hole	Date Completed	29-Oct-2021
B21C-015/162 CORE(77-152)		SGS Order Number	BBM21-12503
Number of Samples	76		

Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
71	G_PRP	Combined Sample Preparation
76	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
68	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
68	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
68	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
11	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.
Ba and V marked NR due to sample matrix interference.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752595	4.33	0.082	4.66	524	0.02	22
1752596	5.46	0.326	2.84	46	0.02	21
1752597	2.82	0.097	0.77	104	0.01	17
1752598	3.24	0.170	2.28	519	0.02	15
1752599	3.06	0.177	2.28	347	0.03	16
1752600	0.09	<0.005	-	-	-	-
1752601	4.90	0.275	2.91	39	0.04	18
1752602	5.58	0.107	7.41	74	0.06	12
1752603	3.49	0.068	6.41	148	0.05	13
1752604	6.42	0.035	6.26	620	0.04	10
1752605	4.82	0.041	5.99	101	0.02	6
1752606	3.49	0.059	6.75	99	0.05	14
1752607	3.00	0.066	3.71	226	0.03	12
1752608	6.09	0.036	4.10	251	0.04	18
1752609	4.78	0.029	5.26	255	0.02	10
1752610	1.21	<0.005	-	-	-	-
1752611	5.10	0.031	3.36	84	0.01	13
1752612	5.24	0.023	4.13	350	0.02	20
1752613	5.14	0.040	4.40	230	0.03	11
1752614	4.89	0.027	5.20	234	0.05	16
1752615	5.21	0.027	5.38	253	0.03	8
1752616	6.02	0.010	3.05	53	0.01	27
1752617	3.73	0.019	5.15	228	0.02	14
1752618	5.94	0.023	5.23	267	0.03	14
1752619	6.54	0.020	5.80	135	0.03	15
1752620	-	0.020	-	-	-	-
1752621	5.72	0.033	5.92	113	0.01	13
1752622	5.21	0.017	5.05	126	0.03	12
1752623	4.45	0.018	5.34	111	0.02	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752624	3.78	0.018	4.75	188	0.01	15
1752625	4.96	<0.005	0.55	39	<0.01	42
1752626	4.80	<0.005	<0.01	4	<0.01	25
1752627	5.26	<0.005	0.01	3	<0.01	27
1752628	2.28	0.005	0.95	46	0.01	44
1752629	5.37	0.021	6.68	259	0.11	17
1752630	0.07	0.516	-	-	-	-
1752631	3.85	0.010	3.97	44	0.01	37
1752632	3.49	<0.005	0.32	7	<0.01	29
1752633	5.42	0.046	3.86	222	0.04	20
1752634	5.03	0.027	6.14	188	0.04	21
1752635	5.27	0.021	4.18	21	0.01	22
1752636	3.12	<0.005	<0.01	2	<0.01	29
1752637	5.41	0.019	4.39	25	0.01	19
1752638	3.58	0.008	5.80	18	0.01	26
1752639	3.56	0.016	3.84	20	0.01	20
1752640	2.06	<0.005	-	-	-	-
1752641	4.10	0.036	0.04	<1	<0.01	35
1752642	5.14	<0.005	0.02	1	<0.01	27
1752643	5.35	<0.005	0.03	1	<0.01	28
1752644	3.12	<0.005	0.04	2	<0.01	32
1752645	3.75	<0.005	0.08	5	<0.01	22
1752646	4.95	<0.005	0.19	3	<0.01	20
1752647	4.97	<0.005	0.31	3	<0.01	36
1752648	4.96	<0.005	0.04	1	<0.01	33
1752649	4.87	<0.005	0.06	1	<0.01	31
1752650	-	<0.005	-	-	-	-
1752651	5.94	0.008	3.15	9	<0.01	15
1752652	4.24	0.010	5.01	33	0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752653	5.56	<0.005	1.48	88	0.02	21
1752654	4.73	<0.005	0.50	3	<0.01	28
1752655	4.77	0.010	0.06	2	<0.01	27
1752656	4.28	<0.005	0.05	2	<0.01	33
1752657	3.65	<0.005	0.03	2	<0.01	24
1752658	4.63	0.299	0.07	NR	<0.01	38
1752659	3.89	0.018	5.38	15	0.01	16
1752660	0.07	0.881	-	-	-	-
1752661	6.45	0.017	5.04	11	<0.01	21
1752662	4.93	<0.005	0.10	<1	<0.01	22
1752663	3.25	<0.005	0.12	5	<0.01	31
1752664	2.88	<0.005	0.06	4	<0.01	31
1752665	4.40	0.015	3.98	22	<0.01	25
1752666	5.89	0.013	5.51	36	<0.01	16
1752667	3.50	0.032	7.04	84	0.01	14
1752668	2.71	<0.005	0.16	5	<0.01	17
1752669	4.41	0.210	0.56	21	<0.01	39
1752670	1.56	<0.005	-	-	-	-
*Dup 1752633	-	0.057	4.80	255	0.04	21
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752627	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.632	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752656	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.203	-	-	-	-
*Std SN106	-	8.534	-	-	-	-
*Rep 1752595	-	0.082	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 507	-	0.175	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 905	-	-	7.36	2568	0.55	16
*Rep 1752609	-	-	5.29	251	0.02	11
*Blk BLANK	-	-	0.01	9	<0.01	1
*Std OREAS 601b	-	-	6.43	435	0.85	21
*Std OREAS 601b	-	-	6.40	384	0.84	22
*Std OREAS 905	-	-	7.58	2675	0.60	15
*Blk BLANK	-	-	<0.01	1	<0.01	<1
*Rep 1752667	-	0.028	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.626	-	-	-	-
*Std OREAS 905	-	-	6.98	2628	0.56	14
*Blk BLANK	-	-	0.02	2	<0.01	2
*Std OREAS 601b	-	-	6.30	1794	0.82	20

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752595	68.6	3.28	0.04	<1	<0.01	32
1752596	879	6.31	0.05	<1	<0.01	23
1752597	143	4.03	0.07	<1	<0.01	32
1752598	80.4	2.59	0.20	<1	<0.01	18
1752599	107	2.53	0.14	<1	<0.01	15
1752601	1396	8.01	0.12	<1	<0.01	23
1752602	240	4.73	0.71	<1	<0.01	18
1752603	119	3.44	0.03	<1	<0.01	26
1752604	77.3	1.77	1.09	<1	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752605	109	3.84	1.66	<1	<0.01	14
1752606	273	5.04	1.60	<1	<0.01	18
1752607	95.6	2.80	0.61	<1	<0.01	16
1752608	76.9	2.51	0.37	<1	<0.01	21
1752609	15.5	3.87	0.09	<1	<0.01	24
1752611	34.3	4.43	0.35	<1	<0.01	38
1752612	21.8	2.61	0.69	<1	<0.01	17
1752613	18.9	3.51	0.84	<1	<0.01	18
1752614	20.6	3.62	0.60	<1	<0.01	21
1752615	8.3	2.84	0.88	<1	<0.01	17
1752616	16.2	2.51	0.15	<1	<0.01	36
1752617	10.0	3.55	0.08	<1	<0.01	24
1752618	14.9	4.10	0.10	<1	<0.01	21
1752619	10.7	4.35	0.13	1	<0.01	24
1752621	17.1	8.32	0.55	1	<0.01	23
1752622	10.4	3.98	0.24	1	<0.01	21
1752623	11.9	3.50	0.19	1	<0.01	25
1752624	24.8	3.94	0.22	2	<0.01	23
1752625	19.3	1.25	0.13	<1	<0.01	71
1752626	13.9	0.49	<0.01	<1	<0.01	57
1752627	29.0	0.48	<0.01	<1	<0.01	58
1752628	35.3	0.59	0.04	<1	<0.01	48
1752629	30.8	2.98	0.37	6	<0.01	23
1752631	22.7	1.53	0.08	2	<0.01	38
1752632	17.8	0.65	0.03	<1	<0.01	61
1752633	45.1	3.20	0.04	2	<0.01	25
1752634	39.7	4.56	0.04	2	<0.01	18
1752635	14.8	3.14	0.03	1	<0.01	29
1752636	14.1	0.41	<0.01	<1	<0.01	47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752637	11.2	2.98	0.04	1	<0.01	27
1752638	12.9	1.85	0.03	2	<0.01	26
1752639	13.8	2.59	0.05	3	<0.01	35
1752641	12.9	11.35	<0.01	<1	<0.01	48
1752642	14.8	0.49	<0.01	<1	<0.01	48
1752643	14.5	0.52	<0.01	<1	<0.01	59
1752644	17.6	0.45	0.01	<1	<0.01	49
1752645	15.0	0.66	<0.01	<1	<0.01	75
1752646	20.1	0.92	0.03	<1	<0.01	49
1752647	18.2	1.02	0.02	<1	<0.01	60
1752648	15.0	0.66	<0.01	<1	<0.01	55
1752649	11.2	0.55	<0.01	<1	<0.01	62
1752651	11.4	3.25	0.22	1	<0.01	39
1752652	19.9	3.04	1.04	1	<0.01	29
1752653	68.0	1.61	0.42	<1	0.01	69
1752654	21.9	0.65	0.16	<1	<0.01	46
1752655	21.3	1.30	0.03	<1	<0.01	56
1752656	13.9	0.57	<0.01	<1	<0.01	59
1752657	15.8	0.62	<0.01	<1	<0.01	62
1752658	25.9	>15.00	<0.01	<1	<0.01	66
1752659	7.3	4.79	0.08	2	<0.01	33
1752661	8.5	4.67	0.07	3	<0.01	26
1752662	14.9	0.65	<0.01	<1	<0.01	59
1752663	15.8	0.67	0.01	<1	<0.01	62
1752664	11.3	0.60	0.01	<1	<0.01	68
1752665	17.4	2.55	0.78	2	<0.01	39
1752666	15.1	3.44	1.13	2	0.01	49
1752667	12.5	7.44	0.84	4	0.01	25
1752668	15.9	0.63	0.02	<1	<0.01	71

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752669	25.2	>15.00	0.16	<1	<0.01	52
*Dup 1752633	52.3	3.57	0.04	2	<0.01	26
*Std OREAS 905	1528	3.96	2.91	20	0.26	378
*Rep 1752609	15.6	3.80	0.09	<1	<0.01	24
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	967	2.20	2.36	21	0.10	220
*Std OREAS 601b	978	2.22	2.26	21	0.09	206
*Std OREAS 905	1591	4.20	2.91	21	0.27	378
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1514	4.04	2.87	20	0.26	389
*Blk BLANK	0.7	0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1015	2.26	2.43	23	0.09	221

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752595	0.02	5	0.05	3.20	391	0.05
1752596	0.02	8	0.04	>5.00	310	0.05
1752597	0.02	20	0.03	3.77	171	0.02
1752598	0.04	5	0.04	2.68	331	0.07
1752599	0.03	4	0.05	2.69	432	0.07
1752601	0.04	9	0.07	>5.00	592	0.06
1752602	0.11	5	0.14	>5.00	948	0.05
1752603	0.02	6	0.11	3.66	680	0.05
1752604	0.13	2	0.09	1.95	686	0.08
1752605	0.20	2	0.06	4.19	370	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752606	0.20	4	0.17	>5.00	530	0.06
1752607	0.08	3	0.11	3.03	337	0.05
1752608	0.06	2	0.11	2.80	556	0.05
1752609	0.03	3	0.06	4.09	285	0.05
1752611	0.05	12	0.03	4.56	289	0.04
1752612	0.09	3	0.05	2.80	270	0.04
1752613	0.10	2	0.07	3.97	301	0.05
1752614	0.08	2	0.10	3.83	329	0.05
1752615	0.11	3	0.06	3.05	284	0.05
1752616	0.03	6	0.03	2.56	144	0.03
1752617	0.03	2	0.05	3.86	197	0.05
1752618	0.02	2	0.06	4.49	210	0.05
1752619	0.03	4	0.08	4.86	204	0.04
1752621	0.10	23	0.03	>5.00	132	0.03
1752622	0.05	2	0.07	4.36	292	0.04
1752623	0.04	3	0.05	3.74	223	0.06
1752624	0.05	8	0.03	4.30	138	0.03
1752625	0.03	9	<0.01	0.69	28.5	<0.01
1752626	0.01	2	<0.01	<0.01	1.1	<0.01
1752627	0.01	5	<0.01	<0.01	1.3	<0.01
1752628	0.05	3	<0.01	0.05	21.5	0.08
1752629	0.80	7	0.05	3.19	462	0.04
1752631	0.05	3	0.01	1.35	76.2	0.04
1752632	0.02	5	<0.01	0.15	9.7	<0.01
1752633	0.04	5	0.07	3.41	534	0.06
1752634	0.04	4	0.09	>5.00	384	0.05
1752635	0.02	5	0.02	3.25	139	0.04
1752636	0.01	1	<0.01	<0.01	1.4	<0.01
1752637	0.02	4	0.02	3.17	186	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752638	0.03	3	0.02	1.80	135	0.04
1752639	0.03	5	0.02	2.51	133	0.03
1752641	0.02	79	<0.01	>5.00	2.2	<0.01
1752642	<0.01	2	<0.01	0.06	1.2	<0.01
1752643	0.01	3	<0.01	0.02	1.3	<0.01
1752644	0.01	2	<0.01	0.02	1.4	<0.01
1752645	0.03	4	<0.01	0.02	2.1	<0.01
1752646	0.02	4	<0.01	0.52	1.6	<0.01
1752647	0.02	5	<0.01	0.51	10.6	<0.01
1752648	0.01	2	<0.01	0.16	0.7	<0.01
1752649	0.01	3	<0.01	0.04	0.8	<0.01
1752651	0.11	7	<0.01	3.14	48.7	0.02
1752652	0.22	6	0.02	3.00	148	0.02
1752653	0.17	7	<0.01	1.03	11.3	0.01
1752654	0.04	2	<0.01	0.25	1.9	<0.01
1752655	0.02	6	<0.01	0.86	1.4	<0.01
1752656	0.02	2	<0.01	0.06	2.6	<0.01
1752657	0.01	1	<0.01	0.07	3.0	<0.01
1752658	0.01	55	<0.01	>5.00	1.6	<0.01
1752659	0.07	5	0.02	>5.00	91.3	0.04
1752661	0.07	13	0.01	4.86	63.5	0.03
1752662	0.01	4	<0.01	0.15	1.6	<0.01
1752663	0.01	4	<0.01	0.16	2.3	<0.01
1752664	0.02	4	<0.01	0.03	2.2	<0.01
1752665	0.32	7	<0.01	2.31	15.9	0.02
1752666	0.61	8	<0.01	3.25	37.7	0.02
1752667	0.72	22	<0.01	>5.00	39.8	0.03
1752668	0.02	3	<0.01	0.05	3.3	<0.01
1752669	0.05	142	<0.01	>5.00	4.5	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Dup 1752633	0.05	6	0.07	3.79	523	0.07
*Std OREAS 905	2.37	7	0.03	0.06	153	0.11
*Rep 1752609	0.02	3	0.06	4.12	283	0.05
*Blk BLANK	<0.01	<1	<0.01	0.01	0.8	<0.01
*Std OREAS 601b	1.81	6	0.03	1.50	228	0.12
*Std OREAS 601b	1.84	6	0.03	1.45	225	0.12
*Std OREAS 905	2.48	9	0.03	0.09	154	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.8	<0.01
*Std OREAS 905	2.28	8	0.03	0.08	154	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.53	239	0.12

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	11	3	87.4	0.16	3	<0.1
1752596	5	2	109	1.16	6	<0.1
1752597	4	4	43.1	0.17	7	<0.1
1752598	13	2	106	0.26	4	<0.1
1752599	13	2	95.2	0.29	4	<0.1
1752601	9	2	120	0.89	17	<0.1
1752602	43	2	97.3	0.35	6	<0.1
1752603	13	1	86.6	0.20	4	<0.1
1752604	46	1	87.2	0.16	5	0.1
1752605	62	1	71.2	0.18	5	0.1
1752606	64	2	126	0.36	8	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752607	32	2	97.5	0.15	5	<0.1
1752608	22	1	75.5	0.10	4	<0.1
1752609	10	1	94.7	0.05	3	<0.1
1752611	17	1	51.8	0.05	4	<0.1
1752612	35	1	79.7	0.03	5	<0.1
1752613	37	1	79.4	0.10	6	<0.1
1752614	31	1	75.5	0.07	5	<0.1
1752615	44	1	63.6	0.04	4	<0.1
1752616	10	2	37.4	0.04	2	<0.1
1752617	11	<1	74.5	0.03	3	<0.1
1752618	12	<1	75.0	0.04	7	<0.1
1752619	14	1	70.8	0.04	3	<0.1
1752621	26	<1	65.3	0.07	3	<0.1
1752622	16	2	64.3	0.04	3	<0.1
1752623	15	2	72.8	0.04	3	<0.1
1752624	14	1	60.9	0.06	3	0.1
1752625	6	4	6.2	0.03	1	<0.1
1752626	<2	5	<0.5	0.03	1	<0.1
1752627	<2	3	<0.5	0.04	2	<0.1
1752628	12	5	4.8	0.22	3	<0.1
1752629	22	1	83.6	0.14	4	0.3
1752631	13	3	44.7	0.04	3	<0.1
1752632	2	4	3.6	0.02	1	<0.1
1752633	12	1	67.6	0.10	5	<0.1
1752634	14	2	70.4	0.09	5	0.1
1752635	10	<1	57.9	0.03	3	<0.1
1752636	<2	4	<0.5	<0.02	<1	<0.1
1752637	11	2	61.1	0.05	3	<0.1
1752638	11	1	48.3	0.04	2	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752639	9	2	47.6	0.06	2	<0.1
1752641	<2	2	1.3	0.07	3	<0.1
1752642	<2	4	<0.5	<0.02	<1	<0.1
1752643	<2	3	<0.5	0.02	1	<0.1
1752644	<2	4	<0.5	0.05	2	<0.1
1752645	<2	5	0.5	0.05	2	<0.1
1752646	2	6	0.7	0.03	2	<0.1
1752647	<2	3	2.6	0.04	1	<0.1
1752648	<2	4	<0.5	<0.02	1	<0.1
1752649	<2	3	0.8	0.03	1	<0.1
1752651	14	2	32.6	0.02	2	<0.1
1752652	48	3	47.4	0.08	2	0.2
1752653	14	9	19.7	0.04	3	0.1
1752654	8	3	3.7	0.04	1	<0.1
1752655	<2	4	<0.5	0.04	2	<0.1
1752656	<2	4	<0.5	0.02	2	<0.1
1752657	<2	5	<0.5	0.03	2	<0.1
1752658	NR	2	1.9	0.18	6	<0.1
1752659	14	2	65.3	0.03	3	0.1
1752661	12	2	59.2	0.04	2	<0.1
1752662	<2	4	1.0	0.02	2	<0.1
1752663	<2	4	1.6	<0.02	2	<0.1
1752664	<2	6	0.5	<0.02	2	<0.1
1752665	31	4	33.2	0.02	2	0.2
1752666	37	4	75.4	0.02	2	0.3
1752667	17	3	98.6	0.07	2	0.4
1752668	<2	9	0.9	<0.02	4	<0.1
1752669	<2	7	6.9	0.22	7	<0.1
*Dup 1752633	14	2	79.9	0.11	6	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	7	132	236	0.52	33	3.0
*Rep 1752609	10	<1	95.1	0.05	3	<0.1
*Blk BLANK	<2	<1	0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	317	174	51.02	272	2.5
*Std OREAS 601b	10	295	174	48.01	261	2.2
*Std OREAS 905	8	138	247	0.55	35	3.4
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	7	141	242	0.53	35	2.7
*Blk BLANK	<2	2	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	322	174	50.76	275	2.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	4.08	0.02	69.30	11.3	<1	0.99
1752596	40.65	0.02	29.51	8.7	<1	1.00
1752597	3.93	0.08	35.16	15.6	<1	0.52
1752598	9.19	0.07	38.26	7.7	<1	1.17
1752599	14.94	0.06	30.36	6.5	<1	1.00
1752601	62.03	0.12	49.47	15.5	<1	1.39
1752602	18.09	0.12	80.92	14.9	<1	1.39
1752603	13.68	0.05	59.33	9.8	<1	1.55
1752604	10.67	0.07	58.20	6.2	<1	1.75
1752605	5.98	0.14	49.77	7.3	1	1.50
1752606	12.34	0.06	76.83	11.3	1	2.28
1752607	5.54	0.07	51.51	7.7	<1	1.68

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752608	4.56	0.05	77.33	6.3	<1	2.23
1752609	3.76	0.03	84.53	7.9	<1	1.23
1752611	1.84	0.03	111	20.4	<1	0.77
1752612	1.69	0.02	83.86	6.5	<1	1.26
1752613	2.24	0.03	59.76	6.6	<1	1.33
1752614	2.13	0.04	51.72	7.4	<1	1.41
1752615	1.38	0.04	54.24	7.7	<1	1.36
1752616	0.89	0.04	48.54	8.2	<1	0.90
1752617	1.20	0.04	52.15	7.3	<1	1.81
1752618	1.43	0.03	51.81	6.9	<1	1.82
1752619	1.12	0.03	56.23	9.4	<1	1.58
1752621	1.65	0.03	58.65	35.5	<1	1.14
1752622	1.20	<0.02	57.31	6.1	<1	1.43
1752623	1.27	0.04	53.98	6.7	<1	1.53
1752624	1.04	0.02	62.84	12.7	<1	1.24
1752625	0.23	0.04	17.91	4.4	<1	0.28
1752626	0.06	0.04	<0.05	0.2	<1	<0.05
1752627	0.09	0.05	<0.05	0.2	<1	<0.05
1752628	18.69	0.08	3.37	0.6	<1	0.46
1752629	1.32	0.02	56.29	10.1	<1	7.33
1752631	0.51	0.04	28.96	4.3	<1	0.78
1752632	0.07	0.05	2.97	1.4	<1	0.07
1752633	3.34	0.05	59.70	9.5	<1	1.65
1752634	3.06	0.02	59.62	9.7	<1	1.68
1752635	0.87	<0.02	59.08	12.5	<1	0.78
1752636	<0.04	0.04	<0.05	0.2	<1	<0.05
1752637	0.99	0.02	66.47	8.3	<1	1.10
1752638	0.46	<0.02	42.46	4.5	<1	0.77
1752639	0.76	0.03	47.18	9.2	<1	0.83

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752641	0.30	0.03	0.29	153	<1	<0.05
1752642	<0.04	0.03	0.18	0.8	<1	<0.05
1752643	<0.04	0.04	0.08	0.4	<1	<0.05
1752644	0.05	0.05	0.10	0.2	<1	<0.05
1752645	0.08	0.05	0.26	0.3	<1	<0.05
1752646	<0.04	0.03	0.25	4.0	<1	<0.05
1752647	0.09	0.03	4.00	3.8	<1	0.07
1752648	<0.04	0.03	0.09	1.7	<1	<0.05
1752649	<0.04	0.04	0.15	0.3	<1	<0.05
1752651	0.46	<0.02	15.24	13.1	<1	0.71
1752652	0.65	0.03	54.55	12.3	1	0.71
1752653	0.36	0.05	5.04	8.2	<1	0.24
1752654	0.08	0.04	0.20	2.1	<1	<0.05
1752655	0.07	0.04	0.12	4.9	<1	<0.05
1752656	<0.04	0.04	0.26	0.4	<1	<0.05
1752657	<0.04	0.04	0.22	0.4	<1	<0.05
1752658	4.01	0.05	0.20	101	<1	<0.05
1752659	0.64	<0.02	43.74	13.1	<1	1.12
1752661	0.58	0.02	43.97	17.5	<1	0.81
1752662	<0.04	0.04	0.52	1.2	<1	<0.05
1752663	0.11	0.05	0.51	1.4	<1	<0.05
1752664	<0.04	0.04	0.25	0.3	<1	<0.05
1752665	0.23	0.04	12.20	16.2	1	0.35
1752666	0.81	0.04	31.48	15.4	1	0.69
1752667	1.09	0.03	40.44	38.8	<1	0.74
1752668	<0.04	0.10	0.35	0.4	<1	<0.05
1752669	1.99	0.10	1.54	123	<1	0.05
*Dup 1752633	3.88	0.06	62.78	13.1	<1	1.68
*Std OREAS 905	5.60	0.34	91.14	13.9	7	3.29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1752609	3.72	0.03	83.26	8.1	<1	1.26
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 601b	16.69	2.04	69.14	3.1	5	2.38
*Std OREAS 601b	16.32	1.92	68.54	2.6	5	2.31
*Std OREAS 905	5.97	0.36	91.13	14.8	7	3.34
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05
*Std OREAS 905	5.71	0.34	89.07	14.7	7	3.32
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.05
*Std OREAS 601b	17.18	2.04	65.41	2.8	5	2.40

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	0.89	0.88	2.4	15.1	2.98	0.28
1752596	0.88	0.44	1.4	9.1	3.40	0.27
1752597	0.36	0.50	1.5	2.3	1.41	0.13
1752598	0.96	0.57	1.7	7.3	3.33	0.31
1752599	0.71	0.52	1.6	7.3	2.76	0.22
1752601	1.02	0.76	2.3	8.7	3.52	0.29
1752602	0.90	1.37	3.7	23.4	2.97	0.28
1752603	0.86	1.13	3.2	14.7	2.67	0.28
1752604	0.96	1.20	3.4	18.1	2.41	0.31
1752605	0.77	1.05	3.1	16.6	1.96	0.27
1752606	1.37	1.46	4.0	21.5	3.58	0.46
1752607	1.07	0.92	2.7	12.4	2.70	0.34
1752608	1.08	1.63	5.1	11.5	2.16	0.38

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752609	1.04	1.16	3.1	9.8	2.65	0.30
1752611	0.57	1.31	3.5	6.5	1.43	0.19
1752612	0.92	1.08	3.1	8.2	2.24	0.29
1752613	0.91	1.09	3.1	8.2	2.34	0.29
1752614	0.93	1.09	3.4	8.6	2.20	0.29
1752615	0.88	0.99	3.1	9.4	1.86	0.29
1752616	0.53	0.68	2.2	4.3	0.99	0.18
1752617	1.04	1.10	3.8	6.7	2.10	0.36
1752618	1.02	1.13	3.9	6.4	2.13	0.35
1752619	0.91	1.03	3.5	7.3	2.19	0.31
1752621	0.78	0.85	2.5	8.6	1.91	0.26
1752622	0.82	1.14	3.7	5.9	1.91	0.28
1752623	0.94	0.95	3.0	5.8	2.09	0.32
1752624	0.75	0.85	2.5	5.4	1.78	0.25
1752625	0.12	0.22	0.7	1.1	0.18	<0.05
1752626	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752627	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752628	0.17	0.18	0.6	1.9	0.16	0.07
1752629	2.72	1.78	7.7	12.4	2.45	1.09
1752631	0.62	0.38	1.1	8.8	1.24	0.19
1752632	0.05	<0.05	0.1	1.0	0.10	<0.05
1752633	0.97	1.07	3.2	9.3	1.96	0.30
1752634	1.00	0.90	2.9	12.1	1.99	0.34
1752635	0.67	0.65	1.6	6.5	1.65	0.20
1752636	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752637	0.80	0.84	2.3	6.4	1.75	0.25
1752638	0.59	0.50	1.4	8.3	1.46	0.17
1752639	0.65	0.55	1.5	4.6	1.50	0.18
1752641	<0.05	<0.05	<0.1	<0.1	0.03	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752642	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
1752643	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
1752644	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752645	<0.05	<0.05	<0.1	0.2	<0.02	<0.05
1752646	<0.05	<0.05	<0.1	0.4	<0.02	<0.05
1752647	<0.05	<0.05	0.1	0.7	0.09	<0.05
1752648	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752649	<0.05	<0.05	<0.1	0.2	<0.02	<0.05
1752651	0.52	0.23	0.8	5.9	0.97	0.18
1752652	0.55	0.71	1.9	11.4	1.50	0.19
1752653	0.14	0.07	0.3	3.7	0.59	0.05
1752654	<0.05	<0.05	<0.1	1.4	0.15	<0.05
1752655	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752656	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752657	<0.05	<0.05	<0.1	0.1	<0.02	<0.05
1752658	<0.05	<0.05	<0.1	0.2	<0.02	<0.05
1752659	0.95	0.78	2.5	12.4	2.09	0.32
1752661	0.75	0.64	1.9	10.7	2.00	0.25
1752662	<0.05	<0.05	<0.1	0.3	0.03	<0.05
1752663	<0.05	<0.05	<0.1	0.3	0.04	<0.05
1752664	<0.05	<0.05	<0.1	0.2	<0.02	<0.05
1752665	0.32	0.18	0.5	9.0	0.95	0.10
1752666	0.69	0.47	1.3	12.1	2.26	0.22
1752667	0.79	0.67	1.9	12.1	3.00	0.24
1752668	<0.05	<0.05	<0.1	0.3	0.03	<0.05
1752669	<0.05	<0.05	<0.1	1.3	0.18	<0.05
*Dup 1752633	1.06	1.08	3.2	11.8	2.32	0.34
*Std OREAS 905	1.00	1.22	5.3	23.8	6.87	0.47
*Rep 1752609	1.05	1.13	3.1	10.2	2.70	0.30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	0.03	<0.05
*Std OREAS 601b	0.73	0.90	3.8	23.4	5.17	0.34
*Std OREAS 601b	0.76	0.90	3.8	21.5	5.23	0.39
*Std OREAS 905	1.07	1.24	5.7	25.6	7.42	0.56
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.03	1.37	5.7	23.8	7.16	0.57
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.77	0.99	3.9	20.9	5.46	0.40

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	<0.02	34.5	0.23	8.09	1.8	27.5
1752596	0.04	13.5	0.22	17.40	1.7	11.3
1752597	0.02	18.1	0.09	8.87	0.7	12.5
1752598	0.05	18.1	0.23	7.00	2.1	14.3
1752599	0.08	14.0	0.16	6.45	2.4	11.4
1752601	0.23	22.4	0.24	7.54	2.3	18.3
1752602	0.10	38.3	0.21	4.89	2.1	34.4
1752603	<0.02	25.7	0.19	5.65	1.9	28.2
1752604	0.11	25.1	0.20	2.99	2.2	23.7
1752605	0.16	20.7	0.14	2.67	1.5	22.7
1752606	0.19	34.2	0.23	4.34	2.0	37.1
1752607	0.10	22.3	0.20	5.38	1.5	21.9
1752608	0.05	36.3	0.20	4.73	1.5	34.8
1752609	<0.02	39.2	0.22	4.77	1.6	35.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752611	0.04	53.4	0.12	2.91	1.0	41.7
1752612	0.09	40.1	0.19	3.50	1.3	34.5
1752613	0.10	27.3	0.18	3.14	1.5	28.9
1752614	0.07	24.2	0.18	2.73	1.5	25.7
1752615	0.09	25.4	0.16	1.46	1.5	26.2
1752616	<0.02	23.6	0.09	2.95	0.7	18.1
1752617	<0.02	21.8	0.18	2.11	1.5	24.5
1752618	<0.02	21.5	0.18	2.20	1.7	25.0
1752619	<0.02	25.4	0.17	2.73	1.3	24.3
1752621	0.05	30.8	0.15	2.35	1.0	24.9
1752622	0.02	26.0	0.16	3.18	1.2	28.3
1752623	<0.02	22.7	0.19	3.63	1.8	22.9
1752624	0.02	29.7	0.14	6.17	0.9	22.2
1752625	<0.02	9.5	0.02	4.55	0.2	6.0
1752626	<0.02	<0.1	<0.01	3.10	<0.1	<0.1
1752627	<0.02	<0.1	<0.01	3.25	<0.1	<0.1
1752628	0.05	1.7	0.02	3.80	0.4	1.9
1752629	0.03	27.0	0.31	2.77	1.2	22.1
1752631	<0.02	14.3	0.12	3.56	1.2	10.9
1752632	<0.02	1.8	<0.01	3.68	0.1	1.2
1752633	<0.02	29.4	0.18	3.48	1.9	26.1
1752634	<0.02	27.3	0.19	2.70	1.5	22.4
1752635	<0.02	30.4	0.14	2.75	1.1	19.9
1752636	<0.02	0.2	<0.01	2.87	<0.1	0.1
1752637	<0.02	37.5	0.15	2.76	1.3	25.2
1752638	<0.02	21.8	0.12	2.69	1.2	14.3
1752639	<0.02	24.2	0.12	3.03	1.1	16.2
1752641	<0.02	0.2	<0.01	3.07	0.1	0.1
1752642	<0.02	<0.1	<0.01	3.66	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752643	<0.02	<0.1	<0.01	3.95	<0.1	<0.1
1752644	<0.02	<0.1	<0.01	3.37	<0.1	<0.1
1752645	<0.02	0.1	<0.01	3.63	<0.1	<0.1
1752646	<0.02	0.1	<0.01	2.55	<0.1	<0.1
1752647	<0.02	2.3	<0.01	4.34	0.1	1.2
1752648	<0.02	<0.1	<0.01	3.75	<0.1	<0.1
1752649	<0.02	<0.1	<0.01	4.06	<0.1	<0.1
1752651	<0.02	8.3	0.10	2.84	0.5	5.4
1752652	0.08	35.9	0.12	3.36	1.1	20.1
1752653	0.05	2.6	0.03	3.04	0.8	1.8
1752654	<0.02	0.1	<0.01	3.04	0.1	<0.1
1752655	<0.02	<0.1	<0.01	4.33	<0.1	<0.1
1752656	<0.02	0.1	<0.01	3.59	<0.1	0.1
1752657	<0.02	<0.1	<0.01	2.95	<0.1	0.1
1752658	<0.02	<0.1	<0.01	3.55	<0.1	<0.1
1752659	<0.02	25.0	0.20	2.81	1.5	19.8
1752661	<0.02	22.6	0.18	2.73	1.2	16.2
1752662	<0.02	0.3	<0.01	3.75	<0.1	0.2
1752663	<0.02	0.3	<0.01	3.76	<0.1	0.2
1752664	<0.02	0.1	<0.01	3.58	<0.1	0.1
1752665	0.06	6.4	0.08	2.69	0.6	4.9
1752666	0.08	15.8	0.18	3.16	0.9	12.0
1752667	0.03	21.9	0.22	2.79	1.0	17.6
1752668	<0.02	0.2	<0.01	3.37	<0.1	0.1
1752669	<0.02	0.8	0.01	3.47	0.1	0.6
*Dup 1752633	<0.02	30.8	0.21	4.77	2.3	27.2
*Std OREAS 905	0.62	43.8	0.08	3.39	18.1	37.7
*Rep 1752609	<0.02	38.9	0.23	4.86	1.7	34.4
*Blk BLANK	<0.02	0.2	<0.01	<0.05	<0.1	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	0.45	34.6	0.07	4.93	14.7	28.5
*Std OREAS 601b	0.45	34.2	0.07	5.01	15.0	28.4
*Std OREAS 905	0.66	44.0	0.10	3.40	19.3	38.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.65	42.8	0.10	3.34	19.2	37.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.47	34.2	0.08	5.20	15.3	26.6

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	131	7.54	1.0	0.56	5.7	11
1752596	92.9	3.02	1.0	1.00	4.8	26
1752597	46.0	3.47	1.4	0.38	2.0	11
1752598	117	3.93	3.8	1.04	5.2	9
1752599	149	3.16	2.2	1.21	3.8	10
1752601	162	5.07	1.9	4.97	5.3	38
1752602	255	9.56	10.8	1.79	7.6	17
1752603	174	7.59	0.5	0.93	5.6	9
1752604	211	6.35	13.9	1.91	6.8	6
1752605	91.9	5.66	24.4	1.36	6.1	10
1752606	83.4	9.55	23.4	0.92	8.5	15
1752607	86.5	5.67	9.2	0.98	5.3	9
1752608	151	9.13	5.9	0.57	5.0	5
1752609	72.8	9.71	1.6	0.56	5.5	7
1752611	84.8	11.99	6.3	0.41	3.2	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752612	71.5	9.60	11.4	0.47	5.0	7
1752613	82.4	7.33	12.9	0.43	5.6	11
1752614	80.2	6.35	9.2	0.49	5.3	12
1752615	72.9	6.61	13.1	0.44	5.3	11
1752616	32.1	4.99	2.7	0.25	2.5	8
1752617	42.9	6.09	1.3	0.54	4.2	10
1752618	47.0	6.09	1.8	0.46	4.8	11
1752619	34.9	6.39	2.5	0.37	4.5	11
1752621	34.4	6.71	11.4	0.33	5.1	23
1752622	65.8	7.29	4.4	0.33	4.1	10
1752623	55.0	6.00	3.3	0.51	4.4	9
1752624	33.3	6.30	4.5	0.33	3.7	11
1752625	4.8	1.76	2.6	0.14	0.7	2
1752626	1.9	<0.05	<0.2	0.10	<0.5	<2
1752627	1.4	<0.05	<0.2	0.12	<0.5	<2
1752628	4.1	0.44	1.1	0.50	0.7	<2
1752629	41.6	6.05	7.9	0.30	6.4	11
1752631	11.5	3.06	1.5	0.31	3.0	4
1752632	3.3	0.33	0.7	0.12	<0.5	<2
1752633	81.1	6.90	0.9	0.71	4.5	10
1752634	50.0	6.17	1.0	0.41	4.9	18
1752635	30.1	5.68	0.6	0.31	4.1	10
1752636	1.5	<0.05	<0.2	0.09	<0.5	<2
1752637	42.1	7.17	0.9	0.35	4.1	10
1752638	26.6	4.14	0.9	0.43	3.6	7
1752639	27.5	4.62	1.3	0.32	3.5	9
1752641	0.9	<0.05	<0.2	0.11	<0.5	39
1752642	0.8	<0.05	<0.2	0.07	<0.5	<2
1752643	0.8	<0.05	<0.2	0.08	<0.5	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752644	0.9	<0.05	0.2	0.08	<0.5	<2
1752645	1.5	<0.05	0.2	0.13	<0.5	<2
1752646	1.2	<0.05	0.8	0.08	<0.5	2
1752647	2.9	0.40	0.6	0.10	<0.5	<2
1752648	0.7	<0.05	<0.2	0.07	<0.5	<2
1752649	0.7	<0.05	<0.2	0.07	<0.5	<2
1752651	9.1	1.64	4.7	0.13	2.8	10
1752652	30.3	6.51	20.6	0.25	5.4	9
1752653	2.9	0.55	11.2	0.20	1.7	4
1752654	1.4	<0.05	3.2	0.14	0.6	<2
1752655	0.9	<0.05	0.5	0.13	<0.5	3
1752656	0.8	<0.05	<0.2	0.07	<0.5	<2
1752657	0.8	<0.05	<0.2	0.25	<0.5	<2
1752658	0.9	<0.05	0.3	0.16	<0.5	62
1752659	5.9	5.84	1.8	0.31	4.7	15
1752661	6.2	4.97	1.7	0.30	4.2	14
1752662	0.7	0.06	0.3	0.11	<0.5	<2
1752663	0.8	0.07	0.3	0.12	<0.5	<2
1752664	1.0	<0.05	0.3	0.13	<0.5	<2
1752665	3.2	1.44	17.8	0.28	3.8	7
1752666	6.1	3.59	25.1	0.26	6.9	9
1752667	5.5	5.25	20.4	0.22	6.2	18
1752668	1.1	<0.05	0.6	0.14	<0.5	<2
1752669	1.9	0.17	4.0	0.21	0.6	79
*Dup 1752633	82.2	7.41	0.8	0.82	5.2	13
*Std OREAS 905	33.5	10.31	135	2.05	4.9	2
*Rep 1752609	72.2	9.61	1.6	0.59	5.6	7
*Blk BLANK	1.1	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	288	8.02	104	25.18	3.8	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	293	7.69	93.1	21.89	3.7	9
*Std OREAS 905	33.7	10.21	142	2.00	5.7	3
*Blk BLANK	0.8	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	30.5	11.06	124	2.08	4.7	3
*Blk BLANK	0.6	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	286	8.04	87.7	24.77	3.3	9

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	4.7	2.8	0.14	0.26	6.46	8.9
1752596	2.2	2.1	0.13	0.19	19.85	5.2
1752597	2.3	1.0	<0.05	0.16	17.70	5.1
1752598	2.7	3.6	0.16	0.23	15.39	6.4
1752599	2.3	3.4	0.18	0.19	15.60	4.6
1752601	3.2	4.0	0.18	0.28	37.29	6.7
1752602	5.9	4.5	0.21	0.37	10.13	8.8
1752603	4.5	1.8	0.17	0.38	9.40	6.8
1752604	4.5	2.8	0.18	0.40	6.22	6.8
1752605	4.5	2.1	0.12	0.33	5.00	6.1
1752606	6.7	3.6	0.18	0.45	7.62	10.2
1752607	4.1	1.8	0.11	0.32	4.55	6.3
1752608	6.9	1.3	0.10	0.55	2.93	10.1
1752609	5.8	1.0	0.11	0.29	3.93	11.4
1752611	6.8	1.4	0.07	0.26	2.16	16.3
1752612	5.7	1.7	0.08	0.27	3.17	11.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752613	5.4	1.0	0.10	0.29	5.20	8.2
1752614	5.5	0.7	0.10	0.32	4.43	6.7
1752615	5.0	1.1	0.11	0.29	3.80	7.3
1752616	3.4	0.7	<0.05	0.20	1.53	6.1
1752617	5.3	0.5	0.10	0.37	2.84	6.2
1752618	5.5	0.4	0.12	0.39	2.90	6.6
1752619	4.8	0.7	0.11	0.34	2.79	7.0
1752621	4.4	1.5	0.08	0.23	3.57	8.4
1752622	5.4	0.6	0.09	0.34	2.89	8.3
1752623	4.3	0.9	0.13	0.31	2.37	7.3
1752624	3.9	1.1	0.06	0.28	2.37	8.3
1752625	1.0	0.5	<0.05	0.08	0.44	2.3
1752626	<0.1	<0.3	<0.05	<0.05	0.08	<0.2
1752627	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
1752628	0.6	0.4	<0.05	0.10	1.89	0.3
1752629	5.3	0.8	0.10	1.29	2.75	8.1
1752631	1.9	0.7	0.08	0.13	1.26	3.6
1752632	0.2	0.3	<0.05	<0.05	0.84	0.4
1752633	4.8	1.2	0.14	0.36	5.38	8.1
1752634	4.0	0.8	0.11	0.35	4.12	7.5
1752635	3.2	0.6	0.07	0.16	2.23	7.2
1752636	<0.1	<0.3	<0.05	<0.05	0.08	<0.2
1752637	4.1	0.8	0.08	0.23	2.07	9.2
1752638	2.4	0.9	0.08	0.15	0.89	5.2
1752639	2.6	0.6	0.08	0.16	1.51	5.7
1752641	<0.1	<0.3	<0.05	<0.05	1.04	<0.2
1752642	<0.1	<0.3	<0.05	<0.05	0.07	<0.2
1752643	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
1752644	<0.1	<0.3	<0.05	<0.05	0.09	<0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752645	<0.1	<0.3	<0.05	<0.05	0.11	<0.2
1752646	<0.1	<0.3	<0.05	<0.05	0.06	<0.2
1752647	0.2	<0.3	<0.05	<0.05	0.09	0.6
1752648	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
1752649	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
1752651	1.0	0.6	<0.05	0.12	0.52	2.3
1752652	3.3	2.5	0.13	0.19	1.01	9.5
1752653	0.3	1.1	0.05	<0.05	0.27	0.8
1752654	<0.1	0.5	<0.05	<0.05	0.12	<0.2
1752655	<0.1	<0.3	<0.05	<0.05	0.16	<0.2
1752656	<0.1	<0.3	<0.05	<0.05	0.05	<0.2
1752657	<0.1	<0.3	<0.05	<0.05	0.05	<0.2
1752658	<0.1	<0.3	<0.05	<0.05	14.69	<0.2
1752659	3.8	0.6	0.14	0.25	2.27	7.7
1752661	2.9	0.6	0.12	0.18	1.80	6.8
1752662	<0.1	<0.3	<0.05	<0.05	0.07	<0.2
1752663	<0.1	<0.3	<0.05	<0.05	0.19	<0.2
1752664	<0.1	<0.3	<0.05	<0.05	0.06	<0.2
1752665	0.9	2.1	<0.05	0.06	0.64	1.8
1752666	2.3	2.3	0.10	0.14	1.77	4.7
1752667	3.2	1.1	0.20	0.17	3.58	6.0
1752668	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
1752669	0.1	0.5	<0.05	<0.05	8.71	<0.2
*Dup 1752633	4.9	1.5	0.17	0.35	5.74	8.6
*Std OREAS 905	7.2	4.4	1.29	0.69	0.14	13.9
*Rep 1752609	5.8	1.1	0.12	0.28	3.83	11.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	0.05	<0.2
*Std OREAS 601b	5.2	3.7	1.11	0.50	12.84	12.0
*Std OREAS 601b	5.4	3.8	1.19	0.55	13.64	12.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	7.7	4.9	1.45	0.80	0.99	16.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.1	4.7	1.43	0.83	0.12	16.0
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.0	3.8	1.23	0.57	13.10	12.5

Element	@Ti	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752595	0.03	0.17	1.10	1.7	6.5	1.2
1752596	0.04	0.18	1.21	1.2	6.0	1.3
1752597	0.05	0.07	0.51	0.5	2.6	0.5
1752598	0.14	0.19	1.31	1.5	6.5	1.2
1752599	0.11	0.13	1.07	1.6	5.3	1.0
1752601	0.11	0.19	1.36	1.5	7.7	1.4
1752602	0.57	0.16	1.24	1.4	7.0	1.2
1752603	0.02	0.15	1.05	1.5	6.7	1.1
1752604	0.70	0.17	1.06	1.6	7.5	1.2
1752605	0.97	0.13	0.75	0.9	6.3	0.9
1752606	0.93	0.22	1.28	1.2	11.3	1.5
1752607	0.38	0.17	1.03	1.3	8.5	1.2
1752608	0.27	0.17	0.99	1.6	8.8	1.2
1752609	0.05	0.18	1.03	1.2	7.9	1.3
1752611	0.20	0.10	0.63	0.7	4.7	0.7
1752612	0.41	0.16	0.87	0.8	7.5	1.1
1752613	0.53	0.16	0.95	1.1	7.8	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element Method	@TI GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752614	0.38	0.15	0.98	1.0	8.0	1.1
1752615	0.56	0.14	0.80	1.0	7.6	1.0
1752616	0.09	0.08	0.45	0.5	4.5	0.6
1752617	0.04	0.16	0.82	1.1	9.0	1.1
1752618	0.06	0.16	0.82	1.0	9.6	1.2
1752619	0.08	0.15	0.75	1.1	8.0	1.0
1752621	0.32	0.13	0.67	0.6	6.8	0.9
1752622	0.13	0.14	0.77	0.6	7.0	0.9
1752623	0.11	0.17	0.83	0.8	8.1	1.1
1752624	0.13	0.13	0.68	0.5	6.3	0.9
1752625	0.08	<0.05	0.10	<0.1	1.1	0.1
1752626	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752627	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752628	0.03	<0.05	0.19	0.3	1.6	0.1
1752629	0.21	0.36	1.00	1.5	25.7	2.1
1752631	0.05	0.11	0.51	0.4	5.0	0.7
1752632	0.02	<0.05	0.05	<0.1	0.4	<0.1
1752633	0.03	0.16	1.00	0.5	8.0	1.1
1752634	0.03	0.17	0.93	0.4	8.7	1.1
1752635	<0.02	0.11	0.70	0.4	5.2	0.8
1752636	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752637	0.03	0.14	0.75	0.5	6.9	0.9
1752638	0.02	0.10	0.57	0.5	4.8	0.7
1752639	0.03	0.10	0.58	0.4	5.1	0.7
1752641	<0.02	<0.05	<0.05	0.2	0.1	<0.1
1752642	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752643	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752644	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752645	<0.02	<0.05	<0.05	0.1	0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752646	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752647	<0.02	<0.05	<0.05	<0.1	0.4	<0.1
1752648	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752649	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752651	0.15	0.09	0.45	0.2	4.1	0.6
1752652	0.67	0.10	0.60	0.4	4.3	0.7
1752653	0.22	<0.05	0.29	0.2	1.4	0.2
1752654	0.09	<0.05	<0.05	<0.1	0.3	<0.1
1752655	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752656	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752657	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752658	<0.02	<0.05	<0.05	<0.1	0.1	<0.1
1752659	0.04	0.18	0.97	0.6	7.5	1.1
1752661	0.04	0.15	0.86	0.5	5.8	1.0
1752662	<0.02	<0.05	<0.05	<0.1	0.1	<0.1
1752663	<0.02	<0.05	<0.05	<0.1	0.1	<0.1
1752664	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752665	0.45	0.07	0.33	0.3	2.3	0.5
1752666	0.65	0.14	0.86	0.3	5.1	0.9
1752667	0.41	0.16	1.04	0.5	5.4	1.2
1752668	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
1752669	0.09	<0.05	0.07	0.1	0.3	<0.1
*Dup 1752633	0.03	0.18	1.13	0.7	9.0	1.3
*Std OREAS 905	0.69	0.12	4.84	2.8	15.5	0.6
*Rep 1752609	0.05	0.19	1.03	1.4	8.3	1.3
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.43	0.09	4.65	6.4	10.8	0.5
*Std OREAS 601b	1.41	0.10	4.68	6.7	10.3	0.5
*Std OREAS 905	0.73	0.13	5.53	3.1	15.4	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES /Hole
 B21C-015/162 CORE(77-152)
 Number of Samples 76

ANALYSIS REPORT BBM21-12503

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.70	0.13	5.49	3.0	15.2	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.44	0.10	5.05	7.0	10.1	0.5

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752596	7.359
1752601	9.466
1752602	5.416
1752606	4.144
1752621	9.368
1752634	5.122
1752641	13.552
1752658	21.843
1752659	5.563
1752667	8.472
1752669	18.979
*Std OREAS 135	7.262
*Blk BLANK	<0.005

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>

Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-12504

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	30-Aug-2021
Project	The Brewer Gold Project	Date Analysed	10-Sep-2021 - 26-Oct-2021
Submission Number	PRELOG*SD*	Date Completed	26-Oct-2021
PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)		SGS Order Number	BBM21-12504
Number of Samples	10		

Methods Summary

Number of Sample	Method Code	Description
10	G_WGH_KG	Weight of samples received
9	G_PRP	Combined Sample Preparation
10	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
9	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
9	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
9	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752671	5.46	0.006	7.04	525	0.05	5
1752672	6.19	0.010	7.31	631	0.06	3
1752673	5.18	0.009	7.43	557	0.07	3
1752674	6.29	<0.005	6.87	530	0.06	3
1752675	5.78	<0.005	7.48	675	0.13	5
1752676	6.07	0.007	7.05	485	0.10	3
1752677	5.13	0.008	6.55	640	0.06	4
1752678	5.71	0.007	7.26	385	0.06	3
1752679	6.46	0.006	7.02	362	0.07	3
1752680	6.46	0.007	-	-	-	-
*Std OREAS 905	-	-	6.98	2628	0.56	14
*Rep 1752673	-	-	7.25	348	0.06	3
*Blk BLANK	-	-	0.02	2	<0.01	2
*Std OREAS 601b	-	-	6.30	1794	0.82	20
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.626	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752671	9.1	3.04	2.50	<1	0.03	17
1752672	11.9	3.08	2.90	<1	0.04	16
1752673	32.4	3.22	2.94	<1	0.05	16
1752674	27.2	3.14	2.79	<1	0.07	16
1752675	21.4	3.23	2.57	9	1.22	273
1752676	17.2	3.21	2.58	4	0.56	135

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752677	11.8	3.44	2.81	1	0.07	27
1752678	14.0	3.27	2.59	2	0.05	21
1752679	17.3	3.36	2.40	3	0.04	19
*Std OREAS 905	1514	4.04	2.87	20	0.26	389
*Rep 1752673	26.2	3.15	2.90	<1	0.05	16
*Blk BLANK	0.7	0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1015	2.26	2.43	23	0.09	221

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752671	0.35	2	0.05	3.12	167	0.04
1752672	0.37	2	0.04	3.31	73.4	0.06
1752673	0.36	2	0.05	3.43	102	0.06
1752674	0.33	2	0.05	3.39	104	0.05
1752675	0.30	2	0.07	3.26	63.0	0.06
1752676	0.31	1	0.06	3.44	86.7	0.05
1752677	0.34	2	0.05	3.50	86.6	0.05
1752678	0.30	2	0.06	3.62	85.9	0.05
1752679	0.28	1	0.05	3.70	80.7	0.06
*Std OREAS 905	2.28	8	0.03	0.08	154	0.12
*Rep 1752673	0.35	2	0.05	3.31	96.9	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.53	239	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	40	4	109	0.07	1	0.7
1752672	46	11	141	0.07	1	1.2
1752673	46	9	140	0.07	2	1.5
1752674	39	16	124	0.06	2	1.5
1752675	41	155	146	0.06	2	1.6
1752676	38	74	125	0.04	2	1.4
1752677	42	9	121	0.07	1	1.6
1752678	42	6	128	0.11	3	1.3
1752679	42	5	126	0.05	1	1.3
*Std OREAS 905	7	141	242	0.53	35	2.7
*Rep 1752673	44	6	132	0.06	2	1.5
*Blk BLANK	<2	2	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	322	174	50.76	275	2.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	0.69	0.05	32.35	6.4	2	1.67
1752672	0.57	0.07	18.92	6.3	2	1.29
1752673	1.36	0.05	17.05	6.0	3	0.95
1752674	0.86	0.04	16.78	6.8	2	0.73
1752675	0.60	0.03	24.13	7.1	2	0.88
1752676	0.62	0.04	23.11	6.1	2	0.93
1752677	0.57	0.03	19.15	6.1	2	0.68
1752678	0.47	0.03	26.12	6.5	2	0.88
1752679	0.21	<0.02	27.36	5.1	2	0.77

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	5.71	0.34	89.07	14.7	7	3.32
*Rep 1752673	1.56	0.05	16.37	5.8	2	0.90
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.05
*Std OREAS 601b	17.18	2.04	65.41	2.8	5	2.40

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	1.11	0.89	2.6	14.1	3.11	0.39
1752672	0.86	0.42	1.6	13.5	3.99	0.28
1752673	0.83	0.41	1.6	13.3	4.21	0.30
1752674	0.65	0.30	0.9	12.3	3.71	0.19
1752675	0.81	0.37	1.2	13.4	4.31	0.26
1752676	0.77	0.41	1.3	12.3	3.74	0.26
1752677	0.61	0.42	1.2	12.8	3.60	0.19
1752678	0.73	0.52	1.3	12.2	4.04	0.22
1752679	0.72	0.46	1.3	11.9	3.92	0.25
*Std OREAS 905	1.03	1.37	5.7	23.8	7.16	0.57
*Rep 1752673	0.77	0.41	1.4	13.0	3.93	0.24
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.77	0.99	3.9	20.9	5.46	0.40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	0.06	15.8	0.21	1.62	1.2	15.1
1752672	0.06	8.4	0.25	1.27	1.8	9.0
1752673	0.05	7.3	0.26	1.72	1.6	9.2
1752674	0.06	7.5	0.22	2.01	1.3	8.4
1752675	0.07	11.2	0.26	1.39	1.8	11.1
1752676	0.06	10.2	0.24	1.37	1.3	10.6
1752677	0.05	8.0	0.21	1.72	1.4	9.3
1752678	0.04	12.1	0.24	2.27	1.5	12.4
1752679	0.03	12.2	0.23	1.19	1.6	12.3
*Std OREAS 905	0.65	42.8	0.10	3.34	19.2	37.1
*Rep 1752673	0.05	6.9	0.24	1.63	1.5	8.5
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.47	34.2	0.08	5.20	15.3	26.6

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	10.6	4.04	68.8	0.21	9.7	6
1752672	9.7	2.39	81.1	0.32	9.7	5
1752673	10.5	2.28	83.4	0.35	10.0	4
1752674	10.5	2.20	74.5	0.35	8.9	4
1752675	9.4	3.00	78.0	0.37	10.7	5
1752676	9.1	2.88	78.0	0.81	9.4	5
1752677	9.9	2.48	79.2	0.28	7.2	5
1752678	8.3	3.32	74.2	0.43	9.9	5
1752679	8.2	3.52	74.6	0.26	9.1	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	30.5	11.06	124	2.08	4.7	3
*Rep 1752673	10.1	2.17	77.8	0.45	9.8	4
*Blk BLANK	0.6	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	286	8.04	87.7	24.77	3.3	9

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	3.4	1.0	0.15	0.34	2.85	6.5
1752672	2.3	1.0	0.18	0.23	2.90	6.4
1752673	2.3	0.9	0.23	0.18	3.69	6.7
1752674	2.1	0.9	0.16	0.12	3.48	5.7
1752675	2.5	1.2	0.13	0.16	3.45	6.5
1752676	2.4	1.1	0.14	0.17	3.43	5.8
1752677	2.1	1.0	0.15	0.14	3.86	4.8
1752678	2.5	0.9	0.15	0.16	4.42	6.5
1752679	2.5	0.8	0.12	0.16	2.79	6.4
*Std OREAS 905	7.1	4.7	1.43	0.83	0.12	16.0
*Rep 1752673	2.2	0.9	0.17	0.17	4.16	6.5
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.0	3.8	1.23	0.57	13.10	12.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number PRELOG*SD*
 PANCON_RESOURCES /Hole B21C-015/162 CORE(153-162)
 Number of Samples 10

ANALYSIS REPORT BBM21-12504

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752671	1.30	0.17	1.21	0.3	9.3	1.1
1752672	1.43	0.17	1.53	0.3	7.1	1.2
1752673	1.51	0.18	1.54	0.3	6.3	1.2
1752674	1.42	0.13	1.38	0.3	4.6	1.1
1752675	1.27	0.17	1.63	0.3	6.4	1.2
1752676	1.28	0.16	1.44	0.3	6.2	1.1
1752677	1.40	0.13	1.52	0.2	3.9	0.9
1752678	1.20	0.16	1.49	0.3	5.5	1.1
1752679	1.06	0.15	1.35	0.3	5.1	1.1
*Std OREAS 905	0.70	0.13	5.49	3.0	15.2	0.6
*Rep 1752673	1.46	0.16	1.46	0.3	5.8	1.2
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.44	0.10	5.05	7.0	10.1	0.5

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received