



ANALYSIS REPORT BBM21-13045

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	17-Sep-2021
Project	The Brewer Gold Project	Date Analysed	05-Oct-2021 - 09-Nov-2021
Submission Number	*SD* The Brewer Gold Project/ B21C-	Date Completed	14-Nov-2021
016 / 296 Cores (1-76)		SGS Order Number	BBM21-13045
Number of Samples	76		

Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
71	G_PRP	Combined Sample Preparation
76	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
76	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
76	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
76	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
This report cancels and supersedes the report BBM_U0016419844 dated 15-Nov-2021 issued by SGS Canada (Burnaby).
Elements sequence updated.

Authorised Signatory

John Chiang
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

27-Nov-2021 6:11PM BBM_U0016914757

Page 1 of 33

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752701	0.75	0.109	6.60	77	0.02	7
1752702	4.00	0.111	7.08	67	0.02	17
1752703	2.53	0.237	5.83	71	0.02	5
1752704	1.40	0.163	4.79	56	0.02	11
1752705	0.56	0.182	6.93	75	0.04	5
1752706	2.41	0.098	5.96	50	0.02	13
1752707	4.27	0.412	6.53	75	0.02	2
1752708	4.05	0.076	6.49	63	0.02	3
1752709	3.97	0.086	5.79	118	0.04	1
1752710	0.07	<0.005	-	-	-	-
1752711	4.05	0.094	5.78	70	0.02	4
1752712	3.00	0.128	5.31	70	0.02	5
1752713	4.21	0.141	4.44	55	0.02	5
1752714	4.35	0.099	5.00	60	0.02	5
1752715	6.14	0.090	5.97	77	0.02	8
1752716	2.82	0.087	6.46	109	0.03	8
1752717	3.37	0.084	5.53	53	0.02	6
1752718	3.32	0.134	6.10	54	0.02	6
1752719	5.41	0.047	6.21	77	0.02	14
1752720	1.56	<0.005	-	-	-	-
1752721	4.52	0.045	6.02	99	0.02	5
1752722	3.63	0.052	6.28	93	0.02	5
1752723	4.79	0.060	6.72	102	0.02	3
1752724	3.16	0.041	5.68	103	0.03	5
1752725	3.64	0.026	6.59	252	0.03	4
1752726	2.40	0.036	5.55	179	0.03	6
1752727	3.01	0.030	8.57	325	0.03	4
1752728	5.46	0.041	6.50	76	0.02	5
1752729	4.21	0.088	5.25	58	0.02	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752730	-	0.088	-	-	-	-
1752731	4.64	0.113	6.41	86	0.02	11
1752732	5.53	0.056	6.08	95	0.02	7
1752733	5.99	0.129	5.80	89	0.02	6
1752734	5.55	0.142	7.10	62	0.02	8
1752735	5.20	0.118	5.91	98	0.01	8
1752736	5.37	0.136	6.68	110	0.02	8
1752737	3.61	0.053	7.03	120	0.02	6
1752738	5.83	0.118	6.92	411	0.02	8
1752739	5.45	0.064	7.23	647	0.03	6
1752740	0.08	0.714	-	-	-	-
1752741	5.17	0.100	6.68	407	0.03	6
1752742	5.81	0.075	5.94	86	<0.01	7
1752743	5.51	0.061	6.87	89	0.01	13
1752744	4.98	0.041	6.94	88	0.02	8
1752745	6.56	0.033	7.34	54	0.01	6
1752746	5.88	0.075	5.11	55	0.03	12
1752747	2.63	0.053	6.39	63	0.02	12
1752748	3.50	0.044	6.24	72	0.02	14
1752749	5.02	0.028	4.23	60	<0.01	3
1752750	1.57	<0.005	-	-	-	-
1752751	5.02	0.032	3.17	26	<0.01	3
1752752	4.99	0.026	6.34	77	0.02	11
1752753	5.28	0.051	6.72	118	0.02	7
1752754	4.52	0.104	6.24	90	0.03	8
1752755	5.53	0.118	6.33	73	0.02	7
1752756	4.26	0.061	6.02	84	0.02	9
1752757	5.49	0.063	6.20	325	0.02	9
1752758	3.55	0.030	6.24	205	0.02	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752759	4.22	0.074	6.12	131	0.02	9
1752760	-	0.068	-	-	-	-
1752761	4.58	0.081	5.57	112	0.02	8
1752762	6.43	0.046	6.52	118	0.02	9
1752763	4.21	0.117	5.27	127	0.03	7
1752764	4.76	0.047	6.59	123	0.02	21
1752765	5.59	0.056	5.41	112	0.02	7
1752766	3.56	0.073	5.29	252	0.02	11
1752767	4.10	0.038	6.84	405	0.02	10
1752768	4.91	0.021	7.57	201	0.04	10
1752769	5.66	0.117	6.58	180	0.04	9
1752770	0.07	0.520	-	-	-	-
1752771	3.23	0.056	7.00	124	0.03	10
1752772	4.30	0.048	7.32	97	0.03	5
1752773	5.95	0.110	6.08	97	0.02	12
1752774	5.15	0.068	6.07	80	0.02	8
1752775	5.75	0.076	6.31	363	0.02	14
1752776	5.29	0.051	5.62	754	0.03	12
*Dup 1752739	-	0.062	7.08	638	0.03	6
*Std OREAS 905	-	-	7.58	2802	0.61	15
*Blk BLANK	-	-	0.02	1	<0.01	<1
*Std OREAS 601b	-	-	6.43	447	0.87	19
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	7.02	340	0.89	20
*Rep 1752765	-	-	5.24	110	0.02	8
*Std OREAS 905	-	-	7.69	2723	0.58	15
*Rep 1752708	-	-	6.10	62	0.02	3
*Std OREAS 905	-	-	7.53	2624	0.58	17
*Blk BLANK	-	-	<0.01	<1	<0.01	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	-	-	6.79	393	0.89	18
*Blk BLANK	-	-	<0.01	1	<0.01	<1
*Std OREAS 70b	-	-	4.09	204	3.10	705
*Std SN106	-	8.265	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SL105	-	4.888	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 502c	-	0.475	-	-	-	-
*Rep 1752709	-	0.083	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752744	-	0.040	-	-	-	-
*Std SL105	-	5.022	-	-	-	-
*Std SN106	-	8.589	-	-	-	-
*Std OREAS 502c	-	0.468	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752766	-	0.078	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752701	24.8	3.63	0.02	<1	<0.01	20
1752702	51.5	1.43	0.05	1	<0.01	17
1752703	4.2	0.35	0.07	1	<0.01	16
1752704	5.1	0.55	0.06	1	<0.01	20
1752705	5.2	0.40	0.13	2	<0.01	21
1752706	3.9	0.30	0.08	1	<0.01	20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752707	5.7	0.92	0.07	1	<0.01	15
1752708	2.7	0.20	0.09	2	<0.01	11
1752709	2.9	0.26	0.08	2	<0.01	9
1752711	3.1	0.26	0.04	2	<0.01	14
1752712	7.4	1.34	0.02	2	<0.01	11
1752713	30.1	3.66	0.03	1	<0.01	15
1752714	33.0	4.04	0.03	1	<0.01	14
1752715	40.2	4.32	0.02	2	<0.01	16
1752716	15.3	3.05	0.03	4	<0.01	8
1752717	25.0	3.35	0.03	1	<0.01	20
1752718	16.1	3.87	0.02	2	<0.01	15
1752719	23.4	2.08	0.02	2	<0.01	23
1752721	8.4	0.83	0.01	<1	<0.01	23
1752722	4.2	0.66	0.03	1	<0.01	15
1752723	3.8	0.98	0.04	2	<0.01	16
1752724	2.1	0.49	0.04	2	<0.01	10
1752725	1.9	0.20	0.18	4	<0.01	10
1752726	2.6	0.16	0.13	4	<0.01	10
1752727	2.3	0.18	0.18	4	<0.01	12
1752728	10.6	1.06	0.08	2	<0.01	15
1752729	30.4	2.13	0.07	2	<0.01	20
1752731	62.9	1.75	0.03	1	<0.01	21
1752732	20.8	1.57	0.04	2	<0.01	14
1752733	66.1	2.40	0.02	2	<0.01	21
1752734	33.2	2.23	0.07	2	<0.01	23
1752735	42.4	3.91	0.03	2	<0.01	18
1752736	29.5	2.61	0.02	2	<0.01	12
1752737	31.6	2.00	0.10	2	<0.01	15
1752738	70.8	2.59	0.03	2	<0.01	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752739	33.7	1.77	0.08	2	<0.01	11
1752741	34.5	2.46	0.06	2	<0.01	19
1752742	30.1	1.25	0.03	<1	<0.01	17
1752743	18.2	1.92	0.02	2	<0.01	22
1752744	13.2	0.93	0.02	2	<0.01	17
1752745	27.8	0.99	0.02	1	<0.01	28
1752746	42.0	1.72	0.05	<1	<0.01	29
1752747	20.8	2.49	0.02	<1	<0.01	30
1752748	23.1	1.49	0.02	1	<0.01	20
1752749	3.0	0.23	0.02	1	<0.01	10
1752751	15.6	0.52	<0.01	<1	<0.01	10
1752752	34.4	0.83	0.02	1	<0.01	17
1752753	37.3	1.22	0.05	1	<0.01	19
1752754	28.9	2.47	0.16	2	<0.01	11
1752755	96.2	4.56	0.05	1	<0.01	20
1752756	42.0	1.97	0.03	<1	<0.01	16
1752757	19.8	2.98	0.03	<1	<0.01	27
1752758	11.4	1.77	0.02	<1	<0.01	17
1752759	25.3	2.27	0.02	<1	<0.01	22
1752761	87.3	1.72	0.02	<1	<0.01	25
1752762	25.9	2.22	0.18	<1	<0.01	14
1752763	57.4	2.90	0.05	2	<0.01	13
1752764	17.0	1.93	0.02	2	<0.01	15
1752765	14.6	3.95	0.01	1	<0.01	22
1752766	16.4	3.59	0.02	<1	<0.01	13
1752767	13.8	1.63	0.02	<1	<0.01	21
1752768	7.6	1.62	0.02	<1	<0.01	10
1752769	18.8	2.47	0.02	1	<0.01	16
1752771	16.9	2.26	0.02	3	<0.01	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752772	22.7	2.30	0.02	3	<0.01	10
1752773	22.2	2.64	0.02	2	<0.01	10
1752774	20.2	2.47	0.02	1	<0.01	19
1752775	22.8	2.80	0.02	<1	<0.01	19
1752776	15.4	2.41	0.02	1	<0.01	24
*Dup 1752739	31.7	1.69	0.08	2	<0.01	16
*Std OREAS 905	1594	4.18	2.97	21	0.29	380
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1021	2.24	2.28	23	0.10	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1039	2.30	2.46	23	0.10	231
*Rep 1752765	14.6	3.90	0.01	1	<0.01	22
*Std OREAS 905	1557	4.05	2.92	20	0.29	373
*Rep 1752708	2.6	0.20	0.09	2	<0.01	11
*Std OREAS 905	1466	4.04	3.07	22	0.30	354
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1049	2.29	2.55	25	0.10	217
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 70b	56.2	5.52	0.67	37	13.95	1146

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752701	0.01	2	0.03	0.04	104	0.04
1752702	0.02	2	0.04	0.61	106	0.08
1752703	0.01	1	0.04	0.03	137	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752704	0.01	2	0.03	0.03	102	0.07
1752705	0.01	2	0.04	0.05	169	0.08
1752706	0.01	1	0.04	0.03	152	0.09
1752707	0.01	<1	0.06	0.03	214	0.06
1752708	0.02	<1	0.06	0.04	229	0.07
1752709	0.02	<1	0.06	0.07	327	0.06
1752711	0.01	<1	0.05	0.04	274	0.07
1752712	0.02	<1	0.05	0.05	298	0.06
1752713	0.01	<1	0.05	0.05	195	0.04
1752714	<0.01	1	0.05	0.60	224	0.04
1752715	<0.01	1	0.05	1.56	189	0.04
1752716	0.02	<1	0.05	0.07	320	0.04
1752717	0.01	1	0.05	0.05	237	0.05
1752718	<0.01	<1	0.06	0.06	266	0.05
1752719	0.01	2	0.05	1.28	223	0.06
1752721	<0.01	1	0.04	0.09	246	0.07
1752722	0.01	<1	0.05	0.04	228	0.07
1752723	0.01	1	0.05	0.13	282	0.07
1752724	0.02	<1	0.06	0.05	333	0.07
1752725	0.02	1	0.07	0.05	319	0.07
1752726	0.02	<1	0.05	0.05	279	0.07
1752727	0.02	1	0.12	0.06	382	0.05
1752728	0.01	<1	0.06	0.20	158	0.05
1752729	0.01	2	0.05	1.01	121	0.05
1752731	0.01	2	0.06	1.45	197	0.06
1752732	<0.01	2	0.06	1.72	243	0.06
1752733	0.02	4	0.07	2.52	298	0.05
1752734	0.02	2	0.05	1.10	133	0.12
1752735	<0.01	4	0.05	4.24	155	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752736	0.01	2	0.05	2.59	211	0.09
1752737	0.01	2	0.05	1.92	172	0.12
1752738	0.01	2	0.07	2.69	182	0.06
1752739	0.07	2	0.07	1.77	210	0.07
1752741	0.05	3	0.06	2.77	169	0.05
1752742	<0.01	2	0.06	1.21	93.8	0.08
1752743	0.01	5	0.05	1.83	110	0.07
1752744	0.01	2	0.05	0.85	118	0.09
1752745	0.01	2	0.08	0.73	82.9	0.09
1752746	0.02	2	0.06	1.27	139	0.08
1752747	0.01	4	0.06	2.42	200	0.06
1752748	<0.01	2	0.08	1.36	197	0.06
1752749	<0.01	<1	0.03	0.03	83.5	0.04
1752751	0.01	1	0.03	0.47	52.9	0.03
1752752	0.01	1	0.05	0.73	136	0.07
1752753	0.01	2	0.05	1.22	184	0.07
1752754	0.02	1	0.05	1.09	222	0.05
1752755	0.01	3	0.05	4.50	175	0.05
1752756	<0.01	2	0.05	1.90	200	0.06
1752757	<0.01	3	0.06	3.09	216	0.06
1752758	0.01	1	0.06	1.65	147	0.07
1752759	0.01	3	0.05	2.34	168	0.06
1752761	0.01	2	0.06	1.70	159	0.07
1752762	0.02	2	0.05	2.36	157	0.08
1752763	0.02	2	0.06	1.92	186	0.05
1752764	0.01	2	0.07	1.58	125	0.07
1752765	<0.01	4	0.06	4.18	118	0.05
1752766	0.01	3	0.06	3.82	95.1	0.05
1752767	0.01	3	0.05	1.61	115	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752768	0.02	2	0.07	1.66	131	0.07
1752769	0.02	3	0.08	2.69	180	0.05
1752771	0.01	2	0.05	1.98	141	0.06
1752772	0.01	2	0.05	2.50	129	0.06
1752773	<0.01	1	0.06	1.80	134	0.06
1752774	0.01	3	0.05	2.55	110	0.07
1752775	<0.01	2	0.04	2.81	105	0.08
1752776	0.01	4	0.06	2.49	153	0.08
*Dup 1752739	0.07	2	0.07	1.66	209	0.07
*Std OREAS 905	2.48	9	0.03	0.07	165	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.42	252	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.91	7	0.03	1.50	244	0.13
*Rep 1752765	0.01	4	0.07	4.02	111	0.05
*Std OREAS 905	2.41	9	0.03	0.07	157	0.12
*Rep 1752708	0.02	<1	0.05	0.04	223	0.06
*Std OREAS 905	2.56	8	0.03	0.07	157	0.12
*Blk BLANK	0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	2.01	6	0.03	1.48	246	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 70b	0.86	1955	0.03	0.35	78.0	0.18

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	25	1	123	0.18	11	0.2
1752702	25	2	123	0.10	3	0.2
1752703	24	2	127	0.05	2	0.3
1752704	21	3	87.2	0.09	2	0.2
1752705	28	3	117	0.11	1	0.3
1752706	20	2	99.5	0.03	<1	0.2
1752707	20	<1	106	0.12	4	0.2
1752708	21	<1	113	0.03	<1	0.3
1752709	24	1	106	0.03	1	0.2
1752711	21	<1	110	0.03	1	0.2
1752712	21	<1	115	0.05	4	0.3
1752713	22	<1	121	0.06	5	0.1
1752714	20	<1	118	0.07	3	0.2
1752715	21	<1	112	0.07	4	0.2
1752716	20	2	113	0.06	3	0.3
1752717	21	<1	126	0.05	3	0.2
1752718	22	<1	120	0.13	4	0.2
1752719	20	1	112	0.07	2	0.2
1752721	18	<1	110	0.07	1	0.1
1752722	19	2	113	0.09	1	0.2
1752723	19	<1	123	0.06	2	0.2
1752724	15	<1	96.5	0.03	2	0.2
1752725	22	1	109	0.02	1	0.3
1752726	21	<1	111	0.03	1	0.2
1752727	26	1	103	0.03	<1	0.3
1752728	21	<1	104	0.06	1	0.1
1752729	20	4	125	0.08	3	0.2
1752731	21	1	110	0.18	3	0.1
1752732	23	<1	113	0.06	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	21	<1	115	0.07	8	0.1
1752734	26	<1	139	0.10	4	0.2
1752735	20	<1	111	0.06	5	0.2
1752736	25	1	127	0.05	4	0.2
1752737	29	3	128	0.08	4	0.2
1752738	23	<1	122	0.13	6	0.1
1752739	26	<1	124	0.05	4	0.1
1752741	20	<1	116	0.06	8	0.1
1752742	19	<1	132	0.05	7	0.1
1752743	21	<1	113	0.07	5	0.1
1752744	22	<1	130	0.08	3	0.2
1752745	23	<1	118	0.05	2	0.1
1752746	19	3	125	0.08	14	0.1
1752747	17	2	117	0.05	4	<0.1
1752748	19	<1	114	0.07	4	0.1
1752749	12	<1	35.7	<0.02	<1	<0.1
1752751	8	<1	46.1	0.03	1	<0.1
1752752	18	2	112	0.16	2	<0.1
1752753	22	1	98.9	0.10	2	0.1
1752754	30	1	105	0.17	5	0.1
1752755	23	<1	128	0.11	7	0.1
1752756	24	<1	118	0.06	6	0.1
1752757	26	1	119	0.06	4	0.1
1752758	25	<1	134	0.05	2	<0.1
1752759	25	<1	109	0.07	6	0.1
1752761	23	1	124	0.08	4	<0.1
1752762	35	1	123	0.05	3	0.1
1752763	24	<1	121	0.08	3	0.2
1752764	25	1	118	0.10	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	24	<1	119	0.05	2	<0.1
1752766	26	<1	115	0.05	2	0.1
1752767	26	<1	125	0.03	4	0.1
1752768	28	1	132	0.04	3	0.2
1752769	28	2	127	0.03	4	0.2
1752771	31	3	126	0.15	4	0.3
1752772	28	3	119	0.04	3	0.4
1752773	24	1	113	0.06	4	0.2
1752774	24	<1	120	0.04	3	0.1
1752775	25	2	122	0.14	3	0.1
1752776	23	3	134	0.19	4	0.1
*Dup 1752739	25	<1	126	0.06	5	0.1
*Std OREAS 905	8	139	263	0.64	29	3.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	314	185	50.79	282	2.4
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	13	311	190	51.62	280	2.1
*Rep 1752765	23	<1	115	0.05	2	<0.1
*Std OREAS 905	11	131	256	0.57	39	3.2
*Rep 1752708	18	<1	107	0.04	<1	0.3
*Std OREAS 905	11	138	247	0.63	35	2.9
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	13	322	170	52.38	271	2.2
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 70b	69	110	62.4	0.17	141	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	3.74	<0.02	53.54	0.2	<1	2.61
1752702	3.45	<0.02	37.74	2.2	<1	1.56
1752703	5.49	<0.02	62.63	0.1	<1	1.77
1752704	3.74	0.02	41.06	0.1	<1	1.07
1752705	4.05	<0.02	55.63	0.2	<1	1.43
1752706	1.67	<0.02	31.02	0.1	<1	1.34
1752707	3.05	<0.02	34.55	<0.1	<1	1.34
1752708	2.00	<0.02	35.58	<0.1	<1	1.35
1752709	1.65	<0.02	59.13	<0.1	<1	1.56
1752711	2.01	<0.02	39.67	<0.1	<1	1.14
1752712	2.67	<0.02	42.85	<0.1	<1	1.22
1752713	2.51	<0.02	41.89	<0.1	<1	1.26
1752714	2.33	<0.02	41.76	0.7	<1	1.39
1752715	2.44	<0.02	46.13	2.1	<1	1.49
1752716	1.75	<0.02	45.37	<0.1	<1	1.60
1752717	1.37	<0.02	51.21	<0.1	<1	1.47
1752718	2.63	<0.02	51.03	<0.1	<1	1.45
1752719	1.32	<0.02	47.18	2.1	<1	1.43
1752721	1.35	<0.02	47.23	0.3	<1	1.24
1752722	1.37	<0.02	46.99	<0.1	<1	1.23
1752723	0.85	<0.02	52.70	0.2	<1	1.45
1752724	0.71	<0.02	45.31	<0.1	<1	1.31
1752725	0.63	<0.02	53.88	0.1	<1	1.70
1752726	0.48	<0.02	50.77	<0.1	<1	1.39
1752727	0.80	<0.02	61.51	0.1	<1	1.51
1752728	0.93	<0.02	40.81	0.6	<1	1.14
1752729	3.01	<0.02	48.88	2.7	<1	1.33
1752731	2.94	<0.02	47.39	3.4	<1	1.64
1752732	1.77	<0.02	51.42	3.1	<1	1.71

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	3.02	0.02	50.46	8.0	<1	1.55
1752734	3.37	<0.02	50.26	2.9	<1	1.57
1752735	1.78	<0.02	44.10	9.2	<1	1.33
1752736	1.59	<0.02	45.35	5.4	<1	1.66
1752737	1.30	<0.02	44.29	2.3	<1	1.56
1752738	2.86	<0.02	51.59	7.9	<1	1.78
1752739	1.37	<0.02	51.21	3.2	<1	1.91
1752741	1.45	<0.02	44.18	9.2	<1	1.59
1752742	1.02	<0.02	54.40	7.3	<1	1.33
1752743	0.81	<0.02	51.95	7.2	<1	1.23
1752744	0.78	<0.02	49.01	3.0	<1	1.19
1752745	0.79	<0.02	48.58	2.5	<1	0.91
1752746	1.43	<0.02	54.18	4.2	<1	1.18
1752747	0.94	<0.02	44.71	5.9	<1	1.08
1752748	0.89	<0.02	52.31	4.8	<1	1.21
1752749	0.41	<0.02	33.74	0.2	<1	0.73
1752751	0.38	<0.02	21.50	1.2	<1	0.54
1752752	0.67	<0.02	47.16	2.4	<1	1.33
1752753	0.73	<0.02	49.08	3.7	<1	1.31
1752754	1.51	<0.02	49.43	2.4	<1	1.21
1752755	1.94	<0.02	48.38	7.7	<1	1.72
1752756	1.54	<0.02	47.92	4.8	<1	1.34
1752757	0.98	<0.02	48.92	4.7	<1	1.30
1752758	0.58	<0.02	49.18	3.0	<1	1.48
1752759	1.03	<0.02	46.24	6.8	<1	1.16
1752761	1.76	<0.02	50.98	6.3	<1	1.00
1752762	0.81	<0.02	47.53	3.8	<1	1.15
1752763	1.83	<0.02	54.02	3.7	<1	1.18
1752764	0.48	<0.02	43.69	3.4	<1	0.97

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	0.59	<0.02	43.37	6.4	<1	1.11
1752766	0.57	<0.02	42.77	6.6	<1	1.34
1752767	0.50	<0.02	37.23	4.0	<1	0.85
1752768	0.46	<0.02	39.38	3.1	<1	0.99
1752769	0.79	0.03	76.15	5.3	<1	1.31
1752771	0.64	<0.02	51.48	5.2	<1	1.41
1752772	0.58	<0.02	40.50	5.8	<1	1.01
1752773	0.93	<0.02	47.29	4.9	<1	1.30
1752774	0.72	0.02	49.59	6.0	<1	1.29
1752775	0.74	0.03	43.37	8.4	<1	1.26
1752776	0.66	0.04	48.51	5.5	<1	1.05
*Dup 1752739	1.36	<0.02	52.70	3.2	<1	1.89
*Std OREAS 905	5.59	0.33	91.07	15.5	7	3.54
*Blk BLANK	<0.04	<0.02	0.12	<0.1	<1	<0.05
*Std OREAS 601b	16.74	2.09	69.98	3.0	5	2.53
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05
*Std OREAS 601b	17.55	2.01	67.58	2.7	5	2.45
*Rep 1752765	0.58	<0.02	42.45	6.2	<1	1.10
*Std OREAS 905	5.68	0.32	93.02	15.6	7	3.54
*Rep 1752708	1.92	<0.02	35.98	<0.1	<1	1.25
*Std OREAS 905	5.72	0.34	87.44	15.0	7	3.49
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 601b	17.60	2.07	68.62	2.9	5	2.55
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 70b	0.84	0.32	27.57	73.0	4	1.75

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	1.04	1.31	5.6	23.7	3.71	0.38
1752702	0.87	1.06	3.9	14.7	3.88	0.27
1752703	1.07	1.44	4.5	19.1	3.95	0.34
1752704	0.69	0.81	2.5	13.8	2.79	0.21
1752705	0.88	1.13	3.4	13.2	3.67	0.26
1752706	0.92	0.59	1.8	5.8	3.24	0.29
1752707	0.87	0.72	2.2	7.2	3.28	0.26
1752708	0.88	0.72	2.2	9.2	3.37	0.26
1752709	0.89	1.17	3.8	8.4	3.13	0.27
1752711	0.76	0.77	2.4	11.7	3.22	0.22
1752712	0.88	0.84	2.4	12.1	3.46	0.24
1752713	0.84	0.89	2.9	11.7	3.35	0.24
1752714	0.87	0.88	2.7	11.1	3.39	0.25
1752715	0.94	0.89	3.0	10.8	3.38	0.29
1752716	0.94	0.97	3.2	11.1	3.20	0.29
1752717	1.00	0.92	3.0	11.7	3.65	0.32
1752718	0.95	0.95	2.8	9.1	3.45	0.28
1752719	0.95	0.98	3.0	8.5	3.48	0.28
1752721	0.85	0.91	2.6	6.3	3.48	0.24
1752722	0.82	0.98	2.6	5.6	3.55	0.24
1752723	0.96	1.10	2.8	5.7	3.90	0.27
1752724	0.77	0.96	2.8	5.6	2.13	0.23
1752725	1.02	1.15	3.3	12.6	3.31	0.32
1752726	0.88	0.98	2.7	10.9	3.38	0.26
1752727	0.82	1.07	2.9	15.3	3.21	0.25
1752728	0.79	0.73	2.0	12.2	3.28	0.23
1752729	0.90	0.86	2.5	8.0	3.12	0.25
1752731	1.03	1.13	4.2	10.1	3.60	0.30
1752732	0.97	1.21	4.5	11.4	3.34	0.29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	0.93	1.19	4.1	13.0	3.41	0.28
1752734	1.10	0.96	2.7	9.6	4.30	0.30
1752735	0.86	0.96	2.9	8.3	3.33	0.25
1752736	1.10	1.02	3.5	13.2	3.93	0.34
1752737	1.06	0.98	3.2	11.6	3.95	0.31
1752738	1.12	1.16	3.8	10.6	3.50	0.30
1752739	1.19	1.19	3.9	13.8	3.43	0.33
1752741	0.90	1.13	3.6	8.0	3.15	0.25
1752742	0.92	1.07	3.1	7.2	3.54	0.23
1752743	0.87	1.06	3.1	9.1	3.23	0.22
1752744	0.87	1.05	2.9	11.5	3.57	0.22
1752745	0.71	0.89	2.5	10.1	3.12	0.17
1752746	0.91	0.96	2.8	6.7	3.31	0.22
1752747	0.76	0.96	2.7	9.1	3.02	0.19
1752748	0.79	1.13	3.0	8.6	2.93	0.21
1752749	0.48	0.74	1.8	5.3	0.64	0.12
1752751	0.36	0.49	1.3	3.8	1.40	0.09
1752752	0.83	1.17	3.3	10.2	3.14	0.22
1752753	0.87	1.20	3.4	11.0	2.75	0.23
1752754	0.80	1.08	3.3	11.5	2.89	0.20
1752755	1.19	1.24	4.0	14.9	3.70	0.31
1752756	0.82	1.16	3.4	10.7	3.29	0.22
1752757	0.81	1.08	3.2	13.3	3.38	0.21
1752758	0.98	1.14	3.5	9.1	3.41	0.25
1752759	0.83	0.94	2.8	9.6	3.10	0.20
1752761	0.62	1.12	2.7	7.1	3.42	0.16
1752762	0.75	1.14	3.1	11.1	3.39	0.19
1752763	0.79	1.30	3.3	6.5	3.47	0.21
1752764	0.71	1.04	2.7	7.4	3.23	0.17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	0.79	1.14	3.2	7.5	3.28	0.20
1752766	0.92	1.09	3.3	7.8	3.17	0.24
1752767	0.61	0.96	2.6	7.7	3.41	0.15
1752768	0.68	0.89	2.4	7.3	3.43	0.17
1752769	0.73	1.50	4.2	8.3	3.51	0.18
1752771	0.82	1.19	3.6	13.3	3.59	0.22
1752772	0.63	1.01	2.6	9.9	3.26	0.16
1752773	0.89	1.03	2.9	9.1	3.24	0.22
1752774	0.94	1.02	3.0	9.3	3.24	0.23
1752775	0.93	1.06	3.0	13.6	3.37	0.27
1752776	0.69	1.19	3.2	10.5	3.59	0.20
*Dup 1752739	1.21	1.23	3.9	14.4	3.58	0.33
*Std OREAS 905	1.15	1.45	6.1	25.5	7.29	0.55
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.83	0.96	4.2	24.8	5.38	0.39
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.86	0.92	3.9	21.8	5.36	0.33
*Rep 1752765	0.79	1.12	3.1	7.1	3.13	0.19
*Std OREAS 905	1.17	1.43	5.8	26.4	7.39	0.47
*Rep 1752708	0.83	0.71	2.2	8.3	3.26	0.25
*Std OREAS 905	1.09	1.37	5.8	25.3	7.22	0.50
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.82	0.95	4.1	22.0	5.37	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 70b	0.96	0.44	1.7	9.8	1.75	0.33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	<0.02	26.2	0.23	11.12	1.3	23.5
1752702	<0.02	18.8	0.23	6.85	2.1	17.0
1752703	<0.02	28.3	0.26	3.24	1.8	31.6
1752704	<0.02	18.8	0.18	3.96	1.6	19.7
1752705	0.03	25.9	0.23	4.23	2.4	25.6
1752706	<0.02	15.3	0.23	3.28	2.6	12.9
1752707	0.02	17.9	0.23	8.81	1.9	13.8
1752708	0.02	18.9	0.24	3.50	2.3	14.2
1752709	0.02	28.9	0.23	2.10	1.7	27.0
1752711	<0.02	19.7	0.21	4.55	2.0	16.7
1752712	<0.02	20.9	0.23	6.30	1.7	19.3
1752713	<0.02	20.8	0.22	7.24	1.2	19.2
1752714	<0.02	20.4	0.23	7.47	1.3	19.4
1752715	<0.02	22.4	0.23	5.80	1.3	21.1
1752716	<0.02	22.1	0.23	5.78	1.2	21.0
1752717	<0.02	24.5	0.25	5.72	1.6	22.9
1752718	<0.02	25.1	0.24	6.25	1.4	22.3
1752719	<0.02	23.1	0.24	6.71	1.9	21.8
1752721	<0.02	23.3	0.22	4.84	2.1	20.1
1752722	<0.02	22.9	0.24	5.15	2.3	21.2
1752723	<0.02	24.9	0.26	4.53	2.3	23.2
1752724	<0.02	22.5	0.20	4.10	1.7	21.0
1752725	0.02	26.6	0.24	2.61	2.2	23.8
1752726	<0.02	26.2	0.23	2.16	1.8	19.5
1752727	0.03	34.8	0.21	2.81	1.6	20.4
1752728	0.02	22.7	0.21	5.06	1.7	14.3
1752729	0.02	23.2	0.23	6.86	2.0	18.6
1752731	<0.02	22.8	0.25	11.17	2.1	22.3
1752732	<0.02	24.8	0.25	6.06	2.0	23.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	<0.02	24.0	0.24	7.70	1.9	23.8
1752734	0.03	25.1	0.28	7.73	3.9	21.1
1752735	<0.02	21.7	0.22	12.05	1.4	19.4
1752736	<0.02	22.1	0.28	7.61	2.7	21.3
1752737	<0.02	21.3	0.27	5.36	3.8	20.5
1752738	<0.02	23.9	0.27	5.13	2.2	23.1
1752739	<0.02	23.5	0.25	5.14	1.9	22.8
1752741	<0.02	20.4	0.22	5.21	1.6	21.4
1752742	<0.02	25.3	0.25	6.63	2.4	23.7
1752743	<0.02	24.5	0.23	6.46	2.2	22.6
1752744	<0.02	23.1	0.25	6.02	2.7	21.9
1752745	<0.02	23.1	0.20	4.40	2.7	20.4
1752746	<0.02	25.1	0.24	4.12	2.1	22.9
1752747	<0.02	20.7	0.21	9.33	1.7	19.2
1752748	<0.02	24.5	0.21	4.14	1.8	22.9
1752749	<0.02	16.3	0.12	2.02	0.5	14.2
1752751	<0.02	10.7	0.10	2.11	0.9	8.8
1752752	<0.02	22.2	0.22	2.86	2.0	21.8
1752753	<0.02	23.3	0.22	3.35	2.2	22.3
1752754	0.03	22.9	0.21	4.56	1.5	21.7
1752755	<0.02	22.6	0.29	3.39	1.6	22.3
1752756	<0.02	22.2	0.21	5.40	1.8	22.6
1752757	<0.02	22.5	0.21	6.30	1.7	22.9
1752758	<0.02	22.5	0.24	4.57	2.0	23.1
1752759	<0.02	21.1	0.22	7.23	2.0	20.5
1752761	<0.02	23.2	0.16	10.12	1.5	22.7
1752762	0.04	21.3	0.19	10.41	2.5	22.3
1752763	<0.02	24.4	0.22	6.19	1.5	26.3
1752764	<0.02	20.0	0.20	6.60	2.0	20.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	<0.02	19.4	0.21	6.68	1.6	21.3
1752766	<0.02	19.5	0.22	6.21	1.5	20.3
1752767	<0.02	16.0	0.17	7.07	2.6	18.7
1752768	<0.02	18.0	0.20	6.34	2.0	16.8
1752769	<0.02	37.1	0.19	8.41	1.4	32.7
1752771	<0.02	23.2	0.19	9.21	1.9	24.5
1752772	<0.02	17.9	0.17	7.85	1.9	18.9
1752773	<0.02	22.6	0.23	8.96	1.8	21.7
1752774	<0.02	23.0	0.24	8.76	2.0	21.5
1752775	<0.02	20.1	0.22	8.91	2.3	20.2
1752776	<0.02	22.8	0.19	8.09	2.4	23.2
*Dup 1752739	<0.02	24.7	0.27	5.43	2.0	23.8
*Std OREAS 905	0.65	45.5	0.09	3.37	19.8	39.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.49	34.2	0.07	4.99	16.1	29.0
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.46	33.7	0.07	5.47	14.0	27.9
*Rep 1752765	<0.02	19.3	0.21	6.55	1.5	21.0
*Std OREAS 905	0.65	44.5	0.10	3.23	16.8	39.1
*Rep 1752708	<0.02	18.5	0.22	3.27	1.9	14.1
*Std OREAS 905	0.66	43.9	0.09	3.32	18.2	37.3
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.47	34.6	0.07	5.21	14.3	28.2
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 70b	0.04	14.1	0.15	2.82	3.4	9.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	38.4	6.53	0.3	0.19	5.3	13
1752702	28.5	4.78	0.5	0.16	4.4	5
1752703	34.2	8.10	0.6	0.23	5.0	6
1752704	25.8	5.10	0.6	0.22	3.4	6
1752705	40.6	6.76	1.3	0.28	4.7	2
1752706	28.9	3.63	0.7	0.15	4.6	<2
1752707	41.6	4.00	0.7	0.31	4.4	10
1752708	44.9	4.16	1.0	0.29	4.4	<2
1752709	67.4	7.35	0.9	0.35	4.2	<2
1752711	59.5	4.64	0.5	0.39	2.9	<2
1752712	75.2	5.30	0.3	0.59	3.6	8
1752713	50.8	5.31	0.4	0.37	3.8	9
1752714	52.2	5.19	0.3	0.22	3.7	9
1752715	43.5	5.86	0.3	0.28	3.8	10
1752716	54.0	5.65	0.5	0.40	4.0	7
1752717	48.3	6.49	0.4	0.20	5.3	6
1752718	44.0	6.31	0.3	0.76	4.3	8
1752719	39.1	5.85	0.3	0.14	3.6	5
1752721	39.5	5.68	0.3	0.16	3.9	<2
1752722	41.4	5.94	0.4	0.28	3.6	<2
1752723	44.0	6.38	0.5	0.23	4.1	2
1752724	45.3	5.64	0.6	0.29	3.2	<2
1752725	46.4	6.63	2.2	0.22	4.3	<2
1752726	48.0	6.01	2.0	0.45	4.0	<2
1752727	67.2	6.65	2.3	0.26	4.0	<2
1752728	31.3	4.52	0.8	0.19	3.7	<2
1752729	28.2	5.07	0.8	0.72	3.6	2
1752731	37.4	5.96	0.3	0.35	4.1	4
1752732	39.3	6.42	0.4	0.39	3.8	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	44.6	6.32	0.3	0.32	3.7	3
1752734	29.4	6.11	0.7	0.74	5.2	3
1752735	31.4	5.36	0.4	0.24	3.6	6
1752736	41.6	5.83	0.2	0.40	4.5	4
1752737	35.9	5.51	0.9	0.22	4.9	3
1752738	41.9	5.91	0.3	0.18	3.1	4
1752739	48.8	5.87	0.4	0.20	3.5	2
1752741	39.4	5.32	0.4	0.17	2.5	3
1752742	25.4	6.17	0.3	0.16	2.7	2
1752743	25.5	5.89	0.2	0.17	2.5	3
1752744	30.0	5.64	0.3	0.23	2.6	<2
1752745	15.1	5.33	<0.2	0.16	2.5	<2
1752746	27.4	6.00	0.9	0.23	2.5	3
1752747	40.5	5.01	0.3	0.11	2.2	3
1752748	40.5	5.92	0.2	0.14	2.1	3
1752749	15.0	3.84	0.2	<0.05	1.5	<2
1752751	9.1	2.36	<0.2	0.06	1.1	<2
1752752	23.5	5.39	0.3	0.13	2.7	<2
1752753	37.0	5.61	0.7	0.18	2.6	<2
1752754	44.7	5.52	1.9	0.21	3.1	7
1752755	42.4	5.58	0.5	0.14	3.5	7
1752756	47.3	5.60	0.4	0.12	2.5	3
1752757	49.1	5.64	0.4	0.15	2.3	5
1752758	30.7	5.75	0.4	0.13	2.7	<2
1752759	43.7	5.16	0.4	0.14	3.0	4
1752761	39.7	5.95	0.2	0.09	1.7	3
1752762	38.8	5.58	2.0	0.13	2.6	3
1752763	43.1	6.52	1.1	0.18	2.9	8
1752764	30.7	5.04	0.2	0.15	2.5	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	28.1	5.09	<0.2	0.10	2.6	8
1752766	20.6	5.04	0.2	0.09	2.6	4
1752767	25.7	4.53	0.2	0.18	1.9	3
1752768	30.2	4.34	0.2	0.17	3.1	3
1752769	41.4	8.56	0.2	0.14	2.5	5
1752771	33.6	5.94	0.3	0.17	2.8	3
1752772	32.3	4.75	0.3	0.11	2.0	3
1752773	38.6	5.54	0.2	0.12	2.9	5
1752774	31.9	5.61	<0.2	0.23	2.9	3
1752775	28.7	5.13	0.3	0.20	2.9	4
1752776	44.9	5.82	0.4	0.49	2.6	4
*Dup 1752739	49.0	6.17	0.4	0.25	3.6	2
*Std OREAS 905	31.6	10.70	142	2.00	5.6	2
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	300	8.03	103	25.23	4.2	10
*Blk BLANK	0.7	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	309	7.61	97.0	23.14	3.5	9
*Rep 1752765	27.6	5.11	<0.2	0.08	2.5	7
*Std OREAS 905	30.4	10.37	135	1.93	5.1	3
*Rep 1752708	43.9	4.07	0.9	0.26	4.0	<2
*Std OREAS 905	30.6	10.63	138	1.96	5.6	3
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	314	8.29	97.1	22.99	3.9	9
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 70b	13.0	2.65	32.5	0.51	11.7	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	5.4	1.4	0.11	0.70	4.35	9.9
1752702	4.2	1.8	0.17	0.42	2.68	6.1
1752703	6.9	2.3	0.17	0.44	1.48	8.0
1752704	4.0	1.8	0.13	0.26	3.01	5.3
1752705	4.8	2.5	0.17	0.35	1.97	7.7
1752706	2.4	2.5	0.18	0.25	0.30	6.6
1752707	2.7	1.8	0.13	0.27	3.70	7.3
1752708	2.7	1.9	0.17	0.28	1.97	7.6
1752709	5.3	1.6	0.13	0.40	0.99	8.0
1752711	3.2	1.7	0.13	0.26	3.26	6.5
1752712	3.7	1.5	0.13	0.28	3.58	6.5
1752713	4.1	1.2	0.10	0.29	4.81	6.4
1752714	3.9	1.1	0.09	0.31	9.44	6.6
1752715	4.2	1.3	0.10	0.33	7.14	7.1
1752716	4.5	1.4	0.09	0.38	5.93	6.9
1752717	4.3	1.4	0.13	0.34	4.79	7.8
1752718	4.2	1.8	0.12	0.33	27.15	7.9
1752719	4.2	1.8	0.14	0.33	5.35	7.2
1752721	3.6	2.6	0.16	0.29	1.70	8.0
1752722	3.9	2.5	0.17	0.29	1.42	8.0
1752723	4.4	2.4	0.18	0.32	1.07	9.7
1752724	3.9	3.0	0.08	0.32	0.73	8.5
1752725	4.3	2.9	0.16	0.39	0.24	7.6
1752726	3.4	2.7	0.16	0.31	0.40	6.8
1752727	3.4	2.9	0.13	0.38	0.39	9.0
1752728	2.4	2.2	0.13	0.26	0.68	6.9
1752729	3.3	1.7	0.16	0.29	3.08	7.4
1752731	4.9	1.9	0.16	0.44	2.00	7.3
1752732	5.1	2.1	0.16	0.49	1.47	7.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	5.1	1.8	0.13	0.43	3.29	7.6
1752734	3.8	3.6	0.26	0.32	3.14	8.2
1752735	3.8	0.9	0.11	0.32	3.31	7.0
1752736	4.5	1.6	0.22	0.39	3.35	7.4
1752737	4.3	2.0	0.25	0.35	2.02	7.1
1752738	4.9	1.0	0.20	0.39	5.00	8.0
1752739	4.6	0.8	0.17	0.39	2.08	7.6
1752741	4.5	0.6	0.12	0.36	2.77	7.2
1752742	4.5	0.8	0.17	0.31	1.77	7.7
1752743	4.5	0.7	0.15	0.29	2.49	7.8
1752744	4.1	1.0	0.20	0.28	1.08	7.6
1752745	3.7	1.0	0.19	0.22	0.71	7.7
1752746	4.1	0.9	0.17	0.27	1.25	8.0
1752747	3.7	0.9	0.13	0.26	1.27	6.6
1752748	4.3	0.6	0.13	0.28	0.97	7.1
1752749	2.6	0.5	<0.05	0.18	0.25	4.2
1752751	1.7	0.5	0.06	0.13	0.31	2.8
1752752	4.4	1.2	0.17	0.32	0.66	6.7
1752753	4.6	1.0	0.16	0.32	1.08	6.9
1752754	4.4	1.0	0.10	0.30	3.85	7.1
1752755	5.0	0.6	0.13	0.38	5.37	7.3
1752756	4.8	0.7	0.14	0.33	3.31	6.8
1752757	4.6	0.7	0.13	0.31	5.71	7.3
1752758	4.8	0.6	0.14	0.33	1.20	7.4
1752759	4.0	0.6	0.14	0.27	2.77	7.3
1752761	4.2	0.6	0.09	0.26	2.50	7.4
1752762	4.4	0.8	0.15	0.29	2.15	6.6
1752763	5.4	0.7	0.11	0.30	3.78	8.7
1752764	4.0	1.0	0.15	0.25	1.54	7.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	4.7	0.8	0.11	0.28	1.83	7.6
1752766	4.6	0.6	0.10	0.31	4.30	6.6
1752767	3.9	0.9	0.17	0.23	1.42	5.4
1752768	3.2	0.8	0.16	0.24	1.01	6.6
1752769	5.9	0.6	0.10	0.39	5.04	10.6
1752771	5.0	0.8	0.12	0.35	2.81	8.2
1752772	3.8	0.6	0.12	0.25	2.18	5.9
1752773	4.1	0.6	0.13	0.29	3.32	7.4
1752774	4.2	0.7	0.14	0.30	2.37	7.4
1752775	4.3	0.8	0.16	0.32	2.74	6.9
1752776	4.7	1.3	0.15	0.32	2.76	6.7
*Dup 1752739	4.9	0.8	0.18	0.41	1.98	7.8
*Std OREAS 905	7.8	3.7	1.38	0.80	0.05	15.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.4	3.6	1.13	0.55	12.86	12.5
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.2	3.7	1.10	0.49	12.24	12.1
*Rep 1752765	4.6	0.8	0.10	0.28	1.49	7.4
*Std OREAS 905	7.7	4.3	1.35	0.72	0.10	14.2
*Rep 1752708	2.7	1.6	0.14	0.26	1.68	7.5
*Std OREAS 905	7.3	4.4	1.43	0.75	0.09	14.5
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.2	3.5	1.15	0.54	12.92	12.0
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 70b	1.9	1.2	0.28	0.26	<0.05	6.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752701	<0.02	0.16	1.68	0.3	9.1	1.3
1752702	0.04	0.17	1.50	0.6	6.7	1.4
1752703	0.05	0.19	1.57	0.7	8.4	1.6
1752704	0.04	0.13	1.09	0.6	5.2	1.0
1752705	0.09	0.16	1.45	1.0	6.6	1.4
1752706	0.06	0.17	1.25	0.8	7.3	1.4
1752707	0.06	0.16	1.38	0.5	6.8	1.4
1752708	0.06	0.17	1.45	0.9	6.8	1.4
1752709	0.06	0.16	1.41	1.0	6.3	1.4
1752711	0.03	0.14	1.24	0.9	5.4	1.3
1752712	<0.02	0.16	1.31	0.8	5.9	1.3
1752713	<0.02	0.15	1.35	0.7	6.0	1.3
1752714	<0.02	0.16	1.41	0.5	6.6	1.3
1752715	<0.02	0.17	1.33	0.6	7.1	1.4
1752716	0.02	0.16	1.32	0.8	7.5	1.4
1752717	<0.02	0.18	1.49	0.7	7.4	1.5
1752718	<0.02	0.16	1.44	0.5	7.0	1.5
1752719	<0.02	0.17	1.42	0.7	6.9	1.4
1752721	<0.02	0.15	1.28	0.7	6.2	1.3
1752722	<0.02	0.15	1.27	1.0	5.9	1.3
1752723	0.03	0.18	1.29	1.0	6.7	1.5
1752724	<0.02	0.13	1.07	0.9	5.6	1.2
1752725	0.10	0.18	1.26	1.4	7.5	1.4
1752726	0.06	0.16	1.17	1.5	6.4	1.4
1752727	0.11	0.14	1.26	1.2	6.2	1.2
1752728	0.06	0.15	1.16	0.8	5.9	1.3
1752729	<0.02	0.16	1.26	0.6	7.0	1.3
1752731	0.04	0.18	1.37	1.0	7.7	1.5
1752732	0.04	0.17	1.40	0.6	7.4	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752733	0.03	0.17	1.42	0.5	7.0	1.4
1752734	0.05	0.20	1.49	1.6	8.2	1.7
1752735	0.03	0.16	1.23	0.4	6.8	1.3
1752736	<0.02	0.20	1.49	0.7	8.6	1.6
1752737	0.07	0.19	1.43	0.8	8.5	1.6
1752738	0.04	0.17	1.39	0.4	8.7	1.5
1752739	0.03	0.17	1.39	0.5	10.1	1.5
1752741	0.02	0.14	1.20	0.5	6.9	1.3
1752742	<0.02	0.15	1.50	0.5	6.4	1.3
1752743	<0.02	0.13	1.30	0.5	6.1	1.3
1752744	<0.02	0.15	1.35	0.5	6.4	1.3
1752745	<0.02	0.12	1.17	0.5	4.9	1.1
1752746	0.03	0.14	1.44	0.6	6.3	1.4
1752747	<0.02	0.12	1.15	0.6	5.5	1.1
1752748	<0.02	0.12	1.18	0.5	5.8	1.2
1752749	<0.02	0.07	0.66	0.4	3.2	0.7
1752751	<0.02	0.06	0.54	0.4	2.3	0.5
1752752	<0.02	0.13	1.24	0.8	5.7	1.2
1752753	0.02	0.14	1.22	0.8	6.2	1.2
1752754	0.09	0.12	1.18	0.8	5.8	1.1
1752755	0.04	0.19	1.51	0.9	9.0	1.7
1752756	0.02	0.13	1.47	1.1	6.1	1.2
1752757	0.03	0.12	1.35	1.3	5.8	1.1
1752758	<0.02	0.15	1.46	1.0	7.1	1.4
1752759	0.03	0.13	1.40	1.1	5.8	1.2
1752761	0.02	0.10	1.31	1.1	4.3	0.9
1752762	0.17	0.11	1.30	1.1	5.3	1.1
1752763	0.03	0.13	1.28	0.9	5.7	1.2
1752764	<0.02	0.11	1.17	0.9	4.8	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (1-76)
 Number of Samples 76

ANALYSIS REPORT BBM21-13045

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752765	<0.02	0.12	1.24	0.5	5.9	1.1
1752766	0.02	0.15	1.19	0.5	7.3	1.3
1752767	<0.02	0.10	1.20	1.0	4.1	0.9
1752768	<0.02	0.11	1.30	0.7	5.1	1.1
1752769	<0.02	0.11	1.36	0.7	5.5	1.0
1752771	<0.02	0.12	1.25	0.8	6.4	1.0
1752772	<0.02	0.10	1.22	0.8	4.7	0.9
1752773	<0.02	0.14	1.20	0.8	6.8	1.3
1752774	<0.02	0.14	1.30	0.8	6.6	1.3
1752775	0.02	0.16	1.40	0.6	7.1	1.2
1752776	0.02	0.13	1.44	0.6	5.2	1.0
*Dup 1752739	0.04	0.17	1.42	0.7	10.1	1.5
*Std OREAS 905	0.73	0.12	5.27	2.9	16.4	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.51	0.10	4.91	6.7	11.7	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.39	0.08	4.61	6.4	11.5	0.5
*Rep 1752765	<0.02	0.12	1.21	0.5	5.6	1.1
*Std OREAS 905	0.69	0.11	4.85	2.8	15.2	0.7
*Rep 1752708	0.06	0.16	1.41	0.7	6.3	1.3
*Std OREAS 905	0.70	0.12	4.83	2.9	15.3	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.41	0.09	4.49	6.3	11.2	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 70b	0.28	0.15	1.78	4.0	9.3	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* The Brewer Gold Project/
B21C-016 / 296 Cores (1-76)
Number of Samples 76

ANALYSIS REPORT BBM21-13045

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-13046

To COD SGS MINERALS - GEOCHEM VANCOUVER
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
 201 ROUTE 17 NORTH, 7TH FLOOR
 Rutherford 07070
 Bergen
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	17-Sep-2021
Project	The Brewer Gold Project	Date Analysed	05-Oct-2021 - 07-Nov-2021
Submission Number	*SD* The Brewer Gold Project/ B21C-	Date Completed	07-Nov-2021
016 / 296 Cores (77-152)		SGS Order Number	BBM21-13046
Number of Samples	77		

Methods Summary		
Number of Sample	Method Code	Description
77	G_WGH_KG	Weight of samples received
72	G_PRP	Combined Sample Preparation
77	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
77	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
77	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
77	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
2	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
 Analysis of samples was performed at the SGS Burnaby site.
 This report cancels and supersedes the report
 BBM_U0016202305 dated 9-Nov-2021 issued by SGS
 Canada (Burnaby).
 Elements sequence updated.

Authorised Signatory

John Chiang
 Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* The Brewer Gold Project/
B21C-016 / 296 Cores (77-152)
Number of Samples 77

ANALYSIS REPORT BBM21-13046

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

27-Nov-2021 5:58PM BBM_U0016914688

Page 2 of 36

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752777	5.47	0.053	5.04	182	0.02	11
1752778	5.39	0.057	5.87	667	0.02	12
1752779	5.36	0.066	5.23	453	0.02	9
1752780	1.47	<0.005	7.19	743	1.16	17
1752781	6.73	0.065	5.27	330	0.01	14
1752782	5.47	0.041	5.83	586	0.02	9
1752783	5.61	0.056	4.70	574	<0.01	8
1752784	6.02	0.050	5.83	414	0.02	7
1752785	5.39	0.063	5.18	180	0.01	8
1752786	7.47	0.070	5.35	278	<0.01	18
1752787	6.25	0.046	5.42	389	0.01	11
1752788	5.84	0.039	5.78	747	0.02	15
1752789	5.80	0.049	7.10	1025	0.03	11
1752790	-	0.033	6.71	982	0.03	5
1752791	5.91	0.037	8.07	1043	0.02	6
1752792	5.82	0.079	5.02	156	0.02	12
1752793	5.29	0.051	6.87	102	0.02	9
1752794	6.05	0.047	5.59	316	0.02	10
1752795	5.42	0.067	6.09	267	0.02	12
1752796	5.81	0.047	6.19	182	0.01	13
1752797	4.18	0.048	5.55	280	0.03	13
1752798	4.22	0.044	6.67	122	0.02	14
1752799	5.96	0.054	6.31	57	0.02	17
1752800	0.06	0.342	0.68	62	3.41	9
1752801	5.74	0.030	6.46	70	0.01	21
1752802	5.26	0.040	5.57	85	0.02	15
1752803	4.01	0.068	5.66	137	0.03	11
1752804	5.73	0.045	7.04	91	0.02	19
1752805	6.97	0.051	7.35	306	0.02	34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752806	6.44	0.045	5.95	254	0.02	23
1752807	4.63	0.086	5.25	269	0.02	17
1752808	5.93	0.044	5.50	112	0.02	21
1752809	5.06	0.031	6.39	85	0.02	20
1752810	1.11	<0.005	6.83	719	1.03	10
1752811	5.51	0.047	6.21	76	0.02	14
1752812	5.11	0.052	6.76	198	0.02	23
1752813	5.43	0.053	7.16	410	0.02	23
1752814	5.62	0.051	6.14	109	0.02	33
1752815	5.97	0.066	5.09	39	0.02	21
1752816	5.27	0.034	6.56	61	0.02	18
1752817	5.66	0.055	6.33	83	0.02	18
1752818	5.60	0.069	5.75	376	0.02	20
1752819	5.71	0.040	6.07	412	0.02	23
1752820	-	0.043	5.66	370	0.02	16
1752821	5.95	0.047	5.78	328	0.02	18
1752822	5.71	0.060	5.66	72	0.02	22
1752823	6.24	0.041	5.94	33	0.02	13
1752824	5.69	0.033	5.27	16	0.01	19
1752825	6.01	0.027	3.34	11	0.01	19
1752826	6.04	0.030	4.98	40	0.02	24
1752827	5.59	0.020	2.46	23	0.02	24
1752828	5.88	0.018	2.09	35	0.02	32
1752829	6.32	0.013	0.20	56	0.01	14
1752830	0.06	0.755	4.42	199	0.11	36
1752831	6.32	0.035	5.60	95	0.02	29
1752832	6.25	0.037	6.19	90	0.02	17
1752833	6.64	0.024	4.66	108	0.05	18
1752834	4.65	0.050	6.12	84	0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752835	5.23	0.040	3.45	35	0.03	23
1752836	5.65	0.033	5.46	64	0.02	29
1752837	5.57	0.015	0.16	17	0.01	25
1752838	4.99	0.017	0.04	10	<0.01	18
1752839	5.65	0.011	0.11	21	0.01	9
1752840	1.88	<0.005	7.89	843	1.19	17
1752841	4.11	0.012	0.06	11	<0.01	11
1752842	3.82	0.015	0.54	32	0.02	15
1752843	5.78	0.022	5.50	11	<0.01	19
1752844	5.16	0.018	4.86	11	0.01	13
1752845	3.55	0.030	6.20	20	<0.01	15
1752846	5.21	0.031	6.03	20	0.01	13
1752847	5.74	0.016	0.39	46	0.02	67
1752848	5.00	0.011	6.93	104	0.03	8
1752849	5.09	0.014	6.36	23	0.01	14
1752850	-	0.017	5.50	23	0.01	18
1752851	3.38	0.010	5.89	18	<0.01	9
1752852	5.20	0.014	5.62	65	0.02	15
1752853	5.17	0.029	5.62	63	0.01	19
*Dup 1752815	-	0.058	4.99	47	0.02	23
*Blk BLANK	-	<0.005	-	-	-	-
*Std SL105	-	4.916	-	-	-	-
*Std OREAS 296	-	2.240	-	-	-	-
*Blk BLANK	-	0.010	-	-	-	-
*Std SN106	-	8.572	-	-	-	-
*Std OREAS 601b	-	-	6.50	1504	0.88	13
*Blk BLANK	-	-	0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.39	2533	0.58	18
*Std SN106	-	8.265	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752801	-	0.035	-	-	-	-
*Std SL105	-	4.888	-	-	-	-
*Rep 1752816	-	0.034	-	-	-	-
*Rep 1752831	-	0.034	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 502c	-	0.475	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.79	2820	0.60	14
*Rep 1752830	-	-	4.53	183	0.11	35
*Std OREAS 601b	-	-	7.00	394	0.93	21
*Std OREAS 905	-	-	7.58	2802	0.61	15
*Rep 1752784	-	-	5.85	629	0.01	8
*Blk BLANK	-	-	0.02	1	<0.01	<1
*Std OREAS 601b	-	-	6.43	447	0.87	19

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752777	17.9	2.09	0.02	1	<0.01	21
1752778	21.4	2.14	0.02	<1	<0.01	18
1752779	64.8	2.82	0.02	<1	<0.01	20
1752780	5.5	2.14	4.07	29	0.31	403
1752781	34.6	2.26	0.02	<1	<0.01	23
1752782	20.2	2.13	0.02	<1	<0.01	17
1752783	20.4	2.01	0.02	<1	<0.01	20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752784	13.1	2.42	0.02	1	<0.01	12
1752785	26.8	4.06	0.02	<1	<0.01	19
1752786	26.1	3.60	0.24	<1	<0.01	16
1752787	13.2	2.30	0.33	<1	<0.01	22
1752788	36.2	1.51	0.62	<1	<0.01	17
1752789	45.8	1.58	1.61	<1	<0.01	13
1752790	27.9	0.92	1.71	<1	<0.01	13
1752791	36.5	1.15	1.15	1	<0.01	15
1752792	25.0	4.92	0.03	<1	<0.01	16
1752793	38.6	5.87	0.03	2	<0.01	22
1752794	18.7	3.18	0.04	<1	<0.01	20
1752795	18.9	2.54	0.05	<1	<0.01	21
1752796	18.5	1.80	0.15	<1	<0.01	20
1752797	15.6	2.04	0.19	1	<0.01	13
1752798	17.1	2.21	0.25	<1	<0.01	17
1752799	32.7	2.49	0.14	<1	<0.01	21
1752800	1142	3.19	0.14	2	0.07	493
1752801	12.5	1.13	0.20	<1	<0.01	20
1752802	16.0	1.28	0.07	2	<0.01	22
1752803	25.4	2.51	0.07	2	<0.01	10
1752804	28.7	1.77	0.06	1	<0.01	19
1752805	22.8	2.19	0.01	<1	<0.01	31
1752806	16.5	1.84	0.02	<1	<0.01	18
1752807	28.5	2.51	0.02	<1	<0.01	25
1752808	23.2	1.68	0.04	<1	<0.01	19
1752809	13.0	1.32	0.05	<1	<0.01	26
1752810	5.3	1.92	3.75	26	0.27	354
1752811	30.8	1.66	0.03	<1	<0.01	22
1752812	23.2	1.47	0.02	<1	<0.01	22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752813	37.9	2.76	0.04	<1	<0.01	27
1752814	27.8	2.60	0.02	<1	<0.01	23
1752815	48.9	2.58	0.02	<1	<0.01	25
1752816	32.0	1.44	0.02	<1	<0.01	29
1752817	28.7	3.38	0.01	<1	<0.01	23
1752818	42.9	3.89	0.01	<1	<0.01	29
1752819	30.0	2.60	<0.01	<1	<0.01	25
1752820	34.2	2.44	<0.01	<1	<0.01	30
1752821	24.5	2.45	<0.01	<1	<0.01	24
1752822	37.5	2.97	0.02	<1	<0.01	29
1752823	15.0	2.31	0.01	<1	<0.01	21
1752824	9.4	1.39	0.02	<1	<0.01	20
1752825	13.6	0.68	0.03	<1	<0.01	17
1752826	11.4	1.57	0.03	<1	<0.01	25
1752827	8.3	0.68	0.24	<1	<0.01	24
1752828	9.4	0.89	0.04	<1	<0.01	29
1752829	11.1	0.39	<0.01	<1	<0.01	18
1752830	48.0	5.01	1.35	16	0.01	14
1752831	18.9	2.63	0.03	<1	<0.01	25
1752832	19.6	3.36	0.01	1	<0.01	20
1752833	15.0	2.39	0.02	<1	<0.01	23
1752834	37.5	4.31	<0.01	<1	<0.01	21
1752835	24.3	3.55	0.01	<1	<0.01	22
1752836	19.8	2.62	0.01	1	<0.01	20
1752837	9.9	0.35	<0.01	<1	<0.01	20
1752838	9.8	0.31	<0.01	<1	<0.01	19
1752839	5.1	0.18	<0.01	<1	<0.01	14
1752840	5.4	1.81	4.18	26	0.29	364
1752841	4.6	0.21	<0.01	<1	<0.01	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752842	4.9	0.35	<0.01	<1	<0.01	20
1752843	31.7	2.05	0.01	<1	<0.01	25
1752844	27.9	1.25	0.02	<1	<0.01	22
1752845	35.0	2.70	<0.01	<1	<0.01	31
1752846	40.2	2.72	0.01	<1	<0.01	22
1752847	13.0	0.73	0.05	<1	<0.01	30
1752848	10.8	0.60	0.01	1	<0.01	21
1752849	15.5	1.04	0.01	<1	<0.01	27
1752850	14.7	1.28	0.01	<1	<0.01	21
1752851	10.6	0.61	0.01	<1	<0.01	24
1752852	16.1	1.13	0.01	1	<0.01	20
1752853	31.3	2.64	0.01	<1	<0.01	25
*Dup 1752815	41.1	2.15	0.03	<1	<0.01	27
*Std OREAS 601b	1006	2.24	2.42	23	0.10	225
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1540	4.04	2.98	20	0.27	367
*Blk BLANK	0.6	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1561	3.95	2.89	22	0.30	391
*Rep 1752830	49.6	5.13	1.38	17	0.01	15
*Std OREAS 601b	1060	2.34	2.39	25	0.11	229
*Std OREAS 905	1594	4.18	2.97	21	0.29	380
*Rep 1752784	13.3	2.49	0.02	1	<0.01	14
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1021	2.24	2.28	23	0.10	214

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752777	0.01	2	0.05	2.14	149	0.06
1752778	<0.01	1	0.06	2.13	133	0.07
1752779	<0.01	3	0.06	2.92	152	0.06
1752780	2.56	2	0.05	0.02	184	0.25
1752781	<0.01	3	0.05	2.19	156	0.07
1752782	0.01	2	0.06	2.13	171	0.05
1752783	<0.01	3	0.04	2.00	182	0.06
1752784	0.01	2	0.05	2.55	163	0.06
1752785	<0.01	2	0.06	3.99	123	0.06
1752786	0.01	2	0.06	3.76	115	0.06
1752787	0.01	2	0.05	2.23	106	0.05
1752788	0.02	1	0.05	1.42	112	0.06
1752789	0.03	1	0.08	1.55	158	0.06
1752790	0.04	<1	0.06	0.77	128	0.06
1752791	0.03	2	0.06	1.06	101	0.07
1752792	<0.01	2	0.05	>5.00	86.6	0.06
1752793	0.02	3	0.05	>5.00	133	0.05
1752794	<0.01	1	0.06	3.13	143	0.06
1752795	<0.01	2	0.05	2.56	143	0.06
1752796	0.01	2	0.05	1.71	100	0.08
1752797	0.02	2	0.07	2.16	90.1	0.05
1752798	0.01	1	0.04	2.17	103	0.07
1752799	0.01	2	0.05	2.43	119	0.06
1752800	0.03	8	0.01	0.50	12.0	0.03
1752801	0.01	1	0.04	0.96	79.3	0.08
1752802	<0.01	2	0.04	1.14	86.3	0.07
1752803	0.03	3	0.05	2.72	101	0.05
1752804	0.02	2	0.06	1.66	81.8	0.10
1752805	<0.01	3	0.07	2.04	143	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752806	<0.01	1	0.06	1.79	112	0.08
1752807	<0.01	3	0.05	2.58	126	0.07
1752808	<0.01	2	0.04	1.60	90.7	0.08
1752809	<0.01	2	0.06	1.12	60.4	0.07
1752810	2.34	2	0.04	0.02	177	0.22
1752811	<0.01	2	0.04	1.57	102	0.07
1752812	<0.01	1	0.05	1.36	135	0.09
1752813	0.01	2	0.05	2.63	120	0.09
1752814	<0.01	2	0.05	2.59	115	0.07
1752815	<0.01	1	0.03	2.57	101	0.07
1752816	<0.01	2	0.03	1.30	105	0.08
1752817	0.01	1	0.04	3.42	155	0.06
1752818	<0.01	2	0.05	3.71	147	0.07
1752819	<0.01	1	0.05	2.56	144	0.08
1752820	0.01	2	0.05	2.36	135	0.07
1752821	<0.01	1	0.06	2.48	134	0.07
1752822	0.01	3	0.04	2.97	95.0	0.07
1752823	0.01	1	0.04	2.30	45.2	0.07
1752824	<0.01	2	0.03	1.38	32.5	0.07
1752825	<0.01	<1	0.03	0.56	21.9	0.09
1752826	<0.01	2	0.07	1.45	40.7	0.08
1752827	0.01	<1	0.04	0.49	19.0	0.11
1752828	<0.01	2	0.04	0.71	24.0	0.12
1752829	<0.01	<1	0.02	0.23	8.1	0.11
1752830	0.07	1	0.38	2.79	7240	1.93
1752831	0.01	3	0.07	2.64	64.7	0.07
1752832	0.01	2	0.06	3.34	32.4	0.07
1752833	0.02	2	0.09	2.39	47.2	0.06
1752834	<0.01	1	0.06	4.49	47.9	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752835	<0.01	2	0.07	3.64	54.6	0.08
1752836	0.01	2	0.08	2.76	82.1	0.07
1752837	<0.01	1	0.02	0.19	15.7	0.11
1752838	<0.01	<1	<0.01	0.12	4.7	0.09
1752839	<0.01	<1	<0.01	0.02	17.2	0.10
1752840	2.59	2	0.04	0.02	188	0.22
1752841	<0.01	1	<0.01	<0.01	8.7	0.14
1752842	<0.01	<1	0.02	0.10	29.6	0.13
1752843	0.01	2	0.04	1.91	34.0	0.07
1752844	<0.01	2	0.06	1.17	36.9	0.11
1752845	<0.01	3	0.05	2.70	32.4	0.08
1752846	0.01	3	0.04	2.66	34.3	0.08
1752847	0.01	3	0.03	0.33	23.5	0.09
1752848	0.02	2	0.07	0.46	77.4	0.10
1752849	0.01	2	0.08	0.89	35.7	0.14
1752850	<0.01	2	0.07	1.20	33.6	0.12
1752851	<0.01	2	0.05	0.44	33.5	0.17
1752852	0.01	2	0.07	1.03	56.1	0.13
1752853	0.01	3	0.05	2.59	28.1	0.11
*Dup 1752815	<0.01	2	0.04	2.06	94.7	0.07
*Std OREAS 601b	1.91	5	0.03	1.48	242	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.47	12	0.03	0.08	158	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.39	9	0.03	0.07	163	0.12
*Rep 1752830	0.08	1	0.38	2.75	7214	1.94
*Std OREAS 601b	1.87	6	0.03	1.47	252	0.13
*Std OREAS 905	2.48	9	0.03	0.07	165	0.13
*Rep 1752784	0.01	2	0.05	2.60	166	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.42	252	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	19	2	128	0.11	4	0.1
1752778	25	1	127	0.12	5	0.1
1752779	22	2	113	0.15	5	<0.1
1752780	23	47	60.3	<0.02	1	2.3
1752781	22	4	109	0.13	3	<0.1
1752782	24	2	109	0.12	4	0.1
1752783	19	2	115	1.59	5	<0.1
1752784	23	1	116	0.12	3	<0.1
1752785	19	2	113	0.13	5	<0.1
1752786	27	3	108	0.12	3	0.1
1752787	29	3	120	0.14	1	0.1
1752788	38	2	110	0.11	2	0.1
1752789	64	2	123	0.13	1	0.3
1752790	67	2	119	0.12	2	0.2
1752791	56	2	117	0.11	2	0.2
1752792	18	2	121	0.13	4	<0.1
1752793	25	1	109	0.14	2	<0.1
1752794	24	1	126	0.13	2	0.1
1752795	26	1	133	0.13	2	0.1
1752796	30	<1	137	0.13	3	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752797	33	2	108	0.11	2	0.2
1752798	38	1	126	0.11	2	0.2
1752799	32	2	123	0.13	2	0.2
1752800	8	146	11.1	1.33	75	0.2
1752801	37	2	126	0.15	2	0.2
1752802	28	2	115	0.11	2	0.1
1752803	24	2	136	0.14	2	0.2
1752804	36	2	125	0.11	1	0.2
1752805	32	2	143	0.39	3	0.2
1752806	28	1	123	0.11	2	0.1
1752807	21	3	119	0.20	5	0.1
1752808	24	3	125	0.13	2	0.1
1752809	28	2	118	0.11	2	0.1
1752810	21	40	50.4	<0.02	<1	2.2
1752811	25	1	122	0.13	2	0.2
1752812	33	4	129	0.05	2	0.1
1752813	29	3	119	0.17	3	0.2
1752814	26	5	127	0.04	2	0.2
1752815	23	8	123	0.05	2	0.2
1752816	28	2	131	0.02	<1	0.2
1752817	29	3	138	0.04	2	0.1
1752818	25	2	136	0.04	1	0.1
1752819	28	2	137	0.06	2	0.2
1752820	26	2	127	0.02	1	0.2
1752821	23	3	124	0.04	2	0.2
1752822	24	2	116	0.08	2	0.1
1752823	24	3	131	0.02	2	0.1
1752824	18	2	124	<0.02	2	0.2
1752825	15	3	101	0.06	<1	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752826	20	2	126	<0.02	1	0.3
1752827	24	2	133	<0.02	<1	0.3
1752828	15	2	133	<0.02	<1	0.3
1752829	8	3	108	<0.02	<1	0.2
1752830	108	7	681	39.25	3091	0.3
1752831	21	3	127	0.03	6	0.2
1752832	22	1	132	0.03	5	0.2
1752833	18	1	127	<0.02	4	0.2
1752834	20	2	142	0.05	14	0.2
1752835	16	1	139	0.03	5	0.2
1752836	18	2	164	0.06	4	0.3
1752837	8	2	150	0.07	2	<0.1
1752838	7	2	149	0.06	<1	<0.1
1752839	9	<1	101	<0.02	<1	<0.1
1752840	22	40	55.9	<0.02	<1	1.7
1752841	11	1	154	<0.02	<1	<0.1
1752842	12	2	151	<0.02	<1	<0.1
1752843	16	1	144	0.03	2	0.2
1752844	18	3	150	<0.02	2	0.2
1752845	18	1	145	0.07	8	0.1
1752846	19	2	144	<0.02	6	0.1
1752847	11	2	107	0.03	<1	0.1
1752848	22	2	138	0.03	3	0.3
1752849	26	7	154	0.05	3	0.2
1752850	22	7	144	0.08	3	0.2
1752851	25	7	165	0.05	2	0.3
1752852	22	5	145	0.04	2	0.2
1752853	21	6	128	0.04	2	<0.1
*Dup 1752815	22	4	118	0.08	2	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	11	312	177	50.11	274	2.1
*Blk BLANK	<2	4	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	134	244	0.62	33	3.0
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	11	138	278	0.53	34	2.6
*Rep 1752830	108	8	673	39.00	3127	0.3
*Std OREAS 601b	14	320	193	53.96	285	2.2
*Std OREAS 905	8	139	263	0.64	29	3.2
*Rep 1752784	22	<1	117	0.11	3	<0.1
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	314	185	50.79	282	2.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	0.65	0.03	37.72	4.9	<1	1.01
1752778	0.70	0.02	39.16	5.3	<1	1.11
1752779	1.52	0.03	40.86	6.3	<1	1.38
1752780	0.09	0.02	122	4.0	3	3.87
1752781	1.01	0.03	46.03	6.5	<1	1.01
1752782	0.69	0.02	41.14	5.0	<1	1.01
1752783	0.75	0.03	44.45	5.9	<1	0.91
1752784	0.55	0.03	43.53	6.5	<1	0.99
1752785	0.71	0.03	46.31	4.4	<1	1.30
1752786	0.75	0.03	43.57	7.2	<1	1.38
1752787	0.50	0.03	44.05	4.5	<1	1.84

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752788	0.97	<0.02	55.30	4.1	<1	1.53
1752789	1.20	0.04	75.11	6.0	<1	1.90
1752790	0.75	0.02	66.71	2.9	<1	1.52
1752791	0.66	0.07	44.35	4.1	<1	0.97
1752792	1.05	0.03	47.35	9.1	<1	1.76
1752793	1.02	0.04	48.26	4.7	<1	1.33
1752794	0.96	<0.02	57.01	5.5	<1	1.48
1752795	1.19	0.04	49.08	8.1	<1	2.20
1752796	0.77	0.02	53.33	6.1	<1	2.39
1752797	0.64	0.10	54.67	5.4	<1	3.75
1752798	0.71	<0.02	50.76	4.8	<1	1.67
1752799	1.20	0.03	60.36	4.5	<1	1.33
1752800	6.86	0.69	13.46	7.1	2	0.48
1752801	0.47	<0.02	55.93	3.7	<1	1.17
1752802	0.55	0.03	48.37	3.3	<1	1.29
1752803	0.77	0.04	61.22	5.9	<1	2.87
1752804	0.78	<0.02	46.39	4.7	<1	1.20
1752805	0.91	0.02	60.20	6.5	<1	1.28
1752806	0.56	<0.02	47.40	3.4	<1	1.08
1752807	1.10	0.04	57.37	10.7	<1	1.35
1752808	0.76	0.02	54.51	6.0	<1	1.30
1752809	0.32	<0.02	53.49	3.3	<1	1.47
1752810	0.14	0.04	98.62	3.5	3	3.63
1752811	0.90	0.02	58.35	5.7	<1	1.92
1752812	0.81	<0.02	56.90	2.0	<1	1.37
1752813	1.03	<0.02	41.88	4.6	<1	1.12
1752814	0.84	0.02	47.99	5.1	<1	1.57
1752815	1.18	0.03	56.21	6.9	<1	2.14
1752816	1.00	<0.02	50.44	1.6	<1	1.61

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752817	1.14	0.03	51.67	4.1	<1	1.27
1752818	1.27	0.03	53.75	3.3	<1	1.47
1752819	1.08	0.03	43.84	3.4	<1	1.33
1752820	1.19	0.03	40.44	3.1	<1	1.25
1752821	0.96	<0.02	57.36	5.7	<1	1.24
1752822	1.25	0.02	45.20	5.9	<1	1.04
1752823	0.68	<0.02	49.44	3.1	<1	1.41
1752824	0.48	0.02	49.44	4.2	<1	0.82
1752825	0.44	<0.02	30.02	1.3	<1	0.58
1752826	0.56	<0.02	44.08	3.9	<1	0.66
1752827	0.36	<0.02	24.00	1.2	<1	0.52
1752828	0.47	<0.02	34.66	1.4	<1	0.71
1752829	0.29	0.04	20.19	0.7	<1	0.51
1752830	5.59	0.08	141	1.3	1	1.18
1752831	1.10	0.03	61.74	7.1	<1	0.92
1752832	0.73	0.02	45.90	5.2	<1	0.88
1752833	0.66	<0.02	51.88	3.6	<1	0.94
1752834	1.67	<0.02	115	6.2	<1	1.01
1752835	0.82	<0.02	64.79	6.4	<1	0.87
1752836	0.71	<0.02	69.22	7.4	<1	0.95
1752837	0.26	<0.02	13.95	0.7	<1	0.78
1752838	0.21	<0.02	5.22	0.4	<1	0.56
1752839	0.19	<0.02	8.95	0.1	<1	0.58
1752840	0.06	<0.02	96.60	2.9	3	3.67
1752841	0.15	<0.02	3.43	<0.1	<1	0.52
1752842	0.21	<0.02	16.78	0.2	<1	0.57
1752843	0.64	<0.02	61.79	4.7	<1	0.64
1752844	0.65	<0.02	59.18	3.6	<1	0.72
1752845	1.25	<0.02	59.70	6.0	<1	1.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752846	0.85	<0.02	46.54	5.3	<1	0.90
1752847	0.35	0.03	15.90	1.1	<1	0.59
1752848	0.46	<0.02	62.10	1.3	<1	0.91
1752849	0.42	0.04	54.89	3.5	<1	0.86
1752850	0.48	0.03	53.08	4.9	<1	0.88
1752851	0.30	<0.02	59.45	1.5	<1	0.98
1752852	0.51	<0.02	62.94	2.1	<1	1.01
1752853	0.60	<0.02	35.35	4.7	<1	0.72
*Dup 1752815	0.97	0.03	53.68	5.6	<1	2.23
*Std OREAS 601b	16.49	1.98	66.19	2.9	5	2.37
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 905	5.59	0.34	88.49	14.1	8	3.47
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.68	0.34	89.64	13.8	7	3.66
*Rep 1752830	5.81	0.06	147	1.3	1	1.23
*Std OREAS 601b	16.80	1.92	67.07	2.8	5	2.53
*Std OREAS 905	5.59	0.33	91.07	15.5	7	3.54
*Rep 1752784	0.56	0.03	44.06	6.6	<1	0.97
*Blk BLANK	<0.04	<0.02	0.12	<0.1	<1	<0.05
*Std OREAS 601b	16.74	2.09	69.98	3.0	5	2.53

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	0.76	0.88	2.5	8.3	3.37	0.22
1752778	0.85	0.88	2.6	11.7	3.47	0.24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752779	1.11	0.96	2.9	13.1	3.07	0.32
1752780	2.19	1.08	5.0	18.7	2.20	0.79
1752781	0.78	1.01	2.9	12.8	3.07	0.22
1752782	0.83	0.88	2.4	11.2	2.99	0.23
1752783	0.80	0.99	2.3	7.8	3.08	0.21
1752784	0.82	0.92	2.1	9.0	3.19	0.22
1752785	0.95	1.09	3.1	10.5	3.24	0.28
1752786	0.98	1.08	3.0	12.5	3.01	0.29
1752787	1.40	1.06	2.9	11.2	3.21	0.42
1752788	1.04	1.31	3.9	12.5	3.07	0.32
1752789	1.00	2.08	6.3	19.5	3.42	0.33
1752790	0.86	1.67	5.1	18.7	3.32	0.27
1752791	0.64	1.11	2.9	19.0	3.44	0.19
1752792	1.28	1.14	3.3	11.7	3.36	0.38
1752793	0.97	1.08	2.8	13.7	3.09	0.29
1752794	1.06	1.42	3.5	11.9	3.61	0.31
1752795	1.11	1.21	3.4	11.5	3.76	0.38
1752796	1.30	1.22	3.8	12.7	3.93	0.43
1752797	1.57	1.34	4.5	10.2	3.13	0.62
1752798	0.90	1.21	3.1	10.9	3.59	0.31
1752799	0.91	1.35	3.3	10.3	3.46	0.26
1752800	0.26	0.27	0.7	3.5	0.31	0.09
1752801	0.91	1.22	3.0	10.9	3.67	0.27
1752802	0.88	1.17	3.1	11.3	3.20	0.27
1752803	1.43	1.59	5.0	11.6	3.81	0.51
1752804	0.86	1.19	3.0	14.3	3.73	0.25
1752805	1.10	1.45	3.6	13.8	4.07	0.30
1752806	0.88	1.09	2.8	8.3	3.59	0.25
1752807	0.93	1.51	3.6	10.5	3.35	0.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752808	0.97	1.23	3.2	12.0	3.67	0.27
1752809	1.01	1.23	3.1	10.4	3.37	0.31
1752810	2.05	1.08	4.4	18.5	1.92	0.74
1752811	1.26	1.25	3.5	10.9	3.43	0.40
1752812	0.97	1.26	3.5	14.2	3.37	0.28
1752813	0.71	0.99	3.2	12.2	3.08	0.21
1752814	0.90	1.37	5.0	10.2	3.28	0.26
1752815	0.81	2.74	9.5	7.9	3.17	0.29
1752816	0.88	1.33	4.6	13.3	3.52	0.27
1752817	0.86	0.94	2.9	10.1	3.48	0.25
1752818	0.98	0.94	3.0	9.3	3.40	0.29
1752819	0.96	0.84	2.7	10.2	3.51	0.28
1752820	0.89	0.78	2.4	9.5	3.26	0.25
1752821	0.84	1.01	2.9	10.0	3.08	0.25
1752822	0.68	0.87	2.6	9.1	2.95	0.21
1752823	0.75	1.27	4.4	8.3	3.36	0.23
1752824	0.67	0.81	2.1	6.3	3.32	0.18
1752825	0.54	0.44	1.2	4.4	2.61	0.14
1752826	0.58	0.61	1.6	7.1	3.30	0.15
1752827	0.52	0.36	1.0	5.8	3.55	0.12
1752828	0.58	0.53	1.5	4.0	3.46	0.16
1752829	0.46	0.24	0.7	0.5	2.83	0.12
1752830	0.54	1.06	2.5	80.6	18.08	0.22
1752831	0.56	0.80	2.3	7.6	3.32	0.18
1752832	0.66	0.62	1.7	8.3	3.55	0.18
1752833	0.62	0.69	1.8	5.9	3.32	0.18
1752834	0.68	1.52	4.5	10.1	3.70	0.20
1752835	0.62	0.87	2.3	5.8	3.59	0.17
1752836	0.72	0.80	2.1	8.9	4.06	0.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752837	0.70	0.16	0.7	0.3	3.95	0.19
1752838	0.62	0.07	0.4	<0.1	3.87	0.15
1752839	0.63	0.12	0.5	0.1	2.33	0.15
1752840	1.92	0.99	4.4	17.6	1.94	0.70
1752841	0.62	0.05	0.3	<0.1	3.89	0.15
1752842	0.53	0.21	0.7	0.9	3.97	0.14
1752843	0.56	0.66	1.7	6.1	3.77	0.15
1752844	0.63	0.64	1.9	5.9	4.09	0.17
1752845	0.79	0.92	2.7	8.5	3.78	0.22
1752846	0.67	0.86	2.4	6.6	3.45	0.18
1752847	0.49	0.24	0.7	0.9	2.82	0.13
1752848	0.57	0.91	2.5	7.2	3.72	0.17
1752849	0.77	1.02	2.6	7.8	4.40	0.21
1752850	0.77	1.05	2.6	6.4	4.02	0.21
1752851	0.86	0.82	2.1	9.6	4.58	0.23
1752852	0.76	1.05	2.7	10.6	4.11	0.22
1752853	0.57	0.76	2.0	8.8	3.54	0.16
*Dup 1752815	0.77	2.70	10.0	7.7	3.07	0.28
*Std OREAS 601b	0.78	0.92	3.9	22.5	5.03	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.11	1.35	5.8	24.8	7.02	0.53
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.03	1.30	6.0	24.4	7.01	0.52
*Rep 1752830	0.58	1.07	2.7	80.1	17.43	0.23
*Std OREAS 601b	0.75	0.87	4.0	22.8	5.00	0.36
*Std OREAS 905	1.15	1.45	6.1	25.5	7.29	0.55
*Rep 1752784	0.80	0.94	2.2	9.1	3.25	0.23
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.83	0.96	4.2	24.8	5.38	0.39

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element Method	@In GE_IMS40Q12	@La GE_IMS40Q12	@Lu GE_IMS40Q12	@Mo GE_IMS40Q12	@Nb GE_IMS40Q12	Nd GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	<0.02	17.6	0.21	6.68	2.0	18.1
1752778	<0.02	18.7	0.23	7.75	2.4	17.6
1752779	0.02	19.3	0.27	7.73	2.1	18.6
1752780	0.04	64.8	0.29	4.94	18.9	44.6
1752781	<0.02	21.7	0.20	8.70	2.3	21.0
1752782	<0.02	19.3	0.21	6.15	2.0	18.1
1752783	<0.02	20.7	0.22	5.70	1.8	20.0
1752784	<0.02	20.4	0.22	6.67	2.0	19.4
1752785	<0.02	22.1	0.23	6.86	2.1	21.6
1752786	0.06	20.6	0.23	9.06	1.9	20.3
1752787	0.10	21.0	0.30	3.83	1.6	19.2
1752788	0.16	26.3	0.25	15.57	2.1	26.1
1752789	0.41	34.3	0.24	6.57	2.7	39.8
1752790	0.41	30.9	0.23	7.14	2.3	33.7
1752791	0.31	20.3	0.18	8.27	2.3	21.1
1752792	<0.02	22.2	0.29	4.37	1.8	22.7
1752793	<0.02	22.9	0.25	4.93	2.0	21.1
1752794	0.03	26.3	0.28	5.56	2.2	26.9
1752795	0.02	22.6	0.27	11.07	2.2	23.3
1752796	0.07	25.3	0.30	6.15	2.8	24.5
1752797	0.07	26.0	0.28	14.03	1.8	24.8
1752798	0.08	23.5	0.22	16.60	2.4	23.6
1752799	0.06	28.1	0.23	16.50	2.0	28.8
1752800	0.62	5.6	0.04	17.54	0.8	6.5
1752801	0.08	26.8	0.24	8.59	2.5	25.7
1752802	0.04	22.7	0.22	6.64	2.3	23.1
1752803	0.02	28.2	0.29	6.30	1.9	30.9
1752804	0.03	21.0	0.23	5.72	3.0	23.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752805	<0.02	27.4	0.28	7.65	3.3	29.0
1752806	<0.02	22.2	0.24	15.25	2.8	22.2
1752807	<0.02	26.7	0.24	11.59	2.1	28.4
1752808	0.02	25.1	0.25	7.58	2.7	26.0
1752809	0.03	25.1	0.24	8.63	3.1	24.9
1752810	0.03	53.9	0.30	3.89	16.7	38.1
1752811	0.02	27.3	0.28	6.46	2.5	27.0
1752812	<0.02	24.2	0.25	5.98	3.8	26.1
1752813	0.02	18.6	0.19	13.65	3.8	20.0
1752814	<0.02	20.3	0.23	8.80	2.5	22.1
1752815	<0.02	22.6	0.20	7.05	2.3	30.5
1752816	<0.02	21.2	0.23	6.25	2.6	23.0
1752817	<0.02	22.6	0.23	8.85	2.4	21.7
1752818	<0.02	23.3	0.25	9.47	2.3	23.1
1752819	<0.02	19.2	0.25	7.72	2.6	19.7
1752820	<0.02	17.1	0.23	9.43	2.4	17.6
1752821	<0.02	24.4	0.22	11.85	2.5	25.9
1752822	<0.02	19.8	0.18	10.28	2.2	20.1
1752823	<0.02	21.4	0.21	4.80	2.5	21.7
1752824	<0.02	21.8	0.19	6.61	2.0	20.2
1752825	<0.02	13.7	0.16	5.71	1.9	11.9
1752826	<0.02	20.5	0.17	16.88	2.0	17.5
1752827	0.03	10.6	0.18	25.47	2.4	10.1
1752828	<0.02	14.6	0.19	14.42	2.7	15.0
1752829	<0.02	9.2	0.15	5.27	1.7	7.1
1752830	0.41	62.9	0.09	20.88	32.4	57.4
1752831	<0.02	26.9	0.17	10.05	1.9	26.3
1752832	<0.02	20.6	0.19	6.77	2.9	19.7
1752833	<0.02	23.9	0.17	6.82	1.7	21.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752834	<0.02	53.3	0.20	8.95	1.8	45.5
1752835	<0.02	29.1	0.18	10.58	2.1	27.8
1752836	<0.02	34.5	0.22	7.49	2.5	27.8
1752837	<0.02	6.7	0.22	9.33	1.9	5.1
1752838	<0.02	2.3	0.19	6.91	2.0	2.1
1752839	<0.02	4.0	0.20	4.54	1.4	3.5
1752840	0.03	47.6	0.27	4.11	15.3	35.3
1752841	<0.02	1.5	0.20	4.03	2.7	1.4
1752842	<0.02	7.6	0.18	7.11	2.6	5.7
1752843	<0.02	27.9	0.18	5.84	2.7	24.1
1752844	<0.02	25.6	0.21	7.00	3.7	23.2
1752845	<0.02	25.6	0.22	6.40	2.5	26.1
1752846	<0.02	19.9	0.20	5.23	3.3	22.5
1752847	<0.02	7.2	0.14	12.51	1.8	6.3
1752848	<0.02	28.1	0.17	15.27	3.3	24.2
1752849	<0.02	27.4	0.22	8.05	6.5	26.0
1752850	<0.02	25.8	0.21	8.60	5.3	25.8
1752851	<0.02	29.6	0.24	6.17	6.6	23.3
1752852	<0.02	30.0	0.21	8.49	4.8	27.1
1752853	<0.02	16.2	0.18	5.61	5.5	18.4
*Dup 1752815	<0.02	22.6	0.20	7.84	2.3	29.1
*Std OREAS 601b	0.48	34.0	0.07	5.02	15.2	27.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.69	43.5	0.10	3.48	19.6	36.8
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.63	43.0	0.10	3.32	18.1	40.0
*Rep 1752830	0.39	65.2	0.09	21.06	27.7	57.7
*Std OREAS 601b	0.46	31.0	0.07	4.97	14.3	27.5
*Std OREAS 905	0.65	45.5	0.09	3.37	19.8	39.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1752784	<0.02	20.5	0.23	6.81	2.0	19.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.49	34.2	0.07	4.99	16.1	29.0

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	41.4	4.56	0.3	0.25	2.7	4
1752778	38.5	4.61	0.4	0.18	3.1	3
1752779	40.5	4.80	0.3	0.19	4.6	6
1752780	23.2	13.37	152	0.12	6.1	<2
1752781	43.0	5.45	0.3	0.21	2.9	5
1752782	46.5	4.85	0.3	0.17	3.5	9
1752783	49.2	5.27	0.2	0.16	3.1	4
1752784	40.1	5.11	0.4	0.21	3.4	4
1752785	38.6	5.50	0.3	0.20	2.9	6
1752786	35.4	5.18	2.8	0.18	3.9	7
1752787	32.6	5.16	3.3	0.14	4.9	4
1752788	38.5	6.69	6.7	0.16	6.4	2
1752789	50.6	9.52	18.1	0.16	10.1	3
1752790	41.0	8.30	19.1	0.14	10.0	<2
1752791	35.3	5.33	14.0	0.30	8.2	3
1752792	36.4	5.73	0.5	0.21	4.8	8
1752793	56.7	5.61	0.4	0.18	3.9	8
1752794	64.8	6.85	0.5	0.19	4.1	5
1752795	62.8	5.99	0.7	0.17	3.8	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752796	38.7	6.37	2.1	0.23	5.1	3
1752797	28.1	6.53	2.8	0.22	4.5	3
1752798	41.0	6.16	3.2	0.20	3.7	4
1752799	48.3	7.33	2.1	0.21	3.7	5
1752800	12.4	1.73	5.2	2.35	0.7	<2
1752801	32.1	6.65	2.7	0.22	5.4	3
1752802	37.3	5.79	0.9	0.16	3.3	2
1752803	39.9	7.62	0.7	0.23	4.2	5
1752804	35.3	5.78	0.9	0.27	3.4	3
1752805	77.4	7.34	0.3	0.29	3.7	3
1752806	59.6	5.58	0.3	0.17	2.9	3
1752807	71.2	7.08	0.4	0.29	2.9	4
1752808	51.7	6.69	0.6	0.26	3.8	3
1752809	29.3	6.47	0.8	0.25	4.3	2
1752810	23.6	11.21	155	0.11	5.4	<2
1752811	56.2	7.06	0.5	0.24	4.0	3
1752812	83.0	6.41	0.5	0.30	3.4	<2
1752813	70.3	4.78	0.6	0.28	2.7	3
1752814	66.0	5.34	0.4	0.27	3.2	4
1752815	59.1	6.67	0.4	0.19	2.9	4
1752816	61.6	5.56	0.3	0.17	2.7	<2
1752817	82.3	5.68	0.2	0.16	2.9	5
1752818	89.0	5.99	0.2	0.18	3.1	4
1752819	84.5	4.88	<0.2	0.19	3.0	4
1752820	77.6	4.41	0.2	0.18	2.9	3
1752821	78.3	6.65	<0.2	0.19	2.7	4
1752822	53.9	5.12	0.3	0.20	1.9	4
1752823	24.5	5.47	0.3	0.24	2.1	4
1752824	16.3	5.44	0.3	0.23	2.0	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752825	10.3	3.32	0.5	0.17	1.8	<2
1752826	16.4	4.67	0.5	0.20	1.8	3
1752827	9.7	2.70	2.9	0.28	2.3	<2
1752828	19.1	3.90	0.6	0.33	2.1	<2
1752829	6.9	2.05	<0.2	0.09	1.2	<2
1752830	350	16.62	3.1	284	11.9	19
1752831	22.8	7.20	0.5	0.61	1.4	6
1752832	16.6	5.20	0.3	0.44	1.7	7
1752833	20.2	5.66	0.4	0.35	1.7	5
1752834	29.6	12.81	0.2	0.28	1.7	9
1752835	25.6	7.80	0.3	0.30	1.4	9
1752836	28.2	7.88	0.3	0.33	1.8	7
1752837	8.5	1.48	<0.2	0.24	1.4	<2
1752838	2.1	0.57	<0.2	0.13	1.2	<2
1752839	4.6	0.98	<0.2	0.12	1.3	<2
1752840	24.3	10.78	140	0.12	4.2	<2
1752841	2.5	0.38	<0.2	0.11	1.1	<2
1752842	13.1	1.71	<0.2	0.19	1.2	<2
1752843	16.7	7.09	0.3	0.21	1.3	6
1752844	21.6	6.81	0.4	0.28	1.6	4
1752845	16.7	7.20	0.2	0.24	1.7	10
1752846	16.5	5.77	0.3	0.22	1.5	7
1752847	14.6	1.77	0.6	0.15	1.3	2
1752848	32.8	6.87	0.3	0.38	2.0	<2
1752849	18.8	6.82	0.3	0.50	2.1	<2
1752850	17.9	6.64	0.3	0.42	2.0	2
1752851	18.9	6.66	0.4	0.56	2.3	<2
1752852	26.6	7.30	0.3	0.51	2.3	<2
1752853	14.3	4.61	0.3	0.34	1.8	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup 1752815	54.3	6.28	0.4	0.20	2.7	4
*Std OREAS 601b	294	7.66	92.1	24.10	3.7	8
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	31.9	10.09	134	2.10	5.0	2
*Blk BLANK	0.7	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	32.0	10.36	129	1.91	4.7	2
*Rep 1752830	372	17.00	3.1	276	11.4	18
*Std OREAS 601b	295	7.99	95.6	24.19	3.4	8
*Std OREAS 905	31.6	10.70	142	2.00	5.6	2
*Rep 1752784	40.5	5.20	0.4	0.23	3.5	4
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	300	8.03	103	25.23	4.2	10

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	3.7	1.4	0.11	0.25	2.13	6.0
1752778	3.5	1.4	0.16	0.27	3.46	6.5
1752779	3.8	1.0	0.12	0.31	2.47	6.6
1752780	7.0	1.8	1.14	0.72	<0.05	22.1
1752781	4.2	1.1	0.12	0.27	1.95	6.9
1752782	3.6	1.2	0.13	0.24	1.63	6.8
1752783	3.9	1.0	0.11	0.23	1.69	7.3
1752784	3.5	0.9	0.13	0.23	1.41	7.1
1752785	4.5	1.4	0.11	0.33	2.28	6.7
1752786	4.0	1.4	0.11	0.33	4.14	7.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752787	3.9	1.2	0.11	0.36	1.91	7.1
1752788	5.5	1.7	0.12	0.40	1.13	7.9
1752789	8.8	3.5	0.15	0.61	0.88	10.1
1752790	7.3	3.5	0.13	0.46	0.42	9.2
1752791	4.4	3.0	0.14	0.28	1.27	6.9
1752792	4.7	1.0	0.13	0.37	4.08	7.6
1752793	4.2	0.7	0.13	0.32	2.53	7.5
1752794	5.6	0.9	0.17	0.36	2.89	8.4
1752795	4.7	0.8	0.16	0.46	4.84	8.1
1752796	4.9	1.3	0.19	0.50	1.99	8.6
1752797	5.0	1.2	0.13	0.73	1.28	7.5
1752798	4.7	2.3	0.15	0.38	1.70	7.2
1752799	5.6	1.6	0.13	0.33	2.37	8.2
1752800	1.1	1.8	<0.05	0.09	0.56	1.6
1752801	5.2	1.5	0.17	0.27	0.76	8.5
1752802	4.7	0.9	0.15	0.32	0.77	7.2
1752803	6.4	1.0	0.14	0.63	1.74	7.7
1752804	5.2	1.5	0.16	0.28	1.05	7.3
1752805	6.2	1.1	0.22	0.32	1.65	8.6
1752806	4.7	0.8	0.15	0.26	1.08	7.1
1752807	6.1	0.9	0.13	0.34	2.32	7.4
1752808	5.2	1.1	0.16	0.31	1.12	7.9
1752809	4.8	1.3	0.18	0.33	0.56	8.7
1752810	6.1	1.6	1.05	0.66	0.05	19.2
1752811	5.2	1.0	0.15	0.41	0.88	7.8
1752812	5.4	1.2	0.26	0.31	0.87	7.5
1752813	4.1	1.1	0.22	0.28	1.19	6.4
1752814	5.2	1.2	0.19	0.44	1.14	6.9
1752815	10.3	1.1	0.15	0.77	1.52	6.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752816	5.4	1.1	0.18	0.43	0.56	7.6
1752817	4.0	1.2	0.17	0.29	1.69	7.0
1752818	4.4	1.1	0.15	0.30	1.64	7.2
1752819	4.0	1.5	0.17	0.27	1.03	7.3
1752820	3.8	1.4	0.15	0.26	1.07	6.7
1752821	4.8	1.1	0.17	0.28	1.18	6.8
1752822	4.0	0.7	0.13	0.25	1.29	5.8
1752823	4.8	0.9	0.17	0.38	0.87	6.6
1752824	3.6	1.5	0.15	0.18	0.74	6.2
1752825	2.1	2.2	0.09	0.11	0.29	4.5
1752826	3.1	2.5	0.12	0.15	0.81	6.5
1752827	1.8	4.3	0.07	0.10	0.17	4.1
1752828	2.7	4.3	0.12	0.15	0.17	6.2
1752829	1.2	4.5	0.06	0.08	<0.05	3.1
1752830	6.4	6.0	2.33	0.27	3.03	22.5
1752831	4.5	2.6	0.11	0.21	1.37	8.1
1752832	3.4	2.1	0.15	0.16	1.28	6.6
1752833	3.6	1.7	0.10	0.18	0.75	6.7
1752834	8.1	1.9	0.12	0.32	1.86	7.8
1752835	4.8	2.5	0.13	0.19	1.07	6.0
1752836	4.3	2.4	0.15	0.21	0.77	7.7
1752837	0.9	4.0	0.06	0.10	0.06	3.4
1752838	0.4	3.0	0.06	0.07	0.09	2.4
1752839	0.6	3.5	<0.05	0.08	<0.05	3.6
1752840	5.8	1.6	1.02	0.60	<0.05	20.2
1752841	0.3	3.7	0.12	0.06	<0.05	2.4
1752842	1.0	4.5	0.07	0.09	<0.05	3.8
1752843	3.7	2.6	0.16	0.15	0.37	7.6
1752844	3.8	3.9	0.15	0.16	0.26	8.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752845	4.8	2.9	0.18	0.25	0.72	8.3
1752846	4.2	2.7	0.16	0.20	0.67	7.3
1752847	1.2	3.7	<0.05	0.09	<0.05	3.0
1752848	4.4	4.3	0.20	0.22	0.10	7.7
1752849	4.9	7.0	0.42	0.24	0.35	8.5
1752850	4.9	6.1	0.32	0.24	0.41	8.1
1752851	3.9	8.9	0.43	0.23	0.15	7.9
1752852	4.8	7.5	0.30	0.28	0.23	7.9
1752853	3.4	4.5	0.32	0.20	0.37	6.6
*Dup 1752815	9.6	1.0	0.16	0.81	1.26	6.4
*Std OREAS 601b	5.1	3.3	1.21	0.54	12.02	12.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.2	4.2	1.45	0.80	0.07	14.9
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.3	4.1	1.28	0.76	0.09	14.4
*Rep 1752830	6.7	5.8	2.08	0.27	3.02	21.9
*Std OREAS 601b	5.2	3.5	1.01	0.49	12.26	11.8
*Std OREAS 905	7.8	3.7	1.38	0.80	0.05	15.1
*Rep 1752784	3.6	1.0	0.13	0.24	1.59	7.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.4	3.6	1.13	0.55	12.86	12.5

Element	@Ti	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752777	<0.02	0.14	1.29	0.8	5.6	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752778	<0.02	0.15	1.39	0.7	6.5	1.2
1752779	<0.02	0.19	1.40	0.5	8.4	1.5
1752780	0.71	0.31	4.89	0.4	21.5	2.0
1752781	<0.02	0.14	1.30	0.6	5.9	1.1
1752782	<0.02	0.15	1.25	0.4	6.0	1.2
1752783	<0.02	0.14	1.27	0.3	5.4	1.1
1752784	<0.02	0.15	1.28	0.3	5.8	1.2
1752785	0.02	0.17	1.31	0.2	7.4	1.3
1752786	0.22	0.18	1.30	0.3	7.8	1.3
1752787	0.26	0.23	1.37	0.2	11.4	1.8
1752788	0.51	0.18	1.37	0.3	8.1	1.4
1752789	1.27	0.17	1.50	0.2	8.2	1.3
1752790	1.35	0.15	1.37	0.2	7.0	1.2
1752791	0.97	0.12	1.30	0.3	5.0	0.9
1752792	0.03	0.21	1.49	0.2	10.0	1.7
1752793	0.04	0.17	1.35	0.2	7.4	1.3
1752794	0.04	0.19	1.50	0.3	7.8	1.5
1752795	0.04	0.18	1.60	0.3	8.7	1.5
1752796	0.11	0.21	1.67	0.5	10.6	1.6
1752797	0.15	0.22	1.51	0.5	16.0	1.6
1752798	0.22	0.15	1.40	0.7	8.0	1.2
1752799	0.12	0.16	1.36	0.9	7.1	1.2
1752800	0.10	<0.05	1.30	18.2	2.9	0.2
1752801	0.17	0.17	1.40	1.3	7.1	1.3
1752802	0.06	0.15	1.29	0.6	6.9	1.2
1752803	0.03	0.22	1.57	0.6	13.2	1.6
1752804	0.04	0.15	1.45	0.6	6.9	1.2
1752805	<0.02	0.20	1.58	0.6	8.3	1.6
1752806	<0.02	0.16	1.31	2.3	6.6	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752807	<0.02	0.17	1.34	0.6	7.3	1.3
1752808	0.03	0.18	1.43	0.9	7.6	1.4
1752809	0.03	0.17	1.31	1.5	7.9	1.4
1752810	0.69	0.29	3.74	0.4	20.5	1.9
1752811	<0.02	0.21	1.35	0.8	11.7	1.6
1752812	<0.02	0.18	1.41	0.9	8.3	1.3
1752813	0.02	0.13	1.26	1.3	5.8	1.0
1752814	0.02	0.16	1.40	0.6	6.9	1.2
1752815	<0.02	0.15	1.82	0.4	6.9	1.1
1752816	<0.02	0.16	1.56	0.5	6.8	1.2
1752817	<0.02	0.16	1.43	0.6	6.7	1.2
1752818	<0.02	0.18	1.43	0.6	8.1	1.4
1752819	<0.02	0.18	1.43	0.6	7.5	1.4
1752820	<0.02	0.16	1.36	0.5	6.9	1.3
1752821	<0.02	0.15	1.41	0.5	6.8	1.2
1752822	<0.02	0.13	1.20	0.8	5.6	1.0
1752823	<0.02	0.14	1.43	0.6	6.0	1.1
1752824	<0.02	0.12	1.37	0.4	5.0	1.0
1752825	<0.02	0.11	1.07	0.4	4.0	0.8
1752826	0.02	0.11	1.30	0.5	4.2	0.9
1752827	0.10	0.10	1.47	0.8	3.7	0.9
1752828	0.02	0.11	1.49	0.6	4.4	1.0
1752829	<0.02	0.09	1.16	0.2	3.4	0.8
1752830	0.38	0.09	16.99	113	4.5	0.6
1752831	0.02	0.11	1.38	1.8	4.7	0.9
1752832	<0.02	0.12	1.42	1.2	5.2	1.0
1752833	<0.02	0.12	1.35	0.7	5.0	0.9
1752834	<0.02	0.13	1.55	0.8	5.2	1.0
1752835	<0.02	0.11	1.49	0.8	4.7	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752836	<0.02	0.14	1.70	0.8	5.7	1.1
1752837	<0.02	0.14	1.58	0.4	5.3	1.1
1752838	<0.02	0.13	1.41	0.4	4.5	1.0
1752839	<0.02	0.12	1.35	0.3	4.5	1.0
1752840	0.70	0.28	4.60	0.4	19.3	1.8
1752841	<0.02	0.13	1.48	0.3	4.3	1.0
1752842	<0.02	0.11	1.31	0.5	3.9	0.9
1752843	<0.02	0.11	1.47	0.6	4.4	1.0
1752844	<0.02	0.13	1.54	0.5	4.9	1.1
1752845	<0.02	0.14	1.48	0.5	6.0	1.1
1752846	<0.02	0.13	1.41	0.4	5.1	1.0
1752847	0.02	0.09	1.16	0.3	3.7	0.7
1752848	<0.02	0.11	1.44	0.8	4.5	0.9
1752849	<0.02	0.14	1.64	1.0	5.9	1.2
1752850	<0.02	0.14	1.51	0.8	5.9	1.2
1752851	<0.02	0.16	1.70	1.1	6.5	1.3
1752852	<0.02	0.14	1.57	0.8	6.1	1.1
1752853	<0.02	0.11	1.27	0.6	4.5	0.9
*Dup 1752815	<0.02	0.14	1.72	0.4	6.6	1.1
*Std OREAS 601b	1.42	0.09	4.52	6.1	11.0	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.68	0.13	5.04	2.9	16.2	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.73	0.12	5.26	2.6	15.5	0.6
*Rep 1752830	0.39	0.09	16.74	112	4.6	0.6
*Std OREAS 601b	1.46	0.09	4.78	6.0	10.5	0.5
*Std OREAS 905	0.73	0.12	5.27	2.9	16.4	0.7
*Rep 1752784	<0.02	0.15	1.28	0.3	5.9	1.2
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (77-152)
 Number of Samples 77

ANALYSIS REPORT BBM21-13046

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	1.51	0.10	4.91	6.7	11.7	0.5

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752792	5.629
1752793	6.459
*Rep 1752792	5.659
*Blk BLANK	<0.005
*Std OREAS 135	7.144

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-13047

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	17-Sep-2021
Project	The Brewer Gold Project	Date Analysed	05-Oct-2021 - 09-Nov-2021
Submission Number	*SD* The Brewer Gold Project/ B21C-	Date Completed	09-Nov-2021
016 / 296 Cores (153-228)		SGS Order Number	BBM21-13047
Number of Samples	76		

Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
71	G_PRP	Combined Sample Preparation
76	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
69	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
69	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
69	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
4	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
This report cancels and supersedes the report BBM_U0016247386 dated 10-Nov-2021 issued by SGS Canada (Burnaby).
Elements sequence updated

Authorised Signatory

John Chiang
Laboratory Operations Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
1752854	3.38	0.034	4.81	26	<0.01	23
1752855	3.68	0.029	6.79	50	0.01	23
1752856	5.14	0.024	4.07	25	0.02	31
1752857	6.16	0.026	5.39	26	0.01	18
1752858	4.22	0.079	5.12	25	0.01	25
1752859	5.65	0.053	5.50	35	0.01	35
1752860	0.06	<0.005	-	-	-	-
1752861	5.79	0.058	5.67	46	0.01	18
1752862	5.23	0.072	5.17	47	0.01	18
1752863	5.60	0.247	4.52	152	0.02	24
1752864	5.01	0.059	6.08	300	0.02	19
1752865	5.18	0.026	7.85	361	0.02	20
1752866	4.68	0.090	6.41	528	0.02	16
1752867	6.60	0.094	5.39	574	0.04	18
1752868	3.74	0.090	6.88	913	0.02	16
1752869	5.03	0.115	6.67	953	0.02	18
1752870	1.94	<0.005	-	-	-	-
1752871	4.13	0.063	6.06	833	0.02	33
1752872	5.03	0.154	6.62	602	0.02	26
1752873	6.42	0.300	5.61	606	0.01	21
1752874	4.67	0.200	4.21	372	0.01	33
1752875	5.70	0.244	4.19	392	0.01	27
1752876	6.02	0.125	4.07	61	0.01	41
1752877	4.46	0.224	4.16	142	0.01	26
1752878	3.73	0.070	5.28	540	0.01	39
1752879	5.56	0.063	4.21	40	0.01	32
1752880	-	0.063	-	-	-	-
1752881	7.03	0.057	4.96	92	0.01	40
1752882	6.18	0.103	4.27	73	0.01	26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
1752883	7.29	0.109	3.19	131	0.01	45
1752884	6.51	0.078	4.73	161	0.02	31
1752885	6.50	0.098	3.87	193	0.01	17
1752886	6.12	0.119	1.88	65	0.01	32
1752887	7.01	0.067	4.65	49	<0.01	17
1752888	5.34	0.039	5.71	27	<0.01	20
1752889	6.30	0.060	5.59	27	0.01	16
1752890	0.07	3.052	-	-	-	-
1752891	6.40	0.052	2.52	19	0.04	32
1752892	6.20	0.091	4.44	15	0.03	20
1752893	5.82	0.013	8.43	132	0.34	7
1752894	4.42	0.020	6.34	19	0.02	13
1752895	5.28	0.028	5.08	25	0.02	10
1752896	5.83	0.042	3.81	24	0.02	22
1752897	5.95	0.040	3.32	28	0.03	42
1752898	5.94	0.043	5.09	27	0.02	11
1752899	3.55	0.038	3.46	29	0.04	22
1752900	2.17	<0.005	-	-	-	-
1752901	4.07	0.043	4.76	19	0.02	41
1752902	6.13	0.031	6.19	44	0.03	32
1752903	6.08	0.043	4.89	19	0.03	20
1752904	6.13	0.052	5.02	39	0.02	28
1752905	5.73	0.048	4.82	71	0.04	27
1752906	5.82	0.042	4.56	22	0.04	25
1752907	6.45	0.053	3.59	17	0.02	22
1752908	6.10	0.049	0.93	27	0.03	45
1752909	6.69	0.063	0.13	21	0.02	48
1752910	-	0.050	-	-	-	-
1752911	4.33	0.081	2.49	55	0.02	32

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
1752912	3.81	0.102	2.64	25	0.01	29
1752913	5.57	0.068	3.33	20	0.01	21
1752914	6.74	0.053	3.37	32	0.02	31
1752915	5.30	0.048	4.82	24	0.03	18
1752916	5.46	0.086	2.88	19	0.03	23
1752917	4.45	0.086	3.07	29	0.03	21
1752918	5.46	0.077	3.86	22	0.02	19
1752919	5.54	0.061	3.69	21	0.02	21
1752920	0.06	0.743	-	-	-	-
1752921	5.95	0.101	4.39	23	0.02	14
1752922	6.09	0.078	3.84	23	0.02	17
1752923	4.06	0.135	4.41	26	0.02	31
1752924	3.70	0.075	4.50	15	0.02	21
1752925	6.52	0.056	3.86	18	0.02	21
1752926	4.97	0.076	3.13	21	0.03	20
1752927	6.14	0.077	4.05	19	0.03	22
1752928	5.73	0.067	3.78	17	0.02	20
1752929	4.18	0.062	4.45	18	0.02	21
*Dup 1752892	-	0.097	4.95	16	0.03	24
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Rep 1752896	-	-	3.93	22	0.02	28
*Std OREAS 601b	-	-	6.43	779	0.82	17
*Std OREAS 905	-	-	7.42	2620	0.56	13
*Std OREAS 601b	-	-	6.50	1504	0.88	13
*Blk BLANK	-	-	0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.39	2533	0.58	18
*Rep 1752877	-	-	4.16	142	0.01	23
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.453	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*WTKG	Au	Al	Ba	Ca	Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1752857	-	0.026	-	-	-	-
*Std SL105	-	4.916	-	-	-	-
*Rep 1752883	-	0.116	-	-	-	-
*Std OREAS 296	-	2.240	-	-	-	-
*Blk BLANK	-	0.010	-	-	-	-
*Std SN106	-	8.572	-	-	-	-
*Rep 1752911	-	0.083	-	-	-	-
*Std SL105	-	5.092	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.250	-	-	-	-
*Std SN106	-	8.522	-	-	-	-
*Blk BLANK	-	0.005	-	-	-	-

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752854	56.1	3.54	0.01	<1	<0.01	25
1752855	38.9	2.24	0.01	<1	<0.01	36
1752856	42.6	1.74	<0.01	<1	<0.01	21
1752857	61.3	3.11	0.01	<1	<0.01	27
1752858	198	2.58	0.01	<1	<0.01	29
1752859	101	4.11	0.01	<1	<0.01	24
1752861	94.4	3.99	0.01	<1	<0.01	28
1752862	132	3.81	0.01	<1	<0.01	22
1752863	692	5.41	0.02	<1	<0.01	23

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752864	114	2.41	0.02	1	<0.01	30
1752865	42.7	1.13	0.01	1	<0.01	28
1752866	259	3.52	<0.01	<1	<0.01	30
1752867	246	2.54	0.01	1	<0.01	12
1752868	190	2.25	0.02	<1	<0.01	32
1752869	208	1.88	0.17	<1	<0.01	24
1752871	120	1.92	0.19	<1	<0.01	24
1752872	512	2.64	0.17	<1	<0.01	37
1752873	712	3.30	0.03	<1	<0.01	33
1752874	428	2.82	0.02	<1	<0.01	22
1752875	756	3.83	0.02	<1	<0.01	30
1752876	196	4.28	0.03	<1	<0.01	24
1752877	88.5	3.74	0.02	<1	<0.01	25
1752878	83.3	2.70	0.02	1	<0.01	34
1752879	108	3.40	0.02	1	<0.01	28
1752881	111	3.47	0.02	1	<0.01	29
1752882	367	5.22	0.02	2	<0.01	34
1752883	345	4.38	0.02	1	<0.01	25
1752884	290	4.36	0.04	2	<0.01	24
1752885	390	4.47	0.06	1	<0.01	29
1752886	258	5.82	0.04	<1	<0.01	24
1752887	126	3.31	0.02	1	<0.01	30
1752888	74.7	3.05	0.01	<1	<0.01	33
1752889	104	3.09	0.02	<1	<0.01	28
1752891	82.5	3.89	0.02	<1	<0.01	25
1752892	86.4	3.45	0.03	1	<0.01	27
1752893	13.0	1.17	2.75	21	0.07	119
1752894	7.0	0.55	0.05	1	<0.01	35
1752895	11.1	0.41	0.09	1	<0.01	30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752896	16.3	1.03	0.04	1	<0.01	30
1752897	16.9	1.02	0.14	1	<0.01	29
1752898	36.3	2.29	0.04	1	<0.01	33
1752899	8.8	0.43	0.39	1	<0.01	27
1752901	36.8	2.80	0.04	2	<0.01	27
1752902	28.4	2.74	0.12	2	<0.01	32
1752903	41.0	1.96	0.05	1	<0.01	25
1752904	33.8	1.83	0.22	1	<0.01	29
1752905	38.4	2.39	0.05	1	<0.01	23
1752906	35.1	2.12	0.06	1	<0.01	25
1752907	39.5	2.18	0.05	<1	<0.01	22
1752908	32.4	1.92	0.04	<1	<0.01	29
1752909	37.6	2.45	<0.01	<1	<0.01	27
1752911	20.8	1.40	0.06	<1	<0.01	21
1752912	17.5	0.85	0.05	<1	<0.01	25
1752913	10.9	0.82	0.03	<1	<0.01	23
1752914	15.6	0.90	0.02	<1	<0.01	24
1752915	48.3	2.65	0.01	1	<0.01	24
1752916	47.2	4.19	<0.01	<1	<0.01	16
1752917	37.4	4.72	0.01	<1	<0.01	25
1752918	48.7	3.23	0.01	1	<0.01	35
1752919	34.3	3.06	0.01	1	<0.01	32
1752921	75.3	5.59	0.01	<1	<0.01	24
1752922	338	3.83	<0.01	<1	<0.01	33
1752923	1863	4.01	<0.01	<1	<0.01	27
1752924	415	3.43	<0.01	<1	<0.01	37
1752925	47.8	2.71	<0.01	<1	<0.01	27
1752926	55.7	3.93	0.01	<1	<0.01	28
1752927	69.3	3.54	0.01	<1	<0.01	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752928	62.9	3.48	<0.01	<1	<0.01	32
1752929	75.1	4.04	<0.01	<1	<0.01	30
*Dup 1752892	86.5	3.47	0.03	1	<0.01	35
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep 1752896	15.3	0.92	0.04	1	<0.01	27
*Std OREAS 601b	989	2.23	2.41	22	0.09	223
*Std OREAS 905	1559	4.11	3.05	21	0.28	369
*Std OREAS 601b	1006	2.24	2.42	23	0.10	225
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1540	4.04	2.98	20	0.27	367
*Rep 1752877	86.0	3.71	0.02	1	<0.01	26

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752854	0.01	3	0.07	3.57	20.3	0.11
1752855	0.01	3	0.05	2.19	35.0	0.16
1752856	0.01	2	0.05	1.78	33.1	0.13
1752857	0.01	3	0.04	3.14	33.7	0.13
1752858	<0.01	2	0.05	2.62	35.0	0.17
1752859	<0.01	3	0.04	4.27	32.0	0.11
1752861	<0.01	2	0.05	3.99	49.6	0.12
1752862	0.01	2	0.07	3.90	73.3	0.10
1752863	<0.01	3	0.06	>5.00	84.6	0.11
1752864	0.01	3	0.05	2.38	88.3	0.12
1752865	0.01	2	0.10	1.03	172	0.14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752866	0.01	3	0.07	3.55	121	0.13
1752867	0.02	2	0.08	2.78	53.3	0.11
1752868	0.02	3	0.11	2.18	96.5	0.17
1752869	0.02	2	0.10	1.89	101	0.14
1752871	0.01	3	0.08	1.96	89.6	0.14
1752872	0.01	3	0.10	2.59	61.1	0.15
1752873	<0.01	4	0.07	3.41	64.5	0.13
1752874	<0.01	3	0.05	2.86	38.7	0.12
1752875	<0.01	4	0.06	3.99	51.1	0.09
1752876	0.01	3	0.03	4.60	37.8	0.11
1752877	0.01	3	0.07	4.02	30.4	0.10
1752878	0.01	4	0.04	2.67	22.1	0.13
1752879	<0.01	3	0.04	3.39	15.5	0.12
1752881	0.01	4	0.05	3.61	45.3	0.12
1752882	0.01	4	0.03	>5.00	24.8	0.10
1752883	0.01	3	0.05	4.42	25.5	0.12
1752884	0.02	3	0.04	4.30	72.7	0.11
1752885	0.01	3	0.03	4.45	29.8	0.13
1752886	0.01	3	0.04	>5.00	19.0	0.09
1752887	<0.01	3	0.04	3.35	22.1	0.12
1752888	0.02	3	0.04	2.99	23.9	0.12
1752889	0.01	2	0.05	2.97	26.4	0.09
1752891	0.01	2	0.08	3.76	21.7	0.06
1752892	<0.01	2	0.06	3.34	23.8	0.05
1752893	4.59	1	0.02	0.58	63.8	0.05
1752894	0.01	2	0.05	0.25	23.3	0.10
1752895	0.02	2	0.04	0.15	23.4	0.08
1752896	0.02	2	0.03	0.78	16.3	0.06
1752897	0.02	2	0.05	0.75	20.7	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752898	0.02	3	0.04	2.03	23.8	0.07
1752899	0.03	2	0.04	0.20	23.8	0.09
1752901	0.01	3	0.04	2.65	29.9	0.06
1752902	0.02	3	0.05	2.61	56.6	0.07
1752903	0.01	2	0.05	1.79	64.7	0.07
1752904	0.02	3	0.05	1.61	88.7	0.07
1752905	0.01	3	0.07	2.27	139	0.06
1752906	<0.01	3	0.05	1.90	61.2	0.05
1752907	0.01	2	0.03	1.98	50.0	0.06
1752908	<0.01	4	0.03	1.66	25.4	0.06
1752909	0.01	5	0.02	2.13	13.7	0.05
1752911	0.01	3	0.03	1.22	68.7	0.04
1752912	0.01	2	0.02	0.62	49.1	0.07
1752913	<0.01	2	0.03	0.61	50.3	0.05
1752914	0.01	2	0.04	0.68	80.4	0.05
1752915	<0.01	3	0.05	2.50	60.2	0.08
1752916	<0.01	3	0.04	4.41	32.8	0.04
1752917	<0.01	4	0.05	4.54	89.3	0.05
1752918	<0.01	3	0.04	2.99	28.9	0.05
1752919	0.02	3	0.04	2.86	51.9	0.06
1752921	0.01	3	0.04	>5.00	56.6	0.05
1752922	<0.01	3	0.04	3.62	31.9	0.06
1752923	0.01	3	0.04	3.72	31.6	0.11
1752924	<0.01	3	0.04	3.16	30.8	0.07
1752925	<0.01	3	0.04	2.55	28.0	0.05
1752926	0.01	3	0.04	3.69	29.2	0.04
1752927	0.01	3	0.04	3.21	32.6	0.08
1752928	<0.01	4	0.03	3.20	30.3	0.05
1752929	<0.01	4	0.03	3.89	24.1	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Dup 1752892	0.02	3	0.06	3.24	24.6	0.07
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep 1752896	0.02	2	0.03	0.68	14.6	0.08
*Std OREAS 601b	1.91	5	0.03	1.45	237	0.12
*Std OREAS 905	2.52	9	0.03	0.07	161	0.12
*Std OREAS 601b	1.91	5	0.03	1.48	242	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.47	12	0.03	0.08	158	0.12
*Rep 1752877	0.01	3	0.07	3.86	30.0	0.10

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	21	10	131	0.05	1	<0.1
1752855	28	6	151	0.03	2	0.2
1752856	20	6	128	0.06	2	0.1
1752857	27	6	145	0.09	2	0.2
1752858	30	6	151	0.18	2	0.1
1752859	25	6	131	0.09	2	0.1
1752861	29	13	128	0.10	4	0.2
1752862	28	7	141	0.14	2	0.1
1752863	30	6	139	0.61	3	0.2
1752864	34	11	120	0.11	2	0.2
1752865	46	6	130	0.05	2	0.3
1752866	37	8	121	0.21	3	0.1
1752867	29	7	103	0.32	2	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752868	34	11	112	0.19	2	0.2
1752869	33	10	129	0.27	1	0.2
1752871	28	11	113	0.10	2	0.2
1752872	32	11	116	0.24	1	0.1
1752873	30	12	118	0.50	2	0.2
1752874	26	7	110	0.43	3	0.2
1752875	30	9	105	0.47	3	0.2
1752876	29	10	118	0.15	3	0.3
1752877	28	10	119	0.07	2	0.2
1752878	36	6	117	0.06	2	0.2
1752879	29	10	100	0.06	3	0.2
1752881	41	6	104	0.06	2	0.2
1752882	32	10	95.0	0.16	2	0.2
1752883	27	8	103	0.37	2	0.2
1752884	29	8	129	0.11	3	0.3
1752885	28	11	120	0.12	3	0.2
1752886	17	10	89.9	0.13	2	0.2
1752887	32	12	115	0.05	1	0.2
1752888	32	5	127	0.05	2	0.1
1752889	28	5	121	0.21	5	0.1
1752891	15	4	103	0.06	5	0.1
1752892	22	6	117	0.08	8	0.2
1752893	9	16	38.0	0.04	2	0.9
1752894	28	5	118	0.04	2	0.2
1752895	25	6	98.3	0.03	2	0.2
1752896	17	4	95.3	0.03	3	0.1
1752897	23	6	81.1	0.04	4	0.1
1752898	20	9	102	0.07	5	0.1
1752899	38	5	84.5	0.03	1	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752901	23	7	101	0.04	4	0.2
1752902	37	4	102	0.06	4	0.2
1752903	23	7	89.7	0.07	4	0.1
1752904	29	9	102	0.03	5	0.2
1752905	17	5	93.8	0.06	3	0.2
1752906	18	7	91.4	0.07	2	0.2
1752907	16	9	92.4	0.05	5	0.2
1752908	8	16	76.8	0.07	3	0.1
1752909	5	8	71.0	0.05	4	<0.1
1752911	12	19	63.4	0.04	2	0.1
1752912	13	17	80.3	0.03	2	0.2
1752913	12	10	80.3	0.05	2	0.2
1752914	14	5	85.6	0.03	2	0.2
1752915	30	5	98.1	0.06	6	0.2
1752916	15	5	81.3	0.04	5	0.1
1752917	16	7	83.1	0.05	7	0.2
1752918	22	7	75.6	0.04	7	0.2
1752919	22	6	69.8	0.05	7	0.1
1752921	27	6	85.3	0.08	13	0.2
1752922	27	10	81.3	0.08	8	0.2
1752923	31	7	90.3	0.21	9	0.2
1752924	24	9	95.4	0.08	7	0.1
1752925	17	10	69.6	0.05	7	0.2
1752926	14	8	63.9	0.05	9	0.2
1752927	25	9	81.4	0.08	12	0.2
1752928	24	7	70.5	0.04	7	0.2
1752929	29	8	83.9	0.04	7	0.2
*Dup 1752892	24	6	118	0.07	8	0.2
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1752896	18	3	90.4	0.05	3	<0.1
*Std OREAS 601b	12	308	171	49.18	279	2.3
*Std OREAS 905	11	140	234	0.68	35	2.9
*Std OREAS 601b	11	312	177	50.11	274	2.1
*Blk BLANK	<2	4	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	134	244	0.62	33	3.0
*Rep 1752877	27	9	115	0.10	3	0.2

Element	Bi	Cd	Ce	Co	Cs	*Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	0.79	<0.02	28.65	4.9	<1	0.71
1752855	0.76	<0.02	59.39	3.7	<1	1.05
1752856	0.88	0.03	60.12	4.0	<1	0.85
1752857	1.02	<0.02	60.93	6.0	<1	1.25
1752858	4.28	0.04	49.53	5.0	<1	1.10
1752859	2.14	0.02	37.97	6.8	<1	0.98
1752861	2.42	0.04	45.02	4.5	<1	1.86
1752862	3.59	0.03	53.14	4.6	<1	2.59
1752863	16.75	0.05	45.47	5.8	<1	3.72
1752864	2.16	0.05	27.86	5.3	<1	1.18
1752865	1.43	0.04	50.73	1.9	<1	0.98
1752866	5.89	0.04	47.71	7.3	<1	1.79
1752867	6.25	0.04	32.91	5.5	<1	1.08
1752868	3.86	0.04	48.18	7.4	<1	1.44
1752869	4.27	0.07	39.88	6.2	<1	1.58

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Bi	Cd	Ce	Co	Cs	*Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752871	2.42	0.04	44.79	6.2	<1	1.51
1752872	9.47	0.05	32.13	5.7	<1	1.70
1752873	15.28	0.03	44.20	8.8	<1	2.17
1752874	10.99	0.03	39.81	7.6	<1	2.96
1752875	17.03	0.05	26.71	9.2	<1	1.48
1752876	5.14	0.07	42.91	9.3	<1	2.48
1752877	1.78	0.02	32.09	5.1	<1	2.07
1752878	1.40	0.03	28.63	5.5	<1	1.92
1752879	1.68	0.04	21.58	5.7	<1	1.27
1752881	1.35	0.02	44.13	6.3	<1	2.86
1752882	3.83	0.05	20.19	7.6	<1	1.59
1752883	6.28	0.05	14.80	5.2	<1	1.66
1752884	3.41	0.05	43.42	5.5	<1	1.46
1752885	4.88	0.05	44.88	6.2	<1	1.90
1752886	5.00	0.06	22.74	9.3	<1	1.43
1752887	1.58	0.05	44.01	4.9	<1	1.09
1752888	0.99	0.04	35.08	4.0	<1	0.77
1752889	1.79	0.15	43.88	7.9	<1	0.78
1752891	2.02	0.04	46.97	7.3	<1	0.94
1752892	2.03	0.27	52.90	7.3	<1	0.81
1752893	0.27	0.07	34.46	1.7	1	1.05
1752894	0.36	0.09	31.40	0.7	<1	0.52
1752895	0.32	0.05	38.69	0.5	<1	0.64
1752896	0.61	0.10	19.13	2.1	<1	0.38
1752897	0.69	0.05	17.37	2.1	<1	0.30
1752898	0.99	0.05	26.20	5.1	<1	0.54
1752899	0.22	0.05	11.73	0.5	<1	0.31
1752901	0.86	0.06	31.84	4.4	<1	0.60
1752902	0.94	0.04	28.78	3.9	<1	0.49

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Bi	Cd	Ce	Co	Cs	*Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752903	0.80	0.02	29.79	3.9	<1	0.54
1752904	1.01	0.07	42.88	5.7	<1	0.67
1752905	1.40	0.08	35.70	9.8	<1	0.66
1752906	0.95	0.05	45.39	7.2	<1	0.62
1752907	1.22	0.05	51.93	9.3	<1	0.56
1752908	0.84	0.06	18.22	6.0	<1	0.38
1752909	0.85	0.11	11.99	5.7	<1	0.29
1752911	0.60	0.04	18.83	3.4	<1	0.47
1752912	0.34	<0.02	18.41	2.0	<1	0.34
1752913	0.33	0.06	19.32	1.7	<1	0.28
1752914	0.37	<0.02	23.53	1.5	<1	0.39
1752915	0.97	0.06	66.86	6.6	<1	0.91
1752916	1.10	0.08	23.20	6.0	<1	0.50
1752917	1.45	0.06	49.05	6.3	<1	0.63
1752918	1.24	0.17	32.92	5.3	<1	0.48
1752919	0.88	0.06	56.59	5.3	<1	0.90
1752921	2.41	0.06	56.78	7.8	<1	1.15
1752922	1.14	0.20	51.82	5.9	<1	1.01
1752923	1.19	0.09	52.47	8.9	<1	1.10
1752924	0.90	0.17	61.42	5.1	<1	1.24
1752925	0.76	0.08	58.44	4.3	<1	0.83
1752926	0.95	0.08	51.23	4.7	<1	0.72
1752927	1.09	0.14	47.73	6.6	<1	0.98
1752928	0.92	0.08	35.86	7.4	<1	1.33
1752929	1.04	0.09	44.49	9.9	<1	1.07
*Dup 1752892	2.04	0.25	53.79	7.1	<1	0.85
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Rep 1752896	0.54	0.08	17.51	1.9	<1	0.34
*Std OREAS 601b	17.58	2.08	67.82	3.0	5	2.47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Bi	Cd	Ce	Co	Cs	*Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	5.76	0.36	87.45	15.1	7	3.52
*Std OREAS 601b	16.49	1.98	66.19	2.9	5	2.37
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 905	5.59	0.34	88.49	14.1	8	3.47
*Rep 1752877	1.82	0.04	32.62	4.9	<1	2.20

Element	*Er	*Eu	*Gd	Ga	Hf	*Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	0.63	0.61	1.7	7.8	3.65	0.17
1752855	0.64	1.26	3.3	10.9	4.13	0.20
1752856	0.62	1.10	2.7	7.8	3.44	0.18
1752857	0.83	1.29	3.3	11.7	3.96	0.25
1752858	0.74	1.22	3.1	11.7	4.06	0.22
1752859	0.65	1.06	3.1	16.8	3.68	0.19
1752861	0.99	1.31	5.0	19.6	3.57	0.32
1752862	1.77	1.47	5.9	22.0	3.86	0.57
1752863	2.40	1.39	6.5	25.1	3.77	0.76
1752864	0.72	0.93	3.7	22.4	3.32	0.22
1752865	0.56	1.38	4.7	23.2	3.65	0.17
1752866	1.12	1.26	4.9	21.1	3.30	0.35
1752867	0.77	0.83	2.9	13.6	2.92	0.24
1752868	0.80	1.45	4.6	12.8	3.10	0.25
1752869	0.84	1.35	4.4	11.8	3.67	0.26
1752871	0.86	1.20	4.2	11.5	3.15	0.28
1752872	1.11	1.06	4.2	12.8	3.35	0.37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Er	*Eu	*Gd	Ga	Hf	*Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752873	1.47	1.30	4.6	11.7	3.19	0.47
1752874	2.01	1.19	4.2	10.2	3.18	0.68
1752875	0.99	0.91	3.4	14.2	2.87	0.31
1752876	1.61	1.23	4.4	12.4	3.41	0.55
1752877	1.32	0.96	3.6	13.1	3.27	0.43
1752878	1.23	0.91	3.6	14.6	3.26	0.40
1752879	0.54	0.77	3.1	12.9	2.80	0.20
1752881	1.69	1.42	5.7	13.9	2.80	0.58
1752882	1.06	0.79	3.0	15.2	2.80	0.36
1752883	1.14	0.70	2.9	14.0	2.98	0.36
1752884	0.98	1.10	4.2	14.7	3.69	0.30
1752885	1.33	1.00	3.8	13.2	3.46	0.44
1752886	0.90	0.64	2.5	9.5	2.67	0.30
1752887	0.58	1.19	3.6	15.0	3.29	0.19
1752888	0.50	1.05	2.8	11.5	3.46	0.14
1752889	0.48	1.04	2.7	8.0	3.35	0.14
1752891	0.52	1.03	3.1	4.3	2.81	0.17
1752892	0.48	1.21	3.0	7.1	3.32	0.15
1752893	0.67	0.65	1.9	17.9	1.17	0.22
1752894	0.39	0.68	1.5	7.2	3.45	0.10
1752895	0.35	0.89	2.3	6.1	2.85	0.11
1752896	0.32	0.55	1.5	4.2	2.75	0.08
1752897	0.25	0.46	1.1	3.1	2.36	0.07
1752898	0.38	0.58	1.5	4.6	2.94	0.11
1752899	0.28	0.30	0.6	3.2	2.51	0.07
1752901	0.36	1.00	2.4	6.3	3.02	0.12
1752902	0.34	0.83	1.8	7.3	2.89	0.10
1752903	0.34	0.73	1.8	4.9	2.72	0.10
1752904	0.38	1.06	2.2	4.4	2.98	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Er	*Eu	*Gd	Ga	Hf	*Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752905	0.41	0.96	2.4	3.9	2.75	0.13
1752906	0.44	0.97	2.2	4.1	2.67	0.12
1752907	0.40	1.05	2.1	2.9	2.77	0.12
1752908	0.30	0.42	0.8	1.0	2.25	0.08
1752909	0.26	0.30	0.4	0.1	2.06	0.07
1752911	0.29	0.54	1.0	1.6	1.90	0.09
1752912	0.26	0.41	0.5	1.5	2.41	0.08
1752913	0.26	0.41	0.6	1.7	2.39	0.07
1752914	0.30	0.56	1.0	2.0	2.63	0.08
1752915	0.46	1.89	4.1	5.0	2.84	0.15
1752916	0.33	0.70	1.6	2.4	2.34	0.10
1752917	0.39	1.12	1.9	2.8	2.53	0.12
1752918	0.31	0.72	2.0	3.3	2.24	0.10
1752919	0.31	1.09	2.3	2.5	1.98	0.13
1752921	0.42	1.25	3.8	4.4	2.58	0.16
1752922	0.42	0.98	3.2	6.3	2.34	0.16
1752923	0.38	0.90	2.9	8.2	2.85	0.17
1752924	0.44	1.31	3.5	7.1	2.92	0.18
1752925	0.33	1.29	2.8	3.4	2.05	0.13
1752926	0.32	0.92	1.9	3.1	1.88	0.12
1752927	0.41	1.13	2.9	4.8	2.47	0.15
1752928	0.48	0.81	2.7	4.7	2.12	0.21
1752929	0.41	0.92	3.2	6.5	2.54	0.16
*Dup 1752892	0.52	1.26	3.1	7.7	3.55	0.16
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep 1752896	0.29	0.52	1.4	4.4	2.64	0.08
*Std OREAS 601b	0.79	0.95	4.1	23.4	5.18	0.39
*Std OREAS 905	1.08	1.37	5.9	25.5	7.15	0.53
*Std OREAS 601b	0.78	0.92	3.9	22.5	5.03	0.37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Er	*Eu	*Gd	Ga	Hf	*Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.11	1.35	5.8	24.8	7.02	0.53
*Rep 1752877	1.43	0.97	3.8	12.8	3.27	0.47

Element	In	La	Lu	Mo	Nb	*Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	<0.02	11.5	0.19	7.17	3.8	15.1
1752855	<0.02	24.9	0.20	8.46	5.7	29.0
1752856	<0.02	29.7	0.18	8.89	4.5	25.5
1752857	<0.02	29.9	0.22	6.41	4.5	29.2
1752858	<0.02	25.6	0.21	13.75	4.1	22.0
1752859	<0.02	17.7	0.18	10.53	3.5	19.3
1752861	<0.02	22.0	0.22	11.82	4.0	21.8
1752862	<0.02	27.1	0.35	11.76	2.8	25.0
1752863	0.06	20.2	0.43	10.05	4.3	25.5
1752864	0.02	12.3	0.20	129	4.2	15.6
1752865	<0.02	24.6	0.18	56.09	5.4	23.6
1752866	0.03	22.5	0.25	26.58	5.2	23.5
1752867	0.04	15.7	0.18	17.05	2.4	16.1
1752868	0.04	23.5	0.19	14.09	2.5	23.1
1752869	0.09	18.3	0.20	8.95	2.6	21.0
1752871	0.10	20.2	0.19	9.02	3.2	22.1
1752872	0.11	13.5	0.23	9.40	4.8	18.2
1752873	0.06	20.6	0.27	12.60	3.1	22.4
1752874	0.05	19.2	0.33	21.19	3.7	21.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	In	La	Lu	Mo	Nb	*Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752875	0.06	12.0	0.20	16.56	3.2	14.0
1752876	0.05	20.4	0.31	28.99	3.3	22.5
1752877	0.04	15.2	0.25	17.32	1.9	15.9
1752878	0.03	11.1	0.25	37.28	2.9	18.4
1752879	0.03	9.6	0.14	26.01	4.7	12.1
1752881	0.02	19.8	0.29	38.25	5.5	24.6
1752882	0.06	8.0	0.20	26.68	2.9	13.1
1752883	0.04	5.9	0.22	27.49	4.4	9.7
1752884	0.04	20.2	0.23	18.44	2.8	21.3
1752885	0.10	20.9	0.26	25.41	7.3	21.6
1752886	0.09	10.5	0.18	45.64	2.9	12.0
1752887	0.03	21.8	0.16	73.72	3.9	20.9
1752888	<0.02	15.9	0.17	98.26	4.5	18.8
1752889	<0.02	20.3	0.16	361	2.9	20.9
1752891	<0.02	22.9	0.15	64.78	2.0	21.6
1752892	<0.02	26.8	0.15	560	1.3	22.5
1752893	<0.02	17.2	0.12	30.09	3.5	13.8
1752894	<0.02	14.1	0.14	136	3.5	14.3
1752895	0.03	17.1	0.12	25.88	1.9	18.9
1752896	<0.02	8.5	0.11	153	2.1	11.0
1752897	0.06	7.7	0.09	31.33	1.2	9.5
1752898	<0.02	12.1	0.13	10.49	2.9	12.5
1752899	0.12	5.2	0.11	10.19	2.7	4.8
1752901	0.02	13.5	0.13	18.93	2.2	18.2
1752902	0.03	13.0	0.11	18.15	3.0	15.6
1752903	0.02	13.6	0.10	13.73	2.3	15.0
1752904	0.08	20.0	0.12	46.12	2.7	20.2
1752905	0.02	16.7	0.12	12.69	2.6	18.4
1752906	0.03	21.5	0.13	12.72	2.2	20.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	In	La	Lu	Mo	Nb	*Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752907	0.02	25.2	0.12	8.78	2.1	22.3
1752908	<0.02	9.4	0.09	11.05	1.3	7.3
1752909	<0.02	6.5	0.09	10.17	1.4	3.8
1752911	0.02	9.4	0.07	7.97	1.2	7.1
1752912	0.02	10.2	0.09	6.35	1.7	5.5
1752913	<0.02	10.1	0.09	6.51	1.2	6.9
1752914	<0.02	12.3	0.10	8.44	1.8	8.0
1752915	0.02	30.0	0.12	18.40	2.1	37.2
1752916	<0.02	10.5	0.10	30.02	1.2	12.3
1752917	<0.02	26.5	0.11	11.32	1.9	17.5
1752918	0.10	16.1	0.10	48.22	1.5	16.1
1752919	<0.02	31.6	0.08	12.89	1.5	19.7
1752921	0.02	28.7	0.11	20.45	2.1	25.0
1752922	0.17	24.8	0.10	28.69	2.1	23.8
1752923	0.86	25.6	0.10	13.72	3.2	22.8
1752924	0.20	32.9	0.12	20.99	3.1	24.1
1752925	<0.02	30.7	0.09	11.72	2.1	23.7
1752926	<0.02	28.5	0.08	10.88	0.8	18.1
1752927	0.06	25.6	0.11	51.54	2.8	21.1
1752928	0.03	18.6	0.09	9.39	1.4	17.3
1752929	0.02	24.1	0.10	11.73	1.2	19.4
*Dup 1752892	<0.02	26.8	0.15	593	1.8	23.5
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Rep 1752896	<0.02	7.7	0.11	137	2.6	9.9
*Std OREAS 601b	0.48	33.3	0.07	5.34	15.1	28.0
*Std OREAS 905	0.70	42.6	0.09	3.16	19.2	37.2
*Std OREAS 601b	0.48	34.0	0.07	5.02	15.2	27.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.69	43.5	0.10	3.48	19.6	36.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	In	La	Lu	Mo	Nb	*Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1752877	0.04	15.4	0.26	17.44	1.9	16.0

Element	Pb	*Pr	Rb	Sb	Sc	Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	11.8	3.81	0.3	0.32	1.8	3
1752855	17.0	7.41	0.3	0.47	1.9	3
1752856	16.4	6.90	0.3	0.38	1.8	2
1752857	17.5	7.66	0.2	0.48	2.2	3
1752858	20.6	5.87	0.3	0.51	1.8	3
1752859	18.3	4.92	0.3	0.30	1.6	4
1752861	30.1	5.52	0.3	0.30	1.4	6
1752862	40.7	6.46	0.3	0.27	1.9	5
1752863	44.4	6.16	0.4	0.32	2.0	9
1752864	39.5	3.74	0.4	0.29	1.7	3
1752865	77.6	6.22	0.3	0.32	2.4	<2
1752866	60.9	5.92	<0.2	0.37	1.8	3
1752867	27.4	4.04	0.3	0.33	2.1	2
1752868	59.1	5.98	0.6	0.46	1.8	2
1752869	87.4	5.22	2.2	0.27	2.3	3
1752871	64.8	5.64	2.4	0.28	2.1	3
1752872	36.6	4.34	2.3	0.32	2.3	5
1752873	26.5	5.66	0.5	0.38	1.9	6
1752874	18.5	5.28	0.5	0.36	1.7	5
1752875	26.2	3.40	0.5	0.29	1.3	7
1752876	20.3	5.52	0.6	0.36	2.1	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Pb	*Pr	Rb	Sb	Sc	Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752877	15.5	4.01	0.4	0.32	1.6	6
1752878	11.8	4.12	0.5	0.37	1.6	3
1752879	9.4	2.88	0.4	0.35	1.0	4
1752881	18.1	5.87	0.4	0.36	1.7	4
1752882	12.2	2.91	0.5	0.38	1.4	6
1752883	12.7	2.12	0.4	0.48	1.5	6
1752884	25.1	5.46	0.7	0.57	1.9	6
1752885	16.9	5.61	0.9	0.44	1.2	6
1752886	10.4	2.97	0.6	0.25	0.8	5
1752887	9.0	5.48	0.5	0.29	1.1	3
1752888	7.8	4.62	0.3	0.31	1.0	2
1752889	9.1	5.35	0.3	0.22	1.2	4
1752891	8.6	5.52	0.3	0.13	0.9	4
1752892	9.2	6.03	0.4	0.14	1.0	4
1752893	9.9	3.87	60.7	0.14	1.2	<2
1752894	7.9	3.80	0.8	0.21	1.1	<2
1752895	8.8	4.80	1.3	0.23	1.4	<2
1752896	5.9	2.51	0.8	0.19	0.9	<2
1752897	8.4	2.24	2.0	0.19	1.2	3
1752898	8.7	3.20	0.6	0.21	0.9	9
1752899	9.0	1.38	4.9	0.15	2.2	<2
1752901	9.1	4.20	0.7	0.14	0.9	5
1752902	10.5	3.67	2.0	0.17	1.3	5
1752903	9.6	3.65	0.7	0.16	1.0	4
1752904	14.4	5.26	2.9	0.15	1.8	6
1752905	10.8	4.46	0.8	0.12	1.0	5
1752906	9.2	5.47	0.9	0.12	1.4	5
1752907	10.3	6.07	0.8	0.11	0.9	9
1752908	7.3	2.14	0.5	0.07	0.8	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Pb	*Pr	Rb	Sb	Sc	Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752909	6.3	1.22	<0.2	0.07	0.5	7
1752911	10.6	2.11	0.8	0.11	0.9	4
1752912	8.6	1.80	0.9	0.15	0.8	3
1752913	8.5	2.04	0.5	0.10	0.6	2
1752914	9.1	2.45	0.5	0.13	0.7	2
1752915	8.0	8.91	0.3	0.21	0.9	6
1752916	5.4	3.01	0.2	0.15	0.6	16
1752917	12.6	5.23	0.3	0.22	0.7	10
1752918	9.8	3.96	0.3	0.39	0.6	7
1752919	15.1	5.88	0.3	0.31	0.6	6
1752921	13.6	6.52	0.3	0.27	0.7	11
1752922	8.1	6.27	0.2	0.21	0.6	8
1752923	9.4	6.16	<0.2	0.30	0.7	16
1752924	9.4	6.82	<0.2	0.23	0.7	10
1752925	8.0	6.41	<0.2	0.16	0.6	7
1752926	9.4	5.44	0.3	0.16	<0.5	10
1752927	8.8	5.54	0.3	0.22	0.7	14
1752928	6.5	4.27	0.2	0.14	0.7	16
1752929	4.8	4.99	0.2	0.20	0.8	51
*Dup 1752892	9.1	6.11	0.4	0.17	1.1	4
*Blk BLANK	<0.5	<0.05	<0.2	0.06	<0.5	<2
*Rep 1752896	5.5	2.28	0.8	0.24	0.9	<2
*Std OREAS 601b	292	7.71	98.1	22.57	4.0	10
*Std OREAS 905	30.2	10.17	145	1.96	5.3	3
*Std OREAS 601b	294	7.66	92.1	24.10	3.7	8
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	31.9	10.09	134	2.10	5.0	2
*Rep 1752877	15.4	4.01	0.4	0.29	1.7	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Sm	Sn	Ta	Tb	Te	Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	2.6	4.2	0.26	0.17	0.70	7.0
1752855	5.5	7.1	0.36	0.31	0.48	8.2
1752856	4.8	6.9	0.25	0.24	0.34	7.0
1752857	5.5	6.7	0.32	0.33	0.49	8.1
1752858	4.4	9.0	0.37	0.31	0.57	7.8
1752859	4.3	5.2	0.24	0.29	0.63	6.6
1752861	5.3	7.5	0.23	0.51	0.82	6.2
1752862	6.2	7.7	0.24	0.61	0.86	7.0
1752863	6.6	9.2	0.23	0.79	1.30	7.0
1752864	4.0	10.7	0.26	0.37	0.60	6.4
1752865	5.4	12.2	0.28	0.41	0.36	6.3
1752866	5.7	10.3	0.22	0.50	0.91	6.2
1752867	3.6	6.9	0.18	0.29	0.73	5.2
1752868	5.3	8.4	0.24	0.48	0.71	5.9
1752869	4.7	6.6	0.21	0.48	0.51	6.8
1752871	4.9	6.8	0.21	0.44	0.48	6.0
1752872	4.6	6.4	0.24	0.45	0.55	6.1
1752873	5.4	5.4	0.22	0.48	0.81	5.9
1752874	5.5	6.2	0.23	0.54	0.83	5.6
1752875	3.7	5.0	0.17	0.34	1.18	5.3
1752876	5.5	6.6	0.21	0.52	1.32	6.1
1752877	4.2	6.7	0.20	0.43	0.88	5.8
1752878	4.8	6.0	0.25	0.42	0.56	6.1
1752879	3.2	5.8	0.22	0.35	0.67	5.6
1752881	6.4	7.3	0.23	0.63	0.81	5.5
1752882	3.6	4.8	0.20	0.33	0.85	4.5
1752883	3.0	5.1	0.25	0.33	1.08	4.8
1752884	4.8	4.4	0.23	0.41	0.72	6.4
1752885	4.7	4.7	0.24	0.41	1.09	5.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Sm	Sn	Ta	Tb	Te	Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752886	2.9	4.3	0.14	0.30	1.52	4.9
1752887	4.6	7.2	0.23	0.34	0.96	6.4
1752888	4.3	7.0	0.29	0.26	0.69	7.2
1752889	4.3	5.2	0.19	0.24	1.20	6.4
1752891	4.4	3.6	0.10	0.29	1.04	4.8
1752892	4.6	3.6	0.10	0.26	1.82	6.0
1752893	2.5	1.8	0.26	0.23	0.26	5.4
1752894	2.5	6.5	0.19	0.15	0.19	6.1
1752895	3.8	5.3	0.14	0.21	0.12	5.7
1752896	2.7	3.8	0.09	0.12	0.41	4.0
1752897	2.1	5.2	0.06	0.09	0.42	3.3
1752898	2.5	5.1	0.13	0.14	0.64	5.1
1752899	0.8	7.6	0.08	0.07	0.10	3.2
1752901	4.0	5.2	0.12	0.19	0.43	5.1
1752902	3.5	6.4	0.14	0.14	0.49	5.8
1752903	3.0	5.4	0.14	0.16	0.30	5.5
1752904	4.0	6.9	0.11	0.19	0.54	6.7
1752905	4.1	4.4	0.10	0.20	0.53	5.3
1752906	3.9	3.9	0.10	0.18	0.41	4.8
1752907	3.5	5.3	0.10	0.18	0.59	6.0
1752908	1.3	6.3	<0.05	0.10	0.31	3.8
1752909	0.5	6.3	<0.05	0.06	0.51	2.5
1752911	1.2	4.8	0.05	0.12	0.25	3.5
1752912	0.7	8.3	0.06	0.08	0.18	4.2
1752913	0.8	5.8	0.06	0.08	0.11	4.5
1752914	1.3	5.7	0.07	0.11	0.16	4.0
1752915	7.8	7.3	0.15	0.34	0.46	7.2
1752916	2.7	3.7	0.07	0.14	0.74	4.6
1752917	2.9	5.2	0.08	0.18	0.75	6.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	*Sm	Sn	Ta	Tb	Te	Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752918	3.1	3.5	0.10	0.16	0.59	4.6
1752919	3.3	3.8	0.09	0.27	0.48	4.8
1752921	4.8	4.0	0.10	0.36	1.05	5.4
1752922	4.6	5.0	0.09	0.32	0.59	4.6
1752923	4.3	10.3	0.20	0.32	0.89	5.1
1752924	4.6	6.5	0.12	0.38	0.62	5.6
1752925	4.4	3.9	0.11	0.26	0.56	5.0
1752926	2.8	2.7	0.06	0.20	0.61	4.8
1752927	4.3	5.2	0.13	0.30	0.61	5.2
1752928	3.7	4.5	0.11	0.31	0.72	4.4
1752929	4.2	6.1	0.12	0.33	0.54	5.3
*Dup 1752892	4.7	4.7	0.14	0.28	2.04	6.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1752896	2.5	4.8	0.12	0.10	0.37	3.6
*Std OREAS 601b	5.2	3.6	1.09	0.56	12.58	12.2
*Std OREAS 905	7.3	4.4	1.36	0.78	0.10	14.7
*Std OREAS 601b	5.1	3.3	1.21	0.54	12.02	12.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.2	4.2	1.45	0.80	0.07	14.9
*Rep 1752877	4.2	6.5	0.21	0.45	0.83	5.8

Element	Tl	*Tm	U	W	Y	Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752854	<0.02	0.12	1.24	0.5	4.5	1.0
1752855	<0.02	0.12	1.59	0.8	5.2	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	TI	*Tm	U	W	Y	Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752856	<0.02	0.11	1.39	0.6	5.1	0.9
1752857	<0.02	0.15	1.63	0.8	7.1	1.2
1752858	<0.02	0.13	1.75	0.9	5.8	1.1
1752859	<0.02	0.12	1.53	0.5	5.3	1.0
1752861	<0.02	0.16	1.65	0.6	8.7	1.2
1752862	<0.02	0.28	2.03	0.6	15.7	2.0
1752863	<0.02	0.37	2.04	0.7	21.5	2.6
1752864	<0.02	0.13	1.55	0.6	6.1	1.0
1752865	<0.02	0.11	1.77	1.3	4.5	0.9
1752866	<0.02	0.18	1.68	0.7	10.1	1.3
1752867	<0.02	0.13	1.10	0.7	6.6	1.0
1752868	<0.02	0.14	1.38	0.8	7.1	1.0
1752869	0.10	0.14	1.53	0.8	7.3	1.1
1752871	0.10	0.14	1.38	0.7	8.0	1.0
1752872	0.08	0.18	1.31	0.6	10.4	1.3
1752873	<0.02	0.23	1.41	0.7	13.7	1.6
1752874	0.03	0.30	1.36	0.6	19.5	2.0
1752875	<0.02	0.16	1.28	0.5	9.0	1.1
1752876	0.04	0.25	1.53	0.7	14.5	1.8
1752877	<0.02	0.21	1.31	0.6	12.1	1.5
1752878	<0.02	0.19	1.32	0.9	11.3	1.4
1752879	<0.02	0.09	1.16	0.5	4.8	0.7
1752881	<0.02	0.26	1.65	0.6	16.1	1.8
1752882	<0.02	0.17	1.28	0.6	10.2	1.2
1752883	<0.02	0.18	1.25	0.6	10.7	1.3
1752884	<0.02	0.17	1.70	0.6	8.6	1.3
1752885	0.03	0.22	1.65	0.6	12.2	1.6
1752886	<0.02	0.14	1.16	0.5	8.0	1.0
1752887	<0.02	0.10	1.43	0.8	4.8	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	Tl	*Tm	U	W	Y	Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752888	<0.02	0.10	1.42	1.1	3.9	0.8
1752889	0.03	0.09	1.36	1.6	3.6	0.8
1752891	<0.02	0.09	1.20	0.8	4.2	0.8
1752892	0.03	0.09	1.37	1.0	3.8	0.8
1752893	0.49	0.10	1.01	0.5	6.1	0.8
1752894	0.04	0.08	1.29	1.8	3.0	0.7
1752895	0.05	0.07	1.20	0.8	2.9	0.6
1752896	0.03	0.06	0.96	1.1	2.3	0.6
1752897	0.11	0.05	0.87	0.8	2.0	0.4
1752898	0.03	0.08	1.01	0.7	3.1	0.6
1752899	0.21	0.06	0.77	0.6	2.2	0.5
1752901	0.03	0.07	1.09	0.8	3.0	0.6
1752902	0.10	0.07	0.98	0.9	2.6	0.6
1752903	0.04	0.06	0.94	0.9	2.8	0.5
1752904	0.15	0.07	1.09	0.9	3.3	0.6
1752905	0.04	0.07	0.99	0.9	3.4	0.6
1752906	0.05	0.08	1.05	0.8	3.4	0.7
1752907	0.04	0.07	1.03	0.8	3.0	0.6
1752908	0.04	0.06	0.78	0.5	2.3	0.5
1752909	<0.02	0.05	0.70	0.4	2.1	0.4
1752911	0.05	<0.05	0.63	0.6	2.4	0.4
1752912	0.04	<0.05	0.82	0.7	2.2	0.5
1752913	0.03	0.05	0.81	0.6	2.0	0.4
1752914	0.03	0.06	0.89	0.8	2.3	0.5
1752915	<0.02	0.08	1.16	1.1	3.8	0.6
1752916	<0.02	0.06	0.91	0.6	2.6	0.5
1752917	<0.02	0.07	1.02	0.6	3.2	0.6
1752918	<0.02	0.06	0.90	0.6	2.6	0.5
1752919	<0.02	0.06	0.81	0.5	2.9	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (153-228)
 Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	TI	*Tm	U	W	Y	Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752921	<0.02	0.07	1.11	0.5	3.8	0.6
1752922	<0.02	0.07	1.09	0.6	3.9	0.5
1752923	<0.02	0.07	1.25	0.8	3.9	0.5
1752924	<0.02	0.07	1.34	0.6	4.3	0.6
1752925	<0.02	0.05	0.85	0.5	3.1	0.4
1752926	<0.02	<0.05	0.78	0.4	2.8	0.4
1752927	<0.02	0.07	1.04	1.0	3.5	0.5
1752928	<0.02	0.07	0.88	0.5	4.5	0.5
1752929	<0.02	0.07	1.01	0.8	3.6	0.5
*Dup 1752892	0.03	0.09	1.40	1.3	4.0	0.8
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1752896	0.03	0.06	0.92	1.4	2.1	0.5
*Std OREAS 601b	1.49	0.10	4.75	6.7	11.4	0.5
*Std OREAS 905	0.72	0.12	5.03	2.9	16.6	0.7
*Std OREAS 601b	1.42	0.09	4.52	6.1	11.0	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.68	0.13	5.04	2.9	16.2	0.7
*Rep 1752877	<0.02	0.22	1.32	0.6	13.2	1.6

Element	S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752863	6.225
1752882	5.435
1752886	6.418
1752921	6.086

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* The Brewer Gold Project/
B21C-016 / 296 Cores (153-228)
Number of Samples 76

ANALYSIS REPORT BBM21-13047

Element	S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
*Rep 1752886	6.466
*Blk BLANK	<0.005
*Std OREAS 135	7.094
*Blk BLANK	<0.005
*Std OREAS 135	7.144

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-13048

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	17-Sep-2021
Project	The Brewer Gold Project	Date Analysed	05-Oct-2021 - 15-Nov-2021
Submission Number	*SD* The Brewer Gold Project/ B21C-	Date Completed	15-Nov-2021
016 / 296 Cores (229-296)		SGS Order Number	BBM21-13048
Number of Samples	66		

Methods Summary

Number of Sample	Method Code	Description
66	G_WGH_KG	Weight of samples received
62	G_PRP	Combined Sample Preparation
66	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
59	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
59	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
59	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
7	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
This report cancels and supersedes the report BBM_U0016471458 dated 15-Nov-2021 issued by SGS Canada (Burnaby).
Elements sequence & WTKG updated.

Authorised Signatory

John Chiang
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

27-Nov-2021 5:27PM BBM_U0016914310

Page 1 of 28

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1752930	2.68	<0.005	-	-	-	-
1752931	6.29	0.056	4.72	31	0.09	14
1752932	5.98	0.030	2.58	13	0.02	26
1752933	5.61	0.029	0.86	10	0.02	17
1752934	5.31	0.048	0.24	16	0.02	35
1752935	5.58	0.047	0.57	11	0.02	14
1752936	5.91	0.037	2.10	12	0.02	29
1752937	3.54	0.041	1.99	11	0.01	16
1752938	3.49	0.035	3.07	14	0.01	17
1752939	5.56	0.047	2.98	22	0.02	18
1752940	-	0.043	-	-	-	-
1752941	5.73	0.044	2.93	22	0.02	18
1752942	6.36	0.020	4.56	25	0.03	19
1752943	3.74	0.043	4.77	28	0.10	16
1752944	4.09	0.046	3.37	18	0.02	9
1752945	4.41	0.010	5.19	20	0.02	22
1752946	6.45	0.030	4.04	22	0.03	18
1752947	6.23	0.032	2.62	14	0.03	15
1752948	6.09	0.032	3.42	19	0.02	18
1752949	6.21	0.030	3.32	41	0.02	17
1752950	0.06	0.705	-	-	-	-
1752951	6.04	0.096	3.59	100	0.03	18
1752952	6.46	0.031	2.90	18	0.03	14
1752953	6.16	0.031	2.87	18	0.02	19
1752954	5.77	0.035	3.61	40	0.02	17
1752955	5.80	0.037	3.79	24	0.02	21
1752956	6.64	0.017	3.00	17	0.02	19
1752957	6.19	0.009	3.17	12	0.02	20
1752958	5.76	0.027	2.90	18	0.02	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752959	6.36	0.063	2.96	28	0.02	12
1752960	1.72	<0.005	-	-	-	-
1752961	6.26	0.052	3.35	31	0.03	11
1752962	4.68	0.172	3.94	20	0.04	17
1752963	4.08	0.187	0.99	15	0.02	32
1752964	4.25	0.064	0.49	17	0.03	23
1752965	4.52	0.033	0.70	11	0.02	10
1752966	5.25	0.044	3.33	21	0.04	21
1752967	3.88	0.047	3.66	27	0.03	17
1752968	5.57	0.049	3.01	21	0.03	13
1752969	6.05	0.036	4.38	25	0.03	13
1752970	-	0.046	-	-	-	-
1752971	5.56	0.063	3.80	28	0.03	15
1752972	5.46	0.061	3.27	29	0.03	14
1752973	4.89	0.058	3.49	30	0.04	12
1752974	4.68	0.093	4.26	33	0.04	18
1752975	5.89	0.139	3.74	20	0.02	11
1752976	5.76	0.129	2.95	19	0.02	17
1752977	5.62	0.035	3.76	17	0.03	21
1752978	5.64	0.184	3.52	10	0.03	14
1752979	6.08	0.069	0.95	17	0.03	11
1752980	0.06	<0.005	-	-	-	-
1752981	5.92	0.055	3.18	22	0.02	24
1752982	6.03	0.094	4.42	17	0.03	18
1752983	5.77	0.046	3.81	17	0.03	21
1752984	4.99	0.021	3.52	16	0.02	24
1752985	5.60	0.045	3.72	10	0.02	14
1752986	6.00	0.200	3.27	12	0.02	18
1752987	6.75	0.340	2.99	31	0.02	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1752988	6.99	0.152	4.00	24	0.02	13
1752989	3.04	0.067	3.46	38	0.03	22
1752990	2.10	<0.005	-	-	-	-
1752991	5.61	0.050	3.87	91	0.02	20
1752992	5.85	0.010	3.99	41	0.02	17
1752993	6.37	0.016	3.22	19	0.03	17
1752994	4.25	0.012	3.49	28	0.03	23
1752995	3.50	0.007	2.66	22	0.04	16
*Dup 1752968	-	0.054	3.25	20	0.03	14
*Std OREAS 601b	-	-	6.61	808	0.85	26
*Std OREAS 905	-	-	7.80	2763	0.57	15
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std SL105	-	5.092	-	-	-	-
*Rep 1752933	-	0.027	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.250	-	-	-	-
*Std SN106	-	8.522	-	-	-	-
*Rep 1752954	-	0.038	-	-	-	-
*Blk BLANK	-	0.005	-	-	-	-
*Rep 1752988	-	0.153	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.62	529	0.85	20
*Rep 1752946	-	-	4.02	20	0.03	20
*Std OREAS 905	-	-	7.44	2737	0.56	15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752931	57.9	3.56	0.03	1	0.03	33
1752932	46.8	1.66	0.01	<1	<0.01	33
1752933	20.2	1.36	<0.01	<1	<0.01	28
1752934	32.9	1.44	<0.01	<1	<0.01	35
1752935	26.7	1.04	<0.01	<1	<0.01	32
1752936	38.7	1.93	<0.01	<1	<0.01	31
1752937	43.2	2.21	<0.01	<1	<0.01	35
1752938	67.2	2.21	<0.01	<1	<0.01	37
1752939	112	3.92	<0.01	<1	<0.01	43
1752941	97.3	2.86	<0.01	<1	<0.01	37
1752942	30.5	1.80	<0.01	<1	<0.01	33
1752943	44.2	3.69	0.03	1	0.04	51
1752944	48.7	3.65	<0.01	<1	<0.01	29
1752945	18.7	2.79	<0.01	<1	<0.01	36
1752946	40.7	4.17	<0.01	<1	<0.01	35
1752947	44.3	3.17	<0.01	<1	<0.01	29
1752948	37.1	3.53	<0.01	<1	<0.01	34
1752949	52.2	2.67	<0.01	<1	<0.01	27
1752951	90.3	4.34	<0.01	<1	<0.01	27
1752952	45.0	4.80	<0.01	<1	<0.01	37
1752953	42.6	2.73	<0.01	<1	<0.01	35
1752954	42.9	3.46	<0.01	1	<0.01	29
1752955	36.3	3.46	<0.01	1	<0.01	33
1752956	20.6	1.72	<0.01	<1	<0.01	32
1752957	19.6	1.81	<0.01	<1	<0.01	28
1752958	39.0	3.55	<0.01	<1	<0.01	32
1752959	117	6.37	<0.01	<1	<0.01	27
1752961	86.8	5.52	<0.01	<1	<0.01	22
1752962	31.1	3.43	<0.01	<1	<0.01	25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752963	30.9	1.60	<0.01	<1	<0.01	27
1752964	31.6	0.91	<0.01	<1	<0.01	33
1752965	15.7	0.31	<0.01	<1	<0.01	29
1752966	11.6	1.34	<0.01	<1	<0.01	39
1752967	29.9	1.74	<0.01	<1	<0.01	29
1752968	11.9	0.92	<0.01	<1	<0.01	27
1752969	9.9	0.83	<0.01	1	<0.01	26
1752971	17.6	1.13	<0.01	<1	<0.01	31
1752972	40.7	1.35	<0.01	<1	<0.01	24
1752973	19.0	0.96	<0.01	<1	<0.01	32
1752974	34.6	3.75	<0.01	1	<0.01	20
1752975	55.7	5.82	0.01	1	<0.01	36
1752976	36.4	5.34	<0.01	<1	<0.01	26
1752977	19.6	1.59	<0.01	<1	<0.01	43
1752978	49.3	4.57	<0.01	<1	<0.01	28
1752979	24.6	2.78	<0.01	<1	<0.01	42
1752981	24.9	1.52	<0.01	<1	<0.01	38
1752982	38.4	2.05	<0.01	<1	<0.01	45
1752983	28.7	2.34	<0.01	<1	<0.01	33
1752984	20.6	1.83	<0.01	<1	<0.01	44
1752985	28.6	2.04	<0.01	<1	<0.01	31
1752986	49.1	3.36	<0.01	<1	<0.01	43
1752987	134	8.13	<0.01	<1	<0.01	32
1752988	172	6.46	<0.01	<1	<0.01	53
1752989	63.6	1.18	<0.01	<1	<0.01	36
1752991	46.0	1.00	<0.01	<1	<0.01	32
1752992	32.1	0.68	<0.01	<1	<0.01	41
1752993	14.8	0.63	<0.01	<1	<0.01	33
1752994	29.3	0.72	<0.01	<1	<0.01	43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1752995	21.3	0.44	<0.01	<1	<0.01	33
*Dup 1752968	12.6	1.00	<0.01	<1	<0.01	37
*Std OREAS 601b	978	2.17	2.50	23	0.10	220
*Std OREAS 905	1540	4.06	2.74	21	0.28	373
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1044	2.38	2.47	23	0.10	222
*Rep 1752946	40.2	4.09	<0.01	<1	<0.01	34
*Std OREAS 905	1516	4.04	3.00	21	0.27	388

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752931	0.04	4	0.04	3.53	37.8	0.07
1752932	0.01	4	0.03	1.58	25.1	0.07
1752933	<0.01	3	0.02	1.21	24.5	0.07
1752934	0.01	3	0.02	1.26	22.8	0.05
1752935	0.01	2	0.02	0.84	15.8	0.04
1752936	0.01	3	0.02	1.93	17.8	0.05
1752937	<0.01	3	0.02	2.08	14.1	0.02
1752938	0.02	3	0.02	2.03	12.1	0.05
1752939	0.01	4	0.03	3.79	16.7	0.04
1752941	<0.01	3	0.03	2.75	18.2	0.04
1752942	0.01	2	0.04	1.77	31.2	0.06
1752943	0.05	4	0.06	3.64	48.7	0.08
1752944	0.01	3	0.04	3.63	28.5	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752945	0.01	3	0.04	2.82	32.6	0.06
1752946	0.02	3	0.05	4.17	49.0	0.04
1752947	0.01	2	0.04	3.19	22.2	0.03
1752948	0.02	2	0.04	3.40	50.1	0.04
1752949	<0.01	2	0.04	2.66	33.6	0.05
1752951	0.01	3	0.04	4.43	45.3	0.04
1752952	0.01	3	0.04	4.85	35.5	0.04
1752953	<0.01	3	0.03	2.77	33.3	0.04
1752954	0.01	2	0.05	3.46	102	0.05
1752955	<0.01	3	0.04	3.37	110	0.05
1752956	0.01	2	0.04	1.70	60.3	0.05
1752957	<0.01	2	0.03	1.69	26.3	0.05
1752958	<0.01	3	0.03	3.55	28.4	0.04
1752959	0.01	3	0.03	>5.00	60.2	0.03
1752961	0.01	3	0.04	>5.00	82.0	0.03
1752962	0.01	2	0.04	3.49	73.2	0.05
1752963	<0.01	2	0.03	1.55	64.4	0.07
1752964	0.01	2	0.03	0.69	78.5	0.08
1752965	0.01	2	0.02	0.06	56.1	0.08
1752966	0.01	2	0.05	1.15	86.6	0.07
1752967	<0.01	2	0.06	1.73	85.9	0.07
1752968	0.01	2	0.04	0.78	76.9	0.06
1752969	0.02	2	0.04	0.73	109	0.06
1752971	0.01	2	0.04	1.01	117	0.06
1752972	0.02	2	0.03	1.27	91.9	0.06
1752973	0.02	2	0.04	0.82	105	0.06
1752974	0.02	2	0.04	4.03	149	0.04
1752975	0.02	3	0.03	>5.00	69.2	0.04
1752976	0.01	2	0.03	>5.00	43.5	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1752977	0.01	3	0.04	1.38	48.3	0.07
1752978	0.01	3	0.05	>5.00	32.1	0.04
1752979	0.01	3	0.03	2.62	18.7	<0.01
1752981	0.02	2	0.02	1.32	20.8	0.09
1752982	0.02	3	0.04	1.91	26.9	0.07
1752983	0.01	3	0.05	2.34	32.2	0.06
1752984	0.01	3	0.03	1.63	23.8	0.06
1752985	0.01	2	0.03	1.95	29.3	0.06
1752986	0.01	4	0.03	3.49	32.1	0.05
1752987	0.02	3	0.03	>5.00	20.9	0.04
1752988	0.01	3	0.04	>5.00	22.3	0.04
1752989	0.02	2	0.04	0.99	40.4	0.06
1752991	0.02	2	0.05	0.82	44.0	0.06
1752992	0.02	2	0.04	0.37	28.6	0.07
1752993	0.02	2	0.05	0.42	39.2	0.07
1752994	0.01	2	0.07	0.43	39.1	0.06
1752995	0.02	2	0.04	0.20	20.4	0.05
*Dup 1752968	0.01	3	0.04	0.79	80.7	0.06
*Std OREAS 601b	1.97	6	0.03	1.46	245	0.13
*Std OREAS 905	2.51	9	0.03	0.07	160	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.94	6	0.03	1.52	232	0.12
*Rep 1752946	0.01	2	0.05	4.15	46.9	0.04
*Std OREAS 905	2.50	9	0.03	0.07	151	0.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	28	11	95.1	0.03	10	0.4
1752932	19	7	84.6	0.03	3	0.2
1752933	10	6	69.4	<0.02	4	0.1
1752934	5	7	34.2	0.04	3	<0.1
1752935	5	8	24.4	<0.02	<1	<0.1
1752936	12	10	39.0	<0.02	1	0.2
1752937	11	10	34.8	0.03	1	<0.1
1752938	20	10	63.7	0.03	3	0.2
1752939	18	14	56.9	0.04	5	0.3
1752941	18	9	66.3	0.03	7	0.2
1752942	22	6	113	<0.02	3	0.3
1752943	25	6	155	0.03	3	0.4
1752944	16	6	92.1	0.03	2	0.2
1752945	25	3	132	0.02	2	0.2
1752946	17	6	85.9	0.05	3	0.3
1752947	14	5	52.0	<0.02	3	0.1
1752948	17	3	62.5	0.02	5	0.2
1752949	18	4	74.6	0.06	2	0.2
1752951	18	3	83.3	0.02	3	0.2
1752952	17	3	57.3	0.03	3	0.1
1752953	18	4	76.9	0.04	3	0.2
1752954	21	3	92.9	0.03	4	0.3
1752955	19	5	75.2	0.06	5	0.3
1752956	21	6	69.4	0.03	2	0.2
1752957	17	4	68.9	0.03	1	0.2
1752958	16	3	67.5	<0.02	1	0.1
1752959	12	4	82.0	0.05	5	0.2
1752961	13	3	72.9	0.05	4	0.2
1752962	14	5	92.4	<0.02	2	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752963	10	3	98.0	0.02	1	0.2
1752964	10	3	72.7	0.03	1	<0.1
1752965	9	4	56.9	0.02	<1	<0.1
1752966	18	2	81.7	<0.02	<1	0.2
1752967	20	2	84.1	0.37	2	0.1
1752968	15	3	60.1	<0.02	<1	0.2
1752969	19	3	64.3	<0.02	1	0.2
1752971	19	4	63.7	0.13	1	0.2
1752972	18	3	62.8	0.05	<1	0.2
1752973	22	3	58.6	0.05	1	0.2
1752974	22	2	64.4	0.10	3	0.2
1752975	22	1	59.5	0.05	8	0.2
1752976	15	2	63.7	0.17	4	0.1
1752977	22	4	62.5	0.06	4	0.2
1752978	16	3	63.0	0.11	8	0.3
1752979	5	4	32.3	0.07	3	0.1
1752981	21	8	48.5	0.06	3	0.2
1752982	32	2	72.8	0.11	4	0.3
1752983	29	3	68.8	0.06	3	0.2
1752984	23	3	70.3	0.05	2	0.2
1752985	23	4	62.1	0.05	3	0.2
1752986	28	3	59.5	0.05	3	0.2
1752987	17	2	63.7	0.12	4	0.2
1752988	16	2	84.4	0.26	4	0.2
1752989	17	3	66.4	0.05	2	0.2
1752991	17	2	73.3	0.11	1	0.2
1752992	16	3	58.8	0.04	1	0.2
1752993	13	3	60.9	0.08	1	0.2
1752994	14	5	58.2	0.06	2	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752995	9	4	40.6	0.06	1	0.1
*Dup 1752968	16	3	62.3	<0.02	1	0.2
*Std OREAS 601b	12	313	172	51.54	281	2.3
*Std OREAS 905	11	139	236	0.65	35	2.9
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	12	304	177	51.20	273	2.4
*Rep 1752946	17	5	85.4	0.03	3	0.2
*Std OREAS 905	9	129	252	-	-	-
*Blk BLANK	-	-	-	<0.02	<1	<0.1
*Std OREAS 70b	-	-	-	0.18	145	1.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	1.00	0.06	50.85	10.0	<1	1.60
1752932	0.66	0.07	38.54	6.1	<1	0.62
1752933	0.39	0.08	22.12	3.8	<1	0.36
1752934	0.44	0.09	24.14	3.3	<1	0.24
1752935	0.33	0.06	18.62	2.2	<1	0.20
1752936	0.40	0.10	17.12	3.5	<1	0.31
1752937	0.38	0.08	21.31	3.5	<1	0.46
1752938	0.50	0.09	29.52	7.8	<1	0.86
1752939	0.70	0.11	42.13	13.5	<1	1.26
1752941	0.62	0.09	35.76	7.0	<1	0.94
1752942	0.52	0.07	42.51	3.9	<1	0.73

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752943	1.09	0.04	60.54	6.1	<1	1.94
1752944	0.95	0.05	50.00	4.2	<1	1.31
1752945	0.45	<0.02	37.54	3.1	<1	1.02
1752946	0.55	0.05	48.15	3.5	<1	1.01
1752947	0.45	0.06	41.83	4.7	<1	0.62
1752948	0.44	0.03	51.02	4.0	<1	0.78
1752949	0.42	0.05	56.51	3.6	<1	1.04
1752951	0.51	0.03	54.23	5.5	<1	1.38
1752952	0.52	0.05	55.10	4.3	<1	1.23
1752953	0.39	0.05	58.25	5.9	<1	1.41
1752954	0.48	0.06	66.42	7.5	<1	1.61
1752955	0.39	0.04	85.07	8.9	<1	2.21
1752956	0.26	0.04	42.24	3.7	<1	1.51
1752957	0.26	0.05	20.18	2.8	<1	0.62
1752958	0.39	0.05	22.39	4.9	<1	0.62
1752959	0.86	0.05	68.71	15.3	<1	1.50
1752961	0.80	0.05	57.22	15.6	<1	1.49
1752962	0.66	0.04	64.57	6.6	<1	1.40
1752963	0.42	0.04	52.66	5.1	<1	0.90
1752964	0.30	0.05	59.34	2.2	<1	1.07
1752965	0.16	0.05	40.35	0.8	<1	0.62
1752966	0.24	<0.02	20.69	1.5	<1	0.54
1752967	0.33	<0.02	24.93	5.4	<1	0.78
1752968	0.33	0.04	42.75	1.8	<1	0.68
1752969	0.20	0.04	35.29	1.4	<1	0.88
1752971	0.31	0.05	37.65	2.4	<1	0.84
1752972	0.30	0.06	28.92	2.8	<1	0.87
1752973	0.31	0.07	44.72	2.0	<1	1.05
1752974	0.82	0.08	52.69	6.1	<1	1.60

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752975	0.86	0.06	47.01	8.4	<1	1.77
1752976	0.80	0.08	40.23	3.0	<1	1.28
1752977	0.44	0.08	52.12	3.6	<1	1.12
1752978	1.06	0.10	30.91	4.9	<1	0.81
1752979	0.60	0.06	23.71	3.2	<1	0.57
1752981	0.52	0.10	33.77	3.1	<1	0.31
1752982	0.75	0.06	47.08	7.1	<1	0.57
1752983	0.58	0.05	43.00	4.4	<1	0.87
1752984	0.41	0.08	27.48	3.1	<1	0.67
1752985	0.51	0.06	38.21	3.8	<1	0.90
1752986	0.71	0.08	62.76	5.5	<1	2.05
1752987	2.42	0.07	29.95	7.5	<1	0.63
1752988	2.12	0.09	21.88	4.7	<1	0.65
1752989	1.15	0.09	54.18	2.6	<1	0.57
1752991	0.61	0.07	29.71	2.2	<1	0.47
1752992	0.31	0.08	11.69	1.2	<1	0.28
1752993	0.22	0.09	7.44	1.3	<1	0.23
1752994	0.28	0.09	20.45	1.7	<1	0.26
1752995	0.19	0.05	4.78	1.1	<1	0.15
*Dup 1752968	0.32	0.03	43.14	1.9	<1	0.69
*Std OREAS 601b	16.66	2.16	65.68	2.8	5	2.40
*Std OREAS 905	5.67	0.36	87.93	14.2	7	3.51
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.05
*Std OREAS 601b	16.93	1.96	65.22	2.7	5	2.50
*Rep 1752946	0.54	0.04	48.23	3.5	<1	0.98
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 70b	0.87	0.35	28.00	76.1	4	1.63

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	0.59	1.22	4.4	5.8	2.46	0.23
1752932	0.33	0.70	1.7	1.8	2.32	0.11
1752933	0.25	0.34	0.7	0.6	1.97	0.07
1752934	0.14	0.44	0.5	0.3	0.94	<0.05
1752935	0.13	0.43	0.4	0.5	0.65	<0.05
1752936	0.20	0.35	0.6	1.3	1.10	0.06
1752937	0.24	0.51	0.9	1.3	0.83	0.08
1752938	0.35	1.06	2.3	2.9	1.71	0.14
1752939	0.45	1.03	2.7	2.7	1.54	0.19
1752941	0.35	0.77	2.4	2.8	1.81	0.13
1752942	0.35	0.99	2.6	8.4	3.23	0.12
1752943	0.84	1.14	3.7	15.9	4.04	0.31
1752944	0.53	0.88	3.0	10.5	2.58	0.20
1752945	0.49	0.92	2.6	6.0	3.31	0.16
1752946	0.38	0.96	2.7	3.6	2.31	0.14
1752947	0.27	0.80	2.0	1.6	1.39	0.10
1752948	0.27	0.90	2.5	2.0	1.70	0.11
1752949	0.33	0.90	2.7	2.1	1.98	0.14
1752951	0.45	0.95	3.1	2.6	2.45	0.18
1752952	0.38	0.98	2.8	2.6	1.66	0.17
1752953	0.41	1.04	3.5	3.9	2.05	0.19
1752954	0.42	1.16	4.0	4.0	2.55	0.19
1752955	0.45	1.54	4.3	6.3	2.17	0.24
1752956	0.41	1.17	3.1	3.7	1.87	0.18
1752957	0.26	0.51	1.4	5.3	1.97	0.09
1752958	0.28	0.42	1.4	7.1	1.83	0.10
1752959	0.49	1.04	3.3	9.1	2.21	0.24
1752961	0.45	0.84	2.5	11.1	2.06	0.22
1752962	0.45	1.09	3.3	11.8	2.58	0.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752963	0.40	0.79	2.1	3.4	2.76	0.15
1752964	0.32	1.05	2.4	1.3	2.03	0.14
1752965	0.30	0.73	1.8	0.9	1.65	0.10
1752966	0.26	0.43	1.6	16.6	2.31	0.09
1752967	0.41	0.49	1.7	7.1	2.37	0.14
1752968	0.30	0.81	1.7	3.8	1.69	0.11
1752969	0.35	0.97	2.4	8.7	1.87	0.14
1752971	0.44	1.10	2.2	7.3	1.97	0.17
1752972	0.36	0.96	2.1	3.7	1.94	0.16
1752973	0.36	1.39	3.4	6.6	1.77	0.18
1752974	0.48	1.33	4.0	8.6	2.02	0.25
1752975	0.46	1.28	4.4	7.7	1.92	0.24
1752976	0.33	1.08	3.8	9.7	1.99	0.17
1752977	0.31	1.42	2.8	2.5	1.98	0.16
1752978	0.33	0.89	2.3	4.9	1.98	0.13
1752979	0.25	0.65	1.1	0.4	1.04	0.10
1752981	0.16	0.48	1.0	1.6	1.49	0.06
1752982	0.29	0.74	1.6	4.7	2.16	0.11
1752983	0.34	1.06	3.1	8.2	2.12	0.14
1752984	0.32	0.60	1.6	4.2	2.15	0.12
1752985	0.36	0.76	2.0	6.7	1.86	0.15
1752986	0.62	1.52	5.7	8.4	1.79	0.29
1752987	0.25	0.68	2.3	9.6	1.97	0.10
1752988	0.31	0.64	2.4	7.8	2.54	0.11
1752989	0.29	0.81	1.8	1.5	2.01	0.11
1752991	0.30	0.62	1.5	1.6	2.23	0.10
1752992	0.24	0.19	0.6	2.0	1.73	0.07
1752993	0.19	0.13	0.4	1.2	1.92	0.05
1752994	0.17	0.22	0.6	1.3	1.80	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752995	0.11	0.06	0.2	1.2	1.24	<0.05
*Dup 1752968	0.30	0.83	1.8	4.1	1.75	0.12
*Std OREAS 601b	0.76	0.92	3.9	23.4	5.25	0.39
*Std OREAS 905	1.07	1.38	5.8	25.2	7.12	0.55
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.74	0.88	3.8	24.0	5.09	0.36
*Rep 1752946	0.37	0.95	2.7	3.5	2.26	0.13
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 70b	0.98	0.49	1.8	9.7	1.26	0.35

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	<0.02	24.1	0.13	21.52	1.9	23.8
1752932	<0.02	18.3	0.10	6.92	1.8	15.4
1752933	<0.02	9.9	0.08	7.18	1.6	9.3
1752934	<0.02	9.5	0.04	11.07	0.7	10.5
1752935	<0.02	7.5	0.03	10.01	0.6	7.1
1752936	<0.02	7.9	0.05	8.23	1.0	6.4
1752937	<0.02	10.1	0.05	8.18	0.6	8.2
1752938	<0.02	12.5	0.08	11.64	2.2	16.1
1752939	<0.02	19.1	0.09	19.75	1.8	17.8
1752941	<0.02	17.1	0.09	9.98	1.1	14.7
1752942	<0.02	18.2	0.13	22.75	2.5	18.1
1752943	<0.02	27.8	0.20	27.39	2.9	27.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752944	<0.02	21.8	0.13	17.69	1.5	19.8
1752945	<0.02	16.1	0.14	17.79	1.7	16.8
1752946	<0.02	20.5	0.12	23.21	2.3	20.6
1752947	<0.02	17.6	0.07	18.37	1.4	18.6
1752948	<0.02	21.3	0.08	18.80	1.5	22.2
1752949	<0.02	25.3	0.10	15.80	1.4	23.8
1752951	<0.02	23.6	0.12	78.07	1.3	24.4
1752952	<0.02	21.2	0.09	18.41	1.3	25.6
1752953	<0.02	22.8	0.10	22.20	1.2	26.3
1752954	<0.02	28.8	0.12	23.41	1.3	30.1
1752955	<0.02	41.4	0.09	32.83	1.4	31.7
1752956	<0.02	17.2	0.09	23.92	1.6	20.5
1752957	<0.02	7.8	0.08	15.17	1.1	10.5
1752958	<0.02	8.4	0.08	17.61	0.8	11.1
1752959	<0.02	29.9	0.10	17.89	1.0	32.8
1752961	<0.02	24.3	0.09	32.82	1.1	24.1
1752962	<0.02	30.1	0.11	37.49	1.4	25.5
1752963	<0.02	26.5	0.12	42.70	1.5	20.2
1752964	<0.02	29.7	0.08	36.02	1.6	22.9
1752965	<0.02	18.4	0.09	25.33	1.7	17.2
1752966	<0.02	8.9	0.08	37.74	1.9	10.3
1752967	<0.02	10.6	0.10	32.40	3.8	11.7
1752968	<0.02	19.3	0.07	32.75	1.5	18.6
1752969	<0.02	15.7	0.08	15.11	1.9	16.3
1752971	<0.02	17.0	0.10	25.89	1.8	18.5
1752972	<0.02	12.7	0.08	35.70	1.8	15.7
1752973	<0.02	19.8	0.07	52.95	0.8	24.5
1752974	<0.02	23.7	0.08	36.72	1.1	27.1
1752975	<0.02	21.2	0.09	26.61	1.5	24.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752976	<0.02	17.5	0.08	62.23	1.7	20.2
1752977	<0.02	22.7	0.07	49.22	3.4	24.9
1752978	<0.02	12.2	0.08	46.38	1.8	17.1
1752979	<0.02	10.4	0.05	16.56	<0.1	9.9
1752981	<0.02	16.9	0.05	16.84	4.1	12.0
1752982	<0.02	21.7	0.08	23.96	2.2	19.0
1752983	<0.02	17.6	0.09	18.61	2.1	24.7
1752984	<0.02	12.2	0.09	19.04	1.8	12.6
1752985	<0.02	18.0	0.09	9.79	2.0	16.1
1752986	<0.02	29.0	0.12	51.65	1.7	33.5
1752987	<0.02	12.2	0.08	28.58	1.3	16.6
1752988	<0.02	9.2	0.10	69.22	1.4	11.9
1752989	<0.02	24.7	0.09	57.84	1.8	21.2
1752991	<0.02	12.7	0.09	35.42	1.8	14.4
1752992	<0.02	5.8	0.08	30.18	2.0	4.5
1752993	<0.02	3.6	0.07	76.41	2.4	3.0
1752994	<0.02	9.8	0.06	58.84	2.4	6.9
1752995	<0.02	2.4	0.04	20.50	2.2	1.7
*Dup 1752968	<0.02	20.1	0.07	33.98	1.6	19.7
*Std OREAS 601b	0.50	33.9	0.07	5.09	14.6	27.6
*Std OREAS 905	0.68	44.7	0.10	3.29	17.4	38.2
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.44	31.9	0.07	4.86	14.5	27.0
*Rep 1752946	<0.02	20.7	0.10	23.43	2.6	20.4
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 70b	0.04	15.0	0.15	2.82	2.4	10.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	6.1	6.42	1.2	0.21	1.4	34
1752932	5.7	4.46	0.4	0.11	0.6	14
1752933	6.2	2.76	<0.2	0.09	<0.5	6
1752934	8.0	3.21	0.2	0.08	<0.5	5
1752935	5.8	2.29	0.2	0.05	<0.5	<2
1752936	5.5	1.98	0.4	0.09	<0.5	3
1752937	5.5	2.48	<0.2	<0.05	<0.5	4
1752938	6.6	3.89	0.2	0.07	<0.5	8
1752939	8.4	4.94	<0.2	0.08	0.7	15
1752941	7.2	4.29	<0.2	0.07	<0.5	7
1752942	6.1	5.05	0.2	0.13	0.7	4
1752943	4.8	8.10	1.6	0.11	1.6	8
1752944	6.2	5.94	<0.2	0.07	0.9	6
1752945	3.3	4.77	<0.2	0.07	0.7	4
1752946	8.0	5.85	<0.2	0.10	0.7	7
1752947	5.6	5.12	<0.2	<0.05	<0.5	4
1752948	7.3	6.30	<0.2	0.11	0.6	5
1752949	5.6	6.77	<0.2	0.08	0.6	4
1752951	5.6	6.94	<0.2	0.10	0.8	6
1752952	5.3	7.14	<0.2	0.07	0.6	5
1752953	5.7	7.52	<0.2	0.08	0.8	3
1752954	10.0	8.95	<0.2	0.20	1.0	4
1752955	12.9	10.29	<0.2	0.27	0.9	5
1752956	7.8	5.52	<0.2	0.10	0.6	<2
1752957	4.5	2.77	<0.2	0.06	0.6	2
1752958	5.2	3.02	<0.2	0.11	0.6	4
1752959	9.7	9.58	<0.2	0.14	0.7	8
1752961	7.0	7.01	<0.2	0.13	1.1	9
1752962	7.4	7.67	<0.2	0.06	1.2	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752963	5.7	6.02	<0.2	0.09	0.6	4
1752964	7.4	6.86	<0.2	0.07	0.5	2
1752965	7.0	4.82	<0.2	0.06	0.7	<2
1752966	6.1	2.73	0.2	0.11	0.7	3
1752967	5.0	3.21	<0.2	0.09	0.8	7
1752968	7.3	5.25	<0.2	0.10	0.6	3
1752969	8.5	4.34	<0.2	0.15	1.4	<2
1752971	10.1	4.53	<0.2	0.16	1.0	5
1752972	6.9	3.61	<0.2	0.13	0.6	5
1752973	9.1	5.70	<0.2	0.15	0.8	4
1752974	10.8	6.46	<0.2	0.23	1.4	9
1752975	7.9	5.79	0.3	0.28	0.6	10
1752976	5.2	4.74	<0.2	0.12	<0.5	6
1752977	7.7	6.25	<0.2	0.12	<0.5	4
1752978	5.5	3.95	<0.2	0.13	<0.5	11
1752979	5.0	2.67	<0.2	<0.05	<0.5	7
1752981	7.4	3.47	0.2	0.13	<0.5	6
1752982	4.3	5.31	<0.2	0.15	0.5	7
1752983	5.8	5.68	<0.2	0.12	0.5	7
1752984	4.8	3.18	<0.2	0.11	<0.5	7
1752985	7.3	4.28	<0.2	0.11	0.7	9
1752986	6.1	8.01	<0.2	0.08	0.7	10
1752987	5.2	3.96	0.2	0.13	<0.5	12
1752988	4.1	2.72	<0.2	0.09	<0.5	21
1752989	6.6	5.85	0.3	0.16	<0.5	4
1752991	5.8	3.52	0.4	0.17	<0.5	4
1752992	5.1	1.22	0.3	0.16	0.5	3
1752993	8.2	0.82	<0.2	0.20	<0.5	3
1752994	10.4	2.10	0.2	0.23	<0.5	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752995	6.3	0.48	0.2	0.14	<0.5	3
*Dup 1752968	7.4	5.44	<0.2	0.10	0.6	3
*Std OREAS 601b	291	7.62	104	24.35	3.8	11
*Std OREAS 905	32.0	10.08	130	2.00	5.1	5
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	2
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	289	8.43	97.9	20.68	3.4	8
*Rep 1752946	7.6	5.81	<0.2	0.11	0.7	8
*Blk BLANK	0.7	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 70b	13.3	2.92	32.8	0.39	11.3	<2

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	6.0	6.2	0.11	0.42	0.62	5.8
1752932	3.0	7.4	0.05	0.17	0.21	4.9
1752933	1.5	6.1	<0.05	0.08	0.21	3.5
1752934	1.2	4.6	<0.05	0.06	0.30	2.7
1752935	0.8	3.4	<0.05	<0.05	0.19	1.7
1752936	1.1	5.5	<0.05	0.07	0.37	2.4
1752937	1.5	2.5	<0.05	0.10	0.22	2.4
1752938	4.4	5.2	0.06	0.22	0.33	4.3
1752939	4.2	4.0	0.07	0.31	0.59	3.7
1752941	3.3	4.2	0.06	0.25	0.44	3.4
1752942	3.9	7.0	0.15	0.24	0.37	5.9
1752943	5.1	6.5	0.14	0.44	0.78	7.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752944	3.9	3.7	0.07	0.34	0.58	5.0
1752945	3.8	6.2	0.11	0.26	0.41	6.8
1752946	4.0	5.5	0.08	0.28	0.62	5.3
1752947	3.6	3.6	<0.05	0.18	0.39	3.7
1752948	4.3	4.3	0.06	0.23	0.50	3.8
1752949	4.3	4.9	0.06	0.29	0.33	4.4
1752951	4.7	4.5	0.07	0.37	0.52	5.1
1752952	5.1	3.6	0.06	0.31	0.51	4.0
1752953	5.7	4.0	0.06	0.37	0.33	4.2
1752954	6.0	5.1	0.08	0.46	0.54	5.4
1752955	5.4	4.5	0.08	0.59	0.55	4.4
1752956	4.6	4.4	0.08	0.39	0.30	4.5
1752957	2.2	4.0	0.09	0.15	0.19	4.0
1752958	2.3	2.3	<0.05	0.15	0.39	3.4
1752959	5.6	2.4	0.05	0.35	0.84	5.1
1752961	4.0	2.9	0.06	0.31	1.19	4.2
1752962	4.9	2.6	0.08	0.38	0.72	5.7
1752963	3.5	3.4	0.08	0.22	0.58	6.0
1752964	4.0	3.5	<0.05	0.28	0.40	5.6
1752965	3.3	3.1	<0.05	0.18	0.12	4.9
1752966	2.4	2.8	0.08	0.15	0.48	3.7
1752967	2.7	3.0	0.09	0.19	0.67	4.0
1752968	3.2	1.9	0.07	0.18	0.51	4.0
1752969	3.5	1.9	0.10	0.24	0.26	4.8
1752971	3.5	2.1	0.12	0.24	0.43	5.3
1752972	3.5	2.3	0.08	0.22	0.44	4.8
1752973	5.5	1.9	0.09	0.35	0.41	5.0
1752974	5.7	2.3	0.10	0.48	0.74	5.1
1752975	5.0	2.8	0.09	0.53	0.92	5.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752976	4.3	2.6	0.07	0.43	0.97	5.5
1752977	4.0	3.6	0.11	0.36	0.36	5.7
1752978	3.4	2.7	0.08	0.25	0.94	4.9
1752979	1.5	0.3	<0.05	0.14	0.23	3.8
1752981	1.6	4.7	0.14	0.11	0.33	4.7
1752982	2.6	3.7	0.10	0.18	0.54	5.6
1752983	5.3	3.4	0.08	0.29	0.45	5.5
1752984	2.4	3.8	0.08	0.19	0.28	4.2
1752985	2.6	4.1	0.08	0.27	0.36	5.5
1752986	7.1	3.2	0.07	0.65	0.77	9.4
1752987	3.4	2.7	0.06	0.24	1.37	5.2
1752988	3.0	2.4	0.08	0.23	1.39	6.1
1752989	3.2	2.9	0.07	0.21	0.43	6.8
1752991	2.6	2.9	0.08	0.15	0.26	5.5
1752992	0.7	3.1	0.08	0.07	0.15	3.8
1752993	0.5	3.3	0.10	0.06	0.14	3.8
1752994	0.9	3.0	0.09	0.08	0.16	4.7
1752995	0.2	2.2	0.06	<0.05	0.09	2.1
*Dup 1752968	3.3	1.9	0.07	0.18	0.71	4.2
*Std OREAS 601b	5.1	3.7	1.11	0.56	12.67	13.0
*Std OREAS 905	7.3	4.5	1.28	0.81	0.10	15.7
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.3	3.4	0.98	0.51	12.18	11.8
*Rep 1752946	3.9	5.1	0.08	0.28	0.74	5.2
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 70b	2.0	1.1	<0.05	0.28	0.08	6.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752931	<0.02	0.09	1.13	0.8	5.8	0.7
1752932	<0.02	0.06	0.95	0.5	2.8	0.5
1752933	<0.02	<0.05	0.83	0.4	1.8	0.4
1752934	<0.02	<0.05	0.36	0.2	1.2	0.2
1752935	<0.02	<0.05	0.25	0.2	1.0	0.2
1752936	<0.02	<0.05	0.38	0.4	1.6	0.3
1752937	<0.02	<0.05	0.37	0.3	2.1	0.3
1752938	<0.02	<0.05	0.73	0.5	3.3	0.4
1752939	<0.02	0.06	0.77	0.4	4.2	0.5
1752941	<0.02	0.06	0.83	0.4	3.2	0.4
1752942	<0.02	0.07	1.27	0.8	2.9	0.6
1752943	<0.02	0.13	1.82	0.9	7.8	1.0
1752944	<0.02	0.08	1.10	0.6	4.7	0.6
1752945	<0.02	0.09	1.29	0.8	4.0	0.7
1752946	<0.02	0.06	1.00	0.5	3.3	0.5
1752947	<0.02	<0.05	0.70	0.5	2.4	0.3
1752948	<0.02	<0.05	0.84	0.5	2.5	0.4
1752949	<0.02	0.05	1.00	0.7	3.1	0.5
1752951	<0.02	0.07	1.13	0.7	4.0	0.6
1752952	<0.02	0.06	0.85	0.5	3.7	0.4
1752953	<0.02	0.06	1.13	0.5	4.0	0.5
1752954	<0.02	0.06	1.38	0.7	3.9	0.5
1752955	<0.02	0.06	1.34	0.7	4.6	0.5
1752956	<0.02	0.06	0.97	0.9	4.0	0.5
1752957	<0.02	<0.05	0.73	0.8	2.2	0.4
1752958	<0.02	<0.05	0.76	0.5	2.4	0.4
1752959	<0.02	0.07	1.17	0.4	5.2	0.5
1752961	<0.02	0.06	1.11	0.7	4.3	0.4
1752962	<0.02	0.07	1.36	1.0	4.0	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752963	<0.02	0.06	1.37	1.1	3.4	0.5
1752964	<0.02	0.05	1.11	0.7	3.1	0.4
1752965	<0.02	0.05	0.89	0.6	2.5	0.4
1752966	0.03	<0.05	0.95	1.5	2.2	0.4
1752967	<0.02	0.07	1.01	1.9	3.5	0.5
1752968	0.03	<0.05	0.74	0.9	2.7	0.4
1752969	<0.02	0.05	0.80	0.9	3.3	0.4
1752971	<0.02	0.06	0.91	0.9	4.0	0.5
1752972	<0.02	0.06	0.81	0.9	3.4	0.4
1752973	<0.02	<0.05	0.94	1.0	4.1	0.3
1752974	<0.02	0.07	1.07	1.0	5.2	0.4
1752975	<0.02	0.07	1.09	1.0	4.9	0.5
1752976	<0.02	<0.05	1.04	0.8	3.4	0.4
1752977	<0.02	0.06	0.91	1.1	3.3	0.4
1752978	<0.02	<0.05	0.81	1.2	2.9	0.4
1752979	<0.02	<0.05	0.48	<0.1	2.5	0.3
1752981	<0.02	<0.05	0.51	1.0	1.4	0.2
1752982	<0.02	<0.05	0.86	0.9	2.7	0.4
1752983	<0.02	0.06	1.00	0.7	3.8	0.4
1752984	<0.02	0.06	0.88	0.8	3.1	0.4
1752985	<0.02	0.06	0.84	0.9	3.3	0.5
1752986	<0.02	0.09	1.15	1.3	6.2	0.6
1752987	<0.02	<0.05	0.74	1.1	2.2	0.4
1752988	<0.02	0.05	0.94	1.6	2.5	0.4
1752989	<0.02	0.05	0.91	1.0	2.5	0.4
1752991	<0.02	0.06	0.77	0.9	2.5	0.4
1752992	<0.02	<0.05	0.57	1.0	1.8	0.4
1752993	<0.02	<0.05	0.61	0.9	1.3	0.3
1752994	<0.02	<0.05	0.61	0.9	1.3	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* The Brewer Gold Project/
 B21C-016 / 296 Cores (229-296)
 Number of Samples 66

ANALYSIS REPORT BBM21-13048

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1752995	<0.02	<0.05	0.33	0.5	0.9	0.2
*Dup 1752968	0.03	<0.05	0.75	0.9	2.8	0.4
*Std OREAS 601b	1.50	0.09	4.98	6.0	11.0	0.5
*Std OREAS 905	0.76	0.13	5.38	2.7	16.0	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.39	0.08	4.55	5.8	10.7	0.5
*Rep 1752946	<0.02	0.06	0.98	0.6	3.1	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 70b	0.32	0.14	1.81	4.8	9.7	1.0

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1752959	6.769
1752961	6.099
1752975	6.745
1752976	6.114
1752978	5.655
1752987	9.691
1752988	7.305
*Blk BLANK	<0.005
*Std OREAS 135	7.144

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* The Brewer Gold Project/
B21C-016 / 296 Cores (229-296)
Number of Samples 66

ANALYSIS REPORT BBM21-13048

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received