



ANALYSIS REPORT BBM21-10132

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	03-Jun-2021
Project	The Brewer Gold Project	Date Analysed	15-Jun-2021 - 10-Jul-2021
Submission Number	*SD* PANCON RESOURCES/Hole	Date Completed	10-Jul-2021
B21C-010/93 CORE (1-47)		SGS Order Number	BBM21-10132
Number of Samples	47		

Methods Summary

Number of Sample	Method Code	Description
47	G_WGH_KG	Weight of samples received
44	G_PRP	Combined Sample Preparation
47	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
43	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
43	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
43	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element Method Lower Limit Upper Limit Unit	WTG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 5 10,000 ppb	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1751201	5.16	1330	0.05	30	<0.01	15
1751202	4.16	1630	0.07	34	<0.01	24
1751203	5.81	2300	0.09	51	0.01	18
1751204	4.67	654	3.24	226	0.05	15
1751205	5.19	1070	0.20	59	0.02	12
1751206	6.41	7530	0.07	16	<0.01	20
1751207	3.17	902	0.20	93	0.03	16
1751208	2.50	1710	0.12	39	0.01	11
1751209	2.10	358	0.16	82	0.02	13
1751210	0.06	7800	-	-	-	-
1751211	5.86	69	9.44	125	0.03	7
1751212	4.86	114	0.22	34	<0.01	13
1751213	4.45	324	0.53	159	0.08	10
1751214	5.43	166	8.32	170	0.06	7
1751215	5.62	133	2.53	168	0.05	14
1751216	6.13	409	0.69	58	0.03	10
1751217	5.18	354	7.66	311	0.07	10
1751218	5.90	65	6.50	187	0.07	8
1751219	6.03	49	7.41	258	0.10	8
1751220	1.99	<5	-	-	-	-
1751221	5.66	31	6.95	119	0.02	8
1751222	3.95	34	5.72	120	0.03	10
1751223	5.29	62	3.00	191	0.03	10
1751224	3.63	82	2.51	192	0.04	9
1751225	3.78	188	0.37	64	0.05	13
1751226	6.09	170	8.09	40	0.01	6
1751227	5.37	248	2.53	24	<0.01	13
1751228	5.93	133	4.35	218	0.03	9
1751229	5.57	93	5.70	268	0.05	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	WTG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	ppb	%	ppm m / m	%	ppm m / m
1751230	<0.01	104	-	-	-	-
1751231	2.71	64	4.99	58	0.06	8
1751232	3.03	55	6.74	35	<0.01	8
1751233	2.70	254	4.50	5	<0.01	7
1751234	3.58	16	3.32	50	0.06	7
1751235	3.41	30	5.93	45	0.05	6
1751236	3.21	35	3.78	28	0.01	8
1751237	3.36	60	5.41	44	0.04	5
1751238	3.25	31	3.75	48	0.07	8
1751239	3.01	36	4.36	13	0.03	7
1751240	0.06	1910	-	-	-	-
1751241	3.05	36	1.81	19	0.05	9
1751242	3.31	20	4.77	23	0.02	8
1751243	3.22	159	3.18	11	<0.01	9
1751244	3.08	70	2.57	5	<0.01	5
1751245	2.77	92	2.12	12	<0.01	8
1751246	2.28	157	4.01	39	0.04	6
1751247	2.33	99	3.09	108	0.12	6
*Std GS-9B	-	9530	-	-	-	-
*Blk BLANK	-	<5	-	-	-	-
*Std OREAS 235	-	1520	-	-	-	-
*Std OREAS 279	-	6610	-	-	-	-
*Blk BLANK	-	<5	-	-	-	-
*Std OREAS 905	-	-	7.53	2580	0.56	9
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.57	263	0.83	16
*Std OREAS 905	-	-	7.26	2709	0.56	12
*Blk BLANK	-	-	<0.01	1	<0.01	1
*Std OREAS 601b	-	-	6.13	271	0.81	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751201	743	3.56	<0.01	<1	<0.01	22
1751202	678	6.84	<0.01	<1	<0.01	24
1751203	664	7.19	<0.01	<1	<0.01	19
1751204	123	4.29	0.02	1	<0.01	29
1751205	217	11.32	<0.01	<1	<0.01	15
1751206	2655	14.04	<0.01	<1	<0.01	23
1751207	43.2	3.40	<0.01	<1	<0.01	23
1751208	410	13.23	<0.01	<1	<0.01	25
1751209	25.7	3.50	<0.01	<1	<0.01	21
1751211	40.4	1.64	0.02	6	0.01	20
1751212	11.0	1.63	<0.01	<1	<0.01	38
1751213	255	5.81	<0.01	<1	<0.01	33
1751214	139	2.94	0.02	5	0.01	21
1751215	174	2.52	0.21	<1	<0.01	36
1751216	774	4.71	0.02	<1	<0.01	22
1751217	903	4.22	0.04	3	<0.01	33
1751218	124	1.69	0.05	2	<0.01	25
1751219	134	1.89	0.09	1	<0.01	33
1751221	63.0	1.17	0.04	1	<0.01	33
1751222	110	2.16	0.05	1	<0.01	28
1751223	86.0	2.84	0.18	<1	<0.01	30
1751224	136	3.99	0.09	<1	<0.01	21
1751225	252	6.40	<0.01	<1	<0.01	24
1751226	80.8	5.44	0.02	2	<0.01	31
1751227	116	5.08	0.01	<1	<0.01	58
1751228	165	2.43	0.31	<1	<0.01	30
1751229	146	2.50	0.21	<1	<0.01	30
1751231	38.5	1.67	0.01	<1	<0.01	30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751232	70.0	1.27	0.10	<1	<0.01	20
1751233	61.4	5.87	0.05	<1	<0.01	25
1751234	86.2	0.93	0.17	<1	<0.01	22
1751235	21.5	1.15	0.05	1	<0.01	38
1751236	26.4	1.91	0.03	<1	<0.01	20
1751237	43.7	2.85	0.02	<1	<0.01	36
1751238	39.6	1.21	0.01	<1	<0.01	27
1751239	45.3	1.78	0.02	1	<0.01	29
1751241	43.0	2.18	<0.01	<1	<0.01	53
1751242	20.5	1.26	0.01	<1	<0.01	34
1751243	38.4	3.24	<0.01	<1	<0.01	44
1751244	38.3	5.09	0.02	<1	<0.01	24
1751245	28.1	2.95	<0.01	<1	<0.01	52
1751246	55.1	8.00	<0.01	<1	<0.01	28
1751247	56.7	3.00	0.01	<1	<0.01	34
*Std OREAS 905	1515	3.95	3.04	21	0.27	358
*Blk BLANK	0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	978	2.18	2.48	23	0.09	216
*Std OREAS 905	1497	4.14	2.95	20	0.28	337
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	946	2.20	2.29	21	0.09	196

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751201	0.01	10	0.01	2.05	67.8	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751202	<0.01	8	0.02	2.47	59.7	0.03
1751203	<0.01	11	0.02	3.13	114	0.03
1751204	0.01	5	0.10	1.50	625	0.04
1751205	<0.01	10	0.05	2.56	218	0.03
1751206	<0.01	38	0.02	>5.00	85.3	0.03
1751207	0.01	3	0.05	0.14	273	0.05
1751208	<0.01	22	0.03	>5.00	151	0.03
1751209	<0.01	2	0.04	0.09	194	0.03
1751211	0.02	3	0.08	0.68	651	0.02
1751212	<0.01	3	0.02	0.06	99.4	0.04
1751213	<0.01	12	0.11	3.69	425	0.03
1751214	0.02	8	0.11	3.08	595	0.02
1751215	0.03	5	0.09	1.70	418	0.03
1751216	0.01	12	0.04	4.23	163	0.03
1751217	0.02	9	0.15	4.08	743	0.02
1751218	0.03	4	0.17	1.65	880	0.04
1751219	0.03	4	0.22	1.74	804	0.03
1751221	0.02	3	0.05	0.88	277	0.05
1751222	0.02	6	0.07	2.03	456	0.03
1751223	0.03	5	0.08	2.80	514	0.04
1751224	0.02	8	0.06	4.04	149	0.05
1751225	<0.01	11	0.06	>5.00	121	0.05
1751226	0.01	11	0.03	>5.00	226	0.04
1751227	0.01	15	0.02	4.76	101	0.02
1751228	0.05	7	0.06	2.39	316	0.04
1751229	0.03	6	0.11	2.40	365	0.04
1751231	0.01	3	0.11	1.50	364	0.03
1751232	0.02	4	0.02	1.24	98.5	0.04
1751233	0.02	13	<0.01	>5.00	21.3	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751234	0.03	3	0.09	0.85	401	0.04
1751235	0.02	3	0.08	0.92	362	0.04
1751236	0.02	6	0.03	1.92	266	0.04
1751237	0.01	34	0.08	2.85	450	0.03
1751238	0.01	4	0.09	1.11	289	0.03
1751239	0.01	5	0.04	1.67	62.3	0.03
1751241	0.01	4	0.07	1.89	238	0.03
1751242	0.02	5	0.03	1.12	257	0.02
1751243	0.01	7	0.01	3.14	72.2	0.02
1751244	0.01	18	<0.01	>5.00	12.2	0.01
1751245	0.01	7	0.01	2.78	83.8	0.02
1751246	0.01	17	0.07	>5.00	246	0.02
1751247	0.02	6	0.24	3.26	1061	0.04
*Std OREAS 905	2.45	9	0.03	0.08	167	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.89	6	0.03	1.45	250	0.13
*Std OREAS 905	2.34	9	0.03	0.08	164	0.11
*Blk BLANK	<0.01	<1	<0.01	0.01	0.7	<0.01
*Std OREAS 601b	1.75	6	0.03	1.41	234	0.12

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751201	2	5	102	1.12	161	<0.1
1751202	8	4	88.1	1.85	329	<0.1
1751203	3	14	92.8	1.83	250	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751204	5	<1	100	0.71	27	0.1
1751205	5	<1	83.3	7.22	148	<0.1
1751206	<2	7	70.1	12.95	489	<0.1
1751207	6	2	11.2	1.07	24	<0.1
1751208	4	1	74.4	8.55	119	<0.1
1751209	5	<1	68.9	0.78	17	<0.1
1751211	8	2	61.5	0.16	7	0.4
1751212	2	1	65.8	0.11	5	<0.1
1751213	2	<1	92.1	0.57	14	<0.1
1751214	10	3	62.0	0.31	14	0.4
1751215	13	<1	79.7	0.36	6	<0.1
1751216	2	<1	66.2	2.09	11	<0.1
1751217	9	1	66.1	1.18	12	0.3
1751218	10	1	93.7	0.11	10	0.1
1751219	13	4	76.2	0.74	6	<0.1
1751221	9	4	93.3	0.15	4	<0.1
1751222	8	1	63.1	0.23	5	<0.1
1751223	11	2	78.5	0.13	6	<0.1
1751224	8	<1	104	0.24	5	<0.1
1751225	2	<1	80.1	0.18	9	<0.1
1751226	13	1	106	0.06	9	<0.1
1751227	5	2	71.0	0.18	7	<0.1
1751228	18	1	83.8	0.18	7	<0.1
1751229	14	2	82.6	0.26	8	<0.1
1751231	7	1	53.6	0.38	7	<0.1
1751232	10	1	63.5	0.13	6	<0.1
1751233	8	2	88.5	0.14	7	<0.1
1751234	13	2	53.3	0.53	2	<0.1
1751235	11	<1	73.0	0.09	3	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
1751236	7	2	75.7	0.28	4	<0.1
1751237	8	2	76.0	0.12	6	<0.1
1751238	6	2	72.4	0.13	3	<0.1
1751239	7	2	73.1	0.07	4	<0.1
1751241	4	2	64.3	0.17	4	<0.1
1751242	6	3	59.8	0.30	3	<0.1
1751243	5	2	56.9	0.22	5	<0.1
1751244	4	<1	62.2	0.15	6	<0.1
1751245	4	2	49.7	0.10	4	<0.1
1751246	7	<1	65.4	0.25	21	<0.1
1751247	7	2	68.6	0.17	8	<0.1
*Std OREAS 905	9	134	251	0.80	32	3.0
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	309	180	54.33	260	2.3
*Std OREAS 905	9	141	234	0.55	38	3.3
*Blk BLANK	<2	1	<0.5	0.03	<1	<0.1
*Std OREAS 601b	10	319	164	50.09	294	2.5

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
1751201	32.72	0.22	40.70	13.0	<1	0.3
1751202	63.41	0.26	34.66	13.9	<1	0.6
1751203	47.32	0.31	48.35	17.6	<1	1.8
1751204	22.41	0.04	132	6.1	<1	55.3
1751205	191	0.14	99.65	17.2	<1	3.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751206	334	0.90	47.40	55.5	<1	0.7
1751207	77.84	0.03	97.57	0.9	<1	1.9
1751208	145	0.17	81.63	46.8	<1	2.8
1751209	39.65	0.02	70.98	0.4	<1	1.6
1751211	2.92	<0.02	123	4.7	<1	33.7
1751212	5.68	<0.02	28.11	0.4	<1	1.1
1751213	15.27	0.05	113	19.8	<1	1.8
1751214	5.64	0.06	104	24.8	<1	39.2
1751215	10.52	0.02	92.47	9.0	<1	12.8
1751216	64.21	0.04	44.23	12.7	<1	3.2
1751217	43.03	0.03	142	15.2	<1	31.4
1751218	5.09	0.05	180	8.3	<1	21.2
1751219	4.84	0.04	102	8.6	<1	16.0
1751221	1.63	0.04	50.70	5.1	<1	13.3
1751222	2.03	0.04	101	9.1	<1	10.5
1751223	4.12	0.03	126	9.3	<1	7.1
1751224	4.78	<0.02	20.41	11.0	<1	6.6
1751225	5.34	0.06	32.90	17.1	<1	0.8
1751226	2.17	0.03	58.46	22.1	<1	29.2
1751227	3.66	0.05	28.27	23.0	<1	8.0
1751228	7.66	0.04	49.80	13.2	<1	9.5
1751229	6.02	0.05	41.38	14.7	<1	10.6
1751231	2.23	0.06	96.23	9.5	<1	11.1
1751232	1.52	0.09	12.72	8.8	<1	14.8
1751233	1.48	0.05	1.90	20.0	<1	13.8
1751234	1.73	0.03	112	3.6	<1	6.0
1751235	1.68	0.06	93.86	5.8	<1	10.7
1751236	1.57	0.03	82.08	11.1	<1	5.8
1751237	2.67	0.04	117	15.6	<1	8.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751238	1.63	0.03	68.65	5.8	<1	5.9
1751239	1.30	0.05	11.69	8.1	<1	7.7
1751241	2.06	0.06	74.80	8.7	<1	2.7
1751242	1.17	0.06	79.76	6.0	<1	8.3
1751243	1.24	0.03	21.56	13.2	<1	6.3
1751244	1.33	0.03	6.30	36.9	<1	5.1
1751245	1.35	0.02	28.71	14.6	<1	4.4
1751246	3.56	0.03	69.88	38.1	<1	7.8
1751247	4.44	0.04	327	15.1	<1	3.7
*Std OREAS 905	6.13	0.33	90.22	15.7	7	23.9
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 601b	17.41	2.04	65.69	3.0	5	22.2
*Std OREAS 905	6.00	0.35	93.02	17.1	7	25.8
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	16.83	1.84	66.47	3.3	4	23.3

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751201	2.67	0.40	19.6	0.15	26.53	1.2
1751202	2.42	0.98	17.2	0.14	42.38	0.7
1751203	2.54	0.66	24.2	0.15	43.04	0.9
1751204	2.74	0.11	72.4	0.18	20.04	1.2
1751205	2.43	0.61	54.2	0.16	38.59	0.8
1751206	2.04	1.40	22.1	0.12	29.49	0.8
1751207	0.22	0.10	56.2	0.18	33.66	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751208	2.23	0.44	42.6	0.15	38.49	0.9
1751209	1.93	0.08	41.8	0.12	18.90	0.8
1751211	1.67	<0.02	65.0	0.10	7.59	1.1
1751212	1.81	<0.02	15.8	0.12	17.26	1.1
1751213	2.58	0.03	57.8	0.16	21.05	1.0
1751214	1.75	<0.02	54.2	0.10	6.56	1.1
1751215	2.18	0.04	48.7	0.13	11.13	1.1
1751216	1.91	0.02	21.5	0.12	13.65	0.8
1751217	1.92	<0.02	75.1	0.11	11.22	1.0
1751218	2.63	<0.02	101	0.13	10.38	1.3
1751219	2.13	<0.02	58.0	0.11	10.25	1.1
1751221	2.72	<0.02	24.6	0.17	11.44	1.8
1751222	1.87	<0.02	56.8	0.11	10.15	1.2
1751223	2.20	0.03	67.8	0.14	33.68	1.1
1751224	2.87	<0.02	10.0	0.18	51.44	1.4
1751225	2.20	0.02	15.3	0.14	41.68	1.9
1751226	2.95	<0.02	28.5	0.16	110	1.6
1751227	1.92	<0.02	15.6	0.11	144	0.8
1751228	2.20	0.05	23.1	0.12	91.69	1.1
1751229	2.33	0.03	19.4	0.14	97.46	1.3
1751231	1.54	<0.02	50.9	0.10	47.36	1.1
1751232	1.87	<0.02	6.9	0.10	38.01	1.4
1751233	2.60	<0.02	1.1	0.13	18.49	0.9
1751234	1.54	0.03	66.6	0.10	9.52	1.0
1751235	1.79	<0.02	56.6	0.10	8.64	1.2
1751236	1.84	<0.02	49.1	0.12	10.58	1.1
1751237	1.85	<0.02	67.9	0.12	8.44	1.6
1751238	1.77	<0.02	41.6	0.11	6.43	0.7
1751239	1.81	<0.02	7.1	0.10	9.17	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751241	1.61	<0.02	44.8	0.09	8.67	0.8
1751242	1.48	<0.02	50.2	0.08	15.38	0.6
1751243	1.41	<0.02	13.9	0.08	14.00	0.6
1751244	1.60	<0.02	3.8	0.08	12.90	0.4
1751245	1.27	<0.02	18.8	0.08	8.68	1.8
1751246	1.75	<0.02	44.9	0.11	22.70	0.7
1751247	2.23	<0.02	199	0.16	8.51	1.2
*Std OREAS 905	6.95	0.65	50.8	0.10	3.00	16.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	4.98	0.46	32.1	0.07	5.12	13.5
*Std OREAS 905	7.21	0.64	46.1	0.10	3.68	19.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.11	<0.1
*Std OREAS 601b	4.98	0.45	31.5	0.07	5.33	15.8

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751201	54.3	<0.2	6.70	2.8	70	6.9
1751202	48.7	<0.2	12.84	3.1	101	9.0
1751203	75.5	<0.2	5.55	2.8	124	7.7
1751204	392	0.2	6.66	3.3	64	4.9
1751205	150	<0.2	12.50	2.8	209	9.5
1751206	63.4	<0.2	30.88	2.3	344	14.2
1751207	128	<0.2	8.58	3.0	69	9.3
1751208	95.5	<0.2	6.44	2.6	274	14.9
1751209	89.6	<0.2	5.50	2.5	51	4.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751211	277	0.2	2.48	2.1	12	1.8
1751212	39.3	<0.2	2.01	1.9	12	2.0
1751213	176	<0.2	0.99	2.4	58	2.8
1751214	300	0.3	1.25	2.0	22	2.1
1751215	179	3.4	0.98	2.4	21	4.3
1751216	56.9	0.3	0.70	1.8	45	2.1
1751217	288	0.7	1.52	2.1	39	2.2
1751218	368	0.8	0.74	2.6	11	2.6
1751219	338	1.4	0.46	2.3	11	2.8
1751221	102	0.5	0.45	3.5	5	3.8
1751222	164	0.9	0.63	2.6	10	2.4
1751223	150	2.7	0.38	3.3	16	2.8
1751224	40.3	1.3	0.48	4.4	27	3.0
1751225	37.9	<0.2	1.29	3.0	30	3.0
1751226	78.3	0.3	0.42	3.3	48	2.0
1751227	30.4	0.2	0.42	1.7	22	1.4
1751228	122	4.6	0.69	2.6	14	3.1
1751229	92.1	3.1	0.50	3.1	12	2.7
1751231	89.6	<0.2	0.47	2.7	7	1.7
1751232	34.9	1.6	0.31	2.7	6	2.6
1751233	5.7	0.8	0.19	3.5	47	1.6
1751234	102	2.6	0.35	2.6	3	2.8
1751235	98.1	0.8	0.54	2.1	4	2.3
1751236	62.6	0.5	0.38	2.1	7	2.0
1751237	107	0.3	0.42	1.9	11	1.6
1751238	63.2	<0.2	0.31	2.1	4	1.7
1751239	16.1	0.3	0.34	2.1	6	1.8
1751241	62.1	<0.2	0.27	1.7	6	1.6
1751242	66.3	<0.2	0.25	1.7	3	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751243	18.3	<0.2	0.14	1.8	10	1.3
1751244	3.9	0.2	0.10	2.0	15	1.1
1751245	22.0	<0.2	0.10	1.8	9	1.7
1751246	55.0	<0.2	0.32	2.6	29	1.7
1751247	302	0.3	0.43	3.9	11	2.2
*Std OREAS 905	29.1	136	1.98	5.9	2	4.3
*Blk BLANK	0.7	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	341	97.7	22.59	4.0	8	3.2
*Std OREAS 905	31.5	143	1.90	5.8	3	4.0
*Blk BLANK	0.7	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	333	96.1	22.73	4.1	10	3.1

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751201	0.06	0.17	32.51	8.0	0.09	1.21
1751202	<0.05	0.16	81.26	7.0	0.09	1.19
1751203	<0.05	0.20	75.91	8.9	0.14	1.28
1751204	0.06	0.41	19.61	21.7	0.07	1.17
1751205	<0.05	0.31	171	17.6	0.06	1.08
1751206	<0.05	0.17	897	8.8	0.28	0.86
1751207	<0.05	0.32	31.55	15.0	<0.02	1.01
1751208	0.05	0.25	110	14.9	0.10	0.95
1751209	<0.05	0.23	22.24	11.1	<0.02	0.80
1751211	0.18	0.41	4.19	21.2	0.02	0.75
1751212	<0.05	0.19	5.79	5.2	<0.02	0.64

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751213	0.06	0.50	7.04	19.9	0.05	1.13
1751214	0.16	0.35	5.78	19.5	0.04	0.81
1751215	0.06	0.38	2.77	16.2	0.21	0.86
1751216	0.07	0.19	4.01	8.0	0.06	0.65
1751217	0.10	0.48	3.79	27.8	0.06	0.86
1751218	0.11	0.46	2.38	30.8	0.07	1.14
1751219	0.10	0.35	2.19	20.6	0.11	0.86
1751221	0.15	0.16	1.51	11.8	0.03	0.97
1751222	0.15	0.39	1.90	19.4	0.05	0.77
1751223	0.07	0.38	4.11	21.0	0.13	0.93
1751224	0.08	0.13	3.65	4.9	0.09	0.97
1751225	0.08	0.14	6.74	6.4	0.24	0.81
1751226	0.13	0.20	4.66	10.4	0.09	1.01
1751227	<0.05	0.12	3.73	5.8	0.14	0.66
1751228	0.07	0.20	4.62	9.3	0.26	0.80
1751229	0.19	0.16	4.07	8.4	0.20	0.90
1751231	0.08	0.26	2.40	16.3	0.03	0.71
1751232	0.11	0.10	2.19	2.8	0.11	0.65
1751233	<0.05	0.06	3.93	0.9	0.06	0.76
1751234	<0.05	0.25	1.57	19.4	0.12	0.81
1751235	0.08	0.24	1.53	16.8	0.05	0.79
1751236	0.10	0.21	1.92	14.6	0.04	0.79
1751237	0.15	0.25	2.61	19.1	0.05	0.86
1751238	<0.05	0.20	1.02	12.2	0.02	0.81
1751239	0.05	0.08	1.45	2.6	0.04	0.68
1751241	<0.05	0.18	1.57	12.7	0.06	0.75
1751242	0.06	0.16	1.41	13.0	<0.02	0.63
1751243	<0.05	0.06	4.67	4.4	0.03	0.49
1751244	<0.05	<0.05	1.31	1.1	0.05	0.51

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
1751245	0.05	0.07	2.70	5.1	0.03	0.46
1751246	<0.05	0.19	6.69	11.0	0.05	0.74
1751247	0.25	0.72	3.49	63.0	0.07	1.57
*Std OREAS 905	1.22	0.75	0.10	14.7	0.73	5.08
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.11	0.50	11.56	11.7	1.43	4.53
*Std OREAS 905	1.38	0.81	0.13	15.5	0.73	5.36
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.10	0.55	11.43	12.1	1.47	4.75

Element Method Lower Limit Upper Limit Unit	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m	Dy GE_IMS40Q12 0.05 1,000 ppm m / m	Er GE_IMS40Q12 0.05 1,000 ppm m / m	Eu GE_IMS40Q12 0.05 500 ppm m / m
1751201	1.0	3.2	0.8	0.68	0.54	0.74
1751202	0.8	3.0	0.8	0.68	0.50	0.65
1751203	0.8	3.0	0.8	0.74	0.54	0.88
1751204	0.9	4.1	0.9	1.35	0.76	1.84
1751205	1.8	3.3	0.8	1.09	0.63	1.35
1751206	1.1	2.8	0.7	0.73	0.51	0.70
1751207	1.1	4.6	1.0	1.22	0.79	1.21
1751208	1.6	3.7	0.8	0.99	0.65	1.04
1751209	0.7	3.2	0.7	0.89	0.52	0.97
1751210	-	-	-	-	-	-
1751211	0.7	3.1	0.6	1.27	0.54	1.77
1751212	0.6	3.2	0.7	0.84	0.50	0.54
1751213	1.2	5.3	0.9	1.83	0.78	1.77

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751214	1.0	3.3	0.5	1.19	0.50	1.37
1751215	0.8	4.6	0.7	1.47	0.68	1.43
1751216	0.5	3.0	0.6	0.78	0.48	0.70
1751217	0.9	4.7	0.6	1.78	0.71	1.96
1751218	1.1	4.2	0.6	1.40	0.67	2.31
1751219	0.9	4.4	0.6	1.38	0.59	1.32
1751220	-	-	-	-	-	-
1751221	1.0	3.8	0.9	0.71	0.60	0.68
1751222	1.6	3.5	0.6	1.47	0.56	1.46
1751223	0.9	4.6	0.8	1.36	0.74	1.88
1751224	1.1	5.1	1.0	0.81	0.72	0.37
1751225	0.9	3.6	0.8	0.71	0.57	0.50
1751226	1.6	4.0	0.8	0.86	0.61	0.82
1751227	1.1	3.0	0.6	0.59	0.45	0.45
1751228	0.8	3.4	0.7	0.83	0.53	0.78
1751229	1.1	4.0	0.7	0.75	0.57	0.67
1751230	-	-	-	-	-	-
1751231	1.6	4.2	0.6	1.01	0.59	1.38
1751232	0.9	2.6	0.5	0.55	0.37	0.25
1751233	0.5	2.5	0.7	0.40	0.39	0.06
1751234	0.4	3.1	0.6	0.71	0.52	1.46
1751235	0.4	3.2	0.6	0.78	0.50	1.27
1751236	0.5	3.5	0.6	0.69	0.55	1.04
1751237	0.4	3.6	0.7	0.71	0.63	1.51
1751238	0.4	3.5	0.6	0.70	0.53	0.93
1751239	0.4	3.1	0.6	0.49	0.41	0.22
1751240	-	-	-	-	-	-
1751241	0.5	2.7	0.5	0.57	0.45	0.97
1751242	0.4	1.8	0.4	0.42	0.36	1.00

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751243	0.5	1.5	0.4	0.25	0.27	0.29
1751244	0.3	1.3	0.4	0.18	0.23	0.07
1751245	0.4	1.6	0.4	0.27	0.28	0.36
1751246	0.4	3.0	0.6	0.66	0.47	0.91
1751247	0.9	5.9	0.9	1.87	1.08	4.24
*Std OREAS 905	2.7	15.4	0.7	3.49	1.20	1.40
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Std OREAS 601b	5.7	10.7	0.5	2.36	0.83	0.89
*Std OREAS 905	2.9	16.6	0.7	3.95	1.30	1.59
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Std OREAS 601b	6.3	11.4	0.5	2.70	0.87	1.01

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751201	1.9	0.13	17.1	4.27	3.3	0.09
1751202	1.7	0.12	15.6	3.72	3.0	0.09
1751203	2.3	0.13	21.0	5.29	4.2	0.09
1751204	4.8	0.19	52.2	13.84	8.7	0.10
1751205	3.4	0.16	40.4	10.72	6.8	0.09
1751206	1.8	0.13	21.2	5.33	3.5	0.08
1751207	3.2	0.20	37.8	9.98	5.9	0.12
1751208	2.7	0.17	34.0	8.88	5.3	0.10
1751209	2.6	0.14	28.2	7.42	4.5	0.08
1751210	-	-	-	-	-	-
1751211	4.8	0.15	49.1	13.13	8.1	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751212	1.8	0.14	12.2	3.18	2.2	0.08
1751213	5.2	0.24	46.0	12.20	7.9	0.11
1751214	3.7	0.14	38.8	10.68	6.2	0.06
1751215	4.1	0.21	37.8	9.79	6.4	0.09
1751216	2.0	0.13	18.3	4.77	3.1	0.08
1751217	5.3	0.22	54.0	14.62	8.8	0.08
1751218	5.9	0.18	67.6	18.54	10.9	0.08
1751219	3.7	0.18	36.1	10.00	5.7	0.07
1751220	-	-	-	-	-	-
1751221	1.7	0.14	19.4	5.31	3.1	0.10
1751222	4.0	0.18	38.6	10.70	6.3	0.07
1751223	4.7	0.20	51.2	13.22	8.4	0.10
1751224	1.1	0.18	10.0	2.59	1.7	0.12
1751225	1.4	0.14	13.7	3.65	2.3	0.10
1751226	2.2	0.16	22.5	6.13	3.7	0.10
1751227	1.2	0.12	12.2	3.25	2.0	0.07
1751228	2.1	0.14	20.8	5.61	3.6	0.08
1751229	1.8	0.15	17.4	4.50	3.0	0.09
1751230	-	-	-	-	-	-
1751231	3.4	0.17	39.0	10.43	6.3	0.08
1751232	0.8	0.10	5.6	1.51	1.0	0.06
1751233	0.3	0.10	1.0	0.24	0.2	0.08
1751234	3.7	0.12	45.0	13.67	6.8	0.07
1751235	3.1	0.13	37.9	11.11	5.9	0.07
1751236	2.6	0.13	31.5	9.62	4.9	0.08
1751237	3.6	0.13	46.2	13.50	6.9	0.09
1751238	2.5	0.13	27.7	8.05	4.3	0.08
1751239	0.7	0.11	5.5	1.53	0.9	0.07
1751240	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10132

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751241	2.3	0.10	29.2	8.60	4.5	0.06
1751242	2.4	0.07	30.5	9.20	4.7	0.05
1751243	0.8	0.06	9.4	2.95	1.4	<0.05
1751244	0.2	<0.05	2.5	0.82	0.3	<0.05
1751245	1.0	0.06	11.8	3.70	1.8	0.05
1751246	2.4	0.12	27.6	8.40	4.4	0.08
1751247	10.6	0.25	130	45.44	20.5	0.12
*Std OREAS 905	5.9	0.49	39.6	11.41	7.1	0.12
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Std OREAS 601b	3.8	0.34	28.1	8.20	5.0	0.09
*Std OREAS 905	6.6	0.54	43.0	10.64	8.3	0.13
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Std OREAS 601b	4.2	0.37	30.2	7.72	5.6	0.09

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-10133

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	03-Jun-2021
Project	The Brewer Gold Project	Date Analysed	16-Jun-2021 - 10-Jul-2021
Submission Number	*SD* PANCON RESOURCES/Hole	Date Completed	10-Jul-2021
B21C-010/93 CORE (48-93)		SGS Order Number	BBM21-10133
Number of Samples	46		

Methods Summary

Number of Sample	Method Code	Description
46	G_WGH_KG	Weight of samples received
42	G_PRP	Combined Sample Preparation
46	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
46	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
41	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
41	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3), ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element Method	WTG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	5	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	ppb	%	ppm m / m	%	ppm m / m
1751248	3.08	52	2.51	66	0.04	8
1751249	1.97	42	1.32	19	0.01	9
1751250	0.06	<5	-	-	-	-
1751251	2.97	68	1.69	8	<0.01	12
1751252	3.44	38	5.72	12	<0.01	6
1751253	3.19	62	6.40	10	<0.01	7
1751254	3.46	116	3.93	18	0.03	5
1751255	3.15	216	4.27	111	0.02	6
1751256	3.79	173	5.01	25	0.01	4
1751257	3.36	185	4.36	47	<0.01	4
1751258	3.50	113	6.94	44	0.03	6
1751259	2.60	395	1.92	16	0.02	6
1751260	-	405	-	-	-	-
1751261	2.31	138	6.21	72	0.02	7
1751262	3.11	750	4.18	24	0.01	6
1751263	2.37	407	1.41	16	0.02	7
1751264	2.70	1920	7.72	886	0.03	4
1751265	3.23	246	6.28	54	0.03	4
1751266	3.58	375	5.01	27	0.02	6
1751267	3.40	781	6.67	30	0.02	5
1751268	3.56	511	3.64	22	0.03	6
1751269	3.85	746	1.38	4	0.02	9
1751270	0.05	740	-	-	-	-
1751271	3.45	239	2.33	111	0.04	17
1751272	3.47	220	5.54	71	0.03	11
1751273	3.91	184	4.39	117	0.01	8
1751274	3.25	118	4.47	409	0.02	10
1751275	3.40	126	3.09	318	0.02	9
1751276	3.24	121	4.26	171	0.02	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element Method	WTG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	5	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	ppb	%	ppm m / m	%	ppm m / m
1751277	3.56	120	3.71	219	0.01	9
1751278	3.65	72	6.14	355	0.02	11
1751279	3.51	106	5.82	270	0.02	10
1751280	2.30	<5	-	-	-	-
1751281	3.58	482	6.03	193	0.04	8
1751282	2.91	84	7.59	1122	0.15	11
1751283	4.00	199	7.86	414	0.05	8
1751284	3.07	94	6.56	306	0.05	6
1751285	3.05	326	6.66	177	0.06	5
1751286	3.69	536	1.55	56	0.01	9
1751287	3.44	250	4.28	53	<0.01	8
1751288	3.56	156	3.85	96	0.01	15
1751289	3.26	110	4.42	152	0.01	24
1751290	-	112	-	-	-	-
1751291	3.59	79	6.37	168	0.01	12
1751292	3.70	129	4.23	68	0.01	10
1751293	2.50	79	3.88	159	0.02	13
*Dup 1751286	-	462	1.43	127	0.02	7
*Blk BLANK	-	-	0.01	2	<0.01	<1
*Rep 1751284	-	-	6.58	307	0.05	5
*Std OREAS 905	-	-	7.23	2706	0.57	19
*Std OREAS 601b	-	-	6.33	787	0.86	26
*Std GS-9B	-	9530	-	-	-	-
*Blk BLANK	-	<5	-	-	-	-
*Std OREAS 235	-	1520	-	-	-	-
*Std OREAS 279	-	6610	-	-	-	-
*Rep 1751248	-	56	-	-	-	-
*Blk BLANK	-	<5	-	-	-	-
*Std OREAS 905	-	-	7.53	2580	0.56	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	WTG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.01	1	0.01	1
Upper Limit	--	10,000	15	10,000	15	10,000
Unit	kg	ppb	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.57	263	0.83	16
*Rep 1751265	-	-	6.70	49	0.03	3
*Blk BLANK	-	<5	-	-	-	-
*Rep 1751276	-	115	-	-	-	-
*Rep 1751286	-	466	-	-	-	-
*Std GS-9B	-	8670	-	-	-	-
*Std OREAS 235	-	1570	-	-	-	-
*Blk BLANK	-	<5	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751248	44.5	1.82	<0.01	<1	<0.01	30
1751249	85.1	1.63	<0.01	<1	<0.01	30
1751251	34.7	2.02	<0.01	<1	<0.01	55
1751252	14.6	1.87	0.02	<1	<0.01	21
1751253	26.1	2.52	0.02	<1	<0.01	36
1751254	50.4	4.63	0.02	<1	<0.01	25
1751255	77.5	5.85	0.12	<1	<0.01	36
1751256	82.1	9.91	0.05	<1	<0.01	23
1751257	120	9.82	0.08	<1	<0.01	31
1751258	109	5.99	0.48	<1	<0.01	30
1751259	392	11.62	0.04	<1	<0.01	26
1751261	65.0	5.74	0.35	<1	<0.01	24
1751262	767	14.26	0.19	<1	<0.01	41

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751263	464	11.37	0.05	<1	<0.01	26
1751264	158	5.13	1.03	<1	<0.01	18
1751265	131	4.46	0.88	<1	<0.01	14
1751266	159	7.78	0.36	<1	<0.01	43
1751267	401	6.10	0.46	<1	<0.01	25
1751268	530	9.30	0.29	<1	<0.01	41
1751269	617	>15.00	0.05	<1	<0.01	31
1751271	104	5.27	0.17	<1	<0.01	42
1751272	152	8.38	0.17	<1	<0.01	26
1751273	143	7.82	0.16	<1	<0.01	41
1751274	64.4	2.80	0.40	<1	<0.01	21
1751275	76.2	3.74	0.29	<1	<0.01	28
1751276	54.8	4.42	0.30	<1	<0.01	21
1751277	65.9	4.18	0.34	<1	<0.01	28
1751278	41.4	3.38	0.42	<1	<0.01	23
1751279	37.7	3.62	0.23	<1	<0.01	32
1751281	67.8	3.84	0.07	<1	<0.01	32
1751282	77.4	1.99	0.02	<1	0.01	25
1751283	63.8	3.11	0.03	1	<0.01	16
1751284	31.7	2.49	0.47	1	0.01	10
1751285	100	4.09	0.13	1	<0.01	11
1751286	248	6.45	0.09	<1	<0.01	30
1751287	109	5.19	0.07	<1	<0.01	28
1751288	87.4	4.33	0.14	<1	<0.01	33
1751289	54.2	3.26	0.21	4	<0.01	25
1751291	34.2	2.81	0.03	3	<0.01	30
1751292	44.9	2.77	0.13	3	<0.01	31
1751293	36.1	1.61	0.45	3	<0.01	20
*Dup 1751286	239	5.96	0.09	<1	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Blk BLANK	<0.5	0.02	<0.01	<1	<0.01	<2
*Rep 1751284	32.4	2.50	0.46	2	0.01	10
*Std OREAS 905	1484	4.00	2.91	19	0.28	370
*Std OREAS 601b	970	2.25	2.38	24	0.10	221
*Std OREAS 905	1515	3.95	3.04	21	0.27	358
*Blk BLANK	0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	978	2.18	2.48	23	0.09	216
*Rep 1751265	134	4.56	0.89	<1	<0.01	14

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751248	0.01	4	0.09	1.80	764	0.03
1751249	<0.01	5	<0.01	1.49	36.7	0.05
1751251	0.01	4	<0.01	1.60	31.0	0.04
1751252	0.01	6	<0.01	1.87	29.8	0.02
1751253	0.01	6	<0.01	2.50	38.9	0.03
1751254	0.01	9	0.04	>5.00	122	0.02
1751255	0.02	10	0.04	>5.00	261	0.03
1751256	0.01	15	0.03	>5.00	112	0.02
1751257	0.02	16	0.02	>5.00	77.1	0.04
1751258	0.06	8	0.07	>5.00	272	0.05
1751259	0.02	26	0.05	>5.00	273	0.03
1751261	0.05	10	0.05	>5.00	317	0.05
1751262	0.04	30	0.03	>5.00	214	0.05
1751263	0.02	20	0.03	>5.00	209	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751264	0.12	19	0.09	>5.00	711	0.07
1751265	0.10	15	0.06	4.88	579	0.04
1751266	0.05	22	0.06	>5.00	355	0.04
1751267	0.06	18	0.06	>5.00	364	0.04
1751268	0.04	24	0.07	>5.00	346	0.03
1751269	0.02	50	0.06	>5.00	464	0.04
1751271	0.03	13	0.07	>5.00	283	0.05
1751272	0.03	14	0.07	>5.00	514	0.04
1751273	0.03	10	0.03	>5.00	261	0.05
1751274	0.05	5	0.05	3.04	456	0.05
1751275	0.04	5	0.04	3.80	391	0.04
1751276	0.04	8	0.04	4.71	214	0.05
1751277	0.05	6	0.04	4.44	282	0.05
1751278	0.05	5	0.05	3.48	355	0.06
1751279	0.03	4	0.06	3.66	273	0.05
1751281	0.02	5	0.09	3.65	185	0.04
1751282	0.04	4	0.38	1.78	503	0.04
1751283	0.02	4	0.08	3.04	209	0.04
1751284	0.06	3	0.06	2.78	194	0.04
1751285	0.04	6	0.07	4.33	246	0.04
1751286	0.02	15	0.03	>5.00	211	0.05
1751287	0.02	11	0.03	>5.00	204	0.05
1751288	0.03	7	0.04	4.56	305	0.07
1751289	0.04	7	0.03	3.43	268	0.06
1751291	0.02	5	0.04	2.73	269	0.06
1751292	0.03	5	0.03	2.70	277	0.05
1751293	0.06	4	0.04	1.60	360	0.07
*Dup 1751286	0.02	14	0.03	>5.00	214	0.04
*Blk BLANK	<0.01	<1	<0.01	0.02	0.8	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Rep 1751284	0.06	3	0.06	2.64	192	0.04
*Std OREAS 905	2.38	9	0.03	0.08	158	0.11
*Std OREAS 601b	1.85	7	0.03	1.48	239	0.12
*Std OREAS 905	2.45	9	0.03	0.08	167	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.89	6	0.03	1.45	250	0.13
*Rep 1751265	0.10	15	0.07	>5.00	622	0.04

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	5	2	82.3	0.10	5	<0.1
1751249	4	3	93.8	0.09	5	<0.1
1751251	5	3	85.6	0.06	4	<0.1
1751252	12	2	86.9	0.07	3	<0.1
1751253	9	<1	74.3	0.06	5	<0.1
1751254	7	<1	69.6	0.11	13	<0.1
1751255	11	<1	74.9	0.33	17	<0.1
1751256	8	<1	58.0	0.17	16	<0.1
1751257	8	<1	81.0	0.17	17	<0.1
1751258	26	2	96.7	0.39	14	<0.1
1751259	4	<1	62.1	0.52	34	<0.1
1751261	22	<1	77.0	0.25	15	<0.1
1751262	11	<1	98.0	0.91	37	<0.1
1751263	4	<1	105	0.61	24	<0.1
1751264	51	6	174	0.95	67	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751265	40	4	87.9	0.27	15	0.1
1751266	20	<1	88.8	0.27	29	<0.1
1751267	25	2	81.7	0.72	28	<0.1
1751268	15	<1	76.0	0.68	34	<0.1
1751269	4	<1	101	0.76	49	<0.1
1751271	11	1	74.5	0.13	9	<0.1
1751272	15	<1	76.7	0.24	18	0.1
1751273	13	<1	82.0	0.30	19	<0.1
1751274	19	1	91.1	0.15	10	<0.1
1751275	14	<1	79.8	0.04	13	<0.1
1751276	16	<1	85.9	0.03	12	<0.1
1751277	17	2	81.4	0.16	8	<0.1
1751278	23	1	98.6	<0.02	18	<0.1
1751279	17	<1	94.9	0.28	11	<0.1
1751281	11	1	85.3	0.10	9	<0.1
1751282	15	4	89.2	0.14	7	0.1
1751283	12	3	80.6	0.07	8	0.1
1751284	29	3	74.9	0.02	7	0.2
1751285	15	2	79.7	0.18	8	0.2
1751286	6	1	65.8	0.43	16	<0.1
1751287	9	<1	68.9	0.14	17	<0.1
1751288	13	<1	79.2	0.07	16	<0.1
1751289	15	2	83.0	0.09	10	0.2
1751291	11	2	77.2	0.02	12	0.2
1751292	12	1	74.6	0.03	12	0.1
1751293	21	<1	78.4	0.03	5	0.2
*Dup 1751286	6	3	67.7	0.37	17	<0.1
*Blk BLANK	<2	<1	<0.5	0.04	<1	<0.1
*Rep 1751284	28	3	74.5	0.13	7	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	9	134	240	0.62	34	3.5
*Std OREAS 601b	11	299	177	49.87	275	2.6
*Std OREAS 905	9	134	251	0.80	32	3.0
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	309	180	54.33	260	2.3
*Rep 1751265	42	4	97.2	0.26	16	<0.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	3.27	<0.02	271	8.8	<1	3.3
1751249	0.94	0.03	11.39	5.4	<1	3.5
1751251	0.97	0.05	14.40	7.1	<1	4.9
1751252	0.59	0.05	21.65	9.2	<1	15.7
1751253	0.85	0.05	20.78	8.4	<1	14.9
1751254	2.41	0.03	45.10	20.4	<1	7.1
1751255	4.18	0.05	108	30.9	<1	8.3
1751256	3.76	0.04	28.53	39.3	<1	9.3
1751257	4.11	0.07	22.44	51.0	<1	8.2
1751258	4.53	0.06	69.91	20.5	<1	13.3
1751259	15.29	0.08	46.81	74.6	<1	3.6
1751261	4.43	0.04	47.94	26.7	<1	13.5
1751262	34.94	0.08	62.82	140	<1	11.2
1751263	16.77	0.06	53.05	64.9	<1	3.0
1751264	21.62	0.19	156	175	<1	11.3
1751265	7.69	0.05	84.79	40.8	<1	15.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751266	9.94	0.08	51.51	81.5	<1	12.4
1751267	24.37	0.13	75.83	93.7	<1	17.9
1751268	29.07	0.14	79.72	82.7	<1	8.7
1751269	28.85	0.15	94.54	175	<1	2.7
1751271	8.45	0.04	35.18	32.1	<1	5.4
1751272	11.88	0.08	110	23.8	<1	14.8
1751273	10.23	0.10	56.25	28.2	<1	11.8
1751274	4.76	0.07	56.13	12.1	<1	9.3
1751275	5.47	0.05	46.21	13.7	<1	5.9
1751276	3.79	0.04	23.89	13.8	<1	7.8
1751277	3.92	0.04	30.58	16.6	<1	7.2
1751278	3.34	0.05	49.65	14.1	<1	12.0
1751279	3.18	0.05	72.91	13.8	<1	10.9
1751281	3.27	0.04	71.74	13.1	<1	10.2
1751282	3.82	0.06	131	7.5	<1	12.0
1751283	2.62	0.09	59.34	11.6	<1	14.6
1751284	2.09	0.03	54.98	10.4	<1	11.7
1751285	9.34	0.09	52.81	22.6	<1	11.5
1751286	16.91	0.12	30.87	47.9	<1	3.2
1751287	7.99	0.06	49.45	23.9	<1	8.8
1751288	6.35	0.05	58.50	20.7	<1	8.0
1751289	4.43	0.05	31.26	15.0	<1	8.6
1751291	3.61	0.04	36.95	12.8	<1	12.1
1751292	4.62	0.05	34.34	13.6	<1	8.2
1751293	3.53	0.03	52.34	9.4	<1	7.9
*Dup 1751286	15.62	0.13	29.15	45.4	<1	3.2
*Blk BLANK	0.07	<0.02	<0.05	<0.1	<1	<0.1
*Rep 1751284	2.06	0.03	57.20	10.2	<1	11.1
*Std OREAS 905	5.84	0.37	91.91	16.6	7	27.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	17.10	2.09	67.89	3.1	5	24.2
*Std OREAS 905	6.13	0.33	90.22	15.7	7	23.9
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 601b	17.41	2.04	65.69	3.0	5	22.2
*Rep 1751265	7.96	0.06	88.49	47.7	<1	16.2

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	2.11	<0.02	166	0.14	5.72	1.0
1751249	2.44	<0.02	6.6	0.15	7.79	1.1
1751251	2.16	<0.02	9.2	0.12	3.88	0.8
1751252	2.31	<0.02	15.1	0.10	8.14	1.1
1751253	1.82	<0.02	12.2	0.11	4.80	1.2
1751254	1.79	<0.02	23.0	0.12	8.25	0.6
1751255	2.00	0.02	65.5	0.12	9.95	0.9
1751256	1.67	<0.02	15.7	0.11	7.11	0.8
1751257	2.17	0.03	12.9	0.14	15.99	1.0
1751258	2.52	0.07	32.8	0.17	8.72	1.3
1751259	1.78	0.04	23.1	0.12	5.73	0.9
1751261	2.06	0.05	23.0	0.14	3.31	1.7
1751262	2.77	0.08	30.2	0.18	19.41	1.4
1751263	2.92	0.04	25.3	0.18	7.69	1.3
1751264	5.58	0.10	88.9	0.34	11.80	2.5
1751265	2.41	0.15	44.5	0.16	4.52	1.4
1751266	2.45	0.08	18.7	0.16	4.48	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751267	2.35	0.11	32.0	0.16	6.40	1.1
1751268	2.13	0.10	45.4	0.14	7.20	1.0
1751269	3.04	0.06	54.9	0.20	11.19	1.2
1751271	2.20	0.05	18.2	0.13	3.88	1.7
1751272	2.41	0.05	51.9	0.14	5.45	4.2
1751273	2.39	0.06	26.1	0.17	10.93	1.9
1751274	2.65	0.05	25.1	0.15	5.63	2.1
1751275	2.43	0.04	20.8	0.15	3.84	1.3
1751276	2.43	0.04	12.8	0.14	4.28	1.6
1751277	2.41	0.04	17.1	0.14	3.58	1.8
1751278	2.95	0.05	23.9	0.15	6.05	2.0
1751279	2.84	0.03	33.7	0.16	6.37	1.7
1751281	2.56	<0.02	33.9	0.16	4.05	1.5
1751282	2.62	<0.02	71.4	0.18	2.21	1.7
1751283	2.41	<0.02	28.3	0.14	4.02	1.5
1751284	2.24	0.06	24.5	0.15	4.29	1.8
1751285	2.36	0.03	24.4	0.16	4.59	1.6
1751286	1.98	0.04	15.9	0.13	3.23	1.3
1751287	1.99	<0.02	22.9	0.13	2.97	1.3
1751288	2.34	0.02	27.6	0.16	2.99	2.0
1751289	2.47	0.03	17.0	0.18	3.92	2.1
1751291	2.25	<0.02	19.6	0.14	3.12	2.0
1751292	2.21	0.03	18.5	0.14	3.23	1.9
1751293	2.32	0.06	24.1	0.15	2.83	2.2
*Dup 1751286	2.03	0.04	14.9	0.14	3.28	1.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep 1751284	2.22	0.06	26.1	0.15	4.19	1.8
*Std OREAS 905	7.90	0.70	47.6	0.10	3.05	18.6
*Std OREAS 601b	5.58	0.48	32.2	0.07	5.28	15.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	6.95	0.65	50.8	0.10	3.00	16.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	4.98	0.46	32.1	0.07	5.12	13.5
*Rep 1751265	2.54	0.15	45.8	0.16	4.72	1.3

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	227	0.3	0.31	3.3	7	1.8
1751249	10.9	0.2	0.10	3.4	6	1.9
1751251	8.7	<0.2	0.08	3.0	7	2.0
1751252	7.4	0.4	0.13	3.3	6	1.9
1751253	10.6	0.3	0.15	2.8	8	1.8
1751254	32.3	0.3	0.22	2.5	15	1.5
1751255	73.2	1.6	0.23	3.2	18	3.0
1751256	38.3	0.7	0.36	2.8	30	2.4
1751257	30.0	1.0	0.43	3.1	34	3.4
1751258	104	5.9	0.36	4.6	25	5.6
1751259	152	0.5	0.77	2.6	84	3.8
1751261	147	4.3	0.42	3.8	21	6.3
1751262	152	2.5	0.65	4.3	89	6.7
1751263	305	0.8	0.63	4.1	73	4.7
1751264	721	0.4	1.26	8.3	157	11.4
1751265	564	11.1	0.29	4.8	28	8.4
1751266	336	4.6	0.40	4.0	37	5.7
1751267	237	5.3	0.47	4.0	29	6.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751268	166	3.7	0.80	3.5	39	6.3
1751269	351	0.7	0.91	4.5	89	5.8
1751271	149	2.6	0.47	3.7	28	5.9
1751272	328	2.5	0.51	4.7	28	5.9
1751273	154	2.4	0.48	4.2	18	7.5
1751274	207	5.5	0.38	3.7	7	5.5
1751275	194	3.7	0.29	2.8	8	4.0
1751276	81.6	4.2	0.36	3.0	9	3.7
1751277	108	4.6	0.34	2.9	10	4.3
1751278	117	5.8	0.44	3.9	7	4.9
1751279	77.5	3.5	0.36	4.0	8	3.4
1751281	50.0	1.1	0.25	4.0	10	2.3
1751282	142	0.3	0.43	4.8	5	2.6
1751283	54.9	0.4	0.49	4.1	7	2.3
1751284	51.8	7.1	0.37	5.0	7	3.5
1751285	68.8	1.8	0.38	4.0	9	2.4
1751286	74.8	1.1	0.53	3.4	16	3.2
1751287	66.7	1.0	0.31	3.2	10	2.9
1751288	103	1.9	0.33	3.9	10	3.3
1751289	98.4	3.2	0.23	4.1	9	3.6
1751291	95.5	0.7	0.24	3.6	6	3.4
1751292	105	1.9	0.25	3.3	6	3.0
1751293	149	5.9	0.24	4.3	4	3.9
*Dup 1751286	65.4	1.3	0.55	3.6	14	3.2
*Blk BLANK	0.7	<0.2	<0.05	<0.5	<2	<0.3
*Rep 1751284	50.8	6.9	0.36	5.0	6	3.4
*Std OREAS 905	30.2	144	2.14	5.9	3	4.4
*Std OREAS 601b	350	97.0	24.89	4.2	9	3.4
*Std OREAS 905	29.1	136	1.98	5.9	2	4.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	0.7	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	341	97.7	22.59	4.0	8	3.2
*Rep 1751265	600	11.4	0.32	5.2	31	9.3

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	0.06	0.57	1.89	52.1	0.07	1.22
1751249	0.07	0.08	0.89	2.6	0.03	0.84
1751251	<0.05	0.07	1.21	2.6	0.03	0.74
1751252	0.10	<0.05	1.35	2.2	0.04	0.68
1751253	0.12	0.07	2.52	3.1	0.03	0.68
1751254	<0.05	0.13	3.65	6.9	0.10	0.70
1751255	0.06	0.20	27.95	17.3	0.39	0.81
1751256	0.07	0.08	10.88	5.1	0.32	0.59
1751257	0.06	0.09	5.73	4.1	0.41	0.73
1751258	0.08	0.19	4.11	9.8	0.61	0.95
1751259	0.06	0.15	14.72	5.9	0.72	0.67
1751261	0.18	0.14	4.99	5.9	0.56	0.79
1751262	0.10	0.19	10.20	7.5	0.75	1.05
1751263	0.08	0.20	5.38	7.0	0.43	1.13
1751264	0.16	0.48	18.75	18.4	1.28	2.31
1751265	0.16	0.28	4.79	9.0	0.94	1.10
1751266	0.09	0.20	10.58	4.8	1.12	1.01
1751267	0.07	0.22	8.63	8.5	1.58	1.00
1751268	0.07	0.22	20.99	10.7	1.02	0.88

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751269	0.10	0.31	8.22	11.6	0.72	1.18
1751271	0.18	0.15	5.64	5.5	0.46	0.76
1751272	2.20	0.35	7.53	8.9	0.23	1.02
1751273	0.33	0.22	5.41	5.4	0.23	0.92
1751274	0.36	0.22	3.42	7.5	0.33	0.90
1751275	0.14	0.21	3.50	6.1	0.24	0.85
1751276	0.26	0.14	3.53	4.0	0.22	0.79
1751277	0.26	0.15	3.69	5.0	0.26	0.82
1751278	0.33	0.22	2.84	7.7	0.32	1.07
1751279	0.28	0.27	3.13	10.9	0.17	1.04
1751281	0.29	0.34	5.07	8.3	0.08	1.08
1751282	0.37	0.44	3.13	19.2	0.03	1.06
1751283	0.31	0.28	4.73	8.7	0.08	0.89
1751284	0.47	0.19	3.45	8.2	0.39	0.78
1751285	0.38	0.20	5.54	7.8	0.18	0.89
1751286	0.12	0.17	8.82	4.2	0.36	0.73
1751287	0.13	0.25	5.88	5.7	0.23	0.86
1751288	0.22	0.25	4.95	7.1	0.34	0.99
1751289	0.23	0.18	2.66	5.2	0.46	0.91
1751291	0.29	0.18	2.07	5.5	0.12	0.86
1751292	0.21	0.16	2.71	5.3	0.34	0.81
1751293	0.19	0.22	1.40	6.5	0.54	0.98
*Dup 1751286	0.09	0.17	6.35	4.1	0.34	0.73
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep 1751284	0.37	0.18	3.20	8.5	0.39	0.75
*Std OREAS 905	1.86	0.84	0.13	14.8	0.75	5.14
*Std OREAS 601b	1.58	0.57	12.29	11.5	1.47	4.71
*Std OREAS 905	1.22	0.75	0.10	14.7	0.73	5.08
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	1.11	0.50	11.56	11.7	1.43	4.53
*Rep 1751265	0.10	0.29	5.10	9.2	0.95	1.17

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	0.6	4.4	0.7	1.47	0.85	3.35
1751249	0.7	3.2	0.8	0.52	0.52	0.20
1751251	0.5	2.6	0.6	0.44	0.41	0.15
1751252	0.4	1.9	0.5	0.27	0.30	0.12
1751253	0.4	2.4	0.6	0.39	0.38	0.21
1751254	0.3	3.1	0.7	0.57	0.48	0.55
1751255	0.5	2.6	0.7	0.60	0.52	1.26
1751256	0.4	2.3	0.6	0.38	0.39	0.39
1751257	0.5	3.2	0.8	0.47	0.49	0.33
1751258	0.9	4.0	0.9	0.74	0.64	0.91
1751259	0.5	3.3	0.7	0.60	0.49	0.65
1751261	0.8	3.3	0.7	0.56	0.54	0.66
1751262	0.9	5.0	1.0	0.89	0.75	0.63
1751263	1.0	5.5	1.0	0.96	0.78	0.56
1751264	1.9	10.5	1.8	2.09	1.43	1.62
1751265	0.9	4.3	0.8	1.01	0.65	1.24
1751266	0.9	4.1	0.8	0.83	0.63	0.93
1751267	1.0	4.0	0.8	0.88	0.65	1.11
1751268	0.7	4.1	0.8	0.82	0.59	1.06
1751269	1.0	5.9	1.1	1.21	0.83	1.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751271	1.1	3.5	0.8	0.63	0.41	0.70
1751272	1.4	4.7	0.8	1.20	0.59	1.74
1751273	1.2	5.3	1.0	0.96	0.60	0.86
1751274	1.0	3.5	0.8	0.79	0.46	1.07
1751275	0.7	3.8	0.8	0.81	0.48	0.90
1751276	0.9	3.5	0.8	0.64	0.43	0.50
1751277	0.9	3.3	0.8	0.64	0.43	0.61
1751278	1.2	4.2	0.8	0.93	0.49	0.88
1751279	1.0	4.6	0.9	1.12	0.55	1.18
1751281	0.7	5.3	0.9	1.34	0.57	1.13
1751282	0.9	5.2	1.0	1.40	0.60	1.97
1751283	0.8	4.4	0.8	1.13	0.47	1.02
1751284	0.8	3.6	0.8	0.79	0.46	0.77
1751285	0.8	4.4	0.9	0.94	0.52	0.84
1751286	0.6	3.9	0.8	0.77	0.45	0.67
1751287	0.9	4.5	0.8	1.01	0.51	0.92
1751288	0.9	5.1	0.9	1.09	0.61	1.03
1751289	1.2	4.6	1.0	0.89	0.57	0.73
1751291	1.3	3.7	0.8	0.76	0.46	0.77
1751292	1.0	3.2	0.8	0.67	0.41	0.70
1751293	1.0	3.9	0.9	0.88	0.48	0.94
*Dup 1751286	0.6	4.2	0.8	0.80	0.49	0.66
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Rep 1751284	0.8	3.7	0.9	0.78	0.43	0.77
*Std OREAS 905	3.0	16.0	0.7	4.18	1.13	1.64
*Std OREAS 601b	6.8	10.7	0.6	2.58	0.72	0.98
*Std OREAS 905	2.7	15.4	0.7	3.49	1.20	1.40
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Std OREAS 601b	5.7	10.7	0.5	2.36	0.83	0.89

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1751265	1.1	4.4	0.9	1.03	0.70	1.29

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751248	8.0	0.19	104	30.56	15.9	0.10
1751249	0.6	0.12	5.5	1.57	0.9	0.10
1751251	0.5	0.09	5.5	1.81	0.7	0.08
1751252	0.4	0.07	6.0	2.32	0.6	0.06
1751253	0.6	0.09	8.0	2.70	1.0	0.07
1751254	1.4	0.11	18.0	5.34	2.6	0.08
1751255	2.9	0.11	41.6	12.58	6.2	0.08
1751256	1.0	0.09	13.0	3.89	1.9	0.07
1751257	0.9	0.12	10.5	3.18	1.6	0.09
1751258	2.2	0.15	28.3	8.42	4.1	0.11
1751259	1.7	0.12	19.3	5.76	2.9	0.08
1751261	1.6	0.13	18.9	5.93	2.9	0.10
1751262	1.7	0.19	23.1	7.50	2.8	0.13
1751263	1.7	0.21	20.4	6.53	2.4	0.13
1751264	4.5	0.39	57.4	18.47	6.9	0.23
1751265	3.3	0.17	32.9	9.96	4.9	0.11
1751266	2.3	0.16	25.1	7.28	4.0	0.11
1751267	2.7	0.16	35.2	10.12	5.1	0.10
1751268	2.6	0.15	33.7	9.70	5.1	0.09
1751269	3.4	0.22	36.7	11.41	5.7	0.13
1751271	1.6	0.14	15.4	4.73	3.0	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* PANCON_RESOURCES/Hole
 B21C-010/93 CORE (48-93)
 Number of Samples 46

ANALYSIS REPORT BBM21-10133

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751272	3.7	0.20	45.3	14.07	7.5	0.11
1751273	2.1	0.21	22.8	6.86	3.9	0.12
1751274	2.5	0.15	23.8	7.10	4.6	0.10
1751275	2.2	0.17	19.6	5.66	3.9	0.10
1751276	1.3	0.14	10.5	3.18	2.2	0.10
1751277	1.5	0.14	13.4	4.06	2.7	0.09
1751278	2.2	0.18	20.1	6.02	4.0	0.10
1751279	2.7	0.20	30.5	9.07	5.5	0.11
1751281	2.7	0.23	28.2	8.44	4.9	0.11
1751282	4.5	0.22	51.2	15.39	8.9	0.12
1751283	2.5	0.19	24.4	7.20	4.7	0.10
1751284	1.8	0.16	21.8	6.70	3.7	0.10
1751285	1.9	0.19	21.8	6.54	3.8	0.11
1751286	1.6	0.16	15.3	4.40	3.0	0.10
1751287	2.2	0.20	21.8	6.10	4.3	0.10
1751288	2.4	0.23	24.1	7.12	4.4	0.12
1751289	1.6	0.19	14.9	4.48	2.7	0.12
1751291	1.6	0.16	17.5	5.18	3.1	0.10
1751292	1.6	0.14	14.9	4.51	2.7	0.09
1751293	2.1	0.17	20.2	6.32	3.6	0.10
*Dup 1751286	1.6	0.17	14.9	4.17	2.9	0.10
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Rep 1751284	1.7	0.15	21.6	6.68	3.7	0.09
*Std OREAS 905	6.2	0.66	41.7	12.24	9.0	0.15
*Std OREAS 601b	3.9	0.39	26.6	7.94	5.5	0.10
*Std OREAS 905	5.9	0.49	39.6	11.41	7.1	0.12
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Std OREAS 601b	3.8	0.34	28.1	8.20	5.0	0.09
*Rep 1751265	3.4	0.18	34.6	10.50	5.0	0.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD* PANCON_RESOURCES/Hole
B21C-010/93 CORE (48-93)
Number of Samples 46

ANALYSIS REPORT BBM21-10133

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received