



## ANALYSIS REPORT BBM21-10923

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	12-Jul-2021 - 10-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Hole	Date Completed	12-Aug-2021
B21C-011/253 CORE(1-75)		SGS Order Number	BBM21-10923
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
68	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
68	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
68	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
68	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
1	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.  
This Report cancels and supersedes the report  
BBM\_U0012816831 dated 11-Aug-2021 issued by SGS  
Canada (Burnaby).  
Updated the CSV template to follow the correct analyte  
sequence.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\* PANCON\_RESOURCES/Hole  
B21C-011/253 CORE(1-75)  
Number of Samples 75

## ANALYSIS REPORT BBM21-10923

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

13-Aug-2021 8:16PM BBM\_U0012895693

Page 2 of 35

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751401	0.73	0.010	9.28	247	0.07	112
1751402	0.93	0.230	1.70	80	0.03	21
1751403	0.69	0.252	1.19	56	0.03	10
1751404	0.27	0.079	0.25	47	0.02	12
1751405	0.43	0.432	0.81	57	0.02	12
1751406	3.31	0.070	12.76	200	0.04	7
1751407	0.55	0.163	4.50	397	0.13	3
1751408	2.75	0.142	1.22	69	0.03	2
1751409	4.74	0.345	2.74	141	0.05	4
1751410	0.06	0.334	-	-	-	-
1751411	4.22	0.055	6.55	123	0.05	4
1751412	4.60	0.043	4.56	126	0.04	4
1751413	5.49	0.013	9.19	350	0.05	5
1751414	4.91	0.047	6.76	255	0.05	3
1751415	6.17	0.013	11.03	264	0.06	4
1751416	3.48	0.014	10.84	290	0.06	4
1751417	5.93	0.021	9.56	260	0.08	7
1751418	3.11	0.032	0.11	24	<0.01	3
1751419	2.54	0.063	1.69	77	0.02	3
1751420	1.65	<0.005	-	-	-	-
1751421	5.97	0.026	5.71	335	0.04	3
1751422	4.47	0.027	3.49	231	0.04	3
1751423	2.15	0.018	0.46	27	0.01	2
1751424	1.82	0.060	2.94	64	0.01	4
1751425	2.74	0.084	5.35	485	0.07	3
1751426	5.23	0.045	6.36	224	0.02	3
1751427	5.80	0.030	12.02	309	0.03	3
1751428	5.04	0.013	8.47	243	0.06	3
1751429	6.02	0.020	10.71	286	0.06	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751430	-	0.017	-	-	-	-
1751431	5.71	0.011	10.02	479	0.06	2
1751432	4.60	0.034	0.16	40	0.02	6
1751433	5.11	0.038	0.13	39	0.01	4
1751434	5.86	0.066	5.43	187	0.04	6
1751435	6.83	0.130	0.12	38	0.02	9
1751436	3.59	0.252	0.75	192	0.07	10
1751437	5.84	0.099	6.08	373	0.14	4
1751438	3.11	0.095	3.14	124	0.04	6
1751439	5.04	0.121	0.25	96	0.06	9
1751440	0.06	1.845	-	-	-	-
1751441	2.33	0.127	0.16	53	0.04	11
1751442	4.58	0.429	0.27	94	0.07	8
1751443	1.40	0.186	0.12	106	0.03	3
1751444	3.19	0.251	0.08	35	0.02	3
1751445	3.96	0.353	0.07	21	0.02	7
1751446	3.05	0.190	0.08	33	0.02	3
1751447	3.52	0.067	0.20	50	0.02	3
1751448	1.70	0.042	0.03	9	<0.01	2
1751449	1.77	0.080	0.05	14	<0.01	4
1751450	0.06	<0.005	-	-	-	-
1751451	4.05	0.055	0.17	20	<0.01	12
1751452	6.78	0.224	0.34	41	0.01	5
1751453	6.13	1.090	0.10	20	<0.01	23
1751454	6.19	0.257	0.19	14	<0.01	11
1751455	6.88	0.243	0.12	20	<0.01	12
1751456	3.88	0.332	0.22	6	<0.01	5
1751457	5.09	0.453	0.10	10	<0.01	8
1751458	3.81	0.226	0.09	6	<0.01	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1751459	4.30	0.591	0.05	6	<0.01	17
1751460	-	0.504	-	-	-	-
1751461	6.58	0.485	0.10	6	<0.01	12
1751462	5.05	0.067	0.06	5	<0.01	12
1751463	3.90	0.108	0.04	10	<0.01	19
1751464	4.69	0.116	0.02	10	<0.01	26
1751465	5.16	0.155	0.03	6	<0.01	13
1751466	6.02	0.090	0.04	9	<0.01	42
1751467	4.16	0.063	0.10	33	<0.01	19
1751468	5.23	0.071	0.10	13	<0.01	37
1751469	5.11	0.342	0.05	26	<0.01	16
1751470	0.06	0.732	-	-	-	-
1751471	5.71	0.371	0.05	24	<0.01	28
1751472	6.19	0.366	0.04	13	<0.01	21
1751473	5.82	0.344	0.05	39	<0.01	19
1751474	6.14	0.374	0.05	20	<0.01	18
1751475	6.17	0.374	0.08	53	0.02	27
*Dup 1751439	-	0.125	0.27	103	0.06	8
*Std OREAS 601b	-	-	6.51	312	0.86	18
*Std OREAS 905	-	-	7.22	2623	0.58	15
*Rep 1751414	-	-	7.41	261	0.05	4
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	6.65	2454	0.53	13
*Std OREAS 601b	-	-	6.65	369	0.90	20
*Blk BLANK	-	-	<0.01	2	<0.01	<1
*Rep 1751451	-	-	0.17	20	<0.01	7
*Std OREAS 905	-	-	7.43	2538	0.56	12
*Std OREAS 601b	-	-	6.66	677	0.87	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 279	-	6.433	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.135	-	-	-	-
*Std OREAS 238	-	2.915	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.230	-	-	-	-
*Rep 1751407	-	0.167	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 279	-	6.534	-	-	-	-
*Rep 1751451	-	0.055	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751458	-	0.223	-	-	-	-
*Std OREAS 238	-	3.009	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751401	157	8.20	0.72	71	0.57	1581
1751402	280	3.53	0.13	10	0.07	213
1751403	455	2.84	0.03	1	<0.01	35
1751404	82.1	1.76	<0.01	<1	<0.01	37
1751405	337	5.05	0.02	<1	<0.01	51
1751406	42.2	1.13	0.02	2	<0.01	27
1751407	14.7	0.36	0.03	2	<0.01	33
1751408	10.7	0.24	0.04	<1	<0.01	20
1751409	17.6	1.30	0.02	<1	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751410	-	-	-	-	-	-
1751411	7.7	0.43	0.02	1	0.01	43
1751412	6.5	0.48	0.04	<1	<0.01	30
1751413	7.2	0.36	0.03	<1	<0.01	36
1751414	6.5	0.57	0.02	<1	<0.01	34
1751415	7.4	0.42	0.03	<1	<0.01	38
1751416	9.7	0.35	0.02	1	<0.01	31
1751417	5.6	0.23	0.04	1	<0.01	22
1751418	5.8	0.40	<0.01	<1	<0.01	42
1751419	9.2	0.28	0.02	<1	<0.01	23
1751420	-	-	-	-	-	-
1751421	5.3	0.32	0.02	<1	<0.01	30
1751422	5.6	0.27	0.02	<1	<0.01	28
1751423	6.8	0.29	<0.01	<1	<0.01	30
1751424	8.1	0.45	0.02	<1	<0.01	34
1751425	8.1	0.43	0.02	1	<0.01	21
1751426	6.4	0.33	0.05	<1	<0.01	29
1751427	5.9	0.41	0.04	<1	<0.01	32
1751428	5.5	0.30	0.05	<1	<0.01	27
1751429	5.2	0.27	0.05	1	<0.01	23
1751430	-	-	-	-	-	-
1751431	4.9	0.23	0.05	2	<0.01	22
1751432	5.2	0.35	<0.01	<1	<0.01	27
1751433	7.4	0.29	<0.01	<1	<0.01	27
1751434	16.4	0.72	0.02	1	<0.01	34
1751435	50.0	1.33	<0.01	<1	<0.01	32
1751436	54.0	2.51	<0.01	<1	<0.01	25
1751437	8.0	0.64	0.02	2	<0.01	32
1751438	10.2	0.96	<0.01	<1	<0.01	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751439	18.1	3.09	<0.01	<1	<0.01	29
1751440	-	-	-	-	-	-
1751441	190	2.35	<0.01	<1	<0.01	26
1751442	18.6	5.37	<0.01	<1	<0.01	32
1751443	12.9	0.59	<0.01	<1	<0.01	32
1751444	9.1	0.73	<0.01	<1	<0.01	32
1751445	8.4	1.53	<0.01	<1	<0.01	29
1751446	7.0	0.46	<0.01	<1	<0.01	33
1751447	5.1	0.21	<0.01	<1	<0.01	19
1751448	4.4	0.31	<0.01	<1	<0.01	30
1751449	5.1	0.23	<0.01	<1	<0.01	26
1751450	-	-	-	-	-	-
1751451	5.8	0.40	<0.01	<1	<0.01	26
1751452	60.3	0.83	<0.01	<1	<0.01	14
1751453	318	2.97	<0.01	<1	<0.01	35
1751454	190	1.92	<0.01	<1	<0.01	24
1751455	217	2.44	<0.01	<1	<0.01	32
1751456	12.8	1.22	<0.01	<1	<0.01	17
1751457	6.4	0.94	<0.01	<1	<0.01	29
1751458	97.8	2.22	<0.01	<1	<0.01	26
1751459	241	2.00	<0.01	<1	<0.01	32
1751460	-	-	-	-	-	-
1751461	359	2.95	<0.01	<1	<0.01	29
1751462	64.6	1.08	<0.01	<1	<0.01	28
1751463	160	1.74	<0.01	<1	<0.01	33
1751464	157	1.68	<0.01	<1	<0.01	30
1751465	41.4	1.46	<0.01	<1	<0.01	35
1751466	86.9	2.71	<0.01	<1	<0.01	35
1751467	77.7	2.23	<0.01	<1	<0.01	34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10923**

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751468	99.1	2.32	<0.01	<1	<0.01	30
1751469	271	5.98	<0.01	<1	<0.01	46
1751470	-	-	-	-	-	-
1751471	315	5.85	<0.01	<1	<0.01	36
1751472	294	3.87	<0.01	<1	<0.01	49
1751473	182	3.98	<0.01	<1	<0.01	37
1751474	511	5.06	<0.01	<1	<0.01	47
1751475	576	7.13	<0.01	<1	<0.01	34
*Dup 1751439	19.8	3.17	<0.01	<1	<0.01	27
*Std OREAS 601b	1002	2.22	2.42	21	0.10	222
*Std OREAS 905	1540	3.91	2.97	20	0.27	377
*Rep 1751414	7.3	0.59	0.02	<1	<0.01	36
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1456	3.82	2.64	18	0.25	341
*Std OREAS 601b	1051	2.38	2.45	23	0.10	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep 1751451	5.8	0.40	<0.01	<1	<0.01	25
*Std OREAS 905	1466	3.94	3.00	20	0.26	360
*Std OREAS 601b	984	2.20	2.44	22	0.10	223

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751401	0.08	70	0.08	0.07	33.4	0.43
1751402	0.04	15	0.03	1.97	131	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751403	0.02	5	0.03	1.90	243	0.05
1751404	<0.01	4	0.02	0.78	140	0.07
1751405	0.01	13	0.03	3.82	251	0.05
1751406	0.02	3	0.09	0.34	680	0.05
1751407	0.02	<1	0.19	0.22	1242	0.08
1751408	0.02	1	0.03	0.05	209	0.12
1751409	0.02	<1	0.08	0.19	685	0.10
1751410	-	-	-	-	-	-
1751411	0.02	2	0.06	0.05	399	0.06
1751412	0.02	<1	0.08	0.07	564	0.07
1751413	0.02	2	0.13	0.10	740	0.05
1751414	0.01	<1	0.14	0.08	579	0.09
1751415	0.02	2	0.15	0.10	825	0.04
1751416	0.02	2	0.14	0.10	595	0.04
1751417	0.02	2	0.22	0.13	774	0.07
1751418	<0.01	<1	<0.01	0.02	35.7	0.13
1751419	0.01	1	0.03	0.03	185	0.08
1751420	-	-	-	-	-	-
1751421	0.02	<1	0.10	0.08	430	0.06
1751422	0.01	<1	0.09	0.09	646	0.11
1751423	0.01	2	0.01	0.02	98.0	0.17
1751424	<0.01	<1	0.03	0.03	145	0.09
1751425	0.01	1	0.16	0.09	530	0.06
1751426	0.01	<1	0.07	0.04	203	0.09
1751427	0.01	2	0.12	0.04	307	0.03
1751428	0.02	<1	0.14	0.09	580	0.04
1751429	0.02	1	0.16	0.10	527	0.04
1751430	-	-	-	-	-	-
1751431	0.02	1	0.15	0.12	855	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751432	<0.01	<1	0.02	0.03	166	0.07
1751433	<0.01	2	0.02	0.03	123	0.08
1751434	0.01	1	0.10	0.28	671	0.08
1751435	0.01	2	0.02	0.47	166	0.06
1751436	0.01	4	0.10	1.49	694	0.13
1751437	0.02	<1	0.25	0.22	1439	0.09
1751438	0.01	2	0.07	0.08	483	0.11
1751439	<0.01	3	0.07	1.20	306	0.08
1751440	-	-	-	-	-	-
1751441	0.01	3	0.04	1.96	248	0.11
1751442	<0.01	2	0.08	0.30	586	0.09
1751443	0.01	2	0.03	0.03	116	0.10
1751444	<0.01	<1	0.02	0.03	96.6	0.09
1751445	<0.01	2	0.02	0.02	53.1	0.06
1751446	<0.01	<1	0.02	0.02	85.0	0.07
1751447	0.01	1	0.03	0.03	139	0.25
1751448	<0.01	<1	<0.01	0.01	10.8	0.08
1751449	<0.01	1	<0.01	<0.01	28.7	0.09
1751450	-	-	-	-	-	-
1751451	<0.01	<1	<0.01	0.01	32.8	0.11
1751452	<0.01	2	0.04	0.48	153	0.10
1751453	<0.01	5	0.02	2.63	73.7	0.09
1751454	<0.01	3	<0.01	1.18	26.3	0.09
1751455	<0.01	3	<0.01	1.37	17.7	0.14
1751456	<0.01	1	<0.01	0.04	6.5	0.11
1751457	<0.01	<1	<0.01	0.01	7.0	0.09
1751458	<0.01	3	<0.01	0.83	6.7	0.08
1751459	<0.01	3	<0.01	1.58	4.3	0.06
1751460	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751461	<0.01	4	<0.01	2.83	7.5	0.06
1751462	<0.01	2	<0.01	0.68	4.7	0.06
1751463	<0.01	2	<0.01	1.34	29.0	0.06
1751464	<0.01	3	<0.01	1.26	9.5	0.08
1751465	<0.01	2	<0.01	0.35	13.7	0.05
1751466	<0.01	4	<0.01	1.22	18.5	0.08
1751467	<0.01	2	0.01	0.99	45.2	0.07
1751468	<0.01	4	<0.01	1.60	21.0	0.07
1751469	<0.01	6	0.02	4.96	90.4	0.04
1751470	-	-	-	-	-	-
1751471	<0.01	8	0.02	4.95	74.7	0.04
1751472	<0.01	5	0.01	3.41	67.4	0.04
1751473	<0.01	7	0.02	3.43	80.8	0.04
1751474	<0.01	6	0.01	4.49	80.4	0.05
1751475	<0.01	11	0.03	>5.00	213	0.05
*Dup 1751439	<0.01	3	0.07	1.04	328	0.09
*Std OREAS 601b	1.85	6	0.03	1.48	233	0.13
*Std OREAS 905	2.38	10	0.03	0.07	156	0.12
*Rep 1751414	0.01	<1	0.14	0.08	604	0.10
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.7	<0.01
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.26	9	0.03	0.09	141	0.11
*Std OREAS 601b	1.97	7	0.03	1.57	242	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep 1751451	<0.01	<1	<0.01	0.01	32.7	0.11
*Std OREAS 905	2.38	9	0.03	0.07	156	0.12
*Std OREAS 601b	1.88	6	0.03	1.44	239	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	258	86	34.9	0.19	15	2.2
1751402	31	13	88.7	0.67	41	0.3
1751403	6	4	94.5	0.42	98	<0.1
1751404	4	3	86.0	0.18	13	<0.1
1751405	9	3	97.9	0.39	227	<0.1
1751406	14	<1	77.1	0.13	12	0.2
1751407	9	2	95.4	0.08	3	0.2
1751408	6	3	116	0.05	1	<0.1
1751409	7	2	130	0.15	4	<0.1
1751410	-	-	-	-	-	-
1751411	9	2	85.4	0.06	3	0.2
1751412	9	3	81.3	0.08	3	0.1
1751413	10	1	64.6	0.03	3	0.2
1751414	13	1	128	0.05	3	0.2
1751415	12	2	74.5	0.04	4	0.2
1751416	12	1	60.7	0.05	3	0.2
1751417	13	2	74.3	0.02	3	0.2
1751418	5	2	92.6	<0.02	<1	<0.1
1751419	6	4	86.2	0.05	2	<0.1
1751420	-	-	-	-	-	-
1751421	10	<1	79.7	<0.02	2	0.1
1751422	9	1	103	0.03	2	0.1
1751423	7	2	111	0.05	<1	<0.1
1751424	8	2	91.4	0.13	1	0.1
1751425	11	3	97.1	0.06	2	0.3
1751426	12	2	130	0.03	<1	0.2
1751427	11	2	59.9	0.03	2	0.2
1751428	9	2	70.7	0.02	1	0.2
1751429	11	1	81.2	<0.02	2	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751430	-	-	-	-	-	-
1751431	12	1	64.2	0.02	2	0.2
1751432	3	1	65.1	0.04	<1	<0.1
1751433	3	2	83.8	0.04	<1	<0.1
1751434	10	1	105	0.05	3	0.2
1751435	3	1	66.4	0.08	3	<0.1
1751436	8	2	119	0.13	5	0.1
1751437	13	1	117	0.06	5	0.3
1751438	10	2	112	0.05	5	0.2
1751439	5	<1	84.6	0.08	5	<0.1
1751440	-	-	-	-	-	-
1751441	5	<1	118	<0.02	5	<0.1
1751442	9	<1	34.0	0.55	16	<0.1
1751443	6	3	39.9	0.08	2	<0.1
1751444	5	<1	71.2	0.07	3	<0.1
1751445	3	1	80.8	<0.02	2	<0.1
1751446	3	<1	33.9	<0.02	1	<0.1
1751447	8	<1	109	<0.02	2	<0.1
1751448	3	<1	68.2	<0.02	<1	<0.1
1751449	3	<1	59.8	<0.02	1	<0.1
1751450	-	-	-	-	-	-
1751451	4	<1	74.2	<0.02	2	0.1
1751452	4	2	92.2	0.26	5	0.2
1751453	4	<1	109	0.19	14	<0.1
1751454	3	<1	89.7	0.09	9	0.1
1751455	5	<1	142	0.11	14	<0.1
1751456	4	2	98.0	0.08	5	<0.1
1751457	3	<1	90.5	0.09	4	<0.1
1751458	3	2	90.3	0.27	7	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751459	3	3	85.6	0.07	11	<0.1
1751460	-	-	-	-	-	-
1751461	3	<1	97.0	0.09	7	<0.1
1751462	2	<1	77.6	<0.02	2	<0.1
1751463	2	<1	95.0	<0.02	4	<0.1
1751464	2	1	112	<0.02	4	<0.1
1751465	2	1	76.1	0.05	5	<0.1
1751466	3	<1	116	<0.02	7	<0.1
1751467	3	1	105	<0.02	5	<0.1
1751468	3	<1	78.2	<0.02	7	<0.1
1751469	3	<1	74.5	0.11	25	<0.1
1751470	-	-	-	-	-	-
1751471	3	2	87.3	0.06	31	<0.1
1751472	3	2	84.8	0.12	21	<0.1
1751473	3	2	83.6	0.04	15	<0.1
1751474	4	2	87.5	0.10	14	<0.1
1751475	4	3	75.4	0.20	14	<0.1
*Dup 1751439	5	1	85.8	0.09	6	<0.1
*Std OREAS 601b	12	315	174	50.25	287	2.4
*Std OREAS 905	11	141	240	0.56	37	3.2
*Rep 1751414	13	2	128	0.07	3	0.2
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Blk BLANK	<2	9	<0.5	0.04	<1	<0.1
*Std OREAS 905	10	127	234	0.67	32	3.1
*Std OREAS 601b	13	335	189	53.81	298	2.6
*Blk BLANK	<2	2	<0.5	0.04	<1	<0.1
*Rep 1751451	4	4	54.7	<0.02	2	0.1
*Std OREAS 905	11	131	253	0.38	33	3.4
*Std OREAS 601b	13	332	192	54.34	288	2.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element Method	@Bi GE_IMS40Q12	@Cd GE_IMS40Q12	@Ce GE_IMS40Q12	@Co GE_IMS40Q12	@Cs GE_IMS40Q12	Dy GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	1.15	0.11	46.42	94.2	3	7.04
1751402	24.89	0.09	27.07	18.9	<1	1.40
1751403	16.78	0.11	36.72	11.8	<1	0.80
1751404	15.52	<0.02	41.75	3.7	<1	0.79
1751405	67.23	0.13	62.49	16.2	<1	0.97
1751406	4.09	<0.02	99.66	1.6	<1	1.39
1751407	4.65	<0.02	95.00	0.2	<1	2.08
1751408	2.18	<0.02	20.24	0.2	<1	0.86
1751409	5.18	<0.02	62.09	0.4	<1	1.19
1751410	-	-	-	-	-	-
1751411	1.29	<0.02	85.65	0.3	<1	1.16
1751412	1.57	<0.02	120	0.1	<1	1.25
1751413	1.65	<0.02	110	0.2	<1	1.77
1751414	1.30	<0.02	84.12	0.2	<1	1.70
1751415	1.85	<0.02	192	0.2	<1	2.20
1751416	1.24	<0.02	116	0.2	<1	1.94
1751417	1.59	<0.02	112	0.1	<1	1.94
1751418	0.42	<0.02	7.60	0.2	<1	0.56
1751419	0.89	<0.02	33.28	0.1	<1	0.65
1751420	-	-	-	-	-	-
1751421	0.86	<0.02	62.57	0.1	<1	1.47
1751422	1.19	<0.02	89.58	0.1	<1	1.47
1751423	0.34	<0.02	6.60	0.2	<1	0.46
1751424	1.23	<0.02	29.79	0.3	<1	0.70
1751425	2.34	<0.02	84.74	0.1	<1	1.86
1751426	1.00	<0.02	20.01	0.1	<1	1.24
1751427	1.06	<0.02	20.08	0.1	<1	1.10
1751428	1.63	<0.02	63.42	0.1	<1	1.58

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751429	1.42	<0.02	46.50	0.1	<1	1.33
1751430	-	-	-	-	-	-
1751431	1.87	<0.02	67.09	0.2	<1	1.88
1751432	0.75	<0.02	9.99	0.2	<1	0.55
1751433	0.88	<0.02	8.88	0.3	<1	0.54
1751434	2.79	<0.02	43.34	1.3	<1	1.20
1751435	2.08	<0.02	11.61	3.9	<1	0.57
1751436	3.42	0.02	142	11.3	<1	2.24
1751437	4.06	<0.02	281	0.2	<1	3.25
1751438	2.60	0.03	85.04	0.2	<1	1.62
1751439	3.29	<0.02	25.18	3.8	<1	1.06
1751440	-	-	-	-	-	-
1751441	3.04	0.02	27.24	7.8	<1	1.01
1751442	7.33	<0.02	97.22	0.7	<1	1.87
1751443	8.40	<0.02	16.44	0.2	<1	0.90
1751444	3.93	<0.02	15.56	0.2	<1	0.74
1751445	2.22	<0.02	10.02	0.1	<1	0.59
1751446	1.75	<0.02	36.84	0.2	<1	0.71
1751447	0.87	<0.02	76.19	0.1	<1	1.21
1751448	0.77	<0.02	5.74	0.1	<1	0.51
1751449	1.58	<0.02	30.73	0.2	<1	0.61
1751450	-	-	-	-	-	-
1751451	1.89	<0.02	35.57	0.2	<1	0.50
1751452	2.29	0.02	202	2.4	<1	1.28
1751453	22.77	0.02	101	9.7	<1	0.96
1751454	12.62	0.03	31.60	6.4	<1	0.51
1751455	13.72	<0.02	10.16	6.6	<1	0.65
1751456	8.75	0.03	1.30	0.3	<1	0.43
1751457	5.51	<0.02	1.82	0.2	<1	0.53

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751458	3.15	0.03	1.78	3.3	<1	0.45
1751459	4.08	<0.02	1.81	6.1	<1	0.50
1751460	-	-	-	-	-	-
1751461	7.48	0.03	4.47	9.6	<1	0.50
1751462	1.40	<0.02	1.92	2.4	<1	0.50
1751463	2.66	<0.02	14.54	6.2	<1	0.59
1751464	4.88	0.03	4.48	4.4	<1	0.57
1751465	3.95	<0.02	6.18	1.4	<1	0.50
1751466	4.31	0.03	7.64	2.2	<1	0.61
1751467	2.71	0.02	18.15	1.7	<1	0.58
1751468	2.15	0.03	10.22	3.9	<1	0.57
1751469	8.49	0.05	21.31	22.1	<1	0.68
1751470	-	-	-	-	-	-
1751471	6.71	0.06	19.26	22.6	<1	0.85
1751472	6.41	0.06	20.69	18.9	<1	0.71
1751473	4.66	0.07	20.54	19.6	<1	0.76
1751474	4.64	0.06	19.86	23.4	<1	0.76
1751475	5.04	0.07	27.70	29.0	<1	0.92
*Dup 1751439	3.30	0.03	24.58	3.2	<1	1.07
*Std OREAS 601b	17.50	2.03	68.90	3.0	5	2.50
*Std OREAS 905	5.80	0.34	92.17	15.7	8	3.57
*Rep 1751414	1.34	<0.02	86.70	0.2	<1	1.74
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.46	0.37	89.72	14.2	7	3.57
*Std OREAS 601b	18.44	2.25	74.71	3.1	5	2.79
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Rep 1751451	1.96	<0.02	36.43	0.2	<1	0.52
*Std OREAS 905	5.44	0.35	92.14	15.3	8	3.72

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10923**

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	16.96	2.16	69.64	3.2	6	2.72

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	3.90	2.45	8.5	20.0	1.30	1.34
1751402	0.99	0.61	2.0	4.3	2.57	0.29
1751403	0.61	0.54	1.7	4.3	2.60	0.16
1751404	0.57	0.63	1.8	2.3	2.46	0.15
1751405	0.69	0.89	2.5	3.5	2.68	0.18
1751406	0.53	1.75	4.5	21.1	2.21	0.16
1751407	0.78	2.18	5.5	7.4	2.69	0.27
1751408	0.74	0.40	1.1	2.7	3.25	0.19
1751409	0.72	1.27	3.3	6.7	3.41	0.19
1751410	-	-	-	-	-	-
1751411	0.65	1.25	3.2	14.5	2.40	0.18
1751412	0.65	1.45	3.7	9.6	2.31	0.18
1751413	0.66	1.86	5.1	13.3	1.90	0.21
1751414	0.92	1.46	4.1	10.6	3.52	0.26
1751415	0.69	2.05	6.1	12.6	2.17	0.24
1751416	0.66	1.64	5.0	13.4	1.73	0.22
1751417	0.74	1.82	5.3	10.6	2.12	0.24
1751418	0.54	0.14	0.5	0.2	2.57	0.14
1751419	0.50	0.55	1.5	2.4	2.37	0.13
1751420	-	-	-	-	-	-
1751421	0.61	1.13	3.4	6.7	2.14	0.20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751422	0.71	1.46	4.1	4.7	2.82	0.21
1751423	0.52	0.12	0.4	0.6	3.05	0.12
1751424	0.54	0.51	1.4	4.2	2.47	0.14
1751425	0.87	1.79	4.9	7.4	2.80	0.26
1751426	0.83	0.63	2.0	7.4	3.71	0.23
1751427	0.48	0.73	2.3	14.1	1.74	0.15
1751428	0.62	1.17	3.8	15.8	2.02	0.19
1751429	0.60	1.07	3.3	23.6	2.30	0.18
1751430	-	-	-	-	-	-
1751431	0.60	1.57	5.0	25.1	1.85	0.21
1751432	0.47	0.27	0.8	0.3	1.83	0.12
1751433	0.51	0.24	0.7	0.4	2.20	0.12
1751434	0.63	1.31	3.4	16.9	2.96	0.17
1751435	0.45	0.33	0.9	0.4	1.85	0.12
1751436	1.35	2.20	5.5	2.4	2.45	0.36
1751437	1.09	4.14	10.0	17.2	3.28	0.36
1751438	0.91	1.61	3.7	10.4	1.83	0.26
1751439	0.83	0.64	1.7	1.0	1.62	0.22
1751440	-	-	-	-	-	-
1751441	0.72	0.77	2.0	0.5	3.06	0.19
1751442	1.01	2.32	5.8	0.8	1.00	0.27
1751443	0.67	0.50	1.4	0.7	0.74	0.18
1751444	0.62	0.54	1.5	0.4	1.86	0.16
1751445	0.50	0.27	0.8	0.2	2.27	0.13
1751446	0.53	0.69	1.8	0.3	0.65	0.13
1751447	0.98	1.35	3.8	0.5	3.00	0.23
1751448	0.54	0.12	0.5	0.2	1.94	0.14
1751449	0.53	0.39	1.1	0.2	1.82	0.14
1751450	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751451	0.49	0.36	1.0	0.4	1.98	0.12
1751452	0.74	2.26	6.0	0.8	2.51	0.18
1751453	0.72	1.29	3.4	0.4	2.97	0.17
1751454	0.45	0.49	1.3	0.4	2.48	0.11
1751455	0.68	0.16	0.5	0.3	3.81	0.17
1751456	0.50	<0.05	0.2	0.4	2.68	0.12
1751457	0.55	<0.05	0.3	0.3	2.41	0.14
1751458	0.49	<0.05	0.2	0.2	2.44	0.12
1751459	0.50	<0.05	0.3	0.2	2.19	0.13
1751460	-	-	-	-	-	-
1751461	0.53	0.09	0.4	0.3	2.53	0.13
1751462	0.50	<0.05	0.3	0.2	2.07	0.13
1751463	0.55	0.30	0.9	0.2	2.52	0.14
1751464	0.61	0.08	0.4	0.2	2.97	0.15
1751465	0.48	0.12	0.5	0.2	2.00	0.13
1751466	0.65	0.15	0.6	0.2	3.10	0.16
1751467	0.56	0.31	0.9	0.4	2.85	0.14
1751468	0.51	0.21	0.7	0.3	2.10	0.14
1751469	0.57	0.49	1.4	0.3	2.08	0.15
1751470	-	-	-	-	-	-
1751471	0.66	0.48	1.3	0.2	2.41	0.18
1751472	0.59	0.48	1.3	0.3	2.34	0.16
1751473	0.62	0.51	1.4	0.3	2.36	0.16
1751474	0.60	0.50	1.3	0.3	2.45	0.16
1751475	0.63	0.89	2.5	0.3	2.32	0.18
*Dup 1751439	0.83	0.65	1.7	0.9	1.31	0.22
*Std OREAS 601b	0.83	0.93	4.0	22.7	5.01	0.35
*Std OREAS 905	1.13	1.39	5.9	24.7	7.00	0.51
*Rep 1751414	0.95	1.49	4.2	11.2	3.65	0.26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.15	1.32	5.7	23.9	7.15	0.53
*Std OREAS 601b	0.92	1.02	4.3	24.8	5.79	0.42
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep 1751451	0.49	0.36	1.0	0.4	1.51	0.12
*Std OREAS 905	1.21	1.40	5.9	27.1	7.34	0.53
*Std OREAS 601b	0.90	0.99	4.2	25.7	5.54	0.40

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	0.06	27.4	0.46	3.07	4.3	41.6
1751402	0.08	14.2	0.19	27.49	1.8	13.5
1751403	0.06	17.1	0.16	23.98	1.4	14.4
1751404	<0.02	18.0	0.14	16.48	1.8	17.9
1751405	0.22	29.8	0.16	52.31	1.3	27.7
1751406	<0.02	45.5	0.13	9.54	1.7	43.4
1751407	<0.02	40.8	0.15	8.66	1.9	39.5
1751408	<0.02	8.3	0.20	11.46	2.3	8.6
1751409	<0.02	25.7	0.22	395	2.0	29.4
1751410	-	-	-	-	-	-
1751411	<0.02	40.5	0.15	24.22	1.9	38.5
1751412	<0.02	58.3	0.14	136	1.7	50.7
1751413	<0.02	54.3	0.14	4.48	1.4	47.7
1751414	<0.02	41.5	0.23	6.98	2.6	37.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751415	<0.02	98.5	0.15	5.45	1.2	59.8
1751416	<0.02	56.9	0.13	3.20	1.0	45.0
1751417	<0.02	54.4	0.16	3.98	1.8	47.4
1751418	<0.02	3.3	0.15	6.53	2.5	3.6
1751419	<0.02	14.8	0.13	7.67	1.5	14.8
1751420	-	-	-	-	-	-
1751421	<0.02	30.1	0.13	7.05	1.7	28.9
1751422	<0.02	45.5	0.16	3.75	2.0	38.1
1751423	<0.02	3.1	0.15	3.65	2.4	3.1
1751424	<0.02	14.0	0.14	7.30	1.5	14.3
1751425	<0.02	39.8	0.18	4.05	1.9	44.0
1751426	<0.02	8.2	0.21	6.05	2.6	14.5
1751427	<0.02	8.9	0.12	3.49	1.2	12.5
1751428	<0.02	32.2	0.15	3.38	1.1	21.8
1751429	<0.02	21.9	0.16	5.15	1.4	18.7
1751430	-	-	-	-	-	-
1751431	<0.02	34.7	0.14	1.90	1.3	26.1
1751432	<0.02	5.3	0.13	4.97	1.4	4.3
1751433	<0.02	4.7	0.15	5.78	1.6	3.7
1751434	<0.02	18.8	0.18	8.60	2.1	18.4
1751435	<0.02	5.5	0.12	11.66	1.4	5.2
1751436	<0.02	76.1	0.39	15.21	1.6	46.8
1751437	<0.02	141	0.22	4.67	2.6	100
1751438	<0.02	46.4	0.26	10.05	1.6	29.0
1751439	0.04	13.7	0.23	20.95	1.6	10.4
1751440	-	-	-	-	-	-
1751441	0.02	15.1	0.21	32.10	2.2	11.4
1751442	0.05	51.5	0.28	25.81	1.5	40.3
1751443	<0.02	7.6	0.17	7.10	0.9	10.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751444	<0.02	7.5	0.17	8.56	1.1	9.1
1751445	<0.02	4.9	0.14	5.91	1.0	5.0
1751446	<0.02	17.1	0.14	5.63	0.6	15.1
1751447	<0.02	39.1	0.30	4.15	2.8	30.0
1751448	<0.02	2.7	0.13	5.63	1.1	2.9
1751449	<0.02	16.5	0.14	5.76	1.5	12.0
1751450	-	-	-	-	-	-
1751451	<0.02	18.3	0.15	6.43	0.7	12.0
1751452	<0.02	117	0.19	4.71	0.4	66.5
1751453	<0.02	57.2	0.19	21.98	1.6	35.6
1751454	<0.02	16.0	0.15	12.32	0.7	13.8
1751455	<0.02	5.5	0.22	15.82	1.9	4.1
1751456	<0.02	0.7	0.17	13.07	0.6	0.6
1751457	<0.02	1.0	0.16	6.74	0.8	1.0
1751458	<0.02	1.0	0.15	29.64	0.9	0.9
1751459	<0.02	0.9	0.14	13.75	1.1	1.0
1751460	-	-	-	-	-	-
1751461	<0.02	2.3	0.16	21.28	1.1	2.1
1751462	<0.02	1.0	0.13	15.99	0.9	1.0
1751463	<0.02	6.8	0.16	24.02	1.4	8.1
1751464	<0.02	2.5	0.18	20.19	1.8	1.9
1751465	<0.02	3.2	0.13	26.12	1.1	2.9
1751466	<0.02	4.1	0.20	29.13	1.7	3.4
1751467	<0.02	9.7	0.17	15.74	0.9	7.6
1751468	<0.02	5.2	0.13	18.36	1.0	4.8
1751469	<0.02	10.5	0.13	20.22	1.2	10.6
1751470	-	-	-	-	-	-
1751471	<0.02	9.3	0.16	26.91	1.4	9.7
1751472	<0.02	10.2	0.15	27.55	1.4	10.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751473	<0.02	9.8	0.15	25.63	1.4	11.1
1751474	<0.02	10.2	0.15	25.41	1.5	10.0
1751475	<0.02	15.8	0.15	26.20	1.6	14.9
*Dup 1751439	0.04	13.3	0.23	20.52	1.6	10.2
*Std OREAS 601b	0.41	33.6	0.06	5.23	15.3	29.2
*Std OREAS 905	0.58	44.0	0.08	3.22	19.2	40.0
*Rep 1751414	<0.02	42.4	0.24	6.97	2.8	39.2
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.64	44.1	0.09	3.11	17.9	39.1
*Std OREAS 601b	0.52	36.9	0.08	5.49	16.8	31.5
*Blk BLANK	<0.02	<0.1	<0.01	0.05	<0.1	<0.1
*Rep 1751451	<0.02	18.6	0.16	6.09	0.8	12.4
*Std OREAS 905	0.66	46.4	0.09	3.71	19.0	40.0
*Std OREAS 601b	0.50	32.8	0.07	5.62	15.9	30.4

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	13.7	9.22	31.3	0.87	52.2	3
1751402	103	3.51	5.2	5.83	8.1	41
1751403	137	3.98	0.5	7.73	2.9	33
1751404	88.1	4.69	<0.2	1.76	2.8	39
1751405	196	7.12	0.3	16.53	3.5	53
1751406	302	11.60	0.2	1.13	3.1	12
1751407	534	10.70	0.5	0.59	3.3	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10923**

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751408	102	2.33	0.6	0.43	4.2	<2
1751409	286	7.48	0.4	1.28	4.5	10
1751410	-	-	-	-	-	-
1751411	122	10.13	0.5	0.51	3.3	<2
1751412	153	13.80	0.7	0.64	3.0	3
1751413	272	12.64	0.5	0.32	3.1	<2
1751414	194	9.86	0.4	0.65	5.8	6
1751415	287	18.95	0.5	0.33	3.3	<2
1751416	208	12.47	0.4	0.35	2.7	<2
1751417	269	12.60	0.7	0.43	3.2	<2
1751418	15.6	0.94	<0.2	0.30	2.6	<2
1751419	61.3	3.79	0.4	0.35	2.2	3
1751420	-	-	-	-	-	-
1751421	149	7.29	0.3	0.37	2.8	<2
1751422	209	10.04	0.3	0.53	3.4	<2
1751423	15.8	0.80	<0.2	0.36	3.1	<2
1751424	37.3	3.62	0.3	0.37	3.0	3
1751425	173	10.67	0.3	0.52	4.3	4
1751426	65.7	3.14	0.8	0.49	4.4	<2
1751427	103	2.78	0.7	0.37	2.9	<2
1751428	255	6.30	0.9	0.30	3.1	<2
1751429	199	5.02	0.8	0.41	3.4	<2
1751430	-	-	-	-	-	-
1751431	307	7.17	1.0	0.40	3.2	<2
1751432	51.5	1.15	<0.2	0.34	2.5	<2
1751433	46.9	1.00	<0.2	0.36	2.5	<2
1751434	300	4.91	0.3	1.20	3.8	7
1751435	69.6	1.36	<0.2	0.56	1.9	9
1751436	332	14.12	<0.2	1.03	7.2	22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751437	610	31.19	0.2	1.24	4.6	7
1751438	209	9.51	<0.2	1.68	4.5	12
1751439	132	3.13	<0.2	1.00	3.8	28
1751440	-	-	-	-	-	-
1751441	126	3.35	<0.2	0.71	3.8	15
1751442	190	11.67	<0.2	1.62	7.1	67
1751443	34.1	2.55	<0.2	0.47	3.7	<2
1751444	27.6	2.29	<0.2	0.78	3.1	6
1751445	18.7	1.40	<0.2	0.29	2.7	12
1751446	21.7	4.49	<0.2	0.38	2.6	5
1751447	32.8	9.10	<0.2	0.41	6.1	<2
1751448	4.2	0.80	<0.2	0.23	2.9	<2
1751449	8.2	3.85	<0.2	0.24	2.9	<2
1751450	-	-	-	-	-	-
1751451	9.0	3.98	<0.2	0.45	3.2	3
1751452	32.6	21.94	<0.2	0.72	4.2	17
1751453	17.3	11.52	<0.2	0.65	4.2	24
1751454	6.9	4.14	<0.2	0.64	3.3	14
1751455	6.7	1.26	<0.2	0.74	5.1	24
1751456	3.3	0.18	<0.2	0.78	3.4	30
1751457	3.1	0.27	<0.2	0.64	3.2	18
1751458	3.6	0.24	<0.2	0.62	3.2	45
1751459	2.5	0.27	<0.2	0.72	2.8	17
1751460	-	-	-	-	-	-
1751461	4.5	0.61	<0.2	0.61	3.0	8
1751462	2.1	0.27	<0.2	0.58	2.5	7
1751463	9.0	2.11	<0.2	0.65	2.9	8
1751464	3.2	0.55	<0.2	0.73	3.2	8
1751465	5.0	0.80	<0.2	1.51	2.4	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751466	6.2	0.99	<0.2	0.72	3.7	14
1751467	8.1	2.28	<0.2	0.89	3.0	12
1751468	5.5	1.34	<0.2	0.61	2.7	13
1751469	21.9	2.90	<0.2	1.85	2.3	23
1751470	-	-	-	-	-	-
1751471	19.2	2.67	<0.2	2.58	2.5	18
1751472	19.4	2.81	<0.2	1.25	2.4	16
1751473	26.9	2.90	<0.2	1.30	2.4	14
1751474	32.6	2.70	<0.2	1.67	2.5	27
1751475	69.7	3.85	<0.2	1.66	1.9	27
*Dup 1751439	133	3.08	<0.2	0.95	3.7	29
*Std OREAS 601b	310	7.74	96.8	22.96	4.1	10
*Std OREAS 905	29.1	10.53	142	1.90	5.6	3
*Rep 1751414	200	10.04	0.4	0.72	5.9	6
*Blk BLANK	0.7	<0.05	<0.2	<0.05	<0.5	<2
*Blk BLANK	0.6	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	28.1	10.45	134	1.82	5.2	3
*Std OREAS 601b	366	8.58	104	25.14	4.4	11
*Blk BLANK	0.5	<0.05	<0.2	<0.05	<0.5	<2
*Rep 1751451	9.4	4.05	<0.2	0.46	3.2	3
*Std OREAS 905	29.6	11.30	134	2.02	5.6	3
*Std OREAS 601b	337	8.53	98.7	24.08	4.4	10

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	9.2	1.1	0.37	1.19	0.82	4.4
1751402	2.6	3.7	0.09	0.25	20.10	5.0
1751403	2.5	5.8	0.07	0.17	17.39	6.0
1751404	2.9	4.5	0.07	0.18	5.38	5.4
1751405	4.7	8.5	<0.05	0.23	125	8.4
1751406	6.6	3.5	0.30	0.43	2.37	17.5
1751407	7.5	3.8	0.12	0.58	0.73	9.0
1751408	1.5	4.4	0.07	0.15	0.46	3.3
1751409	4.8	4.0	0.06	0.31	7.27	7.7
1751410	-	-	-	-	-	-
1751411	6.0	2.9	0.11	0.30	0.96	9.9
1751412	7.3	3.0	0.10	0.33	1.84	12.0
1751413	8.3	2.6	0.13	0.49	0.31	15.3
1751414	6.6	3.8	0.16	0.42	1.68	12.7
1751415	8.5	2.2	0.11	0.65	0.43	20.4
1751416	7.2	2.2	0.12	0.54	0.36	14.1
1751417	7.8	3.5	0.16	0.55	0.37	15.8
1751418	0.6	3.3	0.13	0.08	0.16	1.8
1751419	2.5	3.0	<0.05	0.15	0.72	5.1
1751420	-	-	-	-	-	-
1751421	5.0	2.6	0.10	0.38	0.59	8.3
1751422	6.3	4.4	0.06	0.41	0.25	11.6
1751423	0.5	4.8	0.10	0.06	0.28	2.1
1751424	2.4	3.5	<0.05	0.14	0.68	4.8
1751425	8.3	3.3	0.12	0.48	0.93	12.3
1751426	2.9	3.9	0.16	0.25	0.62	5.2
1751427	2.9	2.6	0.13	0.27	0.67	6.6
1751428	4.0	2.4	0.09	0.44	0.29	15.5
1751429	3.8	2.9	0.15	0.37	0.40	10.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751430	-	-	-	-	-	-
1751431	5.3	2.8	0.13	0.55	0.20	12.7
1751432	1.0	2.1	<0.05	0.10	0.45	2.4
1751433	0.8	2.6	0.06	0.09	0.37	2.1
1751434	3.8	5.2	0.13	0.34	2.03	6.6
1751435	1.1	2.2	0.05	0.12	1.23	2.1
1751436	7.4	8.5	<0.05	0.57	2.03	12.7
1751437	14.8	6.6	0.15	1.02	2.13	20.6
1751438	5.0	5.3	<0.05	0.42	3.62	8.8
1751439	2.2	4.0	<0.05	0.22	4.39	3.8
1751440	-	-	-	-	-	-
1751441	2.5	5.2	0.07	0.23	1.99	4.1
1751442	8.0	5.8	<0.05	0.58	16.61	12.1
1751443	2.2	3.7	<0.05	0.17	3.86	2.6
1751444	2.2	3.0	<0.05	0.15	6.76	3.3
1751445	1.1	2.3	<0.05	0.10	1.20	2.1
1751446	2.8	2.4	<0.05	0.18	1.96	4.5
1751447	5.3	8.2	0.14	0.35	0.82	7.1
1751448	0.6	2.7	<0.05	0.07	0.72	1.6
1751449	1.9	3.1	0.07	0.11	0.40	3.3
1751450	-	-	-	-	-	-
1751451	1.6	5.2	<0.05	0.11	1.15	4.8
1751452	10.1	8.0	<0.05	0.49	1.33	16.6
1751453	6.0	6.1	0.05	0.28	8.91	10.0
1751454	2.4	5.4	<0.05	0.12	4.02	5.5
1751455	0.8	8.6	<0.05	0.09	14.40	3.3
1751456	0.1	6.8	<0.05	<0.05	7.56	1.3
1751457	0.2	5.0	<0.05	0.06	4.68	1.4
1751458	0.2	4.1	<0.05	0.05	1.51	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751459	0.2	3.4	<0.05	0.06	5.93	1.3
1751460	-	-	-	-	-	-
1751461	0.4	3.9	<0.05	0.07	2.63	2.5
1751462	0.2	2.3	<0.05	0.06	1.16	1.4
1751463	1.6	2.3	<0.05	0.10	3.03	3.9
1751464	0.4	2.5	0.05	0.07	3.22	2.4
1751465	0.6	1.7	<0.05	0.07	2.54	2.2
1751466	0.7	3.5	<0.05	0.09	6.93	2.6
1751467	1.4	3.2	<0.05	0.11	3.95	4.6
1751468	0.9	3.7	<0.05	0.09	1.73	2.8
1751469	2.0	3.7	0.06	0.15	4.86	4.3
1751470	-	-	-	-	-	-
1751471	1.9	4.2	0.07	0.16	5.89	4.2
1751472	1.9	3.7	0.06	0.14	6.05	4.5
1751473	2.0	3.9	0.07	0.16	3.41	4.2
1751474	2.0	4.0	0.07	0.15	6.62	4.5
1751475	3.3	4.3	0.10	0.25	5.26	4.8
*Dup 1751439	2.1	4.3	<0.05	0.21	4.00	3.8
*Std OREAS 601b	5.3	3.4	1.09	0.52	12.24	11.6
*Std OREAS 905	7.6	4.0	1.33	0.74	0.10	14.2
*Rep 1751414	6.8	4.3	0.19	0.43	1.78	13.0
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.5	3.7	1.30	0.75	0.17	13.5
*Std OREAS 601b	5.7	3.6	1.23	0.58	13.11	12.4
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1751451	1.7	5.3	<0.05	0.11	1.06	5.0
*Std OREAS 905	7.9	4.2	1.39	0.75	0.10	15.5
*Std OREAS 601b	5.7	3.6	1.17	0.54	12.51	13.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10923**

Element Method	@TI GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751401	0.25	0.51	0.93	2.0	41.1	3.3
1751402	0.16	0.15	1.04	1.6	7.9	1.2
1751403	0.19	0.11	1.01	1.2	4.3	0.9
1751404	0.02	0.09	0.92	1.3	3.8	0.8
1751405	0.25	0.11	1.32	1.9	4.6	1.0
1751406	<0.02	0.08	1.09	1.3	3.5	0.8
1751407	<0.02	0.11	1.19	1.6	6.1	0.9
1751408	<0.02	0.14	1.02	1.6	5.1	1.2
1751409	<0.02	0.13	1.21	2.4	4.7	1.2
1751410	-	-	-	-	-	-
1751411	<0.02	0.10	0.76	1.4	4.6	0.8
1751412	<0.02	0.09	0.84	1.5	4.4	0.8
1751413	<0.02	0.09	0.77	1.1	4.9	0.8
1751414	<0.02	0.15	1.17	1.2	6.6	1.3
1751415	<0.02	0.10	1.00	0.8	5.0	0.8
1751416	<0.02	0.09	0.76	0.9	5.2	0.7
1751417	<0.02	0.10	0.98	1.2	5.5	0.9
1751418	<0.02	0.10	0.75	1.0	3.9	0.9
1751419	<0.02	0.08	0.79	0.7	3.3	0.7
1751420	-	-	-	-	-	-
1751421	<0.02	0.09	0.81	0.8	4.8	0.7
1751422	<0.02	0.11	0.99	1.3	5.3	0.9
1751423	<0.02	0.10	0.78	1.2	3.3	0.9
1751424	<0.02	0.09	0.71	1.2	3.8	0.8
1751425	<0.02	0.12	1.05	1.0	6.5	1.1
1751426	0.02	0.14	1.05	1.5	6.0	1.3
1751427	0.02	0.08	0.59	0.8	3.7	0.7
1751428	0.03	0.10	0.74	0.8	4.6	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10923**

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
1751429	0.02	0.10	0.77	0.8	4.4	0.9
1751430	-	-	-	-	-	-
1751431	0.03	0.09	0.74	0.9	4.9	0.8
1751432	<0.02	0.09	0.63	0.9	3.3	0.7
1751433	<0.02	0.10	0.69	1.1	3.4	0.9
1751434	<0.02	0.11	0.98	1.5	4.4	1.0
1751435	<0.02	0.08	0.67	1.2	3.1	0.7
1751436	<0.02	0.24	2.12	1.9	8.9	2.2
1751437	<0.02	0.15	1.66	1.6	7.9	1.3
1751438	<0.02	0.16	1.37	1.4	6.1	1.5
1751439	<0.02	0.16	1.15	1.7	5.8	1.3
1751440	-	-	-	-	-	-
1751441	<0.02	0.14	1.10	2.1	4.8	1.2
1751442	<0.02	0.19	1.67	1.8	6.5	1.6
1751443	<0.02	0.13	0.92	1.7	4.5	1.0
1751444	<0.02	0.11	0.89	1.2	3.9	0.9
1751445	<0.02	0.10	0.71	0.6	3.3	0.8
1751446	<0.02	0.10	0.81	0.4	3.4	0.8
1751447	<0.02	0.18	1.45	1.4	5.6	1.7
1751448	<0.02	0.10	0.62	0.3	3.6	0.8
1751449	<0.02	0.09	0.67	0.6	3.5	0.8
1751450	-	-	-	-	-	-
1751451	<0.02	0.10	0.77	0.3	3.0	0.8
1751452	<0.02	0.12	1.37	0.5	3.9	1.0
1751453	<0.02	0.13	1.18	1.3	4.3	1.1
1751454	<0.02	0.09	0.78	0.5	2.7	0.8
1751455	<0.02	0.14	1.10	1.4	4.3	1.2
1751456	<0.02	0.10	0.72	0.3	3.1	0.9
1751457	<0.02	0.11	0.70	0.4	3.6	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751458	<0.02	0.10	0.69	0.9	3.3	0.9
1751459	<0.02	0.10	0.63	1.0	3.4	0.8
1751460	-	-	-	-	-	-
1751461	0.02	0.11	0.74	0.9	3.6	0.9
1751462	<0.02	0.09	0.62	0.6	3.3	0.8
1751463	<0.02	0.11	0.79	1.1	3.8	0.9
1751464	<0.02	0.12	0.83	1.4	4.0	1.0
1751465	<0.02	0.09	0.59	1.1	3.3	0.7
1751466	<0.02	0.12	0.87	1.6	4.4	1.1
1751467	<0.02	0.11	0.82	1.0	3.7	0.9
1751468	<0.02	0.09	0.63	0.8	3.7	0.8
1751469	0.07	0.10	0.92	1.3	3.9	0.8
1751470	-	-	-	-	-	-
1751471	0.06	0.11	0.99	1.7	4.7	0.9
1751472	0.06	0.11	0.97	2.0	4.2	0.9
1751473	0.06	0.11	1.04	1.4	4.4	0.9
1751474	0.06	0.11	1.10	1.4	4.3	0.9
1751475	0.06	0.11	1.02	1.5	4.2	0.9
*Dup 1751439	<0.02	0.15	1.16	1.7	5.6	1.3
*Std OREAS 601b	1.41	0.09	4.41	6.5	11.3	0.5
*Std OREAS 905	0.70	0.11	4.74	2.8	16.3	0.6
*Rep 1751414	<0.02	0.16	1.21	1.4	6.6	1.4
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.67	0.12	4.62	2.7	14.8	0.6
*Std OREAS 601b	1.54	0.10	4.77	6.7	11.7	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1751451	<0.02	0.09	0.80	0.3	3.0	0.9
*Std OREAS 905	0.73	0.12	5.26	2.9	16.0	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(1-75)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10923

Element	@TI	Tm	@U	@W	@Y	@Yb
<b>Method</b>	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
<b>Lower Limit</b>	0.02	0.05	0.05	0.1	0.1	0.1
<b>Upper Limit</b>	10,000	500	10,000	10,000	10,000	1,000
<b>Unit</b>	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	1.54	0.10	4.96	6.6	12.0	0.5

Element	@S
<b>Method</b>	GE_CSA06V
<b>Lower Limit</b>	0.005
<b>Upper Limit</b>	30
<b>Unit</b>	%
1751475	7.521
*Blk BLANK	<0.005
*Rep 1751475	7.720
*Std OREAS 135	7.279
*Blk BLANK	<0.005
*Std OREAS 135	7.228

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-10927

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	12-Jul-2021 - 11-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Hole	Date Completed	16-Aug-2021
B21C-011/253 CORE(76-150)		SGS Order Number	BBM21-10927
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
67	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
67	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
67	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
67	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
23	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.  
Sample may have coarse gold.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

17-Aug-2021 4:32AM BBM\_U0012993082

Page 1 of 33

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751476	6.08	0.394	0.07	25	0.02	15
1751477	4.41	0.357	0.07	20	0.02	15
1751478	4.73	0.081	0.02	6	<0.01	17
1751479	5.96	0.133	0.17	8	<0.01	17
1751480	1.98	<0.005	-	-	-	-
1751481	5.85	0.034	0.11	29	<0.01	23
1751482	5.74	0.069	0.04	7	<0.01	22
1751483	5.64	0.080	0.13	11	0.01	20
1751484	6.11	0.213	0.10	5	<0.01	21
1751485	4.36	0.459	0.10	10	<0.01	29
1751486	5.86	0.305	0.03	4	<0.01	14
1751487	4.62	0.339	0.08	4	<0.01	39
1751488	6.25	0.243	0.06	4	<0.01	13
1751489	5.87	0.360	0.06	2	<0.01	26
1751490	-	0.409	-	-	-	-
1751491	6.47	0.282	0.14	23	0.01	14
1751492	7.44	0.402	0.15	25	0.02	34
1751493	6.09	0.427	0.12	16	<0.01	15
1751494	5.85	0.433	0.04	22	<0.01	29
1751495	3.64	0.079	0.06	32	0.01	13
1751496	1.26	0.117	0.05	19	<0.01	12
1751497	6.16	0.316	0.03	6	<0.01	18
1751498	6.77	0.144	0.10	11	<0.01	23
1751499	5.90	0.074	0.09	16	<0.01	22
1751500	0.06	0.684	-	-	-	-
1751501	6.41	0.844	0.03	16	<0.01	27
1751502	6.24	0.271	0.02	3	<0.01	27
1751503	6.50	0.070	0.03	12	<0.01	15
1751504	4.12	0.187	0.04	14	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751505	5.06	0.152	0.09	49	0.02	12
1751506	5.79	0.223	0.06	16	<0.01	19
1751507	5.29	0.213	0.04	14	<0.01	24
1751508	5.27	0.104	0.05	22	0.01	23
1751509	2.91	0.256	0.05	21	0.01	27
1751510	0.06	<0.005	-	-	-	-
1751511	3.56	0.078	0.02	6	<0.01	21
1751512	4.78	0.099	0.03	7	0.04	81
1751513	6.59	0.165	0.21	18	0.01	17
1751514	5.50	0.401	0.04	8	<0.01	41
1751515	5.70	0.558	0.05	13	0.01	19
1751516	5.66	0.593	0.05	16	<0.01	34
1751517	7.13	0.387	0.04	10	<0.01	27
1751518	6.20	0.244	0.04	10	<0.01	30
1751519	5.06	0.270	0.05	19	<0.01	18
1751520	-	0.226	-	-	-	-
1751521	6.28	0.239	0.04	15	<0.01	19
1751522	5.34	0.330	0.04	15	<0.01	19
1751523	5.96	0.278	0.04	17	<0.01	20
1751524	6.27	0.306	0.04	16	<0.01	21
1751525	4.60	0.185	0.04	11	<0.01	20
1751526	4.04	0.849	0.04	16	<0.01	21
1751527	8.25	2.163	0.06	22	0.01	18
1751528	5.47	2.097	0.05	13	<0.01	15
1751529	4.40	1.125	0.05	23	<0.01	19
1751530	0.06	7.493	-	-	-	-
1751531	6.45	1.303	0.06	18	0.01	21
1751532	6.02	0.340	0.05	20	<0.01	36
1751533	5.54	0.392	0.02	6	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10927**

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751534	7.12	0.361	0.03	8	<0.01	44
1751535	6.13	0.250	0.05	24	<0.01	28
1751536	4.92	0.272	0.04	26	<0.01	38
1751537	5.84	0.295	0.02	12	<0.01	16
1751538	4.16	1.048	0.05	24	<0.01	23
1751539	5.82	1.051	0.08	83	0.01	11
1751540	2.76	<0.005	-	-	-	-
1751541	4.34	0.534	0.10	90	0.01	11
1751542	5.39	0.452	0.27	50	0.03	10
1751543	4.19	0.130	1.27	589	0.20	7
1751544	4.67	0.215	0.47	253	0.08	7
1751545	7.17	4.090	0.11	20	<0.01	15
1751546	6.32	0.499	2.75	84	0.03	14
1751547	6.27	0.166	7.54	117	0.04	13
1751548	7.23	0.223	8.96	109	0.05	12
1751549	4.03	0.037	6.40	33	0.02	12
1751550	-	0.031	-	-	-	-
*Dup 1751514	-	0.341	0.04	7	<0.01	37
*Std OREAS 601b	-	-	6.65	293	0.87	18
*Std OREAS 905	-	-	7.70	2704	0.57	14
*Rep 1751522	-	-	0.04	14	<0.01	18
*Blk BLANK	-	<0.005	-	-	-	-
*Std PBS88	-	3.983	-	-	-	-
*Std OREAS 238	-	2.807	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 279	-	6.433	-	-	-	-
*Rep 1751501	-	1.051	-	-	-	-
*Rep 1751502	-	0.406	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std SN106	-	8.135	-	-	-	-
*Std OREAS 238	-	2.915	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751546	-	0.522	-	-	-	-
*Rep 1751550	-	-	5.78	31	0.02	7
*Std OREAS 601b	-	-	6.57	2040	0.86	16
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.41	2655	0.60	16
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	6.65	2454	0.53	13
*Rep 1751497	-	-	0.03	6	<0.01	13
*Std OREAS 601b	-	-	6.65	369	0.90	20

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751476	428	8.08	<0.01	<1	<0.01	45
1751477	366	7.72	<0.01	<1	<0.01	28
1751478	136	1.99	<0.01	<1	<0.01	37
1751479	118	3.19	<0.01	<1	<0.01	24
1751481	318	2.05	<0.01	<1	<0.01	23
1751482	126	2.00	<0.01	<1	<0.01	40
1751483	191	3.11	<0.01	<1	<0.01	28
1751484	239	4.28	<0.01	<1	<0.01	33
1751485	334	5.05	<0.01	<1	<0.01	31
1751486	386	3.67	<0.01	<1	<0.01	42

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751487	633	5.29	<0.01	<1	<0.01	35
1751488	1089	4.65	<0.01	<1	<0.01	35
1751489	1593	7.28	<0.01	<1	<0.01	32
1751491	1372	8.14	<0.01	<1	<0.01	30
1751492	1131	8.47	<0.01	<1	<0.01	40
1751493	1913	7.98	<0.01	<1	<0.01	27
1751494	1061	9.13	<0.01	<1	<0.01	50
1751495	80.8	4.90	<0.01	<1	<0.01	35
1751496	16.8	1.32	<0.01	<1	<0.01	44
1751497	230	4.85	<0.01	<1	<0.01	31
1751498	274	1.76	<0.01	<1	<0.01	30
1751499	253	1.83	<0.01	<1	<0.01	32
1751501	554	5.73	<0.01	<1	<0.01	46
1751502	292	2.75	<0.01	<1	<0.01	38
1751503	90.3	1.01	<0.01	<1	<0.01	49
1751504	89.1	1.77	<0.01	<1	<0.01	37
1751505	16.3	0.86	<0.01	<1	<0.01	48
1751506	120	1.98	<0.01	<1	<0.01	35
1751507	85.0	2.44	<0.01	<1	<0.01	52
1751508	58.0	1.12	<0.01	<1	<0.01	36
1751509	387	2.84	<0.01	<1	<0.01	48
1751511	51.6	1.38	<0.01	<1	<0.01	38
1751512	309	1.33	0.08	<1	0.03	52
1751513	747	3.86	<0.01	<1	<0.01	19
1751514	276	4.61	<0.01	<1	<0.01	37
1751515	802	4.74	<0.01	<1	<0.01	28
1751516	682	5.40	<0.01	<1	<0.01	42
1751517	249	4.64	<0.01	<1	<0.01	27
1751518	438	4.93	<0.01	<1	<0.01	29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751519	349	2.90	<0.01	<1	<0.01	26
1751521	547	2.92	<0.01	<1	<0.01	22
1751522	1120	4.17	<0.01	<1	<0.01	25
1751523	748	3.85	<0.01	<1	<0.01	20
1751524	1423	3.63	<0.01	<1	<0.01	24
1751525	1212	2.93	<0.01	<1	<0.01	18
1751526	2209	5.97	<0.01	<1	<0.01	25
1751527	4538	10.64	<0.01	<1	<0.01	18
1751528	7309	14.54	<0.01	<1	<0.01	24
1751529	2490	12.34	<0.01	<1	<0.01	19
1751531	1952	>15.00	<0.01	<1	<0.01	28
1751532	961	5.65	<0.01	<1	<0.01	25
1751533	560	5.13	<0.01	<1	<0.01	33
1751534	350	5.92	<0.01	<1	<0.01	25
1751535	438	3.46	<0.01	<1	<0.01	30
1751536	839	2.64	<0.01	<1	<0.01	24
1751537	779	2.66	<0.01	<1	<0.01	28
1751538	4877	8.05	<0.01	<1	<0.01	19
1751539	3710	8.10	<0.01	<1	<0.01	20
1751541	3708	7.95	<0.01	<1	<0.01	19
1751542	1115	11.87	<0.01	<1	<0.01	15
1751543	29.0	4.50	<0.01	<1	<0.01	16
1751544	28.6	10.34	<0.01	<1	<0.01	15
1751545	2403	>15.00	<0.01	<1	<0.01	19
1751546	779	6.94	<0.01	<1	<0.01	24
1751547	280	2.01	<0.01	1	<0.01	25
1751548	724	5.75	<0.01	2	<0.01	31
1751549	84.7	0.67	<0.01	<1	<0.01	33
*Dup 1751514	282	4.84	<0.01	<1	<0.01	52

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	972	2.27	2.49	23	0.10	206
*Std OREAS 905	1516	4.20	3.04	20	0.28	369
*Rep 1751522	1126	4.12	<0.01	<1	<0.01	25
*Rep 1751550	74.9	0.63	<0.01	1	<0.01	32
*Std OREAS 601b	1006	2.22	2.46	23	0.09	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1532	4.10	2.94	20	0.27	386
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1456	3.82	2.64	18	0.25	341
*Rep 1751497	235	4.80	<0.01	<1	<0.01	31
*Std OREAS 601b	1051	2.38	2.45	23	0.10	214

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751476	<0.01	10	0.02	>5.00	151	0.04
1751477	<0.01	8	0.02	>5.00	131	0.04
1751478	<0.01	1	<0.01	1.57	9.8	0.05
1751479	<0.01	5	<0.01	3.13	11.4	0.06
1751481	<0.01	4	<0.01	1.91	14.0	0.06
1751482	0.01	2	<0.01	1.66	8.9	0.06
1751483	<0.01	5	0.01	2.99	9.7	0.06
1751484	<0.01	4	<0.01	4.09	8.6	0.06
1751485	<0.01	7	<0.01	4.56	40.2	0.07
1751486	<0.01	5	<0.01	3.47	16.3	0.04
1751487	<0.01	8	<0.01	>5.00	7.8	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751488	<0.01	6	<0.01	4.31	12.3	0.05
1751489	<0.01	12	<0.01	>5.00	14.7	0.05
1751491	<0.01	14	0.02	>5.00	109	0.05
1751492	<0.01	11	0.04	>5.00	199	0.05
1751493	<0.01	12	0.01	>5.00	52.0	0.05
1751494	<0.01	11	0.01	>5.00	79.4	0.04
1751495	<0.01	6	0.02	4.39	56.3	0.05
1751496	<0.01	1	0.01	0.05	78.2	0.09
1751497	<0.01	9	<0.01	4.19	14.1	0.06
1751498	<0.01	4	<0.01	1.47	29.3	0.25
1751499	0.01	4	<0.01	1.57	20.9	0.17
1751501	<0.01	9	<0.01	4.98	19.9	0.05
1751502	<0.01	6	<0.01	2.44	4.9	0.09
1751503	<0.01	2	<0.01	0.52	45.1	0.05
1751504	<0.01	3	<0.01	1.35	59.5	0.07
1751505	<0.01	1	0.03	0.29	180	0.05
1751506	<0.01	3	<0.01	1.41	65.0	0.05
1751507	<0.01	3	<0.01	1.93	53.8	0.05
1751508	<0.01	2	0.01	0.67	86.5	0.08
1751509	<0.01	5	0.01	2.37	104	0.07
1751511	<0.01	4	<0.01	1.07	11.1	0.10
1751512	0.03	4	0.08	0.85	13.7	0.10
1751513	<0.01	10	0.02	3.90	53.2	0.14
1751514	0.01	11	0.01	4.41	60.2	0.05
1751515	<0.01	13	0.01	4.85	71.0	0.05
1751516	<0.01	12	0.02	>5.00	63.2	0.06
1751517	<0.01	8	0.01	4.34	36.9	0.05
1751518	<0.01	7	0.01	4.58	34.4	0.08
1751519	<0.01	7	0.02	2.66	52.1	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751521	<0.01	6	0.01	2.48	38.9	0.05
1751522	<0.01	9	0.01	4.38	40.6	0.05
1751523	<0.01	10	0.01	3.45	50.7	0.05
1751524	<0.01	9	0.01	3.36	41.5	0.05
1751525	<0.01	15	<0.01	2.86	22.0	0.06
1751526	<0.01	17	0.01	>5.00	35.7	0.04
1751527	<0.01	33	0.02	>5.00	58.6	0.03
1751528	<0.01	49	0.01	>5.00	44.6	0.03
1751529	<0.01	42	0.02	>5.00	81.0	0.03
1751531	<0.01	36	0.02	>5.00	99.7	0.04
1751532	<0.01	13	0.02	4.97	45.7	0.06
1751533	<0.01	12	<0.01	4.94	6.7	0.05
1751534	<0.01	16	<0.01	>5.00	15.5	0.04
1751535	<0.01	10	0.02	3.45	46.5	0.09
1751536	<0.01	7	0.02	2.43	47.8	0.09
1751537	<0.01	7	<0.01	2.54	18.9	0.06
1751538	<0.01	21	0.02	>5.00	59.0	0.04
1751539	0.01	19	0.03	>5.00	90.4	0.04
1751541	<0.01	14	0.03	>5.00	94.8	0.08
1751542	<0.01	17	0.05	>5.00	194	0.06
1751543	0.01	3	0.29	0.39	1178	0.05
1751544	<0.01	4	0.15	0.32	599	0.08
1751545	<0.01	70	0.01	>5.00	43.3	0.02
1751546	0.01	24	0.09	>5.00	261	0.04
1751547	0.02	6	0.14	2.14	414	0.10
1751548	0.03	13	0.12	>5.00	577	0.11
1751549	0.02	3	0.05	0.48	175	0.14
*Dup 1751514	<0.01	10	0.01	4.55	60.3	0.04
*Std OREAS 601b	1.96	6	0.03	1.49	247	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 905	2.55	10	0.03	0.07	159	0.12
*Rep 1751522	<0.01	9	0.01	4.27	37.8	0.05
*Rep 1751550	0.01	2	0.05	0.43	165	0.12
*Std OREAS 601b	1.94	6	0.03	1.44	245	0.13
*Blk BLANK	<0.01	<1	<0.01	0.01	<0.5	<0.01
*Std OREAS 905	2.32	10	0.03	0.10	155	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.26	9	0.03	0.09	141	0.11
*Rep 1751497	<0.01	9	<0.01	4.18	14.2	0.06
*Std OREAS 601b	1.97	7	0.03	1.57	242	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	4	2	74.9	0.21	26	<0.1
1751477	4	2	72.1	0.22	19	<0.1
1751478	2	<1	72.2	0.11	3	<0.1
1751479	3	1	106	0.11	4	<0.1
1751481	2	2	89.5	0.12	2	<0.1
1751482	2	1	84.4	0.09	3	<0.1
1751483	3	3	103	0.13	9	<0.1
1751484	3	2	118	0.20	10	<0.1
1751485	3	2	104	0.31	12	<0.1
1751486	<2	1	76.0	0.17	10	<0.1
1751487	3	2	91.4	0.22	15	<0.1
1751488	3	<1	94.1	0.17	11	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751489	3	<1	75.1	0.22	16	<0.1
1751491	4	5	82.1	0.32	24	<0.1
1751492	4	2	102	0.30	39	<0.1
1751493	4	2	93.1	0.29	35	<0.1
1751494	3	<1	87.7	0.22	18	<0.1
1751495	3	2	108	0.15	7	<0.1
1751496	3	2	117	0.18	81	<0.1
1751497	3	<1	99.1	0.17	24	<0.1
1751498	6	2	298	0.28	4	<0.1
1751499	4	2	175	0.22	5	<0.1
1751501	2	<1	107	0.26	12	<0.1
1751502	3	2	114	0.18	12	<0.1
1751503	<2	<1	81.9	0.08	5	<0.1
1751504	2	4	92.2	0.17	11	<0.1
1751505	2	3	64.8	0.07	13	<0.1
1751506	2	5	82.8	0.12	20	<0.1
1751507	2	2	111	0.15	9	<0.1
1751508	3	3	182	0.16	5	<0.1
1751509	3	2	145	0.19	11	<0.1
1751511	3	4	128	0.14	4	<0.1
1751512	3	16	34.3	0.10	5	<0.1
1751513	7	3	159	0.21	12	<0.1
1751514	3	3	92.2	0.20	13	<0.1
1751515	3	2	83.1	0.21	20	<0.1
1751516	3	5	98.6	0.21	30	<0.1
1751517	3	<1	103	0.18	18	<0.1
1751518	3	2	127	0.24	18	<0.1
1751519	3	2	99.6	0.19	40	<0.1
1751521	2	1	90.8	0.16	35	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751522	3	1	92.6	0.19	32	<0.1
1751523	2	<1	90.1	0.17	18	<0.1
1751524	3	2	92.8	0.20	22	<0.1
1751525	3	2	90.6	0.20	12	<0.1
1751526	4	3	84.8	0.32	38	<0.1
1751527	5	4	78.7	0.60	69	<0.1
1751528	6	4	71.2	1.25	129	<0.1
1751529	6	5	78.0	0.76	123	<0.1
1751531	6	2	84.6	0.75	87	<0.1
1751532	3	<1	92.2	0.18	23	<0.1
1751533	3	2	89.6	0.14	19	<0.1
1751534	3	<1	91.0	0.12	26	<0.1
1751535	4	1	161	0.17	15	<0.1
1751536	3	2	128	0.16	10	<0.1
1751537	3	2	91.5	0.15	13	<0.1
1751538	6	3	98.2	0.59	41	<0.1
1751539	4	1	83.9	0.61	38	<0.1
1751541	7	<1	150	0.51	30	<0.1
1751542	17	<1	127	0.32	55	<0.1
1751543	28	<1	10.1	0.13	82	0.5
1751544	36	<1	13.1	0.55	92	0.6
1751545	14	8	34.8	0.71	81	<0.1
1751546	11	3	72.2	0.24	28	<0.1
1751547	21	4	119	0.16	22	0.2
1751548	33	3	141	0.20	96	0.2
1751549	14	3	107	0.12	13	0.2
*Dup 1751514	3	1	90.7	0.15	13	<0.1
*Std OREAS 601b	12	296	179	53.91	276	2.2
*Std OREAS 905	11	131	246	0.71	35	3.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1751522	3	2	91.5	0.19	30	<0.1
*Rep 1751550	13	2	105	0.08	11	0.1
*Std OREAS 601b	12	303	180	50.47	277	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	12	140	247	0.68	35	3.1
*Blk BLANK	<2	9	<0.5	0.04	<1	<0.1
*Std OREAS 905	10	127	234	0.67	32	3.1
*Rep 1751497	3	1	99.6	0.20	23	<0.1
*Std OREAS 601b	13	335	189	53.81	298	2.6

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	6.52	0.08	19.73	32.0	<1	0.86
1751477	9.35	0.07	20.89	17.4	<1	0.84
1751478	1.03	<0.02	3.74	2.0	<1	0.51
1751479	2.03	0.04	4.18	12.7	<1	0.51
1751481	0.98	0.03	5.02	5.8	<1	0.48
1751482	0.90	0.03	5.46	4.6	<1	0.50
1751483	2.67	0.06	2.90	9.4	<1	0.56
1751484	5.31	0.04	4.25	11.2	<1	0.61
1751485	9.93	0.06	19.18	16.8	<1	0.70
1751486	6.60	0.05	9.05	7.9	<1	0.57
1751487	10.08	0.09	3.21	16.1	<1	0.66
1751488	8.07	0.06	6.49	17.9	<1	0.51
1751489	8.21	0.08	8.03	22.6	<1	0.63

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751491	15.13	0.12	92.97	27.1	<1	0.98
1751492	16.72	0.19	166	28.3	<1	1.28
1751493	15.23	0.20	28.84	30.5	<1	0.62
1751494	10.43	0.08	18.19	19.8	<1	0.63
1751495	5.60	0.05	9.19	6.2	<1	0.57
1751496	14.97	0.05	13.16	0.2	<1	0.70
1751497	5.83	0.06	4.75	14.5	<1	0.56
1751498	3.85	0.11	11.06	7.6	<1	1.15
1751499	3.36	0.07	6.73	6.8	<1	0.72
1751501	9.30	0.07	3.11	18.6	<1	0.50
1751502	5.40	0.08	1.65	11.3	<1	0.53
1751503	1.67	0.02	1.20	2.0	<1	0.38
1751504	1.63	0.06	1.92	2.4	<1	0.73
1751505	9.87	0.03	3.75	0.5	<1	0.75
1751506	8.60	0.23	3.37	4.8	<1	0.52
1751507	7.22	0.06	2.85	7.5	<1	0.59
1751508	2.05	0.03	2.15	0.8	<1	0.81
1751509	3.70	0.14	3.84	8.0	<1	0.89
1751511	1.55	0.06	1.90	2.0	<1	0.71
1751512	3.00	0.13	3.02	4.7	<1	0.86
1751513	5.04	0.12	22.06	21.6	<1	0.86
1751514	5.29	0.06	15.52	25.3	<1	0.71
1751515	9.54	0.09	27.97	26.1	<1	0.94
1751516	11.92	0.11	38.30	22.9	<1	1.31
1751517	8.21	0.07	16.31	16.9	<1	0.70
1751518	9.40	0.09	22.54	16.9	<1	0.92
1751519	23.79	0.07	42.04	17.2	<1	1.29
1751521	10.19	0.07	25.80	16.4	<1	0.83
1751522	11.41	0.09	23.59	24.2	<1	0.88

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751523	10.88	0.15	32.18	22.9	<1	1.20
1751524	10.37	0.14	27.51	24.4	<1	0.96
1751525	7.25	0.10	12.63	18.1	<1	0.67
1751526	15.47	0.15	18.05	34.6	<1	0.73
1751527	28.17	0.33	37.58	70.5	<1	0.84
1751528	31.72	0.34	18.45	101	<1	0.65
1751529	24.94	0.41	23.18	87.3	<1	0.72
1751531	28.37	0.40	40.08	77.7	<1	0.81
1751532	11.82	0.09	51.83	29.1	<1	0.90
1751533	6.68	0.07	6.77	24.1	<1	0.59
1751534	7.25	0.08	17.19	28.9	<1	0.69
1751535	14.46	0.09	62.13	20.2	<1	1.20
1751536	16.60	0.09	54.90	14.4	<1	0.93
1751537	12.25	0.10	16.08	15.7	<1	0.65
1751538	52.87	0.37	54.64	58.6	<1	1.07
1751539	54.04	0.19	60.20	46.7	<1	1.97
1751541	48.63	0.30	78.05	42.7	<1	2.65
1751542	118	0.43	100	63.9	<1	5.10
1751543	265	0.34	116	1.0	<1	31.03
1751544	202	0.51	115	1.0	<1	27.34
1751545	109	1.60	16.27	158	<1	0.79
1751546	19.21	0.50	99.87	73.3	<1	1.73
1751547	3.25	0.37	134	12.7	<1	2.04
1751548	10.51	0.89	221	24.5	<1	2.62
1751549	2.04	0.21	75.88	4.6	<1	1.30
*Dup 1751514	4.95	0.05	14.92	26.4	<1	0.68
*Std OREAS 601b	17.67	1.91	69.14	2.9	5	2.60
*Std OREAS 905	5.88	0.39	93.70	15.1	8	3.82
*Rep 1751522	11.35	0.11	23.15	24.3	<1	0.89

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1751550	1.85	0.19	76.44	4.0	<1	1.26
*Std OREAS 601b	17.00	2.02	68.21	2.9	5	2.54
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 905	5.68	0.35	90.99	15.1	7	3.60
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.46	0.37	89.72	14.2	7	3.57
*Rep 1751497	5.86	0.07	4.75	14.5	<1	0.56
*Std OREAS 601b	18.44	2.25	74.71	3.1	5	2.79

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	0.63	0.60	1.7	0.3	2.33	0.17
1751477	0.61	0.59	1.7	0.3	2.26	0.17
1751478	0.53	0.09	0.4	<0.1	2.12	0.13
1751479	0.53	0.10	0.4	0.2	2.96	0.13
1751481	0.51	0.10	0.4	0.2	2.54	0.13
1751482	0.51	0.10	0.4	0.1	2.47	0.13
1751483	0.61	0.06	0.3	0.3	2.82	0.15
1751484	0.69	0.10	0.4	0.2	3.30	0.17
1751485	0.68	0.39	1.0	0.2	3.08	0.18
1751486	0.57	0.19	0.6	0.1	2.20	0.15
1751487	0.67	0.09	0.4	0.2	2.68	0.18
1751488	0.53	0.15	0.5	0.2	2.69	0.14
1751489	0.58	0.16	0.5	0.2	2.30	0.16
1751491	0.58	1.40	3.2	<0.1	2.53	0.15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751492	0.73	2.58	5.3	<0.1	3.23	0.19
1751493	0.53	0.53	1.2	0.3	2.75	0.14
1751494	0.55	0.44	1.1	0.3	2.65	0.15
1751495	0.56	0.21	0.6	0.3	3.17	0.14
1751496	0.70	0.34	1.0	0.3	3.34	0.18
1751497	0.58	0.11	0.4	0.2	2.83	0.15
1751498	1.33	0.25	0.9	0.2	8.59	0.32
1751499	0.80	0.13	0.5	0.2	5.08	0.19
1751501	0.58	0.08	0.4	0.3	3.13	0.14
1751502	0.64	<0.05	0.3	0.2	3.23	0.15
1751503	0.43	<0.05	0.2	0.2	2.32	0.11
1751504	0.68	0.09	0.5	0.2	2.58	0.18
1751505	0.55	0.16	0.7	0.5	1.85	0.16
1751506	0.52	0.10	0.5	0.3	2.41	0.13
1751507	0.62	0.10	0.4	0.3	3.10	0.15
1751508	0.85	0.12	0.6	0.3	4.94	0.21
1751509	0.85	0.17	0.7	0.3	4.22	0.22
1751511	0.74	0.05	0.4	0.1	3.58	0.19
1751512	0.83	0.10	0.6	0.2	1.38	0.22
1751513	0.81	0.36	1.0	0.3	4.18	0.20
1751514	0.61	0.28	0.9	0.2	2.50	0.16
1751515	0.70	0.57	1.5	0.2	2.33	0.19
1751516	0.94	0.79	2.0	0.2	2.75	0.26
1751517	0.58	0.37	1.0	0.2	2.88	0.15
1751518	0.78	0.48	1.3	0.2	3.63	0.20
1751519	0.88	0.94	2.3	0.2	2.76	0.25
1751521	0.64	0.55	1.4	0.2	2.68	0.17
1751522	0.62	0.58	1.6	0.3	2.55	0.17
1751523	0.65	0.85	2.5	0.2	2.54	0.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751524	0.65	0.75	2.1	0.3	2.59	0.18
1751525	0.59	0.37	1.0	0.3	2.52	0.16
1751526	0.59	0.51	1.4	0.5	2.40	0.16
1751527	0.61	0.73	1.8	0.8	2.33	0.16
1751528	0.56	0.42	1.0	0.9	2.22	0.14
1751529	0.56	0.58	1.4	0.7	2.38	0.14
1751531	0.63	0.97	2.0	0.5	2.67	0.16
1751532	0.67	1.11	2.3	0.2	2.74	0.18
1751533	0.60	0.18	0.6	0.3	2.67	0.15
1751534	0.60	0.42	1.0	0.3	2.60	0.15
1751535	0.96	1.16	2.7	0.2	4.46	0.24
1751536	0.74	1.05	2.4	0.1	3.61	0.19
1751537	0.57	0.44	1.1	0.2	2.61	0.15
1751538	0.77	1.05	2.4	0.3	2.97	0.21
1751539	1.17	1.46	3.8	0.4	2.47	0.36
1751541	1.67	1.84	4.9	0.5	4.33	0.49
1751542	2.98	2.54	7.2	1.5	3.88	0.99
1751543	18.14	7.13	29.2	8.3	0.33	6.24
1751544	17.24	5.57	25.2	4.8	0.43	5.88
1751545	0.51	0.38	1.1	1.2	1.38	0.16
1751546	0.60	1.57	4.2	4.7	2.26	0.20
1751547	0.65	1.99	5.0	12.3	3.41	0.21
1751548	0.84	3.20	7.4	13.9	4.25	0.28
1751549	0.54	1.26	3.1	6.8	2.86	0.17
*Dup 1751514	0.58	0.28	0.9	0.2	2.38	0.15
*Std OREAS 601b	0.87	0.94	4.0	22.8	5.17	0.38
*Std OREAS 905	1.18	1.39	5.9	25.8	7.21	0.54
*Rep 1751522	0.62	0.57	1.6	0.3	2.61	0.17
*Rep 1751550	0.53	1.26	3.1	6.2	2.66	0.17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	0.86	0.96	4.1	23.0	5.29	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.16	1.37	5.9	25.7	7.15	0.54
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.15	1.32	5.7	23.9	7.15	0.53
*Rep 1751497	0.59	0.10	0.5	0.2	2.96	0.14
*Std OREAS 601b	0.92	1.02	4.3	24.8	5.79	0.42

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	0.02	11.2	0.15	25.22	1.2	10.6
1751477	<0.02	11.5	0.15	23.16	1.2	11.9
1751478	<0.02	2.0	0.13	23.84	1.2	2.1
1751479	<0.02	2.4	0.18	18.46	0.9	2.2
1751481	<0.02	2.9	0.16	16.61	1.1	2.5
1751482	<0.02	3.1	0.15	14.41	1.2	2.8
1751483	<0.02	1.6	0.18	11.60	1.1	1.5
1751484	<0.02	2.5	0.21	9.63	1.1	2.2
1751485	<0.02	10.5	0.20	15.51	1.4	10.6
1751486	<0.02	4.8	0.15	11.51	1.1	5.1
1751487	<0.02	1.8	0.17	18.11	1.5	1.8
1751488	<0.02	3.8	0.17	13.89	1.1	3.5
1751489	<0.02	4.5	0.15	14.51	1.2	4.4
1751491	0.02	45.6	0.14	29.32	1.2	37.7
1751492	0.05	96.3	0.18	24.16	1.3	71.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751493	0.06	15.7	0.16	13.42	1.2	15.2
1751494	0.03	9.4	0.14	15.15	1.2	10.9
1751495	<0.02	4.6	0.17	7.46	1.4	5.6
1751496	0.02	7.0	0.22	6.33	1.8	8.3
1751497	<0.02	2.7	0.18	8.25	1.5	2.6
1751498	0.03	5.8	0.43	26.83	4.4	6.2
1751499	<0.02	3.7	0.27	11.63	2.8	3.5
1751501	0.02	1.7	0.18	12.18	1.3	1.8
1751502	<0.02	0.9	0.19	13.09	2.1	0.8
1751503	<0.02	0.7	0.13	9.61	1.2	0.7
1751504	<0.02	1.0	0.17	17.20	1.7	1.1
1751505	0.03	1.9	0.14	7.91	1.2	2.2
1751506	0.08	1.7	0.15	9.98	1.2	2.0
1751507	0.02	1.4	0.18	10.66	1.3	1.7
1751508	<0.02	1.0	0.26	23.81	1.9	1.4
1751509	0.05	2.0	0.25	24.18	1.7	2.5
1751511	<0.02	1.0	0.20	11.16	2.1	1.1
1751512	<0.02	1.4	0.23	19.40	1.9	1.5
1751513	0.02	12.0	0.24	24.28	2.3	10.7
1751514	<0.02	7.9	0.16	18.66	1.3	8.4
1751515	<0.02	15.1	0.16	20.75	1.3	15.7
1751516	0.03	20.2	0.21	32.50	1.5	21.6
1751517	<0.02	8.8	0.17	28.65	1.3	8.5
1751518	0.03	12.5	0.22	35.36	1.8	11.6
1751519	0.02	23.1	0.19	40.49	1.4	20.9
1751521	0.02	15.1	0.16	40.07	1.3	12.7
1751522	<0.02	14.4	0.16	36.18	1.3	12.3
1751523	<0.02	21.3	0.17	33.81	1.2	16.9
1751524	0.03	17.1	0.16	39.39	1.4	14.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751525	<0.02	6.9	0.17	37.07	1.4	7.0
1751526	0.05	9.9	0.16	34.51	1.1	10.0
1751527	0.11	23.3	0.15	35.28	1.0	17.1
1751528	0.09	10.2	0.15	43.13	0.9	9.7
1751529	0.14	12.6	0.15	46.16	0.9	12.8
1751531	0.22	22.1	0.17	61.48	1.3	23.6
1751532	0.03	26.5	0.17	40.97	1.4	26.8
1751533	0.03	3.3	0.17	41.59	1.2	3.8
1751534	0.03	9.3	0.16	36.87	1.1	9.7
1751535	0.03	34.3	0.27	28.17	2.1	25.3
1751536	0.03	27.5	0.21	35.95	2.1	24.7
1751537	0.03	9.0	0.16	33.03	1.4	8.5
1751538	0.20	27.6	0.19	65.41	1.2	24.7
1751539	0.12	28.4	0.22	38.39	1.2	31.0
1751541	0.07	36.6	0.35	79.65	2.0	43.6
1751542	0.09	46.7	0.50	25.59	1.5	53.4
1751543	0.12	45.8	2.42	39.97	0.5	89.6
1751544	0.12	62.3	2.23	116	0.7	70.1
1751545	0.61	9.2	0.11	18.36	0.7	8.2
1751546	0.11	52.5	0.14	124	1.0	39.7
1751547	0.06	85.7	0.18	55.02	2.8	50.6
1751548	0.09	135	0.20	34.34	3.5	80.9
1751549	<0.02	38.8	0.15	13.20	3.8	30.5
*Dup 1751514	<0.02	7.5	0.15	18.60	1.2	8.1
*Std OREAS 601b	0.47	35.5	0.07	5.30	15.8	29.0
*Std OREAS 905	0.70	47.0	0.10	3.17	19.9	40.6
*Rep 1751522	<0.02	14.0	0.16	36.70	1.4	12.1
*Rep 1751550	<0.02	38.6	0.15	12.21	3.0	30.5
*Std OREAS 601b	0.46	34.3	0.07	4.99	15.3	29.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.63	45.5	0.09	3.41	19.1	40.9
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.64	44.1	0.09	3.11	17.9	39.1
*Rep 1751497	<0.02	2.7	0.18	7.74	1.6	2.6
*Std OREAS 601b	0.52	36.9	0.08	5.49	16.8	31.5

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	64.0	2.77	<0.2	5.02	1.9	24
1751477	52.2	3.07	<0.2	1.66	1.8	24
1751478	5.3	0.55	<0.2	0.50	1.7	10
1751479	3.8	0.59	<0.2	0.49	2.7	11
1751481	3.8	0.67	<0.2	0.17	2.5	7
1751482	3.7	0.75	<0.2	0.17	2.2	8
1751483	3.3	0.40	<0.2	0.95	2.6	18
1751484	5.2	0.57	<0.2	0.99	2.9	25
1751485	14.4	2.81	<0.2	0.62	2.3	26
1751486	9.0	1.35	<0.2	0.52	1.4	19
1751487	6.7	0.45	<0.2	0.82	1.9	27
1751488	8.0	0.88	<0.2	0.71	2.1	24
1751489	9.1	1.14	<0.2	1.31	1.7	34
1751491	47.4	10.55	<0.2	1.84	1.9	46
1751492	84.9	19.43	<0.2	3.38	2.2	49
1751493	27.4	4.10	<0.2	2.20	1.7	44

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751494	28.5	2.77	<0.2	2.34	1.5	40
1751495	18.7	1.43	<0.2	0.72	1.9	48
1751496	27.5	2.03	<0.2	4.13	2.4	20
1751497	6.0	0.66	<0.2	0.97	2.0	27
1751498	8.8	1.61	<0.2	0.90	5.4	8
1751499	7.0	0.94	<0.2	0.53	3.5	7
1751501	7.1	0.45	<0.2	0.82	2.1	21
1751502	5.9	0.22	<0.2	0.73	2.2	13
1751503	16.3	0.16	<0.2	0.42	1.6	5
1751504	31.9	0.27	<0.2	1.36	2.1	18
1751505	109	0.55	<0.2	2.93	1.7	6
1751506	39.7	0.49	<0.2	3.15	1.7	14
1751507	28.3	0.42	<0.2	1.68	2.3	15
1751508	60.0	0.31	<0.2	1.36	3.8	8
1751509	61.0	0.59	<0.2	1.25	3.5	31
1751511	6.2	0.27	<0.2	0.53	3.0	14
1751512	10.5	0.43	0.3	2.30	2.7	9
1751513	18.6	3.01	<0.2	1.76	2.8	15
1751514	25.9	2.26	<0.2	0.94	1.6	18
1751515	39.3	4.02	<0.2	1.38	1.6	28
1751516	32.8	5.67	<0.2	2.10	1.9	49
1751517	19.0	2.29	<0.2	1.00	1.7	27
1751518	16.1	3.17	<0.2	1.10	2.1	26
1751519	22.3	5.69	<0.2	0.81	1.8	19
1751521	15.9	3.48	<0.2	0.36	1.8	23
1751522	17.4	3.20	<0.2	0.67	1.8	32
1751523	24.3	4.27	<0.2	0.37	1.7	32
1751524	21.8	3.70	<0.2	0.76	1.7	35
1751525	10.9	1.80	<0.2	0.76	1.8	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751526	19.6	2.55	<0.2	2.75	1.6	42
1751527	35.9	4.75	<0.2	11.93	1.6	114
1751528	26.8	2.61	<0.2	21.46	1.5	204
1751529	36.0	3.37	<0.2	22.96	1.6	95
1751531	59.0	5.89	<0.2	22.23	2.0	159
1751532	18.8	6.94	<0.2	0.69	1.8	15
1751533	4.7	1.01	<0.2	0.45	1.4	10
1751534	7.2	2.51	<0.2	0.34	1.4	11
1751535	17.2	6.88	<0.2	1.05	2.2	10
1751536	17.3	6.59	<0.2	1.21	1.8	9
1751537	9.8	2.25	<0.2	1.52	1.4	14
1751538	28.7	6.58	<0.2	16.34	1.6	41
1751539	33.2	7.92	<0.2	4.87	1.4	54
1751541	25.7	10.50	<0.2	3.61	2.4	47
1751542	49.4	13.09	<0.2	12.41	2.5	101
1751543	385	18.67	<0.2	15.18	2.5	53
1751544	204	15.83	<0.2	20.42	4.9	119
1751545	16.4	2.29	<0.2	18.25	1.0	181
1751546	60.0	11.55	<0.2	7.00	1.4	35
1751547	92.8	14.97	<0.2	4.91	2.2	12
1751548	136	24.46	<0.2	16.23	2.6	54
1751549	36.4	8.79	<0.2	3.56	2.1	4
*Dup 1751514	25.1	2.11	<0.2	1.01	1.6	20
*Std OREAS 601b	349	8.18	94.3	24.31	3.5	10
*Std OREAS 905	29.6	11.06	140	2.15	4.9	3
*Rep 1751522	17.0	3.15	<0.2	0.51	1.8	32
*Rep 1751550	35.4	8.80	<0.2	3.23	2.0	3
*Std OREAS 601b	344	8.10	96.3	23.98	3.5	10
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	28.6	11.04	141	1.98	5.0	3
*Blk BLANK	0.6	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	28.1	10.45	134	1.82	5.2	3
*Rep 1751497	6.0	0.66	<0.2	0.93	2.1	25
*Std OREAS 601b	366	8.58	104	25.14	4.4	11

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	2.3	3.9	0.06	0.20	7.48	4.4
1751477	2.4	3.7	0.07	0.19	3.77	4.6
1751478	0.5	1.6	<0.05	0.07	1.63	1.5
1751479	0.5	3.9	<0.05	0.07	1.49	1.9
1751481	0.5	2.9	<0.05	0.06	0.61	1.8
1751482	0.5	2.4	<0.05	0.06	0.81	1.8
1751483	0.3	3.4	<0.05	0.07	1.78	1.5
1751484	0.4	3.9	<0.05	0.08	2.57	2.1
1751485	1.8	4.2	<0.05	0.11	3.31	3.7
1751486	0.9	2.4	<0.05	0.08	4.67	2.1
1751487	0.4	4.2	<0.05	0.08	5.92	1.4
1751488	0.6	3.6	<0.05	0.07	4.55	1.9
1751489	0.8	3.4	<0.05	0.09	7.51	1.6
1751491	6.5	6.9	<0.05	0.29	8.61	5.6
1751492	12.0	16.0	<0.05	0.43	12.38	10.8
1751493	2.6	15.3	<0.05	0.12	10.01	3.6
1751494	2.1	3.5	0.06	0.13	8.08	2.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751495	1.1	3.7	0.07	0.08	1.56	2.2
1751496	1.6	6.6	0.06	0.12	9.04	3.2
1751497	0.5	4.9	0.06	0.07	2.76	1.9
1751498	1.2	16.1	0.13	0.15	1.76	4.3
1751499	0.6	7.8	0.06	0.09	2.05	2.9
1751501	0.4	2.9	0.06	0.06	8.04	1.7
1751502	0.2	3.9	0.08	0.06	5.34	1.6
1751503	0.2	1.5	<0.05	<0.05	1.23	1.1
1751504	0.3	2.2	0.05	0.10	2.87	1.5
1751505	0.5	2.6	<0.05	0.13	6.27	1.4
1751506	0.4	2.1	<0.05	0.08	11.98	1.5
1751507	0.4	1.8	<0.05	0.08	7.53	1.6
1751508	0.5	2.5	0.07	0.11	1.90	2.3
1751509	0.7	7.3	0.08	0.13	5.78	2.3
1751511	0.3	4.0	0.07	0.09	0.68	1.8
1751512	0.4	3.8	<0.05	0.11	2.79	2.2
1751513	1.8	11.0	0.07	0.14	4.55	5.6
1751514	1.5	2.7	0.08	0.12	6.07	2.6
1751515	2.8	3.1	0.07	0.19	10.51	3.7
1751516	3.8	4.7	0.08	0.26	8.39	4.2
1751517	1.7	3.5	0.07	0.13	6.29	2.8
1751518	2.1	5.8	0.10	0.17	9.41	3.7
1751519	4.0	4.9	0.07	0.27	2.73	5.3
1751521	2.6	4.4	0.06	0.17	3.31	3.6
1751522	2.5	4.1	0.07	0.19	4.87	3.5
1751523	3.8	4.5	0.06	0.29	3.56	3.9
1751524	3.1	6.5	0.07	0.22	3.08	3.9
1751525	1.6	6.0	0.06	0.12	4.67	2.8
1751526	2.1	7.6	0.06	0.15	7.05	3.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751527	3.2	11.4	0.05	0.19	45.78	5.4
1751528	1.9	17.3	0.05	0.12	36.66	3.2
1751529	2.6	12.9	<0.05	0.15	19.00	3.2
1751531	4.6	8.0	0.07	0.20	21.34	4.7
1751532	5.1	3.6	0.07	0.20	2.76	4.9
1751533	0.8	2.8	0.06	0.09	4.23	2.0
1751534	2.0	2.9	0.05	0.12	3.29	3.1
1751535	5.1	5.4	0.10	0.27	3.24	5.8
1751536	5.0	5.0	0.11	0.22	5.65	5.7
1751537	1.9	4.2	0.06	0.12	6.65	2.9
1751538	4.6	10.6	0.05	0.26	42.17	5.6
1751539	6.1	7.3	0.05	0.44	17.12	5.3
1751541	8.3	21.5	0.09	0.57	10.03	8.8
1751542	10.5	274	0.06	1.00	12.84	11.7
1751543	24.4	53.6	<0.05	5.08	20.98	8.5
1751544	18.3	86.3	<0.05	4.39	17.33	16.1
1751545	1.5	147	<0.05	0.15	62.56	2.6
1751546	6.6	54.1	0.06	0.50	15.68	11.0
1751547	8.1	41.7	0.20	0.60	2.99	14.6
1751548	13.0	114	0.26	0.79	7.44	18.9
1751549	4.9	21.8	0.23	0.35	3.87	6.4
*Dup 1751514	1.4	2.6	0.07	0.12	5.40	2.5
*Std OREAS 601b	5.5	3.4	1.17	0.54	12.39	12.3
*Std OREAS 905	7.7	4.3	1.43	0.80	0.12	14.6
*Rep 1751522	2.5	4.5	0.07	0.19	4.71	3.5
*Rep 1751550	4.8	19.2	0.19	0.35	3.19	6.4
*Std OREAS 601b	5.4	3.4	1.11	0.55	12.07	12.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.7	4.1	1.31	0.77	0.14	15.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element Method	Sm GE_IMS40Q12	@Sn GE_IMS40Q12	@Ta GE_IMS40Q12	@Tb GE_IMS40Q12	@Te GE_IMS40Q12	@Th GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.5	3.7	1.30	0.75	0.17	13.5
*Rep 1751497	0.5	4.9	0.06	0.07	2.43	1.9
*Std OREAS 601b	5.7	3.6	1.23	0.58	13.11	12.4

Element Method	@Ti GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751476	0.07	0.11	0.97	1.1	4.1	0.9
1751477	0.03	0.11	0.89	1.2	4.1	0.8
1751478	<0.02	0.10	0.55	1.1	3.3	0.7
1751479	<0.02	0.11	0.77	0.8	3.3	1.0
1751481	<0.02	0.11	0.58	0.7	3.1	0.9
1751482	<0.02	0.10	0.59	1.2	3.1	0.8
1751483	<0.02	0.12	0.69	0.7	3.7	1.0
1751484	<0.02	0.13	0.70	1.0	4.1	1.2
1751485	<0.02	0.13	0.79	1.4	4.3	1.1
1751486	0.03	0.11	0.55	1.1	3.8	0.8
1751487	0.04	0.12	0.60	1.6	4.4	1.0
1751488	0.03	0.10	0.64	1.0	3.3	0.9
1751489	0.03	0.11	0.55	1.2	3.8	0.9
1751491	0.07	0.09	0.97	0.9	3.3	0.8
1751492	0.16	0.12	1.50	1.0	4.2	0.9
1751493	0.08	0.10	0.84	0.9	3.2	0.8
1751494	0.07	0.10	0.77	1.1	3.6	0.8
1751495	<0.02	0.11	0.80	1.6	3.5	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751496	<0.02	0.14	0.98	1.4	4.3	1.2
1751497	0.04	0.11	0.70	1.1	3.6	1.0
1751498	0.02	0.28	1.88	3.1	7.8	2.4
1751499	0.09	0.16	1.09	2.1	4.7	1.4
1751501	0.10	0.11	0.66	1.5	3.4	1.0
1751502	0.09	0.12	0.72	1.7	3.8	1.1
1751503	<0.02	0.09	0.48	1.2	2.6	0.7
1751504	0.05	0.13	0.95	1.9	4.4	1.0
1751505	0.02	0.10	0.78	1.2	3.9	0.8
1751506	0.06	0.10	0.60	1.7	3.2	0.8
1751507	0.05	0.12	0.72	1.6	3.8	1.0
1751508	<0.02	0.17	1.11	1.9	5.2	1.4
1751509	0.06	0.16	1.03	1.7	5.3	1.4
1751511	<0.02	0.14	0.91	1.6	4.7	1.2
1751512	<0.02	0.16	1.14	1.5	5.2	1.3
1751513	0.06	0.16	1.33	1.5	4.9	1.3
1751514	0.07	0.11	0.81	1.3	3.8	0.9
1751515	0.09	0.12	0.89	1.1	4.5	0.9
1751516	0.11	0.15	1.21	1.0	6.5	1.2
1751517	0.04	0.11	0.87	1.1	3.6	0.9
1751518	0.04	0.15	1.08	1.4	4.8	1.2
1751519	0.05	0.14	1.11	0.9	5.8	1.1
1751521	0.05	0.12	0.99	0.8	3.9	0.9
1751522	0.03	0.11	0.96	0.9	3.9	0.9
1751523	0.05	0.12	1.10	0.8	4.3	0.9
1751524	0.03	0.12	0.94	0.8	4.0	0.9
1751525	0.03	0.11	0.81	0.8	3.8	0.9
1751526	0.05	0.11	0.83	0.8	3.8	0.9
1751527	0.23	0.10	0.90	0.7	3.8	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751528	0.14	0.10	0.78	0.9	3.5	0.8
1751529	0.12	0.10	0.80	1.1	3.5	0.8
1751531	0.35	0.11	1.03	1.4	3.7	0.9
1751532	0.02	0.12	1.12	1.0	4.2	1.0
1751533	0.03	0.11	0.68	1.2	3.9	0.9
1751534	0.03	0.11	0.76	1.0	3.8	0.9
1751535	0.04	0.18	1.59	2.2	6.1	1.4
1751536	0.08	0.14	1.30	2.4	4.4	1.1
1751537	0.06	0.10	0.81	1.4	3.6	0.9
1751538	0.17	0.14	1.17	1.2	4.9	1.1
1751539	0.12	0.18	1.18	1.1	8.7	1.3
1751541	0.15	0.26	1.76	2.0	11.6	1.9
1751542	0.04	0.45	1.68	2.1	25.6	3.0
1751543	<0.02	2.60	1.42	2.4	187	16.1
1751544	<0.02	2.35	2.37	4.0	212	13.7
1751545	0.03	0.08	0.44	0.9	4.2	0.6
1751546	0.07	0.09	0.87	1.7	4.3	0.7
1751547	<0.02	0.10	1.30	3.4	4.2	0.9
1751548	<0.02	0.12	1.97	3.8	5.4	1.0
1751549	<0.02	0.09	1.02	3.4	3.8	0.8
*Dup 1751514	0.07	0.11	0.80	1.2	3.8	0.8
*Std OREAS 601b	1.48	0.09	4.67	6.2	10.9	0.5
*Std OREAS 905	0.73	0.13	4.98	2.8	16.0	0.7
*Rep 1751522	0.03	0.11	0.94	0.9	4.0	0.9
*Rep 1751550	<0.02	0.09	1.00	2.9	3.6	0.8
*Std OREAS 601b	1.46	0.10	4.69	6.6	11.0	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.74	0.12	5.07	2.8	15.9	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(76-150)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@TI	Tm	@U	@W	@Y	@Yb
<b>Method</b>	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
<b>Lower Limit</b>	0.02	0.05	0.05	0.1	0.1	0.1
<b>Upper Limit</b>	10,000	500	10,000	10,000	10,000	1,000
<b>Unit</b>	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	0.67	0.12	4.62	2.7	14.8	0.6
*Rep 1751497	0.04	0.11	0.70	1.1	3.6	1.0
*Std OREAS 601b	1.54	0.10	4.77	6.7	11.7	0.6

Element	@S
<b>Method</b>	GE_CSA06V
<b>Lower Limit</b>	0.005
<b>Upper Limit</b>	30
<b>Unit</b>	%
1751476	8.344
1751477	8.820
1751487	5.089
1751489	8.287
1751490	7.769
1751491	8.456
1751492	8.885
1751493	9.062
1751494	9.612
1751516	5.698
1751526	6.515
1751527	12.272
1751528	17.088
1751529	14.136
1751531	18.686
1751534	6.441
1751538	9.081
1751539	9.224
1751541	9.012

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\* PANCON\_RESOURCES/Hole  
B21C-011/253 CORE(76-150)  
Number of Samples 75

## ANALYSIS REPORT BBM21-10927

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1751542	12.780
1751545	27.725
1751546	7.641
1751548	6.496
*Blk BLANK	<0.005
*Std OREAS 135	7.279
*Blk BLANK	<0.005
*Std OREAS 135	7.228

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-10929

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	12-Jul-2021 - 11-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Hole	Date Completed	12-Aug-2021
B21C-011/253 CORE(151-225)		SGS Order Number	BBM21-10929
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
68	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
68	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
68	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
68	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
6	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

This Report cancels and supersedes the report BBM\_U0012589971 dated 5-Aug-2021 issued by SGS Canada (Burnaby).

Updated the GE\_FAA30V5 Au data.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\* PANCON\_RESOURCES/Hole  
B21C-011/253 CORE(151-225)  
Number of Samples 75

## ANALYSIS REPORT BBM21-10929

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

14-Aug-2021 1:22AM BBM\_U0012901383

Page 2 of 34

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1751551	2.55	0.107	5.28	76	0.03	15
1751552	3.01	0.432	5.58	154	0.03	16
1751553	2.53	0.035	9.11	44	0.03	13
1751554	3.23	0.072	10.85	30	0.03	9
1751555	2.97	1.252	1.83	21	0.02	16
1751556	3.03	0.234	0.34	14	0.01	16
1751557	3.20	0.221	2.14	42	0.02	27
1751558	1.91	0.106	10.01	195	0.21	14
1751559	1.66	0.092	12.51	253	0.27	15
1751560	0.06	0.313	-	-	-	-
1751561	3.06	0.118	9.74	90	0.05	14
1751562	3.17	0.028	9.93	11	0.03	10
1751563	3.03	0.012	12.86	13	0.04	5
1751564	2.79	0.019	11.56	10	0.03	6
1751565	2.79	0.045	6.13	6	0.02	18
1751566	2.88	0.045	7.11	10	0.03	13
1751567	2.85	0.022	11.26	7	0.03	10
1751568	2.47	<0.005	14.62	30	0.07	3
1751569	2.95	0.014	12.18	17	0.08	6
1751570	0.06	<0.005	-	-	-	-
1751571	2.98	0.618	0.87	10	0.01	23
1751572	3.27	0.659	1.66	34	0.03	12
1751573	1.75	0.230	5.94	40	0.03	27
1751574	1.85	0.523	1.37	7	<0.01	18
1751575	2.98	0.087	11.18	27	0.04	12
1751576	3.00	0.067	9.59	192	0.05	12
1751577	1.98	0.185	10.14	1167	0.14	11
1751578	3.43	0.024	9.12	348	0.98	19
1751579	3.78	0.230	5.11	67	0.06	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751580	-	0.250	-	-	-	-
1751581	3.79	0.152	4.41	24	0.04	26
1751582	3.01	0.171	1.54	15	0.07	44
1751583	2.62	0.383	1.34	17	0.02	37
1751584	3.70	0.025	9.73	26	0.02	20
1751585	2.76	0.016	7.39	31	0.02	11
1751586	3.13	0.023	6.59	26	0.02	22
1751587	2.26	0.053	2.01	40	0.03	17
1751588	3.10	0.059	8.22	22	0.02	19
1751589	3.14	0.195	4.58	16	0.02	24
1751590	0.07	0.961	-	-	-	-
1751591	3.26	0.228	1.47	14	0.02	42
1751592	2.99	0.069	0.22	6	<0.01	20
1751593	1.93	0.034	0.17	5	<0.01	15
1751594	2.83	0.153	0.49	11	0.01	27
1751595	3.16	0.074	8.11	23	0.02	24
1751596	3.41	0.100	7.09	175	0.02	19
1751597	3.22	0.086	5.62	46	0.03	21
1751598	3.70	0.161	6.73	44	0.04	17
1751599	2.72	0.166	5.89	19	0.02	20
1751600	2.14	<0.005	-	-	-	-
1751601	3.01	0.133	5.00	15	0.02	36
1751602	3.01	0.688	5.02	9	0.01	15
1751603	2.96	0.077	9.07	12	0.02	14
1751604	3.07	0.075	7.48	21	0.02	19
1751605	3.11	0.052	7.29	13	0.01	16
1751606	2.97	0.064	5.68	8	0.01	17
1751607	3.32	0.165	6.71	25	0.02	31
1751608	3.52	0.351	2.62	9	0.01	36

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1751609	3.13	0.094	5.51	20	0.02	26
1751610	-	0.097	-	-	-	-
1751611	3.07	0.150	2.24	18	0.02	23
1751612	2.16	0.143	9.05	28	0.02	14
1751613	3.05	0.270	2.46	16	0.02	14
1751614	2.93	0.245	5.91	9	0.01	18
1751615	3.61	0.124	4.33	8	0.01	31
1751616	2.88	0.299	0.57	12	0.01	23
1751617	2.71	0.402	4.75	18	0.02	18
1751618	2.90	0.033	8.83	15	0.01	8
1751619	2.79	0.091	11.24	15	0.01	8
1751620	0.06	1.838	-	-	-	-
1751621	2.91	0.078	10.02	25	0.03	5
1751622	2.98	0.338	7.11	23	0.03	13
1751623	2.46	0.071	7.99	24	0.03	16
1751624	1.78	0.051	9.49	16	0.02	9
1751625	3.16	0.571	0.85	5	<0.01	19
*Dup 1751589	-	0.216	4.11	16	0.02	26
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751551	-	0.079	-	-	-	-
*Std PBS88	-	3.983	-	-	-	-
*Std OREAS 238	-	2.807	-	-	-	-
*Rep 1751596	-	0.101	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751614	-	0.256	-	-	-	-
*Std OREAS 601b	-	-	6.57	2040	0.86	16
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.41	2655	0.60	16
*Blk BLANK	-	<0.005	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 238	-	2.976	-	-	-	-
*Std SN106	-	8.062	-	-	-	-
*Std OREAS 905	-	-	6.99	2589	0.57	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.21	279	0.85	17
*Rep 1751588	-	-	8.18	22	0.02	10
*Std OREAS 905	-	-	7.53	2574	0.56	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.64	328	0.83	24

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751551	354	1.66	0.03	2	<0.01	29
1751552	653	6.82	<0.01	2	<0.01	46
1751553	57.4	0.37	<0.01	<1	<0.01	24
1751554	106	0.72	<0.01	<1	<0.01	44
1751555	1029	6.26	0.01	<1	<0.01	21
1751556	348	3.10	<0.01	<1	<0.01	40
1751557	391	2.94	0.09	1	<0.01	30
1751558	297	1.28	0.20	7	0.02	18
1751559	67.4	0.30	0.40	10	0.04	15
1751560	-	-	-	-	-	-
1751561	74.2	2.08	0.17	5	<0.01	38
1751562	17.2	0.80	0.01	2	<0.01	19
1751563	7.9	0.56	0.02	3	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751564	12.4	0.76	0.02	3	0.01	12
1751565	14.3	0.81	0.03	2	<0.01	27
1751566	13.9	1.30	0.08	3	<0.01	13
1751567	11.0	1.06	0.05	5	0.01	21
1751568	21.8	0.65	0.15	12	0.03	5
1751569	14.7	1.33	0.07	14	0.02	10
1751570	-	-	-	-	-	-
1751571	610	12.73	0.02	<1	<0.01	21
1751572	528	>15.00	0.02	<1	<0.01	24
1751573	177	6.55	0.02	4	<0.01	13
1751574	247	9.47	0.01	<1	<0.01	34
1751575	96.3	2.79	0.07	13	0.01	9
1751576	111	2.39	0.66	12	0.02	36
1751577	327	4.10	2.65	4	0.17	46
1751578	137	9.59	0.49	13	3.29	1385
1751579	149	4.54	0.23	2	<0.01	29
1751580	-	-	-	-	-	-
1751581	116	1.98	0.06	1	<0.01	34
1751582	89.4	2.56	0.02	<1	<0.01	43
1751583	196	4.21	0.02	<1	<0.01	30
1751584	18.5	0.75	0.01	<1	<0.01	47
1751585	15.9	0.50	0.01	<1	<0.01	30
1751586	15.3	0.55	0.02	<1	<0.01	39
1751587	20.1	0.73	0.04	<1	<0.01	22
1751588	41.1	0.79	0.03	<1	<0.01	39
1751589	196	2.38	<0.01	<1	<0.01	38
1751590	-	-	-	-	-	-
1751591	156	2.87	<0.01	<1	0.03	41
1751592	21.0	0.69	<0.01	<1	<0.01	40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751593	8.5	0.29	<0.01	<1	<0.01	26
1751594	47.0	1.56	<0.01	<1	<0.01	41
1751595	21.9	1.38	0.01	<1	<0.01	26
1751596	27.3	1.29	<0.01	<1	<0.01	27
1751597	21.1	0.78	0.04	<1	<0.01	29
1751598	64.1	1.27	<0.01	<1	<0.01	32
1751599	178	0.89	<0.01	<1	<0.01	26
1751600	-	-	-	-	-	-
1751601	82.6	1.42	<0.01	<1	<0.01	23
1751602	117	0.75	<0.01	<1	<0.01	27
1751603	26.7	0.57	<0.01	<1	<0.01	25
1751604	56.6	0.89	<0.01	<1	<0.01	30
1751605	36.3	0.55	<0.01	<1	<0.01	22
1751606	47.2	0.78	<0.01	<1	<0.01	28
1751607	132	1.65	<0.01	<1	<0.01	22
1751608	193	2.46	<0.01	<1	<0.01	23
1751609	53.3	0.98	<0.01	<1	<0.01	25
1751610	-	-	-	-	-	-
1751611	85.6	1.32	<0.01	<1	<0.01	24
1751612	159	1.34	<0.01	<1	<0.01	30
1751613	254	3.18	<0.01	<1	<0.01	20
1751614	61.1	1.12	<0.01	<1	<0.01	29
1751615	87.7	1.47	<0.01	<1	<0.01	28
1751616	156	2.76	<0.01	<1	<0.01	22
1751617	346	1.92	<0.01	<1	<0.01	27
1751618	25.9	0.53	<0.01	<1	<0.01	34
1751619	58.1	1.02	<0.01	<1	<0.01	23
1751620	-	-	-	-	-	-
1751621	73.5	0.83	<0.01	<1	<0.01	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751622	267	3.90	<0.01	<1	<0.01	24
1751623	51.6	0.52	<0.01	<1	<0.01	28
1751624	107	0.43	<0.01	<1	<0.01	26
1751625	310	3.36	<0.01	<1	<0.01	20
*Dup 1751589	198	2.41	<0.01	<1	<0.01	31
*Std OREAS 601b	1006	2.22	2.46	23	0.09	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1532	4.10	2.94	20	0.27	386
*Std OREAS 905	1419	3.77	2.74	19	0.27	351
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	913	2.08	2.25	21	0.09	201
*Rep 1751588	43.5	0.80	0.03	<1	<0.01	38
*Std OREAS 905	1498	3.96	2.99	20	0.27	373
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	962	2.20	2.41	21	0.09	212

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751551	0.07	5	0.08	1.57	253	0.09
1751552	0.03	15	0.09	>5.00	167	0.05
1751553	0.01	2	0.20	0.22	322	0.07
1751554	0.03	2	0.15	0.35	231	0.09
1751555	0.06	15	0.05	>5.00	139	0.05
1751556	0.02	9	0.02	2.91	71.4	0.08
1751557	0.06	9	0.02	2.97	66.2	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10929**

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751558	0.19	26	0.13	1.37	304	0.81
1751559	0.46	16	0.13	0.22	388	1.08
1751560	-	-	-	-	-	-
1751561	0.29	6	0.07	1.95	181	0.10
1751562	0.03	4	0.07	0.75	104	0.07
1751563	0.04	2	0.09	0.35	154	0.06
1751564	0.04	3	0.09	0.79	111	0.07
1751565	0.03	3	0.02	0.62	43.0	0.11
1751566	0.06	5	0.04	1.33	52.8	0.09
1751567	0.08	3	0.04	0.98	42.7	0.11
1751568	0.22	3	0.08	0.73	150	0.07
1751569	0.09	4	0.08	1.44	110	0.07
1751570	-	-	-	-	-	-
1751571	0.05	73	0.02	>5.00	86.6	0.05
1751572	0.06	88	0.06	>5.00	277	0.06
1751573	0.05	20	0.04	>5.00	243	0.07
1751574	0.02	24	0.01	>5.00	67.2	0.06
1751575	0.08	9	0.05	3.03	208	0.06
1751576	0.27	7	0.04	2.38	255	0.07
1751577	0.63	14	0.13	0.98	557	0.21
1751578	0.60	39	0.21	0.48	290	0.67
1751579	0.16	11	0.04	4.61	142	0.08
1751580	-	-	-	-	-	-
1751581	0.13	6	0.03	1.81	145	0.11
1751582	0.04	6	0.08	2.24	141	0.13
1751583	0.07	11	0.04	4.18	110	0.12
1751584	0.06	2	0.10	0.34	137	0.12
1751585	0.02	2	0.07	0.27	160	0.11
1751586	0.02	3	0.05	0.23	146	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751587	0.02	3	0.08	0.64	373	0.10
1751588	0.02	2	0.08	0.51	159	0.10
1751589	0.01	9	0.03	2.42	98.0	0.06
1751590	-	-	-	-	-	-
1751591	0.06	10	0.03	2.72	75.0	0.09
1751592	<0.01	2	<0.01	0.34	20.8	0.11
1751593	0.01	2	<0.01	0.07	23.3	0.19
1751594	0.01	6	0.02	1.30	78.5	0.14
1751595	0.01	6	0.09	1.36	171	0.06
1751596	0.01	6	0.09	1.23	163	0.09
1751597	0.02	4	0.07	0.67	392	0.09
1751598	0.01	6	0.13	1.18	283	0.11
1751599	<0.01	4	0.10	0.80	111	0.08
1751600	-	-	-	-	-	-
1751601	0.01	7	0.08	1.40	105	0.08
1751602	<0.01	4	0.06	0.59	68.4	0.08
1751603	<0.01	3	0.10	0.43	98.2	0.11
1751604	<0.01	4	0.06	0.74	124	0.08
1751605	0.01	3	0.08	0.44	98.2	0.10
1751606	<0.01	4	0.08	0.62	85.5	0.07
1751607	<0.01	5	0.11	1.69	166	0.09
1751608	<0.01	9	0.05	2.56	86.0	0.05
1751609	<0.01	4	0.08	0.89	155	0.06
1751610	-	-	-	-	-	-
1751611	<0.01	4	0.05	1.23	128	0.08
1751612	<0.01	4	0.07	1.22	119	0.08
1751613	<0.01	10	0.06	3.49	148	0.04
1751614	<0.01	4	0.04	0.98	76.7	0.06
1751615	<0.01	4	0.04	1.39	53.2	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751616	<0.01	8	0.03	2.90	68.5	0.05
1751617	<0.01	6	0.06	1.95	142	0.07
1751618	<0.01	2	0.05	0.28	84.0	0.08
1751619	<0.01	3	0.07	0.97	85.3	0.07
1751620	-	-	-	-	-	-
1751621	<0.01	3	0.09	0.68	198	0.05
1751622	0.01	9	0.09	3.97	213	0.07
1751623	<0.01	3	0.06	0.37	144	0.10
1751624	<0.01	2	0.05	0.28	105	0.10
1751625	<0.01	11	0.01	3.71	32.0	0.06
*Dup 1751589	0.01	10	0.03	2.43	96.0	0.06
*Std OREAS 601b	1.94	6	0.03	1.44	245	0.13
*Blk BLANK	<0.01	<1	<0.01	0.01	<0.5	<0.01
*Std OREAS 905	2.32	10	0.03	0.10	155	0.12
*Std OREAS 905	2.19	9	0.03	0.07	147	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.70	6	0.03	1.43	221	0.12
*Rep 1751588	0.02	2	0.07	0.51	156	0.09
*Std OREAS 905	2.50	10	0.03	0.07	156	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.93	8	0.03	1.48	232	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	14	3	102	0.23	27	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751552	14	3	61.9	0.28	29	0.2
1751553	13	3	50.0	0.06	6	0.3
1751554	17	1	67.0	0.07	10	0.2
1751555	6	1	70.9	0.37	23	0.1
1751556	3	3	106	0.17	12	<0.1
1751557	8	6	104	0.20	11	0.1
1751558	125	9	95.8	0.07	16	0.6
1751559	178	7	122	0.35	8	0.6
1751560	-	-	-	-	-	-
1751561	25	4	110	0.14	11	0.4
1751562	23	3	67.0	0.05	5	0.3
1751563	25	2	53.3	0.03	5	0.3
1751564	26	4	65.4	0.08	4	0.2
1751565	22	4	90.1	0.06	3	0.1
1751566	24	3	94.4	0.08	4	0.1
1751567	33	4	95.3	0.08	5	0.2
1751568	31	8	73.2	0.07	5	0.3
1751569	27	6	74.0	0.05	5	0.6
1751570	-	-	-	-	-	-
1751571	9	2	87.6	0.40	21	<0.1
1751572	13	<1	118	0.65	20	0.1
1751573	16	2	97.5	0.26	9	0.2
1751574	9	<1	80.0	0.34	9	<0.1
1751575	23	15	103	0.13	15	0.5
1751576	24	15	105	0.14	13	0.6
1751577	83	40	86.9	0.14	46	1.5
1751578	193	256	102	0.09	23	1.4
1751579	12	7	124	0.23	12	0.2
1751580	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751581	10	9	131	0.17	17	0.1
1751582	7	7	166	0.20	21	<0.1
1751583	8	2	161	0.19	22	<0.1
1751584	14	<1	113	0.09	5	0.1
1751585	12	1	102	0.40	3	0.1
1751586	11	1	78.2	0.07	3	0.1
1751587	6	3	95.5	0.13	3	<0.1
1751588	14	1	86.9	0.09	4	0.1
1751589	8	2	91.5	0.16	13	<0.1
1751590	-	-	-	-	-	-
1751591	6	10	106	0.18	12	<0.1
1751592	3	3	110	0.13	2	<0.1
1751593	5	3	122	0.30	<1	<0.1
1751594	5	2	135	0.20	4	<0.1
1751595	14	<1	70.7	0.08	6	0.1
1751596	13	<1	86.3	0.20	6	0.1
1751597	12	2	81.5	0.13	4	0.2
1751598	10	5	111	0.12	6	0.1
1751599	10	3	82.7	0.21	3	<0.1
1751600	-	-	-	-	-	-
1751601	9	2	76.2	0.14	2	<0.1
1751602	9	2	71.5	0.16	3	<0.1
1751603	20	2	78.4	0.10	3	0.1
1751604	18	2	74.8	0.10	3	<0.1
1751605	18	2	86.8	0.15	3	<0.1
1751606	9	2	68.2	0.09	2	<0.1
1751607	10	2	92.2	0.17	3	<0.1
1751608	5	3	68.3	0.17	5	<0.1
1751609	7	3	72.5	0.11	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751610	-	-	-	-	-	-
1751611	5	3	87.4	0.13	2	<0.1
1751612	10	1	82.4	0.20	2	<0.1
1751613	4	2	75.4	0.21	4	<0.1
1751614	7	3	74.2	0.10	3	<0.1
1751615	5	5	80.8	0.12	2	<0.1
1751616	3	4	77.5	0.13	8	<0.1
1751617	7	2	81.2	0.23	4	<0.1
1751618	14	2	64.3	0.19	2	<0.1
1751619	19	<1	60.1	0.08	3	<0.1
1751620	-	-	-	-	-	-
1751621	25	2	52.4	0.08	5	0.1
1751622	18	3	73.9	0.33	12	0.2
1751623	16	7	65.1	0.08	5	0.1
1751624	19	6	62.9	0.10	5	0.1
1751625	4	7	81.4	0.20	16	<0.1
*Dup 1751589	8	2	84.4	0.16	14	<0.1
*Std OREAS 601b	12	303	180	50.47	277	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	12	140	247	0.68	35	3.1
*Std OREAS 905	11	128	240	0.69	37	3.0
*Blk BLANK	<2	2	0.8	0.02	<1	<0.1
*Std OREAS 601b	12	290	174	48.91	280	2.2
*Rep 1751588	13	2	83.5	0.10	5	0.1
*Std OREAS 905	11	137	257	0.72	34	3.1
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	12	307	186	55.43	279	2.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	12.01	0.24	85.46	10.5	<1	2.70
1751552	17.71	0.34	67.93	27.9	<1	1.18
1751553	1.12	0.21	80.38	2.4	<1	1.63
1751554	2.41	0.17	80.51	3.4	<1	1.49
1751555	29.88	0.25	63.59	21.5	<1	1.10
1751556	9.04	0.16	27.70	16.9	<1	0.70
1751557	6.12	0.29	21.56	13.1	<1	0.69
1751558	4.49	0.20	75.96	24.8	<1	2.51
1751559	6.81	0.18	76.51	4.2	<1	3.18
1751560	-	-	-	-	-	-
1751561	4.57	0.18	27.15	13.4	<1	0.93
1751562	0.77	0.10	41.64	6.0	<1	0.59
1751563	0.74	0.09	80.73	2.6	<1	0.93
1751564	0.62	0.11	42.44	6.0	<1	0.78
1751565	0.52	0.12	18.54	5.0	<1	0.66
1751566	0.76	0.08	15.03	6.9	<1	0.66
1751567	0.50	0.08	14.30	6.4	<1	0.50
1751568	0.48	0.09	48.20	3.4	<1	0.91
1751569	0.60	0.11	32.35	5.0	<1	0.65
1751570	-	-	-	-	-	-
1751571	17.49	0.20	102	120	<1	1.10
1751572	13.68	0.10	246	212	<1	2.12
1751573	6.66	0.59	177	38.0	<1	1.70
1751574	8.11	0.10	48.62	50.6	<1	0.82
1751575	2.95	0.27	174	20.9	<1	1.41
1751576	3.83	0.44	107	13.3	<1	1.01
1751577	3.33	0.52	135	15.5	2	2.23
1751578	1.36	0.53	81.29	44.2	3	5.20
1751579	3.27	0.21	99.90	26.4	<1	1.25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	1.71	0.29	78.84	8.5	<1	1.03
1751582	2.30	0.25	110	9.3	<1	1.50
1751583	3.14	0.09	76.65	15.9	<1	1.36
1751584	0.49	0.06	68.02	2.4	<1	1.19
1751585	0.42	0.06	50.88	1.9	<1	1.00
1751586	0.29	0.05	23.11	1.6	<1	0.75
1751587	0.47	0.08	51.00	2.9	<1	1.16
1751588	0.78	0.06	42.70	3.6	<1	0.92
1751589	3.17	0.12	33.61	14.8	<1	0.83
1751590	-	-	-	-	-	-
1751591	2.38	0.13	24.34	14.1	<1	0.80
1751592	0.37	0.07	9.47	2.2	<1	0.60
1751593	0.14	0.10	14.46	0.6	<1	0.63
1751594	0.90	0.07	59.89	8.0	<1	1.07
1751595	0.77	0.05	83.67	7.7	<1	1.05
1751596	0.90	0.05	97.14	7.8	<1	1.31
1751597	0.83	0.06	108	6.1	<1	1.39
1751598	2.07	0.09	208	7.9	<1	1.97
1751599	5.60	0.06	16.98	6.2	<1	0.70
1751600	-	-	-	-	-	-
1751601	2.72	0.05	30.13	8.2	<1	0.80
1751602	4.89	0.06	28.63	5.9	<1	0.74
1751603	0.88	0.07	110	4.0	<1	1.47
1751604	1.55	0.06	120	6.3	<1	1.21
1751605	1.24	0.05	79.40	3.8	<1	1.25
1751606	1.43	0.05	36.36	4.9	<1	0.69
1751607	4.11	0.07	60.57	9.8	<1	1.08
1751608	5.86	0.06	30.98	11.9	<1	0.72

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	1.69	0.05	59.55	6.0	<1	0.97
1751610	-	-	-	-	-	-
1751611	2.58	0.06	31.78	8.6	<1	0.86
1751612	5.96	0.08	42.75	6.2	<1	0.80
1751613	6.56	0.10	36.40	23.0	<1	0.82
1751614	1.88	0.09	19.49	7.8	<1	0.57
1751615	2.64	0.08	8.16	6.5	<1	0.49
1751616	4.10	0.09	24.23	13.7	<1	1.41
1751617	9.39	0.07	62.79	11.5	<1	1.20
1751618	0.68	0.06	39.26	2.1	<1	0.74
1751619	1.73	0.07	39.33	4.1	<1	0.67
1751620	-	-	-	-	-	-
1751621	2.24	0.06	197	3.6	<1	2.09
1751622	7.83	0.12	166	19.0	<1	1.87
1751623	2.07	0.08	114	2.1	<1	1.33
1751624	3.18	0.13	81.92	1.6	<1	0.88
1751625	9.42	0.18	13.72	20.9	<1	0.45
*Dup 1751589	3.42	0.13	33.28	15.9	<1	0.83
*Std OREAS 601b	17.00	2.02	68.21	2.9	5	2.54
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.05
*Std OREAS 905	5.68	0.35	90.99	15.1	7	3.60
*Std OREAS 905	6.03	0.36	92.63	15.1	7	3.65
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 601b	17.70	2.06	68.54	2.9	5	2.62
*Rep 1751588	0.80	0.07	42.15	3.6	<1	0.90
*Std OREAS 905	5.50	0.37	90.54	15.7	7	3.78
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 601b	16.87	2.10	67.49	3.1	5	2.65

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	1.36	1.86	5.2	6.3	2.71	0.46
1751552	0.39	1.27	3.1	6.2	1.52	0.14
1751553	0.31	1.78	4.6	8.0	1.42	0.14
1751554	0.36	1.74	4.1	9.3	1.87	0.14
1751555	0.53	1.28	2.5	1.7	1.97	0.16
1751556	0.52	0.63	1.3	0.5	2.32	0.14
1751557	0.50	0.59	1.2	2.5	2.61	0.14
1751558	1.06	2.52	5.6	20.0	1.83	0.39
1751559	1.35	2.50	6.3	24.7	1.95	0.50
1751560	-	-	-	-	-	-
1751561	0.55	0.67	1.7	9.3	2.93	0.16
1751562	0.34	0.70	1.6	9.5	1.81	0.09
1751563	0.32	1.18	2.7	11.1	1.45	0.11
1751564	0.37	0.81	1.8	9.8	1.82	0.11
1751565	0.50	0.56	1.3	6.9	2.49	0.13
1751566	0.50	0.52	1.3	8.2	2.56	0.14
1751567	0.41	0.42	1.0	10.5	2.68	0.10
1751568	0.39	0.98	2.2	11.8	2.02	0.13
1751569	0.34	0.72	1.5	7.9	2.09	0.10
1751570	-	-	-	-	-	-
1751571	0.58	1.49	3.2	1.6	2.47	0.17
1751572	0.87	3.37	6.8	2.2	3.58	0.26
1751573	0.69	2.81	5.3	8.4	2.86	0.21
1751574	0.51	1.13	2.4	1.9	2.46	0.14
1751575	0.65	2.22	4.3	11.2	2.89	0.18
1751576	0.58	1.76	3.0	8.9	2.66	0.15
1751577	1.04	2.41	5.2	13.8	2.21	0.35
1751578	2.59	2.49	6.9	22.6	2.75	0.97
1751579	0.69	1.78	3.2	7.6	3.55	0.20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	0.61	1.49	2.5	8.0	3.63	0.18
1751582	0.89	1.77	3.3	1.9	4.43	0.26
1751583	0.78	1.38	3.1	1.4	4.26	0.23
1751584	0.58	1.30	2.9	8.6	3.11	0.18
1751585	0.49	1.03	2.1	7.5	2.80	0.15
1751586	0.41	0.54	1.5	6.2	2.16	0.12
1751587	0.54	1.21	2.9	1.9	2.73	0.16
1751588	0.45	1.07	2.6	7.6	2.41	0.13
1751589	0.55	0.82	1.9	5.5	2.47	0.15
1751590	-	-	-	-	-	-
1751591	0.60	0.66	1.4	2.2	2.96	0.16
1751592	0.55	0.29	0.8	0.3	3.08	0.14
1751593	0.61	0.34	0.9	0.3	3.28	0.15
1751594	0.75	1.00	2.1	0.4	3.80	0.21
1751595	0.45	1.51	2.8	7.6	1.96	0.14
1751596	0.61	1.78	3.4	5.5	2.46	0.19
1751597	0.59	2.15	3.8	3.9	2.24	0.18
1751598	0.84	3.15	5.1	3.9	3.17	0.26
1751599	0.43	0.58	1.2	4.2	2.33	0.12
1751600	-	-	-	-	-	-
1751601	0.45	0.89	1.5	3.9	2.13	0.13
1751602	0.40	0.77	1.5	2.8	1.98	0.12
1751603	0.57	2.43	4.6	4.2	2.16	0.19
1751604	0.52	2.45	4.7	4.2	2.10	0.15
1751605	0.54	2.00	4.3	5.4	2.42	0.16
1751606	0.40	0.76	1.6	2.6	1.97	0.11
1751607	0.53	1.23	2.1	4.7	2.59	0.16
1751608	0.43	0.70	1.1	2.3	1.98	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	0.49	1.21	2.0	5.3	2.04	0.15
1751610	-	-	-	-	-	-
1751611	0.50	0.87	1.6	1.7	2.47	0.15
1751612	0.40	0.81	1.6	4.0	2.30	0.12
1751613	0.46	0.99	1.6	2.8	2.24	0.14
1751614	0.39	0.47	0.9	3.5	2.14	0.11
1751615	0.40	0.25	0.6	3.0	2.28	0.11
1751616	0.56	0.85	1.4	0.8	2.12	0.22
1751617	0.50	1.42	2.4	4.5	2.36	0.18
1751618	0.37	0.97	1.9	3.7	1.86	0.12
1751619	0.34	0.89	1.7	5.2	1.73	0.10
1751620	-	-	-	-	-	-
1751621	0.61	3.54	5.4	4.7	1.58	0.24
1751622	0.74	2.76	4.9	3.1	2.26	0.25
1751623	0.48	1.58	3.5	3.8	1.84	0.18
1751624	0.39	1.42	2.7	5.0	1.79	0.12
1751625	0.39	0.24	0.6	0.6	2.32	0.10
*Dup 1751589	0.54	0.81	1.9	5.1	2.38	0.15
*Std OREAS 601b	0.86	0.96	4.1	23.0	5.29	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.16	1.37	5.9	25.7	7.15	0.54
*Std OREAS 905	1.17	1.34	5.8	25.4	7.17	0.53
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.86	0.92	4.0	22.9	5.29	0.37
*Rep 1751588	0.45	1.06	2.5	7.6	2.29	0.13
*Std OREAS 905	1.23	1.42	6.1	26.2	7.21	0.55
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.88	0.98	4.3	24.5	5.40	0.40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	0.02	39.8	0.22	33.70	2.6	42.3
1751552	0.10	34.1	0.09	25.77	1.3	29.1
1751553	0.03	40.4	0.07	14.04	2.1	36.0
1751554	0.03	38.2	0.09	20.51	2.5	37.6
1751555	0.05	33.8	0.12	16.54	1.3	25.2
1751556	0.02	15.6	0.14	30.77	1.7	15.0
1751557	0.05	12.6	0.16	23.92	2.0	11.2
1751558	0.23	35.5	0.14	4.70	18.2	40.4
1751559	0.28	35.4	0.17	2.73	23.5	43.0
1751560	-	-	-	-	-	-
1751561	0.03	16.3	0.15	24.38	2.8	14.0
1751562	<0.02	25.8	0.11	16.47	1.9	18.0
1751563	<0.02	41.7	0.08	19.47	1.7	31.8
1751564	<0.02	24.8	0.11	21.18	1.7	21.6
1751565	<0.02	10.4	0.14	28.26	3.3	12.4
1751566	<0.02	8.0	0.15	24.36	3.1	10.7
1751567	<0.02	7.6	0.14	46.59	2.9	9.6
1751568	<0.02	26.9	0.12	11.15	1.9	25.6
1751569	<0.02	18.0	0.11	18.42	2.2	18.5
1751570	-	-	-	-	-	-
1751571	0.03	48.6	0.15	53.34	1.2	44.9
1751572	0.02	141	0.19	92.27	1.5	104
1751573	0.03	106	0.15	50.59	2.0	74.4
1751574	<0.02	27.9	0.13	19.55	2.5	28.1
1751575	<0.02	99.5	0.16	73.08	2.2	72.2
1751576	<0.02	50.1	0.15	35.56	2.2	54.8
1751577	0.11	60.4	0.17	13.86	4.5	69.9
1751578	0.18	37.4	0.27	2.28	15.5	43.3
1751579	<0.02	48.5	0.18	52.67	2.2	43.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	<0.02	38.5	0.19	54.78	2.6	32.2
1751582	<0.02	66.9	0.25	80.34	3.1	42.6
1751583	<0.02	37.6	0.23	125	2.4	34.6
1751584	<0.02	32.1	0.16	60.65	3.9	31.2
1751585	<0.02	31.7	0.14	42.59	3.0	23.1
1751586	<0.02	14.4	0.11	28.45	2.8	10.4
1751587	<0.02	26.2	0.14	27.99	2.2	24.0
1751588	<0.02	23.4	0.12	22.75	2.3	25.4
1751589	<0.02	19.2	0.14	37.96	1.7	18.3
1751590	-	-	-	-	-	-
1751591	<0.02	13.7	0.16	53.60	2.2	13.2
1751592	<0.02	5.2	0.15	113	2.1	6.0
1751593	<0.02	8.1	0.16	57.00	4.0	7.6
1751594	<0.02	29.9	0.20	122	3.1	26.7
1751595	<0.02	40.7	0.10	31.57	1.9	42.4
1751596	<0.02	49.0	0.13	53.14	3.3	46.4
1751597	<0.02	51.8	0.12	34.95	2.4	53.1
1751598	<0.02	111	0.16	42.21	2.7	96.8
1751599	<0.02	10.6	0.13	15.89	2.3	8.0
1751600	-	-	-	-	-	-
1751601	<0.02	17.6	0.12	18.14	1.2	14.8
1751602	<0.02	16.2	0.10	15.04	2.3	14.5
1751603	<0.02	49.8	0.11	15.97	1.8	60.5
1751604	<0.02	67.0	0.11	14.75	2.1	62.8
1751605	<0.02	39.9	0.12	19.82	2.3	43.6
1751606	<0.02	20.4	0.11	13.39	1.5	21.7
1751607	<0.02	29.4	0.14	27.10	1.7	24.2
1751608	<0.02	18.3	0.11	23.88	1.2	11.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	<0.02	32.8	0.13	13.79	2.1	19.9
1751610	-	-	-	-	-	-
1751611	<0.02	19.5	0.14	22.04	3.0	13.3
1751612	<0.02	25.4	0.12	12.12	2.4	20.1
1751613	0.02	22.1	0.12	26.84	1.4	16.0
1751614	<0.02	11.5	0.12	19.88	2.0	9.1
1751615	<0.02	5.0	0.12	20.83	1.7	3.5
1751616	<0.02	14.7	0.12	51.26	1.3	9.5
1751617	0.03	32.4	0.12	57.33	2.2	25.9
1751618	<0.02	21.9	0.09	32.94	2.8	20.8
1751619	<0.02	23.8	0.09	17.64	2.7	18.9
1751620	-	-	-	-	-	-
1751621	<0.02	119	0.08	27.47	1.7	76.7
1751622	0.02	97.5	0.13	32.06	1.9	71.6
1751623	<0.02	74.1	0.09	80.95	3.0	39.5
1751624	0.03	40.2	0.09	32.45	3.5	34.4
1751625	0.02	8.7	0.12	30.35	2.0	5.7
*Dup 1751589	<0.02	19.0	0.14	40.76	1.8	18.2
*Std OREAS 601b	0.46	34.3	0.07	4.99	15.3	29.7
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.63	45.5	0.09	3.41	19.1	40.9
*Std OREAS 905	0.60	46.1	0.09	3.43	17.8	39.5
*Blk BLANK	<0.02	<0.1	<0.01	0.07	<0.1	<0.1
*Std OREAS 601b	0.46	33.8	0.07	5.09	14.6	28.2
*Rep 1751588	<0.02	23.0	0.12	22.10	2.0	25.0
*Std OREAS 905	0.65	47.4	0.09	3.31	18.4	40.2
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.48	35.8	0.07	5.15	15.5	29.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	50.3	10.94	1.1	5.81	2.2	12
1751552	38.0	8.03	0.2	6.67	1.3	38
1751553	67.1	9.68	<0.2	1.38	1.4	<2
1751554	47.1	10.01	<0.2	1.05	1.5	3
1751555	31.8	7.19	0.3	2.85	1.7	47
1751556	22.7	4.08	<0.2	2.15	1.5	12
1751557	9.0	3.06	1.7	1.31	2.0	14
1751558	17.6	9.90	5.5	3.07	11.0	8
1751559	38.2	10.37	11.6	2.93	20.0	12
1751560	-	-	-	-	-	-
1751561	10.6	3.82	4.1	4.46	3.6	11
1751562	17.0	5.31	0.3	0.46	1.8	3
1751563	20.9	9.18	0.4	0.34	1.5	<2
1751564	16.3	6.01	0.5	0.44	2.1	3
1751565	7.5	2.95	0.7	0.56	2.2	4
1751566	6.7	2.48	1.9	0.40	2.3	9
1751567	6.2	2.31	1.4	0.58	2.5	4
1751568	12.7	6.96	3.9	0.49	2.2	3
1751569	11.9	4.82	1.8	0.86	2.2	5
1751570	-	-	-	-	-	-
1751571	26.2	12.53	0.6	4.35	1.8	49
1751572	66.3	29.52	0.4	2.09	2.8	114
1751573	42.5	21.23	0.3	1.30	2.5	38
1751574	15.5	7.28	0.3	0.76	1.6	54
1751575	17.7	20.81	1.3	4.10	2.8	15
1751576	9.8	14.20	12.8	2.16	2.7	10
1751577	19.4	17.94	71.3	2.28	8.3	3
1751578	32.8	10.74	11.6	1.85	19.0	<2
1751579	14.2	12.03	4.4	1.63	2.5	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	21.3	9.21	1.3	3.28	2.3	9
1751582	28.7	12.73	0.3	4.00	2.9	11
1751583	20.3	9.46	0.3	1.79	2.5	15
1751584	24.4	8.46	0.3	0.43	2.2	<2
1751585	25.6	6.90	0.3	0.44	1.8	<2
1751586	21.4	3.00	0.3	0.55	1.8	<2
1751587	41.2	6.38	0.6	0.90	2.1	3
1751588	23.3	6.36	0.5	0.70	2.3	3
1751589	16.2	4.81	<0.2	0.87	2.0	9
1751590	-	-	-	-	-	-
1751591	14.6	3.47	0.2	1.37	2.4	9
1751592	3.8	1.45	<0.2	0.42	2.1	2
1751593	4.2	2.07	<0.2	0.19	2.0	<2
1751594	10.9	7.39	0.2	0.32	2.5	6
1751595	22.4	10.98	0.3	0.28	1.9	8
1751596	23.6	12.10	<0.2	0.41	2.2	6
1751597	39.4	13.82	0.7	0.48	2.3	3
1751598	37.8	26.83	<0.2	0.53	2.6	5
1751599	17.0	2.19	<0.2	0.43	2.0	5
1751600	-	-	-	-	-	-
1751601	16.8	4.01	<0.2	0.26	2.0	7
1751602	12.1	3.99	<0.2	0.43	2.0	4
1751603	17.1	14.99	<0.2	0.35	2.4	2
1751604	21.0	15.87	<0.2	0.25	1.7	3
1751605	16.5	10.51	<0.2	0.26	2.0	<2
1751606	14.6	5.54	<0.2	0.21	1.7	3
1751607	26.7	7.21	<0.2	0.28	2.3	8
1751608	15.4	3.70	<0.2	0.41	1.7	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	27.1	6.39	<0.2	0.71	2.2	4
1751610	-	-	-	-	-	-
1751611	21.0	3.96	<0.2	0.22	2.1	5
1751612	18.8	5.68	<0.2	0.18	2.0	6
1751613	18.8	4.61	<0.2	0.21	1.4	15
1751614	12.3	2.58	<0.2	0.14	1.6	6
1751615	8.3	1.03	<0.2	0.13	1.6	5
1751616	14.1	3.01	<0.2	0.16	1.7	12
1751617	24.1	7.40	<0.2	0.20	1.8	12
1751618	15.2	5.48	<0.2	0.14	1.6	<2
1751619	15.6	5.15	<0.2	0.16	1.7	4
1751620	-	-	-	-	-	-
1751621	35.0	22.35	<0.2	0.29	1.4	3
1751622	38.8	19.97	<0.2	0.63	1.8	20
1751623	35.3	11.61	<0.2	0.20	1.6	<2
1751624	26.9	9.30	<0.2	0.22	1.8	<2
1751625	8.3	1.67	<0.2	0.48	1.6	11
*Dup 1751589	15.5	4.66	<0.2	0.86	2.0	10
*Std OREAS 601b	344	8.10	96.3	23.98	3.5	10
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	28.6	11.04	141	1.98	5.0	3
*Std OREAS 905	29.3	10.68	134	1.84	5.4	3
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	336	7.77	95.3	23.13	3.7	9
*Rep 1751588	23.4	6.24	0.5	0.74	2.2	3
*Std OREAS 905	26.7	10.93	132	1.96	5.7	3
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	318	8.21	93.0	23.71	4.2	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	7.6	22.6	0.18	0.63	6.99	12.4
1751552	4.9	43.0	0.09	0.34	12.43	7.4
1751553	6.6	24.6	0.23	0.51	0.25	9.2
1751554	6.5	23.2	0.24	0.46	1.17	8.1
1751555	4.2	26.4	0.08	0.29	13.98	7.5
1751556	2.4	12.1	0.08	0.15	5.54	3.3
1751557	2.0	28.0	0.12	0.14	4.45	3.4
1751558	7.7	8.7	1.09	0.61	2.69	3.9
1751559	8.4	4.7	1.43	0.73	3.01	3.6
1751560	-	-	-	-	-	-
1751561	2.4	13.9	0.21	0.21	4.23	6.0
1751562	2.8	11.6	0.15	0.16	0.31	16.4
1751563	5.1	8.7	0.19	0.28	0.16	16.1
1751564	3.5	9.6	0.20	0.19	0.39	12.4
1751565	2.5	12.1	0.18	0.14	0.49	6.0
1751566	2.2	10.4	0.18	0.14	0.57	5.0
1751567	1.8	12.2	0.31	0.11	0.43	5.5
1751568	4.1	11.1	0.27	0.24	0.27	9.6
1751569	2.9	8.4	0.25	0.16	0.47	6.0
1751570	-	-	-	-	-	-
1751571	6.6	4.5	0.07	0.31	9.35	11.8
1751572	14.3	6.0	0.10	0.69	15.55	28.4
1751573	11.1	8.6	0.16	0.53	10.11	20.1
1751574	4.7	6.2	0.09	0.23	6.56	7.8
1751575	9.2	7.1	0.21	0.45	3.41	24.0
1751576	8.3	7.8	0.17	0.29	3.02	12.9
1751577	11.3	9.8	0.36	0.54	2.52	14.9
1751578	8.3	3.2	0.97	0.96	0.51	3.7
1751579	6.4	8.6	0.17	0.34	3.84	12.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	4.6	10.6	0.16	0.26	1.61	9.0
1751582	6.0	7.7	0.13	0.38	1.58	9.1
1751583	5.2	9.0	0.12	0.34	2.49	7.2
1751584	4.8	8.8	0.27	0.32	0.35	8.6
1751585	3.4	9.6	0.20	0.25	0.20	6.9
1751586	1.8	8.1	0.20	0.19	0.33	4.2
1751587	4.3	8.6	0.10	0.33	0.86	6.0
1751588	4.4	10.7	0.25	0.26	0.54	7.5
1751589	3.1	16.5	0.11	0.21	2.71	6.0
1751590	-	-	-	-	-	-
1751591	2.3	7.1	0.11	0.17	3.04	3.4
1751592	1.1	5.2	0.09	0.11	0.79	2.1
1751593	1.3	11.1	0.17	0.11	0.21	3.5
1751594	4.0	9.2	0.15	0.25	1.02	6.9
1751595	6.3	6.6	0.14	0.31	0.67	9.9
1751596	7.1	8.8	0.18	0.37	0.82	15.2
1751597	8.3	8.4	0.16	0.41	1.01	10.4
1751598	11.9	7.9	0.20	0.57	1.94	25.7
1751599	1.5	7.1	0.14	0.17	2.23	4.0
1751600	-	-	-	-	-	-
1751601	2.3	5.3	0.11	0.21	1.73	5.6
1751602	2.4	6.0	0.12	0.19	3.22	5.4
1751603	9.9	7.9	0.20	0.43	1.29	11.2
1751604	10.8	6.6	0.16	0.39	1.22	13.5
1751605	8.4	7.7	0.19	0.39	0.97	9.6
1751606	3.3	5.4	0.13	0.18	1.06	6.5
1751607	3.2	7.1	0.15	0.28	2.48	6.1
1751608	1.4	3.7	0.07	0.16	5.35	2.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	2.9	4.8	0.11	0.25	2.60	5.6
1751610	-	-	-	-	-	-
1751611	2.2	5.0	0.09	0.20	4.71	3.8
1751612	2.9	6.8	0.20	0.21	1.89	6.4
1751613	2.5	4.0	0.07	0.20	5.00	4.8
1751614	1.4	4.8	0.12	0.12	2.09	2.9
1751615	0.6	4.4	0.12	0.09	1.77	1.9
1751616	1.4	2.8	0.07	0.25	3.33	2.7
1751617	3.9	4.6	0.12	0.30	4.37	6.1
1751618	3.3	6.2	0.19	0.21	0.34	6.0
1751619	3.1	7.0	0.20	0.19	0.63	7.3
1751620	-	-	-	-	-	-
1751621	10.5	6.2	0.16	0.60	1.00	18.6
1751622	10.2	6.3	0.20	0.51	6.25	16.7
1751623	6.0	8.7	0.33	0.37	0.84	18.4
1751624	5.7	9.2	0.29	0.25	0.58	11.8
1751625	0.9	3.5	0.10	0.08	4.86	3.1
*Dup 1751589	3.1	16.7	0.11	0.20	2.69	5.9
*Std OREAS 601b	5.4	3.4	1.11	0.55	12.07	12.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.7	4.1	1.31	0.77	0.14	15.0
*Std OREAS 905	7.6	3.9	1.32	0.77	0.10	14.8
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.2	3.2	1.09	0.53	11.56	11.8
*Rep 1751588	4.4	10.1	0.19	0.26	0.67	7.5
*Std OREAS 905	7.8	4.1	1.36	0.82	0.09	14.9
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.4	3.6	1.13	0.58	12.21	12.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10929**

Element Method	@TI GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751551	0.06	0.19	1.12	3.6	14.2	1.3
1751552	0.03	0.06	0.75	1.6	3.0	0.5
1751553	<0.02	<0.05	0.89	1.7	2.4	0.4
1751554	<0.02	0.05	0.92	2.2	2.4	0.4
1751555	0.03	0.09	0.86	1.5	3.7	0.7
1751556	<0.02	0.09	0.93	2.1	3.4	0.8
1751557	0.05	0.09	0.78	2.3	3.4	0.8
1751558	0.16	0.14	0.80	3.5	8.7	0.9
1751559	0.28	0.18	0.83	2.1	10.7	1.1
1751560	-	-	-	-	-	-
1751561	0.11	0.09	0.84	2.8	4.0	0.8
1751562	<0.02	0.06	0.66	1.6	2.0	0.5
1751563	<0.02	0.05	0.63	1.5	2.2	0.4
1751564	0.02	0.06	0.65	1.9	2.5	0.5
1751565	0.02	0.09	0.84	2.5	3.3	0.8
1751566	0.04	0.10	0.85	2.4	3.3	0.8
1751567	0.03	0.08	0.76	2.6	2.6	0.7
1751568	0.10	0.07	0.71	1.5	2.7	0.6
1751569	0.05	0.07	0.71	1.6	2.3	0.6
1751570	-	-	-	-	-	-
1751571	0.08	0.09	1.09	1.0	3.8	0.7
1751572	0.08	0.12	1.89	1.3	5.4	1.0
1751573	0.06	0.10	1.52	1.5	4.3	0.8
1751574	0.04	0.08	0.89	1.0	3.2	0.7
1751575	0.04	0.09	1.19	1.5	4.0	0.8
1751576	0.21	0.09	0.90	1.4	3.7	0.7
1751577	0.76	0.14	0.94	1.4	8.4	1.0
1751578	0.19	0.34	0.66	0.6	23.8	2.0
1751579	0.09	0.11	1.21	1.8	4.6	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

**ANALYSIS REPORT BBM21-10929**

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751580	-	-	-	-	-	-
1751581	0.03	0.11	1.16	2.3	4.1	1.0
1751582	<0.02	0.16	1.45	2.8	5.9	1.3
1751583	<0.02	0.14	1.29	2.7	5.2	1.2
1751584	<0.02	0.10	1.03	2.8	3.9	0.8
1751585	<0.02	0.08	0.90	2.6	3.5	0.7
1751586	<0.02	0.08	0.71	1.5	2.6	0.6
1751587	<0.02	0.08	1.10	1.8	3.3	0.7
1751588	<0.02	0.08	0.85	2.6	2.7	0.6
1751589	<0.02	0.10	0.82	2.1	3.3	0.8
1751590	-	-	-	-	-	-
1751591	0.02	0.11	0.89	2.3	3.7	0.9
1751592	<0.02	0.10	0.85	2.5	3.4	0.9
1751593	<0.02	0.11	0.84	2.5	3.6	0.9
1751594	<0.02	0.12	1.12	2.2	4.5	1.1
1751595	<0.02	0.06	0.76	1.6	2.8	0.5
1751596	<0.02	0.09	0.90	1.9	3.7	0.7
1751597	<0.02	0.08	0.92	1.8	3.7	0.6
1751598	<0.02	0.10	1.23	2.3	4.9	0.8
1751599	<0.02	0.07	0.72	1.1	2.7	0.7
1751600	-	-	-	-	-	-
1751601	<0.02	0.08	0.72	1.1	2.9	0.6
1751602	<0.02	0.07	0.65	1.1	2.5	0.6
1751603	<0.02	0.07	0.84	1.5	3.7	0.6
1751604	<0.02	0.06	0.87	1.4	2.8	0.5
1751605	<0.02	0.08	0.95	1.4	3.3	0.6
1751606	<0.02	0.06	0.66	0.8	2.4	0.6
1751607	<0.02	0.09	0.81	1.8	3.3	0.7
1751608	<0.02	0.07	0.58	1.2	2.8	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(151-225)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751609	<0.02	0.08	0.68	1.9	3.0	0.7
1751610	-	-	-	-	-	-
1751611	<0.02	0.09	0.78	1.2	3.2	0.7
1751612	<0.02	0.07	0.74	1.0	2.4	0.6
1751613	0.07	0.08	0.77	0.8	3.0	0.6
1751614	<0.02	0.07	0.59	0.8	2.5	0.6
1751615	<0.02	0.07	0.57	1.1	2.5	0.6
1751616	<0.02	0.08	0.70	0.7	4.2	0.7
1751617	<0.02	0.07	0.91	1.0	3.5	0.6
1751618	<0.02	0.06	0.63	1.3	2.2	0.5
1751619	<0.02	0.06	0.60	1.4	2.1	0.5
1751620	-	-	-	-	-	-
1751621	<0.02	0.06	0.98	1.2	4.3	0.4
1751622	0.06	0.09	1.04	1.5	5.0	0.7
1751623	<0.02	0.06	0.81	1.8	4.1	0.5
1751624	<0.02	0.05	0.65	1.7	2.8	0.4
1751625	0.02	0.08	0.64	0.9	2.7	0.6
*Dup 1751589	<0.02	0.09	0.80	2.1	3.3	0.7
*Std OREAS 601b	1.46	0.10	4.69	6.6	11.0	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.74	0.12	5.07	2.8	15.9	0.6
*Std OREAS 905	0.72	0.13	5.03	2.7	16.1	0.6
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.41	0.09	4.58	6.1	11.5	0.5
*Rep 1751588	<0.02	0.07	0.84	2.2	2.7	0.6
*Std OREAS 905	0.73	0.12	5.09	2.8	14.6	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.49	0.10	4.76	6.3	10.7	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\* PANCON\_RESOURCES/Hole  
B21C-011/253 CORE(151-225)  
Number of Samples 75

## ANALYSIS REPORT BBM21-10929

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1751552	7.629
1751555	7.331
1751571	14.704
1751572	21.880
1751573	7.173
1751574	10.626
*Rep 1751571	14.886
*Blk BLANK	0.006
*Std OREAS 134a	18.997

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



# ANALYSIS REPORT BBM21-10931

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	12-Jul-2021 - 09-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Hole	Date Completed	12-Aug-2021
B21C-011/253 CORE(226-253)		SGS Order Number	BBM21-10931
Number of Samples	28		

Methods Summary		
Number of Sample	Method Code	Description
28	G_WGH_KG	Weight of samples received
25	G_PRP	Combined Sample Preparation
28	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
28	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
25	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
25	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
1	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.  
This Report cancels and supersedes the report  
BBM\_U0012716821 dated 9-Aug-2021 issued by SGS  
Canada (Burnaby).  
Updated the CSV template to follow the correct analyte  
sequence.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\* PANCON\_RESOURCES/Hole  
B21C-011/253 CORE(226-253)  
Number of Samples 28

## ANALYSIS REPORT BBM21-10931

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751626	3.54	0.035	8.52	16	0.02	7
1751627	1.99	0.045	7.91	11	0.02	10
1751628	2.14	0.092	9.93	11	0.01	9
1751629	3.13	0.062	12.02	78	0.02	6
1751630	0.06	<0.005	-	-	-	-
1751631	2.38	0.159	3.24	8	<0.01	26
1751632	1.93	0.538	1.57	2	<0.01	9
1751633	1.78	0.250	0.96	11	<0.01	14
1751634	2.98	0.110	0.45	1	<0.01	15
1751635	2.67	0.046	0.23	4	<0.01	13
1751636	2.55	0.037	0.44	6	<0.01	9
1751637	2.62	0.033	0.22	1	<0.01	10
1751638	3.04	0.179	2.86	14	0.01	13
1751639	2.36	0.041	6.06	24	0.01	10
1751640	-	0.040	-	-	-	-
1751641	2.88	0.097	4.25	29	0.01	26
1751642	2.67	0.084	1.95	16	0.02	25
1751643	1.66	0.114	2.43	70	0.02	13
1751644	2.29	0.151	2.79	35	0.02	17
1751645	1.84	0.354	1.05	17	0.01	15
1751646	1.62	0.192	1.25	29	0.02	21
1751647	2.53	0.035	5.46	12	0.01	11
1751648	2.72	0.019	6.61	19	0.02	12
1751649	2.73	0.032	5.75	34	0.02	9
1751650	0.06	0.291	-	-	-	-
1751651	2.66	0.069	5.33	18	0.02	14
1751652	1.79	0.037	6.61	15	0.02	7
1751653	2.28	0.028	10.31	16	0.02	8
*Blk BLANK	-	<0.005	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

**ANALYSIS REPORT BBM21-10931**

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Rep 1751637	-	0.033	-	-	-	-
*Std OREAS 238	-	2.976	-	-	-	-
*Rep 1751651	-	0.077	-	-	-	-
*Std SN106	-	8.062	-	-	-	-
*Std OREAS 905	-	-	6.99	2589	0.57	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Rep 1751636	-	-	0.48	7	<0.01	9
*Std OREAS 601b	-	-	6.21	279	0.85	17

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751626	24.8	0.52	<0.01	<1	<0.01	30
1751627	36.0	0.35	<0.01	<1	<0.01	24
1751628	42.4	0.48	<0.01	<1	<0.01	34
1751629	76.7	0.46	<0.01	<1	<0.01	30
1751630	-	-	-	-	-	-
1751631	169	2.05	<0.01	<1	<0.01	26
1751632	406	8.34	<0.01	<1	<0.01	20
1751633	255	3.79	<0.01	<1	<0.01	22
1751634	123	1.76	<0.01	<1	<0.01	21
1751635	55.7	0.96	<0.01	<1	<0.01	19
1751636	33.8	0.57	<0.01	<1	<0.01	18
1751637	35.2	0.82	<0.01	<1	<0.01	20
1751638	154	2.80	<0.01	<1	<0.01	26
1751639	23.7	1.02	<0.01	<1	<0.01	32

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751640	-	-	-	-	-	-
1751641	82.8	1.56	<0.01	<1	<0.01	31
1751642	83.0	1.50	<0.01	<1	<0.01	25
1751643	77.7	1.08	<0.01	<1	<0.01	23
1751644	120	1.32	<0.01	<1	<0.01	25
1751645	343	3.76	<0.01	<1	<0.01	22
1751646	161	2.12	<0.01	<1	<0.01	32
1751647	38.2	0.81	<0.01	<1	<0.01	34
1751648	23.7	0.64	<0.01	<1	<0.01	30
1751649	14.0	0.42	<0.01	<1	<0.01	28
1751650	-	-	-	-	-	-
1751651	36.9	0.68	<0.01	<1	<0.01	26
1751652	17.3	0.48	<0.01	<1	<0.01	29
1751653	17.3	0.38	<0.01	<1	<0.01	33
*Std OREAS 905	1419	3.77	2.74	19	0.27	351
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep 1751636	39.1	0.67	<0.01	<1	<0.01	20
*Std OREAS 601b	913	2.08	2.25	21	0.09	201

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751626	<0.01	2	0.05	0.32	98.4	0.06
1751627	0.01	2	0.05	0.18	65.5	0.11
1751628	<0.01	2	0.08	0.21	69.1	0.12
1751629	<0.01	2	0.06	0.24	98.3	0.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751630	-	-	-	-	-	-
1751631	<0.01	6	0.02	2.10	58.3	0.06
1751632	<0.01	17	0.01	>5.00	26.0	0.04
1751633	<0.01	11	0.02	4.04	56.4	0.04
1751634	0.03	6	<0.01	1.73	7.1	0.07
1751635	<0.01	4	<0.01	0.86	12.8	0.10
1751636	<0.01	2	0.02	0.49	45.3	0.08
1751637	<0.01	3	<0.01	0.69	5.1	0.07
1751638	<0.01	8	0.03	2.99	82.5	0.05
1751639	<0.01	4	0.08	0.88	81.8	0.07
1751640	-	-	-	-	-	-
1751641	<0.01	5	0.06	1.49	68.1	0.08
1751642	<0.01	5	0.04	1.41	99.9	0.06
1751643	<0.01	3	0.07	1.00	146	0.06
1751644	0.01	4	0.05	1.26	121	0.06
1751645	<0.01	9	0.04	3.89	85.8	0.04
1751646	<0.01	7	0.05	2.05	105	0.09
1751647	<0.01	4	0.04	0.60	78.0	0.08
1751648	<0.01	3	0.06	0.48	98.0	0.08
1751649	<0.01	2	0.05	0.23	96.9	0.08
1751650	-	-	-	-	-	-
1751651	<0.01	3	0.04	0.53	111	0.08
1751652	<0.01	2	0.04	0.26	93.7	0.08
1751653	<0.01	2	0.04	0.13	71.6	0.10
*Std OREAS 905	2.19	9	0.03	0.07	147	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep 1751636	<0.01	3	0.02	0.53	50.9	0.08
*Std OREAS 601b	1.70	6	0.03	1.43	221	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

**ANALYSIS REPORT BBM21-10931**

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	17	4	58.1	0.92	6	0.1
1751627	13	3	83.2	0.10	3	<0.1
1751628	19	2	92.4	0.10	6	0.1
1751629	19	2	79.0	0.13	3	0.1
1751630	-	-	-	-	-	-
1751631	7	2	70.9	0.27	4	<0.1
1751632	6	2	60.7	0.24	22	<0.1
1751633	4	3	62.6	0.14	5	<0.1
1751634	3	3	77.2	0.18	6	<0.1
1751635	4	2	86.2	0.08	6	<0.1
1751636	3	2	60.1	0.07	3	<0.1
1751637	3	1	72.6	0.08	3	<0.1
1751638	6	1	69.4	0.13	7	<0.1
1751639	11	1	69.5	0.09	3	<0.1
1751640	-	-	-	-	-	-
1751641	9	2	74.9	0.10	3	<0.1
1751642	5	2	65.2	0.07	5	0.1
1751643	5	1	71.7	0.09	4	<0.1
1751644	5	2	77.3	0.14	4	<0.1
1751645	4	4	69.4	0.24	5	<0.1
1751646	5	3	74.2	0.17	4	<0.1
1751647	12	2	68.7	0.11	4	0.1
1751648	16	2	68.9	0.06	4	0.1
1751649	11	2	63.4	0.11	2	<0.1
1751650	-	-	-	-	-	-
1751651	13	3	68.0	0.07	6	0.1
1751652	18	2	61.7	0.07	4	0.1
1751653	34	3	71.7	0.15	3	0.1
*Std OREAS 905	11	128	240	0.69	37	3.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

**ANALYSIS REPORT BBM21-10931**

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<2	2	0.8	0.02	<1	<0.1
*Rep 1751636	3	2	63.8	0.09	3	<0.1
*Std OREAS 601b	12	290	174	48.91	280	2.2

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	0.71	0.06	77.64	2.0	<1	0.85
1751627	1.01	0.07	26.72	1.7	<1	0.52
1751628	1.16	0.08	28.69	1.7	<1	0.57
1751629	2.48	0.07	42.17	1.7	<1	0.74
1751630	-	-	-	-	-	-
1751631	4.74	0.09	24.05	11.6	<1	0.59
1751632	10.51	0.17	6.09	43.0	<1	0.34
1751633	7.15	0.07	5.65	25.2	<1	0.42
1751634	3.25	0.06	6.11	9.1	<1	0.35
1751635	1.39	0.05	14.82	5.7	<1	0.40
1751636	0.93	0.04	74.73	2.5	<1	0.73
1751637	0.97	<0.02	5.49	4.2	<1	0.38
1751638	5.70	0.06	35.47	15.4	<1	1.22
1751639	0.93	0.05	18.78	6.3	<1	0.82
1751640	-	-	-	-	-	-
1751641	3.06	0.08	27.31	9.9	<1	0.87
1751642	3.33	0.09	112	7.8	<1	1.45
1751643	2.99	0.06	90.92	5.7	<1	1.07
1751644	4.93	0.09	89.94	7.3	<1	1.00

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751645	14.10	0.09	50.11	20.0	<1	0.72
1751646	7.66	0.06	120	10.0	<1	0.90
1751647	1.93	0.04	218	3.8	<1	1.56
1751648	1.25	0.05	309	3.0	<1	1.49
1751649	0.98	0.06	122	2.0	<1	1.05
1751650	-	-	-	-	-	-
1751651	1.89	0.08	228	3.8	<1	1.13
1751652	1.04	0.05	242	2.4	<1	1.41
1751653	0.64	0.06	102	1.4	<1	1.17
*Std OREAS 905	6.03	0.36	92.63	15.1	7	3.65
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Rep 1751636	1.03	0.04	85.93	3.0	<1	0.84
*Std OREAS 601b	17.70	2.06	68.54	2.9	5	2.62

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	0.35	1.50	2.9	4.6	1.66	0.11
1751627	0.35	0.56	1.3	4.2	2.38	0.10
1751628	0.38	0.64	1.3	5.0	2.64	0.10
1751629	0.41	0.94	1.9	5.4	2.23	0.11
1751630	-	-	-	-	-	-
1751631	0.40	0.58	1.3	2.4	1.98	0.11
1751632	0.34	0.14	0.4	3.0	1.85	0.09
1751633	0.34	0.21	0.6	3.3	1.93	0.09
1751634	0.36	0.14	0.3	1.0	2.26	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751635	0.39	0.27	0.4	0.4	2.51	0.10
1751636	0.40	0.88	1.3	0.7	1.66	0.12
1751637	0.38	0.14	0.5	0.5	2.07	0.10
1751638	0.50	1.13	2.7	5.1	2.06	0.18
1751639	0.38	0.75	2.1	5.0	2.06	0.12
1751640	-	-	-	-	-	-
1751641	0.46	0.80	1.9	4.3	2.13	0.14
1751642	0.59	2.10	3.4	2.1	1.96	0.21
1751643	0.49	1.66	2.3	5.7	2.14	0.16
1751644	0.52	1.52	1.9	4.8	2.29	0.16
1751645	0.47	0.90	1.1	2.6	2.17	0.14
1751646	0.49	1.86	2.0	2.7	2.19	0.14
1751647	0.61	3.46	5.2	3.1	2.08	0.20
1751648	0.69	3.25	4.7	2.4	2.02	0.20
1751649	0.48	1.89	2.9	3.9	1.89	0.15
1751650	-	-	-	-	-	-
1751651	0.56	2.03	2.5	2.6	1.94	0.17
1751652	0.61	3.48	3.9	2.9	1.77	0.20
1751653	0.52	2.32	3.7	4.7	2.12	0.16
*Std OREAS 905	1.17	1.34	5.8	25.4	7.17	0.53
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep 1751636	0.45	1.05	1.5	0.8	1.86	0.13
*Std OREAS 601b	0.86	0.92	4.0	22.9	5.29	0.37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	<0.02	36.6	0.08	46.71	1.6	34.3
1751627	<0.02	15.2	0.12	68.70	1.9	13.9
1751628	<0.02	15.6	0.12	94.57	2.2	16.6
1751629	<0.02	23.7	0.12	60.07	2.2	24.2
1751630	-	-	-	-	-	-
1751631	<0.02	14.1	0.11	52.74	0.9	13.6
1751632	0.04	3.7	0.11	27.75	0.9	3.1
1751633	<0.02	3.4	0.11	22.12	1.0	3.3
1751634	<0.02	3.8	0.12	22.87	2.7	3.2
1751635	<0.02	10.1	0.12	33.38	3.7	6.4
1751636	<0.02	44.9	0.10	18.58	2.2	22.0
1751637	<0.02	3.3	0.12	16.48	3.2	2.8
1751638	<0.02	21.5	0.12	39.95	1.3	19.5
1751639	<0.02	11.0	0.11	19.61	2.6	11.0
1751640	-	-	-	-	-	-
1751641	<0.02	15.9	0.12	18.43	2.9	15.0
1751642	0.02	73.1	0.11	33.66	2.0	43.5
1751643	<0.02	47.6	0.10	35.71	2.3	34.6
1751644	0.03	47.0	0.12	60.64	1.2	33.4
1751645	0.04	31.9	0.12	75.99	1.6	19.7
1751646	0.02	75.9	0.12	84.52	3.1	40.9
1751647	<0.02	115	0.10	31.49	3.1	98.8
1751648	<0.02	161	0.09	17.32	4.9	132
1751649	<0.02	72.1	0.09	30.61	2.8	48.2
1751650	-	-	-	-	-	-
1751651	<0.02	139	0.11	36.10	2.5	65.2
1751652	<0.02	137	0.10	18.30	2.6	89.7
1751653	<0.02	42.7	0.11	16.48	3.2	58.0
*Std OREAS 905	0.60	46.1	0.09	3.43	17.8	39.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.02	<0.1	<0.01	0.07	<0.1	<0.1
*Rep 1751636	<0.02	50.4	0.11	21.66	2.1	25.8
*Std OREAS 601b	0.46	33.8	0.07	5.09	14.6	28.2

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	23.1	9.03	<0.2	0.15	1.7	<2
1751627	15.1	3.67	<0.2	0.20	2.0	<2
1751628	14.4	4.11	<0.2	0.44	2.1	<2
1751629	19.8	6.02	<0.2	0.18	1.8	<2
1751630	-	-	-	-	-	-
1751631	13.1	3.40	<0.2	0.14	1.6	7
1751632	15.7	0.81	<0.2	0.18	1.3	23
1751633	13.3	0.81	<0.2	0.11	1.2	13
1751634	2.6	0.84	<0.2	0.36	1.3	13
1751635	3.2	1.81	<0.2	0.60	1.5	9
1751636	7.4	7.20	<0.2	0.25	1.2	5
1751637	1.8	0.75	<0.2	0.09	1.3	9
1751638	15.6	4.98	<0.2	0.09	1.4	29
1751639	13.6	2.71	<0.2	0.12	1.7	7
1751640	-	-	-	-	-	-
1751641	11.0	3.90	<0.2	0.18	1.9	13
1751642	14.2	12.27	<0.2	0.06	1.5	16
1751643	19.5	9.99	<0.2	0.11	1.4	12
1751644	16.7	9.77	<0.2	0.14	1.4	11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751645	11.6	6.21	<0.2	0.21	1.2	16
1751646	13.8	12.65	<0.2	0.19	1.4	12
1751647	10.9	27.12	<0.2	0.12	1.6	6
1751648	14.2	37.55	<0.2	0.14	1.6	5
1751649	14.0	13.86	<0.2	0.12	1.4	<2
1751650	-	-	-	-	-	-
1751651	18.0	22.30	<0.2	0.15	1.6	3
1751652	15.5	27.26	<0.2	0.13	1.6	2
1751653	11.5	13.97	<0.2	0.17	1.8	<2
*Std OREAS 905	29.3	10.68	134	1.84	5.4	3
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Rep 1751636	8.3	8.22	<0.2	0.27	1.4	6
*Std OREAS 601b	336	7.77	95.3	23.13	3.7	9

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	6.3	5.5	0.16	0.26	0.69	10.9
1751627	2.6	8.1	0.24	0.13	0.61	7.4
1751628	2.8	10.1	0.31	0.15	5.22	6.2
1751629	4.3	9.2	0.31	0.20	0.39	10.6
1751630	-	-	-	-	-	-
1751631	2.5	4.3	0.12	0.14	2.73	5.9
1751632	0.5	2.6	0.07	0.06	6.19	2.9
1751633	0.6	2.3	0.07	0.09	4.34	2.6
1751634	0.5	3.6	0.08	0.05	2.57	2.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751635	0.9	6.2	0.07	0.07	2.15	4.4
1751636	2.5	4.5	<0.05	0.17	0.78	6.4
1751637	0.5	3.8	0.07	0.05	0.67	2.4
1751638	3.9	3.4	0.08	0.31	3.40	4.9
1751639	2.5	5.3	0.16	0.23	0.99	4.3
1751640	-	-	-	-	-	-
1751641	2.7	5.1	0.11	0.23	2.22	4.9
1751642	6.3	3.8	0.07	0.39	1.51	9.9
1751643	4.0	3.7	0.08	0.27	1.78	7.3
1751644	3.7	3.7	0.09	0.24	3.55	7.6
1751645	1.9	2.8	0.06	0.15	4.72	5.4
1751646	4.2	5.3	0.13	0.23	3.89	7.7
1751647	12.6	5.9	0.16	0.48	0.65	18.1
1751648	14.2	6.3	0.16	0.44	0.33	18.7
1751649	6.3	5.8	0.23	0.30	0.36	12.8
1751650	-	-	-	-	-	-
1751651	5.8	6.8	0.16	0.28	1.02	18.3
1751652	9.9	6.5	0.14	0.39	0.29	28.4
1751653	8.7	8.4	0.23	0.33	0.17	10.7
*Std OREAS 905	7.6	3.9	1.32	0.77	0.10	14.8
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1751636	2.9	4.5	<0.05	0.19	0.80	7.4
*Std OREAS 601b	5.2	3.2	1.09	0.53	11.56	11.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

## ANALYSIS REPORT BBM21-10931

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751626	<0.02	0.05	0.61	3.4	2.4	0.4
1751627	<0.02	0.07	0.75	2.8	2.4	0.6
1751628	<0.02	0.07	0.78	3.3	2.6	0.6
1751629	<0.02	0.07	0.67	2.2	3.0	0.6
1751630	-	-	-	-	-	-
1751631	0.04	0.07	0.62	1.3	2.8	0.6
1751632	0.12	0.07	0.50	0.8	2.4	0.6
1751633	0.03	0.07	0.56	0.8	2.5	0.6
1751634	<0.02	0.07	0.62	1.3	2.4	0.6
1751635	<0.02	0.07	0.69	1.5	2.5	0.6
1751636	<0.02	0.06	0.64	1.0	2.8	0.5
1751637	<0.02	0.07	0.56	0.9	2.6	0.6
1751638	<0.02	0.08	0.80	1.0	4.0	0.6
1751639	<0.02	0.06	0.67	0.9	2.9	0.6
1751640	-	-	-	-	-	-
1751641	<0.02	0.08	0.70	0.9	3.4	0.6
1751642	<0.02	0.07	0.87	0.9	4.6	0.6
1751643	<0.02	0.07	0.76	1.0	3.6	0.5
1751644	<0.02	0.08	0.83	1.2	3.8	0.6
1751645	0.05	0.08	0.66	0.9	3.4	0.7
1751646	<0.02	0.07	0.70	1.5	3.4	0.6
1751647	<0.02	0.06	0.87	1.1	4.2	0.5
1751648	<0.02	0.06	0.81	1.1	4.3	0.5
1751649	<0.02	0.06	0.71	1.1	3.6	0.5
1751650	-	-	-	-	-	-
1751651	<0.02	0.07	0.75	1.1	4.0	0.6
1751652	<0.02	0.07	0.71	1.3	4.2	0.5
1751653	<0.02	0.07	0.81	1.6	3.6	0.6
*Std OREAS 905	0.72	0.13	5.03	2.7	16.1	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\* PANCON\_RESOURCES/Hole  
 B21C-011/253 CORE(226-253)  
 Number of Samples 28

**ANALYSIS REPORT BBM21-10931**

Element	@TI	Tm	@U	@W	@Y	@Yb
<b>Method</b>	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
<b>Lower Limit</b>	0.02	0.05	0.05	0.1	0.1	0.1
<b>Upper Limit</b>	10,000	500	10,000	10,000	10,000	1,000
<b>Unit</b>	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1751636	<0.02	0.08	0.72	1.0	3.2	0.6
*Std OREAS 601b	1.41	0.09	4.58	6.1	11.5	0.5

Element	@S
<b>Method</b>	GE_CSA06V
<b>Lower Limit</b>	0.005
<b>Upper Limit</b>	30
<b>Unit</b>	%
1751632	10.026
*Rep 1751632	9.770
*Std OREAS 135	7.161
*Blk BLANK	0.005

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received