



ANALYSIS REPORT BBM21-10976

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	21-Jul-2021 - 18-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	19-Aug-2021
Gold/Hole 12/233 Core (1-47)		SGS Order Number	BBM21-10976
Number of Samples	47		

Methods Summary

Number of Sample	Method Code	Description
47	G_WGH_KG	Weight of samples received
44	G_PRP	Combined Sample Preparation
47	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
44	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
44	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
44	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

20-Aug-2021 1:46AM BBM_U0013123597

Page 1 of 22

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751701	0.56	0.013	1.79	71	0.01	26
1751702	4.40	0.086	6.30	163	0.02	6
1751703	2.20	0.102	4.63	198	0.02	8
1751704	4.92	0.093	5.51	219	0.02	6
1751705	0.77	0.100	6.30	156	0.02	7
1751706	3.47	0.144	6.25	380	0.03	63
1751707	5.47	0.066	6.00	195	0.03	13
1751708	4.61	0.123	6.22	365	0.03	11
1751709	2.70	0.080	5.75	213	0.02	10
1751710	0.06	0.495	-	-	-	-
1751711	5.39	0.108	6.89	145	0.02	23
1751712	2.16	0.063	7.47	161	0.03	3
1751713	3.88	0.097	8.56	189	0.04	3
1751714	5.12	0.147	6.92	139	0.03	8
1751715	3.82	0.315	6.55	244	0.02	7
1751716	3.34	0.053	4.99	66	0.03	5
1751717	4.01	0.793	3.99	129	0.06	8
1751718	5.58	2.351	2.87	248	0.04	13
1751719	3.20	3.895	6.54	295	0.03	6
1751720	2.15	0.007	7.32	718	1.11	6
1751721	5.53	0.320	7.16	164	0.03	7
1751722	5.02	0.111	4.29	135	0.06	5
1751723	5.31	0.156	6.48	93	0.05	4
1751724	4.83	0.036	6.92	98	0.05	3
1751725	5.27	0.098	6.33	143	0.06	2
1751726	4.56	0.323	7.76	226	0.11	3
1751727	2.75	0.136	2.63	96	0.04	1
1751728	4.14	0.129	0.89	70	0.04	2
1751729	4.16	0.043	0.09	32	0.02	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751730	-	0.045	-	-	-	-
1751731	2.73	0.095	0.19	72	0.04	2
1751732	2.95	0.135	2.84	73	0.04	2
1751733	6.20	0.031	6.66	157	0.04	3
1751734	1.42	0.099	0.49	117	0.07	4
1751735	3.15	0.093	0.26	96	0.05	3
1751736	2.71	0.067	0.14	49	0.03	2
1751737	0.45	0.125	0.10	35	0.02	3
1751738	5.20	0.076	0.08	23	0.01	1
1751739	4.18	0.049	0.13	60	0.03	8
1751740	0.06	0.981	-	-	-	-
1751741	4.38	0.117	0.18	97	0.06	3
1751742	6.09	0.233	0.05	14	<0.01	5
1751743	4.86	0.099	0.09	29	0.02	14
1751744	5.37	1.513	0.10	40	0.02	25
1751745	5.75	0.280	0.16	47	0.03	11
1751746	6.90	1.486	0.08	23	0.01	6
1751747	3.00	0.303	0.10	23	0.02	6
*Dup 1751739	-	0.043	0.12	64	0.03	12
*Std OREAS 601b	-	-	6.51	1719	0.87	17
*Rep 1751724	-	-	6.41	94	0.05	3
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.12	2546	0.56	14
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.556	-	-	-	-
*Std OREAS 905	-	-	7.46	2722	0.58	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.54	982	0.86	18
*Std OREAS 278	-	5.010	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std SN106	-	8.294	-	-	-	-
*Rep 1751711	-	0.108	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751739	-	0.041	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.569	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751701	36.7	2.22	0.18	13	0.11	403
1751702	26.8	4.79	0.01	<1	<0.01	50
1751703	39.5	2.06	<0.01	<1	<0.01	38
1751704	26.9	2.99	<0.01	1	<0.01	39
1751705	64.9	3.47	<0.01	1	<0.01	30
1751706	24.2	2.71	<0.01	<1	<0.01	54
1751707	26.6	1.79	<0.01	<1	<0.01	39
1751708	67.1	2.38	<0.01	<1	<0.01	45
1751709	49.9	1.73	0.01	<1	<0.01	37
1751711	34.0	1.92	0.01	<1	<0.01	44
1751712	5.9	0.88	0.01	<1	<0.01	36
1751713	8.0	1.30	0.01	<1	<0.01	39
1751714	64.3	2.11	0.01	<1	<0.01	33
1751715	79.2	2.80	0.01	<1	<0.01	37
1751716	18.3	0.73	<0.01	<1	<0.01	31

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751717	118	2.93	0.02	<1	<0.01	40
1751718	935	2.19	0.01	<1	<0.01	36
1751719	277	3.17	0.02	<1	<0.01	36
1751720	7.2	2.11	4.18	25	0.26	400
1751721	156	2.22	0.02	<1	<0.01	40
1751722	41.8	1.49	0.02	<1	<0.01	34
1751723	15.7	1.16	0.03	1	<0.01	30
1751724	5.8	0.42	0.03	1	<0.01	34
1751725	5.2	0.27	0.04	2	<0.01	23
1751726	5.5	0.31	0.02	3	<0.01	18
1751727	5.0	0.29	0.01	1	<0.01	25
1751728	6.2	0.46	<0.01	<1	<0.01	28
1751729	5.0	0.43	<0.01	<1	<0.01	28
1751731	4.7	0.20	<0.01	<1	<0.01	20
1751732	4.2	0.31	<0.01	<1	<0.01	30
1751733	3.9	0.48	0.01	1	<0.01	37
1751734	5.5	0.25	<0.01	<1	<0.01	28
1751735	9.4	0.26	<0.01	<1	<0.01	26
1751736	5.8	0.26	<0.01	<1	<0.01	31
1751737	8.9	0.65	<0.01	<1	<0.01	26
1751738	6.4	0.27	<0.01	<1	<0.01	31
1751739	5.0	0.32	<0.01	<1	<0.01	34
1751741	7.0	0.67	<0.01	<1	<0.01	28
1751742	7.3	1.11	<0.01	<1	<0.01	31
1751743	97.2	1.06	<0.01	<1	<0.01	27
1751744	185	2.97	0.01	<1	<0.01	38
1751745	23.5	1.11	<0.01	<1	<0.01	29
1751746	23.0	0.92	<0.01	<1	<0.01	46
1751747	8.5	0.76	<0.01	<1	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Dup 1751739	8.6	0.32	<0.01	<1	<0.01	32
*Std OREAS 601b	1014	2.28	2.41	22	0.10	218
*Rep 1751724	5.6	0.42	0.03	1	<0.01	34
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1538	3.97	2.86	20	0.26	377
*Std OREAS 905	1530	3.88	2.94	19	0.28	367
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	992	2.14	2.37	21	0.10	213

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751701	0.02	15	0.02	0.01	4.1	0.09
1751702	0.02	2	0.05	0.34	244	0.04
1751703	<0.01	3	0.07	1.07	216	0.05
1751704	<0.01	2	0.05	1.54	237	0.05
1751705	<0.01	4	0.06	2.99	297	0.05
1751706	<0.01	29	0.11	1.26	318	0.06
1751707	<0.01	3	0.12	1.20	320	0.07
1751708	0.01	3	0.09	1.84	321	0.06
1751709	<0.01	4	0.06	1.07	275	0.07
1751711	<0.01	9	0.06	0.95	301	0.06
1751712	0.01	2	0.07	0.06	331	0.08
1751713	0.01	<1	0.11	0.10	447	0.07
1751714	0.01	3	0.08	1.27	258	0.07
1751715	0.01	5	0.08	2.51	243	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751716	0.01	2	0.07	0.25	240	0.11
1751717	0.01	4	0.08	1.13	246	0.06
1751718	0.01	7	0.09	1.56	249	0.10
1751719	0.01	3	0.11	0.61	347	0.11
1751720	2.62	4	0.04	0.01	180	0.21
1751721	0.01	3	0.09	0.99	329	0.08
1751722	0.01	2	0.10	0.27	293	0.06
1751723	0.02	1	0.09	0.28	311	0.08
1751724	0.02	2	0.08	0.08	370	0.10
1751725	0.02	<1	0.09	0.09	387	0.06
1751726	0.02	<1	0.13	0.13	537	0.12
1751727	0.01	<1	0.05	0.05	273	0.10
1751728	<0.01	1	0.04	0.04	146	0.15
1751729	<0.01	<1	0.02	0.03	46.6	0.16
1751731	<0.01	<1	0.05	0.05	218	0.21
1751732	0.01	2	0.06	0.05	222	0.12
1751733	0.01	1	0.08	0.06	359	0.08
1751734	<0.01	1	0.08	0.08	361	0.19
1751735	<0.01	<1	0.05	0.06	224	0.19
1751736	<0.01	1	0.03	0.03	102	0.17
1751737	<0.01	<1	0.02	0.02	81.5	0.12
1751738	<0.01	1	0.01	0.02	54.0	0.15
1751739	<0.01	4	0.03	0.04	157	0.18
1751741	<0.01	<1	0.05	0.06	195	0.14
1751742	<0.01	1	<0.01	0.02	35.4	0.09
1751743	<0.01	1	0.02	0.45	103	0.12
1751744	0.01	4	0.02	2.53	127	0.09
1751745	<0.01	2	0.04	0.34	225	0.24
1751746	<0.01	1	0.02	0.35	95.5	0.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751747	<0.01	1	0.01	0.02	49.3	0.16
*Dup 1751739	<0.01	4	0.03	0.04	148	0.13
*Std OREAS 601b	1.92	6	0.03	1.49	238	0.13
*Rep 1751724	0.02	2	0.08	0.08	355	0.07
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.40	9	0.03	0.07	152	0.12
*Std OREAS 905	2.40	8	0.03	0.07	155	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.35	234	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	48	18	5.5	0.06	2	0.5
1751702	21	<1	122	0.08	4	<0.1
1751703	18	1	119	0.04	3	<0.1
1751704	18	<1	137	0.09	3	0.1
1751705	19	<1	136	0.12	3	0.1
1751706	19	2	129	0.08	5	0.1
1751707	23	1	134	0.03	3	0.1
1751708	24	<1	124	0.07	8	0.2
1751709	20	3	129	0.13	5	0.1
1751711	18	2	117	0.05	3	0.1
1751712	24	1	109	0.05	2	0.1
1751713	28	<1	106	0.09	4	0.2
1751714	20	<1	106	0.05	4	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751715	18	<1	105	0.09	4	<0.1
1751716	16	1	139	0.05	3	0.1
1751717	13	<1	119	0.61	20	<0.1
1751718	11	1	185	5.51	29	0.1
1751719	19	<1	208	2.24	28	0.3
1751720	20	40	54.4	2.01	1	2.6
1751721	21	<1	130	0.45	17	0.1
1751722	14	<1	116	0.21	5	0.2
1751723	24	<1	137	0.13	15	0.2
1751724	21	<1	108	0.12	3	0.3
1751725	16	2	118	0.09	3	0.3
1751726	19	3	119	0.19	3	0.5
1751727	9	1	77.8	0.02	1	0.2
1751728	9	1	96.4	0.09	2	<0.1
1751729	8	2	131	0.05	1	<0.1
1751731	11	1	61.1	0.19	1	<0.1
1751732	12	1	133	0.07	<1	0.1
1751733	18	2	116	0.11	3	0.2
1751734	11	1	145	0.11	1	<0.1
1751735	10	1	79.0	0.05	1	<0.1
1751736	7	1	141	0.19	<1	<0.1
1751737	6	<1	123	0.49	3	<0.1
1751738	5	1	134	0.15	<1	<0.1
1751739	7	1	144	0.07	<1	<0.1
1751741	7	2	141	0.10	<1	<0.1
1751742	6	2	75.0	0.15	2	<0.1
1751743	4	1	169	0.13	2	<0.1
1751744	3	2	157	0.06	12	<0.1
1751745	9	1	210	0.05	3	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751746	5	1	118	0.20	3	<0.1
1751747	9	2	143	0.09	2	<0.1
*Dup 1751739	5	1	129	<0.02	<1	<0.1
*Std OREAS 601b	12	318	176	51.38	294	2.5
*Rep 1751724	19	2	105	0.11	4	0.3
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	134	237	0.64	35	3.4
*Std OREAS 905	9	133	235	0.52	33	3.3
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	311	171	52.82	301	2.6

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	0.13	0.04	9.15	12.6	<1	1.09
1751702	0.96	<0.02	55.16	1.2	<1	1.13
1751703	0.80	0.02	49.14	4.1	<1	1.35
1751704	0.82	<0.02	56.37	4.6	<1	1.63
1751705	1.14	<0.02	71.57	7.7	<1	2.25
1751706	1.08	<0.02	62.15	6.0	<1	1.52
1751707	0.92	0.05	65.76	6.8	<1	1.50
1751708	1.22	0.06	69.49	14.0	<1	1.60
1751709	1.03	0.11	66.64	9.8	<1	1.71
1751711	1.02	0.03	69.05	7.2	<1	1.36
1751712	0.80	<0.02	67.93	1.2	<1	1.59
1751713	1.28	<0.02	184	0.9	<1	2.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751714	1.21	<0.02	118	9.8	<1	1.40
1751715	1.61	0.06	140	20.7	<1	1.54
1751716	0.80	0.07	137	3.1	<1	1.46
1751717	14.37	<0.02	152	6.7	<1	1.68
1751718	433	0.03	172	8.7	<1	2.12
1751719	97.94	0.02	293	5.2	<1	2.93
1751720	0.80	<0.02	155	3.5	3	3.95
1751721	9.38	<0.02	240	6.1	<1	2.21
1751722	3.51	0.02	129	1.5	<1	1.36
1751723	6.14	<0.02	134	1.2	<1	1.61
1751724	0.80	<0.02	176	0.2	<1	1.96
1751725	2.23	<0.02	159	0.2	<1	1.96
1751726	1.71	<0.02	198	0.2	<1	2.64
1751727	0.67	<0.02	72.27	0.2	<1	1.46
1751728	2.13	0.02	56.88	0.1	<1	1.43
1751729	2.23	<0.02	16.55	0.2	<1	1.07
1751731	3.35	<0.02	161	0.1	<1	2.14
1751732	0.89	<0.02	121	0.2	<1	1.83
1751733	0.77	<0.02	175	0.5	<1	2.07
1751734	1.29	<0.02	133	0.3	<1	1.99
1751735	1.70	<0.02	144	0.2	<1	2.16
1751736	2.58	<0.02	47.85	0.1	<1	1.45
1751737	1.55	<0.02	43.58	1.4	<1	1.27
1751738	1.40	<0.02	27.59	0.3	<1	1.18
1751739	1.91	0.02	49.08	0.3	<1	1.55
1751741	3.48	<0.02	68.80	0.5	<1	1.75
1751742	2.44	<0.02	10.46	0.3	<1	0.67
1751743	1.26	<0.02	30.88	2.5	<1	1.19
1751744	6.21	0.02	38.40	7.9	<1	1.26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751745	3.83	<0.02	77.12	1.4	<1	1.67
1751746	2.57	<0.02	27.73	2.1	<1	0.74
1751747	2.97	<0.02	13.12	0.2	<1	0.89
*Dup 1751739	1.72	<0.02	48.48	0.3	<1	1.46
*Std OREAS 601b	16.99	1.93	72.45	2.9	5	2.68
*Rep 1751724	0.79	<0.02	175	0.2	<1	1.88
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.66	0.32	144	15.3	8	3.82
*Std OREAS 905	5.51	0.31	100	14.4	7	3.82
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.05
*Std OREAS 601b	16.62	2.16	71.11	3.1	5	2.62

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	0.59	0.37	1.3	3.4	0.29	0.21
1751702	0.83	1.01	2.8	17.8	3.55	0.23
1751703	0.89	1.06	3.1	9.9	3.26	0.25
1751704	1.06	1.21	3.5	11.3	3.81	0.32
1751705	1.18	1.66	4.8	12.8	3.91	0.38
1751706	0.97	1.34	3.6	12.7	3.59	0.29
1751707	1.03	1.38	3.7	11.8	3.83	0.29
1751708	0.95	1.42	3.8	11.5	3.52	0.28
1751709	1.07	1.31	3.7	10.8	3.68	0.30
1751711	0.94	1.30	3.5	9.9	3.51	0.25
1751712	0.94	1.48	3.9	10.8	3.23	0.27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751713	0.99	2.15	5.6	13.8	3.08	0.31
1751714	0.86	1.50	3.9	10.2	3.15	0.24
1751715	0.93	1.94	4.9	10.9	2.95	0.25
1751716	0.96	1.75	4.4	9.3	4.05	0.26
1751717	0.99	2.13	5.3	9.6	3.62	0.27
1751718	1.33	2.71	6.6	12.5	5.19	0.37
1751719	1.65	4.30	9.8	25.4	6.27	0.47
1751720	2.31	1.15	4.7	18.1	2.11	0.79
1751721	1.11	4.05	8.2	19.0	3.95	0.30
1751722	0.86	1.64	4.0	9.4	3.34	0.23
1751723	0.99	1.64	3.7	14.2	3.95	0.28
1751724	1.03	1.98	4.3	14.9	3.26	0.30
1751725	1.19	1.76	4.2	20.3	3.46	0.35
1751726	1.21	2.21	5.6	36.0	3.78	0.39
1751727	0.94	1.17	2.9	9.2	1.94	0.27
1751728	1.09	0.91	2.4	2.8	2.61	0.29
1751729	1.05	0.26	1.0	0.2	3.76	0.26
1751731	1.31	1.55	4.3	<0.1	1.59	0.36
1751732	1.07	1.35	3.6	7.3	3.93	0.31
1751733	0.98	1.96	4.9	20.8	3.50	0.29
1751734	1.05	1.65	4.7	0.9	4.25	0.30
1751735	1.35	1.56	4.4	0.2	2.55	0.38
1751736	1.05	0.73	2.3	0.5	4.20	0.29
1751737	0.92	0.75	2.4	0.3	3.79	0.25
1751738	0.97	0.47	1.7	0.2	3.96	0.26
1751739	0.90	0.75	2.4	0.5	4.09	0.25
1751741	1.06	1.16	3.6	0.5	4.08	0.30
1751742	0.60	0.34	1.1	0.3	1.98	0.16
1751743	0.99	0.81	2.3	0.3	4.87	0.26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751744	0.98	0.88	2.7	0.3	4.61	0.26
1751745	1.31	1.20	3.6	0.4	6.03	0.34
1751746	0.68	0.49	1.4	0.4	3.40	0.17
1751747	0.84	0.26	0.9	0.5	4.05	0.21
*Dup 1751739	0.82	0.70	2.3	0.3	3.81	0.24
*Std OREAS 601b	0.88	0.94	4.3	23.2	5.39	0.39
*Rep 1751724	1.02	1.97	4.3	14.1	3.09	0.29
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.25	1.35	6.3	25.6	7.20	0.56
*Std OREAS 905	1.28	1.49	6.1	24.3	7.38	0.55
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.89	0.97	4.0	24.6	5.49	0.38

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	<0.02	4.5	0.08	3.09	0.8	6.0
1751702	<0.02	26.4	0.20	6.52	1.5	25.1
1751703	<0.02	23.8	0.21	4.71	1.5	23.9
1751704	<0.02	26.9	0.23	5.86	1.6	27.9
1751705	<0.02	32.8	0.24	8.45	3.2	38.5
1751706	<0.02	29.3	0.22	21.05	1.7	32.1
1751707	<0.02	30.0	0.24	7.51	2.5	33.6
1751708	<0.02	32.5	0.20	5.33	1.7	35.5
1751709	<0.02	30.7	0.24	4.56	2.3	35.7
1751711	<0.02	31.0	0.23	20.94	2.3	35.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751712	<0.02	30.4	0.22	6.49	2.3	35.9
1751713	<0.02	54.3	0.21	7.73	2.3	61.6
1751714	<0.02	35.1	0.22	17.76	2.1	37.7
1751715	<0.02	41.7	0.23	16.64	1.9	47.4
1751716	<0.02	42.6	0.27	21.85	2.9	39.6
1751717	<0.02	46.4	0.24	16.17	1.6	47.8
1751718	<0.02	52.5	0.36	38.82	2.6	53.8
1751719	<0.02	134	0.40	36.27	3.1	95.2
1751720	0.03	52.1	0.31	4.02	16.1	37.3
1751721	<0.02	68.9	0.26	24.49	2.3	85.3
1751722	<0.02	37.5	0.21	12.43	1.8	42.9
1751723	<0.02	38.4	0.26	24.64	2.5	44.5
1751724	<0.02	48.5	0.23	4.57	2.6	63.6
1751725	<0.02	46.1	0.26	2.65	1.9	51.3
1751726	<0.02	54.1	0.25	3.90	3.7	66.0
1751727	<0.02	33.8	0.24	2.02	1.2	30.7
1751728	<0.02	29.3	0.30	4.14	1.5	22.3
1751729	<0.02	7.7	0.30	5.79	2.8	6.7
1751731	<0.02	53.0	0.34	2.45	1.9	40.3
1751732	<0.02	36.6	0.28	3.68	2.1	36.3
1751733	<0.02	49.6	0.23	6.38	2.4	60.0
1751734	<0.02	40.0	0.28	5.70	2.8	40.2
1751735	<0.02	44.7	0.36	4.06	2.1	37.8
1751736	<0.02	23.1	0.27	5.23	2.8	17.9
1751737	<0.02	21.3	0.25	10.99	1.9	16.8
1751738	<0.02	14.5	0.27	4.29	2.5	10.3
1751739	<0.02	28.1	0.26	6.38	3.8	15.5
1751741	<0.02	37.1	0.29	12.63	2.4	22.2
1751742	<0.02	6.5	0.18	13.20	1.3	5.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751743	<0.02	21.7	0.30	16.89	2.3	13.8
1751744	<0.02	26.6	0.29	24.14	2.3	17.7
1751745	<0.02	43.6	0.38	20.68	3.3	23.7
1751746	<0.02	20.4	0.20	4.93	1.6	10.7
1751747	<0.02	9.6	0.24	10.35	2.4	5.2
*Dup 1751739	<0.02	27.3	0.24	5.86	2.5	14.7
*Std OREAS 601b	0.45	36.4	0.08	5.49	15.0	30.1
*Rep 1751724	<0.02	48.4	0.22	4.61	2.0	62.8
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.60	46.6	0.10	3.40	18.8	41.5
*Std OREAS 905	0.69	48.7	0.10	3.33	19.2	41.5
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.53	36.1	0.08	5.19	15.1	29.6

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	2.8	1.48	6.3	0.20	7.9	<2
1751702	81.3	6.94	0.2	0.44	2.3	6
1751703	79.4	6.35	<0.2	0.28	2.2	4
1751704	81.5	7.28	<0.2	0.30	2.1	7
1751705	99.8	9.79	<0.2	0.32	2.0	7
1751706	94.8	8.30	<0.2	0.47	2.5	8
1751707	96.1	8.89	<0.2	0.43	2.9	4
1751708	98.8	9.32	<0.2	0.33	2.9	6
1751709	86.1	9.19	<0.2	0.45	3.2	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751711	92.4	9.26	<0.2	0.42	3.5	6
1751712	103	9.30	<0.2	0.60	3.3	4
1751713	129	16.36	<0.2	0.92	3.4	6
1751714	72.2	10.31	<0.2	0.63	3.1	9
1751715	65.3	12.57	<0.2	0.63	3.1	12
1751716	66.7	11.28	<0.2	0.61	3.9	4
1751717	67.8	13.12	0.3	3.81	3.7	33
1751718	65.9	14.69	<0.2	2.62	5.0	94
1751719	102	26.17	0.3	3.27	6.8	69
1751720	21.1	11.80	186	0.15	5.3	<2
1751721	107	21.89	0.3	2.87	4.2	16
1751722	91.4	11.34	0.3	1.33	3.4	17
1751723	79.7	11.82	0.4	7.85	4.0	11
1751724	87.1	16.24	0.4	1.04	3.6	<2
1751725	81.2	13.78	0.5	0.68	3.9	<2
1751726	98.4	17.68	0.2	1.02	4.1	2
1751727	58.0	9.06	<0.2	0.42	3.1	<2
1751728	44.5	6.80	<0.2	0.73	3.9	5
1751729	16.9	2.02	<0.2	0.59	4.2	4
1751731	76.9	12.21	<0.2	0.64	4.8	<2
1751732	76.0	10.26	<0.2	0.64	4.2	<2
1751733	91.2	15.93	<0.2	0.64	3.3	<2
1751734	128	11.30	<0.2	0.92	3.9	<2
1751735	63.2	11.30	<0.2	0.56	5.1	<2
1751736	29.3	5.68	<0.2	0.52	3.9	<2
1751737	19.7	5.15	<0.2	0.76	3.9	14
1751738	13.6	3.14	<0.2	0.39	3.7	<2
1751739	40.3	5.12	<0.2	0.66	3.5	<2
1751741	48.8	7.02	<0.2	0.75	4.9	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751742	11.2	1.48	<0.2	0.46	2.8	11
1751743	25.5	3.98	<0.2	0.62	4.4	9
1751744	29.2	5.08	0.4	2.05	3.8	23
1751745	56.1	7.49	<0.2	2.50	5.6	16
1751746	25.0	3.34	<0.2	1.10	3.1	7
1751747	13.8	1.59	0.2	0.63	3.6	13
*Dup 1751739	40.5	4.74	<0.2	0.49	3.2	<2
*Std OREAS 601b	387	8.87	117	23.57	4.0	9
*Rep 1751724	86.8	16.09	0.4	0.94	3.4	<2
*Blk BLANK	0.8	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	27.3	11.63	171	1.95	5.3	3
*Std OREAS 905	28.9	11.20	170	1.92	5.2	3
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	350	8.16	94.1	24.20	3.9	9

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	1.4	<0.3	0.07	0.19	0.16	0.8
1751702	4.9	0.9	0.14	0.29	1.93	8.6
1751703	4.9	1.0	0.13	0.31	1.10	7.2
1751704	5.7	1.0	0.14	0.38	1.51	7.9
1751705	7.9	1.1	0.16	0.53	1.91	9.3
1751706	6.7	1.3	0.16	0.36	1.81	8.2
1751707	6.8	1.5	0.19	0.35	1.34	8.7
1751708	7.3	1.2	0.16	0.39	2.42	8.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751709	6.6	1.6	0.19	0.40	1.51	8.7
1751711	6.5	1.5	0.16	0.32	1.40	9.3
1751712	7.1	2.5	0.18	0.39	1.17	8.9
1751713	10.7	2.6	0.18	0.55	2.60	11.3
1751714	6.9	2.9	0.16	0.37	2.02	8.7
1751715	9.0	3.1	0.16	0.43	2.96	10.1
1751716	7.0	4.2	0.18	0.41	1.56	10.3
1751717	8.5	3.4	0.10	0.48	46.58	9.7
1751718	9.8	10.9	0.13	0.59	82.63	12.6
1751719	17.4	13.9	0.23	0.87	91.45	17.7
1751720	6.4	1.6	1.12	0.71	0.47	19.9
1751721	17.0	5.4	0.17	0.68	48.17	15.2
1751722	7.6	3.0	0.11	0.36	22.17	8.5
1751723	7.6	4.0	0.17	0.39	76.64	9.5
1751724	10.5	4.8	0.19	0.48	5.92	10.4
1751725	8.7	3.5	0.14	0.46	3.10	10.1
1751726	10.7	6.3	0.27	0.66	5.30	9.4
1751727	4.8	3.6	<0.05	0.34	1.38	5.4
1751728	3.9	5.7	0.06	0.29	3.18	5.4
1751729	1.2	4.2	0.16	0.16	3.44	3.4
1751731	6.5	5.3	0.14	0.52	0.78	10.4
1751732	6.1	4.6	0.09	0.44	1.26	8.3
1751733	9.8	3.5	0.15	0.55	2.01	11.5
1751734	6.9	8.0	0.06	0.54	0.56	8.2
1751735	5.8	6.2	0.13	0.54	0.56	7.3
1751736	2.9	6.5	0.07	0.32	0.48	4.2
1751737	3.0	4.7	<0.05	0.29	9.48	3.7
1751738	1.9	5.5	0.12	0.23	0.88	3.4
1751739	2.5	6.2	0.24	0.36	1.55	3.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751741	3.9	5.0	0.09	0.44	6.93	5.2
1751742	1.2	2.1	<0.05	0.13	7.01	2.0
1751743	2.9	4.8	0.09	0.27	1.89	3.7
1751744	3.4	4.0	<0.05	0.30	9.89	3.9
1751745	4.3	11.8	0.12	0.40	9.51	7.0
1751746	1.9	5.8	<0.05	0.17	4.14	3.6
1751747	1.0	7.4	0.10	0.13	7.82	3.3
*Dup 1751739	2.3	4.1	0.14	0.35	1.33	3.7
*Std OREAS 601b	5.8	3.3	1.15	0.57	12.37	12.6
*Rep 1751724	10.3	3.8	0.15	0.48	5.74	10.4
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	8.2	4.0	1.37	0.82	0.10	15.7
*Std OREAS 905	7.8	4.3	1.47	0.83	0.15	15.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.5	3.6	1.18	0.54	12.88	12.4

Element	@Tl	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751701	0.06	0.08	0.20	1.2	5.0	0.5
1751702	<0.02	0.15	1.58	0.6	5.9	1.1
1751703	<0.02	0.15	1.52	0.7	6.6	1.2
1751704	<0.02	0.17	1.79	0.7	7.8	1.3
1751705	<0.02	0.19	2.06	0.7	8.2	1.3
1751706	<0.02	0.16	1.62	1.1	7.2	1.2
1751707	<0.02	0.17	1.49	1.0	7.1	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751708	<0.02	0.14	1.49	0.8	6.4	1.1
1751709	<0.02	0.17	1.72	0.8	7.0	1.3
1751711	<0.02	0.16	1.45	1.1	6.1	1.3
1751712	<0.02	0.15	1.24	1.0	6.1	1.2
1751713	<0.02	0.15	1.48	1.2	6.9	1.1
1751714	<0.02	0.14	1.29	1.4	5.7	1.1
1751715	<0.02	0.15	1.33	1.4	5.8	1.2
1751716	<0.02	0.17	1.69	1.6	6.1	1.4
1751717	<0.02	0.16	1.43	1.3	5.9	1.3
1751718	<0.02	0.23	1.89	2.3	8.2	1.9
1751719	<0.02	0.27	2.37	2.7	9.8	2.1
1751720	0.71	0.32	7.73	0.4	20.5	2.0
1751721	<0.02	0.17	1.74	3.0	6.6	1.3
1751722	<0.02	0.14	1.28	1.7	5.5	1.1
1751723	<0.02	0.17	1.47	2.6	6.4	1.3
1751724	<0.02	0.16	1.28	1.9	6.9	1.2
1751725	<0.02	0.18	1.35	1.1	8.2	1.4
1751726	<0.02	0.18	1.55	2.1	7.7	1.4
1751727	<0.02	0.17	1.15	1.1	5.9	1.3
1751728	<0.02	0.20	1.47	1.2	6.7	1.6
1751729	<0.02	0.20	1.51	1.4	6.7	1.7
1751731	<0.02	0.24	2.09	1.5	8.2	1.9
1751732	<0.02	0.18	1.50	1.3	7.0	1.5
1751733	<0.02	0.15	1.37	1.4	6.3	1.2
1751734	<0.02	0.18	1.59	3.0	6.9	1.5
1751735	<0.02	0.24	1.86	2.7	8.6	1.9
1751736	<0.02	0.19	1.44	2.8	6.8	1.5
1751737	<0.02	0.17	1.31	2.2	6.0	1.4
1751738	<0.02	0.18	1.35	2.2	6.3	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 Core (1-47)
 Number of Samples 47

ANALYSIS REPORT BBM21-10976

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751739	<0.02	0.17	1.37	2.9	6.2	1.4
1751741	<0.02	0.20	1.63	2.5	7.3	1.6
1751742	<0.02	0.12	0.87	1.8	4.1	0.9
1751743	<0.02	0.20	1.59	1.9	6.7	1.6
1751744	0.04	0.19	1.60	2.0	6.5	1.5
1751745	<0.02	0.25	2.28	2.4	8.7	2.0
1751746	<0.02	0.13	1.04	1.4	4.3	1.1
1751747	<0.02	0.16	1.32	1.5	5.7	1.3
*Dup 1751739	<0.02	0.15	1.31	2.4	5.8	1.3
*Std OREAS 601b	1.50	0.09	4.82	6.7	11.3	0.5
*Rep 1751724	<0.02	0.15	1.25	1.4	6.8	1.2
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.72	0.13	5.39	2.9	16.3	0.7
*Std OREAS 905	0.72	0.14	5.17	2.9	15.5	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.48	0.10	4.74	6.4	11.4	0.5

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-10978

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	20-Jul-2021 - 23-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	23-Aug-2021
Gold/Hole	12/233 CORE(48-122)	SGS Order Number	BBM21-10978
Number of Samples	75		

Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
68	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
67	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
67	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml
1	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

24-Aug-2021 7:30AM BBM_U0013254614

Page 1 of 33

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
1751748	3.52	0.213	0.03	9	0.03	12
1751749	5.64	0.472	0.06	15	0.01	36
1751750	0.05	<0.005	-	-	-	-
1751751	5.52	0.749	0.05	14	0.01	31
1751752	3.92	0.720	0.06	37	0.01	20
1751753	2.87	0.345	0.09	43	0.02	9
1751754	4.98	2.829	2.73	502	0.12	10
1751755	3.28	0.601	10.88	522	0.07	2
1751756	4.87	0.220	9.59	403	0.03	3
1751757	6.02	0.214	0.67	70	0.01	6
1751758	6.27	0.198	5.80	91	0.02	18
1751759	6.00	0.099	5.64	54	0.02	17
1751760	-	0.102	-	-	-	-
1751761	6.46	0.129	4.80	47	0.02	16
1751762	6.46	0.177	6.26	83	0.03	14
1751763	6.10	0.174	5.13	50	0.02	13
1751764	6.57	0.092	6.03	73	0.02	12
1751765	2.73	0.121	5.17	76	0.02	9
1751766	5.43	0.088	6.11	109	0.02	9
1751767	6.00	0.132	5.44	54	0.01	14
1751768	5.31	0.122	6.20	132	0.02	10
1751769	5.12	0.129	4.95	75	0.02	13
1751770	0.05	0.316	-	-	-	-
1751771	5.17	0.129	6.52	45	0.03	13
1751772	5.52	0.208	6.46	42	0.02	10
1751773	4.96	0.073	6.74	82	0.03	11
1751774	4.66	0.033	7.28	114	0.03	10
1751775	5.24	0.061	6.82	42	0.02	12
1751776	5.46	0.033	7.10	155	0.06	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751777	5.08	0.128	0.18	46	0.03	30
1751778	6.09	0.311	0.17	27	0.02	21
1751779	5.66	0.478	0.07	9	<0.01	29
1751780	1.59	0.006	-	-	-	-
1751781	4.05	0.188	0.08	9	<0.01	33
1751782	5.25	0.190	0.08	12	<0.01	46
1751783	4.44	0.043	0.16	37	0.05	19
1751784	5.15	0.042	0.10	29	0.03	11
1751785	6.10	0.116	0.10	10	<0.01	32
1751786	5.87	0.270	0.05	7	<0.01	21
1751787	5.47	0.211	0.06	14	<0.01	32
1751788	5.10	0.318	0.07	23	0.02	34
1751789	6.99	0.147	0.04	10	<0.01	39
1751790	-	0.207	-	-	-	-
1751791	5.98	0.473	0.05	14	<0.01	38
1751792	3.73	0.053	0.10	33	0.03	14
1751793	4.08	0.072	0.15	75	0.04	17
1751794	3.48	0.092	0.06	25	0.02	40
1751795	4.53	0.066	0.05	15	0.01	30
1751796	3.44	0.172	3.98	45	0.02	21
1751797	3.32	0.084	1.73	42	0.02	25
1751798	5.62	0.162	0.20	69	0.05	31
1751799	5.67	0.157	0.08	16	<0.01	34
1751800	0.05	7.627	-	-	-	-
1751801	5.79	0.047	0.21	28	<0.01	17
1751802	5.13	0.047	0.17	20	<0.01	14
1751803	3.47	0.070	1.00	60	0.03	25
1751804	4.69	0.059	2.43	94	0.07	26
1751805	4.91	0.132	3.90	18	0.02	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751806	6.34	0.057	2.02	17	0.02	19
1751807	6.67	0.088	3.61	23	0.02	17
1751808	5.45	0.095	7.72	26	0.02	15
1751809	5.54	0.064	4.33	17	0.01	21
1751810	0.05	0.009	-	-	-	-
1751811	6.05	0.156	2.85	19	0.02	20
1751812	5.74	0.112	0.84	29	0.03	26
1751813	5.71	0.097	0.52	13	0.02	24
1751814	5.59	0.062	6.93	92	0.02	16
1751815	5.00	0.076	2.04	27	0.01	24
1751816	5.45	0.064	6.67	21	0.01	16
1751817	5.70	0.083	4.54	21	0.02	18
1751818	5.70	0.119	4.92	58	0.02	17
1751819	5.80	0.140	4.85	32	0.02	17
1751820	-	0.131	-	-	-	-
1751821	5.29	0.117	3.07	39	0.02	24
1751822	5.55	0.060	3.71	26	0.02	10
*Dup 1751786	-	0.259	0.05	7	<0.01	24
*Blk BLANK	-	-	<0.01	2	<0.01	<1
*Std OREAS 601b	-	-	6.62	2230	0.85	17
*Std OREAS 905	-	-	7.47	2583	0.57	15
*Rep 1751791	-	-	0.05	14	<0.01	34
*Rep 1751818	-	-	5.56	58	0.03	20
*Std OREAS 905	-	-	7.00	2553	0.54	12
*Std OREAS 601b	-	-	6.36	343	0.79	14
*Blk BLANK	-	-	NR	NR	NR	NR
*Std OREAS 905	-	-	NR	NR	NR	NR
*Std SN106	-	8.840	-	-	-	-
*Rep 1751783	-	0.039	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	0.007	-	-	-	-
*Rep 1751813	-	0.119	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.590	-	-	-	-
*Std OREAS 905	-	-	7.46	2722	0.58	13
*Rep 1751757	-	-	0.73	71	0.01	10
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.54	982	0.86	18
*Std OREAS 278	-	5.010	-	-	-	-
*Std SN106	-	8.294	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 1751767	-	0.128	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.569	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751748	20.0	1.12	<0.01	<1	0.01	31
1751749	187	3.05	<0.01	2	<0.01	34
1751751	234	3.19	<0.01	3	<0.01	30
1751752	138	3.65	<0.01	<1	<0.01	26
1751753	21.8	1.57	<0.01	<1	<0.01	23
1751754	23.7	1.45	<0.01	<1	<0.01	26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751755	7.1	0.19	0.01	1	<0.01	15
1751756	6.1	0.21	0.01	1	<0.01	18
1751757	8.0	0.68	<0.01	<1	<0.01	15
1751758	101	2.07	<0.01	<1	<0.01	17
1751759	37.5	2.05	<0.01	<1	<0.01	19
1751761	45.8	2.54	<0.01	<1	<0.01	18
1751762	66.8	3.73	<0.01	<1	<0.01	20
1751763	40.1	2.81	<0.01	<1	<0.01	20
1751764	26.2	3.01	<0.01	<1	<0.01	18
1751765	47.3	2.86	<0.01	<1	<0.01	18
1751766	39.2	4.23	<0.01	<1	<0.01	18
1751767	10.3	2.42	<0.01	1	<0.01	16
1751768	44.2	1.96	<0.01	1	<0.01	16
1751769	33.6	2.41	<0.01	<1	<0.01	18
1751771	33.3	2.40	<0.01	<1	<0.01	24
1751772	17.2	2.68	<0.01	1	<0.01	22
1751773	9.2	1.16	<0.01	2	<0.01	16
1751774	9.2	1.19	<0.01	2	<0.01	19
1751775	13.4	0.85	0.01	1	<0.01	17
1751776	9.0	0.50	0.01	3	<0.01	15
1751777	49.7	1.83	<0.01	<1	<0.01	22
1751778	158	3.26	<0.01	<1	<0.01	23
1751779	388	4.47	0.01	<1	<0.01	31
1751781	271	4.07	<0.01	<1	<0.01	30
1751782	298	3.77	<0.01	<1	<0.01	30
1751783	9.4	0.37	<0.01	<1	<0.01	28
1751784	33.9	0.47	<0.01	<1	<0.01	29
1751785	218	1.69	<0.01	<1	<0.01	24
1751786	266	2.99	<0.01	<1	<0.01	29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751787	269	3.19	<0.01	<1	<0.01	32
1751788	510	2.82	<0.01	<1	<0.01	30
1751789	136	1.30	<0.01	<1	<0.01	31
1751791	1144	4.99	<0.01	<1	<0.01	30
1751792	12.6	0.62	<0.01	<1	<0.01	25
1751793	44.6	0.74	<0.01	<1	<0.01	28
1751794	348	1.79	<0.01	<1	<0.01	26
1751795	184	1.22	<0.01	<1	<0.01	26
1751796	260	5.33	<0.01	1	<0.01	22
1751797	105	3.19	<0.01	<1	<0.01	25
1751798	163	1.81	<0.01	<1	<0.01	24
1751799	111	1.80	<0.01	<1	<0.01	25
1751801	19.6	0.72	<0.01	<1	<0.01	16
1751802	8.1	0.31	<0.01	<1	<0.01	20
1751803	200	3.42	<0.01	<1	<0.01	21
1751804	116	2.47	<0.01	<1	<0.01	19
1751805	76.2	4.20	<0.01	1	<0.01	18
1751806	25.2	1.24	<0.01	<1	<0.01	18
1751807	13.2	1.62	0.01	<1	<0.01	15
1751808	11.5	1.48	0.01	1	<0.01	22
1751809	20.6	2.14	<0.01	<1	<0.01	18
1751811	10.0	0.86	<0.01	<1	<0.01	21
1751812	19.1	1.93	<0.01	<1	<0.01	17
1751813	17.2	1.48	<0.01	<1	<0.01	19
1751814	23.6	1.76	<0.01	<1	<0.01	19
1751815	26.5	1.62	<0.01	<1	<0.01	23
1751816	16.4	1.82	<0.01	<1	<0.01	19
1751817	16.2	2.10	<0.01	<1	<0.01	20
1751818	9.5	2.58	0.01	<1	<0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751819	14.1	2.05	<0.01	<1	<0.01	20
1751821	15.8	2.37	<0.01	<1	<0.01	20
1751822	8.0	0.81	<0.01	<1	<0.01	17
*Dup 1751786	268	3.00	<0.01	<1	<0.01	32
*Blk BLANK	1.1	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	974	2.22	2.30	21	0.09	214
*Std OREAS 905	1526	4.02	2.85	19	0.27	381
*Rep 1751791	1162	5.02	<0.01	<1	<0.01	30
*Rep 1751818	10.0	2.62	0.01	<1	<0.01	16
*Std OREAS 905	1547	3.85	2.72	19	0.26	373
*Std OREAS 601b	1005	2.21	2.16	20	0.09	211
*Blk BLANK	NR	NR	NR	NR	NR	NR
*Std OREAS 905	NR	NR	NR	NR	NR	NR
*Std OREAS 905	1530	3.88	2.94	19	0.28	367
*Rep 1751757	7.7	0.68	<0.01	<1	<0.01	16
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	992	2.14	2.37	21	0.10	213

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751748	<0.01	2	<0.01	0.19	9.7	0.07
1751749	<0.01	9	<0.01	2.77	22.4	0.14
1751751	<0.01	8	<0.01	2.92	26.5	0.08
1751752	<0.01	6	0.01	1.79	57.9	0.05
1751753	<0.01	2	0.02	0.47	60.7	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751754	0.01	2	0.22	0.17	1222	0.06
1751755	0.01	2	0.13	0.11	858	0.05
1751756	0.01	2	0.07	0.06	483	0.07
1751757	<0.01	1	0.02	0.02	73.5	0.11
1751758	<0.01	5	0.05	2.01	413	0.06
1751759	<0.01	4	0.04	1.93	317	0.06
1751761	<0.01	4	0.05	2.62	220	0.07
1751762	<0.01	4	0.06	3.76	260	0.06
1751763	<0.01	3	0.04	2.81	146	0.06
1751764	<0.01	3	0.05	3.04	139	0.07
1751765	<0.01	3	0.04	3.01	150	0.06
1751766	<0.01	4	0.04	4.54	180	0.06
1751767	<0.01	3	0.04	2.24	123	0.06
1751768	<0.01	4	0.05	1.96	254	0.06
1751769	<0.01	5	0.04	2.40	198	0.07
1751771	<0.01	7	0.05	2.34	226	0.07
1751772	<0.01	6	0.04	2.80	182	0.07
1751773	0.01	4	0.05	1.09	233	0.09
1751774	<0.01	4	0.06	1.12	167	0.07
1751775	0.02	3	0.04	0.76	158	0.07
1751776	0.02	3	0.10	0.44	488	0.13
1751777	<0.01	4	0.03	1.16	135	0.07
1751778	0.01	6	0.02	1.36	55.0	0.08
1751779	0.01	9	<0.01	3.82	6.1	0.07
1751781	<0.01	6	<0.01	3.45	6.7	0.11
1751782	0.01	8	<0.01	3.67	10.4	0.18
1751783	<0.01	2	0.03	0.07	47.8	0.14
1751784	<0.01	2	0.02	0.15	34.2	0.13
1751785	0.01	5	<0.01	1.51	15.4	0.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751786	<0.01	9	<0.01	2.79	20.2	0.05
1751787	<0.01	10	<0.01	3.00	36.6	0.08
1751788	<0.01	6	0.02	2.76	72.8	0.07
1751789	<0.01	4	<0.01	0.90	26.2	0.07
1751791	<0.01	10	<0.01	4.35	37.6	0.05
1751792	<0.01	2	0.02	0.08	65.8	0.07
1751793	0.02	2	0.04	0.22	121	0.15
1751794	<0.01	6	0.02	1.58	35.0	0.10
1751795	<0.01	5	0.01	1.02	56.1	0.12
1751796	0.01	9	0.04	>5.00	238	0.07
1751797	<0.01	8	0.08	3.38	167	0.13
1751798	0.01	5	0.05	1.81	82.5	0.15
1751799	<0.01	6	<0.01	1.65	49.9	0.18
1751801	0.01	2	<0.01	0.37	37.3	0.11
1751802	0.01	2	0.01	0.06	59.1	0.09
1751803	<0.01	8	0.04	3.66	205	0.07
1751804	0.01	5	0.10	2.69	457	0.09
1751805	0.01	13	0.03	4.68	72.4	0.08
1751806	<0.01	4	0.03	1.22	66.3	0.10
1751807	0.03	3	0.07	1.68	94.8	0.12
1751808	0.02	3	0.08	1.50	88.4	0.08
1751809	<0.01	4	0.05	2.27	48.7	0.10
1751811	<0.01	2	0.04	0.77	78.9	0.11
1751812	<0.01	8	0.04	1.99	85.0	0.11
1751813	<0.01	5	0.03	1.42	26.1	0.14
1751814	0.01	8	0.08	1.95	201	0.13
1751815	<0.01	6	0.03	1.62	60.0	0.08
1751816	0.01	5	0.04	2.04	114	0.11
1751817	0.01	5	0.05	2.40	122	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751818	0.02	4	0.12	2.89	134	0.09
1751819	0.01	4	0.06	2.21	83.2	0.08
1751821	0.01	4	0.04	2.64	82.8	0.07
1751822	0.02	2	0.04	0.80	103	0.08
*Dup 1751786	0.01	9	<0.01	2.78	19.3	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.84	5	0.03	1.50	243	0.12
*Std OREAS 905	2.42	9	0.03	0.07	160	0.12
*Rep 1751791	<0.01	10	<0.01	4.44	38.5	0.05
*Rep 1751818	0.03	4	0.12	2.94	143	0.12
*Std OREAS 905	2.41	9	0.03	0.08	161	0.11
*Std OREAS 601b	1.86	6	0.03	1.55	231	0.12
*Blk BLANK	NR	NR	NR	NR	NR	NR
*Std OREAS 905	NR	NR	NR	NR	NR	NR
*Std OREAS 905	2.40	8	0.03	0.07	155	0.12
*Rep 1751757	<0.01	1	0.02	0.02	75.2	0.14
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.35	234	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751748	4	15	60.8	0.10	1	<0.1
1751749	7	2	238	0.06	3	0.2
1751751	4	3	84.2	0.13	13	<0.1
1751752	3	2	64.8	0.17	11	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751753	6	1	104	0.14	4	<0.1
1751754	12	1	49.2	0.23	66	0.2
1751755	27	<1	69.6	<0.02	2	0.3
1751756	25	<1	88.3	0.16	2	0.3
1751757	12	2	95.0	0.09	5	<0.1
1751758	30	2	105	0.09	5	0.1
1751759	30	2	115	0.08	4	<0.1
1751761	25	2	105	0.05	5	<0.1
1751762	32	12	100	0.05	7	0.1
1751763	34	1	107	0.02	8	<0.1
1751764	38	1	99.3	0.03	7	0.1
1751765	37	1	103	0.04	8	<0.1
1751766	36	<1	106	0.03	6	<0.1
1751767	31	1	105	<0.02	8	0.1
1751768	31	<1	104	<0.02	6	0.1
1751769	29	1	109	<0.02	11	<0.1
1751771	42	<1	102	0.05	10	<0.1
1751772	43	1	104	0.02	14	<0.1
1751773	37	1	104	<0.02	4	0.1
1751774	37	3	87.7	<0.02	2	0.2
1751775	32	2	91.9	<0.02	3	0.1
1751776	27	2	115	<0.02	2	0.2
1751777	4	2	83.9	<0.02	3	<0.1
1751778	4	3	120	0.29	9	<0.1
1751779	2	3	138	0.31	16	<0.1
1751781	4	3	164	0.06	9	<0.1
1751782	12	4	247	0.31	7	<0.1
1751783	13	3	45.3	0.08	<1	<0.1
1751784	11	3	90.8	<0.02	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751785	4	2	173	0.10	4	<0.1
1751786	<2	3	89.5	0.12	3	<0.1
1751787	3	4	144	0.55	5	<0.1
1751788	2	3	124	0.17	4	<0.1
1751789	2	2	108	0.14	2	<0.1
1751791	2	7	119	0.21	17	<0.1
1751792	3	3	64.5	0.09	2	<0.1
1751793	6	2	143	0.19	4	<0.1
1751794	3	4	160	0.09	2	<0.1
1751795	5	3	175	0.06	1	<0.1
1751796	10	3	142	0.18	5	0.2
1751797	12	4	213	0.15	3	<0.1
1751798	10	4	184	0.04	9	<0.1
1751799	11	3	227	0.23	4	<0.1
1751801	8	3	110	<0.02	6	<0.1
1751802	7	2	58.1	0.13	2	<0.1
1751803	8	3	114	0.03	3	0.1
1751804	17	<1	130	0.25	3	0.1
1751805	24	3	106	<0.02	5	0.1
1751806	14	4	115	<0.02	4	0.1
1751807	23	4	139	<0.02	5	0.1
1751808	39	<1	101	<0.02	4	0.1
1751809	27	2	125	<0.02	4	0.2
1751811	23	6	127	0.16	3	0.2
1751812	19	3	143	<0.02	3	<0.1
1751813	17	5	142	<0.02	4	<0.1
1751814	99	<1	118	<0.02	9	0.2
1751815	27	2	87.5	0.03	7	0.1
1751816	76	2	118	0.13	6	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751817	64	1	115	<0.02	7	0.2
1751818	40	1	135	0.07	12	0.2
1751819	34	1	112	0.03	6	0.1
1751821	18	5	102	<0.02	4	0.1
1751822	19	2	106	0.22	2	<0.1
*Dup 1751786	2	5	85.5	0.08	3	<0.1
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Std OREAS 601b	11	295	182	51.64	281	2.1
*Std OREAS 905	9	134	246	0.48	34	2.6
*Rep 1751791	2	5	122	0.29	17	<0.1
*Rep 1751818	46	2	139	0.06	13	0.2
*Std OREAS 905	11	137	253	0.66	37	3.4
*Std OREAS 601b	12	312	181	53.52	301	2.4
*Blk BLANK	NR	NR	NR	<0.02	<1	<0.1
*Std OREAS 905	NR	NR	NR	0.52	33	2.8
*Std OREAS 905	9	133	235	0.52	33	3.3
*Rep 1751757	14	2	106	0.14	6	<0.1
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	311	171	52.82	301	2.6

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751748	2.19	0.06	2.91	0.9	<1	0.49
1751749	2.51	0.02	6.00	17.7	<1	1.11
1751751	4.53	0.04	6.36	14.0	<1	0.63

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751752	7.62	0.03	15.95	9.7	<1	0.85
1751753	6.37	<0.02	11.94	2.7	<1	0.70
1751754	52.33	<0.02	109	0.4	<1	2.46
1751755	10.97	<0.02	78.12	0.5	<1	2.22
1751756	19.69	<0.02	55.92	0.3	<1	1.53
1751757	4.83	<0.02	9.19	0.2	<1	0.71
1751758	4.81	0.02	60.35	15.4	<1	1.41
1751759	2.36	<0.02	58.68	9.5	<1	1.55
1751761	2.33	0.03	63.33	13.7	<1	1.76
1751762	2.51	<0.02	57.47	14.9	<1	2.09
1751763	2.23	0.03	58.23	9.8	<1	2.37
1751764	1.40	0.03	61.40	6.3	<1	1.62
1751765	2.19	0.02	54.64	8.7	<1	1.67
1751766	2.07	0.03	64.22	14.3	<1	1.89
1751767	1.09	0.02	63.06	11.2	<1	1.99
1751768	2.35	0.03	64.21	12.0	<1	1.55
1751769	2.68	<0.02	46.73	18.7	<1	1.45
1751771	2.39	0.03	67.79	14.8	<1	1.83
1751772	2.10	0.02	57.76	24.1	<1	1.58
1751773	0.99	0.03	69.44	9.5	<1	1.59
1751774	0.63	0.03	28.15	6.8	<1	1.07
1751775	0.64	0.04	18.77	6.3	<1	0.93
1751776	0.94	<0.02	46.48	4.0	<1	1.54
1751777	2.18	0.02	23.50	4.5	<1	0.77
1751778	11.81	0.06	20.84	7.1	<1	0.85
1751779	14.08	0.12	3.43	13.8	<1	0.70
1751781	7.60	0.09	4.02	13.5	<1	0.76
1751782	3.44	0.10	5.80	16.6	<1	1.03
1751783	5.52	0.03	6.99	0.4	<1	0.91

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751784	5.59	0.03	5.11	1.0	<1	0.73
1751785	3.38	0.06	5.59	8.9	<1	0.79
1751786	4.42	0.05	6.94	13.8	<1	0.69
1751787	5.52	0.09	15.80	13.7	<1	1.25
1751788	6.19	0.06	12.95	10.4	<1	1.19
1751789	2.57	0.04	7.65	3.8	<1	0.61
1751791	13.47	0.17	8.86	15.6	<1	0.80
1751792	3.78	0.04	6.88	0.5	<1	0.67
1751793	13.69	0.05	13.51	1.4	<1	1.30
1751794	3.43	0.05	5.54	8.0	<1	0.79
1751795	2.21	0.04	11.26	6.1	<1	0.88
1751796	3.56	0.06	57.02	17.2	<1	1.59
1751797	2.08	0.08	39.89	14.8	<1	1.66
1751798	4.89	0.07	19.69	9.3	<1	1.32
1751799	2.23	0.06	26.94	9.1	<1	1.43
1751801	1.58	<0.02	11.71	2.3	<1	0.64
1751802	1.09	0.06	54.11	1.3	<1	1.16
1751803	2.46	0.11	55.16	13.9	<1	1.42
1751804	1.08	0.28	45.83	8.2	<1	1.56
1751805	3.03	0.14	30.31	21.7	<1	0.88
1751806	0.91	0.10	31.53	7.8	<1	0.93
1751807	0.74	0.16	75.78	9.2	<1	1.19
1751808	0.95	0.26	38.85	6.6	<1	0.81
1751809	0.88	0.04	27.20	7.8	<1	0.86
1751811	0.79	0.13	31.67	3.2	<1	0.98
1751812	1.11	0.28	23.94	6.3	<1	2.30
1751813	0.93	0.09	7.46	5.0	<1	1.73
1751814	1.36	0.08	323	16.4	<1	2.13
1751815	1.16	0.08	96.93	10.7	<1	1.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	Dy GE_IMS40Q12 0.05 1,000 ppm m / m
1751816	0.95	0.05	187	14.0	<1	1.29
1751817	1.19	0.07	263	18.7	<1	1.67
1751818	1.11	0.06	199	8.7	<1	1.63
1751819	0.91	0.04	72.24	14.4	<1	0.97
1751821	0.78	0.05	51.49	12.1	<1	0.83
1751822	0.51	<0.02	25.84	4.4	<1	0.67
*Dup 1751786	4.44	0.05	6.61	13.7	<1	0.66
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.05
*Std OREAS 601b	17.28	2.06	66.71	3.0	5	2.54
*Std OREAS 905	6.02	0.36	92.42	14.2	7	3.75
*Rep 1751791	13.70	0.16	8.78	15.5	<1	0.80
*Rep 1751818	1.13	0.06	212	9.4	<1	1.70
*Std OREAS 905	5.78	0.37	122	15.1	8	3.65
*Std OREAS 601b	17.30	1.99	72.41	2.9	5	2.56
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.05
*Std OREAS 905	5.57	0.32	91.58	13.7	7	3.51
*Std OREAS 905	5.51	0.31	100	14.4	7	3.82
*Rep 1751757	4.73	<0.02	9.24	0.2	<1	0.75
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.05
*Std OREAS 601b	16.62	2.16	71.11	3.1	5	2.62

Element Method Lower Limit Upper Limit Unit	Er GE_IMS40Q12 0.05 1,000 ppm m / m	Eu GE_IMS40Q12 0.05 500 ppm m / m	Gd GE_IMS40Q12 0.1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m	@Hf GE_IMS40Q12 0.02 500 ppm m / m	Ho GE_IMS40Q12 0.05 500 ppm m / m
1751748	0.48	0.07	0.4	0.2	1.80	0.12
1751749	1.22	0.14	0.7	0.4	6.96	0.30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751751	0.59	0.15	0.6	0.3	2.35	0.16
1751752	0.65	0.39	1.3	0.3	1.85	0.19
1751753	0.64	0.29	0.9	0.4	2.95	0.16
1751754	0.63	3.37	9.3	10.1	1.00	0.23
1751755	0.59	2.43	6.6	38.2	2.11	0.21
1751756	0.62	1.62	4.4	26.6	2.69	0.19
1751757	0.64	0.29	0.9	2.9	2.85	0.17
1751758	0.82	1.53	3.8	28.3	3.12	0.24
1751759	0.94	1.32	3.8	24.4	3.42	0.27
1751761	1.00	1.36	4.1	15.5	3.12	0.30
1751762	0.97	1.75	5.5	18.4	3.08	0.32
1751763	1.17	1.61	5.6	28.6	3.24	0.41
1751764	0.85	1.66	5.2	30.1	3.05	0.24
1751765	0.87	1.63	5.2	27.0	3.05	0.26
1751766	0.92	1.99	5.6	26.5	3.23	0.28
1751767	1.03	1.75	5.4	18.7	3.29	0.34
1751768	0.82	1.64	5.4	21.3	3.28	0.24
1751769	0.92	1.36	4.2	19.7	3.30	0.26
1751771	0.91	1.89	5.7	33.1	3.24	0.28
1751772	0.81	1.79	5.4	33.4	3.17	0.24
1751773	0.75	1.98	5.8	22.9	3.17	0.23
1751774	0.56	1.30	3.5	24.2	2.68	0.16
1751775	0.53	0.84	2.8	21.3	2.70	0.15
1751776	0.66	1.79	4.8	25.8	3.59	0.20
1751777	0.48	0.65	1.9	0.8	2.23	0.15
1751778	0.63	0.54	1.7	0.8	3.26	0.19
1751779	0.71	0.11	0.5	0.3	3.54	0.20
1751781	0.78	0.14	0.6	0.3	4.30	0.22
1751782	1.14	0.20	0.8	0.3	6.67	0.31

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751783	0.78	0.24	0.9	0.4	0.93	0.24
1751784	0.70	0.18	0.7	0.3	1.75	0.20
1751785	0.81	0.19	0.7	0.3	4.69	0.23
1751786	0.54	0.25	1.0	0.3	2.21	0.17
1751787	0.81	0.54	2.2	0.4	3.72	0.27
1751788	0.71	0.52	2.1	0.5	3.08	0.24
1751789	0.49	0.30	1.1	0.3	2.76	0.15
1751791	0.62	0.39	1.3	0.4	2.94	0.19
1751792	0.46	0.34	1.2	0.4	1.64	0.15
1751793	1.02	0.57	2.0	0.8	2.60	0.31
1751794	0.66	0.27	1.0	0.4	3.90	0.20
1751795	0.72	0.62	1.9	0.4	4.33	0.21
1751796	0.80	2.00	5.5	28.8	3.77	0.27
1751797	1.04	1.73	4.9	11.2	5.69	0.34
1751798	0.96	0.79	2.4	0.8	4.15	0.30
1751799	0.99	0.90	3.0	0.6	6.05	0.31
1751801	0.55	0.30	1.1	0.5	2.97	0.16
1751802	0.57	1.36	3.9	1.1	1.52	0.21
1751803	0.71	1.48	4.5	4.6	3.09	0.25
1751804	0.76	1.35	4.1	7.2	3.47	0.27
1751805	0.50	0.87	2.4	9.5	2.69	0.17
1751806	0.54	0.92	2.7	4.9	3.13	0.18
1751807	0.60	1.78	4.5	9.6	3.72	0.21
1751808	0.43	1.27	2.8	21.5	2.64	0.15
1751809	0.66	0.68	1.7	14.0	3.32	0.21
1751811	0.75	1.08	2.5	6.1	3.47	0.23
1751812	1.65	0.89	2.6	2.1	3.93	0.56
1751813	1.48	0.40	1.4	1.4	3.86	0.46
1751814	0.93	8.44	11.4	32.1	3.35	0.29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751815	0.68	2.33	4.8	7.2	2.57	0.23
1751816	0.61	3.22	5.7	16.9	3.31	0.19
1751817	0.76	4.18	6.7	11.8	3.17	0.25
1751818	0.72	4.14	6.7	7.7	3.82	0.25
1751819	0.56	2.41	3.9	8.7	3.23	0.18
1751821	0.53	1.41	3.0	10.4	2.84	0.18
1751822	0.48	0.77	1.7	6.9	3.08	0.15
*Dup 1751786	0.51	0.24	0.9	0.3	2.11	0.16
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.78	0.97	4.2	23.2	5.05	0.41
*Std OREAS 905	1.11	1.62	6.3	25.4	7.17	0.60
*Rep 1751791	0.63	0.39	1.3	0.4	2.94	0.19
*Rep 1751818	0.73	4.25	6.8	8.7	3.94	0.25
*Std OREAS 905	1.09	1.51	6.4	26.1	7.37	0.58
*Std OREAS 601b	0.80	0.99	4.4	23.5	5.38	0.41
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.18	1.33	6.0	23.3	6.88	0.52
*Std OREAS 905	1.28	1.49	6.1	24.3	7.38	0.55
*Rep 1751757	0.65	0.29	0.9	3.2	3.08	0.17
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.89	0.97	4.0	24.6	5.49	0.38

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751748	<0.02	1.9	0.13	9.42	1.2	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751749	<0.02	3.9	0.39	21.20	3.0	2.9
1751751	<0.02	4.4	0.17	14.90	1.8	2.9
1751752	<0.02	10.0	0.16	7.95	1.2	8.5
1751753	<0.02	7.5	0.19	8.93	1.5	5.9
1751754	<0.02	63.6	0.14	5.60	0.6	55.9
1751755	<0.02	32.0	0.14	4.08	1.7	42.5
1751756	<0.02	24.0	0.15	6.29	1.9	30.3
1751757	<0.02	5.6	0.19	15.44	2.3	5.1
1751758	<0.02	27.1	0.21	15.74	2.0	31.4
1751759	<0.02	26.8	0.22	13.50	2.1	28.4
1751761	<0.02	30.6	0.23	17.33	2.3	28.6
1751762	<0.02	25.4	0.21	40.18	2.2	30.2
1751763	<0.02	26.2	0.24	18.63	2.1	30.8
1751764	<0.02	28.1	0.21	19.96	2.4	31.4
1751765	<0.02	24.1	0.21	19.23	1.9	30.4
1751766	<0.02	28.7	0.21	24.71	1.9	35.8
1751767	<0.02	27.6	0.21	24.02	2.1	33.5
1751768	<0.02	28.3	0.20	22.03	2.1	34.8
1751769	<0.02	21.4	0.21	26.47	2.3	25.4
1751771	<0.02	29.3	0.21	26.05	2.5	38.2
1751772	<0.02	26.0	0.20	27.48	2.3	32.2
1751773	<0.02	31.0	0.19	42.21	2.8	36.6
1751774	<0.02	14.3	0.15	11.89	2.1	22.9
1751775	<0.02	10.6	0.15	31.18	2.4	12.8
1751776	<0.02	19.7	0.18	15.35	3.7	26.3
1751777	<0.02	11.0	0.15	10.33	1.7	12.1
1751778	<0.02	9.3	0.20	24.74	1.4	11.2
1751779	<0.02	1.6	0.23	60.38	2.3	1.8
1751781	<0.02	1.8	0.26	37.87	2.9	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751782	<0.02	2.7	0.40	60.22	4.3	3.0
1751783	<0.02	3.3	0.26	28.53	1.4	3.5
1751784	<0.02	2.3	0.23	14.24	2.2	2.7
1751785	<0.02	2.6	0.27	23.72	2.9	2.8
1751786	<0.02	3.2	0.16	16.98	1.2	3.6
1751787	<0.02	7.7	0.24	44.78	1.9	7.8
1751788	<0.02	5.9	0.21	27.61	1.3	6.9
1751789	<0.02	3.5	0.16	13.33	1.1	3.9
1751791	<0.02	4.1	0.19	15.37	1.4	4.2
1751792	<0.02	3.2	0.14	33.23	2.8	3.7
1751793	<0.02	6.0	0.34	25.01	1.6	7.8
1751794	<0.02	2.6	0.22	22.95	2.6	3.2
1751795	<0.02	4.6	0.25	23.16	2.2	7.0
1751796	<0.02	27.0	0.23	59.04	2.1	28.8
1751797	<0.02	19.5	0.34	59.97	3.7	22.3
1751798	<0.02	9.2	0.29	38.89	3.6	10.3
1751799	<0.02	12.1	0.33	27.67	3.9	14.4
1751801	<0.02	5.3	0.18	12.22	1.0	6.0
1751802	<0.02	23.6	0.17	41.66	0.7	33.2
1751803	<0.02	26.6	0.21	78.99	1.7	28.2
1751804	<0.02	22.0	0.22	242	2.8	23.3
1751805	<0.02	14.6	0.15	110	2.3	15.9
1751806	<0.02	15.3	0.18	57.34	2.6	16.5
1751807	<0.02	34.2	0.20	173	3.8	37.4
1751808	<0.02	17.9	0.15	255	4.5	22.3
1751809	<0.02	13.0	0.21	41.57	3.1	13.0
1751811	<0.02	15.0	0.24	128	2.7	19.1
1751812	<0.02	11.1	0.37	234	2.5	14.3
1751813	<0.02	3.2	0.36	24.76	4.1	4.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751814	<0.02	121	0.18	29.22	4.5	178
1751815	<0.02	30.7	0.16	20.09	2.9	44.6
1751816	<0.02	61.5	0.16	212	4.4	74.8
1751817	<0.02	117	0.17	37.90	2.8	98.4
1751818	<0.02	84.2	0.18	50.21	2.9	85.5
1751819	<0.02	29.6	0.16	35.47	2.1	44.9
1751821	<0.02	22.4	0.15	51.21	1.7	27.4
1751822	<0.02	11.4	0.16	21.12	2.9	13.4
*Dup 1751786	<0.02	3.1	0.16	17.21	1.4	3.4
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.46	34.1	0.08	5.06	15.8	27.5
*Std OREAS 905	0.63	46.0	0.11	3.46	19.0	39.4
*Rep 1751791	0.02	4.1	0.19	15.77	1.3	4.2
*Rep 1751818	<0.02	92.2	0.18	50.94	3.3	89.7
*Std OREAS 905	0.73	45.8	0.09	3.57	18.7	39.1
*Std OREAS 601b	0.50	34.1	0.07	5.30	14.6	28.4
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.60	46.0	0.10	3.31	18.7	37.6
*Std OREAS 905	0.69	48.7	0.10	3.33	19.2	41.5
*Rep 1751757	<0.02	5.7	0.20	16.47	4.1	5.2
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.53	36.1	0.08	5.19	15.1	29.6

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751748	3.7	0.39	<0.2	0.63	1.9	10
1751749	6.2	0.82	0.2	0.83	5.5	17
1751751	9.3	0.84	0.3	1.90	2.3	19
1751752	21.2	2.25	<0.2	0.59	2.0	34
1751753	20.2	1.64	<0.2	0.71	3.0	22
1751754	434	13.92	<0.2	8.87	2.6	34
1751755	349	10.44	0.2	0.74	2.6	<2
1751756	159	7.36	<0.2	0.87	3.0	<2
1751757	24.5	1.37	<0.2	0.82	3.0	13
1751758	78.6	7.70	<0.2	0.64	3.2	11
1751759	62.9	7.31	<0.2	0.27	3.3	7
1751761	51.7	7.46	<0.2	0.24	3.4	10
1751762	69.7	7.40	<0.2	0.67	3.3	14
1751763	47.9	7.33	<0.2	0.26	3.7	9
1751764	45.0	7.80	<0.2	0.26	3.1	10
1751765	44.6	7.17	<0.2	0.36	3.0	11
1751766	53.3	8.26	<0.2	0.65	3.2	11
1751767	34.5	8.06	<0.2	0.43	3.5	6
1751768	69.4	8.35	<0.2	1.33	3.2	13
1751769	50.4	5.99	<0.2	0.82	3.6	12
1751771	61.6	9.01	<0.2	0.95	3.1	12
1751772	51.6	7.57	<0.2	0.38	3.1	16
1751773	66.8	8.94	<0.2	0.43	3.1	5
1751774	44.4	5.08	<0.2	0.29	2.7	6
1751775	50.1	3.01	0.2	0.59	2.6	4
1751776	158	6.28	0.2	0.72	3.0	3
1751777	46.4	3.14	<0.2	0.41	1.7	11
1751778	15.5	2.94	<0.2	1.07	2.6	29
1751779	1.4	0.44	0.3	2.62	2.5	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751781	2.8	0.54	<0.2	1.11	3.1	26
1751782	2.9	0.75	0.2	1.01	4.8	17
1751783	14.9	0.92	<0.2	0.46	3.3	<2
1751784	10.4	0.67	<0.2	0.47	3.0	<2
1751785	4.0	0.70	<0.2	0.39	3.4	8
1751786	7.9	0.90	<0.2	0.54	1.5	9
1751787	13.5	2.01	<0.2	0.78	2.1	12
1751788	25.1	1.72	<0.2	0.77	1.9	11
1751789	9.5	1.01	<0.2	0.51	1.5	6
1751791	16.0	1.08	<0.2	6.17	1.6	27
1751792	21.7	0.90	<0.2	0.48	1.2	5
1751793	33.0	1.85	<0.2	1.77	3.4	7
1751794	11.7	0.75	<0.2	0.80	2.0	7
1751795	19.2	1.66	<0.2	0.46	2.5	4
1751796	72.0	7.64	<0.2	1.33	2.1	27
1751797	48.4	5.53	<0.2	0.77	3.3	12
1751798	23.2	2.62	<0.2	2.03	3.0	7
1751799	14.2	3.71	<0.2	0.65	3.4	8
1751801	5.7	1.55	<0.2	0.49	1.8	3
1751802	13.3	8.10	<0.2	0.33	1.8	<2
1751803	63.2	7.48	<0.2	0.36	2.2	14
1751804	112	6.19	<0.2	0.71	2.5	10
1751805	19.4	4.15	<0.2	0.63	1.9	25
1751806	19.4	4.29	<0.2	0.37	2.0	6
1751807	24.8	10.14	0.3	0.51	2.9	6
1751808	23.3	5.50	0.3	0.46	2.5	6
1751809	12.4	3.48	<0.2	0.36	3.2	11
1751811	21.3	4.67	<0.2	0.30	3.3	4
1751812	17.0	3.38	<0.2	0.43	3.1	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751813	5.9	1.09	<0.2	0.38	2.7	6
1751814	38.2	39.22	<0.2	0.80	2.7	4
1751815	12.3	10.89	<0.2	0.39	1.8	7
1751816	20.5	20.04	<0.2	0.59	2.3	5
1751817	21.7	26.98	<0.2	0.44	3.1	5
1751818	24.7	21.71	0.2	0.38	2.2	7
1751819	15.7	10.40	<0.2	0.35	1.9	5
1751821	14.7	6.73	<0.2	0.33	1.7	6
1751822	14.7	3.44	0.2	0.29	2.3	2
*Dup 1751786	7.9	0.87	<0.2	0.60	1.4	10
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	296	8.32	95.4	23.74	3.7	9
*Std OREAS 905	31.7	11.17	139	2.07	4.9	3
*Rep 1751791	16.0	1.07	<0.2	5.60	1.7	25
*Rep 1751818	25.9	23.02	0.3	0.52	2.4	7
*Std OREAS 905	30.4	11.54	166	2.06	6.3	3
*Std OREAS 601b	348	8.35	113	24.45	4.4	9
*Blk BLANK	1.2	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	29.7	9.91	135	1.92	5.2	3
*Std OREAS 905	28.9	11.20	170	1.92	5.2	3
*Rep 1751757	24.5	1.39	<0.2	1.27	3.2	14
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	350	8.16	94.1	24.20	3.9	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751748	0.3	1.7	<0.05	0.07	4.68	1.3
1751749	0.6	8.9	<0.05	0.14	2.36	3.2
1751751	0.6	3.5	0.11	0.10	14.17	1.8
1751752	1.6	2.3	0.07	0.17	8.43	2.3
1751753	1.1	4.2	0.05	0.12	7.76	2.4
1751754	12.2	5.4	<0.05	0.92	179	10.4
1751755	8.8	6.5	0.18	0.76	3.78	6.3
1751756	6.4	6.8	0.19	0.46	3.45	6.3
1751757	1.1	5.9	0.07	0.13	13.22	2.4
1751758	6.3	5.0	0.14	0.38	5.18	7.6
1751759	5.5	5.5	0.17	0.39	3.48	8.0
1751761	5.8	6.6	0.17	0.43	3.99	8.8
1751762	6.9	5.7	0.16	0.57	3.45	8.5
1751763	7.2	4.8	0.17	0.58	3.52	7.3
1751764	7.0	4.6	0.22	0.51	2.35	7.9
1751765	7.3	5.1	0.14	0.50	3.62	7.6
1751766	8.1	5.3	0.14	0.54	4.23	8.1
1751767	7.5	4.6	0.16	0.53	1.65	7.5
1751768	8.1	4.9	0.17	0.48	5.45	8.2
1751769	5.8	5.6	0.16	0.41	5.84	6.5
1751771	8.4	6.8	0.19	0.53	5.78	7.9
1751772	7.4	6.2	0.17	0.48	3.69	7.4
1751773	8.5	7.9	0.19	0.52	0.93	15.3
1751774	5.5	6.1	0.15	0.32	0.47	7.1
1751775	3.5	6.6	0.16	0.28	0.70	6.0
1751776	6.5	10.6	0.34	0.48	0.49	7.5
1751777	2.6	2.6	0.07	0.19	1.61	2.4
1751778	2.4	5.1	0.05	0.17	3.57	3.0
1751779	0.5	4.0	0.10	0.08	9.13	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751781	0.6	7.9	0.12	0.09	5.62	2.4
1751782	0.9	11.5	0.19	0.13	2.77	3.6
1751783	1.0	5.0	<0.05	0.13	1.92	2.5
1751784	0.8	5.6	<0.05	0.10	2.71	2.1
1751785	0.8	8.1	0.06	0.11	1.97	2.3
1751786	1.0	3.4	0.08	0.11	1.50	1.5
1751787	2.2	7.9	0.10	0.24	3.19	2.9
1751788	2.0	4.7	0.08	0.23	1.97	2.4
1751789	1.1	3.5	0.06	0.12	1.11	1.7
1751791	1.3	3.0	0.07	0.14	9.19	1.8
1751792	1.2	2.3	<0.05	0.13	0.73	1.3
1751793	2.3	5.9	<0.05	0.22	2.22	3.2
1751794	1.0	3.6	0.11	0.12	1.81	2.3
1751795	2.2	5.1	0.13	0.17	1.01	2.6
1751796	7.1	5.6	0.14	0.46	4.39	7.7
1751797	6.2	7.5	0.18	0.43	1.71	6.1
1751798	3.0	7.1	0.05	0.25	2.72	4.0
1751799	3.8	11.5	0.15	0.30	0.87	4.6
1751801	1.4	8.8	<0.05	0.11	1.25	3.5
1751802	6.8	7.6	<0.05	0.34	0.55	5.6
1751803	6.2	8.2	0.09	0.40	0.91	6.0
1751804	5.5	11.6	0.14	0.39	0.76	7.6
1751805	3.6	10.8	0.15	0.22	1.68	5.9
1751806	3.8	9.9	0.15	0.24	0.64	4.6
1751807	7.5	10.8	0.21	0.37	0.91	8.3
1751808	5.0	9.5	0.28	0.23	0.74	7.7
1751809	2.9	8.1	0.19	0.17	1.06	6.3
1751811	4.4	9.7	0.13	0.22	0.46	6.0
1751812	3.6	10.5	0.13	0.33	1.20	3.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751813	1.5	8.2	0.11	0.21	0.83	2.1
1751814	36.4	13.6	0.34	0.85	1.67	9.5
1751815	10.3	6.5	0.15	0.39	1.17	4.3
1751816	13.0	10.1	0.26	0.48	1.31	10.9
1751817	16.3	8.4	0.21	0.59	1.33	9.6
1751818	17.3	6.4	0.15	0.57	1.23	5.0
1751819	10.7	5.0	0.16	0.30	1.37	5.8
1751821	6.3	4.3	0.13	0.25	1.38	4.8
1751822	3.2	5.9	0.16	0.18	0.50	3.9
*Dup 1751786	1.0	3.7	0.09	0.11	1.87	1.4
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.0	3.6	1.31	0.51	12.27	11.9
*Std OREAS 905	7.4	4.4	1.56	0.76	0.13	14.6
*Rep 1751791	1.3	2.8	0.07	0.14	9.64	1.8
*Rep 1751818	18.2	9.0	0.23	0.58	1.29	5.0
*Std OREAS 905	8.3	4.5	1.43	0.87	0.10	15.1
*Std OREAS 601b	5.7	3.6	1.20	0.59	12.57	12.2
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	7.4	3.8	1.33	0.77	0.09	14.4
*Std OREAS 905	7.8	4.3	1.47	0.83	0.15	15.3
*Rep 1751757	1.1	7.9	0.17	0.13	14.43	2.5
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.5	3.6	1.18	0.54	12.88	12.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
1751748	<0.02	0.09	0.51	2.3	3.4	0.7
1751749	<0.02	0.24	2.00	3.5	7.9	2.1
1751751	0.02	0.11	0.75	3.2	4.2	0.9
1751752	<0.02	0.11	0.62	2.7	4.7	0.9
1751753	<0.02	0.12	0.88	1.8	4.1	1.0
1751754	<0.02	0.09	1.29	0.9	4.6	0.7
1751755	<0.02	0.09	0.99	1.7	4.2	0.7
1751756	<0.02	0.10	1.08	2.3	4.2	0.8
1751757	<0.02	0.12	0.91	3.2	4.4	1.0
1751758	0.02	0.15	1.28	1.6	5.7	1.1
1751759	<0.02	0.16	1.45	1.8	7.0	1.2
1751761	<0.02	0.17	1.47	2.4	7.6	1.3
1751762	<0.02	0.15	1.56	3.0	8.0	1.1
1751763	<0.02	0.18	1.56	3.0	9.7	1.3
1751764	<0.02	0.14	1.37	3.8	6.2	1.1
1751765	0.03	0.15	1.44	2.6	6.5	1.1
1751766	<0.02	0.15	1.57	2.8	7.4	1.1
1751767	<0.02	0.16	1.53	2.9	8.2	1.1
1751768	<0.02	0.14	1.43	2.8	6.0	1.0
1751769	<0.02	0.16	1.34	3.1	6.7	1.2
1751771	<0.02	0.15	1.44	3.4	6.3	1.1
1751772	0.02	0.14	1.30	3.2	5.9	1.1
1751773	<0.02	0.12	1.25	4.1	5.4	1.0
1751774	<0.02	0.10	0.96	2.3	4.2	0.8
1751775	<0.02	0.09	0.93	2.0	3.8	0.8
1751776	<0.02	0.11	1.24	3.4	4.3	0.9
1751777	<0.02	0.10	0.85	1.0	3.8	0.8
1751778	<0.02	0.13	1.02	1.3	4.9	1.0
1751779	<0.02	0.15	1.01	1.8	5.4	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751781	<0.02	0.17	1.12	1.8	6.0	1.3
1751782	<0.02	0.25	1.78	3.3	8.5	2.0
1751783	<0.02	0.17	1.32	1.6	6.2	1.3
1751784	<0.02	0.15	1.25	2.1	5.3	1.1
1751785	0.13	0.18	1.24	1.0	5.9	1.4
1751786	<0.02	0.11	0.74	0.8	4.4	0.8
1751787	0.12	0.17	1.26	2.7	6.9	1.3
1751788	0.11	0.14	1.16	1.0	6.0	1.1
1751789	<0.02	0.11	0.94	0.8	3.8	0.8
1751791	0.10	0.13	0.99	0.8	5.2	1.0
1751792	<0.02	0.09	0.83	0.9	3.9	0.7
1751793	<0.02	0.21	2.15	1.8	8.1	1.7
1751794	<0.02	0.14	1.33	1.4	5.4	1.1
1751795	<0.02	0.16	1.50	1.8	5.4	1.2
1751796	<0.02	0.15	1.66	1.8	6.7	1.2
1751797	<0.02	0.21	2.37	2.6	8.4	1.7
1751798	<0.02	0.19	2.11	2.4	7.9	1.5
1751799	<0.02	0.20	2.32	2.6	7.9	1.6
1751801	<0.02	0.12	1.05	1.0	4.1	0.9
1751802	<0.02	0.11	1.30	0.6	5.0	0.9
1751803	<0.02	0.14	1.44	2.0	5.9	1.1
1751804	<0.02	0.15	1.61	3.8	6.4	1.1
1751805	<0.02	0.10	1.20	3.5	4.2	0.7
1751806	<0.02	0.11	1.27	3.2	4.3	0.8
1751807	<0.02	0.12	1.65	4.4	4.9	1.0
1751808	<0.02	0.09	1.30	3.1	3.7	0.7
1751809	<0.02	0.14	1.44	2.5	5.4	1.0
1751811	<0.02	0.15	1.66	3.1	5.8	1.2
1751812	<0.02	0.30	2.11	3.6	13.0	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
 Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751813	<0.02	0.29	1.87	3.2	11.0	2.0
1751814	<0.02	0.12	1.82	3.2	5.7	0.9
1751815	<0.02	0.11	1.19	1.4	5.9	0.8
1751816	<0.02	0.10	1.46	4.5	4.3	0.8
1751817	0.03	0.11	1.67	3.1	5.4	0.9
1751818	0.02	0.12	1.64	2.8	5.2	0.9
1751819	<0.02	0.10	1.26	1.6	4.1	0.8
1751821	<0.02	0.10	1.08	1.4	4.1	0.8
1751822	<0.02	0.10	1.05	2.0	3.6	0.8
*Dup 1751786	<0.02	0.10	0.75	0.9	4.2	0.8
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.43	0.10	4.90	7.4	11.8	0.5
*Std OREAS 905	0.71	0.14	5.26	2.8	17.2	0.7
*Rep 1751791	0.10	0.13	1.03	0.8	5.2	1.0
*Rep 1751818	0.02	0.12	1.67	3.4	5.4	1.0
*Std OREAS 905	0.73	0.13	5.21	2.9	16.5	0.7
*Std OREAS 601b	1.48	0.10	4.72	6.7	11.7	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.69	0.12	5.07	2.8	15.8	0.6
*Std OREAS 905	0.72	0.14	5.17	2.9	15.5	0.7
*Rep 1751757	<0.02	0.13	0.92	5.8	4.6	1.1
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.48	0.10	4.74	6.4	11.4	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*
PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(48-122)
Number of Samples 75

ANALYSIS REPORT BBM21-10978

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1751796	6.087
*Rep 1751796	6.074
*Blk BLANK	0.012
*Std OREAS 135	6.999

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-10980

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	14-Jul-2021 - 07-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	12-Aug-2021
Gold/Hole	12/233 CORE(123-197)	SGS Order Number	BBM21-10980
Number of Samples	75		

Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
68	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
68	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
68	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
68	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
5	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

Comments

Preparation of samples was performed at the SGS Sudbury site.
Analysis of samples was performed at the SGS Burnaby site.
This Report cancels and supersedes the report
BBM_U0012719507 dated 10-Aug-2021 issued by SGS
Canada (Burnaby).
Updated the CSV template to follow the correct analyte
sequence.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*
PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
Number of Samples 75

ANALYSIS REPORT BBM21-10980

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751823	6.11	0.098	5.24	34	0.12	8
1751824	5.38	0.131	5.38	27	0.03	5
1751825	4.95	0.170	6.02	21	0.02	6
1751826	5.88	0.137	5.48	16	0.02	4
1751827	6.24	0.310	5.79	15	0.02	6
1751828	5.81	0.242	7.29	19	0.02	5
1751829	5.74	0.198	6.97	24	0.02	6
1751830	0.05	0.706	-	-	-	-
1751831	4.86	0.189	5.63	29	0.02	4
1751832	5.57	0.125	4.04	20	0.05	13
1751833	5.61	0.197	5.42	36	0.07	6
1751834	6.16	0.128	3.17	38	0.03	9
1751835	4.96	0.096	2.44	22	0.02	7
1751836	5.77	0.048	3.18	32	0.03	7
1751837	6.62	0.086	1.08	19	0.01	14
1751838	5.14	0.160	4.07	15	0.01	4
1751839	5.62	0.071	5.38	24	0.02	5
1751840	2.50	<0.005	-	-	-	-
1751841	6.05	0.165	0.77	33	0.03	12
1751842	5.77	0.085	2.89	30	0.03	7
1751843	5.06	0.068	2.89	32	0.03	2
1751844	5.18	0.059	4.12	27	0.03	3
1751845	3.46	0.043	3.00	25	0.03	2
1751846	5.14	0.057	3.52	20	0.02	2
1751847	5.34	0.087	4.40	17	0.02	3
1751848	3.66	0.125	0.60	22	0.02	12
1751849	4.23	0.045	5.90	42	0.02	2
1751850	-	0.047	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751851	3.80	0.049	7.82	37	0.01	1
1751852	5.42	0.121	0.78	22	<0.01	5
1751853	4.94	0.083	4.11	14	0.01	5
1751854	5.23	0.237	2.53	52	0.01	11
1751855	5.56	0.173	3.70	20	0.01	12
1751856	5.25	0.075	5.06	20	0.01	9
1751857	4.92	0.072	6.06	30	0.02	6
1751858	6.26	0.140	5.15	24	0.01	11
1751859	6.92	0.518	0.37	17	<0.01	14
1751860	0.06	7.265	-	-	-	-
1751861	6.59	0.232	0.04	10	<0.01	26
1751862	6.05	0.275	0.05	8	<0.01	20
1751863	5.27	0.289	0.04	7	<0.01	24
1751864	5.32	0.116	0.04	5	<0.01	23
1751865	6.33	0.326	0.07	5	<0.01	25
1751866	4.67	0.140	0.09	15	<0.01	21
1751867	7.21	0.156	2.02	21	0.02	25
1751868	5.95	1.848	0.61	17	0.02	18
1751869	6.30	0.434	0.88	31	0.03	13
1751870	0.08	<0.005	-	-	-	-
1751871	5.31	0.212	0.29	18	0.02	15
1751872	6.23	0.272	0.66	26	0.05	16
1751873	6.03	0.482	0.63	17	0.02	15
1751874	3.58	0.213	0.46	13	0.01	13
1751875	3.08	0.056	0.26	10	<0.01	6
1751876	3.68	0.072	0.55	98	0.02	13
1751877	5.39	0.366	0.81	13	0.01	15
1751878	5.38	0.142	0.25	11	<0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751879	4.42	0.137	0.35	64	<0.01	17
1751880	-	0.138	-	-	-	-
1751881	5.00	0.241	9.88	494	0.05	23
1751882	5.63	0.222	9.25	137	0.02	8
1751883	4.89	0.106	4.12	27	0.01	13
1751884	5.81	0.024	7.03	20	0.02	5
1751885	3.35	0.054	4.19	12	0.01	7
1751886	2.74	0.070	6.92	23	0.02	6
1751887	5.06	0.207	4.22	33	0.03	16
1751888	5.56	0.164	4.39	27	0.02	12
1751889	5.30	0.463	1.59	17	0.02	23
1751890	0.05	1.855	-	-	-	-
1751891	5.11	0.355	0.17	9	0.02	18
1751892	2.79	0.670	0.23	6	0.02	16
1751893	2.09	0.551	4.90	14	0.02	7
1751894	7.11	1.166	1.46	4	0.01	5
1751895	4.20	0.686	0.83	5	0.01	5
1751896	6.00	0.125	0.44	4	<0.01	12
1751897	5.65	0.026	0.06	2	<0.01	5
*Dup 1751861	-	0.265	0.05	10	<0.01	24
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.305	-	-	-	-
*Std OREAS 235	-	1.615	-	-	-	-
*Std OREAS 905	-	-	7.04	2546	0.55	5
*Std OREAS 601b	-	-	6.36	999	0.83	9
*Blk BLANK	-	-	0.02	<1	<0.01	1
*Rep 1751849	-	-	5.67	42	0.02	2
*Std OREAS 235	-	1.617	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.106	-	-	-	-
*Rep 1751842	-	0.083	-	-	-	-
*Rep 1751862	-	0.276	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 279	-	6.286	-	-	-	-
*Rep 1751877	-	0.364	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.64	662	0.84	17
*Std OREAS 905	-	-	7.59	2677	0.60	14
*Rep 1751879	-	-	0.36	65	<0.01	18
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 601b	-	-	6.32	1244	0.88	15
*Std OREAS 905	-	-	7.10	2581	0.57	12

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751823	10.2	2.02	0.04	1	0.05	49
1751824	11.8	1.88	<0.01	<1	<0.01	18
1751825	13.7	2.94	<0.01	<1	<0.01	18
1751826	12.0	2.10	<0.01	<1	<0.01	22
1751827	22.1	4.23	<0.01	<1	<0.01	16
1751828	23.7	3.67	<0.01	<1	<0.01	24
1751829	22.2	3.81	<0.01	1	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751830	-	-	-	-	-	-
1751831	20.9	3.00	<0.01	<1	<0.01	20
1751832	21.4	2.61	0.02	<1	0.02	28
1751833	68.6	2.72	0.02	1	0.02	28
1751834	31.7	2.48	<0.01	<1	<0.01	19
1751835	13.6	1.46	<0.01	<1	<0.01	14
1751836	10.6	1.05	<0.01	<1	<0.01	17
1751837	19.6	1.74	<0.01	<1	<0.01	22
1751838	17.7	1.51	<0.01	<1	<0.01	25
1751839	19.7	1.55	<0.01	<1	<0.01	22
1751840	-	-	-	-	-	-
1751841	60.2	2.06	<0.01	<1	<0.01	20
1751842	32.3	1.27	<0.01	<1	<0.01	20
1751843	10.8	0.64	<0.01	<1	<0.01	15
1751844	11.7	0.94	<0.01	<1	<0.01	20
1751845	7.9	0.68	<0.01	<1	<0.01	16
1751846	14.0	0.72	<0.01	<1	<0.01	17
1751847	15.1	0.99	0.01	<1	<0.01	24
1751848	27.5	1.61	<0.01	<1	<0.01	28
1751849	10.0	0.66	0.01	1	<0.01	16
1751850	-	-	-	-	-	-
1751851	10.1	0.52	<0.01	1	<0.01	19
1751852	17.2	0.82	<0.01	<1	<0.01	21
1751853	15.8	1.37	<0.01	<1	<0.01	18
1751854	67.8	3.02	<0.01	<1	<0.01	22
1751855	47.0	2.63	<0.01	<1	<0.01	24
1751856	27.4	1.66	<0.01	<1	<0.01	24
1751857	22.7	1.56	<0.01	<1	<0.01	24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751858	39.0	2.26	<0.01	<1	<0.01	24
1751859	307	5.27	<0.01	<1	<0.01	24
1751860	-	-	-	-	-	-
1751861	234	1.78	<0.01	<1	<0.01	28
1751862	254	3.27	<0.01	<1	<0.01	24
1751863	186	3.38	<0.01	<1	<0.01	27
1751864	122	2.27	<0.01	<1	<0.01	27
1751865	392	5.73	<0.01	<1	<0.01	23
1751866	117	1.93	<0.01	<1	<0.01	24
1751867	186	2.54	<0.01	<1	<0.01	31
1751868	1513	9.17	<0.01	<1	<0.01	21
1751869	675	5.93	<0.01	<1	<0.01	25
1751870	-	-	-	-	-	-
1751871	285	2.40	<0.01	<1	<0.01	22
1751872	340	3.91	<0.01	<1	0.02	30
1751873	463	4.33	<0.01	<1	<0.01	20
1751874	195	2.67	<0.01	<1	<0.01	24
1751875	27.8	0.47	<0.01	<1	<0.01	23
1751876	40.3	0.80	<0.01	<1	<0.01	41
1751877	496	5.17	<0.01	<1	<0.01	30
1751878	102	1.95	0.03	<1	<0.01	39
1751879	152	1.69	0.05	<1	<0.01	23
1751880	-	-	-	-	-	-
1751881	175	3.13	1.03	8	0.30	83
1751882	70.4	2.31	0.37	4	<0.01	19
1751883	48.9	2.70	0.06	2	<0.01	18
1751884	13.5	0.64	0.03	1	<0.01	25
1751885	12.6	0.81	0.02	<1	<0.01	26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751886	12.8	0.52	0.02	1	<0.01	26
1751887	38.5	2.35	0.03	<1	<0.01	21
1751888	52.2	2.81	<0.01	<1	<0.01	25
1751889	74.5	2.73	<0.01	<1	<0.01	22
1751890	-	-	-	-	-	-
1751891	41.1	2.04	<0.01	<1	<0.01	23
1751892	86.5	2.29	<0.01	<1	<0.01	20
1751893	26.2	1.82	0.01	<1	<0.01	19
1751894	49.2	5.46	<0.01	<1	<0.01	14
1751895	33.9	4.74	<0.01	<1	<0.01	16
1751896	10.7	1.24	<0.01	<1	<0.01	15
1751897	4.4	0.29	<0.01	<1	<0.01	24
*Dup 1751861	232	1.75	<0.01	<1	<0.01	25
*Std OREAS 905	1483	3.88	2.82	19	0.26	377
*Std OREAS 601b	1013	2.20	2.37	22	0.09	220
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep 1751849	10.5	0.66	0.01	<1	<0.01	17
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	992	2.24	2.32	22	0.10	217
*Std OREAS 905	1541	4.11	3.03	20	0.28	380
*Rep 1751879	154	1.72	0.05	<1	<0.01	25
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	991	2.27	2.35	22	0.09	210
*Std OREAS 905	1557	4.01	2.85	20	0.26	383

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751823	0.08	6	0.04	1.79	104	0.16
1751824	0.02	4	0.06	1.93	138	0.18
1751825	0.01	8	0.08	2.94	157	0.16
1751826	0.01	5	0.06	2.05	113	0.18
1751827	0.01	8	0.04	4.29	98.3	0.16
1751828	0.02	7	0.06	3.73	127	0.15
1751829	0.02	9	0.08	3.95	146	0.13
1751830	-	-	-	-	-	-
1751831	0.02	8	0.09	3.23	143	0.13
1751832	0.03	7	0.04	2.48	85.0	0.12
1751833	0.04	6	0.08	2.80	176	0.17
1751834	0.01	5	0.07	2.47	139	0.16
1751835	0.01	4	0.03	1.38	79.5	0.21
1751836	0.01	3	0.05	0.92	140	0.22
1751837	<0.01	4	0.03	1.62	63.5	0.13
1751838	0.01	5	0.03	1.33	79.9	0.17
1751839	0.01	5	0.05	1.45	115	0.15
1751840	-	-	-	-	-	-
1751841	<0.01	6	0.06	1.98	119	0.16
1751842	0.02	4	0.06	1.16	111	0.18
1751843	0.02	2	0.06	0.55	171	0.16
1751844	0.02	3	0.05	0.84	123	0.17
1751845	0.02	2	0.05	0.59	96.3	0.14
1751846	0.01	2	0.04	0.61	83.4	0.14
1751847	0.01	3	0.04	0.84	84.8	0.25
1751848	0.01	4	0.04	1.38	100	0.15
1751849	0.02	3	0.05	0.54	104	0.21
1751850	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751851	0.01	2	0.04	0.37	85.7	0.14
1751852	0.01	2	0.01	0.65	32.5	0.10
1751853	0.01	3	0.03	1.27	62.4	0.15
1751854	0.01	6	0.03	3.05	77.4	0.13
1751855	0.01	5	0.03	2.48	58.5	0.14
1751856	0.01	4	0.04	1.51	82.2	0.14
1751857	0.01	4	0.06	1.40	115	0.14
1751858	0.01	5	0.07	2.19	102	0.14
1751859	0.01	14	0.02	4.96	31.5	0.14
1751860	-	-	-	-	-	-
1751861	<0.01	6	<0.01	1.67	10.4	0.07
1751862	<0.01	10	<0.01	3.13	8.8	0.08
1751863	<0.01	8	0.01	3.20	4.5	0.07
1751864	<0.01	8	<0.01	2.08	5.0	0.10
1751865	<0.01	23	0.01	>5.00	25.3	0.05
1751866	<0.01	9	0.02	1.85	50.6	0.07
1751867	<0.01	12	0.03	2.63	100	0.07
1751868	0.02	36	0.03	>5.00	107	0.06
1751869	0.01	24	0.05	>5.00	151	0.08
1751870	-	-	-	-	-	-
1751871	<0.01	10	0.02	2.38	76.9	0.08
1751872	0.02	15	0.04	4.18	121	0.05
1751873	<0.01	18	0.03	4.44	98.0	0.05
1751874	<0.01	9	0.02	2.69	81.9	0.06
1751875	<0.01	2	0.02	0.31	48.6	0.09
1751876	<0.01	4	0.03	0.48	90.8	0.09
1751877	0.03	18	0.02	>5.00	83.2	0.08
1751878	0.02	6	<0.01	1.79	20.1	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751879	0.02	6	<0.01	1.58	13.2	0.08
1751880	-	-	-	-	-	-
1751881	0.75	11	0.04	0.69	244	0.65
1751882	0.12	7	0.05	2.40	214	0.07
1751883	0.05	7	0.04	2.83	144	0.06
1751884	0.03	3	0.04	0.52	134	0.11
1751885	0.02	3	0.03	0.69	77.4	0.10
1751886	0.03	2	0.05	0.39	131	0.10
1751887	0.03	5	0.07	2.52	273	0.09
1751888	0.01	6	0.07	3.12	170	0.08
1751889	<0.01	6	0.05	2.90	118	0.10
1751890	-	-	-	-	-	-
1751891	<0.01	7	0.03	2.12	63.5	0.09
1751892	<0.01	7	0.03	2.40	50.7	0.08
1751893	0.01	6	0.05	1.91	157	0.16
1751894	<0.01	17	0.03	>5.00	77.8	0.13
1751895	<0.01	15	0.03	4.95	88.9	0.13
1751896	<0.01	4	0.02	1.22	50.3	0.18
1751897	<0.01	2	<0.01	0.08	8.4	0.04
*Dup 1751861	<0.01	6	<0.01	1.66	9.8	0.07
*Std OREAS 905	2.27	9	0.03	0.08	148	0.12
*Std OREAS 601b	1.80	6	0.03	1.37	234	0.13
*Blk BLANK	<0.01	<1	<0.01	0.01	0.6	<0.01
*Rep 1751849	0.01	3	0.05	0.54	104	0.16
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.73	6	0.03	1.52	221	0.13
*Std OREAS 905	2.37	9	0.03	0.08	158	0.12
*Rep 1751879	0.02	6	<0.01	1.60	12.7	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.85	6	0.03	1.41	232	0.12
*Std OREAS 905	2.36	9	0.03	0.07	152	0.12

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	44	5	110	0.09	4	0.2
1751824	55	<1	130	0.08	6	0.1
1751825	62	<1	116	0.10	6	0.1
1751826	62	<1	122	0.09	7	0.2
1751827	58	<1	115	0.08	5	0.2
1751828	60	<1	124	0.13	8	0.1
1751829	57	<1	115	0.14	12	0.1
1751830	-	-	-	-	-	-
1751831	49	<1	124	0.06	8	0.1
1751832	37	<1	106	0.07	6	0.1
1751833	47	3	119	0.10	8	0.3
1751834	33	8	116	0.14	7	0.3
1751835	31	2	119	0.09	6	0.3
1751836	33	2	140	0.10	5	0.3
1751837	17	1	105	0.06	6	0.1
1751838	30	<1	137	0.15	4	0.3
1751839	31	2	128	0.08	5	0.2
1751840	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751841	18	4	105	0.06	8	0.2
1751842	23	3	120	0.07	7	0.4
1751843	21	1	100	0.04	4	0.3
1751844	22	<1	110	0.04	4	0.3
1751845	20	<1	89.6	0.03	3	0.2
1751846	19	1	90.1	0.04	4	0.2
1751847	29	<1	145	0.09	6	0.3
1751848	13	2	93.0	0.04	6	0.1
1751849	32	<1	128	0.06	6	0.3
1751850	-	-	-	-	-	-
1751851	31	1	108	0.04	5	0.3
1751852	7	7	66.2	<0.02	3	<0.1
1751853	22	2	97.7	0.04	6	0.3
1751854	14	<1	85.8	0.05	10	0.1
1751855	18	3	110	0.05	11	0.1
1751856	27	6	106	0.12	6	0.2
1751857	32	2	100	0.06	6	0.2
1751858	29	<1	110	0.07	5	0.2
1751859	11	5	106	0.19	18	<0.1
1751860	-	-	-	-	-	-
1751861	4	3	80.7	0.10	12	<0.1
1751862	6	3	98.3	0.11	14	<0.1
1751863	5	2	89.5	0.07	17	<0.1
1751864	6	2	106	0.10	8	<0.1
1751865	5	3	75.0	0.13	25	<0.1
1751866	5	2	88.6	0.05	7	<0.1
1751867	9	3	82.5	0.07	13	0.1
1751868	9	4	101	0.57	69	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751869	8	3	127	0.18	21	0.1
1751870	-	-	-	-	-	-
1751871	5	6	83.4	0.15	9	<0.1
1751872	6	3	81.0	0.17	11	<0.1
1751873	5	3	78.1	0.20	9	<0.1
1751874	4	2	79.1	0.09	5	<0.1
1751875	4	2	85.2	0.05	2	<0.1
1751876	5	2	90.0	0.86	3	<0.1
1751877	6	5	98.5	0.25	9	<0.1
1751878	4	2	92.9	0.05	6	<0.1
1751879	6	1	96.2	0.10	3	<0.1
1751880	-	-	-	-	-	-
1751881	212	18	131	0.42	8	1.9
1751882	27	3	82.5	0.10	9	0.4
1751883	16	3	85.4	0.16	9	0.3
1751884	37	1	95.0	<0.02	6	0.3
1751885	23	2	91.8	<0.02	6	0.2
1751886	32	2	94.2	0.07	6	0.3
1751887	20	1	92.6	0.13	10	0.3
1751888	21	2	91.5	0.04	11	0.3
1751889	13	2	101	0.05	13	0.3
1751890	-	-	-	-	-	-
1751891	8	1	85.9	0.03	5	0.2
1751892	6	2	72.2	0.06	6	0.1
1751893	18	1	194	<0.02	9	0.5
1751894	11	<1	225	0.05	9	0.3
1751895	10	1	314	0.03	8	0.2
1751896	10	<1	252	0.02	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751897	3	3	47.6	<0.02	3	<0.1
*Dup 1751861	5	3	82.2	0.10	14	<0.1
*Std OREAS 905	11	129	243	0.79	33	2.7
*Std OREAS 601b	12	302	177	49.75	267	2.2
*Blk BLANK	<2	<1	0.7	<0.02	<1	<0.1
*Rep 1751849	29	<1	124	0.04	5	0.3
*Blk BLANK	<2	<1	0.6	0.03	<1	<0.1
*Std OREAS 601b	13	294	175	48.06	283	2.5
*Std OREAS 905	11	131	244	0.53	34	3.2
*Rep 1751879	6	2	97.4	0.10	3	<0.1
*Blk BLANK	<2	1	<0.5	0.02	<1	<0.1
*Std OREAS 601b	11	309	172	48.45	298	2.5
*Std OREAS 905	10	136	241	0.55	38	3.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	0.71	0.06	54.34	7.2	<1	1.30
1751824	0.95	0.07	69.68	11.1	<1	1.39
1751825	1.28	0.05	125	18.4	<1	1.91
1751826	0.93	0.06	152	10.6	<1	2.13
1751827	1.26	0.06	70.89	20.0	<1	1.69
1751828	1.22	0.04	79.97	15.1	<1	1.97
1751829	0.99	0.05	133	20.1	<1	2.05
1751830	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751831	1.03	0.07	87.98	20.8	<1	1.87
1751832	0.76	0.04	41.00	14.8	<1	1.68
1751833	1.81	0.08	77.03	15.4	<1	2.09
1751834	1.11	0.13	46.57	17.2	<1	1.64
1751835	0.64	0.10	63.28	14.1	<1	1.37
1751836	0.69	0.09	105	6.7	<1	1.76
1751837	0.66	0.09	55.63	10.4	<1	1.37
1751838	0.69	0.09	66.82	17.8	<1	1.52
1751839	0.80	0.09	108	13.9	<1	1.89
1751840	-	-	-	-	-	-
1751841	1.36	0.09	153	11.8	<1	2.50
1751842	0.86	0.07	137	11.6	<1	1.89
1751843	0.72	0.07	97.43	5.0	<1	1.73
1751844	0.66	0.08	39.36	7.7	<1	1.08
1751845	0.48	0.07	31.81	5.8	<1	1.01
1751846	0.52	0.04	23.64	6.3	<1	0.88
1751847	0.75	0.10	34.92	7.9	<1	1.06
1751848	1.29	0.09	83.07	10.4	<1	1.52
1751849	0.58	0.11	59.51	5.8	<1	1.29
1751850	-	-	-	-	-	-
1751851	0.52	0.04	59.58	3.3	<1	1.39
1751852	0.66	0.05	11.09	2.9	<1	0.64
1751853	0.70	0.07	96.57	7.4	<1	1.04
1751854	1.87	0.07	66.66	16.5	<1	1.16
1751855	1.48	0.06	33.27	10.8	<1	1.01
1751856	1.17	0.07	48.46	9.7	<1	1.01
1751857	1.09	0.07	58.44	7.8	<1	1.27
1751858	1.70	0.08	36.43	15.3	<1	1.43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751859	8.05	0.14	32.61	23.6	<1	1.05
1751860	-	-	-	-	-	-
1751861	8.72	0.08	18.56	8.5	<1	0.88
1751862	7.76	0.06	17.29	17.8	<1	1.19
1751863	7.76	0.07	7.99	12.2	<1	1.20
1751864	1.92	0.06	6.06	10.0	<1	0.77
1751865	8.21	0.10	45.23	29.9	<1	0.93
1751866	1.64	0.06	59.19	12.8	<1	1.06
1751867	5.06	0.08	90.01	17.5	<1	1.37
1751868	39.10	0.22	98.51	56.2	<1	1.78
1751869	15.18	0.09	94.01	35.1	<1	1.92
1751870	-	-	-	-	-	-
1751871	7.39	0.05	63.45	13.6	<1	1.29
1751872	8.98	0.07	81.28	25.5	<1	1.44
1751873	11.19	0.09	52.48	30.5	<1	1.05
1751874	4.11	0.06	57.22	10.2	<1	1.07
1751875	1.24	0.03	46.39	1.5	<1	0.95
1751876	0.97	0.02	59.19	2.6	<1	1.03
1751877	20.22	0.06	65.98	23.7	<1	1.07
1751878	1.50	0.06	5.82	6.7	<1	0.53
1751879	2.61	0.04	4.19	8.5	<1	0.51
1751880	-	-	-	-	-	-
1751881	5.36	0.10	101	9.4	1	7.53
1751882	1.45	0.11	97.15	13.0	<1	2.44
1751883	1.00	0.08	151	18.0	<1	2.02
1751884	0.55	0.03	120	4.1	<1	1.70
1751885	0.43	<0.02	111	5.1	<1	1.46
1751886	0.53	<0.02	153	3.0	<1	1.96

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751887	1.77	0.02	184	10.2	<1	2.85
1751888	1.93	0.03	211	14.9	<1	4.19
1751889	1.98	0.05	169	18.1	<1	3.42
1751890	-	-	-	-	-	-
1751891	1.04	0.03	123	9.8	<1	2.43
1751892	1.37	0.03	73.26	10.1	<1	1.70
1751893	1.09	<0.02	205	11.7	<1	3.13
1751894	1.68	<0.02	96.21	27.7	<1	1.83
1751895	1.44	<0.02	124	25.3	<1	2.33
1751896	0.54	0.03	80.03	7.0	<1	1.65
1751897	0.13	0.03	12.09	0.5	<1	0.73
*Dup 1751861	8.34	0.07	18.91	8.4	<1	0.88
*Std OREAS 905	5.85	0.34	86.99	14.5	7	3.82
*Std OREAS 601b	17.03	2.00	67.94	3.2	5	2.70
*Blk BLANK	<0.04	<0.02	0.19	<0.1	<1	<0.05
*Rep 1751849	0.56	0.06	59.48	5.7	<1	1.22
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.05
*Std OREAS 601b	17.24	2.11	69.77	3.1	5	2.54
*Std OREAS 905	5.74	0.35	95.26	15.5	8	3.74
*Rep 1751879	2.68	0.04	4.13	8.3	<1	0.53
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05
*Std OREAS 601b	17.43	1.95	71.43	3.2	5	2.63
*Std OREAS 905	5.61	0.38	93.24	15.5	8	3.65

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	0.81	1.28	3.0	11.7	3.26	0.23
1751824	0.77	2.04	4.5	13.7	3.80	0.22
1751825	0.95	3.70	7.4	17.7	3.52	0.27
1751826	0.99	4.59	9.6	17.6	3.59	0.29
1751827	0.98	2.53	5.6	19.7	3.62	0.28
1751828	0.98	3.75	8.1	18.9	3.90	0.29
1751829	0.87	5.40	10.6	15.6	3.59	0.25
1751830	-	-	-	-	-	-
1751831	0.92	3.56	7.0	15.0	3.86	0.25
1751832	0.86	2.62	5.4	8.9	3.34	0.26
1751833	0.97	3.19	7.2	13.8	3.78	0.30
1751834	0.87	1.74	4.2	7.6	3.52	0.26
1751835	0.82	1.84	4.1	6.0	3.71	0.23
1751836	0.98	2.37	5.2	7.3	4.51	0.27
1751837	0.86	1.39	3.1	2.3	3.25	0.25
1751838	1.02	1.50	3.2	7.3	4.29	0.27
1751839	0.89	3.01	5.5	7.6	4.02	0.27
1751840	-	-	-	-	-	-
1751841	1.00	4.16	7.9	1.1	3.21	0.31
1751842	0.86	3.08	5.8	5.9	3.77	0.25
1751843	0.63	1.90	4.4	4.6	3.14	0.21
1751844	0.55	0.87	2.2	5.3	3.38	0.16
1751845	0.53	0.76	1.9	4.1	2.80	0.16
1751846	0.49	0.55	1.6	4.2	2.76	0.15
1751847	0.70	0.98	2.3	6.0	4.58	0.20
1751848	0.69	1.97	4.2	0.8	2.98	0.21
1751849	0.77	1.46	3.1	7.7	4.17	0.21
1751850	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751851	0.66	1.67	3.8	8.4	3.45	0.20
1751852	0.45	0.39	1.1	1.0	2.08	0.13
1751853	0.64	2.19	3.6	5.4	3.15	0.17
1751854	0.64	1.59	3.2	2.9	2.80	0.18
1751855	0.67	1.01	2.1	4.2	3.49	0.19
1751856	0.66	1.36	2.7	6.4	3.45	0.17
1751857	0.67	2.10	4.3	6.5	3.29	0.19
1751858	0.72	1.56	4.3	7.1	3.48	0.22
1751859	0.72	0.94	2.1	0.7	3.35	0.20
1751860	-	-	-	-	-	-
1751861	0.70	0.41	1.2	0.2	2.34	0.20
1751862	0.94	0.42	1.3	0.1	2.91	0.27
1751863	0.92	0.30	1.2	0.1	2.58	0.27
1751864	0.66	0.20	0.8	0.1	3.14	0.19
1751865	0.70	0.72	1.7	0.2	2.31	0.19
1751866	0.71	0.96	2.3	0.2	2.63	0.20
1751867	0.73	1.46	3.1	7.4	2.46	0.22
1751868	0.87	1.76	4.0	2.0	2.93	0.27
1751869	0.87	1.90	4.6	2.8	3.63	0.28
1751870	-	-	-	-	-	-
1751871	0.67	1.44	3.2	0.8	2.40	0.20
1751872	0.63	1.68	3.5	1.6	2.28	0.20
1751873	0.58	1.00	2.4	1.7	2.25	0.16
1751874	0.56	1.16	2.7	1.2	2.23	0.17
1751875	0.49	1.03	2.4	0.7	2.36	0.15
1751876	0.52	1.28	2.9	1.3	2.51	0.16
1751877	0.59	1.35	2.8	1.8	2.67	0.17
1751878	0.46	0.20	0.6	0.7	2.44	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751879	0.47	0.15	0.5	1.0	2.53	0.12
1751880	-	-	-	-	-	-
1751881	4.13	3.09	8.9	27.7	3.51	1.52
1751882	1.26	2.37	5.5	12.2	2.58	0.46
1751883	0.87	3.24	6.2	4.8	2.59	0.28
1751884	0.67	4.47	8.2	9.8	2.80	0.20
1751885	0.61	3.70	6.5	5.1	2.69	0.19
1751886	0.72	4.59	9.1	10.3	2.74	0.23
1751887	0.84	6.21	13.5	5.0	2.73	0.30
1751888	1.06	7.54	17.3	5.2	2.73	0.43
1751889	1.18	4.95	10.5	3.5	2.97	0.42
1751890	-	-	-	-	-	-
1751891	0.91	3.36	7.9	0.2	2.43	0.32
1751892	0.69	1.90	4.8	0.6	2.06	0.23
1751893	1.09	5.21	12.6	20.9	5.65	0.35
1751894	1.06	2.47	5.1	5.6	6.70	0.29
1751895	1.66	3.07	5.6	2.2	9.21	0.43
1751896	1.27	1.80	3.3	1.2	7.21	0.33
1751897	0.53	0.35	1.0	0.2	1.31	0.16
*Dup 1751861	0.68	0.42	1.2	0.2	2.40	0.19
*Std OREAS 905	1.25	1.49	6.2	24.3	7.38	0.56
*Std OREAS 601b	0.91	1.02	4.2	24.0	5.64	0.40
*Blk BLANK	<0.05	<0.05	<0.1	0.1	0.02	<0.05
*Rep 1751849	0.74	1.44	3.2	7.1	3.90	0.20
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.87	0.97	4.1	25.6	5.25	0.38
*Std OREAS 905	1.17	1.37	5.9	26.6	7.30	0.53
*Rep 1751879	0.49	0.14	0.5	1.0	2.53	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 601b	0.87	0.98	4.1	23.8	5.33	0.38
*Std OREAS 905	1.20	1.40	5.8	26.2	7.18	0.53

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	0.03	29.1	0.18	32.46	4.3	23.8
1751824	0.03	32.4	0.18	30.01	4.9	37.6
1751825	0.02	59.3	0.18	52.02	5.3	74.5
1751826	<0.02	71.1	0.19	59.65	7.6	91.9
1751827	0.02	32.4	0.22	50.81	7.2	40.4
1751828	<0.02	34.9	0.20	20.88	5.6	53.0
1751829	<0.02	65.3	0.16	38.18	5.0	83.2
1751830	-	-	-	-	-	-
1751831	<0.02	37.8	0.20	39.57	3.2	58.3
1751832	<0.02	16.9	0.18	20.24	2.8	38.7
1751833	<0.02	30.5	0.20	13.81	3.9	55.6
1751834	<0.02	20.5	0.20	13.25	4.0	29.2
1751835	<0.02	28.7	0.18	17.17	3.2	37.2
1751836	<0.02	55.7	0.22	16.25	3.6	52.1
1751837	<0.02	26.3	0.19	16.92	3.5	27.6
1751838	<0.02	31.7	0.24	128	5.1	34.8
1751839	<0.02	57.1	0.21	15.03	4.3	56.2
1751840	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@In GE_IMS40Q12	@La GE_IMS40Q12	@Lu GE_IMS40Q12	@Mo GE_IMS40Q12	@Nb GE_IMS40Q12	Nd GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751841	<0.02	71.9	0.19	71.70	5.2	88.7
1751842	<0.02	69.8	0.18	17.31	3.3	68.1
1751843	<0.02	58.0	0.15	16.66	3.4	34.0
1751844	<0.02	25.0	0.17	15.75	4.2	15.2
1751845	<0.02	18.4	0.14	13.13	5.9	14.2
1751846	<0.02	14.0	0.13	12.00	4.7	9.8
1751847	<0.02	18.7	0.21	22.04	6.6	19.1
1751848	<0.02	38.7	0.16	14.91	6.1	42.0
1751849	<0.02	27.4	0.21	11.52	4.8	30.9
1751850	-	-	-	-	-	-
1751851	<0.02	26.8	0.16	17.69	3.6	31.9
1751852	<0.02	5.8	0.11	25.95	5.1	6.4
1751853	<0.02	49.4	0.15	29.64	3.3	49.9
1751854	<0.02	31.7	0.15	22.09	2.0	32.1
1751855	<0.02	17.1	0.18	47.79	5.3	18.9
1751856	<0.02	21.1	0.18	25.67	6.3	26.3
1751857	<0.02	25.2	0.17	47.57	5.3	36.3
1751858	<0.02	18.5	0.18	72.50	2.6	25.6
1751859	0.03	15.8	0.18	31.47	4.3	19.2
1751860	-	-	-	-	-	-
1751861	<0.02	10.5	0.15	11.11	2.4	8.8
1751862	<0.02	8.9	0.20	23.00	2.2	8.6
1751863	0.02	3.7	0.18	14.60	1.2	5.5
1751864	<0.02	2.9	0.17	17.61	1.9	3.8
1751865	0.03	22.0	0.16	111	1.9	21.6
1751866	<0.02	30.0	0.17	48.32	1.8	28.2
1751867	<0.02	48.5	0.16	26.73	1.4	42.0
1751868	0.06	53.4	0.19	37.11	1.5	45.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751869	<0.02	47.7	0.19	23.57	1.5	48.2
1751870	-	-	-	-	-	-
1751871	<0.02	29.5	0.15	32.25	2.0	33.9
1751872	0.03	42.0	0.15	29.89	1.3	37.9
1751873	0.03	26.1	0.14	20.94	1.4	25.2
1751874	<0.02	28.6	0.14	19.22	1.5	27.9
1751875	<0.02	22.5	0.13	18.14	2.1	23.0
1751876	<0.02	28.1	0.13	18.55	2.2	29.8
1751877	<0.02	33.4	0.15	21.80	2.1	31.8
1751878	<0.02	3.1	0.13	22.84	2.2	3.2
1751879	0.02	2.1	0.13	69.74	2.6	2.5
1751880	-	-	-	-	-	-
1751881	0.16	49.4	0.44	14.07	15.5	55.2
1751882	<0.02	46.5	0.17	50.21	1.8	53.4
1751883	<0.02	71.5	0.17	18.96	1.1	84.0
1751884	<0.02	55.0	0.14	58.64	3.2	77.3
1751885	<0.02	52.4	0.13	76.83	4.6	62.9
1751886	<0.02	75.0	0.15	262	4.6	88.9
1751887	<0.02	81.6	0.13	111	2.1	125
1751888	<0.02	98.4	0.15	66.58	2.2	134
1751889	<0.02	80.0	0.19	70.07	2.5	102
1751890	-	-	-	-	-	-
1751891	<0.02	55.5	0.15	80.36	1.5	78.2
1751892	<0.02	32.2	0.13	89.59	2.0	44.8
1751893	<0.02	97.6	0.26	125	4.8	120
1751894	<0.02	46.1	0.33	82.52	3.8	54.8
1751895	<0.02	56.0	0.48	156	3.7	72.8
1751896	<0.02	37.7	0.37	108	4.1	42.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751897	<0.02	5.6	0.11	24.13	1.2	6.7
*Dup 1751861	<0.02	10.7	0.15	10.25	2.6	9.0
*Std OREAS 905	0.64	43.1	0.10	5.45	20.3	37.6
*Std OREAS 601b	0.45	33.9	0.08	5.27	17.1	28.7
*Blk BLANK	<0.02	0.2	<0.01	0.07	0.1	0.2
*Rep 1751849	<0.02	27.4	0.20	10.94	3.5	31.1
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 601b	0.50	35.1	0.07	4.72	15.9	30.5
*Std OREAS 905	0.70	50.0	0.09	3.43	18.7	41.2
*Rep 1751879	0.03	2.1	0.13	69.77	2.7	2.5
*Blk BLANK	<0.02	<0.1	<0.01	0.08	<0.1	<0.1
*Std OREAS 601b	0.46	34.0	0.07	5.27	15.7	30.7
*Std OREAS 905	0.67	46.2	0.09	3.50	19.9	40.5

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	14.2	6.94	2.0	0.48	3.2	5
1751824	21.8	10.08	0.3	0.62	2.6	4
1751825	24.5	19.53	<0.2	0.55	2.4	5
1751826	19.9	23.91	<0.2	0.63	2.3	6
1751827	17.6	10.55	<0.2	0.63	3.3	15
1751828	22.3	12.87	0.2	0.63	2.4	12
1751829	24.0	20.79	0.3	0.88	1.9	9
1751830	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751831	24.5	14.14	<0.2	0.56	2.4	9
1751832	15.1	8.49	0.8	0.44	2.2	9
1751833	34.2	13.00	1.0	2.01	2.6	14
1751834	28.5	7.13	<0.2	0.77	2.7	18
1751835	14.9	9.65	<0.2	0.76	2.8	11
1751836	26.8	14.73	<0.2	0.61	3.3	7
1751837	12.3	7.81	<0.2	0.45	2.2	10
1751838	15.8	9.75	<0.2	0.59	3.3	9
1751839	21.9	15.14	<0.2	0.69	3.1	11
1751840	-	-	-	-	-	-
1751841	25.7	23.24	<0.2	0.64	2.3	11
1751842	23.8	19.47	0.2	0.59	3.0	7
1751843	26.5	11.39	<0.2	0.70	2.4	4
1751844	21.3	5.07	<0.2	0.60	2.5	4
1751845	15.3	4.39	<0.2	0.45	2.4	3
1751846	14.5	3.10	<0.2	0.47	2.0	3
1751847	19.1	5.38	0.3	0.67	2.9	4
1751848	22.9	11.88	<0.2	0.43	1.7	6
1751849	21.2	8.68	0.3	0.64	3.0	3
1751850	-	-	-	-	-	-
1751851	17.6	8.67	<0.2	0.49	2.2	<2
1751852	6.5	1.78	<0.2	0.32	1.0	6
1751853	13.5	14.03	0.2	0.48	2.2	7
1751854	18.4	9.20	<0.2	0.38	1.7	13
1751855	13.4	5.23	<0.2	0.51	1.8	15
1751856	19.5	7.12	<0.2	0.42	2.2	10
1751857	29.4	9.20	<0.2	0.40	2.3	9
1751858	25.7	6.14	<0.2	0.62	2.4	11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751859	8.2	5.39	<0.2	1.31	1.5	20
1751860	-	-	-	-	-	-
1751861	5.0	2.27	<0.2	0.62	1.1	5
1751862	4.8	2.22	<0.2	0.53	1.7	10
1751863	1.7	1.19	<0.2	0.45	1.5	9
1751864	3.0	0.88	<0.2	0.60	1.7	11
1751865	6.3	5.55	<0.2	1.45	1.8	22
1751866	13.6	7.27	<0.2	0.48	2.0	5
1751867	35.4	11.10	<0.2	0.89	1.6	9
1751868	44.0	11.83	0.2	5.98	2.1	31
1751869	55.1	12.42	<0.2	0.69	2.3	25
1751870	-	-	-	-	-	-
1751871	28.5	8.31	<0.2	0.62	1.6	7
1751872	46.2	10.09	0.4	0.34	2.0	10
1751873	38.7	6.53	<0.2	0.42	1.7	13
1751874	23.6	7.10	<0.2	0.22	1.6	8
1751875	12.9	5.77	<0.2	0.20	1.5	<2
1751876	22.7	7.47	<0.2	0.22	1.6	2
1751877	24.0	8.06	<0.2	0.48	1.9	28
1751878	2.2	0.76	0.4	0.21	1.4	14
1751879	1.3	0.58	0.5	0.13	1.8	5
1751880	-	-	-	-	-	-
1751881	15.5	13.28	28.8	1.89	24.2	4
1751882	10.8	12.64	7.9	0.96	2.8	12
1751883	12.6	20.11	1.4	0.82	2.4	14
1751884	19.3	17.27	0.7	0.69	2.5	2
1751885	12.3	15.01	0.4	0.34	2.1	3
1751886	20.7	20.43	0.5	0.56	2.7	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
1751887	41.2	27.24	0.7	0.60	2.2	10
1751888	34.6	29.67	<0.2	0.29	2.1	8
1751889	28.2	23.49	<0.2	0.63	2.6	8
1751890	-	-	-	-	-	-
1751891	10.5	17.38	<0.2	0.19	1.9	7
1751892	12.2	10.08	<0.2	0.26	1.4	7
1751893	28.0	28.12	0.3	0.76	3.3	10
1751894	12.4	12.93	0.2	0.23	4.4	29
1751895	14.1	17.54	<0.2	0.17	7.0	24
1751896	8.1	10.73	<0.2	0.22	5.7	7
1751897	1.5	1.64	<0.2	0.07	1.0	<2
*Dup 1751861	4.2	2.32	<0.2	0.80	1.1	5
*Std OREAS 905	28.6	11.14	130	1.87	5.8	3
*Std OREAS 601b	335	8.72	93.8	21.04	4.5	10
*Blk BLANK	<0.5	0.06	<0.2	<0.05	<0.5	<2
*Rep 1751849	21.5	8.69	0.3	0.51	2.8	3
*Blk BLANK	0.8	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	324	8.29	102	25.06	4.3	10
*Std OREAS 905	29.2	11.25	143	2.07	5.7	3
*Rep 1751879	2.2	0.57	0.6	0.15	1.9	6
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 601b	332	8.37	99.5	21.22	4.4	9
*Std OREAS 905	29.0	11.18	144	2.07	5.9	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	5.2	9.2	0.33	0.32	0.80	5.6
1751824	8.4	10.0	0.36	0.41	0.96	9.4
1751825	15.5	7.9	0.36	0.62	1.39	8.4
1751826	20.5	11.1	0.37	0.75	1.42	8.9
1751827	10.3	12.2	0.36	0.50	2.21	7.5
1751828	15.0	10.3	0.36	0.64	2.00	7.9
1751829	21.6	7.4	0.30	0.78	2.08	10.5
1751830	-	-	-	-	-	-
1751831	14.5	8.0	0.32	0.62	1.95	10.4
1751832	10.5	7.3	0.24	0.50	1.97	7.7
1751833	14.2	12.2	0.39	0.65	7.48	7.7
1751834	7.8	11.5	0.25	0.42	2.81	6.0
1751835	8.3	17.5	0.17	0.37	1.21	7.3
1751836	10.1	17.0	0.18	0.50	0.34	9.6
1751837	5.8	9.4	0.13	0.32	0.88	5.2
1751838	6.6	13.6	0.22	0.35	1.74	6.8
1751839	11.7	10.1	0.31	0.53	2.15	7.8
1751840	-	-	-	-	-	-
1751841	17.2	11.1	0.13	0.77	2.22	7.3
1751842	12.1	13.9	0.17	0.58	0.72	8.6
1751843	6.3	13.0	0.19	0.50	1.05	9.3
1751844	2.7	11.6	0.18	0.27	0.56	5.4
1751845	2.8	10.5	0.15	0.24	0.25	4.3
1751846	1.9	9.0	0.17	0.21	0.59	4.2
1751847	3.9	18.1	0.34	0.26	0.93	5.8
1751848	7.8	11.2	0.20	0.43	0.93	6.9
1751849	5.7	16.9	0.39	0.34	0.54	6.4
1751850	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751851	6.6	10.8	0.35	0.40	0.62	6.8
1751852	1.5	4.8	0.16	0.13	0.87	2.1
1751853	9.2	11.7	0.26	0.32	0.89	6.9
1751854	6.3	7.5	0.24	0.31	2.23	7.0
1751855	3.9	7.9	0.24	0.24	1.82	4.4
1751856	5.6	10.2	0.33	0.26	1.16	5.5
1751857	8.9	10.0	0.34	0.38	0.68	6.9
1751858	7.5	11.1	0.34	0.40	1.64	6.9
1751859	3.9	12.1	0.20	0.24	4.87	4.9
1751860	-	-	-	-	-	-
1751861	1.6	6.6	0.05	0.16	2.16	3.2
1751862	1.6	12.8	<0.05	0.18	2.62	3.9
1751863	1.3	8.1	<0.05	0.18	3.48	1.7
1751864	0.9	15.0	0.10	0.11	0.65	1.8
1751865	3.3	20.8	0.06	0.18	2.73	5.2
1751866	4.4	22.2	<0.05	0.24	0.84	6.9
1751867	6.3	10.1	0.08	0.32	2.19	9.9
1751868	7.4	43.3	0.08	0.43	8.76	11.3
1751869	8.0	45.7	0.10	0.49	3.51	11.4
1751870	-	-	-	-	-	-
1751871	5.9	12.9	0.11	0.32	1.85	7.9
1751872	5.9	15.6	0.08	0.37	3.45	10.2
1751873	4.3	24.2	0.08	0.26	4.62	7.6
1751874	4.9	29.8	0.08	0.27	1.57	7.9
1751875	4.2	12.8	0.07	0.24	0.45	6.8
1751876	5.2	13.5	0.08	0.27	0.60	8.3
1751877	5.6	82.9	0.10	0.27	7.48	7.7
1751878	0.7	13.5	0.06	0.08	1.26	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751879	0.6	7.2	0.09	0.07	1.33	1.3
1751880	-	-	-	-	-	-
1751881	11.1	10.8	0.94	1.18	3.69	6.6
1751882	10.6	11.6	0.19	0.52	1.22	9.9
1751883	14.2	6.3	0.09	0.52	1.03	12.4
1751884	17.0	8.7	0.21	0.59	0.87	11.2
1751885	13.3	6.2	0.16	0.47	0.56	9.3
1751886	18.9	10.2	0.21	0.68	0.50	16.2
1751887	27.6	8.8	0.16	1.01	2.26	14.2
1751888	32.4	7.1	0.14	1.38	1.83	10.6
1751889	20.2	11.1	0.14	0.94	2.26	13.5
1751890	-	-	-	-	-	-
1751891	15.9	8.2	<0.05	0.66	0.74	7.7
1751892	9.3	9.3	0.07	0.44	1.02	6.6
1751893	24.3	18.7	0.29	1.03	2.60	22.4
1751894	10.0	15.1	0.14	0.48	1.80	10.4
1751895	11.7	14.6	0.13	0.53	1.31	12.9
1751896	6.4	18.2	0.11	0.34	0.27	8.6
1751897	1.3	2.9	<0.05	0.13	0.07	2.0
*Dup 1751861	1.6	6.6	0.07	0.15	2.54	3.2
*Std OREAS 905	8.0	3.6	1.47	0.83	0.11	14.4
*Std OREAS 601b	5.8	3.1	1.23	0.58	11.20	11.1
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1751849	5.8	12.9	0.28	0.33	0.47	6.4
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.4	3.6	1.18	0.52	12.44	12.5
*Std OREAS 905	7.7	4.4	1.40	0.76	0.10	15.4
*Rep 1751879	0.6	7.4	0.09	0.08	1.17	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 601b	5.6	3.4	1.11	0.54	11.02	12.7
*Std OREAS 905	7.8	4.3	1.37	0.75	0.07	15.1

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751823	<0.02	0.13	1.14	4.6	5.8	1.0
1751824	<0.02	0.12	1.46	5.8	5.2	1.0
1751825	<0.02	0.12	1.47	5.9	6.3	1.0
1751826	<0.02	0.13	1.64	5.5	6.3	1.0
1751827	<0.02	0.15	1.42	5.5	6.8	1.2
1751828	<0.02	0.14	1.44	4.3	6.6	1.1
1751829	<0.02	0.11	1.40	3.6	5.3	0.8
1751830	-	-	-	-	-	-
1751831	<0.02	0.14	1.37	4.6	5.8	1.0
1751832	<0.02	0.13	1.12	3.3	6.1	1.0
1751833	<0.02	0.14	1.30	4.3	7.0	1.1
1751834	<0.02	0.14	1.15	3.7	6.3	1.1
1751835	<0.02	0.12	1.18	3.9	5.7	1.0
1751836	<0.02	0.15	1.49	4.3	6.6	1.2
1751837	<0.02	0.14	1.12	2.5	6.1	1.1
1751838	<0.02	0.16	1.47	4.6	6.8	1.3
1751839	<0.02	0.14	1.41	3.9	6.0	1.1
1751840	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element Method	@TI GE_IMS40Q12	Tm GE_IMS40Q12	@U GE_IMS40Q12	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751841	<0.02	0.13	1.37	3.0	6.8	1.0
1751842	<0.02	0.12	1.36	3.0	5.7	1.0
1751843	<0.02	0.09	1.14	2.9	4.5	0.8
1751844	<0.02	0.10	1.03	2.9	3.9	0.8
1751845	<0.02	0.09	0.84	2.3	3.8	0.8
1751846	<0.02	0.08	0.81	2.2	3.6	0.7
1751847	<0.02	0.13	1.23	4.4	4.9	1.1
1751848	0.02	0.10	1.00	2.8	4.8	0.8
1751849	<0.02	0.13	1.23	3.9	5.1	1.1
1751850	-	-	-	-	-	-
1751851	<0.02	0.11	1.10	2.8	4.5	0.9
1751852	<0.02	0.08	0.59	1.4	3.3	0.6
1751853	<0.02	0.09	0.94	3.1	3.9	0.8
1751854	<0.02	0.10	0.85	2.2	4.2	0.8
1751855	<0.02	0.11	1.00	2.5	4.7	1.0
1751856	<0.02	0.11	1.01	2.9	4.5	0.9
1751857	<0.02	0.11	1.05	3.0	4.3	0.9
1751858	<0.02	0.11	1.19	3.2	5.2	0.9
1751859	0.05	0.12	0.91	2.2	5.0	1.0
1751860	-	-	-	-	-	-
1751861	0.02	0.11	0.82	0.8	5.8	0.9
1751862	0.04	0.15	0.95	1.0	7.8	1.2
1751863	0.23	0.15	0.87	1.0	7.8	1.1
1751864	<0.02	0.12	1.01	1.4	5.1	1.0
1751865	0.04	0.11	0.97	0.9	5.3	0.9
1751866	<0.02	0.12	1.22	1.0	5.4	1.0
1751867	<0.02	0.11	1.19	1.2	5.8	0.9
1751868	0.06	0.14	1.60	1.2	7.5	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751869	<0.02	0.13	1.83	1.4	7.2	1.0
1751870	-	-	-	-	-	-
1751871	<0.02	0.11	1.08	1.2	5.1	0.8
1751872	0.06	0.10	1.22	0.9	4.9	0.8
1751873	0.05	0.10	1.09	0.8	4.5	0.8
1751874	0.03	0.09	1.11	0.9	4.1	0.8
1751875	<0.02	0.08	1.01	1.1	3.7	0.7
1751876	<0.02	0.08	1.16	1.6	3.8	0.7
1751877	<0.02	0.10	1.16	1.2	4.4	0.9
1751878	<0.02	0.09	0.76	1.1	3.5	0.7
1751879	0.04	0.09	0.73	1.2	3.5	0.7
1751880	-	-	-	-	-	-
1751881	0.28	0.52	1.08	1.3	47.2	3.2
1751882	0.09	0.16	1.04	1.6	15.0	1.0
1751883	0.02	0.12	1.34	1.3	6.4	0.9
1751884	<0.02	0.09	1.35	2.4	4.7	0.7
1751885	<0.02	0.08	1.27	2.0	4.4	0.7
1751886	<0.02	0.10	1.38	2.3	5.3	0.8
1751887	<0.02	0.09	1.45	1.7	6.5	0.7
1751888	<0.02	0.11	2.06	1.5	9.3	0.8
1751889	<0.02	0.15	1.88	1.7	9.8	1.1
1751890	-	-	-	-	-	-
1751891	<0.02	0.12	1.35	0.9	7.4	0.9
1751892	<0.02	0.10	1.04	1.1	5.6	0.8
1751893	<0.02	0.16	2.63	2.9	7.8	1.3
1751894	<0.02	0.19	2.43	2.0	7.6	1.7
1751895	<0.02	0.30	3.36	2.0	11.8	2.5
1751896	<0.02	0.24	2.53	2.1	9.2	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
 Number of Samples 75

ANALYSIS REPORT BBM21-10980

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751897	<0.02	0.09	0.58	0.5	3.8	0.7
*Dup 1751861	0.03	0.12	0.80	0.9	5.4	0.9
*Std OREAS 905	0.65	0.13	4.83	4.6	16.0	0.7
*Std OREAS 601b	1.40	0.10	4.21	6.7	12.0	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1751849	<0.02	0.12	1.20	3.0	4.7	1.0
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.50	0.09	4.76	6.5	12.2	0.5
*Std OREAS 905	0.74	0.13	5.27	2.9	16.7	0.7
*Rep 1751879	0.04	0.09	0.75	1.2	3.5	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 601b	1.52	0.09	4.94	6.5	12.0	0.5
*Std OREAS 905	0.73	0.12	5.08	2.8	16.8	0.7

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
1751865	6.201
1751868	10.649
1751869	6.628
1751877	5.599
1751894	6.080
*Std OREAS 135	7.166
*Blk BLANK	<0.005

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*
PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(123-197)
Number of Samples 75

ANALYSIS REPORT BBM21-10980

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM21-10988

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	14-Jul-2021 - 06-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	12-Aug-2021
Gold/Hole	12/233 CORE(198-233)	SGS Order Number	BBM21-10988
Number of Samples	36		

Methods Summary

Number of Sample	Method Code	Description
36	G_WGH_KG	Weight of samples received
32	G_PRP	Combined Sample Preparation
36	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
32	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
32	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
32	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

This Report cancels and supersedes the report BBM_U0012780909 dated 11-Aug-2021 issued by SGS Canada (Burnaby).

Updated the CSV template to follow the correct analyte sequence.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

13-Aug-2021 8:17PM BBM_U0012895702

Page 1 of 19

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
Project The Brewer Gold Project
Submission Number *SD*
PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
Number of Samples 36

ANALYSIS REPORT BBM21-10988

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

13-Aug-2021 8:17PM BBM_U0012895702

Page 2 of 19

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751898	6.52	0.056	0.10	3	0.01	6
1751899	5.15	0.149	3.38	12	0.04	9
1751900	2.07	<0.005	-	-	-	-
1751901	4.61	0.199	8.80	35	0.09	5
1751902	5.34	0.155	4.50	12	0.02	10
1751903	3.50	0.105	2.54	17	0.02	7
1751904	4.83	0.054	4.69	33	0.03	13
1751905	6.04	0.050	5.50	21	0.02	9
1751906	6.06	0.040	5.83	12	0.01	5
1751907	4.90	0.037	0.15	3	<0.01	6
1751908	3.84	0.044	0.17	4	<0.01	11
1751909	4.36	0.044	0.91	11	0.01	8
1751910	4.36	0.045	-	-	-	-
1751911	4.65	0.096	1.72	15	0.02	7
1751912	3.38	0.053	3.94	18	0.02	10
1751913	5.92	0.040	3.42	19	0.02	6
1751914	5.94	0.039	4.03	18	0.02	8
1751915	5.79	0.106	1.67	14	0.02	14
1751916	5.13	0.044	2.20	27	0.04	6
1751917	4.52	0.072	1.08	13	0.02	14
1751918	4.69	0.081	1.69	16	0.03	11
1751919	4.80	0.151	3.28	21	0.03	16
1751920	0.05	0.353	-	-	-	-
1751921	5.94	0.180	3.10	17	0.02	12
1751922	5.08	0.079	2.52	12	0.01	17
1751923	5.61	0.159	1.94	13	0.02	13
1751924	5.13	0.154	3.29	12	0.02	17
1751925	2.99	0.046	2.37	17	0.03	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
1751926	3.04	0.088	1.79	11	0.02	18
1751927	6.83	0.296	1.99	7	0.01	6
1751928	6.00	0.210	4.19	12	0.01	12
1751929	4.65	0.113	6.37	17	0.02	9
1751930	0.05	<0.005	-	-	-	-
1751931	3.86	0.093	2.06	14	0.02	15
1751932	3.42	0.237	1.76	8	0.02	13
1751933	3.75	0.338	2.20	3	<0.01	10
*Rep 1751918	-	0.078	-	-	-	-
*Rep 1751928	-	0.204	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.305	-	-	-	-
*Std OREAS 235	-	1.615	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Rep 1751917	-	-	1.05	13	0.02	18
*Std OREAS 601b	-	-	6.32	1244	0.88	15
*Std OREAS 905	-	-	7.10	2581	0.57	12

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751898	7.9	0.32	<0.01	<1	<0.01	35
1751899	59.5	3.06	<0.01	1	<0.01	23
1751900	-	-	-	-	-	-
1751901	55.6	4.34	0.02	3	<0.01	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751902	83.0	4.44	<0.01	<1	<0.01	47
1751903	40.9	3.20	<0.01	<1	<0.01	26
1751904	15.6	1.29	<0.01	<1	<0.01	40
1751905	14.2	1.20	<0.01	<1	<0.01	35
1751906	6.1	0.52	<0.01	<1	<0.01	36
1751907	8.6	0.48	<0.01	<1	<0.01	24
1751908	5.8	0.49	<0.01	<1	<0.01	47
1751909	5.0	0.32	<0.01	<1	<0.01	28
1751910	-	-	-	-	-	-
1751911	27.5	0.95	<0.01	<1	<0.01	28
1751912	16.2	0.84	<0.01	<1	<0.01	44
1751913	6.0	0.35	<0.01	<1	<0.01	29
1751914	16.4	0.77	<0.01	<1	<0.01	40
1751915	71.5	1.62	<0.01	<1	<0.01	26
1751916	29.1	0.47	<0.01	<1	<0.01	20
1751917	54.4	1.24	<0.01	<1	<0.01	43
1751918	46.0	1.34	<0.01	<1	<0.01	20
1751919	72.1	2.48	<0.01	<1	<0.01	39
1751920	-	-	-	-	-	-
1751921	116	2.72	<0.01	<1	<0.01	26
1751922	23.0	1.11	<0.01	<1	<0.01	42
1751923	51.3	2.51	<0.01	<1	<0.01	29
1751924	43.2	1.73	<0.01	<1	<0.01	40
1751925	16.8	1.20	<0.01	<1	<0.01	26
1751926	44.4	1.89	<0.01	<1	<0.01	42
1751927	96.9	3.75	<0.01	<1	<0.01	28
1751928	96.0	2.53	<0.01	<1	<0.01	37
1751929	141	2.04	<0.01	<1	<0.01	34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
1751930	-	-	-	-	-	-
1751931	78.7	3.11	<0.01	<1	<0.01	46
1751932	123	4.89	<0.01	<1	<0.01	28
1751933	147	4.12	<0.01	<1	<0.01	48
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep 1751917	54.6	1.24	<0.01	<1	<0.01	44
*Std OREAS 601b	991	2.27	2.35	22	0.09	210
*Std OREAS 905	1557	4.01	2.85	20	0.26	383

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751898	<0.01	9	<0.01	0.03	18.7	0.06
1751899	0.01	7	0.03	3.03	67.0	0.06
1751900	-	-	-	-	-	-
1751901	0.03	6	0.08	4.64	192	0.07
1751902	0.01	6	0.04	4.62	77.8	0.07
1751903	0.01	5	0.05	3.16	104	0.06
1751904	<0.01	4	0.08	0.96	198	0.13
1751905	0.01	3	0.05	0.94	128	0.11
1751906	<0.01	<1	0.04	0.14	102	0.08
1751907	<0.01	2	<0.01	0.28	21.0	0.09
1751908	<0.01	1	<0.01	0.04	27.2	0.09
1751909	<0.01	2	0.03	0.09	73.6	0.08
1751910	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
1751911	<0.01	3	0.03	0.75	74.3	0.11
1751912	<0.01	2	0.04	0.45	124	0.11
1751913	<0.01	2	0.04	0.09	113	0.11
1751914	<0.01	2	0.04	0.42	104	0.09
1751915	<0.01	4	0.03	1.40	67.5	0.08
1751916	<0.01	2	0.05	0.33	88.1	0.09
1751917	<0.01	3	0.03	0.85	50.2	0.09
1751918	<0.01	3	0.03	1.25	45.5	0.07
1751919	<0.01	5	0.08	2.30	129	0.08
1751920	-	-	-	-	-	-
1751921	0.01	6	0.04	2.59	83.6	0.05
1751922	<0.01	2	0.04	0.75	66.1	0.08
1751923	<0.01	6	0.05	2.36	86.6	0.07
1751924	0.01	4	0.05	1.39	74.6	0.06
1751925	<0.01	4	0.05	1.04	71.0	0.08
1751926	<0.01	5	0.04	1.56	62.0	0.08
1751927	<0.01	8	0.04	3.61	73.4	0.06
1751928	<0.01	5	0.04	2.35	69.6	0.09
1751929	<0.01	5	0.06	1.83	86.8	0.11
1751930	-	-	-	-	-	-
1751931	<0.01	7	0.05	2.77	75.7	0.05
1751932	<0.01	16	0.04	4.96	67.4	0.08
1751933	<0.01	15	0.03	4.09	31.9	0.08
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep 1751917	<0.01	3	0.03	0.85	49.7	0.08
*Std OREAS 601b	1.85	6	0.03	1.41	232	0.12
*Std OREAS 905	2.36	9	0.03	0.07	152	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	5	3	42.0	<0.02	1	<0.1
1751899	13	1	91.0	0.04	9	<0.1
1751900	-	-	-	-	-	-
1751901	27	5	101	0.05	11	0.4
1751902	18	2	97.5	0.03	11	0.2
1751903	10	3	96.0	0.06	9	0.1
1751904	18	2	114	<0.02	6	0.2
1751905	18	2	93.0	<0.02	5	0.2
1751906	16	2	100	<0.02	4	0.2
1751907	6	3	83.0	0.02	2	<0.1
1751908	8	4	73.1	<0.02	1	<0.1
1751909	7	3	58.2	0.06	2	<0.1
1751910	-	-	-	-	-	-
1751911	10	3	97.8	<0.02	6	0.2
1751912	16	2	108	0.11	4	0.2
1751913	14	3	94.6	0.02	3	0.2
1751914	14	4	93.7	<0.02	5	0.2
1751915	8	5	88.0	0.04	8	0.1
1751916	8	4	94.8	<0.02	6	0.2
1751917	8	5	85.9	0.03	5	0.1
1751918	7	4	87.1	<0.02	4	0.1
1751919	12	3	111	0.05	12	0.2
1751920	-	-	-	-	-	-
1751921	8	4	83.8	0.05	11	0.2
1751922	10	4	86.2	<0.02	4	0.1
1751923	6	2	96.7	0.05	6	0.2
1751924	9	3	96.1	0.03	7	0.2
1751925	7	2	92.3	0.02	4	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751926	7	2	104	0.05	5	0.1
1751927	7	2	87.8	0.07	7	0.1
1751928	13	2	104	0.08	8	0.3
1751929	14	2	132	0.04	8	0.2
1751930	-	-	-	-	-	-
1751931	6	2	74.5	0.04	5	<0.1
1751932	5	<1	152	0.05	8	0.1
1751933	7	1	125	0.08	9	0.1
*Blk BLANK	<2	1	<0.5	0.02	<1	<0.1
*Rep 1751917	7	4	84.8	0.03	5	0.1
*Std OREAS 601b	11	309	172	48.45	298	2.5
*Std OREAS 905	10	136	241	0.55	38	3.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	0.16	0.04	36.28	1.0	<1	0.73
1751899	1.49	0.03	62.87	14.7	<1	1.37
1751900	-	-	-	-	-	-
1751901	1.88	0.03	97.75	14.5	<1	1.99
1751902	1.74	0.04	58.34	13.6	<1	1.31
1751903	1.24	0.02	49.51	12.5	<1	2.14
1751904	0.76	0.04	101	6.7	<1	2.90
1751905	0.62	0.04	76.59	4.2	<1	2.01
1751906	0.43	0.03	64.57	0.8	<1	1.66

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751907	0.28	0.05	31.51	1.0	<1	0.77
1751908	0.20	0.04	25.44	0.4	<1	0.88
1751909	0.26	0.02	34.41	0.7	<1	0.99
1751910	-	-	-	-	-	-
1751911	0.48	0.02	38.75	3.8	<1	1.36
1751912	0.42	0.03	22.02	4.2	<1	1.56
1751913	0.33	0.02	43.46	1.1	<1	1.34
1751914	0.40	0.03	66.58	2.6	<1	1.41
1751915	0.80	0.06	60.31	7.4	<1	1.68
1751916	0.61	0.02	74.34	4.6	<1	1.71
1751917	0.86	0.06	43.73	7.4	<1	1.15
1751918	0.78	0.05	41.97	7.1	<1	1.06
1751919	1.27	0.05	216	12.1	<1	3.34
1751920	-	-	-	-	-	-
1751921	1.65	0.05	70.56	15.1	<1	1.75
1751922	0.47	0.04	62.71	4.9	<1	1.06
1751923	1.17	0.04	128	11.4	<1	1.66
1751924	0.93	0.04	77.52	9.4	<1	1.20
1751925	0.52	0.03	84.61	6.9	<1	0.97
1751926	1.02	0.04	104	10.2	<1	1.17
1751927	2.61	0.06	77.40	20.8	<1	1.52
1751928	2.34	0.04	70.08	15.5	<1	1.61
1751929	3.55	0.03	134	12.4	<1	2.38
1751930	-	-	-	-	-	-
1751931	2.44	0.06	52.47	17.9	<1	1.54
1751932	3.39	0.04	114	39.0	<1	2.02
1751933	4.22	0.03	70.07	34.6	<1	1.06
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1751917	0.86	0.05	42.92	7.7	<1	1.15
*Std OREAS 601b	17.43	1.95	71.43	3.2	5	2.63
*Std OREAS 905	5.61	0.38	93.24	15.5	8	3.65

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	0.46	0.76	1.6	0.3	1.49	0.13
1751899	0.75	1.57	3.2	7.0	2.59	0.24
1751900	-	-	-	-	-	-
1751901	0.68	2.40	6.5	15.1	2.95	0.23
1751902	0.66	1.16	3.5	5.0	2.77	0.20
1751903	1.00	1.20	4.4	3.5	2.88	0.33
1751904	0.88	2.44	7.9	6.4	3.39	0.34
1751905	0.62	2.13	5.5	7.9	2.70	0.23
1751906	0.65	1.72	5.2	17.6	3.00	0.21
1751907	0.53	0.78	1.9	0.3	2.42	0.14
1751908	0.59	0.61	1.6	0.4	2.14	0.17
1751909	0.49	1.00	2.8	2.6	1.72	0.15
1751910	-	-	-	-	-	-
1751911	0.71	1.12	3.1	4.5	2.87	0.22
1751912	0.94	1.26	3.7	7.9	3.19	0.27
1751913	0.66	1.39	3.1	7.2	2.80	0.21
1751914	0.66	1.90	4.3	9.7	2.79	0.21
1751915	0.96	1.49	3.7	4.2	2.62	0.29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751916	1.02	1.56	3.9	5.0	2.74	0.29
1751917	0.74	1.02	2.1	2.4	2.56	0.21
1751918	0.61	0.85	2.1	3.8	2.63	0.18
1751919	1.27	4.22	9.9	7.2	3.16	0.44
1751920	-	-	-	-	-	-
1751921	0.79	1.61	4.3	5.2	2.51	0.27
1751922	0.57	1.51	3.4	5.9	2.54	0.17
1751923	0.67	2.78	4.9	6.5	2.86	0.21
1751924	0.59	1.83	3.8	10.7	2.81	0.17
1751925	0.50	1.72	3.4	10.7	2.73	0.14
1751926	0.68	1.74	3.2	9.7	3.01	0.18
1751927	0.66	2.17	5.3	5.4	2.66	0.21
1751928	0.63	2.31	6.1	7.6	2.96	0.21
1751929	0.87	4.50	8.7	10.1	3.86	0.30
1751930	-	-	-	-	-	-
1751931	0.88	1.83	3.2	9.9	2.29	0.27
1751932	0.86	3.16	6.4	10.8	4.63	0.27
1751933	0.64	1.49	3.1	17.0	3.66	0.18
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep 1751917	0.73	1.01	2.1	2.3	2.54	0.21
*Std OREAS 601b	0.87	0.98	4.1	23.8	5.33	0.38
*Std OREAS 905	1.20	1.40	5.8	26.2	7.18	0.53

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	<0.02	16.6	0.11	58.05	1.1	17.3
1751899	<0.02	28.1	0.16	54.97	1.6	31.6
1751900	-	-	-	-	-	-
1751901	<0.02	43.2	0.13	286	1.9	56.4
1751902	<0.02	26.6	0.14	45.46	2.2	29.7
1751903	<0.02	22.7	0.21	22.83	1.7	23.7
1751904	<0.02	48.1	0.16	21.93	2.8	51.2
1751905	<0.02	32.2	0.12	35.86	4.7	43.0
1751906	<0.02	29.7	0.15	67.48	2.2	33.7
1751907	<0.02	15.2	0.14	45.78	1.4	15.9
1751908	<0.02	11.9	0.13	133	1.4	14.4
1751909	<0.02	15.7	0.10	117	1.7	19.7
1751910	-	-	-	-	-	-
1751911	<0.02	18.3	0.17	76.58	2.2	18.9
1751912	<0.02	9.7	0.22	26.40	2.6	14.6
1751913	<0.02	20.2	0.16	28.18	2.1	20.9
1751914	<0.02	29.7	0.14	24.58	2.3	35.8
1751915	<0.02	26.7	0.19	37.64	2.7	31.0
1751916	<0.02	34.4	0.21	29.67	2.5	36.8
1751917	<0.02	20.1	0.16	8.95	2.1	20.3
1751918	<0.02	19.0	0.15	32.62	2.2	19.5
1751919	<0.02	94.2	0.19	50.91	2.1	119
1751920	-	-	-	-	-	-
1751921	<0.02	30.9	0.16	46.52	1.5	37.5
1751922	<0.02	28.5	0.14	12.73	2.3	29.3
1751923	<0.02	63.7	0.14	12.86	1.4	57.9
1751924	<0.02	36.9	0.14	15.23	1.5	37.5
1751925	<0.02	41.1	0.12	13.77	1.8	42.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751926	<0.02	50.4	0.15	41.86	1.9	45.4
1751927	<0.02	32.7	0.13	16.42	2.1	42.8
1751928	<0.02	30.3	0.14	35.72	2.1	39.7
1751929	<0.02	57.2	0.16	69.63	3.1	82.4
1751930	-	-	-	-	-	-
1751931	<0.02	23.1	0.17	28.58	1.4	26.5
1751932	<0.02	52.1	0.21	26.63	2.5	65.0
1751933	<0.02	32.0	0.18	20.49	2.0	34.7
*Blk BLANK	<0.02	<0.1	<0.01	0.08	<0.1	<0.1
*Rep 1751917	<0.02	19.8	0.17	10.01	2.0	20.0
*Std OREAS 601b	0.46	34.0	0.07	5.27	15.7	30.7
*Std OREAS 905	0.67	46.2	0.09	3.50	19.9	40.5

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	2.8	4.50	<0.2	0.07	1.3	<2
1751899	10.8	8.07	0.2	0.16	2.4	14
1751900	-	-	-	-	-	-
1751901	29.9	13.18	0.3	0.40	2.9	23
1751902	14.5	7.43	<0.2	0.28	1.9	12
1751903	16.7	6.15	<0.2	0.20	2.6	5
1751904	31.2	12.82	<0.2	0.30	2.1	3
1751905	22.8	10.35	<0.2	0.27	1.7	3
1751906	19.6	8.31	<0.2	0.31	2.3	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751907	2.7	4.15	<0.2	0.11	1.8	<2
1751908	4.4	3.54	<0.2	0.11	1.5	<2
1751909	13.3	4.74	<0.2	0.13	1.4	<2
1751910	-	-	-	-	-	-
1751911	13.0	4.84	<0.2	0.14	2.7	<2
1751912	17.4	3.27	<0.2	0.25	3.3	<2
1751913	17.5	5.25	<0.2	0.20	2.3	<2
1751914	15.9	8.85	<0.2	0.19	1.9	<2
1751915	10.5	7.78	<0.2	0.21	2.2	4
1751916	15.5	9.51	<0.2	0.30	3.9	<2
1751917	9.1	5.34	<0.2	0.20	2.2	2
1751918	7.2	5.13	<0.2	0.16	1.8	2
1751919	17.1	29.30	<0.2	0.36	2.2	5
1751920	-	-	-	-	-	-
1751921	11.3	9.12	<0.2	0.29	1.6	4
1751922	9.6	7.65	<0.2	0.19	1.6	<2
1751923	12.5	15.86	<0.2	0.21	1.4	5
1751924	10.5	9.68	<0.2	0.64	1.4	4
1751925	9.3	10.82	<0.2	0.20	1.3	2
1751926	10.5	12.80	<0.2	0.20	1.4	3
1751927	10.4	10.40	<0.2	0.21	1.4	6
1751928	10.2	9.55	0.2	0.38	1.6	5
1751929	14.0	18.77	<0.2	0.28	2.0	5
1751930	-	-	-	-	-	-
1751931	15.6	6.67	<0.2	0.14	1.7	9
1751932	16.6	15.54	<0.2	0.32	2.0	13
1751933	8.4	8.96	<0.2	0.16	1.7	11
*Blk BLANK	<0.5	<0.05	<0.2	<0.05	<0.5	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 1751917	9.1	5.33	<0.2	0.20	2.1	2
*Std OREAS 601b	332	8.37	99.5	21.22	4.4	9
*Std OREAS 905	29.0	11.18	144	2.07	5.9	3

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	2.8	4.6	<0.05	0.17	0.13	3.4
1751899	5.6	6.8	0.10	0.33	1.03	5.9
1751900	-	-	-	-	-	-
1751901	11.8	7.0	0.18	0.56	1.67	9.4
1751902	5.9	5.2	0.14	0.33	1.49	6.7
1751903	5.2	4.3	0.11	0.50	1.07	6.6
1751904	11.0	7.1	0.18	0.82	0.50	10.8
1751905	9.0	6.5	0.20	0.54	0.45	8.2
1751906	7.3	7.4	0.16	0.50	0.12	8.8
1751907	2.9	6.0	<0.05	0.18	<0.05	3.7
1751908	2.6	6.6	<0.05	0.18	0.06	3.4
1751909	4.5	5.3	<0.05	0.26	0.10	5.0
1751910	-	-	-	-	-	-
1751911	4.1	8.8	0.06	0.31	0.31	13.5
1751912	4.4	7.7	0.12	0.37	0.25	24.8
1751913	4.2	8.4	0.07	0.33	0.07	11.1
1751914	7.2	6.6	0.09	0.40	0.15	10.1
1751915	6.1	6.3	0.11	0.38	0.52	7.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751916	6.4	5.6	0.09	0.40	0.30	8.0
1751917	3.6	5.9	0.08	0.24	0.19	6.3
1751918	3.4	5.9	0.08	0.24	0.18	5.4
1751919	20.5	5.9	0.11	0.90	0.90	15.6
1751920	-	-	-	-	-	-
1751921	7.4	4.3	0.09	0.44	1.12	8.4
1751922	6.3	6.0	0.08	0.29	0.25	8.8
1751923	9.4	5.9	0.08	0.46	0.67	12.1
1751924	7.2	5.0	0.09	0.34	0.59	8.7
1751925	7.4	6.1	0.09	0.29	0.17	8.9
1751926	6.8	5.6	0.09	0.30	0.52	9.2
1751927	8.9	5.5	0.08	0.44	0.92	9.0
1751928	9.5	6.6	0.15	0.50	1.12	8.4
1751929	17.4	6.9	0.20	0.73	0.90	11.3
1751930	-	-	-	-	-	-
1751931	5.4	3.5	0.08	0.34	0.86	6.6
1751932	13.2	6.7	0.11	0.56	1.50	15.9
1751933	6.3	5.9	0.11	0.28	2.02	11.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep 1751917	3.5	5.6	0.07	0.25	0.24	6.3
*Std OREAS 601b	5.6	3.4	1.11	0.54	11.02	12.7
*Std OREAS 905	7.8	4.3	1.37	0.75	0.07	15.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751898	<0.02	0.08	0.73	0.5	3.2	0.6
1751899	<0.02	0.11	1.06	1.1	5.6	0.9
1751900	-	-	-	-	-	-
1751901	<0.02	0.09	1.28	1.4	5.3	0.7
1751902	<0.02	0.10	1.05	1.1	5.0	0.8
1751903	<0.02	0.15	1.31	0.9	8.0	1.1
1751904	<0.02	0.12	1.70	1.9	7.7	0.9
1751905	<0.02	0.08	1.28	1.7	5.2	0.7
1751906	<0.02	0.10	1.34	1.4	5.2	0.8
1751907	<0.02	0.09	0.91	0.5	3.7	0.7
1751908	<0.02	0.10	0.80	0.8	4.4	0.7
1751909	<0.02	0.07	0.77	1.2	3.8	0.6
1751910	-	-	-	-	-	-
1751911	<0.02	0.12	1.09	1.2	5.6	0.9
1751912	<0.02	0.16	1.26	1.6	7.3	1.2
1751913	<0.02	0.11	1.02	1.0	5.4	0.8
1751914	<0.02	0.09	1.09	1.2	4.9	0.7
1751915	<0.02	0.15	1.19	1.1	7.5	1.1
1751916	<0.02	0.16	1.40	1.2	7.4	1.2
1751917	<0.02	0.12	1.02	0.8	5.4	1.0
1751918	<0.02	0.10	0.97	0.9	4.7	0.8
1751919	<0.02	0.15	1.95	1.2	10.0	1.1
1751920	-	-	-	-	-	-
1751921	<0.02	0.11	1.21	0.9	6.5	0.9
1751922	<0.02	0.09	0.98	0.9	4.3	0.7
1751923	<0.02	0.09	1.10	1.0	5.3	0.7
1751924	<0.02	0.09	1.08	0.9	4.2	0.7
1751925	<0.02	0.07	1.05	0.9	3.5	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD*
 PANCON_RESOURCES/Brewer Gold/Hole 12/233 CORE(198-233)
 Number of Samples 36

ANALYSIS REPORT BBM21-10988

Element	@TI	Tm	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.05	0.05	0.1	0.1	0.1
Upper Limit	10,000	500	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
1751926	<0.02	0.10	1.14	1.0	4.9	0.8
1751927	<0.02	0.09	1.28	1.0	5.1	0.7
1751928	<0.02	0.09	1.42	1.5	5.0	0.7
1751929	<0.02	0.11	1.89	1.7	7.2	0.9
1751930	-	-	-	-	-	-
1751931	<0.02	0.14	1.04	0.7	7.0	1.0
1751932	<0.02	0.13	1.81	1.1	6.2	1.0
1751933	<0.02	0.11	1.25	1.0	4.6	0.9
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep 1751917	<0.02	0.12	1.02	0.8	5.5	0.9
*Std OREAS 601b	1.52	0.09	4.94	6.5	12.0	0.5
*Std OREAS 905	0.73	0.12	5.08	2.8	16.8	0.7

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received