



## ANALYSIS REPORT BBM21-11008

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	20-Jul-2021 - 27-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	27-Aug-2021
Gold/RAB P2/1504 Samples (1-39)		SGS Order Number	BBM21-11008
Number of Samples	39		

### Methods Summary

Number of Sample	Method Code	Description
39	G_WGH_KG	Weight of samples received
39	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
37	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
37	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
37	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-084_0-5	7.33	0.044	7.58	487	0.03	30
B21B-084_5-10	2.55	0.009	8.85	680	0.02	32
B21B-084_10-15	6.69	0.009	9.08	677	<0.01	29
B21B-084_15-20	4.46	0.009	8.91	533	<0.01	31
B21B-084_20-25	4.80	0.013	9.15	519	0.01	44
B21B-084_25-30	6.48	0.010	8.73	614	<0.01	25
B21B-084_30-35	4.69	0.053	8.71	637	<0.01	24
B21B-084_35-40	5.40	0.177	8.13	333	<0.01	39
B21B-084_40-45	4.57	0.250	8.70	223	0.01	54
B21B-084_45-50	8.25	0.521	10.56	579	0.01	183
B21B-084_50-55	5.69	0.148	10.33	1018	0.03	63
B21B-084_55-60	4.42	0.105	8.07	933	0.02	52
596924	0.06	1.955	-	-	-	-
B21B-084_60-65	5.99	0.052	9.25	704	0.01	44
B21B-084_65-70	2.22	0.336	9.01	870	0.01	44
B21B-085_0-5	4.38	0.168	4.53	418	0.03	8
B21B-086_0-5	6.18	0.051	7.01	294	0.02	38
B21B-086_5-10	5.39	0.712	8.77	545	<0.01	53
B21B-086_10-15	5.95	0.027	12.05	578	0.01	115
B21B-086_15-20	6.91	0.010	8.19	451	<0.01	65
B21B-086_20-25	4.67	0.015	12.66	557	<0.01	308
B21B-086_25-30	5.19	0.014	12.33	487	0.02	242
B21B-086_30-35	4.79	0.019	10.63	412	0.01	205
B21B-086_35-40	6.03	0.034	8.06	507	<0.01	53
B21B-087_0-5	4.67	0.195	2.50	124	0.01	8
B21B-087_5-10	7.10	0.026	1.46	79	<0.01	4
B21B-087_10-15	5.50	0.013	0.43	18	<0.01	2
B21B-087_15-20	4.81	0.038	5.60	531	<0.01	94

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-087_20-25	5.67	0.058	9.88	749	0.01	222
B21B-087_25-30	3.55	0.028	11.68	708	0.01	179
B21B-087_30-35	2.51	0.016	10.27	773	0.01	128
B21B-087_35-40	7.36	0.015	5.91	675	<0.01	16
B21B-087_40-45	5.55	0.015	4.16	233	<0.01	4
B21B-087_45-50	9.16	0.020	3.00	194	<0.01	8
B21B-087_50-55	5.65	0.025	3.12	193	0.01	15
B21B-087_55-60	5.13	0.025	3.61	197	0.02	9
B21B-087_60-65	1.86	0.021	4.02	168	0.03	4
B21B-087_65-70	2.25	0.024	4.12	192	0.02	<1
596925	2.17	<0.005	-	-	-	-
*Rep B21B-084_5-10	-	0.008	-	-	-	-
*Std SN106	-	8.026	-	-	-	-
*Rep B21B-087_50-55	-	0.018	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	0.010	-	-	-	-
*Std OREAS 238	-	2.890	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	2
*Std OREAS 905	-	-	7.37	2625	0.55	9
*Rep B21B-087_30-35	-	-	9.91	772	<0.01	130
*Std OREAS 601b	-	-	6.55	1745	0.90	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-084_0-5	13.6	3.05	2.37	4	0.09	41
B21B-084_5-10	22.4	3.36	2.87	3	0.10	29
B21B-084_10-15	24.7	3.80	3.01	2	0.10	30
B21B-084_15-20	18.0	3.66	3.10	2	0.10	27
B21B-084_20-25	8.3	3.60	3.59	2	0.12	28
B21B-084_25-30	9.4	3.47	3.35	2	0.12	21
B21B-084_30-35	8.2	3.56	3.58	2	0.12	22
B21B-084_35-40	19.4	9.09	3.46	2	0.11	24
B21B-084_40-45	36.2	7.70	2.79	3	0.13	32
B21B-084_45-50	141	6.48	1.28	5	0.06	47
B21B-084_50-55	40.3	4.43	3.26	3	0.13	32
B21B-084_55-60	23.6	4.78	3.70	2	0.12	31
B21B-084_60-65	13.3	3.77	3.80	2	0.13	30
B21B-084_65-70	9.4	4.39	3.80	2	0.13	24
B21B-085_0-5	56.8	3.46	0.56	2	0.02	29
B21B-086_0-5	42.7	2.41	1.49	7	0.06	34
B21B-086_5-10	17.8	3.42	2.58	7	0.12	20
B21B-086_10-15	13.2	1.79	1.28	7	0.06	33
B21B-086_15-20	9.0	4.31	2.59	6	0.11	27
B21B-086_20-25	16.6	3.56	0.49	7	0.03	14
B21B-086_25-30	10.2	3.71	1.07	5	0.05	27
B21B-086_30-35	9.4	2.86	0.86	6	0.04	19
B21B-086_35-40	4.0	2.80	2.64	4	0.09	20
B21B-087_0-5	61.6	2.10	0.15	2	<0.01	20
B21B-087_5-10	14.7	1.45	0.40	<1	0.01	11
B21B-087_10-15	12.9	1.07	0.08	<1	<0.01	24
B21B-087_15-20	29.1	2.99	0.56	6	0.07	28
B21B-087_20-25	55.7	3.88	0.44	8	0.04	33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-087_25-30	25.6	2.12	0.22	9	0.03	23
B21B-087_30-35	16.5	1.18	0.67	9	0.06	17
B21B-087_35-40	7.1	0.41	1.57	3	0.04	14
B21B-087_40-45	4.1	0.30	0.60	2	0.01	12
B21B-087_45-50	5.2	0.41	0.39	2	0.01	13
B21B-087_50-55	6.2	0.50	0.39	2	<0.01	15
B21B-087_55-60	4.6	0.49	0.53	2	<0.01	15
B21B-087_60-65	3.9	0.37	0.32	3	<0.01	15
B21B-087_65-70	2.7	0.26	0.41	3	<0.01	15
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1467	3.92	2.93	20	0.26	351
*Rep B21B-087_30-35	16.4	1.19	0.67	8	0.05	18
*Std OREAS 601b	977	2.33	2.48	23	0.10	205

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-084_0-5	0.29	19	0.04	0.05	104	0.14
B21B-084_5-10	0.33	32	0.04	0.03	68.6	0.13
B21B-084_10-15	0.34	20	0.04	0.02	56.9	0.13
B21B-084_15-20	0.36	15	0.03	0.01	50.8	0.12
B21B-084_20-25	0.42	6	0.03	0.01	50.3	0.12
B21B-084_25-30	0.37	7	0.03	0.01	53.9	0.11
B21B-084_30-35	0.39	6	0.04	0.02	58.9	0.12
B21B-084_35-40	0.35	77	0.05	2.95	67.0	0.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-084_40-45	0.25	122	0.06	4.51	109	0.14
B21B-084_45-50	0.12	94	0.07	1.96	139	0.41
B21B-084_50-55	0.28	32	0.09	0.83	140	0.19
B21B-084_55-60	0.33	30	0.07	0.81	93.0	0.16
B21B-084_60-65	0.36	20	0.04	0.55	58.8	0.14
B21B-084_65-70	0.36	15	0.05	0.35	72.5	0.15
B21B-085_0-5	0.07	4	0.07	0.40	353	0.05
B21B-086_0-5	0.13	6	0.03	0.30	154	0.14
B21B-086_5-10	0.16	11	0.03	0.12	91.9	0.32
B21B-086_10-15	0.09	31	0.06	0.04	202	0.62
B21B-086_15-20	0.17	9	0.02	0.02	52.5	0.31
B21B-086_20-25	0.04	42	0.07	0.04	211	0.73
B21B-086_25-30	0.09	32	0.06	0.04	158	0.64
B21B-086_30-35	0.07	36	0.04	0.04	97.1	0.60
B21B-086_35-40	0.17	11	0.02	0.03	41.7	0.19
B21B-087_0-5	0.02	2	0.04	0.34	148	0.07
B21B-087_5-10	0.04	13	<0.01	0.41	29.0	0.09
B21B-087_10-15	0.01	4	<0.01	0.01	9.6	0.07
B21B-087_15-20	0.02	39	0.03	0.03	64.1	0.34
B21B-087_20-25	0.02	47	0.06	0.13	108	0.58
B21B-087_25-30	0.02	45	0.07	0.14	140	0.70
B21B-087_30-35	0.03	28	0.05	0.09	154	0.60
B21B-087_35-40	0.11	10	0.03	0.04	227	0.22
B21B-087_40-45	0.06	6	0.02	0.03	158	0.13
B21B-087_45-50	0.04	8	0.02	0.04	156	0.13
B21B-087_50-55	0.03	11	0.03	0.05	197	0.17
B21B-087_55-60	0.05	6	0.05	0.08	458	0.14
B21B-087_60-65	0.04	5	0.05	0.09	433	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-087_65-70	0.04	2	0.05	0.07	477	0.12
*Blk BLANK	<0.01	2	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.44	6	0.03	0.07	154	0.12
*Rep B21B-087_30-35	0.03	28	0.05	0.09	154	0.60
*Std OREAS 601b	1.84	6	0.03	1.56	243	0.13

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-084_0-5	103	11	82.3	0.06	4	1.7
B21B-084_5-10	122	12	83.6	0.04	1	2.1
B21B-084_10-15	121	12	83.6	0.06	2	1.9
B21B-084_15-20	122	12	89.9	0.04	2	1.8
B21B-084_20-25	141	42	87.7	0.03	<1	1.6
B21B-084_25-30	120	14	82.2	<0.02	<1	1.3
B21B-084_30-35	141	16	86.1	0.03	<1	1.4
B21B-084_35-40	145	11	75.0	1.64	4	1.3
B21B-084_40-45	136	12	69.1	4.82	5	1.3
B21B-084_45-50	162	35	98.7	4.81	6	1.5
B21B-084_50-55	163	17	84.6	2.14	3	1.5
B21B-084_55-60	164	30	88.2	2.25	2	1.5
B21B-084_60-65	163	19	96.1	1.42	1	1.4
B21B-084_65-70	169	19	99.1	0.70	2	1.4
B21B-085_0-5	36	5	85.2	0.52	62	0.2
B21B-086_0-5	96	7	100	0.09	13	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-086_5-10	102	13	116	0.36	9	1.2
B21B-086_10-15	156	11	161	0.15	4	1.5
B21B-086_15-20	114	13	118	0.08	2	1.1
B21B-086_20-25	233	20	185	0.08	4	1.8
B21B-086_25-30	191	13	166	0.21	4	1.5
B21B-086_30-35	157	10	152	0.13	4	1.3
B21B-086_35-40	94	11	112	0.17	6	0.9
B21B-087_0-5	24	3	95.7	0.20	39	0.1
B21B-087_5-10	27	6	148	0.73	6	0.2
B21B-087_10-15	12	5	124	0.05	5	<0.1
B21B-087_15-20	107	11	115	0.30	5	0.7
B21B-087_20-25	208	23	155	0.25	8	1.8
B21B-087_25-30	137	23	174	0.27	6	2.6
B21B-087_30-35	105	15	189	0.34	4	1.6
B21B-087_35-40	53	4	166	0.13	2	0.4
B21B-087_40-45	33	3	135	0.04	2	0.3
B21B-087_45-50	34	4	114	0.04	2	0.3
B21B-087_50-55	43	6	108	0.03	2	0.4
B21B-087_55-60	43	3	146	0.11	2	0.3
B21B-087_60-65	39	4	135	0.04	3	0.2
B21B-087_65-70	41	2	134	0.03	2	0.2
*Blk BLANK	<2	2	<0.5	<0.02	<1	<0.1
*Std OREAS 905	9	126	241	0.56	33	3.1
*Rep B21B-087_30-35	103	15	177	0.34	3	1.6
*Std OREAS 601b	11	320	192	50.12	285	2.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-084_0-5	4.80	0.04	60.61	1.2	6	18.0
B21B-084_5-10	1.57	0.03	67.38	1.3	6	19.3
B21B-084_10-15	1.07	0.07	65.45	1.4	6	19.9
B21B-084_15-20	0.46	0.06	66.81	1.0	6	19.6
B21B-084_20-25	0.32	0.07	68.32	0.7	7	21.6
B21B-084_25-30	0.28	0.07	68.20	0.6	6	18.8
B21B-084_30-35	0.90	0.04	81.83	0.6	6	21.3
B21B-084_35-40	101	0.05	65.95	21.8	6	20.8
B21B-084_40-45	140	0.13	79.35	30.1	5	20.1
B21B-084_45-50	137	0.11	65.72	15.5	2	21.3
B21B-084_50-55	62.17	0.05	85.82	6.3	7	23.1
B21B-084_55-60	48.98	0.04	54.72	6.0	7	21.5
B21B-084_60-65	31.51	0.04	70.64	4.0	7	23.4
B21B-084_65-70	21.03	0.03	64.98	2.9	7	22.1
B21B-085_0-5	11.90	0.06	63.12	1.8	<1	15.3
B21B-086_0-5	5.11	0.03	31.99	1.9	3	21.1
B21B-086_5-10	8.57	<0.02	46.93	1.2	5	19.8
B21B-086_10-15	2.40	0.02	86.07	1.8	2	31.1
B21B-086_15-20	1.17	<0.02	19.74	0.6	4	19.9
B21B-086_20-25	0.95	<0.02	111	2.0	<1	29.0
B21B-086_25-30	2.57	<0.02	84.97	1.4	2	27.6
B21B-086_30-35	1.21	<0.02	59.19	1.2	1	24.2
B21B-086_35-40	1.11	<0.02	19.28	0.4	3	17.8
B21B-087_0-5	9.33	0.02	28.61	1.8	<1	8.7
B21B-087_5-10	20.87	0.07	8.92	3.0	<1	6.4
B21B-087_10-15	7.97	<0.02	2.09	1.2	<1	2.6
B21B-087_15-20	5.02	<0.02	18.40	1.4	<1	15.5
B21B-087_20-25	2.24	<0.02	72.17	3.2	<1	27.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-087_25-30	1.73	<0.02	103	3.1	<1	29.4
B21B-087_30-35	1.32	<0.02	73.82	1.4	<1	25.7
B21B-087_35-40	2.79	<0.02	21.52	0.7	<1	41.9
B21B-087_40-45	2.36	<0.02	11.48	0.5	<1	29.9
B21B-087_45-50	2.24	<0.02	16.48	0.8	<1	19.4
B21B-087_50-55	2.63	<0.02	24.88	0.9	<1	17.9
B21B-087_55-60	3.78	<0.02	45.29	0.5	<1	29.3
B21B-087_60-65	2.96	<0.02	44.66	0.5	<1	33.4
B21B-087_65-70	3.25	<0.02	30.30	0.2	<1	36.6
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.47	0.36	90.88	14.5	7	23.9
*Rep B21B-087_30-35	1.32	<0.02	71.55	1.4	<1	25.7
*Std OREAS 601b	18.38	2.10	67.86	3.0	5	23.6

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-084_0-5	2.68	0.12	23.9	0.18	8.39	2.5
B21B-084_5-10	2.82	0.12	25.8	0.21	9.79	1.9
B21B-084_10-15	2.76	0.13	26.0	0.21	6.35	1.5
B21B-084_15-20	3.08	0.15	26.3	0.23	4.79	1.3
B21B-084_20-25	2.86	0.28	26.1	0.21	1.93	1.2
B21B-084_25-30	2.72	0.18	25.3	0.18	2.19	1.0
B21B-084_30-35	2.71	0.32	30.5	0.19	3.72	1.1
B21B-084_35-40	2.61	0.56	24.9	0.16	15.77	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method	@Hf GE_IMS40Q12	@In GE_IMS40Q12	@La GE_IMS40Q12	@Lu GE_IMS40Q12	@Mo GE_IMS40Q12	@Nb GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-084_40-45	2.37	0.59	30.4	0.16	21.40	1.4
B21B-084_45-50	2.80	0.33	22.1	0.16	20.73	4.8
B21B-084_50-55	2.76	0.66	30.2	0.19	5.93	2.1
B21B-084_55-60	2.71	0.68	17.8	0.16	5.30	1.9
B21B-084_60-65	3.18	0.72	26.5	0.20	3.10	1.7
B21B-084_65-70	3.31	0.68	23.8	0.23	2.76	1.7
B21B-085_0-5	2.60	0.13	25.4	0.20	22.24	1.3
B21B-086_0-5	3.26	0.19	15.4	0.20	7.12	3.6
B21B-086_5-10	3.78	0.19	19.1	0.24	2.34	4.9
B21B-086_10-15	4.78	0.20	40.6	0.20	3.14	8.4
B21B-086_15-20	4.01	0.13	9.6	0.25	1.46	3.7
B21B-086_20-25	5.49	0.10	50.0	0.21	6.26	8.1
B21B-086_25-30	5.03	0.13	33.2	0.23	4.54	7.1
B21B-086_30-35	4.44	0.08	24.4	0.21	4.38	7.0
B21B-086_35-40	3.57	0.09	9.7	0.19	9.99	2.8
B21B-087_0-5	2.79	0.05	14.0	0.14	12.98	1.9
B21B-087_5-10	4.34	0.11	4.0	0.15	3.97	1.9
B21B-087_10-15	3.41	0.05	0.9	0.12	2.80	1.5
B21B-087_15-20	3.46	0.07	8.3	0.16	6.81	4.1
B21B-087_20-25	4.71	0.10	28.7	0.24	10.73	6.7
B21B-087_25-30	5.31	0.09	49.5	0.27	5.96	8.7
B21B-087_30-35	5.03	0.09	34.2	0.26	3.53	8.0
B21B-087_35-40	5.20	0.09	10.7	0.16	4.42	4.1
B21B-087_40-45	4.16	0.05	5.2	0.14	3.69	2.4
B21B-087_45-50	3.40	0.04	7.5	0.12	4.07	2.2
B21B-087_50-55	3.31	0.06	11.8	0.12	5.25	2.4
B21B-087_55-60	4.34	0.07	20.5	0.18	6.45	2.5
B21B-087_60-65	3.99	0.04	21.6	0.18	4.49	2.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-087_65-70	4.10	0.04	19.1	0.20	3.70	2.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.07	0.66	45.1	0.10	3.37	18.1
*Rep B21B-087_30-35	4.90	0.09	32.6	0.25	3.57	7.9
*Std OREAS 601b	5.51	0.50	33.4	0.08	5.36	15.7

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-084_0-5	37.0	88.0	0.99	19.0	2	1.7
B21B-084_5-10	22.1	104	0.76	24.6	<2	1.5
B21B-084_10-15	21.1	107	0.54	25.6	<2	1.4
B21B-084_15-20	21.3	105	0.46	25.3	<2	1.5
B21B-084_20-25	24.2	122	0.46	28.1	<2	1.7
B21B-084_25-30	17.4	112	0.48	24.0	<2	1.4
B21B-084_30-35	18.5	120	0.51	25.0	<2	1.6
B21B-084_35-40	14.9	106	0.56	22.2	41	2.1
B21B-084_40-45	25.2	89.5	0.77	21.4	27	1.7
B21B-084_45-50	29.3	32.1	1.33	17.2	16	1.6
B21B-084_50-55	20.0	99.8	1.39	24.8	9	1.9
B21B-084_55-60	15.8	106	1.61	20.7	9	2.0
B21B-084_60-65	12.7	122	0.80	27.3	5	2.2
B21B-084_65-70	10.9	123	0.74	27.5	3	1.9
B21B-085_0-5	101	12.6	7.99	8.3	24	5.0
B21B-086_0-5	42.2	37.3	1.79	13.3	6	2.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-086_5-10	17.5	61.2	0.89	18.4	4	1.8
B21B-086_10-15	36.1	30.8	1.61	20.3	<2	2.6
B21B-086_15-20	8.9	62.0	0.52	19.4	<2	1.5
B21B-086_20-25	29.5	12.8	1.42	25.3	2	1.6
B21B-086_25-30	27.1	25.8	1.23	25.6	<2	1.6
B21B-086_30-35	28.2	20.4	1.15	19.9	<2	1.4
B21B-086_35-40	14.8	54.2	0.71	15.2	<2	1.1
B21B-087_0-5	68.5	3.5	4.45	4.3	15	3.3
B21B-087_5-10	8.6	9.0	0.91	6.7	4	2.5
B21B-087_10-15	4.1	1.7	0.60	4.0	5	1.6
B21B-087_15-20	38.3	16.4	1.54	10.8	10	1.4
B21B-087_20-25	93.2	11.3	2.72	17.7	3	1.9
B21B-087_25-30	124	7.3	1.95	18.4	2	1.6
B21B-087_30-35	125	18.3	1.90	17.5	<2	2.0
B21B-087_35-40	85.8	29.9	1.29	9.7	<2	4.7
B21B-087_40-45	57.6	10.6	0.68	6.6	<2	3.1
B21B-087_45-50	70.6	7.0	0.73	5.9	<2	2.4
B21B-087_50-55	118	5.8	0.90	6.6	<2	2.2
B21B-087_55-60	280	7.2	1.07	7.9	4	3.7
B21B-087_60-65	248	4.2	0.97	6.8	<2	3.1
B21B-087_65-70	216	4.6	0.94	6.3	<2	3.8
*Blk BLANK	1.0	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	28.6	134	1.92	5.3	3	4.0
*Rep B21B-087_30-35	128	19.0	1.80	15.9	<2	1.9
*Std OREAS 601b	327	102	24.85	4.1	10	3.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-084_0-5	0.22	0.33	2.23	8.5	1.48	1.70
B21B-084_5-10	0.19	0.37	0.80	8.1	1.86	2.09
B21B-084_10-15	0.13	0.41	0.46	8.2	1.87	2.21
B21B-084_15-20	0.13	0.50	0.54	8.1	1.95	1.69
B21B-084_20-25	0.12	0.47	0.34	7.9	2.25	1.14
B21B-084_25-30	0.10	0.40	0.41	7.1	2.06	0.91
B21B-084_30-35	0.08	0.53	0.96	7.5	2.25	1.03
B21B-084_35-40	0.06	0.37	10.34	7.3	2.13	0.94
B21B-084_40-45	0.12	0.64	6.75	9.4	1.73	0.99
B21B-084_45-50	0.37	0.63	5.64	6.6	0.79	1.41
B21B-084_50-55	0.15	0.86	4.21	7.5	1.99	1.21
B21B-084_55-60	0.17	0.54	3.92	5.1	2.24	1.02
B21B-084_60-65	0.15	0.42	1.81	7.7	2.52	1.05
B21B-084_65-70	0.15	0.52	1.58	7.6	2.48	1.11
B21B-085_0-5	0.08	0.37	12.84	9.3	0.44	1.22
B21B-086_0-5	0.25	0.24	3.66	9.0	0.97	1.25
B21B-086_5-10	0.33	0.29	2.96	8.6	1.48	1.06
B21B-086_10-15	0.61	0.56	1.34	8.6	0.73	1.34
B21B-086_15-20	0.26	0.22	0.66	6.2	1.51	1.03
B21B-086_20-25	0.60	1.04	0.48	9.0	0.28	1.27
B21B-086_25-30	0.51	0.70	0.96	8.5	0.65	1.33
B21B-086_30-35	0.49	0.42	1.99	7.7	0.55	1.14
B21B-086_35-40	0.19	0.25	3.03	6.2	1.55	0.91
B21B-087_0-5	0.11	0.20	9.28	6.1	0.19	1.11
B21B-087_5-10	0.10	0.12	6.41	2.8	0.27	1.28
B21B-087_10-15	0.06	0.06	3.55	1.5	0.06	1.04
B21B-087_15-20	0.27	0.22	5.05	4.2	0.23	1.37
B21B-087_20-25	0.49	0.63	4.46	7.7	0.20	1.60

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-087_25-30	0.60	1.04	3.20	8.5	0.12	1.47
B21B-087_30-35	0.57	0.82	2.89	8.8	0.32	1.78
B21B-087_35-40	0.25	0.26	3.08	4.1	0.70	1.40
B21B-087_40-45	0.12	0.17	1.57	2.1	0.40	1.16
B21B-087_45-50	0.12	0.19	1.72	2.8	0.29	1.01
B21B-087_50-55	0.14	0.26	3.36	3.8	0.42	0.97
B21B-087_55-60	0.14	0.30	5.02	6.6	0.60	1.45
B21B-087_60-65	0.14	0.29	5.14	6.7	0.38	1.43
B21B-087_65-70	0.16	0.23	4.55	6.4	0.49	1.37
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.33	0.79	0.08	14.2	0.71	4.89
*Rep B21B-087_30-35	0.56	0.80	2.73	8.1	0.32	1.82
*Std OREAS 601b	1.18	0.60	12.40	13.2	1.58	5.20

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-084_0-5	1.0	6.1	1.1
B21B-084_5-10	0.8	7.0	1.2
B21B-084_10-15	0.7	7.4	1.3
B21B-084_15-20	0.6	8.4	1.4
B21B-084_20-25	0.6	7.7	1.2
B21B-084_25-30	0.5	5.9	1.0
B21B-084_30-35	0.6	6.6	1.0
B21B-084_35-40	0.6	5.8	1.0
B21B-084_40-45	0.8	8.3	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
 Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-084_45-50	1.0	9.0	1.0
B21B-084_50-55	1.0	11.1	1.1
B21B-084_55-60	0.9	6.3	0.9
B21B-084_60-65	0.9	7.0	1.2
B21B-084_65-70	0.8	8.0	1.2
B21B-085_0-5	3.4	7.1	1.2
B21B-086_0-5	2.5	6.8	1.1
B21B-086_5-10	1.6	8.0	1.3
B21B-086_10-15	1.4	12.3	1.2
B21B-086_15-20	1.1	8.3	1.4
B21B-086_20-25	0.9	19.8	1.4
B21B-086_25-30	1.0	15.5	1.4
B21B-086_30-35	1.3	12.4	1.2
B21B-086_35-40	1.1	8.0	1.2
B21B-087_0-5	2.2	4.5	0.8
B21B-087_5-10	2.8	4.9	0.9
B21B-087_10-15	4.2	3.8	0.7
B21B-087_15-20	4.7	7.4	1.0
B21B-087_20-25	2.3	16.4	1.6
B21B-087_25-30	1.7	23.2	1.8
B21B-087_30-35	1.6	18.4	1.6
B21B-087_35-40	3.2	8.0	1.1
B21B-087_40-45	2.7	5.5	0.8
B21B-087_45-50	5.1	5.3	0.7
B21B-087_50-55	6.0	6.1	0.8
B21B-087_55-60	3.4	6.8	1.1
B21B-087_60-65	2.2	7.4	1.1
B21B-087_65-70	2.8	6.2	1.2
*Blk BLANK	<0.1	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*  
PANCON\_RESOURCES/Brewer Gold/RAB P2/1504 Samples (1-39)  
Number of Samples 39

## ANALYSIS REPORT BBM21-11008

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	2.7	15.7	0.7
*Rep B21B-087_30-35	1.6	17.1	1.7
*Std OREAS 601b	6.4	11.8	0.6

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11009

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	20-Jul-2021 - 19-Aug-2021
Submission Number	*SD* PANCON_RESOURCES/Brewer	Date Completed	19-Aug-2021
Gold/RABP2/1504 Samples(40-114)		SGS Order Number	BBM21-11009
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
73	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
73	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
73	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

19-Aug-2021 10:46PM BBM\_U0013114633

Page 1 of 30

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-088_0-5	4.10	0.075	7.12	329	0.07	23
B21B-088_5-10	4.57	0.021	7.62	520	0.02	32
B21B-088_10-15	2.47	0.006	9.71	595	0.03	8
B21B-088_15-20	3.87	<0.005	8.37	662	0.02	5
B21B-088_20-25	5.12	0.006	7.95	1278	0.02	44
B21B-088_25-30	6.67	0.018	8.10	1031	0.05	59
B21B-088_30-35	8.05	0.258	7.88	721	0.04	13
B21B-088_35-40	3.98	0.091	7.34	480	0.03	8
B21B-088_40-45	3.04	0.032	7.05	315	0.03	5
B21B-088_45-50	3.01	0.075	5.70	324	0.03	5
B21B-088_50-55	3.77	0.036	5.52	477	0.02	3
B21B-088_55-60	4.09	0.061	6.73	265	0.02	5
B21B-088_60-65	2.00	0.050	5.79	340	0.03	2
B21B-088_65-70	2.01	0.060	6.06	353	0.02	7
B21B-088_70-75	2.19	0.046	6.15	701	0.03	10
B21B-088_75-80	8.30	0.057	5.60	533	0.03	5
B21B-089_0-5	8.14	0.016	9.30	739	0.03	32
B21B-089_5-10	2.40	0.012	7.81	274	0.03	8
B21B-089_10-15	6.99	0.048	5.18	129	0.03	3
596926	3.37	0.029	-	-	-	-
B21B-089_15-20	6.24	0.034	1.98	112	0.02	2
B21B-089_20-25	7.15	0.022	4.09	190	0.03	3
B21B-089_25-30	6.61	0.037	4.51	142	0.03	2
B21B-089_30-35	6.50	0.078	6.61	232	0.03	3
B21B-089_35-40	7.41	0.023	5.41	203	0.03	1
B21B-089_40-45	4.14	0.014	2.96	140	0.02	2
B21B-090_0-5	5.77	0.024	6.47	257	0.03	12
B21B-090_5-10	3.76	0.008	6.96	94	0.01	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-090_10-15	4.14	0.028	6.42	170	0.01	3
B21B-090_15-20	5.58	0.039	5.39	331	0.02	4
B21B-090_20-25	5.42	0.036	5.30	340	0.02	13
B21B-090_25-30	4.08	0.052	6.24	449	0.02	8
B21B-090_30-35	5.06	0.037	6.33	467	0.02	6
B21B-090_35-40	4.97	0.045	4.53	534	0.03	6
B21B-090_40-45	4.15	0.064	5.56	378	0.03	4
B21B-090_45-50	4.80	0.068	4.60	503	0.03	5
B21B-090_50-55	2.90	0.058	4.89	498	0.03	6
B21B-091_0-5	4.54	0.018	7.12	348	0.02	25
B21B-091_5-10	7.46	0.013	9.43	362	0.02	21
B21B-091_10-15	10.01	0.011	6.52	362	0.05	5
B21B-091_15-20	6.47	0.046	5.52	93	0.01	3
B21B-091_20-25	4.33	0.091	1.44	256	0.03	3
B21B-091_25-30	5.58	0.150	3.18	282	0.04	6
B21B-091_30-35	4.33	0.355	4.27	151	0.03	4
B21B-091_35-40	5.00	0.149	6.31	237	0.03	4
B21B-091_40-45	3.51	0.251	5.58	435	0.03	5
B21B-091_45-50	5.68	0.380	6.58	164	0.03	7
B21B-091_50-55	3.92	0.352	7.37	140	0.04	4
B21B-092_0-5	7.07	0.186	6.41	398	0.05	9
B21B-092_5-10	6.05	0.157	5.88	507	0.03	3
B21B-092_10-15	6.53	0.271	6.27	394	0.02	5
B21B-092_15-20	5.64	0.207	3.16	466	0.04	2
B21B-092_20-25	9.39	0.175	4.99	432	0.02	4
B21B-092_25-30	5.80	0.078	5.70	224	0.02	2
596927	0.04	0.300	-	-	-	-
B21B-092_30-35	10.15	0.265	5.17	207	0.14	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-093_0-5	6.87	0.053	4.07	261	0.02	2
B21B-093_5-10	7.38	0.741	3.70	123	0.03	13
B21B-093_10-15	5.37	0.406	7.43	250	0.03	25
B21B-093_15-20	9.39	0.199	6.87	238	0.03	15
B21B-093_20-25	9.04	0.239	6.07	166	0.03	15
B21B-093_25-30	8.17	0.149	5.53	217	0.03	10
B21B-093_30-35	7.34	0.156	6.66	358	0.04	4
B21B-093_35-40	7.82	0.264	5.55	376	0.05	1
B21B-093_40-45	5.24	0.260	6.13	305	0.07	2
B21B-093_45-50	6.95	0.188	6.15	281	0.08	2
B21B-093_50-55	4.16	0.121	5.72	224	0.03	3
B21B-093_55-60	5.29	0.130	6.74	352	0.05	1
B21B-093_60-65	5.47	0.103	7.08	366	0.04	2
B21B-093_65-70	5.06	0.099	5.76	249	0.04	2
B21B-093_70-75	6.07	0.100	6.05	254	0.04	2
B21B-093_75-80	5.11	0.095	6.02	259	0.04	2
B21B-094_0-5	3.48	0.100	6.50	361	0.10	18
B21B-094_5-10	9.29	0.075	6.46	261	0.04	10
B21B-094_10-15	6.49	0.056	6.51	315	0.03	4
*Dup B21B-091_5-10	-	0.012	9.56	373	0.02	23
*Std OREAS 905	-	-	7.07	2657	0.58	13
*Std OREAS 601b	-	-	6.35	267	0.85	15
*Rep B21B-089_25-30	-	-	4.65	145	0.03	2
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std SN106	-	8.328	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-089_10-15	-	0.049	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Rep B21B-091_20-25	-	0.096	-	-	-	-
*Std OREAS 250b	-	0.329	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-093_15-20	-	0.203	-	-	-	-
*Std OREAS 235	-	1.671	-	-	-	-
*Std OREAS 250b	-	0.302	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-091_15-20	-	-	5.41	92	<0.01	4
*Std OREAS 905	-	-	7.14	2631	0.58	13
*Blk BLANK	-	-	0.01	1	<0.01	<1
*Std OREAS 601b	-	-	6.53	533	0.80	18
*Std SN106	-	8.026	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	0.010	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-088_0-5	7.1	1.46	0.43	7	0.05	40
B21B-088_5-10	8.4	0.96	0.53	6	0.03	21
B21B-088_10-15	7.0	0.67	0.49	5	0.02	16
B21B-088_15-20	8.3	0.49	1.13	3	0.02	14
B21B-088_20-25	6.6	0.52	1.34	3	0.04	14
B21B-088_25-30	5.7	0.59	2.27	2	0.07	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-088_30-35	3.4	0.41	1.09	3	0.02	23
B21B-088_35-40	3.2	0.36	0.86	2	0.02	16
B21B-088_40-45	3.0	0.30	0.63	2	<0.01	18
B21B-088_45-50	2.8	0.33	0.56	2	<0.01	20
B21B-088_50-55	2.3	0.67	0.42	2	<0.01	22
B21B-088_55-60	5.3	0.94	0.56	3	0.01	17
B21B-088_60-65	3.0	0.70	0.41	2	<0.01	18
B21B-088_65-70	4.2	0.78	0.41	2	<0.01	19
B21B-088_70-75	4.3	0.91	0.70	2	0.01	14
B21B-088_75-80	6.5	0.82	0.47	2	<0.01	16
B21B-089_0-5	8.6	1.67	0.74	6	0.03	35
B21B-089_5-10	4.5	0.75	0.25	4	0.01	16
B21B-089_10-15	10.0	2.46	0.11	2	<0.01	7
B21B-089_15-20	5.3	0.94	0.09	1	<0.01	26
B21B-089_20-25	3.6	0.67	0.26	2	<0.01	12
B21B-089_25-30	3.3	1.12	0.22	2	<0.01	20
B21B-089_30-35	4.5	2.42	0.20	2	<0.01	20
B21B-089_35-40	4.6	1.49	0.09	2	<0.01	13
B21B-089_40-45	4.5	1.02	0.17	1	<0.01	25
B21B-090_0-5	5.9	1.52	0.32	4	0.02	19
B21B-090_5-10	3.0	0.73	0.42	3	<0.01	6
B21B-090_10-15	3.3	2.18	0.25	3	<0.01	22
B21B-090_15-20	1.9	2.16	0.50	2	<0.01	20
B21B-090_20-25	4.3	2.14	0.67	3	0.02	22
B21B-090_25-30	3.8	2.69	0.67	2	0.01	24
B21B-090_30-35	2.9	2.33	0.65	3	<0.01	20
B21B-090_35-40	2.3	2.72	0.54	1	<0.01	29
B21B-090_40-45	1.8	2.36	0.85	2	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-090_45-50	2.0	2.44	0.70	2	<0.01	15
B21B-090_50-55	2.1	1.94	0.72	2	<0.01	23
B21B-091_0-5	8.3	2.76	1.06	8	0.03	30
B21B-091_5-10	6.8	1.96	0.44	9	0.03	23
B21B-091_10-15	4.9	0.52	0.10	4	<0.01	15
B21B-091_15-20	4.0	0.55	0.05	2	<0.01	40
B21B-091_20-25	6.0	0.85	0.03	<1	<0.01	50
B21B-091_25-30	5.2	1.16	0.33	1	<0.01	71
B21B-091_30-35	5.0	1.02	1.42	<1	<0.01	23
B21B-091_35-40	5.2	1.81	2.40	<1	0.01	31
B21B-091_40-45	4.8	1.74	1.41	<1	<0.01	30
B21B-091_45-50	2.6	0.80	1.63	2	<0.01	53
B21B-091_50-55	9.4	1.84	1.98	<1	<0.01	26
B21B-092_0-5	6.4	2.00	1.16	2	<0.01	33
B21B-092_5-10	7.4	2.29	1.42	<1	<0.01	28
B21B-092_10-15	4.8	1.22	0.61	1	<0.01	32
B21B-092_15-20	10.4	4.64	0.39	<1	<0.01	23
B21B-092_20-25	12.4	2.95	0.18	2	<0.01	41
B21B-092_25-30	4.2	1.73	0.06	1	<0.01	23
B21B-092_30-35	27.2	3.81	0.52	7	0.04	60
B21B-093_0-5	4.0	1.17	0.06	<1	<0.01	42
B21B-093_5-10	29.4	3.08	0.11	5	0.02	30
B21B-093_10-15	20.8	2.68	0.33	8	0.02	28
B21B-093_15-20	15.8	2.24	0.33	7	0.02	26
B21B-093_20-25	21.2	2.92	0.13	7	0.02	32
B21B-093_25-30	14.5	2.15	0.61	4	0.02	31
B21B-093_30-35	14.2	1.33	0.48	3	<0.01	38
B21B-093_35-40	6.9	0.60	0.52	2	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-093_40-45	5.2	0.41	0.35	2	<0.01	22
B21B-093_45-50	4.8	0.33	0.62	2	<0.01	13
B21B-093_50-55	5.9	0.67	0.41	3	<0.01	23
B21B-093_55-60	3.6	0.28	0.21	2	<0.01	19
B21B-093_60-65	3.4	0.28	0.44	3	<0.01	20
B21B-093_65-70	3.6	0.27	0.31	2	<0.01	21
B21B-093_70-75	3.2	0.43	0.32	3	<0.01	31
B21B-093_75-80	3.1	0.30	0.33	2	<0.01	21
B21B-094_0-5	14.1	2.07	0.69	6	0.03	63
B21B-094_5-10	14.3	1.81	0.36	7	0.03	34
B21B-094_10-15	5.7	0.74	0.18	3	<0.01	37
*Dup B21B-091_5-10	6.9	2.03	0.46	9	0.03	22
*Std OREAS 905	1558	3.91	2.82	20	0.28	358
*Std OREAS 601b	1009	2.22	2.33	21	0.10	202
*Rep B21B-089_25-30	3.4	1.14	0.22	2	<0.01	20
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-091_15-20	3.8	0.55	0.05	2	<0.01	42
*Std OREAS 905	1519	3.97	2.88	19	0.28	386
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1009	2.17	2.33	22	0.09	212

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-088_0-5	0.07	8	0.06	0.18	299	0.15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-088_5-10	0.06	10	0.05	0.09	358	0.21
B21B-088_10-15	0.09	5	0.08	0.10	702	0.09
B21B-088_15-20	0.16	3	0.06	0.07	583	0.08
B21B-088_20-25	0.23	6	0.08	0.05	365	0.18
B21B-088_25-30	0.23	8	0.12	0.12	727	0.20
B21B-088_30-35	0.14	4	0.10	0.13	964	0.08
B21B-088_35-40	0.11	2	0.08	0.11	681	0.09
B21B-088_40-45	0.08	1	0.07	0.10	672	0.06
B21B-088_45-50	0.07	2	0.06	0.09	551	0.06
B21B-088_50-55	0.06	2	0.07	0.10	717	0.04
B21B-088_55-60	0.07	3	0.07	0.11	812	0.05
B21B-088_60-65	0.07	1	0.08	0.17	951	0.06
B21B-088_65-70	0.07	3	0.07	0.16	847	0.06
B21B-088_70-75	0.08	3	0.10	0.14	892	0.08
B21B-088_75-80	0.07	3	0.09	0.15	911	0.06
B21B-089_0-5	0.13	6	0.08	0.10	556	0.13
B21B-089_5-10	0.05	2	0.08	0.13	801	0.07
B21B-089_10-15	0.02	<1	0.06	0.10	673	0.04
B21B-089_15-20	0.02	1	0.04	0.07	432	0.06
B21B-089_20-25	0.05	1	0.06	0.12	652	0.07
B21B-089_25-30	0.04	<1	0.06	0.10	582	0.05
B21B-089_30-35	0.04	<1	0.08	0.11	604	0.03
B21B-089_35-40	0.03	<1	0.07	0.11	624	0.04
B21B-089_40-45	0.03	1	0.04	0.07	308	0.06
B21B-090_0-5	0.06	4	0.06	0.16	487	0.10
B21B-090_5-10	0.04	<1	0.04	0.11	67.3	0.06
B21B-090_10-15	0.06	<1	0.06	0.25	119	0.05
B21B-090_15-20	0.15	<1	0.05	0.73	162	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-090_20-25	0.15	4	0.04	0.58	179	0.07
B21B-090_25-30	0.21	3	0.06	0.96	229	0.06
B21B-090_30-35	0.23	2	0.06	1.17	210	0.05
B21B-090_35-40	0.27	<1	0.05	1.51	239	0.04
B21B-090_40-45	0.38	<1	0.07	2.38	307	0.04
B21B-090_45-50	0.28	<1	0.07	1.88	253	0.04
B21B-090_50-55	0.28	1	0.07	1.83	261	0.04
B21B-091_0-5	0.18	5	0.04	2.30	164	0.13
B21B-091_5-10	0.07	5	0.05	0.68	219	0.13
B21B-091_10-15	0.05	1	0.09	0.22	624	0.06
B21B-091_15-20	0.02	1	0.02	0.06	79.6	0.03
B21B-091_20-25	0.02	1	0.06	0.10	455	0.05
B21B-091_25-30	0.05	4	0.08	0.15	697	0.04
B21B-091_30-35	0.12	<1	0.06	0.11	365	0.05
B21B-091_35-40	0.26	<1	0.07	0.46	364	0.05
B21B-091_40-45	0.47	2	0.05	1.81	269	0.05
B21B-091_45-50	0.68	2	0.06	3.23	285	0.06
B21B-091_50-55	0.71	1	0.09	4.53	338	0.05
B21B-092_0-5	0.63	1	0.08	2.98	288	0.07
B21B-092_5-10	0.52	<1	0.06	2.30	282	0.05
B21B-092_10-15	0.10	1	0.05	0.35	245	0.05
B21B-092_15-20	0.05	<1	0.07	0.13	272	0.03
B21B-092_20-25	0.05	1	0.05	0.25	240	0.03
B21B-092_25-30	0.03	1	0.05	0.14	305	0.03
B21B-092_30-35	0.29	3	0.05	0.18	230	0.12
B21B-093_0-5	0.03	<1	0.05	0.12	371	0.03
B21B-093_5-10	0.04	3	0.04	0.17	230	0.10
B21B-093_10-15	0.10	6	0.06	0.66	271	0.14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-093_15-20	0.07	5	0.05	0.59	277	0.13
B21B-093_20-25	0.03	5	0.05	0.16	205	0.13
B21B-093_25-30	0.08	3	0.06	0.22	261	0.09
B21B-093_30-35	0.07	2	0.07	0.20	295	0.08
B21B-093_35-40	0.09	<1	0.09	0.26	476	0.06
B21B-093_40-45	0.07	<1	0.09	0.21	272	0.06
B21B-093_45-50	0.07	<1	0.10	0.17	255	0.05
B21B-093_50-55	0.09	1	0.04	0.22	267	0.05
B21B-093_55-60	0.09	<1	0.07	0.29	266	0.05
B21B-093_60-65	0.16	<1	0.07	0.57	437	0.09
B21B-093_65-70	0.08	<1	0.06	0.27	257	0.07
B21B-093_70-75	0.12	1	0.06	0.36	287	0.06
B21B-093_75-80	0.12	1	0.06	0.42	257	0.06
B21B-094_0-5	0.29	4	0.06	0.76	296	0.12
B21B-094_5-10	0.10	5	0.05	0.20	191	0.16
B21B-094_10-15	0.06	2	0.06	0.16	380	0.08
*Dup B21B-091_5-10	0.08	5	0.05	0.74	228	0.13
*Std OREAS 905	2.28	9	0.03	0.07	148	0.12
*Std OREAS 601b	1.80	6	0.03	1.52	225	0.13
*Rep B21B-089_25-30	0.04	<1	0.06	0.10	596	0.06
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep B21B-091_15-20	0.02	2	0.02	0.06	78.0	0.03
*Std OREAS 905	2.21	8	0.03	0.08	145	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 601b	1.87	5	0.03	1.35	232	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-088_0-5	58	8	111	0.15	6	0.5
B21B-088_5-10	54	8	132	0.16	4	0.6
B21B-088_10-15	61	6	115	0.06	4	0.5
B21B-088_15-20	69	6	118	0.09	5	0.5
B21B-088_20-25	68	9	115	0.08	5	0.9
B21B-088_25-30	110	6	119	0.10	6	0.8
B21B-088_30-35	65	5	88.0	0.09	5	0.4
B21B-088_35-40	55	4	106	0.10	5	0.3
B21B-088_40-45	45	2	93.6	0.08	6	0.2
B21B-088_45-50	45	2	93.9	0.09	4	0.2
B21B-088_50-55	43	2	85.0	0.08	4	0.2
B21B-088_55-60	52	4	105	0.19	15	0.2
B21B-088_60-65	46	2	102	0.13	7	0.1
B21B-088_65-70	45	3	105	0.17	7	0.2
B21B-088_70-75	74	4	112	0.14	8	0.3
B21B-088_75-80	56	3	108	0.13	6	0.2
B21B-089_0-5	76	8	122	0.09	7	0.7
B21B-089_5-10	46	3	126	0.06	5	0.4
B21B-089_10-15	28	1	121	0.10	6	0.2
B21B-089_15-20	16	3	88.2	0.12	4	<0.1
B21B-089_20-25	31	2	107	0.09	3	0.2
B21B-089_25-30	29	2	115	0.11	3	0.1
B21B-089_30-35	33	1	132	0.09	5	0.3
B21B-089_35-40	29	1	139	0.05	4	0.2
B21B-089_40-45	25	2	108	0.06	4	<0.1
B21B-090_0-5	50	6	122	0.11	7	0.3
B21B-090_5-10	32	1	124	0.07	3	0.3
B21B-090_10-15	27	2	113	0.13	6	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-090_15-20	32	1	108	0.10	5	0.3
B21B-090_20-25	41	8	95.8	0.18	4	0.4
B21B-090_25-30	46	5	110	0.15	5	0.4
B21B-090_30-35	39	5	115	0.14	7	0.3
B21B-090_35-40	39	3	99.4	0.18	14	0.2
B21B-090_40-45	39	3	113	0.14	11	0.2
B21B-090_45-50	36	1	110	0.19	13	0.2
B21B-090_50-55	36	3	107	0.16	10	0.2
B21B-091_0-5	66	8	108	0.07	11	0.3
B21B-091_5-10	60	6	142	0.05	7	0.5
B21B-091_10-15	22	4	130	0.05	3	0.3
B21B-091_15-20	16	6	70.2	<0.02	1	0.3
B21B-091_20-25	30	3	77.4	0.10	2	<0.1
B21B-091_25-30	56	5	80.3	0.12	3	0.1
B21B-091_30-35	46	2	96.2	0.75	3	0.1
B21B-091_35-40	45	2	96.2	0.13	4	0.2
B21B-091_40-45	33	2	100	0.11	7	0.1
B21B-091_45-50	31	3	97.7	0.19	2	<0.1
B21B-091_50-55	42	1	105	0.17	11	<0.1
B21B-092_0-5	38	2	100	0.09	5	0.1
B21B-092_5-10	38	1	96.2	0.03	4	0.1
B21B-092_10-15	26	<1	93.9	<0.02	2	0.2
B21B-092_15-20	19	<1	92.8	0.28	3	<0.1
B21B-092_20-25	13	<1	85.0	0.10	2	0.1
B21B-092_25-30	13	3	74.9	0.04	2	0.2
B21B-092_30-35	40	9	111	0.18	145	0.5
B21B-093_0-5	10	1	63.3	0.07	2	0.1
B21B-093_5-10	34	5	100	0.23	56	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-093_10-15	65	8	140	0.22	47	0.3
B21B-093_15-20	58	6	134	0.10	22	0.3
B21B-093_20-25	50	12	124	0.12	13	0.3
B21B-093_25-30	45	4	124	0.11	38	0.2
B21B-093_30-35	32	4	154	0.05	27	0.1
B21B-093_35-40	29	2	123	0.03	10	0.1
B21B-093_40-45	22	2	109	<0.02	3	0.2
B21B-093_45-50	26	1	103	0.12	4	0.2
B21B-093_50-55	23	2	110	<0.02	10	0.3
B21B-093_55-60	17	1	108	<0.02	3	0.3
B21B-093_60-65	25	1	107	0.18	2	0.2
B21B-093_65-70	22	1	106	<0.02	2	0.3
B21B-093_70-75	21	2	109	<0.02	2	0.3
B21B-093_75-80	21	1	103	<0.02	2	0.3
B21B-094_0-5	39	7	106	0.05	10	0.4
B21B-094_5-10	43	6	110	0.06	13	0.4
B21B-094_10-15	20	2	129	<0.02	4	0.3
*Dup B21B-091_5-10	61	6	142	0.08	7	0.5
*Std OREAS 905	9	136	236	0.67	33	3.1
*Std OREAS 601b	11	312	170	48.95	271	2.2
*Rep B21B-089_25-30	29	2	118	0.06	4	0.1
*Blk BLANK	<2	2	0.6	<0.02	<1	<0.1
*Rep B21B-091_15-20	16	4	70.4	<0.02	1	0.2
*Std OREAS 905	10	148	249	0.60	29	3.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	290	183	48.44	307	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-088_0-5	4.05	0.03	59.46	1.2	1	28.1
B21B-088_5-10	2.48	<0.02	61.43	0.8	<1	30.1
B21B-088_10-15	6.11	<0.02	74.89	0.4	<1	33.1
B21B-088_15-20	3.52	<0.02	60.11	0.4	<1	31.7
B21B-088_20-25	13.63	<0.02	64.35	0.4	1	28.8
B21B-088_25-30	38.89	<0.02	65.68	0.4	2	26.7
B21B-088_30-35	72.20	<0.02	65.07	0.2	<1	22.5
B21B-088_35-40	62.72	<0.02	61.14	0.2	<1	20.1
B21B-088_40-45	13.84	<0.02	57.97	0.1	<1	19.5
B21B-088_45-50	24.22	<0.02	42.02	0.2	<1	15.2
B21B-088_50-55	9.55	<0.02	37.02	0.1	<1	16.0
B21B-088_55-60	13.04	<0.02	53.18	0.2	<1	23.1
B21B-088_60-65	11.99	<0.02	53.73	0.1	<1	21.2
B21B-088_65-70	12.06	<0.02	47.68	0.2	<1	22.6
B21B-088_70-75	18.81	<0.02	56.69	0.3	<1	29.6
B21B-088_75-80	15.24	<0.02	56.35	0.2	<1	25.1
B21B-089_0-5	8.05	<0.02	78.04	0.7	1	33.9
B21B-089_5-10	4.17	<0.02	89.25	0.3	<1	40.1
B21B-089_10-15	2.51	<0.02	75.17	0.2	<1	25.4
B21B-089_15-20	1.89	<0.02	22.76	0.3	<1	8.1
B21B-089_20-25	2.12	<0.02	49.32	0.2	<1	15.8
B21B-089_25-30	1.56	<0.02	59.80	0.2	<1	18.6
B21B-089_30-35	1.64	<0.02	113	0.2	<1	29.0
B21B-089_35-40	1.49	<0.02	83.97	0.2	<1	19.8
B21B-089_40-45	0.96	<0.02	35.08	0.2	<1	10.9
B21B-090_0-5	4.09	<0.02	62.05	0.5	<1	29.2
B21B-090_5-10	1.27	<0.02	52.56	0.2	<1	21.4
B21B-090_10-15	2.35	<0.02	62.48	0.3	<1	20.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-090_15-20	1.94	<0.02	47.12	0.2	<1	19.6
B21B-090_20-25	2.87	<0.02	51.67	0.4	<1	18.8
B21B-090_25-30	2.14	<0.02	64.76	0.3	<1	20.5
B21B-090_30-35	2.51	<0.02	63.89	0.3	<1	19.3
B21B-090_35-40	3.26	<0.02	53.44	0.3	<1	15.6
B21B-090_40-45	3.49	<0.02	70.10	0.3	<1	18.3
B21B-090_45-50	3.62	<0.02	68.61	0.3	<1	16.3
B21B-090_50-55	3.04	<0.02	74.20	0.3	<1	16.8
B21B-091_0-5	3.34	<0.02	69.68	0.7	1	14.6
B21B-091_5-10	2.81	<0.02	86.28	0.8	1	30.2
B21B-091_10-15	2.81	<0.02	134	0.2	<1	16.5
B21B-091_15-20	0.68	0.02	20.64	0.2	<1	13.5
B21B-091_20-25	3.19	<0.02	93.17	0.2	<1	4.1
B21B-091_25-30	3.89	<0.02	112	0.3	<1	9.0
B21B-091_30-35	4.84	<0.02	77.02	0.2	1	12.8
B21B-091_35-40	3.70	<0.02	67.79	0.2	2	15.4
B21B-091_40-45	4.39	<0.02	61.95	0.6	<1	11.3
B21B-091_45-50	6.83	<0.02	56.98	0.3	<1	15.0
B21B-091_50-55	5.93	<0.02	95.51	0.3	<1	14.1
B21B-092_0-5	2.30	<0.02	84.65	0.6	<1	9.7
B21B-092_5-10	1.77	<0.02	64.38	0.3	<1	10.3
B21B-092_10-15	1.18	<0.02	61.15	0.2	<1	15.4
B21B-092_15-20	1.75	<0.02	66.49	0.1	<1	6.7
B21B-092_20-25	1.38	<0.02	50.75	0.2	<1	12.3
B21B-092_25-30	1.16	<0.02	58.22	0.1	<1	15.5
B21B-092_30-35	18.33	<0.02	80.67	0.9	<1	17.4
B21B-093_0-5	1.18	<0.02	65.51	0.2	<1	13.6
B21B-093_5-10	20.82	0.14	59.61	0.6	<1	13.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-093_10-15	12.47	<0.02	78.38	1.0	1	24.2
B21B-093_15-20	11.62	<0.02	76.41	0.9	1	21.1
B21B-093_20-25	9.70	<0.02	66.72	0.8	<1	23.9
B21B-093_25-30	7.17	<0.02	75.96	0.5	<1	15.7
B21B-093_30-35	4.98	<0.02	89.33	0.3	<1	13.3
B21B-093_35-40	2.60	<0.02	103	0.1	<1	8.3
B21B-093_40-45	1.75	<0.02	59.26	0.1	<1	9.9
B21B-093_45-50	1.55	<0.02	61.75	0.1	<1	7.3
B21B-093_50-55	2.74	<0.02	48.91	0.2	<1	8.6
B21B-093_55-60	1.32	<0.02	65.10	0.1	<1	9.9
B21B-093_60-65	1.62	<0.02	81.76	0.1	<1	10.2
B21B-093_65-70	1.32	<0.02	58.86	0.1	<1	8.4
B21B-093_70-75	1.31	<0.02	59.06	0.2	<1	9.6
B21B-093_75-80	1.22	<0.02	56.88	0.1	<1	8.8
B21B-094_0-5	4.31	<0.02	81.03	0.9	<1	17.0
B21B-094_5-10	5.58	<0.02	64.14	0.8	1	16.0
B21B-094_10-15	2.80	<0.02	91.63	0.3	<1	10.3
*Dup B21B-091_5-10	2.80	<0.02	88.21	0.8	1	30.1
*Std OREAS 905	5.65	0.33	101	15.0	7	24.9
*Std OREAS 601b	16.85	1.88	74.28	2.9	5	22.5
*Rep B21B-089_25-30	1.57	<0.02	61.18	0.2	<1	19.0
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Rep B21B-091_15-20	0.68	<0.02	20.55	0.2	<1	13.5
*Std OREAS 905	5.80	0.36	99.46	15.7	8	26.7
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	17.33	2.02	71.57	3.0	5	24.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-088_0-5	3.36	0.08	22.6	0.17	6.14	4.2
B21B-088_5-10	3.94	0.07	22.7	0.18	4.47	4.1
B21B-088_10-15	3.39	0.10	34.3	0.23	3.75	2.6
B21B-088_15-20	3.54	0.19	24.1	0.21	6.36	2.3
B21B-088_20-25	3.43	0.26	30.4	0.21	13.64	3.4
B21B-088_25-30	3.54	0.24	29.6	0.22	15.86	3.4
B21B-088_30-35	2.71	0.15	29.1	0.20	7.14	1.8
B21B-088_35-40	3.12	0.11	25.7	0.23	9.49	2.0
B21B-088_40-45	2.77	0.08	22.5	0.21	16.25	1.6
B21B-088_45-50	2.84	0.08	16.7	0.19	8.92	1.5
B21B-088_50-55	2.56	0.06	14.2	0.17	4.90	1.0
B21B-088_55-60	3.33	0.08	22.6	0.20	13.54	1.3
B21B-088_60-65	3.23	0.06	22.9	0.18	8.92	1.6
B21B-088_65-70	3.23	0.06	20.1	0.18	7.68	1.5
B21B-088_70-75	3.40	0.09	29.1	0.20	16.28	1.9
B21B-088_75-80	3.18	0.06	26.0	0.20	9.37	1.7
B21B-089_0-5	3.73	0.13	35.7	0.21	8.18	3.7
B21B-089_5-10	3.82	0.07	41.4	0.22	6.53	2.2
B21B-089_10-15	3.64	0.04	35.5	0.24	7.49	1.3
B21B-089_15-20	2.62	0.03	10.2	0.18	6.50	1.3
B21B-089_20-25	3.10	0.07	21.0	0.23	3.35	1.8
B21B-089_25-30	3.43	0.08	30.5	0.26	4.45	1.5
B21B-089_30-35	3.77	0.08	51.3	0.30	6.10	1.0
B21B-089_35-40	4.03	0.03	40.4	0.32	4.64	1.3
B21B-089_40-45	3.07	0.04	14.3	0.25	3.56	1.4
B21B-090_0-5	3.49	0.07	28.1	0.19	6.40	2.9
B21B-090_5-10	3.60	0.09	19.7	0.18	3.53	1.8
B21B-090_10-15	3.34	0.06	28.6	0.17	3.32	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-090_15-20	3.21	0.08	19.7	0.17	2.03	1.3
B21B-090_20-25	2.90	0.08	21.2	0.15	4.09	1.6
B21B-090_25-30	3.20	0.08	33.2	0.17	3.99	1.3
B21B-090_30-35	3.45	0.09	31.5	0.18	3.23	1.6
B21B-090_35-40	2.93	0.07	28.2	0.15	7.27	1.2
B21B-090_40-45	3.37	0.08	36.6	0.18	4.68	1.4
B21B-090_45-50	3.32	0.07	35.4	0.18	5.82	1.1
B21B-090_50-55	3.15	0.07	38.4	0.17	5.06	1.3
B21B-091_0-5	3.42	0.06	29.3	0.17	8.62	5.1
B21B-091_5-10	4.28	0.06	33.2	0.22	6.57	5.8
B21B-091_10-15	3.84	<0.02	60.4	0.20	2.98	2.2
B21B-091_15-20	1.93	<0.02	7.4	0.10	2.24	0.8
B21B-091_20-25	2.30	<0.02	45.4	0.16	13.78	1.0
B21B-091_25-30	2.37	0.05	50.3	0.14	13.70	1.2
B21B-091_30-35	2.85	0.10	36.5	0.18	9.62	1.5
B21B-091_35-40	2.95	0.14	32.7	0.19	8.52	1.4
B21B-091_40-45	2.91	0.09	24.9	0.19	7.10	1.6
B21B-091_45-50	2.80	0.07	23.0	0.19	3.42	1.9
B21B-091_50-55	3.47	0.06	47.1	0.20	10.61	1.8
B21B-092_0-5	3.20	0.04	37.6	0.20	4.49	2.3
B21B-092_5-10	2.97	0.05	30.0	0.19	3.37	1.6
B21B-092_10-15	2.94	0.03	22.9	0.19	3.18	1.5
B21B-092_15-20	2.67	0.02	30.6	0.19	4.73	0.9
B21B-092_20-25	2.54	<0.02	19.2	0.17	5.56	0.9
B21B-092_25-30	2.18	<0.02	22.2	0.14	2.10	1.0
B21B-092_30-35	3.40	0.19	37.5	0.26	18.14	4.5
B21B-093_0-5	1.72	<0.02	28.7	0.13	1.70	0.7
B21B-093_5-10	3.10	0.15	22.5	0.21	17.92	3.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-093_10-15	4.18	0.12	33.3	0.24	13.01	5.4
B21B-093_15-20	3.93	0.08	32.2	0.23	12.57	4.7
B21B-093_20-25	3.64	0.05	23.3	0.20	26.15	4.7
B21B-093_25-30	3.78	0.07	33.6	0.22	13.57	3.0
B21B-093_30-35	4.63	0.05	40.8	0.26	9.89	2.7
B21B-093_35-40	3.65	0.04	47.3	0.22	15.41	1.9
B21B-093_40-45	3.35	0.03	22.0	0.20	16.35	2.1
B21B-093_45-50	3.08	0.03	30.6	0.18	10.29	1.6
B21B-093_50-55	2.99	0.03	20.2	0.18	5.13	1.7
B21B-093_55-60	3.17	<0.02	32.6	0.18	5.77	1.6
B21B-093_60-65	3.16	0.02	38.4	0.19	3.64	2.9
B21B-093_65-70	3.07	<0.02	29.2	0.19	3.30	2.3
B21B-093_70-75	3.12	0.02	28.5	0.19	4.36	2.0
B21B-093_75-80	3.06	<0.02	27.7	0.18	3.78	1.9
B21B-094_0-5	3.21	0.05	37.4	0.20	7.60	4.1
B21B-094_5-10	3.40	0.05	29.9	0.22	8.46	5.2
B21B-094_10-15	3.57	0.02	39.8	0.22	9.30	2.7
*Dup B21B-091_5-10	4.25	0.06	34.4	0.21	7.22	5.2
*Std OREAS 905	7.21	0.64	45.8	0.08	3.44	17.7
*Std OREAS 601b	5.03	0.46	33.6	0.06	5.42	13.5
*Rep B21B-089_25-30	3.46	0.08	31.1	0.26	4.37	1.6
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-091_15-20	2.01	<0.02	7.2	0.10	2.30	0.8
*Std OREAS 905	7.05	0.67	46.7	0.09	3.42	18.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.18	0.48	34.0	0.07	5.23	14.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-088_0-5	119	11.8	1.06	6.9	<2	2.0
B21B-088_5-10	120	14.4	1.22	8.8	<2	2.2
B21B-088_10-15	118	8.7	1.17	7.6	<2	1.7
B21B-088_15-20	66.1	16.7	1.58	8.3	2	2.4
B21B-088_20-25	53.0	26.0	4.60	10.8	<2	1.7
B21B-088_25-30	115	60.2	7.40	14.2	<2	2.0
B21B-088_30-35	185	19.2	2.65	8.6	<2	2.0
B21B-088_35-40	133	15.8	3.20	8.9	<2	1.7
B21B-088_40-45	137	10.1	2.68	7.6	<2	1.6
B21B-088_45-50	134	8.5	1.95	6.6	<2	1.5
B21B-088_50-55	161	6.8	1.20	6.0	<2	1.2
B21B-088_55-60	197	8.7	2.99	7.7	11	1.3
B21B-088_60-65	342	6.3	2.11	6.7	4	1.4
B21B-088_65-70	281	7.0	1.73	6.6	5	1.2
B21B-088_70-75	227	11.3	2.22	8.2	3	1.4
B21B-088_75-80	271	6.6	1.73	7.0	4	1.3
B21B-089_0-5	105	17.1	2.37	9.4	<2	1.8
B21B-089_5-10	120	5.2	1.13	8.0	<2	2.1
B21B-089_10-15	99.1	1.9	1.12	7.8	5	1.4
B21B-089_15-20	65.7	1.6	0.88	4.6	3	0.9
B21B-089_20-25	113	3.8	0.75	6.5	2	1.1
B21B-089_25-30	104	2.8	0.66	7.3	3	1.0
B21B-089_30-35	123	2.9	0.69	8.8	5	0.9
B21B-089_35-40	138	1.3	0.46	9.0	3	0.8
B21B-089_40-45	76.0	2.3	0.56	6.2	<2	0.9
B21B-090_0-5	105	6.9	1.49	7.7	3	1.9
B21B-090_5-10	42.5	3.4	0.95	6.9	<2	0.7
B21B-090_10-15	74.1	2.0	0.89	6.1	3	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Pb GE_IMS40Q12	@Rb GE_IMS40Q12	@Sb GE_IMS40Q12	@Sc GE_IMS40Q12	@Se GE_IMS40Q12	@Sn GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-090_15-20	106	2.9	0.57	5.9	3	0.7
B21B-090_20-25	97.2	12.0	0.61	6.7	4	0.9
B21B-090_25-30	148	9.5	0.44	7.5	4	0.7
B21B-090_30-35	121	4.9	0.61	7.4	4	0.7
B21B-090_35-40	117	2.2	0.90	5.5	4	0.6
B21B-090_40-45	160	1.8	1.18	6.6	4	0.7
B21B-090_45-50	128	1.6	1.24	6.5	5	0.6
B21B-090_50-55	121	1.4	1.11	6.7	4	0.6
B21B-091_0-5	68.9	9.8	0.77	6.7	4	1.4
B21B-091_5-10	93.1	7.8	0.86	8.2	3	1.5
B21B-091_10-15	258	1.8	0.48	6.2	<2	0.9
B21B-091_15-20	27.6	0.9	0.26	3.0	<2	0.4
B21B-091_20-25	196	0.4	0.45	4.8	<2	0.8
B21B-091_25-30	301	3.9	0.54	5.8	<2	1.1
B21B-091_30-35	173	16.1	0.58	6.9	10	2.5
B21B-091_35-40	278	26.3	0.45	8.1	11	3.0
B21B-091_40-45	161	10.3	1.15	7.2	7	2.0
B21B-091_45-50	104	5.1	0.58	7.5	<2	2.2
B21B-091_50-55	124	4.7	0.69	8.6	5	1.8
B21B-092_0-5	85.4	5.1	0.65	6.8	4	1.2
B21B-092_5-10	127	11.4	0.49	7.1	10	1.2
B21B-092_10-15	102	5.6	0.36	6.8	5	0.9
B21B-092_15-20	113	4.4	0.23	5.6	25	0.4
B21B-092_20-25	97.6	1.5	0.38	5.1	12	0.4
B21B-092_25-30	114	0.5	0.25	4.7	5	<0.3
B21B-092_30-35	131	16.0	16.01	7.0	12	2.7
B21B-093_0-5	120	0.5	1.80	3.3	3	<0.3
B21B-093_5-10	202	4.1	13.67	5.5	22	15.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-093_10-15	149	6.4	7.01	7.7	9	7.8
B21B-093_15-20	160	6.5	4.70	6.8	8	6.1
B21B-093_20-25	133	5.3	3.14	6.0	11	3.9
B21B-093_25-30	114	10.4	4.81	7.1	15	2.7
B21B-093_30-35	113	7.0	3.46	7.6	14	2.7
B21B-093_35-40	212	7.4	21.19	5.1	6	1.6
B21B-093_40-45	110	5.1	0.55	5.2	<2	1.6
B21B-093_45-50	91.1	8.5	0.41	4.8	3	1.4
B21B-093_50-55	96.0	6.0	1.42	4.8	3	1.5
B21B-093_55-60	109	2.7	0.43	4.7	<2	1.1
B21B-093_60-65	199	5.3	0.52	4.5	<2	2.0
B21B-093_65-70	103	4.1	0.46	4.7	<2	1.9
B21B-093_70-75	122	4.2	0.48	4.6	<2	1.7
B21B-093_75-80	113	4.1	0.41	4.5	<2	1.4
B21B-094_0-5	131	13.7	2.13	6.7	6	2.2
B21B-094_5-10	117	9.8	2.91	6.6	8	3.6
B21B-094_10-15	126	3.6	1.00	5.6	2	2.1
*Dup B21B-091_5-10	93.7	8.3	0.83	8.6	3	1.5
*Std OREAS 905	28.0	146	1.90	5.4	3	3.9
*Std OREAS 601b	339	100	22.71	3.9	8	3.2
*Rep B21B-089_25-30	106	2.8	0.68	7.3	3	1.1
*Blk BLANK	1.0	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-091_15-20	27.1	0.9	0.25	3.0	<2	0.4
*Std OREAS 905	27.5	139	2.04	5.8	3	4.4
*Blk BLANK	0.6	<0.2	0.05	<0.5	<2	<0.3
*Std OREAS 601b	346	99.3	23.92	4.2	9	3.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Ta GE_IMS40Q12	@Tb GE_IMS40Q12	@Te GE_IMS40Q12	@Th GE_IMS40Q12	@Tl GE_IMS40Q12	@U GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-088_0-5	0.32	0.30	4.87	9.8	0.40	1.57
B21B-088_5-10	0.30	0.36	5.25	8.8	0.37	1.55
B21B-088_10-15	0.21	0.33	6.94	10.8	0.39	1.59
B21B-088_15-20	0.17	0.27	13.75	9.8	1.01	1.50
B21B-088_20-25	0.25	0.39	20.98	8.3	1.01	1.85
B21B-088_25-30	0.21	0.43	145	7.6	1.29	1.97
B21B-088_30-35	0.13	0.38	59.56	9.3	0.69	1.47
B21B-088_35-40	0.13	0.35	72.61	7.7	0.55	1.66
B21B-088_40-45	0.10	0.29	31.78	8.1	0.39	1.41
B21B-088_45-50	0.09	0.27	34.73	6.8	0.39	1.34
B21B-088_50-55	0.06	0.29	18.39	7.5	0.26	1.21
B21B-088_55-60	0.09	0.26	83.16	10.0	0.40	1.46
B21B-088_60-65	0.10	0.28	47.42	9.9	0.27	1.38
B21B-088_65-70	0.10	0.27	39.56	8.8	0.26	1.34
B21B-088_70-75	0.12	0.25	34.85	8.2	0.44	1.67
B21B-088_75-80	0.10	0.26	28.95	8.9	0.30	1.61
B21B-089_0-5	0.26	0.37	15.23	12.6	0.61	1.98
B21B-089_5-10	0.16	0.33	6.37	13.0	0.24	1.94
B21B-089_10-15	0.09	0.28	6.17	11.3	0.11	1.95
B21B-089_15-20	0.06	0.16	6.12	6.7	0.07	1.32
B21B-089_20-25	0.09	0.24	3.68	9.0	0.22	1.65
B21B-089_25-30	0.08	0.24	3.47	11.1	0.19	1.88
B21B-089_30-35	0.06	0.39	4.32	14.0	0.17	2.42
B21B-089_35-40	0.08	0.36	2.13	12.9	0.06	2.32
B21B-089_40-45	0.08	0.19	2.28	7.2	0.12	1.68
B21B-090_0-5	0.17	0.27	8.63	10.9	0.31	1.70
B21B-090_5-10	0.11	0.20	3.30	8.2	0.52	1.27
B21B-090_10-15	0.10	0.23	6.85	8.9	0.26	1.18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Ta GE_IMS40Q12	@Tb GE_IMS40Q12	@Te GE_IMS40Q12	@Th GE_IMS40Q12	@Tl GE_IMS40Q12	@U GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-090_15-20	0.08	0.18	3.93	7.0	0.40	1.05
B21B-090_20-25	0.11	0.19	4.00	6.8	0.46	1.05
B21B-090_25-30	0.07	0.20	4.19	8.0	0.40	1.12
B21B-090_30-35	0.11	0.19	4.91	8.3	0.44	1.20
B21B-090_35-40	0.07	0.15	7.63	7.0	0.25	1.03
B21B-090_40-45	0.09	0.18	8.29	9.0	0.27	1.21
B21B-090_45-50	0.07	0.18	9.12	8.9	0.26	1.20
B21B-090_50-55	0.08	0.18	6.80	9.1	0.28	1.28
B21B-091_0-5	0.37	0.31	3.24	13.8	0.42	1.98
B21B-091_5-10	0.62	0.31	2.06	15.7	0.29	1.87
B21B-091_10-15	0.19	0.38	0.74	17.5	0.08	1.30
B21B-091_15-20	0.07	0.09	0.76	3.4	0.04	0.57
B21B-091_20-25	<0.05	0.24	8.50	12.1	0.03	1.04
B21B-091_25-30	0.08	0.30	9.67	15.2	0.28	1.04
B21B-091_30-35	0.11	0.23	9.91	10.8	0.92	1.07
B21B-091_35-40	0.14	0.21	9.88	9.6	1.48	1.13
B21B-091_40-45	0.12	0.21	16.66	8.2	0.93	1.19
B21B-091_45-50	0.14	0.24	6.44	7.2	0.98	1.35
B21B-091_50-55	0.15	0.29	8.19	10.2	0.73	1.53
B21B-092_0-5	0.18	0.33	5.42	11.1	0.31	1.50
B21B-092_5-10	0.13	0.21	3.65	7.8	0.55	1.28
B21B-092_10-15	0.11	0.21	1.61	8.1	0.51	1.22
B21B-092_15-20	0.05	0.24	2.51	8.9	0.21	1.24
B21B-092_20-25	0.07	0.19	1.52	6.9	0.10	1.11
B21B-092_25-30	0.09	0.20	1.08	7.5	0.03	0.90
B21B-092_30-35	0.34	0.39	19.62	14.0	0.17	2.13
B21B-093_0-5	<0.05	0.22	0.84	8.3	0.03	1.05
B21B-093_5-10	0.20	0.29	21.62	11.1	0.14	1.68

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element Method	@Ta GE_IMS40Q12	@Tb GE_IMS40Q12	@Te GE_IMS40Q12	@Th GE_IMS40Q12	@Tl GE_IMS40Q12	@U GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-093_10-15	0.39	0.36	9.43	14.9	0.15	2.02
B21B-093_15-20	0.33	0.37	7.80	13.6	0.16	1.89
B21B-093_20-25	0.32	0.38	8.67	12.2	0.10	1.86
B21B-093_25-30	0.21	0.34	9.43	13.4	0.30	1.82
B21B-093_30-35	0.19	0.37	6.42	12.7	0.24	2.13
B21B-093_35-40	0.13	0.37	6.97	17.5	0.26	1.72
B21B-093_40-45	0.14	0.31	2.91	8.9	0.18	1.42
B21B-093_45-50	0.13	0.22	5.15	8.5	0.30	1.22
B21B-093_50-55	0.12	0.18	2.90	8.0	0.21	1.21
B21B-093_55-60	0.12	0.29	1.99	10.4	0.11	1.33
B21B-093_60-65	0.21	0.25	1.02	10.2	0.19	1.23
B21B-093_65-70	0.17	0.23	1.01	9.1	0.21	1.30
B21B-093_70-75	0.14	0.25	1.24	8.9	0.17	1.32
B21B-093_75-80	0.13	0.25	1.05	8.6	0.17	1.30
B21B-094_0-5	0.29	0.35	6.35	12.4	0.27	1.68
B21B-094_5-10	0.36	0.34	5.44	11.0	0.21	1.73
B21B-094_10-15	0.20	0.37	2.59	12.9	0.11	1.54
*Dup B21B-091_5-10	0.44	0.31	2.10	16.2	0.29	1.85
*Std OREAS 905	1.23	0.78	0.19	15.4	0.71	5.14
*Std OREAS 601b	0.89	0.53	11.00	11.9	1.40	4.60
*Rep B21B-089_25-30	0.09	0.24	3.47	11.3	0.19	1.92
*Blk BLANK	<0.05	<0.05	0.06	<0.2	<0.02	<0.05
*Rep B21B-091_15-20	0.08	0.08	0.73	3.3	0.04	0.60
*Std OREAS 905	1.34	0.76	0.11	14.6	0.72	5.01
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.12	0.51	11.91	12.2	1.43	4.66

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-088_0-5	1.9	6.8	1.1
B21B-088_5-10	2.4	8.4	1.2
B21B-088_10-15	1.4	7.4	1.5
B21B-088_15-20	1.1	6.7	1.3
B21B-088_20-25	1.9	10.1	1.4
B21B-088_25-30	1.6	10.3	1.5
B21B-088_30-35	1.1	7.8	1.3
B21B-088_35-40	1.1	8.5	1.5
B21B-088_40-45	1.0	7.5	1.4
B21B-088_45-50	1.0	6.8	1.3
B21B-088_50-55	0.8	7.1	1.1
B21B-088_55-60	0.8	6.5	1.3
B21B-088_60-65	1.0	5.9	1.3
B21B-088_65-70	0.9	6.4	1.2
B21B-088_70-75	1.4	6.9	1.3
B21B-088_75-80	0.9	6.7	1.3
B21B-089_0-5	1.6	8.5	1.5
B21B-089_5-10	1.7	7.4	1.4
B21B-089_10-15	1.5	6.9	1.6
B21B-089_15-20	2.3	5.1	1.2
B21B-089_20-25	2.5	6.5	1.6
B21B-089_25-30	2.1	6.8	1.7
B21B-089_30-35	1.1	7.9	1.9
B21B-089_35-40	1.3	8.8	2.1
B21B-089_40-45	1.9	6.7	1.6
B21B-090_0-5	2.5	7.1	1.4
B21B-090_5-10	1.0	5.9	1.2
B21B-090_10-15	1.0	5.7	1.2
B21B-090_15-20	1.0	5.6	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-090_20-25	1.7	5.2	1.0
B21B-090_25-30	1.2	5.6	1.1
B21B-090_30-35	1.3	5.5	1.2
B21B-090_35-40	1.3	4.4	1.0
B21B-090_40-45	1.2	5.1	1.1
B21B-090_45-50	1.2	5.1	1.1
B21B-090_50-55	1.3	5.0	1.1
B21B-091_0-5	1.3	7.3	1.2
B21B-091_5-10	1.9	7.2	1.4
B21B-091_10-15	1.5	6.2	1.2
B21B-091_15-20	1.0	2.7	0.6
B21B-091_20-25	1.2	4.0	0.9
B21B-091_25-30	1.3	3.7	0.8
B21B-091_30-35	1.2	4.9	1.1
B21B-091_35-40	1.1	4.9	1.2
B21B-091_40-45	4.5	5.3	1.2
B21B-091_45-50	2.2	5.3	1.2
B21B-091_50-55	2.6	5.4	1.3
B21B-092_0-5	3.9	6.5	1.2
B21B-092_5-10	2.1	4.9	1.1
B21B-092_10-15	1.2	5.1	1.1
B21B-092_15-20	0.7	5.5	1.2
B21B-092_20-25	1.1	4.7	1.1
B21B-092_25-30	1.1	4.3	0.9
B21B-092_30-35	1.2	9.9	1.6
B21B-093_0-5	0.9	3.7	0.7
B21B-093_5-10	1.3	6.8	1.3
B21B-093_10-15	2.0	8.1	1.5
B21B-093_15-20	1.5	7.7	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*  
 PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11009

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-093_20-25	1.8	7.0	1.2
B21B-093_25-30	1.1	7.4	1.4
B21B-093_30-35	1.2	8.3	1.6
B21B-093_35-40	1.3	6.8	1.3
B21B-093_40-45	1.3	6.6	1.2
B21B-093_45-50	0.9	5.8	1.3
B21B-093_50-55	1.3	5.2	1.1
B21B-093_55-60	1.0	5.6	1.1
B21B-093_60-65	1.6	5.0	1.1
B21B-093_65-70	1.4	5.6	1.1
B21B-093_70-75	1.2	5.9	1.1
B21B-093_75-80	1.1	5.9	1.1
B21B-094_0-5	1.8	7.6	1.3
B21B-094_5-10	1.4	8.2	1.3
B21B-094_10-15	1.6	7.8	1.4
*Dup B21B-091_5-10	1.7	7.5	1.4
*Std OREAS 905	2.7	15.9	0.7
*Std OREAS 601b	5.8	11.0	0.5
*Rep B21B-089_25-30	2.4	6.9	1.7
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-091_15-20	1.1	2.7	0.6
*Std OREAS 905	2.7	15.3	0.7
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	7.1	10.7	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*  
PANCON\_RESOURCES/Brewer Gold/RABP2/1504 Samples(40-114)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11009

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



# ANALYSIS REPORT BBM21-11010

To COD SGS MINERALS - GEOCHEM VANCOUVER  
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
 201 ROUTE 17 NORTH, 7TH FLOOR  
 Rutherford 07070  
 Bergen  
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	23-Sep-2021 - 26-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	26-Oct-2021
Gold/RABP2/1504 Samples(115-189)		SGS Order Number	BBM21-11010
Number of Samples	75		

Methods Summary		
Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
 Analysis of samples was performed at the SGS Burnaby site.  
 -This report cancels and supersedes the report BBM\_U0015733562 dated 28-Oct-2021 issued by SGS Canada (Burnaby).  
 Elements sequence & WGH unit updated.

Authorised Signatory

**John Chiang**  
**Laboratory Operations Manager**



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
596928	2.10	<0.005	-	-	-	-
B21B-094_15-20	5.38	0.151	6.91	227	0.02	8
B21B-094_20-25	5.21	0.210	4.76	455	0.05	3
B21B-094_25-30	4.23	0.207	3.94	321	0.05	2
B21B-094_30-35	4.45	0.193	6.51	236	0.05	2
B21B-094_35-40	4.78	0.130	5.68	158	0.04	4
B21B-094_40-45	6.68	0.108	4.93	84	0.01	2
B21B-095_0-5	6.96	0.021	7.13	80	0.02	2
B21B-095_5-10	4.92	0.011	6.47	147	0.03	2
B21B-095_10-15	5.15	0.016	8.00	109	0.02	2
B21B-095_15-20	4.69	0.007	9.40	122	0.02	<1
B21B-095_20-25	5.86	0.012	7.40	197	0.02	2
B21B-095_25-30	5.94	0.012	8.44	85	<0.01	2
B21B-095_30-35	6.17	0.011	13.38	396	0.02	4
B21B-095_35-40	4.79	<0.005	14.61	845	0.04	14
B21B-095_40-45	7.00	0.007	14.62	645	0.03	18
B21B-095_45-50	9.10	0.019	8.20	313	0.02	10
B21B-095_50-55	6.31	0.094	8.02	169	0.02	4
596929	4.81	0.007	-	-	-	-
B21B-095_55-60	9.49	0.120	7.62	304	0.07	5
B21B-095_60-65	5.61	0.065	6.50	415	0.11	3
B21B-095_65-70	7.05	0.034	9.48	200	0.03	3
B21B-095_70-75	6.61	0.061	7.38	306	0.03	5
B21B-095_75-80	5.88	0.111	6.73	232	0.03	8
B21B-096_0-5	3.28	0.033	6.84	33	<0.01	2
B21B-096_5-10	4.17	0.043	6.74	37	<0.01	2
B21B-096_10-15	3.90	0.053	13.54	41	<0.01	2
B21B-096_15-20	4.51	0.192	6.58	36	<0.01	2
B21B-096_20-25	6.79	0.325	6.43	63	0.01	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-096_25-30	2.92	0.366	5.00	428	0.01	4
B21B-096_30-35	5.80	0.183	7.86	577	0.03	61
B21B-096_35-40	4.45	0.095	10.93	604	0.03	203
B21B-096_40-45	6.21	0.064	12.28	422	0.02	266
B21B-096_45-50	5.39	0.057	11.80	478	0.03	345
B21B-096_50-55	4.15	0.116	10.91	815	0.04	192
B21B-096_55-60	4.76	0.172	7.91	613	0.04	98
B21B-096_60-65	5.90	0.418	6.45	772	0.02	45
596930	0.03	0.965	-	-	-	-
B21B-096_65-70	3.95	0.176	9.06	290	0.01	18
B21B-096_70-75	4.91	0.178	9.49	334	0.02	11
B21B-096_75-80	5.63	0.106	7.96	299	0.02	9
B21B-097_0-5	2.85	0.024	7.85	447	0.10	22
B21B-097_5-10	5.40	0.009	6.74	192	0.02	6
B21B-097_10-15	7.41	0.011	6.13	238	0.02	4
B21B-097_15-20	8.80	0.012	6.27	373	0.02	2
B21B-097_20-25	6.24	0.051	5.97	213	0.02	2
B21B-097_25-30	5.76	0.182	6.73	258	0.03	3
B21B-097_30-35	6.40	0.298	5.98	291	0.02	2
B21B-097_35-40	5.74	0.295	4.97	277	0.01	1
B21B-097_40-45	5.84	0.319	5.11	182	0.03	2
B21B-097_45-50	7.24	0.143	7.93	504	0.08	3
B21B-097_50-55	4.28	0.227	6.53	294	0.03	2
B21B-097_55-60	6.72	0.188	5.26	129	0.01	5
B21B-097_60-65	6.86	0.272	5.53	233	0.02	2
B21B-097_65-70	8.42	0.250	4.86	216	0.02	5
B21B-097_70-75	2.35	0.365	4.19	241	0.02	5
596931	L.N.R	L.N.R	-	-	-	-
B21B-097_75-80	4.18	0.232	5.18	222	0.02	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-098_0-5	2.03	0.047	8.82	121	0.01	20
B21B-098_5-10	3.83	0.038	7.50	123	0.02	6
B21B-098_10-15	3.12	0.294	6.50	102	<0.01	5
B21B-098_15-20	2.47	0.256	6.41	92	0.01	2
B21B-098_20-25	3.98	0.237	6.10	100	0.01	5
B21B-098_25-30	2.88	0.250	4.92	189	0.01	6
B21B-098_30-35	3.13	0.224	6.39	155	0.01	3
B21B-098_35-40	6.63	0.134	5.62	91	0.01	5
B21B-098_40-45	1.71	0.169	5.45	76	0.01	8
B21B-098_45-50	3.51	0.152	5.47	91	0.01	5
B21B-098_50-55	3.24	0.115	5.72	81	0.01	6
B21B-098_55-60	3.89	0.073	5.62	83	0.01	6
B21B-098_60-65	3.56	0.088	5.82	74	0.01	3
B21B-098_65-70	3.09	0.076	5.77	74	0.01	5
B21B-099_0-5	1.83	0.045	9.00	402	0.10	6
B21B-099_5-10	3.55	0.007	9.56	272	0.02	7
B21B-099_10-15	3.31	0.047	11.03	305	0.02	1
*Dup B21B-096_65-70	-	0.178	9.18	276	0.01	21
*Rep B21B-096_30-35	-	0.175	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.592	-	-	-	-
*Rep B21B-095_35-40	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.073	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.778	-	-	-	-
*Std OREAS 235	-	1.516	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Rep B21B-098_25-30	-	0.243	-	-	-	-
*Std OREAS 601b	-	-	6.47	398	0.85	24
*Blk BLANK	-	-	0.02	<1	<0.01	<1
*Std OREAS 905	-	-	7.48	2723	0.58	15
*Rep B21B-096_60-65	-	-	6.46	771	0.02	32
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Rep B21B-098_0-5	-	-	9.31	124	0.02	15
*Std OREAS 905	-	-	7.34	2685	0.59	14
*Std OREAS 601b	-	-	6.50	452	0.90	20

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-094_15-20	9.2	1.20	0.18	3	<0.01	22
B21B-094_20-25	3.9	0.40	0.43	1	<0.01	17
B21B-094_25-30	3.2	0.19	0.21	1	<0.01	13
B21B-094_30-35	3.1	0.16	0.17	3	<0.01	11
B21B-094_35-40	3.8	0.22	0.34	2	<0.01	12
B21B-094_40-45	3.6	0.43	0.36	1	<0.01	39
B21B-095_0-5	10.1	0.39	1.48	2	0.01	16
B21B-095_5-10	9.0	0.18	1.62	<1	0.01	9
B21B-095_10-15	6.3	0.21	1.87	1	0.01	9
B21B-095_15-20	15.2	0.21	1.38	3	0.01	11
B21B-095_20-25	10.5	0.19	0.47	4	<0.01	13
B21B-095_25-30	12.6	0.35	0.38	4	<0.01	19
B21B-095_30-35	18.4	0.47	1.03	5	0.02	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-095_35-40	3.9	0.30	0.33	7	0.03	14
B21B-095_40-45	2.8	0.76	0.18	6	0.02	23
B21B-095_45-50	8.4	0.49	0.50	3	0.02	22
B21B-095_50-55	6.7	0.33	0.63	3	0.01	27
B21B-095_55-60	6.4	0.42	0.67	5	<0.01	25
B21B-095_60-65	4.0	0.24	0.34	2	<0.01	18
B21B-095_65-70	5.8	0.24	0.28	4	<0.01	18
B21B-095_70-75	5.0	0.37	0.86	3	<0.01	21
B21B-095_75-80	4.0	0.30	1.08	2	<0.01	23
B21B-096_0-5	48.4	0.65	0.10	5	<0.01	17
B21B-096_5-10	37.5	0.24	0.15	4	<0.01	18
B21B-096_10-15	19.2	0.19	0.14	11	<0.01	8
B21B-096_15-20	37.0	0.33	0.44	4	<0.01	14
B21B-096_20-25	24.9	0.70	0.41	4	<0.01	19
B21B-096_25-30	27.7	1.34	0.48	3	0.01	18
B21B-096_30-35	18.9	1.75	0.79	4	0.05	21
B21B-096_35-40	10.3	2.47	0.42	6	0.05	43
B21B-096_40-45	10.7	2.42	0.24	6	0.04	43
B21B-096_45-50	25.5	2.60	0.24	7	0.04	35
B21B-096_50-55	16.3	1.78	1.16	4	0.07	24
B21B-096_55-60	10.8	1.28	1.51	4	0.08	21
B21B-096_60-65	25.3	1.09	1.16	2	0.04	28
B21B-096_65-70	13.7	0.63	1.10	3	0.03	16
B21B-096_70-75	14.4	0.53	0.94	5	0.02	17
B21B-096_75-80	16.0	0.47	0.96	4	0.02	16
B21B-097_0-5	18.4	1.05	0.98	7	0.03	46
B21B-097_5-10	9.7	0.90	0.30	3	<0.01	25
B21B-097_10-15	11.2	0.96	0.33	2	<0.01	14
B21B-097_15-20	9.3	0.93	0.09	2	<0.01	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-097_20-25	18.1	3.15	0.13	2	<0.01	21
B21B-097_25-30	8.8	1.30	0.24	2	<0.01	16
B21B-097_30-35	16.0	2.74	0.19	1	<0.01	18
B21B-097_35-40	14.0	1.86	0.27	<1	<0.01	17
B21B-097_40-45	16.2	1.84	0.42	<1	<0.01	11
B21B-097_45-50	17.7	1.14	0.73	2	<0.01	44
B21B-097_50-55	13.9	0.85	0.69	1	<0.01	15
B21B-097_55-60	49.1	1.30	0.41	1	<0.01	13
B21B-097_60-65	24.2	1.40	0.45	1	<0.01	15
B21B-097_65-70	25.8	2.31	0.31	1	<0.01	22
B21B-097_70-75	28.1	2.57	0.20	<1	<0.01	21
B21B-097_75-80	23.6	2.38	0.20	<1	<0.01	18
B21B-098_0-5	18.8	2.01	0.13	8	0.02	25
B21B-098_5-10	21.0	0.74	0.12	2	<0.01	21
B21B-098_10-15	14.3	0.53	0.15	2	<0.01	17
B21B-098_15-20	10.4	0.52	0.13	2	<0.01	17
B21B-098_20-25	9.8	1.02	0.06	3	<0.01	22
B21B-098_25-30	18.9	1.77	0.04	2	<0.01	31
B21B-098_30-35	8.7	0.78	0.06	3	<0.01	15
B21B-098_35-40	15.7	1.58	0.12	2	<0.01	10
B21B-098_40-45	10.1	2.70	0.07	3	<0.01	23
B21B-098_45-50	9.6	2.19	0.05	3	<0.01	19
B21B-098_50-55	10.0	2.28	0.05	2	<0.01	21
B21B-098_55-60	8.5	2.16	0.06	3	<0.01	15
B21B-098_60-65	7.2	1.23	0.06	3	<0.01	19
B21B-098_65-70	6.6	1.59	0.17	2	<0.01	20
B21B-099_0-5	126	1.15	0.57	5	0.02	47
B21B-099_5-10	5.9	0.26	1.05	3	<0.01	16
B21B-099_10-15	4.5	0.25	1.58	3	<0.01	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Dup B21B-096_65-70	14.5	0.60	1.08	3	0.03	16
*Std OREAS 601b	979	2.22	2.44	23	0.10	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1529	4.10	3.05	21	0.28	386
*Rep B21B-096_60-65	25.3	1.10	1.15	2	0.04	28
*Blk BLANK	0.6	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-098_0-5	18.9	2.04	0.13	8	0.02	25
*Std OREAS 905	1542	4.10	3.02	20	0.27	381
*Std OREAS 601b	996	2.31	2.46	22	0.10	220

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-094_15-20	0.06	3	0.05	0.21	220	0.08
B21B-094_20-25	0.06	<1	0.07	0.15	203	0.08
B21B-094_25-30	0.04	<1	0.07	0.11	237	0.07
B21B-094_30-35	0.05	<1	0.07	0.17	301	0.06
B21B-094_35-40	0.05	2	0.06	0.12	155	0.08
B21B-094_40-45	0.06	1	0.02	0.09	117	0.04
B21B-095_0-5	0.15	<1	0.03	0.09	232	0.06
B21B-095_5-10	0.17	<1	0.08	0.19	891	0.06
B21B-095_10-15	0.18	<1	0.05	0.13	506	0.06
B21B-095_15-20	0.15	<1	0.05	0.16	460	0.05
B21B-095_20-25	0.15	1	0.07	0.43	749	0.04
B21B-095_25-30	0.09	<1	0.02	0.08	215	0.04
B21B-095_30-35	0.23	4	0.05	0.05	273	0.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-095_35-40	0.08	9	0.11	0.04	374	1.00
B21B-095_40-45	0.03	12	0.09	0.03	228	1.51
B21B-095_45-50	0.08	6	0.03	0.03	154	0.74
B21B-095_50-55	0.18	3	0.05	0.09	484	0.16
B21B-095_55-60	0.14	2	0.11	0.30	509	0.09
B21B-095_60-65	0.09	2	0.17	0.28	596	0.11
B21B-095_65-70	0.10	2	0.06	0.20	252	0.07
B21B-095_70-75	0.28	2	0.06	0.86	351	0.08
B21B-095_75-80	0.62	3	0.06	3.02	382	0.09
B21B-096_0-5	0.09	<1	<0.01	0.07	56.2	0.04
B21B-096_5-10	0.25	<1	0.01	0.03	84.8	0.05
B21B-096_10-15	0.24	1	0.01	0.06	103	0.03
B21B-096_15-20	0.23	<1	0.02	0.03	142	0.05
B21B-096_20-25	0.32	<1	0.03	0.05	222	0.06
B21B-096_25-30	0.29	<1	0.03	0.04	184	0.06
B21B-096_30-35	0.26	31	0.04	0.05	210	0.31
B21B-096_35-40	0.08	83	0.05	0.10	204	0.89
B21B-096_40-45	0.05	98	0.05	0.07	184	1.19
B21B-096_45-50	0.04	171	0.05	0.07	168	1.12
B21B-096_50-55	0.12	141	0.04	0.05	153	0.57
B21B-096_55-60	0.28	43	0.06	0.07	503	0.53
B21B-096_60-65	0.41	16	0.03	0.02	272	0.27
B21B-096_65-70	0.32	9	0.04	0.06	334	0.12
B21B-096_70-75	0.62	7	0.06	0.11	513	0.14
B21B-096_75-80	0.26	8	0.06	0.07	596	0.12
B21B-097_0-5	0.30	13	0.06	1.50	331	0.15
B21B-097_5-10	0.06	4	0.04	0.27	270	0.09
B21B-097_10-15	0.05	2	0.05	0.18	289	0.08
B21B-097_15-20	0.03	2	0.05	0.06	199	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-097_20-25	0.02	1	0.04	0.07	212	0.07
B21B-097_25-30	0.03	2	0.05	0.07	246	0.10
B21B-097_30-35	0.02	1	0.05	0.06	205	0.06
B21B-097_35-40	0.03	1	0.04	0.04	148	0.06
B21B-097_40-45	0.05	1	0.05	0.10	256	0.04
B21B-097_45-50	0.13	2	0.14	0.39	1042	0.05
B21B-097_50-55	0.07	1	0.06	0.10	252	0.05
B21B-097_55-60	0.03	6	0.03	0.04	120	0.05
B21B-097_60-65	0.04	1	0.04	0.06	152	0.04
B21B-097_65-70	0.04	2	0.05	0.08	182	0.04
B21B-097_70-75	0.03	2	0.05	0.09	247	0.04
B21B-097_75-80	0.03	2	0.04	0.09	221	0.04
B21B-098_0-5	0.03	6	0.04	0.14	154	0.15
B21B-098_5-10	0.03	2	0.04	0.11	155	0.11
B21B-098_10-15	0.04	1	0.03	0.13	115	0.08
B21B-098_15-20	0.03	1	0.03	0.11	125	0.08
B21B-098_20-25	0.02	3	0.03	0.09	127	0.08
B21B-098_25-30	0.03	3	0.03	0.42	147	0.05
B21B-098_30-35	0.02	2	0.04	0.11	135	0.07
B21B-098_35-40	0.02	3	0.03	0.59	98.7	0.07
B21B-098_40-45	0.02	2	0.04	0.12	89.8	0.05
B21B-098_45-50	0.02	2	0.04	0.07	101	0.05
B21B-098_50-55	0.02	3	0.04	0.19	94.9	0.05
B21B-098_55-60	0.02	4	0.04	0.16	88.2	0.05
B21B-098_60-65	0.02	3	0.03	0.12	86.8	0.05
B21B-098_65-70	0.02	3	0.03	0.08	83.5	0.06
B21B-099_0-5	0.08	4	0.06	0.33	271	0.09
B21B-099_5-10	0.10	<1	0.04	0.10	280	0.07
B21B-099_10-15	0.14	<1	0.05	0.13	414	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
*Dup B21B-096_65-70	0.33	9	0.04	0.07	346	0.13
*Std OREAS 601b	1.93	6	0.03	1.50	244	0.14
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.52	8	0.03	0.07	164	0.12
*Rep B21B-096_60-65	0.41	16	0.03	0.03	271	0.27
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Rep B21B-098_0-5	0.04	7	0.04	0.14	155	0.16
*Std OREAS 905	2.37	9	0.03	0.07	163	0.12
*Std OREAS 601b	1.84	7	0.03	1.47	249	0.13

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-094_15-20	24	2	124	0.10	8	0.3
B21B-094_20-25	23	1	110	0.03	3	0.2
B21B-094_25-30	14	<1	104	0.03	2	0.2
B21B-094_30-35	17	<1	112	0.03	2	0.2
B21B-094_35-40	16	1	114	0.03	2	0.3
B21B-094_40-45	19	1	140	0.05	2	0.2
B21B-095_0-5	49	1	102	0.02	2	0.2
B21B-095_5-10	46	<1	98.3	<0.02	2	0.1
B21B-095_10-15	54	<1	96.1	0.04	<1	0.2
B21B-095_15-20	45	<1	92.7	0.07	2	0.3
B21B-095_20-25	22	<1	90.8	0.03	3	0.4
B21B-095_25-30	22	1	72.1	0.07	3	0.4
B21B-095_30-35	37	1	67.3	0.15	5	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-095_35-40	88	4	135	0.18	4	1.2
B21B-095_40-45	118	13	193	0.11	3	1.9
B21B-095_45-50	72	4	141	0.05	3	0.6
B21B-095_50-55	34	1	120	0.03	2	0.4
B21B-095_55-60	31	1	87.1	<0.02	2	0.3
B21B-095_60-65	24	2	20.9	<0.02	2	0.3
B21B-095_65-70	20	<1	86.7	0.03	2	0.3
B21B-095_70-75	30	<1	90.0	0.03	2	0.2
B21B-095_75-80	28	<1	96.1	0.03	2	0.2
B21B-096_0-5	12	<1	63.8	0.19	3	0.2
B21B-096_5-10	12	1	65.3	0.08	1	0.2
B21B-096_10-15	16	2	46.1	0.07	2	0.4
B21B-096_15-20	19	2	58.2	0.10	4	0.2
B21B-096_20-25	18	<1	60.4	0.07	2	0.2
B21B-096_25-30	16	<1	41.6	0.15	2	0.2
B21B-096_30-35	64	5	80.8	0.13	3	0.8
B21B-096_35-40	115	10	152	0.15	5	1.5
B21B-096_40-45	177	13	194	0.13	3	1.5
B21B-096_45-50	154	12	169	0.06	3	1.9
B21B-096_50-55	138	6	93.6	0.19	3	1.0
B21B-096_55-60	107	4	96.6	0.22	3	0.7
B21B-096_60-65	59	2	94.3	0.17	2	0.4
B21B-096_65-70	38	2	53.6	0.08	2	0.6
B21B-096_70-75	50	2	60.0	0.11	2	0.7
B21B-096_75-80	46	2	56.8	0.07	3	0.5
B21B-097_0-5	56	7	124	0.06	8	0.6
B21B-097_5-10	59	2	123	0.08	5	0.6
B21B-097_10-15	46	<1	120	0.07	5	0.6
B21B-097_15-20	34	1	123	0.35	4	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-097_20-25	29	8	126	0.11	12	0.3
B21B-097_25-30	39	<1	119	0.04	3	0.4
B21B-097_30-35	22	1	111	0.10	6	0.3
B21B-097_35-40	23	1	105	0.04	5	0.3
B21B-097_40-45	32	<1	89.2	0.09	5	0.3
B21B-097_45-50	54	2	115	0.05	4	0.5
B21B-097_50-55	45	1	98.3	0.04	4	0.4
B21B-097_55-60	28	1	96.7	0.05	3	0.3
B21B-097_60-65	32	<1	98.3	0.03	4	0.3
B21B-097_65-70	25	1	93.7	0.04	4	0.2
B21B-097_70-75	18	1	90.0	0.05	4	0.2
B21B-097_75-80	20	1	94.8	0.12	3	0.2
B21B-098_0-5	64	4	129	0.22	8	0.6
B21B-098_5-10	50	3	133	0.17	3	0.6
B21B-098_10-15	48	1	109	0.20	2	0.6
B21B-098_15-20	43	<1	112	0.13	2	0.5
B21B-098_20-25	40	1	113	0.15	3	0.5
B21B-098_25-30	33	1	86.5	0.15	3	0.3
B21B-098_30-35	40	1	111	0.09	3	0.6
B21B-098_35-40	38	<1	111	0.12	4	0.4
B21B-098_40-45	43	<1	114	0.24	6	0.3
B21B-098_45-50	28	2	109	0.20	5	0.3
B21B-098_50-55	23	<1	112	0.10	3	0.3
B21B-098_55-60	21	<1	110	0.06	2	0.3
B21B-098_60-65	23	<1	107	0.07	3	0.3
B21B-098_65-70	33	<1	105	0.11	4	0.3
B21B-099_0-5	44	9	135	0.09	7	0.5
B21B-099_5-10	44	2	123	0.06	<1	0.4
B21B-099_10-15	54	<1	109	0.09	<1	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-096_65-70	39	2	55.3	0.10	2	0.7
*Std OREAS 601b	11	315	183	51.23	270	2.2
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	137	259	0.64	33	2.8
*Rep B21B-096_60-65	59	2	95.9	0.17	2	0.4
*Blk BLANK	<2	2	<0.5	0.03	<1	<0.1
*Rep B21B-098_0-5	72	5	135	0.22	9	0.5
*Std OREAS 905	7	136	249	0.69	32	2.8
*Std OREAS 601b	10	314	182	50.90	282	2.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-094_15-20	2.07	<0.02	68.25	0.4	<1	13.0
B21B-094_20-25	1.37	<0.02	75.48	0.1	<1	6.4
B21B-094_25-30	1.97	<0.02	75.25	0.1	<1	5.2
B21B-094_30-35	1.19	<0.02	79.78	0.1	<1	7.5
B21B-094_35-40	1.00	<0.02	59.26	0.2	<1	6.3
B21B-094_40-45	0.38	<0.02	28.60	0.2	<1	6.4
B21B-095_0-5	0.94	<0.02	33.70	0.2	1	10.6
B21B-095_5-10	2.34	<0.02	124	<0.1	1	8.3
B21B-095_10-15	1.33	<0.02	75.11	<0.1	2	11.2
B21B-095_15-20	0.94	<0.02	86.69	0.1	1	12.8
B21B-095_20-25	1.03	<0.02	165	0.2	<1	10.4
B21B-095_25-30	0.63	<0.02	40.94	0.2	<1	12.5
B21B-095_30-35	4.07	<0.02	50.77	0.4	<1	17.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-095_35-40	0.75	0.02	103	1.1	<1	25.8
B21B-095_40-45	0.39	<0.02	135	2.5	<1	32.4
B21B-095_45-50	1.05	<0.02	59.52	1.1	<1	17.1
B21B-095_50-55	0.72	<0.02	60.14	0.3	<1	15.7
B21B-095_55-60	1.35	<0.02	77.85	0.3	<1	14.7
B21B-095_60-65	1.33	<0.02	80.90	0.4	<1	10.5
B21B-095_65-70	0.54	<0.02	51.55	0.3	<1	20.8
B21B-095_70-75	0.95	<0.02	57.86	0.3	<1	13.3
B21B-095_75-80	0.88	<0.02	71.57	1.0	<1	10.4
B21B-096_0-5	0.92	<0.02	14.51	0.3	<1	13.3
B21B-096_5-10	0.78	<0.02	13.75	0.1	<1	12.3
B21B-096_10-15	0.39	<0.02	12.39	0.1	<1	26.5
B21B-096_15-20	0.96	<0.02	23.00	0.1	<1	14.0
B21B-096_20-25	1.24	<0.02	37.76	0.2	<1	15.8
B21B-096_25-30	7.12	<0.02	41.40	0.1	<1	13.8
B21B-096_30-35	2.88	<0.02	56.16	1.1	<1	20.2
B21B-096_35-40	0.92	0.02	80.96	3.5	<1	27.8
B21B-096_40-45	0.69	<0.02	69.71	3.4	<1	28.7
B21B-096_45-50	0.46	<0.02	77.51	4.1	<1	29.2
B21B-096_50-55	3.15	<0.02	51.99	1.9	<1	24.7
B21B-096_55-60	4.93	<0.02	69.19	0.9	<1	21.4
B21B-096_60-65	2.06	<0.02	43.20	0.4	<1	14.9
B21B-096_65-70	1.34	<0.02	41.68	0.3	<1	16.2
B21B-096_70-75	1.19	<0.02	36.09	0.3	<1	16.2
B21B-096_75-80	0.87	<0.02	37.70	0.3	<1	13.0
B21B-097_0-5	4.60	<0.02	73.67	0.8	<1	16.8
B21B-097_5-10	5.19	0.03	55.38	0.3	<1	26.8
B21B-097_10-15	10.14	<0.02	63.46	0.1	<1	26.0
B21B-097_15-20	8.86	<0.02	61.30	0.1	<1	24.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-097_20-25	8.23	0.06	55.39	0.1	<1	23.6
B21B-097_25-30	5.19	<0.02	65.00	0.1	<1	24.4
B21B-097_30-35	3.72	0.02	51.03	0.1	<1	23.3
B21B-097_35-40	3.90	<0.02	50.71	0.1	<1	19.8
B21B-097_40-45	2.80	<0.02	58.75	<0.1	<1	19.6
B21B-097_45-50	6.38	<0.02	170	0.2	<1	26.1
B21B-097_50-55	3.26	<0.02	57.16	0.1	<1	25.3
B21B-097_55-60	3.68	<0.02	42.93	0.1	<1	21.8
B21B-097_60-65	4.04	<0.02	49.55	<0.1	<1	21.2
B21B-097_65-70	3.56	<0.02	54.77	0.1	<1	21.5
B21B-097_70-75	3.31	<0.02	63.46	0.1	<1	23.6
B21B-097_75-80	3.53	<0.02	56.64	0.1	<1	21.2
B21B-098_0-5	15.05	<0.02	71.75	0.9	1	27.9
B21B-098_5-10	13.43	0.02	61.49	0.2	<1	25.9
B21B-098_10-15	6.49	<0.02	59.48	0.2	<1	20.4
B21B-098_15-20	5.50	<0.02	60.25	0.1	<1	19.3
B21B-098_20-25	5.05	<0.02	54.22	0.3	<1	18.8
B21B-098_25-30	6.34	<0.02	41.37	1.2	<1	15.5
B21B-098_30-35	10.18	<0.02	49.80	0.3	<1	21.6
B21B-098_35-40	6.45	<0.02	48.68	1.9	<1	18.9
B21B-098_40-45	9.57	<0.02	54.20	0.4	<1	18.0
B21B-098_45-50	10.50	<0.02	52.79	0.3	<1	15.8
B21B-098_50-55	3.86	<0.02	51.35	0.7	<1	15.7
B21B-098_55-60	2.77	<0.02	48.01	0.9	<1	14.7
B21B-098_60-65	2.31	<0.02	47.34	0.7	<1	14.1
B21B-098_65-70	2.11	<0.02	43.98	0.4	<1	14.6
B21B-099_0-5	3.40	0.03	44.20	3.7	<1	15.7
B21B-099_5-10	0.79	<0.02	39.19	0.2	<1	12.1
B21B-099_10-15	0.96	<0.02	39.87	0.1	<1	15.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-096_65-70	1.33	<0.02	41.57	0.3	<1	16.8
*Std OREAS 601b	16.84	2.14	66.98	2.9	5	23.8
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.55	0.36	85.89	15.2	7	26.6
*Rep B21B-096_60-65	2.07	<0.02	42.68	0.4	<1	15.2
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Rep B21B-098_0-5	15.74	<0.02	67.40	0.9	1	29.7
*Std OREAS 905	5.52	0.35	91.48	13.9	7	24.0
*Std OREAS 601b	16.91	2.16	64.21	2.9	5	23.9

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-094_15-20	3.50	0.03	33.2	0.23	11.94	2.5
B21B-094_20-25	2.60	0.03	36.6	0.25	5.81	1.9
B21B-094_25-30	2.21	<0.02	36.0	0.25	2.64	1.6
B21B-094_30-35	3.23	<0.02	38.2	0.25	1.52	1.9
B21B-094_35-40	3.23	<0.02	30.0	0.24	2.69	2.1
B21B-094_40-45	4.13	0.02	13.9	0.27	2.82	1.3
B21B-095_0-5	2.96	0.08	16.5	0.20	2.79	2.1
B21B-095_5-10	2.84	0.07	59.0	0.20	2.56	1.8
B21B-095_10-15	2.87	0.09	38.2	0.19	1.68	1.9
B21B-095_15-20	2.77	0.06	46.9	0.18	1.97	1.7
B21B-095_20-25	2.57	0.02	83.9	0.18	4.11	1.4
B21B-095_25-30	2.12	0.03	20.4	0.14	7.25	1.2
B21B-095_30-35	2.00	0.08	25.4	0.13	10.31	4.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-095_35-40	3.55	0.12	50.0	0.20	11.22	24.7
B21B-095_40-45	5.32	0.14	61.2	0.27	14.23	32.3
B21B-095_45-50	4.07	0.07	27.3	0.25	7.68	14.3
B21B-095_50-55	3.46	0.03	29.0	0.22	4.44	3.8
B21B-095_55-60	2.60	0.03	39.0	0.18	3.42	2.6
B21B-095_60-65	1.26	<0.02	40.4	0.20	3.04	2.2
B21B-095_65-70	2.48	<0.02	23.7	0.17	2.64	2.1
B21B-095_70-75	2.59	0.04	27.7	0.19	7.65	2.5
B21B-095_75-80	2.78	0.02	33.6	0.20	11.41	2.9
B21B-096_0-5	1.88	<0.02	6.5	0.14	6.75	1.2
B21B-096_5-10	1.95	<0.02	5.8	0.14	2.15	1.5
B21B-096_10-15	1.34	<0.02	4.7	0.09	2.21	1.1
B21B-096_15-20	1.76	0.04	11.0	0.13	13.24	1.4
B21B-096_20-25	1.81	0.03	17.7	0.13	9.71	1.6
B21B-096_25-30	1.26	0.02	20.3	0.10	14.78	1.1
B21B-096_30-35	2.27	0.07	25.5	0.14	13.23	6.8
B21B-096_35-40	4.20	0.10	37.5	0.17	8.34	20.0
B21B-096_40-45	5.15	0.12	29.9	0.19	5.45	24.9
B21B-096_45-50	4.68	0.13	35.1	0.17	4.06	25.7
B21B-096_50-55	2.51	0.13	23.2	0.14	4.80	12.3
B21B-096_55-60	2.70	0.11	30.7	0.17	5.12	11.4
B21B-096_60-65	2.73	0.06	19.8	0.19	4.49	5.6
B21B-096_65-70	1.61	0.04	19.9	0.13	2.72	3.0
B21B-096_70-75	1.65	0.03	16.3	0.11	7.32	3.7
B21B-096_75-80	1.69	0.03	15.6	0.11	8.25	3.5
B21B-097_0-5	3.74	0.05	32.9	0.23	7.76	5.5
B21B-097_5-10	3.74	0.04	25.1	0.29	8.84	3.4
B21B-097_10-15	3.66	0.05	28.2	0.29	6.71	3.0
B21B-097_15-20	3.81	0.02	28.6	0.33	7.72	3.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-097_20-25	3.59	0.03	25.3	0.28	13.37	2.6
B21B-097_25-30	3.49	0.05	30.7	0.30	6.78	3.3
B21B-097_30-35	3.28	0.04	25.1	0.27	11.24	2.0
B21B-097_35-40	3.19	0.08	25.4	0.26	8.45	1.9
B21B-097_40-45	2.63	0.09	30.2	0.20	11.91	1.4
B21B-097_45-50	3.48	0.11	78.4	0.26	10.21	2.4
B21B-097_50-55	3.02	0.15	27.4	0.23	7.23	1.9
B21B-097_55-60	2.97	0.19	21.2	0.25	8.63	1.9
B21B-097_60-65	3.01	0.15	24.8	0.23	8.24	1.6
B21B-097_65-70	2.79	0.12	26.7	0.23	12.22	1.5
B21B-097_70-75	2.58	0.06	30.5	0.19	20.17	1.3
B21B-097_75-80	2.95	0.08	26.6	0.24	15.86	1.5
B21B-098_0-5	3.93	0.05	30.9	0.32	9.62	6.3
B21B-098_5-10	4.06	0.03	26.0	0.38	5.42	4.4
B21B-098_10-15	3.36	0.03	27.3	0.32	5.50	3.3
B21B-098_15-20	3.58	0.03	28.5	0.34	4.41	3.0
B21B-098_20-25	3.36	0.03	25.7	0.31	7.42	3.1
B21B-098_25-30	2.69	<0.02	19.2	0.26	10.24	1.8
B21B-098_30-35	3.37	<0.02	23.4	0.32	7.17	2.8
B21B-098_35-40	3.42	0.04	23.7	0.33	9.72	2.8
B21B-098_40-45	3.46	0.02	26.9	0.33	12.96	2.2
B21B-098_45-50	3.24	<0.02	26.0	0.30	10.32	1.9
B21B-098_50-55	3.34	<0.02	24.9	0.29	11.80	2.1
B21B-098_55-60	3.35	<0.02	23.3	0.30	10.90	2.1
B21B-098_60-65	3.11	<0.02	23.7	0.30	9.61	2.3
B21B-098_65-70	3.09	0.04	22.5	0.30	9.60	2.5
B21B-099_0-5	3.64	0.07	18.8	0.25	3.69	3.6
B21B-099_5-10	3.43	0.09	15.2	0.21	0.78	2.6
B21B-099_10-15	3.01	0.14	16.7	0.18	0.89	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-096_65-70	1.67	0.04	19.8	0.12	2.77	3.3
*Std OREAS 601b	5.48	0.51	34.4	0.08	5.28	15.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.42	0.71	42.9	0.10	3.42	19.1
*Rep B21B-096_60-65	2.78	0.06	19.7	0.19	4.58	5.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-098_0-5	4.19	0.05	28.3	0.33	9.81	6.7
*Std OREAS 905	7.20	0.68	44.3	0.11	3.32	19.7
*Std OREAS 601b	5.37	0.52	31.9	0.07	5.24	15.4

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-094_15-20	84.0	3.3	0.98	5.1	8	1.9
B21B-094_20-25	75.8	6.3	0.48	4.4	<2	2.1
B21B-094_25-30	100	2.9	0.29	3.9	<2	2.1
B21B-094_30-35	101	2.5	0.33	4.0	2	2.0
B21B-094_35-40	63.6	5.0	0.44	4.2	<2	2.2
B21B-094_40-45	33.7	5.2	0.27	5.0	<2	1.5
B21B-095_0-5	81.2	25.6	0.35	5.3	<2	3.0
B21B-095_5-10	234	24.2	0.22	5.2	<2	3.0
B21B-095_10-15	142	30.9	0.21	5.8	<2	3.5
B21B-095_15-20	131	21.9	0.23	5.3	<2	3.0
B21B-095_20-25	205	6.6	0.26	4.1	<2	1.8
B21B-095_25-30	48.0	5.4	0.33	3.7	3	1.6
B21B-095_30-35	50.8	14.4	1.08	5.0	9	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-095_35-40	69.6	7.8	1.28	11.6	<2	1.6
B21B-095_40-45	36.4	4.4	0.66	12.3	<2	2.1
B21B-095_45-50	35.3	7.1	0.75	8.7	<2	1.7
B21B-095_50-55	131	8.1	0.33	5.1	<2	1.9
B21B-095_55-60	159	9.2	0.54	4.4	<2	1.9
B21B-095_60-65	190	4.6	0.31	3.8	<2	1.6
B21B-095_65-70	76.3	3.8	0.26	3.5	<2	1.4
B21B-095_70-75	132	9.8	0.33	4.0	3	1.8
B21B-095_75-80	79.3	4.4	0.38	3.8	<2	1.7
B21B-096_0-5	16.3	1.5	0.37	2.4	6	1.0
B21B-096_5-10	19.9	2.2	0.19	2.4	<2	1.5
B21B-096_10-15	21.3	2.2	0.17	2.3	<2	1.0
B21B-096_15-20	24.2	5.8	0.53	3.4	4	2.3
B21B-096_20-25	45.5	4.2	0.55	3.8	2	3.5
B21B-096_25-30	25.2	7.1	0.53	3.7	5	4.5
B21B-096_30-35	35.5	14.6	0.66	8.6	4	3.7
B21B-096_35-40	38.6	8.7	0.54	15.8	2	2.9
B21B-096_40-45	29.0	4.0	0.46	17.4	<2	2.8
B21B-096_45-50	29.4	6.3	0.65	16.5	<2	2.7
B21B-096_50-55	29.4	22.2	0.47	15.0	2	3.2
B21B-096_55-60	45.0	29.5	1.72	11.2	2	4.3
B21B-096_60-65	27.0	19.1	0.58	6.6	2	3.1
B21B-096_65-70	48.1	15.4	0.30	5.9	<2	2.4
B21B-096_70-75	83.4	11.3	0.43	5.1	<2	2.7
B21B-096_75-80	93.1	10.6	0.40	6.2	3	3.1
B21B-097_0-5	125	14.1	0.92	6.9	<2	2.7
B21B-097_5-10	87.3	3.5	0.83	7.1	13	3.8
B21B-097_10-15	113	3.4	0.66	7.3	14	4.0
B21B-097_15-20	83.7	1.3	0.47	7.2	11	3.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-097_20-25	95.3	1.4	0.85	5.7	20	3.8
B21B-097_25-30	105	2.6	0.51	7.2	10	3.9
B21B-097_30-35	90.8	2.2	0.54	6.6	19	2.7
B21B-097_35-40	70.0	3.0	0.45	6.5	24	3.1
B21B-097_40-45	112	5.1	0.56	6.6	31	2.7
B21B-097_45-50	430	9.1	0.59	7.6	12	4.6
B21B-097_50-55	113	8.3	0.47	7.1	16	4.2
B21B-097_55-60	61.9	4.4	0.45	7.9	13	3.9
B21B-097_60-65	87.8	5.2	0.41	6.8	21	3.3
B21B-097_65-70	109	3.4	0.46	6.2	18	2.8
B21B-097_70-75	159	2.4	0.51	5.3	30	2.2
B21B-097_75-80	137	2.3	0.34	5.3	15	2.7
B21B-098_0-5	80.6	7.2	0.85	9.8	10	3.8
B21B-098_5-10	99.6	2.1	0.58	8.3	7	3.9
B21B-098_10-15	98.0	1.9	0.53	7.1	5	2.7
B21B-098_15-20	105	1.5	0.46	7.3	4	2.9
B21B-098_20-25	91.9	1.4	0.52	6.7	6	2.6
B21B-098_25-30	81.8	0.6	0.48	5.6	12	1.8
B21B-098_30-35	88.5	0.8	0.57	7.1	7	2.9
B21B-098_35-40	71.6	1.5	0.63	7.1	13	2.6
B21B-098_40-45	86.3	0.9	0.96	7.9	25	2.1
B21B-098_45-50	83.9	0.7	0.86	7.2	16	2.0
B21B-098_50-55	80.9	0.6	0.43	7.0	14	2.1
B21B-098_55-60	81.3	0.8	0.40	6.6	12	1.9
B21B-098_60-65	79.8	0.7	0.41	6.4	8	2.0
B21B-098_65-70	93.9	2.3	0.46	7.0	13	2.7
B21B-099_0-5	108	7.9	1.03	6.1	2	2.9
B21B-099_5-10	101	12.6	0.23	5.6	<2	3.5
B21B-099_10-15	140	18.7	0.26	7.3	<2	4.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-096_65-70	49.4	15.7	0.32	6.1	<2	2.7
*Std OREAS 601b	307	99.4	23.81	3.7	9	3.9
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	33.0	135	1.94	5.0	3	4.7
*Rep B21B-096_60-65	27.0	19.3	0.56	6.8	3	3.1
*Blk BLANK	0.9	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-098_0-5	84.7	6.9	0.96	8.9	10	4.4
*Std OREAS 905	33.0	134	2.07	4.9	3	4.6
*Std OREAS 601b	302	92.7	23.49	3.8	9	3.7

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-094_15-20	0.20	0.42	4.79	11.1	0.11	1.59
B21B-094_20-25	0.08	0.44	3.38	10.7	0.21	1.71
B21B-094_25-30	0.08	0.55	1.14	10.5	0.12	1.55
B21B-094_30-35	0.15	0.43	0.54	12.1	0.08	1.45
B21B-094_35-40	0.14	0.39	1.09	9.3	0.16	1.47
B21B-094_40-45	0.09	0.20	2.05	4.9	0.16	1.58
B21B-095_0-5	0.15	0.18	0.69	6.6	0.69	1.02
B21B-095_5-10	0.13	0.40	0.28	21.0	0.70	1.06
B21B-095_10-15	0.13	0.27	0.33	13.0	0.86	0.97
B21B-095_15-20	0.13	0.29	0.47	14.4	0.60	0.93
B21B-095_20-25	0.11	0.45	1.45	26.6	0.18	1.06
B21B-095_25-30	0.10	0.15	4.20	6.6	0.14	0.80
B21B-095_30-35	0.31	0.34	8.65	4.7	0.27	0.86

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-095_35-40	1.63	1.08	7.03	4.7	0.13	0.78
B21B-095_40-45	1.97	1.55	2.00	5.8	0.07	0.93
B21B-095_45-50	0.86	0.59	1.28	4.8	0.11	0.97
B21B-095_50-55	0.23	0.32	0.61	7.8	0.22	1.03
B21B-095_55-60	0.20	0.36	1.06	11.4	0.27	0.92
B21B-095_60-65	0.05	0.40	0.69	10.7	0.13	0.87
B21B-095_65-70	0.15	0.24	0.43	6.1	0.10	0.80
B21B-095_70-75	0.17	0.25	1.36	6.9	0.28	0.91
B21B-095_75-80	0.20	0.31	2.82	7.0	0.13	1.06
B21B-096_0-5	0.09	0.09	2.36	2.6	0.04	0.66
B21B-096_5-10	0.09	0.09	0.41	2.6	0.05	0.67
B21B-096_10-15	0.13	0.09	0.61	2.0	0.04	0.51
B21B-096_15-20	0.09	0.08	3.22	3.9	0.18	0.65
B21B-096_20-25	0.10	0.12	3.01	7.0	0.13	0.67
B21B-096_25-30	0.07	0.15	5.63	7.1	0.11	0.82
B21B-096_30-35	0.49	0.47	5.05	7.4	0.13	0.79
B21B-096_35-40	1.40	0.96	3.40	4.9	0.05	0.85
B21B-096_40-45	1.71	1.20	1.77	4.6	0.03	0.95
B21B-096_45-50	1.77	1.27	1.02	4.3	0.03	0.87
B21B-096_50-55	0.84	0.67	1.82	4.8	0.14	1.13
B21B-096_55-60	0.75	0.72	2.61	5.0	0.38	1.27
B21B-096_60-65	0.36	0.35	3.67	5.1	0.23	0.94
B21B-096_65-70	0.23	0.28	1.79	5.6	0.19	0.76
B21B-096_70-75	0.27	0.27	2.30	4.4	0.19	0.93
B21B-096_75-80	0.25	0.31	1.56	5.8	0.26	1.03
B21B-097_0-5	0.41	0.37	3.95	12.0	0.14	1.86
B21B-097_5-10	0.27	0.26	4.63	9.4	0.09	1.59
B21B-097_10-15	0.26	0.27	2.41	9.8	0.12	1.54
B21B-097_15-20	0.24	0.29	2.13	9.3	0.03	1.68

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-097_20-25	0.19	0.25	3.26	7.7	0.05	1.65
B21B-097_25-30	0.22	0.28	4.25	10.2	0.09	1.60
B21B-097_30-35	0.14	0.22	3.93	7.8	0.07	1.49
B21B-097_35-40	0.11	0.22	3.26	7.5	0.12	1.41
B21B-097_40-45	0.09	0.22	3.26	9.3	0.16	1.23
B21B-097_45-50	0.20	0.56	2.63	23.9	0.27	1.90
B21B-097_50-55	0.14	0.22	2.35	8.2	0.26	1.31
B21B-097_55-60	0.12	0.19	4.26	6.7	0.16	1.42
B21B-097_60-65	0.11	0.20	1.97	7.9	0.18	1.44
B21B-097_65-70	0.11	0.22	3.25	8.4	0.12	1.40
B21B-097_70-75	0.09	0.23	3.88	9.7	0.06	1.29
B21B-097_75-80	0.10	0.23	4.62	9.0	0.08	1.36
B21B-098_0-5	0.46	0.36	3.60	13.0	0.12	2.05
B21B-098_5-10	0.30	0.37	1.79	8.5	0.07	1.93
B21B-098_10-15	0.24	0.29	2.56	9.0	0.08	1.48
B21B-098_15-20	0.21	0.29	1.48	10.9	0.07	1.55
B21B-098_20-25	0.21	0.29	2.22	8.6	0.03	1.57
B21B-098_25-30	0.12	0.27	2.53	7.5	<0.02	1.26
B21B-098_30-35	0.19	0.33	2.44	8.0	0.03	1.53
B21B-098_35-40	0.20	0.31	2.96	8.1	0.07	1.52
B21B-098_40-45	0.17	0.35	5.46	8.2	0.03	1.54
B21B-098_45-50	0.14	0.33	4.41	8.2	0.02	1.41
B21B-098_50-55	0.15	0.35	1.84	8.5	<0.02	1.42
B21B-098_55-60	0.16	0.35	1.23	8.3	0.02	1.39
B21B-098_60-65	0.15	0.38	1.72	9.1	0.03	1.32
B21B-098_65-70	0.16	0.39	1.27	7.8	0.09	1.33
B21B-099_0-5	0.28	0.25	2.16	6.9	0.33	1.69
B21B-099_5-10	0.22	0.17	0.13	5.4	0.73	1.34
B21B-099_10-15	0.20	0.16	0.23	5.0	1.20	1.30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-096_65-70	0.23	0.27	1.73	5.7	0.19	0.79
*Std OREAS 601b	1.22	0.60	13.50	12.9	1.50	4.96
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.43	0.84	0.09	15.7	0.72	5.37
*Rep B21B-096_60-65	0.32	0.35	3.53	5.1	0.22	0.95
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-098_0-5	0.48	0.36	4.02	11.2	0.12	2.17
*Std OREAS 905	1.39	0.87	0.11	15.7	0.73	5.37
*Std OREAS 601b	1.11	0.54	13.48	12.4	1.46	4.82

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-094_15-20	1.7	8.2	1.3
B21B-094_20-25	1.1	8.1	1.3
B21B-094_25-30	1.3	9.6	1.4
B21B-094_30-35	1.5	7.9	1.3
B21B-094_35-40	1.6	7.7	1.3
B21B-094_40-45	1.4	6.6	1.4
B21B-095_0-5	1.0	5.0	1.0
B21B-095_5-10	1.0	5.0	1.0
B21B-095_10-15	1.0	4.7	1.0
B21B-095_15-20	0.9	4.4	1.0
B21B-095_20-25	1.2	4.3	0.9
B21B-095_25-30	1.0	3.3	0.7
B21B-095_30-35	0.8	5.0	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-095_35-40	0.7	16.1	1.3
B21B-095_40-45	0.8	28.2	1.9
B21B-095_45-50	4.3	11.8	1.4
B21B-095_50-55	2.4	5.9	1.2
B21B-095_55-60	1.9	5.4	1.0
B21B-095_60-65	4.5	6.0	1.0
B21B-095_65-70	1.8	4.7	0.9
B21B-095_70-75	3.1	5.2	1.0
B21B-095_75-80	11.5	5.8	1.1
B21B-096_0-5	1.5	3.6	0.7
B21B-096_5-10	1.2	3.7	0.7
B21B-096_10-15	0.8	2.4	0.5
B21B-096_15-20	1.2	3.2	0.7
B21B-096_20-25	1.6	3.4	0.7
B21B-096_25-30	1.4	3.5	0.5
B21B-096_30-35	1.1	11.0	0.9
B21B-096_35-40	0.9	19.4	1.1
B21B-096_40-45	0.9	17.2	1.3
B21B-096_45-50	0.9	19.4	1.2
B21B-096_50-55	0.8	10.9	0.9
B21B-096_55-60	1.8	10.4	1.1
B21B-096_60-65	1.6	7.2	1.1
B21B-096_65-70	1.5	4.8	0.7
B21B-096_70-75	1.9	4.0	0.6
B21B-096_75-80	1.9	4.4	0.6
B21B-097_0-5	1.6	8.0	1.3
B21B-097_5-10	2.6	8.3	1.6
B21B-097_10-15	2.9	8.7	1.6
B21B-097_15-20	3.0	9.6	1.8
B21B-097_20-25	3.1	7.5	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-097_25-30	3.0	9.3	1.7
B21B-097_30-35	2.3	7.7	1.5
B21B-097_35-40	1.8	8.1	1.5
B21B-097_40-45	1.2	6.3	1.1
B21B-097_45-50	2.0	8.2	1.5
B21B-097_50-55	1.3	6.6	1.3
B21B-097_55-60	1.1	7.9	1.4
B21B-097_60-65	1.0	6.7	1.2
B21B-097_65-70	1.2	6.9	1.3
B21B-097_70-75	1.0	5.9	1.1
B21B-097_75-80	1.0	6.6	1.3
B21B-098_0-5	1.7	11.1	1.9
B21B-098_5-10	1.4	11.6	2.2
B21B-098_10-15	1.3	10.2	1.8
B21B-098_15-20	1.4	10.2	1.9
B21B-098_20-25	2.2	10.3	1.8
B21B-098_25-30	9.7	8.4	1.5
B21B-098_30-35	3.0	11.3	1.9
B21B-098_35-40	14.5	11.6	1.9
B21B-098_40-45	4.3	11.6	1.8
B21B-098_45-50	3.1	10.7	1.7
B21B-098_50-55	6.3	10.5	1.7
B21B-098_55-60	10.6	10.2	1.7
B21B-098_60-65	7.8	10.3	1.7
B21B-098_65-70	4.1	10.1	1.7
B21B-099_0-5	7.8	6.3	1.4
B21B-099_5-10	1.8	4.4	1.1
B21B-099_10-15	1.3	3.5	1.0
*Dup B21B-096_65-70	1.7	5.0	0.7
*Std OREAS 601b	6.4	11.5	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(115-189)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11010

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.8	16.9	0.7
*Rep B21B-096_60-65	1.4	7.5	1.1
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-098_0-5	1.9	10.2	1.9
*Std OREAS 905	2.9	15.7	0.7
*Std OREAS 601b	6.7	11.4	0.5

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11012

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	09-Sep-2021 - 08-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	08-Oct-2021
Gold/RABP2/1504 Samples(190-264)		SGS Order Number	BBM21-11012
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-099_15-20	6.12	0.116	2.87	581	0.08	<1
B21B-099_20-25	6.63	0.162	5.89	386	0.03	1
B21B-099_25-30	5.63	0.121	6.38	379	0.03	1
B21B-099_30-35	5.52	0.077	7.20	419	0.03	5
B21B-099_35-40	6.27	0.030	7.87	253	0.02	2
B21B-099_40-45	2.88	0.063	5.91	408	0.03	1
596932	2.58	0.067	-	-	-	-
B21B-099_45-50	6.40	0.326	3.65	108	0.01	2
B21B-099_50-55	4.84	0.208	2.54	151	0.01	2
B21B-099_55-60	5.44	0.242	2.49	210	0.01	3
B21B-099_60-65	7.82	0.212	2.96	177	0.01	2
B21B-099_65-70	4.64	0.157	4.02	218	<0.01	2
B21B-099_70-75	4.73	0.191	3.17	180	0.01	2
B21B-099_75-80	7.05	0.133	5.57	272	0.03	2
B21B-100_0-5	3.42	0.048	7.29	169	0.02	10
B21B-100_5-10	6.31	0.070	7.37	377	0.02	3
B21B-100_10-15	7.18	0.244	6.30	279	0.02	3
B21B-100_15-20	5.32	0.282	5.74	246	0.02	2
B21B-100_20-25	5.22	0.307	5.22	208	0.01	3
B21B-100_25-30	5.76	1.392	5.64	306	0.01	2
B21B-100_30-35	6.06	2.410	5.18	221	0.01	3
B21B-100_35-40	3.66	0.735	4.79	575	<0.01	6
B21B-100_40-45	4.42	0.234	7.00	687	0.02	77
B21B-100_45-50	6.55	0.138	8.29	464	0.03	244
596933	0.05	0.758	-	-	-	-
B21B-100_50-55	5.54	0.150	10.19	678	0.03	335
B21B-100_55-60	5.06	0.100	11.15	864	0.02	423
B21B-100_60-65	4.48	0.110	8.12	765	0.03	253
B21B-100_65-70	4.93	0.257	6.24	620	0.02	60

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-100_70-75	5.28	0.153	6.74	582	0.02	47
B21B-100_75-80	6.65	0.153	6.74	302	<0.01	27
B21B-101_0-5	1.82	0.105	9.57	511	0.03	21
B21B-101_5-10	4.81	0.096	9.24	248	0.01	3
B21B-101_10-15	2.97	0.060	11.49	313	0.02	2
B21B-101_15-20	6.48	0.185	6.57	472	0.03	2
B21B-101_20-25	4.73	0.203	4.79	436	0.02	3
B21B-101_25-30	4.59	0.158	5.76	374	0.03	2
B21B-101_30-35	3.77	0.171	6.08	235	0.03	2
B21B-101_35-40	2.67	0.073	7.95	521	0.03	3
B21B-101_40-45	3.44	0.213	6.68	435	0.02	2
B21B-101_45-50	2.75	0.150	5.23	408	0.02	4
B21B-101_50-55	4.08	0.193	5.10	420	0.02	3
B21B-101_55-60	4.35	0.122	6.62	401	0.02	4
B21B-101_60-65	4.47	0.294	6.30	457	0.03	3
596934	2.84	0.008	-	-	-	-
B21B-101_65-70	3.06	0.369	6.47	474	0.03	4
B21B-101_70-75	4.28	0.580	6.20	331	0.03	10
B21B-101_75-80	4.16	0.226	6.42	386	0.02	4
B21B-102_0-5	3.74	0.246	7.16	311	0.03	8
B21B-102_5-10	4.49	0.257	1.90	144	<0.01	1
B21B-102_10-15	2.19	0.144	5.32	401	0.02	3
B21B-102_15-20	2.63	0.149	4.77	493	0.02	2
B21B-102_20-25	2.40	0.222	4.02	238	0.02	3
B21B-102_25-30	3.34	0.555	4.59	258	0.02	3
B21B-102_30-35	3.00	0.171	4.47	237	0.02	2
B21B-102_35-40	2.59	0.200	4.54	223	0.03	3
B21B-102_40-45	3.09	0.226	5.38	379	0.02	2
B21B-102_45-50	3.38	0.215	5.41	377	0.02	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-102_50-55	3.60	0.333	5.77	235	0.02	2
B21B-102_55-60	3.26	0.240	4.28	288	0.02	3
B21B-102_60-65	2.51	0.249	4.23	222	0.02	2
B21B-102_65-70	2.80	0.153	3.67	175	0.02	4
B21B-102_70-75	2.11	0.159	4.61	169	0.02	3
B21B-102_75-80	4.46	0.208	4.58	182	0.02	4
B21B-103_0-5	4.14	0.042	7.08	242	0.03	4
B21B-103_5-10	3.06	0.162	5.29	461	0.02	4
B21B-103_10-15	2.37	0.316	5.09	565	0.03	3
596935	2.92	0.221	-	-	-	-
B21B-103_15-20	2.99	0.195	5.20	147	0.03	2
B21B-103_20-25	2.92	0.176	4.95	252	0.02	4
B21B-103_25-30	2.06	0.171	5.87	139	0.02	2
B21B-103_30-35	3.24	0.436	5.91	112	0.02	4
B21B-103_35-40	3.51	0.745	6.55	100	0.02	4
B21B-103_40-45	4.00	0.408	6.11	131	0.02	4
B21B-103_45-50	2.18	0.301	5.98	101	0.03	2
*Dup B21B-101_30-35	-	0.164	6.04	167	0.03	3
*Std OREAS 601b	-	-	6.38	553	0.85	18
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std OREAS 905	-	-	6.96	2560	0.55	16
*Rep B21B-101_30-35	-	-	5.92	322	0.03	2
*Blk BLANK	-	-	0.01	2	<0.01	<1
*Std OREAS 601b	-	-	6.81	292	0.87	19
*Rep B21B-102_55-60	-	-	4.17	284	0.02	3
*Std OREAS 905	-	-	6.89	2632	0.57	13
*Rep B21B-103_45-50	-	0.314	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	3.161	-	-	-	-
*Rep B21B-100_35-40	-	0.733	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	3.042	-	-	-	-
*Rep B21B-101_5-10	-	0.092	-	-	-	-
*Std SN106	-	8.570	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 502c	-	0.501	-	-	-	-
*Rep B21B-102_60-65	-	0.260	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-099_15-20	3.8	0.20	0.27	1	<0.01	20
B21B-099_20-25	4.2	0.17	0.29	2	<0.01	15
B21B-099_25-30	5.4	0.17	0.13	2	<0.01	16
B21B-099_30-35	3.5	0.18	0.30	2	<0.01	15
B21B-099_35-40	5.9	0.19	0.58	2	<0.01	15
B21B-099_40-45	5.6	0.16	0.58	2	<0.01	11
B21B-099_45-50	9.7	0.57	0.93	<1	<0.01	16
B21B-099_50-55	25.5	0.27	0.54	<1	<0.01	16
B21B-099_55-60	17.3	0.27	0.41	1	<0.01	18
B21B-099_60-65	14.6	0.28	0.27	2	<0.01	16
B21B-099_65-70	18.5	0.24	0.34	1	<0.01	17
B21B-099_70-75	16.9	0.35	0.60	1	<0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-099_75-80	27.5	0.47	0.34	3	<0.01	17
B21B-100_0-5	10.4	0.92	0.13	6	0.01	24
B21B-100_5-10	32.5	0.30	0.14	3	<0.01	21
B21B-100_10-15	21.8	1.42	0.11	3	<0.01	18
B21B-100_15-20	33.5	1.82	0.05	2	<0.01	14
B21B-100_20-25	88.0	3.10	0.06	2	<0.01	20
B21B-100_25-30	113	3.37	0.44	3	<0.01	15
B21B-100_30-35	72.0	2.50	0.69	3	0.02	16
B21B-100_35-40	44.2	1.16	0.90	3	0.03	18
B21B-100_40-45	24.0	1.07	0.95	4	0.05	21
B21B-100_45-50	31.0	1.94	0.44	8	0.06	49
B21B-100_50-55	22.7	1.50	0.42	7	0.05	56
B21B-100_55-60	6.9	1.78	0.45	7	0.05	63
B21B-100_60-65	8.5	2.07	0.69	7	0.05	26
B21B-100_65-70	22.1	2.54	0.91	3	0.04	18
B21B-100_70-75	13.9	2.03	2.00	3	0.08	19
B21B-100_75-80	11.5	2.27	2.44	2	0.07	17
B21B-101_0-5	9.3	1.37	1.50	9	0.03	25
B21B-101_5-10	2.0	0.23	1.88	3	<0.01	10
B21B-101_10-15	2.4	0.20	3.08	2	<0.01	11
B21B-101_15-20	7.7	0.20	1.66	1	<0.01	16
B21B-101_20-25	6.2	0.25	1.44	<1	<0.01	24
B21B-101_25-30	4.8	0.23	1.69	1	<0.01	22
B21B-101_30-35	5.2	0.24	1.73	1	<0.01	25
B21B-101_35-40	3.6	0.19	2.12	1	<0.01	17
B21B-101_40-45	4.9	0.27	1.76	1	<0.01	20
B21B-101_45-50	6.6	0.63	1.45	1	<0.01	25
B21B-101_50-55	5.6	0.59	1.24	1	<0.01	27
B21B-101_55-60	3.9	0.30	2.03	1	<0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-101_60-65	4.3	0.25	1.88	1	<0.01	20
B21B-101_65-70	8.6	1.05	1.75	<1	<0.01	21
B21B-101_70-75	10.9	2.26	1.79	2	<0.01	25
B21B-101_75-80	5.7	1.14	1.83	1	<0.01	21
B21B-102_0-5	21.2	2.33	0.39	4	0.01	31
B21B-102_5-10	2.2	0.55	0.04	<1	<0.01	10
B21B-102_10-15	5.0	2.19	0.11	2	<0.01	21
B21B-102_15-20	3.7	0.76	0.03	1	<0.01	21
B21B-102_20-25	12.9	2.79	0.05	<1	<0.01	21
B21B-102_25-30	6.7	2.15	0.04	<1	<0.01	19
B21B-102_30-35	7.1	2.24	0.03	<1	<0.01	17
B21B-102_35-40	6.0	2.39	0.05	1	<0.01	18
B21B-102_40-45	8.1	1.94	0.11	1	<0.01	19
B21B-102_45-50	7.8	2.87	0.20	2	<0.01	19
B21B-102_50-55	11.6	2.77	0.47	1	<0.01	20
B21B-102_55-60	39.8	3.91	0.17	2	<0.01	20
B21B-102_60-65	25.6	3.73	0.18	2	<0.01	20
B21B-102_65-70	71.8	3.46	0.10	1	<0.01	23
B21B-102_70-75	79.3	4.59	0.08	2	<0.01	24
B21B-102_75-80	98.8	5.00	0.05	2	<0.01	19
B21B-103_0-5	5.4	0.41	2.48	1	<0.01	19
B21B-103_5-10	9.0	1.07	1.82	<1	<0.01	20
B21B-103_10-15	6.8	1.01	1.48	<1	<0.01	19
B21B-103_15-20	3.3	0.33	1.59	<1	<0.01	25
B21B-103_20-25	3.9	0.38	1.57	1	<0.01	27
B21B-103_25-30	2.8	0.27	2.02	<1	<0.01	28
B21B-103_30-35	2.7	0.36	2.07	1	<0.01	34
B21B-103_35-40	3.0	0.30	1.98	1	<0.01	23
B21B-103_40-45	3.3	0.30	1.96	<1	<0.01	28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-103_45-50	2.7	0.25	2.07	<1	<0.01	23
*Dup B21B-101_30-35	5.1	0.22	1.68	<1	<0.01	22
*Std OREAS 601b	1014	2.23	2.42	23	0.10	208
*Blk BLANK	1.0	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1523	3.86	2.88	20	0.26	354
*Rep B21B-101_30-35	5.1	0.24	1.71	1	<0.01	25
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1000	2.33	2.51	23	0.10	212
*Rep B21B-102_55-60	39.7	3.80	0.17	2	<0.01	19
*Std OREAS 905	1448	3.71	2.91	20	0.27	355

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-099_15-20	0.06	<1	0.11	0.22	494	0.06
B21B-099_20-25	0.07	<1	0.06	0.22	457	0.05
B21B-099_25-30	0.05	<1	0.05	0.17	382	0.05
B21B-099_30-35	0.09	2	0.06	0.23	275	0.05
B21B-099_35-40	0.08	<1	0.04	0.13	322	0.05
B21B-099_40-45	0.09	<1	0.06	0.17	428	0.05
B21B-099_45-50	0.08	2	0.02	0.05	118	0.06
B21B-099_50-55	0.06	2	0.02	0.07	218	0.07
B21B-099_55-60	0.06	2	0.03	0.08	178	0.06
B21B-099_60-65	0.04	2	0.02	0.07	120	0.05
B21B-099_65-70	0.06	3	0.02	0.12	100	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-099_70-75	0.09	2	0.02	0.14	150	0.05
B21B-099_75-80	0.08	5	0.05	0.17	229	0.04
B21B-100_0-5	0.04	4	0.03	0.09	108	0.11
B21B-100_5-10	0.06	2	0.05	0.06	148	0.07
B21B-100_10-15	0.03	2	0.05	0.05	136	0.06
B21B-100_15-20	0.04	2	0.04	0.05	132	0.05
B21B-100_20-25	0.03	2	0.04	0.05	121	0.05
B21B-100_25-30	0.18	2	0.05	0.04	205	0.04
B21B-100_30-35	0.40	1	0.05	0.04	243	0.06
B21B-100_35-40	0.43	2	0.06	0.03	311	0.09
B21B-100_40-45	0.21	44	0.03	0.02	147	0.44
B21B-100_45-50	0.06	33	0.06	0.02	142	1.10
B21B-100_50-55	0.04	37	0.07	0.02	155	1.70
B21B-100_55-60	0.03	53	0.08	0.02	130	1.79
B21B-100_60-65	0.07	86	0.06	0.02	130	0.74
B21B-100_65-70	0.38	16	0.06	0.04	203	0.21
B21B-100_70-75	0.15	10	0.05	0.04	168	0.22
B21B-100_75-80	0.12	7	0.04	0.03	131	0.19
B21B-101_0-5	0.25	6	0.08	2.62	562	0.13
B21B-101_5-10	0.13	<1	0.04	1.24	278	0.09
B21B-101_10-15	0.17	<1	0.05	1.61	370	0.09
B21B-101_15-20	0.21	<1	0.07	2.65	559	0.08
B21B-101_20-25	0.21	<1	0.05	2.66	383	0.08
B21B-101_25-30	0.25	<1	0.07	3.40	606	0.08
B21B-101_30-35	0.26	<1	0.08	3.73	658	0.08
B21B-101_35-40	0.25	1	0.06	2.90	562	0.08
B21B-101_40-45	0.18	1	0.05	2.34	481	0.08
B21B-101_45-50	0.18	1	0.05	2.14	420	0.07
B21B-101_50-55	0.16	1	0.05	2.04	414	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-101_55-60	0.20	2	0.04	2.70	343	0.10
B21B-101_60-65	0.27	1	0.06	3.36	509	0.08
B21B-101_65-70	0.26	2	0.06	3.42	441	0.07
B21B-101_70-75	0.29	3	0.06	3.49	484	0.06
B21B-101_75-80	0.24	2	0.05	2.99	431	0.06
B21B-102_0-5	0.07	3	0.06	0.59	327	0.09
B21B-102_5-10	<0.01	<1	0.02	0.04	86.5	0.03
B21B-102_10-15	0.02	1	0.06	0.12	258	0.07
B21B-102_15-20	0.02	2	0.06	0.06	208	0.07
B21B-102_20-25	0.02	<1	0.05	0.09	216	0.05
B21B-102_25-30	0.02	2	0.05	0.08	257	0.06
B21B-102_30-35	0.02	2	0.05	0.08	252	0.06
B21B-102_35-40	0.02	1	0.05	0.07	256	0.06
B21B-102_40-45	0.02	3	0.06	0.07	279	0.05
B21B-102_45-50	0.03	4	0.06	0.06	267	0.06
B21B-102_50-55	0.03	2	0.05	0.06	252	0.06
B21B-102_55-60	0.02	1	0.05	0.07	225	0.06
B21B-102_60-65	0.02	1	0.04	0.11	218	0.07
B21B-102_65-70	0.01	3	0.04	2.14	216	0.06
B21B-102_70-75	0.01	3	0.04	2.20	284	0.05
B21B-102_75-80	0.01	6	0.05	4.55	256	0.06
B21B-103_0-5	0.30	<1	0.07	3.66	388	0.09
B21B-103_5-10	0.19	<1	0.05	2.67	308	0.09
B21B-103_10-15	0.17	<1	0.06	2.49	316	0.08
B21B-103_15-20	0.21	<1	0.07	2.98	385	0.08
B21B-103_20-25	0.21	3	0.06	3.05	333	0.07
B21B-103_25-30	0.27	<1	0.06	4.04	367	0.06
B21B-103_30-35	0.27	1	0.06	4.13	348	0.07
B21B-103_35-40	0.27	2	0.07	3.97	368	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-103_40-45	0.27	1	0.06	3.93	333	0.08
B21B-103_45-50	0.28	2	0.06	4.30	361	0.08
*Dup B21B-101_30-35	0.25	<1	0.08	3.46	640	0.09
*Std OREAS 601b	1.84	6	0.03	1.47	241	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.30	8	0.03	0.07	154	0.12
*Rep B21B-101_30-35	0.25	<1	0.08	3.26	653	0.08
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.8	<0.01
*Std OREAS 601b	1.90	5	0.03	1.47	246	0.13
*Rep B21B-102_55-60	0.02	2	0.05	0.07	217	0.05
*Std OREAS 905	2.30	8	0.03	0.08	152	0.12

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	17	<1	17.8	<0.02	<1	0.1
B21B-099_20-25	21	<1	120	<0.02	<1	0.2
B21B-099_25-30	14	<1	119	<0.02	<1	0.2
B21B-099_30-35	18	<1	123	<0.02	<1	0.2
B21B-099_35-40	29	<1	104	<0.02	<1	0.3
B21B-099_40-45	26	<1	106	<0.02	<1	0.2
B21B-099_45-50	31	<1	114	0.11	3	0.1
B21B-099_50-55	25	<1	110	0.04	2	<0.1
B21B-099_55-60	20	<1	101	0.03	2	<0.1
B21B-099_60-65	16	<1	98.0	0.03	1	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_65-70	18	<1	105	0.03	<1	0.2
B21B-099_70-75	23	<1	99.5	0.04	2	0.1
B21B-099_75-80	24	<1	90.5	0.05	2	0.2
B21B-100_0-5	42	3	143	<0.02	5	0.4
B21B-100_5-10	29	<1	129	0.07	1	0.4
B21B-100_10-15	30	<1	122	0.11	5	0.3
B21B-100_15-20	23	<1	104	0.10	4	0.3
B21B-100_20-25	24	<1	115	0.08	4	0.2
B21B-100_25-30	36	<1	99.1	0.12	3	0.3
B21B-100_30-35	50	<1	94.8	0.24	7	0.2
B21B-100_35-40	77	1	93.9	0.27	6	0.3
B21B-100_40-45	86	3	102	0.12	4	0.5
B21B-100_45-50	132	11	167	<0.02	2	1.2
B21B-100_50-55	159	15	223	<0.02	2	1.6
B21B-100_55-60	184	24	268	<0.02	2	2.0
B21B-100_60-65	160	11	143	0.06	2	1.2
B21B-100_65-70	66	3	80.5	0.21	2	0.5
B21B-100_70-75	60	6	88.4	0.12	3	1.0
B21B-100_75-80	55	7	96.9	0.12	3	1.0
B21B-101_0-5	68	5	149	<0.02	6	0.3
B21B-101_5-10	46	<1	115	<0.02	2	0.3
B21B-101_10-15	59	<1	125	<0.02	1	0.3
B21B-101_15-20	38	<1	143	<0.02	2	0.1
B21B-101_20-25	25	<1	136	<0.02	<1	<0.1
B21B-101_25-30	28	<1	135	<0.02	2	<0.1
B21B-101_30-35	27	<1	135	<0.02	<1	0.1
B21B-101_35-40	33	<1	128	<0.02	1	0.2
B21B-101_40-45	29	<1	137	0.05	1	0.2
B21B-101_45-50	28	1	136	0.07	1	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-101_50-55	25	<1	128	0.07	2	0.1
B21B-101_55-60	36	<1	124	0.13	2	0.2
B21B-101_60-65	33	1	127	0.02	<1	0.1
B21B-101_65-70	36	1	125	0.12	5	0.1
B21B-101_70-75	37	<1	123	0.28	15	0.1
B21B-101_75-80	35	<1	121	0.11	7	0.1
B21B-102_0-5	48	3	149	0.12	7	0.4
B21B-102_5-10	12	2	49.7	0.04	2	<0.1
B21B-102_10-15	31	2	142	0.18	5	0.3
B21B-102_15-20	23	1	135	0.07	3	0.3
B21B-102_20-25	23	1	135	0.08	5	0.2
B21B-102_25-30	22	1	126	0.09	4	0.2
B21B-102_30-35	21	1	121	0.15	4	0.2
B21B-102_35-40	22	<1	121	0.10	4	0.2
B21B-102_40-45	32	<1	137	0.09	5	0.3
B21B-102_45-50	47	2	133	0.25	5	0.3
B21B-102_50-55	73	1	135	0.12	5	0.3
B21B-102_55-60	45	2	141	0.08	6	0.2
B21B-102_60-65	42	<1	134	0.24	6	0.2
B21B-102_65-70	32	2	129	0.21	4	0.2
B21B-102_70-75	32	1	130	0.17	6	0.2
B21B-102_75-80	31	2	129	0.29	6	0.3
B21B-103_0-5	55	1	138	0.03	3	0.3
B21B-103_5-10	37	2	130	0.09	8	0.2
B21B-103_10-15	35	1	129	0.12	8	0.1
B21B-103_15-20	30	1	120	0.04	2	<0.1
B21B-103_20-25	29	1	120	0.04	2	<0.1
B21B-103_25-30	37	<1	119	0.03	1	<0.1
B21B-103_30-35	38	<1	111	0.03	1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_35-40	41	<1	104	0.04	1	0.1
B21B-103_40-45	40	<1	117	0.04	2	<0.1
B21B-103_45-50	37	<1	116	0.03	1	<0.1
*Dup B21B-101_30-35	27	<1	137	<0.02	1	0.1
*Std OREAS 601b	11	322	180	51.00	300	2.5
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	136	238	0.42	30	3.1
*Rep B21B-101_30-35	27	<1	135	<0.02	1	0.1
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	323	177	49.73	281	2.2
*Rep B21B-102_55-60	42	<1	137	0.09	6	0.2
*Std OREAS 905	9	136	240	0.56	35	2.9

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	1.48	<0.02	47.51	0.1	<1	3.0
B21B-099_20-25	0.85	<0.02	50.51	0.1	<1	7.4
B21B-099_25-30	0.63	<0.02	50.49	0.1	<1	9.9
B21B-099_30-35	0.72	<0.02	46.67	0.1	<1	10.8
B21B-099_35-40	0.52	<0.02	53.41	0.1	<1	10.9
B21B-099_40-45	0.91	<0.02	52.24	<0.1	<1	8.9
B21B-099_45-50	0.98	<0.02	16.42	0.1	<1	5.4
B21B-099_50-55	0.92	<0.02	15.56	0.1	<1	3.4
B21B-099_55-60	0.85	<0.02	15.34	0.2	<1	3.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_60-65	0.67	<0.02	12.67	0.2	<1	3.4
B21B-099_65-70	0.56	<0.02	10.97	0.2	<1	5.0
B21B-099_70-75	0.74	<0.02	16.52	0.3	<1	4.1
B21B-099_75-80	1.05	<0.02	25.41	0.3	<1	10.0
B21B-100_0-5	4.45	<0.02	59.94	0.5	<1	17.3
B21B-100_5-10	3.71	<0.02	105	0.2	<1	16.5
B21B-100_10-15	2.58	<0.02	65.99	0.1	<1	13.7
B21B-100_15-20	2.30	<0.02	47.10	0.1	<1	12.7
B21B-100_20-25	2.15	<0.02	55.58	0.1	<1	14.0
B21B-100_25-30	7.22	<0.02	53.21	0.1	<1	16.6
B21B-100_30-35	11.13	<0.02	56.81	0.1	<1	15.5
B21B-100_35-40	6.69	<0.02	70.85	0.1	<1	14.7
B21B-100_40-45	3.24	<0.02	59.07	0.6	<1	17.3
B21B-100_45-50	1.83	<0.02	98.78	1.5	<1	21.6
B21B-100_50-55	1.98	<0.02	131	2.8	<1	28.3
B21B-100_55-60	0.90	<0.02	137	3.5	<1	30.3
B21B-100_60-65	8.10	<0.02	81.40	1.9	<1	20.9
B21B-100_65-70	7.37	<0.02	56.05	0.5	<1	15.7
B21B-100_70-75	9.53	<0.02	60.88	0.3	<1	17.2
B21B-100_75-80	5.91	<0.02	59.33	0.3	<1	17.0
B21B-101_0-5	3.89	<0.02	123	0.7	1	17.6
B21B-101_5-10	5.27	<0.02	57.87	0.1	<1	22.8
B21B-101_10-15	0.75	<0.02	67.73	<0.1	<1	24.1
B21B-101_15-20	4.77	<0.02	104	<0.1	<1	10.7
B21B-101_20-25	2.67	<0.02	55.18	0.1	<1	6.5
B21B-101_25-30	2.56	<0.02	89.23	0.1	<1	7.4
B21B-101_30-35	1.86	<0.02	90.05	0.1	<1	6.7
B21B-101_35-40	0.96	<0.02	52.96	0.1	<1	9.9
B21B-101_40-45	1.76	<0.02	52.46	0.2	<1	9.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-101_45-50	1.50	<0.02	52.34	0.3	<1	8.7
B21B-101_50-55	1.85	<0.02	48.19	0.2	<1	8.9
B21B-101_55-60	1.08	<0.02	50.09	0.2	<1	15.1
B21B-101_60-65	2.23	<0.02	67.90	0.2	<1	13.8
B21B-101_65-70	2.46	<0.02	61.37	0.3	<1	15.8
B21B-101_70-75	4.73	<0.02	61.60	0.3	<1	13.6
B21B-101_75-80	2.06	<0.02	54.69	0.3	<1	14.8
B21B-102_0-5	9.54	<0.02	81.65	0.7	<1	27.9
B21B-102_5-10	2.73	<0.02	19.85	<0.1	<1	10.4
B21B-102_10-15	7.63	<0.02	69.86	0.2	<1	27.8
B21B-102_15-20	5.18	<0.02	60.01	0.1	<1	21.7
B21B-102_20-25	6.35	<0.02	65.36	0.1	<1	19.6
B21B-102_25-30	5.78	<0.02	54.29	0.1	<1	18.2
B21B-102_30-35	7.05	<0.02	47.73	0.1	<1	15.9
B21B-102_35-40	7.18	<0.02	46.69	0.1	<1	15.7
B21B-102_40-45	6.83	<0.02	54.26	0.1	<1	20.7
B21B-102_45-50	7.98	<0.02	54.14	0.2	<1	21.9
B21B-102_50-55	22.01	<0.02	60.47	0.1	<1	32.2
B21B-102_55-60	34.17	<0.02	59.10	0.1	<1	28.8
B21B-102_60-65	28.07	<0.02	56.25	0.2	<1	24.9
B21B-102_65-70	20.60	<0.02	58.42	2.3	<1	19.8
B21B-102_70-75	24.53	<0.02	45.96	3.0	<1	26.4
B21B-102_75-80	29.91	0.04	54.04	5.2	<1	27.5
B21B-103_0-5	8.21	<0.02	94.21	0.3	<1	41.4
B21B-103_5-10	6.69	<0.02	76.24	0.2	<1	28.0
B21B-103_10-15	6.32	<0.02	77.46	0.2	<1	24.5
B21B-103_15-20	5.10	<0.02	75.19	0.1	<1	19.0
B21B-103_20-25	5.36	<0.02	66.61	0.2	<1	16.3
B21B-103_25-30	5.63	<0.02	63.89	0.1	<1	17.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_30-35	6.25	<0.02	69.51	0.2	<1	17.4
B21B-103_35-40	4.95	<0.02	71.11	0.2	<1	19.4
B21B-103_40-45	3.67	<0.02	72.63	0.2	<1	19.3
B21B-103_45-50	3.56	<0.02	63.67	0.2	<1	17.4
*Dup B21B-101_30-35	1.80	<0.02	87.53	0.1	<1	6.8
*Std OREAS 601b	17.90	2.07	75.78	3.2	5	25.4
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.76	0.31	92.45	14.0	7	24.2
*Rep B21B-101_30-35	1.81	<0.02	87.86	0.1	<1	6.7
*Blk BLANK	<0.04	<0.02	0.10	<0.1	<1	<0.1
*Std OREAS 601b	17.17	1.81	68.57	2.9	4	22.8
*Rep B21B-102_55-60	32.87	<0.02	56.61	0.1	<1	27.3
*Std OREAS 905	5.84	0.32	88.10	15.0	5	26.3

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	0.26	0.02	21.9	0.24	1.16	0.3
B21B-099_20-25	3.44	<0.02	22.2	0.23	0.98	1.9
B21B-099_25-30	3.38	<0.02	23.1	0.22	1.36	1.7
B21B-099_30-35	3.50	<0.02	22.9	0.23	1.81	2.1
B21B-099_35-40	3.02	0.05	25.5	0.20	1.30	1.7
B21B-099_40-45	3.04	0.05	24.4	0.21	1.99	1.7
B21B-099_45-50	3.36	0.07	7.8	0.23	9.63	1.6
B21B-099_50-55	3.13	0.04	7.2	0.22	5.42	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_55-60	2.73	0.03	7.4	0.22	10.40	1.5
B21B-099_60-65	2.60	0.02	6.4	0.22	5.71	1.3
B21B-099_65-70	2.98	0.02	5.6	0.21	4.69	1.9
B21B-099_70-75	2.90	0.03	8.3	0.19	8.14	1.5
B21B-099_75-80	2.58	0.02	12.9	0.17	9.56	1.5
B21B-100_0-5	4.28	0.04	26.3	0.34	4.83	4.3
B21B-100_5-10	3.77	0.04	40.2	0.28	3.78	2.4
B21B-100_10-15	3.67	0.06	29.5	0.30	11.47	2.3
B21B-100_15-20	3.15	0.03	23.2	0.27	11.55	1.8
B21B-100_20-25	3.58	0.04	26.7	0.30	11.85	2.0
B21B-100_25-30	3.06	0.17	26.6	0.23	26.62	1.4
B21B-100_30-35	2.89	0.32	27.8	0.25	26.14	1.8
B21B-100_35-40	3.02	0.43	33.6	0.27	19.10	2.7
B21B-100_40-45	2.79	0.29	28.5	0.21	9.35	8.5
B21B-100_45-50	4.67	0.18	42.5	0.22	5.03	21.2
B21B-100_50-55	6.56	0.17	54.5	0.28	4.96	37.1
B21B-100_55-60	7.73	0.20	57.7	0.25	5.53	40.5
B21B-100_60-65	3.90	0.17	36.5	0.16	4.56	17.0
B21B-100_65-70	2.48	0.14	27.4	0.18	10.02	4.6
B21B-100_70-75	2.73	0.54	28.7	0.22	12.03	5.1
B21B-100_75-80	3.02	0.70	27.5	0.21	18.03	5.0
B21B-101_0-5	4.50	0.08	54.7	0.27	5.70	5.4
B21B-101_5-10	3.52	0.17	23.5	0.21	2.15	3.1
B21B-101_10-15	3.73	0.26	27.4	0.24	1.81	3.3
B21B-101_15-20	4.14	0.08	43.5	0.28	3.61	2.9
B21B-101_20-25	3.94	0.06	25.8	0.27	2.41	2.8
B21B-101_25-30	3.99	0.05	40.4	0.27	2.23	2.8
B21B-101_30-35	4.13	0.04	42.4	0.29	2.09	2.9
B21B-101_35-40	3.82	0.11	21.9	0.20	1.52	3.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-101_40-45	3.93	0.09	23.9	0.22	2.31	2.9
B21B-101_45-50	3.81	0.06	22.2	0.22	3.63	2.7
B21B-101_50-55	3.58	0.04	22.2	0.22	3.70	2.6
B21B-101_55-60	3.63	0.11	22.3	0.22	3.46	3.5
B21B-101_60-65	3.74	0.06	30.0	0.23	3.48	3.1
B21B-101_65-70	3.68	0.06	27.0	0.22	7.79	2.6
B21B-101_70-75	3.67	0.06	27.4	0.22	10.16	2.2
B21B-101_75-80	3.61	0.08	24.8	0.21	8.22	2.4
B21B-102_0-5	4.49	0.04	38.3	0.24	5.96	3.5
B21B-102_5-10	1.56	<0.02	9.1	0.09	2.12	0.9
B21B-102_10-15	4.23	0.02	30.3	0.25	8.55	2.7
B21B-102_15-20	4.07	<0.02	26.5	0.27	6.53	2.5
B21B-102_20-25	3.94	<0.02	28.5	0.25	12.09	2.0
B21B-102_25-30	3.77	<0.02	23.6	0.21	9.74	2.2
B21B-102_30-35	3.56	<0.02	21.8	0.19	11.28	2.0
B21B-102_35-40	3.72	<0.02	21.0	0.20	12.63	2.1
B21B-102_40-45	4.10	0.02	24.4	0.23	13.36	2.0
B21B-102_45-50	4.15	0.05	24.3	0.23	14.12	2.2
B21B-102_50-55	4.00	0.17	26.4	0.24	8.82	2.2
B21B-102_55-60	4.13	0.07	27.7	0.26	13.33	2.1
B21B-102_60-65	4.10	0.07	26.0	0.25	10.59	2.6
B21B-102_65-70	3.84	0.04	24.3	0.29	12.36	2.3
B21B-102_70-75	3.98	0.04	19.7	0.24	16.01	2.1
B21B-102_75-80	3.82	0.04	21.9	0.26	13.94	2.4
B21B-103_0-5	4.11	0.07	47.5	0.27	4.04	3.6
B21B-103_5-10	3.89	0.06	38.0	0.29	4.01	3.7
B21B-103_10-15	3.86	0.05	38.3	0.28	6.02	3.4
B21B-103_15-20	3.46	0.04	36.4	0.25	3.27	3.1
B21B-103_20-25	3.62	0.04	27.9	0.25	3.05	2.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_25-30	3.58	0.05	26.4	0.21	2.74	2.4
B21B-103_30-35	3.32	0.06	30.1	0.21	3.43	2.8
B21B-103_35-40	3.18	0.05	35.3	0.21	3.13	2.6
B21B-103_40-45	3.61	0.05	36.2	0.24	2.77	3.1
B21B-103_45-50	3.36	0.05	27.8	0.22	3.36	2.9
*Dup B21B-101_30-35	4.05	0.04	40.6	0.28	2.18	3.1
*Std OREAS 601b	5.60	0.50	37.0	0.08	5.74	16.9
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.43	0.62	45.2	0.10	3.52	19.8
*Rep B21B-101_30-35	3.89	0.04	40.1	0.28	1.97	2.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.36	0.43	36.4	0.06	5.05	15.5
*Rep B21B-102_55-60	3.94	0.07	26.4	0.25	12.96	1.9
*Std OREAS 905	7.38	0.60	45.7	0.08	3.28	19.2

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	208	3.2	0.21	3.9	<2	1.0
B21B-099_20-25	182	3.5	0.24	4.5	<2	1.9
B21B-099_25-30	145	1.5	0.25	3.9	<2	1.7
B21B-099_30-35	108	3.4	0.32	4.8	<2	2.0
B21B-099_35-40	114	6.8	0.31	5.0	<2	2.8
B21B-099_40-45	152	7.2	0.30	4.6	<2	2.6
B21B-099_45-50	43.7	11.1	0.53	5.4	6	2.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_50-55	50.1	6.6	0.46	4.2	2	2.4
B21B-099_55-60	67.4	5.1	0.42	3.9	2	1.9
B21B-099_60-65	50.1	3.3	0.36	3.4	<2	1.5
B21B-099_65-70	47.1	4.2	0.32	3.8	<2	1.9
B21B-099_70-75	59.6	7.4	0.39	3.9	2	2.3
B21B-099_75-80	103	3.9	0.42	4.0	4	2.3
B21B-100_0-5	84.7	4.1	0.83	8.6	<2	2.9
B21B-100_5-10	123	2.1	0.37	5.6	<2	3.5
B21B-100_10-15	93.9	1.7	0.68	7.2	19	2.4
B21B-100_15-20	87.1	0.7	0.50	7.4	10	1.8
B21B-100_20-25	106	0.9	0.35	8.2	7	1.7
B21B-100_25-30	180	5.6	0.39	8.3	10	3.5
B21B-100_30-35	230	8.4	0.59	9.9	18	6.5
B21B-100_35-40	282	9.6	0.63	10.0	6	7.3
B21B-100_40-45	115	14.8	0.84	19.9	7	4.5
B21B-100_45-50	107	10.8	0.54	27.3	3	2.8
B21B-100_50-55	122	9.6	0.54	30.2	3	3.3
B21B-100_55-60	87.7	10.9	0.55	27.6	2	3.5
B21B-100_60-65	48.3	13.3	0.88	23.0	4	3.5
B21B-100_65-70	66.7	16.6	0.62	11.8	8	5.3
B21B-100_70-75	89.0	45.3	0.54	19.0	6	5.0
B21B-100_75-80	127	56.5	0.34	20.3	7	5.5
B21B-101_0-5	190	11.2	0.72	8.5	<2	3.1
B21B-101_5-10	105	15.5	0.32	6.6	<2	6.8
B21B-101_10-15	110	27.3	0.28	10.7	<2	9.2
B21B-101_15-20	191	5.7	0.30	6.7	<2	3.9
B21B-101_20-25	154	2.6	0.31	5.0	<2	2.7
B21B-101_25-30	213	1.9	0.30	5.2	<2	2.5
B21B-101_30-35	227	1.6	0.32	5.0	<2	2.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-101_35-40	211	7.3	0.31	6.0	<2	2.4
B21B-101_40-45	158	6.9	0.38	6.5	<2	2.6
B21B-101_45-50	139	4.2	0.46	6.0	3	2.2
B21B-101_50-55	156	2.4	0.50	5.1	4	2.2
B21B-101_55-60	176	8.6	0.44	7.0	<2	3.6
B21B-101_60-65	267	3.6	0.45	5.9	<2	3.1
B21B-101_65-70	252	3.2	1.03	5.5	11	3.0
B21B-101_70-75	280	3.0	2.28	6.0	21	2.2
B21B-101_75-80	212	6.2	0.93	6.0	7	2.5
B21B-102_0-5	226	4.1	1.72	6.3	23	3.9
B21B-102_5-10	52.2	0.5	0.64	1.9	8	1.7
B21B-102_10-15	172	1.3	2.21	6.0	20	4.5
B21B-102_15-20	141	0.4	1.05	6.4	11	3.8
B21B-102_20-25	138	0.5	0.71	6.3	25	3.2
B21B-102_25-30	153	0.5	1.34	4.7	13	3.0
B21B-102_30-35	153	0.3	1.29	4.3	10	2.5
B21B-102_35-40	160	0.5	0.80	4.8	13	2.7
B21B-102_40-45	182	1.3	1.05	5.9	15	2.9
B21B-102_45-50	190	2.3	0.97	6.3	23	3.5
B21B-102_50-55	185	5.7	1.18	7.6	11	5.7
B21B-102_55-60	145	2.0	1.21	6.2	14	4.5
B21B-102_60-65	149	2.0	1.08	5.3	12	5.4
B21B-102_65-70	148	1.1	0.60	4.8	10	4.7
B21B-102_70-75	184	0.9	0.67	4.9	10	4.0
B21B-102_75-80	159	0.6	0.65	4.9	10	4.6
B21B-103_0-5	176	8.2	0.49	7.6	<2	7.2
B21B-103_5-10	126	6.8	0.83	8.1	8	5.2
B21B-103_10-15	126	3.5	0.84	6.3	11	4.4
B21B-103_15-20	171	1.9	0.35	5.3	<2	4.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_20-25	150	1.8	0.36	5.1	<2	3.8
B21B-103_25-30	168	1.4	0.34	4.1	<2	3.6
B21B-103_30-35	188	1.9	0.33	5.7	<2	4.4
B21B-103_35-40	183	1.3	0.38	5.3	<2	4.2
B21B-103_40-45	162	1.4	0.31	5.8	<2	5.4
B21B-103_45-50	224	1.5	0.39	5.5	<2	4.6
*Dup B21B-101_30-35	221	1.6	0.34	5.2	<2	2.9
*Std OREAS 601b	324	107	23.80	4.8	11	4.2
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	31.2	146	1.78	6.1	3	4.5
*Rep B21B-101_30-35	223	1.6	0.29	5.0	<2	2.4
*Blk BLANK	1.0	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	344	95.6	23.10	4.3	8	3.3
*Rep B21B-102_55-60	149	1.9	1.12	5.8	14	4.2
*Std OREAS 905	28.7	137	1.89	5.8	3	4.1

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	<0.05	0.29	0.22	5.8	0.15	1.34
B21B-099_20-25	0.15	0.20	0.19	8.6	0.16	1.23
B21B-099_25-30	0.14	0.19	0.15	6.2	0.07	1.25
B21B-099_30-35	0.17	0.22	0.71	7.1	0.16	1.38
B21B-099_35-40	0.17	0.18	0.30	7.7	0.39	1.19
B21B-099_40-45	0.13	0.21	0.93	6.4	0.33	1.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-099_45-50	0.11	0.11	4.49	3.5	0.49	1.19
B21B-099_50-55	0.08	0.11	3.71	3.3	0.26	1.15
B21B-099_55-60	0.07	0.12	2.64	3.1	0.21	1.18
B21B-099_60-65	<0.05	0.11	1.43	2.7	0.16	1.07
B21B-099_65-70	0.12	0.10	1.11	2.5	0.18	1.05
B21B-099_70-75	0.10	0.10	2.08	3.2	0.30	1.04
B21B-099_75-80	0.11	0.19	1.51	4.0	0.16	1.07
B21B-100_0-5	0.34	0.31	1.85	13.0	0.12	1.94
B21B-100_5-10	0.18	0.38	0.62	12.0	0.09	1.59
B21B-100_10-15	0.19	0.29	3.98	10.4	0.09	1.70
B21B-100_15-20	0.15	0.22	3.76	7.0	0.03	1.52
B21B-100_20-25	0.16	0.23	1.86	7.6	0.04	1.89
B21B-100_25-30	0.10	0.21	2.62	7.9	0.32	1.88
B21B-100_30-35	0.14	0.22	4.98	9.7	0.48	2.00
B21B-100_35-40	0.17	0.24	2.28	12.0	0.53	1.96
B21B-100_40-45	0.57	0.43	2.30	8.8	0.30	1.62
B21B-100_45-50	1.50	1.20	0.79	5.5	0.11	1.20
B21B-100_50-55	2.43	1.69	0.45	7.5	0.08	1.60
B21B-100_55-60	2.83	1.83	1.01	6.0	0.07	1.95
B21B-100_60-65	1.23	0.91	6.50	5.3	0.15	1.29
B21B-100_65-70	0.33	0.45	3.45	7.8	0.34	1.26
B21B-100_70-75	0.36	0.38	6.83	8.4	1.59	1.56
B21B-100_75-80	0.36	0.29	2.74	8.6	2.24	1.36
B21B-101_0-5	0.43	0.45	1.27	14.7	0.40	2.29
B21B-101_5-10	0.25	0.27	0.44	6.5	2.20	1.41
B21B-101_10-15	0.29	0.38	0.36	8.6	3.35	1.44
B21B-101_15-20	0.24	0.42	0.87	9.8	0.78	1.84
B21B-101_20-25	0.21	0.27	0.46	6.0	0.35	1.54
B21B-101_25-30	0.21	0.38	0.46	8.0	0.21	1.83

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-101_30-35	0.23	0.41	0.41	8.6	0.16	1.86
B21B-101_35-40	0.34	0.27	0.33	6.3	0.98	1.54
B21B-101_40-45	0.19	0.30	1.36	7.1	0.90	1.62
B21B-101_45-50	0.20	0.27	1.96	6.4	0.55	1.64
B21B-101_50-55	0.18	0.26	2.62	6.3	0.31	1.75
B21B-101_55-60	0.22	0.23	0.98	7.1	1.16	1.67
B21B-101_60-65	0.22	0.33	0.85	8.7	0.47	1.81
B21B-101_65-70	0.17	0.27	7.94	8.6	0.42	1.70
B21B-101_70-75	0.17	0.27	21.79	8.4	0.38	1.79
B21B-101_75-80	0.17	0.20	6.49	7.9	0.82	1.52
B21B-102_0-5	0.21	0.32	9.98	11.0	0.18	2.11
B21B-102_5-10	<0.05	0.10	2.25	3.0	0.02	0.67
B21B-102_10-15	0.16	0.30	6.93	9.3	0.07	1.92
B21B-102_15-20	0.16	0.30	5.86	8.0	0.02	1.89
B21B-102_20-25	0.12	0.30	3.48	8.1	0.03	1.89
B21B-102_25-30	0.12	0.26	5.48	7.5	0.03	1.53
B21B-102_30-35	0.12	0.24	4.90	7.3	<0.02	1.43
B21B-102_35-40	0.13	0.24	2.69	7.3	0.03	1.49
B21B-102_40-45	0.14	0.27	6.29	8.1	0.07	1.82
B21B-102_45-50	0.13	0.30	6.36	8.1	0.14	1.87
B21B-102_50-55	0.15	0.33	7.57	8.1	0.33	1.74
B21B-102_55-60	0.11	0.33	7.28	8.8	0.12	1.86
B21B-102_60-65	0.12	0.32	7.80	8.6	0.12	1.69
B21B-102_65-70	0.13	0.41	4.02	8.0	0.07	1.76
B21B-102_70-75	0.13	0.30	3.58	7.5	0.06	1.74
B21B-102_75-80	0.13	0.34	4.18	7.9	0.05	1.84
B21B-103_0-5	0.24	0.45	1.00	9.5	0.70	2.27
B21B-103_5-10	0.22	0.38	2.17	8.8	0.64	2.16
B21B-103_10-15	0.23	0.40	2.52	8.5	0.34	2.25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_15-20	0.19	0.37	0.76	7.6	0.17	1.94
B21B-103_20-25	0.20	0.34	0.60	7.2	0.15	1.81
B21B-103_25-30	0.18	0.32	0.73	5.4	0.12	1.73
B21B-103_30-35	0.18	0.33	0.47	6.8	0.16	1.72
B21B-103_35-40	0.18	0.35	0.51	6.1	0.11	1.83
B21B-103_40-45	0.21	0.36	0.35	6.4	0.10	1.92
B21B-103_45-50	0.17	0.32	0.38	6.8	0.10	1.83
*Dup B21B-101_30-35	0.21	0.40	0.40	8.4	0.16	1.81
*Std OREAS 601b	1.31	0.56	13.71	12.5	1.51	4.81
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.49	0.80	0.08	14.7	0.71	5.03
*Rep B21B-101_30-35	0.20	0.40	0.34	8.3	0.16	1.78
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.05	0.47	11.59	11.9	1.45	4.58
*Rep B21B-102_55-60	0.10	0.31	6.94	8.6	0.11	1.78
*Std OREAS 905	1.26	0.67	0.07	14.5	0.72	5.03

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-099_15-20	1.2	6.2	1.3
B21B-099_20-25	1.5	5.5	1.3
B21B-099_25-30	1.5	5.5	1.2
B21B-099_30-35	1.9	6.0	1.3
B21B-099_35-40	1.6	4.8	1.1
B21B-099_40-45	1.5	5.2	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-099_45-50	2.0	5.2	1.3
B21B-099_50-55	1.9	4.6	1.2
B21B-099_55-60	2.6	5.2	1.2
B21B-099_60-65	3.1	4.6	1.2
B21B-099_65-70	3.1	4.6	1.1
B21B-099_70-75	4.4	4.3	1.1
B21B-099_75-80	3.3	4.8	1.0
B21B-100_0-5	2.9	9.8	1.9
B21B-100_5-10	2.1	7.6	1.5
B21B-100_10-15	2.5	8.2	1.7
B21B-100_15-20	2.2	7.2	1.6
B21B-100_20-25	2.2	7.7	1.7
B21B-100_25-30	1.7	6.2	1.3
B21B-100_30-35	2.1	6.6	1.4
B21B-100_35-40	3.3	7.3	1.5
B21B-100_40-45	1.6	9.1	1.3
B21B-100_45-50	1.1	17.3	1.5
B21B-100_50-55	1.4	24.6	1.9
B21B-100_55-60	1.3	25.3	1.7
B21B-100_60-65	1.0	13.7	1.1
B21B-100_65-70	1.5	7.1	1.0
B21B-100_70-75	1.6	9.0	1.3
B21B-100_75-80	2.0	7.3	1.1
B21B-101_0-5	1.7	9.0	1.5
B21B-101_5-10	2.1	4.4	1.1
B21B-101_10-15	2.4	5.8	1.3
B21B-101_15-20	2.0	7.9	1.6
B21B-101_20-25	2.1	6.9	1.5
B21B-101_25-30	2.4	7.6	1.5
B21B-101_30-35	2.7	7.7	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-101_35-40	2.5	5.5	1.3
B21B-101_40-45	3.5	7.1	1.5
B21B-101_45-50	4.7	7.2	1.5
B21B-101_50-55	4.0	6.9	1.5
B21B-101_55-60	4.2	6.8	1.5
B21B-101_60-65	3.8	7.1	1.5
B21B-101_65-70	4.6	6.8	1.5
B21B-101_70-75	4.2	6.9	1.5
B21B-101_75-80	4.8	6.6	1.4
B21B-102_0-5	2.6	7.2	1.6
B21B-102_5-10	0.9	2.6	0.6
B21B-102_10-15	3.0	7.7	1.6
B21B-102_15-20	3.0	8.7	1.8
B21B-102_20-25	2.6	8.0	1.6
B21B-102_25-30	2.9	6.2	1.4
B21B-102_30-35	3.1	5.8	1.3
B21B-102_35-40	2.8	5.7	1.3
B21B-102_40-45	2.3	6.8	1.5
B21B-102_45-50	2.7	6.8	1.5
B21B-102_50-55	2.4	7.0	1.5
B21B-102_55-60	2.4	8.4	1.7
B21B-102_60-65	3.0	7.9	1.6
B21B-102_65-70	11.1	11.8	2.0
B21B-102_70-75	13.5	7.1	1.6
B21B-102_75-80	21.1	9.9	1.8
B21B-103_0-5	4.0	10.7	1.8
B21B-103_5-10	4.1	11.3	2.0
B21B-103_10-15	3.0	11.2	1.9
B21B-103_15-20	2.8	9.7	1.7
B21B-103_20-25	2.7	9.6	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(190-264)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11012

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-103_25-30	2.1	7.6	1.5
B21B-103_30-35	3.0	7.7	1.4
B21B-103_35-40	2.5	8.0	1.4
B21B-103_40-45	3.4	9.5	1.6
B21B-103_45-50	3.7	8.0	1.5
*Dup B21B-101_30-35	2.9	7.7	1.6
*Std OREAS 601b	6.9	12.3	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	3.1	17.1	0.7
*Rep B21B-101_30-35	2.5	7.7	1.6
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.8	10.7	0.5
*Rep B21B-102_55-60	2.2	8.0	1.6
*Std OREAS 905	2.9	15.6	0.7

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11013

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	06-Aug-2021 - 14-Sep-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	14-Sep-2021
Gold/RABP2/1504 Samples(265-339)		SGS Order Number	BBM21-11013
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-103_50-55	4.46	0.208	5.10	241	0.02	4
B21B-103_55-60	5.89	0.328	4.64	306	0.02	5
B21B-103_60-65	5.47	0.288	4.82	358	0.02	3
B21B-103_65-70	5.46	0.188	4.80	720	0.02	2
B21B-103_70-75	7.21	0.265	4.68	287	0.02	4
B21B-103_75-80	7.77	0.247	4.75	182	0.02	4
B21B-104_0-5	5.75	0.034	6.78	150	0.02	6
B21B-104_5-10	5.54	0.035	4.33	110	0.02	2
B21B-104_10-15	5.02	0.052	5.25	224	0.02	1
B21B-104_15-20	5.79	0.066	5.80	162	0.02	<1
B21B-104_20-25	5.03	0.111	5.46	440	0.02	1
B21B-104_25-30	5.89	0.169	6.77	602	0.02	1
B21B-104_30-35	4.71	0.106	4.94	463	0.01	4
B21B-104_35-40	4.35	0.153	4.90	333	0.01	2
B21B-104_40-45	7.42	0.118	4.63	357	0.01	3
B21B-104_45-50	7.27	0.144	5.39	437	0.01	3
596936	0.06	<0.005	-	-	-	-
B21B-105_0-5	7.67	0.139	5.85	119	0.03	11
B21B-105_5-10	7.11	0.048	8.51	147	0.03	4
B21B-105_10-15	4.18	0.065	5.32	114	0.02	2
B21B-105_15-20	5.33	0.098	3.68	74	0.02	<1
B21B-105_20-25	6.35	0.078	7.83	131	0.03	1
B21B-105_25-30	5.11	0.081	8.26	140	0.03	2
B21B-105_30-35	5.07	0.024	4.32	90	0.02	<1
B21B-105_35-40	5.11	0.257	2.17	36	<0.01	1
B21B-106_0-5	2.93	0.107	7.28	199	0.04	24
B21B-106_5-10	5.62	0.046	6.04	229	0.03	6
B21B-106_10-15	5.49	0.093	5.21	323	0.03	1
B21B-106_15-20	3.33	0.052	5.05	321	0.03	1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-106_20-25	5.57	0.064	5.12	204	0.01	<1
B21B-106_25-30	4.40	0.036	5.46	373	0.02	1
B21B-106_30-35	4.59	0.135	5.15	584	0.02	1
B21B-106_35-40	6.19	0.188	4.74	485	0.02	2
B21B-106_40-45	4.51	0.210	5.82	637	0.02	2
B21B-106_45-50	3.32	0.282	3.32	427	0.02	4
B21B-107_0-5	2.12	0.118	9.22	237	0.03	53
B21B-107_5-10	5.63	0.068	6.23	284	0.03	7
B21B-107_10-15	4.85	0.024	7.32	97	0.01	2
596937	3.98	<0.005	-	-	-	-
B21B-107_15-20	5.01	0.102	6.45	64	0.01	2
B21B-107_20-25	5.60	0.025	3.65	169	0.03	2
B21B-107_25-30	4.69	0.032	2.22	131	0.02	4
B21B-107_30-35	3.24	0.046	6.82	595	0.02	3
B21B-107_35-40	5.09	0.030	1.70	113	0.03	1
B21B-107_40-45	5.12	0.018	1.60	87	0.02	2
B21B-107_45-50	6.36	0.027	3.89	219	0.02	2
B21B-107_50-55	4.93	0.055	5.12	392	0.04	2
B21B-107_55-60	5.47	0.134	5.48	256	0.03	3
B21B-108_0-5	2.66	0.346	9.22	302	0.02	65
B21B-108_5-10	7.06	0.182	7.40	353	0.02	19
B21B-108_10-15	6.44	0.036	6.40	359	0.02	4
B21B-108_15-20	5.41	0.044	5.40	430	0.02	3
B21B-108_20-25	4.72	0.036	6.45	536	0.02	2
B21B-108_25-30	6.35	0.019	7.33	348	0.02	5
B21B-108_30-35	6.66	0.042	1.72	132	0.04	5
B21B-108_35-40	6.76	0.025	6.18	459	0.02	4
B21B-108_40-45	5.16	0.034	6.16	226	0.02	2
596938	4.54	0.105	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-108_45-50	6.79	0.017	8.16	179	0.02	3
B21B-108_50-55	4.97	0.010	9.94	301	<0.01	2
B21B-108_55-60	5.92	0.013	9.29	285	<0.01	3
B21B-109_0-5	5.70	0.198	6.40	409	0.03	11
B21B-109_5-10	6.17	0.142	5.92	167	0.04	3
B21B-109_10-15	5.90	0.118	5.04	251	0.03	3
B21B-109_15-20	5.60	0.200	5.27	305	0.03	6
B21B-109_20-25	6.29	0.151	4.53	299	0.04	5
B21B-109_25-30	3.49	0.106	5.93	173	0.03	4
B21B-109_30-35	6.78	0.081	6.56	168	0.03	3
B21B-109_35-40	6.63	0.086	3.58	343	0.02	6
B21B-110_0-5	1.17	0.027	6.50	374	0.02	15
B21B-110_5-10	4.39	0.045	6.13	196	0.02	7
B21B-110_10-15	1.51	0.038	6.64	191	0.02	8
B21B-110_15-20	2.08	0.165	5.91	359	0.02	18
B21B-110_20-25	3.48	0.072	5.94	374	0.03	5
B21B-110_25-30	2.73	0.077	6.37	241	0.03	9
*Dup B21B-107_10-15	-	0.024	7.33	107	0.01	3
*Std OREAS 601b	-	-	6.53	676	0.82	19
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.38	2654	0.54	14
*Rep B21B-110_15-20	-	-	6.11	355	0.02	15
*Std OREAS 238	-	3.005	-	-	-	-
*Std OREAS 250b	-	0.330	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.137	-	-	-	-
*Std OREAS 601b	-	-	6.42	599	0.84	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 905	-	-	7.19	2663	0.54	14
*Rep B21B-105_15-20	-	-	3.72	74	0.02	<1
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 250b	-	0.321	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	2.938	-	-	-	-
*Std SN106	-	9.303	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-108_20-25	-	0.035	-	-	-	-
*Rep B21B-108_30-35	-	0.042	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-104_5-10	-	0.036	-	-	-	-
*Std OREAS 507	-	0.175	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-103_50-55	4.2	0.55	1.64	<1	<0.01	55
B21B-103_55-60	3.1	0.55	1.59	<1	<0.01	51
B21B-103_60-65	3.0	0.51	1.63	<1	<0.01	40
B21B-103_65-70	2.6	0.30	1.65	<1	<0.01	33
B21B-103_70-75	4.0	0.61	1.51	1	<0.01	43
B21B-103_75-80	3.9	0.54	1.45	<1	<0.01	28
B21B-104_0-5	8.1	1.05	0.06	2	<0.01	35
B21B-104_5-10	3.9	0.84	0.04	<1	<0.01	25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-104_10-15	3.5	0.40	0.14	1	<0.01	25
B21B-104_15-20	3.1	0.21	0.05	2	<0.01	19
B21B-104_20-25	2.8	0.30	0.42	1	<0.01	29
B21B-104_25-30	2.2	0.19	0.83	1	<0.01	18
B21B-104_30-35	2.7	0.35	0.85	1	<0.01	30
B21B-104_35-40	5.4	1.74	0.67	1	<0.01	21
B21B-104_40-45	11.8	2.42	0.52	<1	<0.01	26
B21B-104_45-50	8.5	1.67	0.68	1	<0.01	24
B21B-105_0-5	14.1	1.34	0.16	8	0.03	32
B21B-105_5-10	6.2	0.85	0.23	9	0.01	35
B21B-105_10-15	2.5	0.39	0.23	4	<0.01	26
B21B-105_15-20	2.1	0.39	0.15	2	<0.01	32
B21B-105_20-25	2.7	0.30	0.17	4	<0.01	26
B21B-105_25-30	2.0	0.32	0.56	3	<0.01	29
B21B-105_30-35	1.8	0.19	0.43	1	<0.01	17
B21B-105_35-40	2.9	0.99	0.12	<1	<0.01	28
B21B-106_0-5	16.8	2.33	0.45	14	0.05	53
B21B-106_5-10	4.0	0.95	0.23	5	0.02	36
B21B-106_10-15	2.8	0.33	0.09	3	<0.01	21
B21B-106_15-20	2.1	0.24	0.11	2	<0.01	18
B21B-106_20-25	2.2	0.24	0.10	2	<0.01	19
B21B-106_25-30	1.4	0.22	0.45	2	<0.01	15
B21B-106_30-35	2.0	0.32	0.67	1	<0.01	22
B21B-106_35-40	2.2	0.53	0.90	1	<0.01	27
B21B-106_40-45	1.5	0.29	1.13	1	<0.01	28
B21B-106_45-50	1.6	0.35	0.66	<1	<0.01	22
B21B-107_0-5	29.5	2.73	0.41	14	0.05	68
B21B-107_5-10	14.9	0.81	0.15	4	0.01	32
B21B-107_10-15	4.8	0.35	0.06	2	<0.01	22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-107_15-20	3.5	0.79	0.09	2	<0.01	18
B21B-107_20-25	2.5	0.34	0.36	1	<0.01	31
B21B-107_25-30	3.3	0.55	0.10	1	<0.01	43
B21B-107_30-35	4.4	2.16	1.68	3	<0.01	26
B21B-107_35-40	3.4	0.16	0.05	1	<0.01	16
B21B-107_40-45	2.6	0.29	0.14	<1	<0.01	31
B21B-107_45-50	2.3	0.19	0.55	1	<0.01	18
B21B-107_50-55	3.0	0.43	0.50	1	<0.01	35
B21B-107_55-60	4.5	0.46	0.35	2	<0.01	31
B21B-108_0-5	24.0	2.47	0.43	10	0.04	45
B21B-108_5-10	15.5	1.36	0.51	7	0.02	32
B21B-108_10-15	4.2	1.39	0.48	2	<0.01	22
B21B-108_15-20	6.1	2.66	0.60	1	<0.01	16
B21B-108_20-25	3.9	1.27	0.93	2	<0.01	24
B21B-108_25-30	2.1	0.65	1.65	1	<0.01	53
B21B-108_30-35	3.4	0.37	0.04	<1	<0.01	31
B21B-108_35-40	3.1	0.94	0.80	3	<0.01	15
B21B-108_40-45	2.5	0.36	1.52	3	<0.01	26
B21B-108_45-50	4.0	0.62	3.09	3	0.07	15
B21B-108_50-55	2.9	0.61	1.71	2	0.12	27
B21B-108_55-60	3.7	0.63	1.39	5	0.10	23
B21B-109_0-5	12.0	1.24	1.76	3	0.01	40
B21B-109_5-10	18.2	2.54	2.09	<1	<0.01	25
B21B-109_10-15	14.8	2.21	1.87	<1	<0.01	41
B21B-109_15-20	20.1	3.90	1.91	<1	<0.01	50
B21B-109_20-25	15.9	2.08	1.65	<1	<0.01	47
B21B-109_25-30	17.7	2.38	2.23	<1	<0.01	34
B21B-109_30-35	19.5	2.18	2.35	<1	<0.01	41
B21B-109_35-40	25.4	2.22	1.27	<1	<0.01	51

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-110_0-5	4.8	1.45	1.59	4	0.01	49
B21B-110_5-10	3.0	1.30	2.22	<1	<0.01	52
B21B-110_10-15	3.3	1.04	2.20	1	<0.01	37
B21B-110_15-20	19.9	1.79	1.52	4	<0.01	43
B21B-110_20-25	16.8	1.17	1.88	1	<0.01	42
B21B-110_25-30	9.4	1.06	1.97	1	<0.01	26
*Dup B21B-107_10-15	4.6	0.36	0.07	3	<0.01	32
*Std OREAS 601b	946	2.10	2.40	21	0.09	209
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1452	3.75	2.95	20	0.26	371
*Rep B21B-110_15-20	20.3	1.83	1.57	4	<0.01	43
*Std OREAS 601b	999	2.28	2.37	21	0.10	214
*Std OREAS 905	1546	4.06	2.89	19	0.26	372
*Rep B21B-105_15-20	2.0	0.39	0.15	2	<0.01	32
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-103_50-55	0.22	2	0.05	3.25	281	0.06
B21B-103_55-60	0.21	3	0.05	2.80	288	0.05
B21B-103_60-65	0.22	2	0.05	2.77	309	0.05
B21B-103_65-70	0.21	2	0.05	2.98	289	0.06
B21B-103_70-75	0.20	2	0.06	2.92	302	0.05
B21B-103_75-80	0.21	3	0.06	3.19	305	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-104_0-5	0.02	4	0.04	0.15	270	0.08
B21B-104_5-10	0.03	<1	0.03	0.13	191	0.05
B21B-104_10-15	0.06	<1	0.04	0.28	319	0.07
B21B-104_15-20	0.04	<1	0.03	0.17	185	0.07
B21B-104_20-25	0.18	<1	0.04	1.18	307	0.07
B21B-104_25-30	0.26	<1	0.05	1.98	332	0.07
B21B-104_30-35	0.20	<1	0.04	1.84	241	0.05
B21B-104_35-40	0.13	<1	0.03	1.23	178	0.04
B21B-104_40-45	0.11	1	0.04	1.09	192	0.04
B21B-104_45-50	0.14	2	0.04	1.51	228	0.05
B21B-105_0-5	0.03	6	0.04	0.18	297	0.12
B21B-105_5-10	0.04	3	0.06	0.15	507	0.09
B21B-105_10-15	0.03	<1	0.04	0.09	364	0.07
B21B-105_15-20	0.02	<1	0.03	0.07	339	0.06
B21B-105_20-25	0.04	<1	0.07	0.14	700	0.04
B21B-105_25-30	0.04	<1	0.06	0.12	652	0.04
B21B-105_30-35	0.04	<1	0.05	0.09	469	0.05
B21B-105_35-40	0.01	<1	0.01	0.04	131	0.07
B21B-106_0-5	0.08	8	0.03	0.81	158	0.18
B21B-106_5-10	0.04	3	0.06	0.25	444	0.10
B21B-106_10-15	0.03	1	0.06	0.15	503	0.08
B21B-106_15-20	0.04	2	0.06	0.22	593	0.07
B21B-106_20-25	0.04	<1	0.03	0.17	239	0.06
B21B-106_25-30	0.13	<1	0.05	0.71	413	0.05
B21B-106_30-35	0.30	<1	0.05	1.71	434	0.09
B21B-106_35-40	0.33	1	0.04	2.26	295	0.07
B21B-106_40-45	0.27	<1	0.05	2.09	336	0.06
B21B-106_45-50	0.19	<1	0.03	1.47	179	0.04
B21B-107_0-5	0.12	18	0.04	0.43	185	0.22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-107_5-10	0.04	4	0.05	0.16	239	0.08
B21B-107_10-15	0.02	1	0.02	0.07	143	0.06
B21B-107_15-20	0.02	<1	0.02	0.05	126	0.04
B21B-107_20-25	0.05	<1	0.04	0.14	305	0.08
B21B-107_25-30	0.03	2	0.03	0.13	285	0.07
B21B-107_30-35	0.39	<1	0.06	2.16	285	0.04
B21B-107_35-40	0.02	2	0.03	0.09	139	0.06
B21B-107_40-45	0.03	2	0.02	0.09	173	0.08
B21B-107_45-50	0.08	1	0.04	0.33	322	0.07
B21B-107_50-55	0.16	2	0.08	0.71	541	0.06
B21B-107_55-60	0.10	2	0.05	0.44	348	0.06
B21B-108_0-5	0.13	22	0.05	0.42	198	0.22
B21B-108_5-10	0.16	8	0.04	0.79	192	0.13
B21B-108_10-15	0.16	1	0.04	0.87	173	0.05
B21B-108_15-20	0.18	<1	0.05	1.25	152	0.03
B21B-108_20-25	0.30	<1	0.05	2.11	221	0.04
B21B-108_25-30	0.48	<1	0.06	2.63	306	0.04
B21B-108_30-35	0.02	1	0.04	0.10	94.0	0.05
B21B-108_35-40	0.22	<1	0.05	1.36	332	0.05
B21B-108_40-45	0.18	<1	0.05	0.41	457	0.08
B21B-108_45-50	0.23	2	0.03	0.20	194	0.06
B21B-108_50-55	0.09	1	0.02	0.09	99.8	0.07
B21B-108_55-60	0.07	2	0.02	0.17	98.3	0.09
B21B-109_0-5	0.25	2	0.05	3.38	291	0.09
B21B-109_5-10	0.30	<1	0.07	4.35	302	0.04
B21B-109_10-15	0.25	1	0.05	3.73	277	0.04
B21B-109_15-20	0.23	<1	0.06	3.64	247	0.04
B21B-109_20-25	0.21	2	0.06	3.28	219	0.04
B21B-109_25-30	0.28	2	0.07	4.52	342	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-109_30-35	0.28	2	0.06	4.88	294	0.03
B21B-109_35-40	0.17	2	0.04	3.22	170	0.04
B21B-110_0-5	0.27	3	0.04	2.84	246	0.09
B21B-110_5-10	0.38	1	0.04	4.82	284	0.06
B21B-110_10-15	0.39	1	0.04	4.74	279	0.06
B21B-110_15-20	0.27	4	0.04	3.45	263	0.08
B21B-110_20-25	0.32	2	0.05	3.83	311	0.05
B21B-110_25-30	0.34	6	0.05	3.98	305	0.05
*Dup B21B-107_10-15	0.03	1	0.02	0.08	132	0.06
*Std OREAS 601b	1.90	6	0.03	1.50	231	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.47	8	0.03	0.09	151	0.11
*Rep B21B-110_15-20	0.28	7	0.04	3.44	268	0.07
*Std OREAS 601b	1.86	6	0.03	1.51	233	0.12
*Std OREAS 905	2.40	8	0.03	0.08	163	0.12
*Rep B21B-105_15-20	0.02	<1	0.03	0.07	339	0.07
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_50-55	32	3	116	0.04	2	<0.1
B21B-103_55-60	29	<1	110	0.03	2	<0.1
B21B-103_60-65	30	1	114	0.06	1	<0.1
B21B-103_65-70	31	1	108	0.07	1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-103_70-75	34	1	104	0.07	2	<0.1
B21B-103_75-80	34	1	114	0.40	3	<0.1
B21B-104_0-5	30	2	150	0.38	5	0.5
B21B-104_5-10	15	1	130	0.26	4	<0.1
B21B-104_10-15	24	1	139	0.08	2	0.1
B21B-104_15-20	20	1	123	0.12	1	0.1
B21B-104_20-25	32	1	115	<0.02	1	0.1
B21B-104_25-30	45	3	110	0.05	<1	0.1
B21B-104_30-35	35	<1	95.2	0.05	1	0.2
B21B-104_35-40	30	1	97.2	0.16	5	0.2
B21B-104_40-45	26	1	102	0.24	5	0.2
B21B-104_45-50	32	1	107	0.28	5	0.2
B21B-105_0-5	43	5	111	0.32	7	0.3
B21B-105_5-10	41	3	106	0.12	4	0.2
B21B-105_10-15	23	2	121	<0.02	1	0.1
B21B-105_15-20	16	<1	115	0.04	<1	0.1
B21B-105_20-25	21	1	99.7	0.10	2	0.4
B21B-105_25-30	44	1	92.7	0.34	1	0.3
B21B-105_30-35	29	3	99.1	0.47	<1	0.1
B21B-105_35-40	19	1	109	0.55	2	<0.1
B21B-106_0-5	65	11	91.3	0.25	12	0.3
B21B-106_5-10	47	3	128	0.05	4	0.1
B21B-106_10-15	31	3	129	0.26	2	<0.1
B21B-106_15-20	29	<1	123	0.08	2	<0.1
B21B-106_20-25	19	1	135	0.37	1	0.1
B21B-106_25-30	30	2	98.7	0.22	<1	<0.1
B21B-106_30-35	32	2	121	0.12	<1	<0.1
B21B-106_35-40	29	<1	115	0.05	3	<0.1
B21B-106_40-45	39	<1	106	<0.02	1	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-106_45-50	23	2	70.6	0.05	2	<0.1
B21B-107_0-5	95	11	95.5	0.16	20	0.5
B21B-107_5-10	30	2	104	0.26	3	0.3
B21B-107_10-15	18	3	128	0.03	<1	0.4
B21B-107_15-20	20	1	100	0.40	2	0.3
B21B-107_20-25	20	1	88.2	0.24	1	<0.1
B21B-107_25-30	12	<1	87.3	0.12	3	<0.1
B21B-107_30-35	49	1	123	0.28	7	0.2
B21B-107_35-40	7	<1	61.9	0.18	<1	<0.1
B21B-107_40-45	9	1	98.9	0.24	<1	<0.1
B21B-107_45-50	18	<1	95.6	0.19	<1	<0.1
B21B-107_50-55	22	<1	94.0	0.06	3	0.1
B21B-107_55-60	16	2	96.3	0.25	6	0.1
B21B-108_0-5	83	10	104	0.26	10	0.5
B21B-108_5-10	57	6	104	0.12	5	0.3
B21B-108_10-15	30	2	120	0.36	9	0.2
B21B-108_15-20	26	1	116	0.23	10	0.2
B21B-108_20-25	33	<1	111	0.08	7	0.2
B21B-108_25-30	44	2	103	0.19	2	0.2
B21B-108_30-35	7	2	46.3	0.29	<1	<0.1
B21B-108_35-40	33	1	123	0.07	3	0.2
B21B-108_40-45	39	2	120	0.46	2	0.3
B21B-108_45-50	31	8	114	0.28	1	0.5
B21B-108_50-55	21	19	120	0.10	1	1.1
B21B-108_55-60	23	16	133	0.09	1	1.1
B21B-109_0-5	47	3	119	0.66	7	0.1
B21B-109_5-10	35	1	90.2	0.15	21	<0.1
B21B-109_10-15	32	<1	89.7	0.25	12	<0.1
B21B-109_15-20	39	<1	104	0.14	19	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-109_20-25	27	1	93.4	0.10	13	<0.1
B21B-109_25-30	41	1	99.9	0.07	14	<0.1
B21B-109_30-35	45	<1	87.4	0.06	15	<0.1
B21B-109_35-40	23	<1	92.5	0.14	8	<0.1
B21B-110_0-5	47	3	99.2	0.27	7	0.2
B21B-110_5-10	34	<1	102	0.36	5	<0.1
B21B-110_10-15	47	<1	120	0.18	6	<0.1
B21B-110_15-20	37	4	107	0.11	9	0.1
B21B-110_20-25	22	1	98.6	0.04	6	<0.1
B21B-110_25-30	24	<1	98.6	0.46	5	0.1
*Dup B21B-107_10-15	19	2	118	0.52	1	0.4
*Std OREAS 601b	11	313	174	49.19	305	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	138	233	-	-	-
*Rep B21B-110_15-20	36	3	108	0.10	9	0.1
*Std OREAS 905	-	-	-	0.52	36	2.9
*Std OREAS 601b	11	293	164	52.98	278	2.1
*Std OREAS 905	10	129	227	-	-	-
*Rep B21B-105_15-20	17	1	116	-	-	-
*Blk BLANK	<2	<1	<0.5	-	-	-
*Std OREAS 905	-	-	-	0.58	35	3.0
*Blk BLANK	-	-	-	0.04	<1	<0.1
*Rep B21B-105_15-20	-	-	-	0.04	<1	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_50-55	3.70	<0.02	73.17	0.2	<1	15.2
B21B-103_55-60	6.56	<0.02	62.89	0.2	<1	13.7
B21B-103_60-65	4.23	<0.02	67.49	0.2	<1	13.9
B21B-103_65-70	3.92	<0.02	52.29	0.3	<1	13.6
B21B-103_70-75	3.83	<0.02	54.85	0.3	<1	14.9
B21B-103_75-80	3.68	<0.02	59.03	0.2	<1	15.5
B21B-104_0-5	4.71	<0.02	67.44	0.4	<1	20.3
B21B-104_5-10	2.72	<0.02	53.66	0.1	<1	9.5
B21B-104_10-15	2.53	<0.02	52.40	0.1	<1	13.3
B21B-104_15-20	3.02	<0.02	51.73	<0.1	<1	14.1
B21B-104_20-25	3.10	<0.02	48.43	0.1	<1	14.0
B21B-104_25-30	4.70	<0.02	85.65	<0.1	<1	18.2
B21B-104_30-35	3.89	0.02	63.82	0.2	<1	16.1
B21B-104_35-40	3.26	<0.02	41.56	0.2	<1	14.8
B21B-104_40-45	3.32	<0.02	39.93	0.3	<1	13.8
B21B-104_45-50	3.30	<0.02	43.30	0.3	<1	17.4
B21B-105_0-5	8.57	<0.02	47.83	0.9	1	15.2
B21B-105_5-10	4.53	<0.02	70.19	0.5	<1	24.1
B21B-105_10-15	1.55	<0.02	40.81	0.1	<1	15.3
B21B-105_15-20	1.64	<0.02	36.70	0.1	<1	10.2
B21B-105_20-25	1.59	<0.02	106	0.1	<1	20.6
B21B-105_25-30	1.41	<0.02	82.94	0.1	<1	24.6
B21B-105_30-35	0.90	<0.02	59.16	0.2	<1	12.2
B21B-105_35-40	4.38	<0.02	16.24	0.1	<1	5.6
B21B-106_0-5	6.01	<0.02	55.71	1.4	2	16.2
B21B-106_5-10	21.91	<0.02	72.92	0.4	<1	23.6
B21B-106_10-15	13.81	<0.02	62.87	0.2	<1	18.5
B21B-106_15-20	3.50	<0.02	59.77	0.1	<1	17.4
B21B-106_20-25	1.74	<0.02	50.74	0.1	<1	17.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-106_25-30	1.77	<0.02	54.03	0.1	<1	12.2
B21B-106_30-35	4.84	<0.02	49.22	0.1	<1	11.8
B21B-106_35-40	2.55	<0.02	50.91	0.3	<1	12.0
B21B-106_40-45	6.13	<0.02	59.73	0.1	<1	16.3
B21B-106_45-50	3.32	<0.02	37.40	0.1	<1	8.9
B21B-107_0-5	6.33	<0.02	56.90	2.1	2	21.9
B21B-107_5-10	2.68	<0.02	66.58	0.5	<1	11.6
B21B-107_10-15	1.03	<0.02	36.94	0.2	<1	13.0
B21B-107_15-20	2.49	<0.02	38.94	0.1	<1	9.6
B21B-107_20-25	2.23	<0.02	42.45	0.1	<1	6.0
B21B-107_25-30	1.61	<0.02	27.88	0.3	<1	3.6
B21B-107_30-35	3.46	<0.02	107	0.2	<1	16.9
B21B-107_35-40	1.66	<0.02	12.99	0.3	<1	2.9
B21B-107_40-45	1.00	<0.02	17.53	0.3	<1	3.2
B21B-107_45-50	2.27	<0.02	39.26	0.2	<1	6.4
B21B-107_50-55	3.23	<0.02	101	0.4	<1	7.6
B21B-107_55-60	6.86	<0.02	72.14	0.3	<1	8.6
B21B-108_0-5	3.28	<0.02	67.82	2.3	2	19.8
B21B-108_5-10	2.19	<0.02	62.10	1.0	1	13.8
B21B-108_10-15	1.36	<0.02	56.57	0.2	<1	13.3
B21B-108_15-20	1.92	<0.02	49.05	0.1	<1	11.6
B21B-108_20-25	1.43	<0.02	58.06	0.1	<1	13.7
B21B-108_25-30	2.45	0.02	80.83	0.3	<1	15.2
B21B-108_30-35	1.77	<0.02	9.77	0.5	<1	2.8
B21B-108_35-40	1.84	<0.02	73.58	0.1	<1	17.1
B21B-108_40-45	2.69	<0.02	56.58	0.1	<1	18.7
B21B-108_45-50	1.78	<0.02	51.36	0.2	2	19.0
B21B-108_50-55	0.73	<0.02	26.65	0.5	2	20.7
B21B-108_55-60	0.90	<0.02	35.86	0.6	2	21.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-109_0-5	10.07	<0.02	99.28	0.4	<1	12.3
B21B-109_5-10	9.19	<0.02	66.15	0.3	<1	10.9
B21B-109_10-15	11.75	<0.02	57.01	0.5	<1	10.3
B21B-109_15-20	11.12	<0.02	55.25	0.7	<1	13.3
B21B-109_20-25	8.58	<0.02	59.40	3.6	<1	9.7
B21B-109_25-30	6.68	<0.02	78.95	1.9	<1	15.1
B21B-109_30-35	5.88	<0.02	64.82	4.6	<1	19.4
B21B-109_35-40	4.73	0.02	37.87	7.6	<1	9.2
B21B-110_0-5	2.53	<0.02	41.27	0.8	<1	12.0
B21B-110_5-10	1.30	<0.02	35.19	0.3	<1	10.2
B21B-110_10-15	1.33	<0.02	51.64	0.8	<1	10.3
B21B-110_15-20	3.25	0.04	44.67	6.9	<1	10.8
B21B-110_20-25	1.25	0.02	48.22	5.0	<1	7.8
B21B-110_25-30	1.40	<0.02	43.35	2.8	<1	8.0
*Dup B21B-107_10-15	1.12	0.02	41.69	0.2	<1	13.0
*Std OREAS 601b	16.85	2.26	73.32	2.9	5	22.8
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Rep B21B-110_15-20	3.26	0.04	44.06	6.8	<1	10.8
*Std OREAS 905	5.34	0.34	99.38	14.6	7	24.3
*Std OREAS 601b	17.50	2.27	68.38	2.9	5	22.7
*Std OREAS 905	5.63	0.35	90.56	14.7	7	25.0
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.1
*Rep B21B-105_15-20	1.63	<0.02	40.11	0.1	<1	10.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_50-55	3.60	0.04	31.3	0.28	2.81	2.0
B21B-103_55-60	3.37	0.05	28.1	0.25	3.36	1.8
B21B-103_60-65	3.33	0.04	32.3	0.26	4.19	1.8
B21B-103_65-70	3.44	0.05	23.4	0.25	3.64	2.1
B21B-103_70-75	3.26	0.05	24.0	0.25	5.30	1.7
B21B-103_75-80	3.45	0.05	25.2	0.26	5.56	1.9
B21B-104_0-5	4.63	<0.02	31.2	0.38	9.89	2.7
B21B-104_5-10	3.93	<0.02	25.0	0.34	6.93	1.7
B21B-104_10-15	4.24	<0.02	24.9	0.36	3.22	2.5
B21B-104_15-20	4.01	<0.02	24.0	0.36	2.93	2.3
B21B-104_20-25	3.77	<0.02	22.8	0.30	4.34	2.6
B21B-104_25-30	3.60	0.03	43.4	0.28	2.82	2.4
B21B-104_30-35	3.09	0.03	27.4	0.23	3.28	1.8
B21B-104_35-40	3.17	0.04	19.7	0.25	13.28	1.5
B21B-104_40-45	3.29	0.03	18.9	0.24	15.49	1.4
B21B-104_45-50	3.45	0.03	20.3	0.26	12.71	1.8
B21B-105_0-5	3.44	0.04	22.3	0.20	4.58	4.4
B21B-105_5-10	3.19	0.04	30.5	0.19	2.91	3.2
B21B-105_10-15	3.38	0.03	18.8	0.23	1.73	2.3
B21B-105_15-20	3.19	0.02	16.9	0.22	1.33	1.8
B21B-105_20-25	2.98	0.02	54.5	0.21	1.86	1.2
B21B-105_25-30	2.85	0.09	38.6	0.20	1.72	1.4
B21B-105_30-35	2.97	0.06	24.7	0.19	2.06	1.7
B21B-105_35-40	3.33	0.02	7.8	0.22	9.59	1.9
B21B-106_0-5	2.85	0.06	23.2	0.17	9.96	6.5
B21B-106_5-10	4.17	0.03	30.4	0.31	2.53	3.6
B21B-106_10-15	4.20	<0.02	28.8	0.32	1.84	2.8
B21B-106_15-20	4.07	<0.02	26.7	0.30	1.50	2.4
B21B-106_20-25	3.99	<0.02	23.6	0.28	1.39	2.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-106_25-30	2.92	0.02	24.5	0.20	3.34	1.8
B21B-106_30-35	3.55	<0.02	23.3	0.24	4.98	3.0
B21B-106_35-40	3.42	0.02	24.4	0.23	3.99	2.1
B21B-106_40-45	3.38	0.04	28.4	0.24	5.22	2.1
B21B-106_45-50	2.28	<0.02	17.8	0.16	5.38	1.3
B21B-107_0-5	3.25	0.08	23.9	0.17	12.11	7.6
B21B-107_5-10	2.92	0.03	28.6	0.15	2.29	2.3
B21B-107_10-15	3.25	<0.02	15.2	0.18	1.57	1.6
B21B-107_15-20	2.79	<0.02	15.4	0.14	2.50	1.1
B21B-107_20-25	2.46	0.04	16.8	0.14	2.28	1.9
B21B-107_25-30	2.36	<0.02	11.8	0.13	3.30	1.5
B21B-107_30-35	3.55	0.10	47.8	0.21	4.99	1.2
B21B-107_35-40	1.69	<0.02	5.7	0.14	2.77	1.0
B21B-107_40-45	2.77	<0.02	8.3	0.15	2.86	1.8
B21B-107_45-50	2.68	0.05	16.8	0.18	2.50	1.6
B21B-107_50-55	2.68	0.04	44.8	0.21	2.77	1.6
B21B-107_55-60	2.81	0.04	33.9	0.18	3.51	1.5
B21B-108_0-5	3.24	0.07	27.8	0.16	11.22	7.1
B21B-108_5-10	3.26	0.05	24.4	0.18	5.41	4.2
B21B-108_10-15	3.62	0.03	24.1	0.23	7.90	1.7
B21B-108_15-20	3.48	0.04	22.8	0.22	8.27	1.1
B21B-108_20-25	3.36	0.04	25.4	0.23	6.57	1.4
B21B-108_25-30	3.13	0.07	37.1	0.19	2.28	1.2
B21B-108_30-35	0.98	<0.02	4.2	0.12	2.25	0.7
B21B-108_35-40	3.70	0.05	34.0	0.23	4.05	1.8
B21B-108_40-45	3.59	0.05	23.2	0.22	4.67	2.5
B21B-108_45-50	3.81	0.06	23.4	0.19	1.60	1.5
B21B-108_50-55	3.60	0.03	13.9	0.21	1.02	2.6
B21B-108_55-60	4.08	0.03	16.6	0.21	1.76	3.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-109_0-5	3.57	0.05	46.7	0.22	9.90	3.3
B21B-109_5-10	2.74	0.06	30.6	0.17	55.74	1.4
B21B-109_10-15	2.65	0.04	24.8	0.17	36.87	1.4
B21B-109_15-20	3.12	0.08	24.3	0.20	14.69	1.5
B21B-109_20-25	2.85	0.05	25.3	0.19	16.32	1.4
B21B-109_25-30	3.02	0.06	35.5	0.19	31.29	1.5
B21B-109_30-35	2.64	0.07	26.4	0.18	20.62	1.1
B21B-109_35-40	2.69	0.04	16.6	0.17	19.01	1.1
B21B-110_0-5	3.13	0.05	17.3	0.18	6.96	3.2
B21B-110_5-10	3.28	0.05	14.4	0.19	5.70	1.9
B21B-110_10-15	3.75	0.05	20.2	0.22	9.31	2.2
B21B-110_15-20	3.51	0.04	18.5	0.21	11.58	2.9
B21B-110_20-25	3.05	0.03	20.8	0.21	8.42	1.9
B21B-110_25-30	3.14	0.03	18.1	0.20	8.97	1.9
*Dup B21B-107_10-15	3.31	<0.02	16.1	0.18	1.78	1.7
*Std OREAS 601b	5.27	0.49	35.6	0.07	5.49	14.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-110_15-20	3.30	0.04	18.6	0.21	12.22	2.7
*Std OREAS 905	7.04	0.61	49.2	0.10	3.24	18.1
*Std OREAS 601b	5.27	0.46	32.3	0.07	5.51	14.0
*Std OREAS 905	6.83	0.70	45.9	0.10	3.35	18.6
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-105_15-20	3.33	0.02	19.5	0.23	1.24	2.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-103_50-55	157	1.2	0.28	4.3	<2	4.2
B21B-103_55-60	136	1.7	0.25	4.2	<2	3.3
B21B-103_60-65	135	1.0	0.24	4.1	<2	3.4
B21B-103_65-70	133	2.1	0.31	4.5	<2	3.9
B21B-103_70-75	128	1.3	0.40	4.4	<2	3.3
B21B-103_75-80	128	1.0	0.49	4.5	3	3.6
B21B-104_0-5	92.0	0.5	1.20	7.2	15	2.7
B21B-104_5-10	63.2	<0.2	1.39	5.4	10	1.9
B21B-104_10-15	117	0.7	0.63	6.0	3	2.8
B21B-104_15-20	63.7	<0.2	0.56	5.7	<2	2.5
B21B-104_20-25	143	0.4	0.55	4.9	<2	3.0
B21B-104_25-30	165	1.5	0.44	5.5	<2	4.0
B21B-104_30-35	113	1.0	0.42	4.2	<2	3.2
B21B-104_35-40	84.1	1.7	0.63	4.9	12	2.4
B21B-104_40-45	75.2	1.0	0.40	4.4	8	2.0
B21B-104_45-50	90.7	1.1	0.55	4.9	9	2.5
B21B-105_0-5	96.7	6.0	0.99	5.4	<2	2.2
B21B-105_5-10	138	4.3	0.65	4.1	<2	2.7
B21B-105_10-15	93.7	2.5	0.47	3.7	<2	2.2
B21B-105_15-20	81.5	1.5	0.32	3.1	<2	1.9
B21B-105_20-25	195	1.7	0.43	3.3	<2	2.0
B21B-105_25-30	169	5.8	0.38	4.2	<2	3.5
B21B-105_30-35	123	4.1	0.36	3.3	<2	2.3
B21B-105_35-40	30.5	1.1	1.64	3.3	10	2.2
B21B-106_0-5	58.3	11.7	1.73	5.4	3	2.6
B21B-106_5-10	97.6	4.5	0.71	5.1	<2	3.2
B21B-106_10-15	83.2	1.2	0.57	4.6	<2	2.3
B21B-106_15-20	105	1.0	0.65	4.4	<2	2.4
B21B-106_20-25	45.0	0.6	0.47	3.7	<2	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-106_25-30	88.0	2.1	0.39	4.0	<2	3.1
B21B-106_30-35	110	0.8	0.49	3.8	<2	4.0
B21B-106_35-40	92.6	0.6	0.65	3.7	5	3.5
B21B-106_40-45	107	3.3	0.55	5.1	<2	4.4
B21B-106_45-50	75.2	1.0	0.87	2.7	<2	2.4
B21B-107_0-5	82.7	14.4	2.21	7.4	5	4.0
B21B-107_5-10	93.4	2.8	0.51	4.1	<2	1.8
B21B-107_10-15	43.3	0.8	0.36	3.6	<2	2.1
B21B-107_15-20	34.4	1.3	0.70	3.3	9	1.3
B21B-107_20-25	111	4.1	0.47	3.3	<2	1.9
B21B-107_25-30	102	1.1	0.40	2.9	<2	1.2
B21B-107_30-35	75.1	11.5	0.55	7.5	8	2.1
B21B-107_35-40	50.1	0.6	0.29	2.5	<2	0.7
B21B-107_40-45	60.3	1.6	0.33	3.3	<2	1.4
B21B-107_45-50	104	5.2	0.33	3.9	<2	1.6
B21B-107_50-55	202	4.1	1.31	4.1	3	1.8
B21B-107_55-60	115	2.9	2.04	3.9	5	1.6
B21B-108_0-5	88.8	13.1	0.91	8.5	3	2.9
B21B-108_5-10	71.3	9.2	0.60	6.7	2	1.9
B21B-108_10-15	56.5	3.0	1.18	6.5	11	1.2
B21B-108_15-20	57.2	2.2	0.46	6.3	5	1.0
B21B-108_20-25	75.7	2.2	0.52	6.2	3	1.4
B21B-108_25-30	87.3	10.3	0.26	6.8	<2	1.7
B21B-108_30-35	38.5	0.4	0.28	2.0	<2	0.7
B21B-108_35-40	45.7	4.3	0.40	6.5	3	2.0
B21B-108_40-45	52.1	45.6	0.54	5.4	<2	2.4
B21B-108_45-50	30.8	137	0.42	6.5	<2	1.6
B21B-108_50-55	23.7	106	0.43	6.2	<2	0.9
B21B-108_55-60	35.4	94.9	0.68	6.0	<2	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-109_0-5	100	5.0	0.72	6.7	<2	3.0
B21B-109_5-10	102	2.9	0.69	4.9	12	2.1
B21B-109_10-15	78.6	2.2	0.70	4.8	8	1.7
B21B-109_15-20	71.2	3.4	0.57	7.0	18	2.4
B21B-109_20-25	57.6	1.8	0.47	4.7	8	1.7
B21B-109_25-30	87.3	2.4	0.39	6.0	8	1.7
B21B-109_30-35	91.0	3.7	0.39	6.0	6	1.5
B21B-109_35-40	52.8	1.9	0.34	4.5	6	1.4
B21B-110_0-5	101	5.6	0.59	5.3	2	1.6
B21B-110_5-10	104	2.6	0.30	4.6	4	1.5
B21B-110_10-15	105	2.6	0.43	5.8	<2	1.5
B21B-110_15-20	92.3	4.2	0.80	5.4	6	1.6
B21B-110_20-25	79.6	3.4	0.31	4.2	3	1.4
B21B-110_25-30	88.0	4.2	0.26	4.4	3	1.5
*Dup B21B-107_10-15	49.3	1.2	0.32	4.5	<2	1.8
*Std OREAS 601b	337	107	22.10	4.2	11	3.6
*Blk BLANK	0.9	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-110_15-20	90.5	4.2	0.82	5.4	6	1.6
*Std OREAS 905	30.0	144	1.93	4.8	3	3.9
*Std OREAS 601b	350	93.9	24.65	3.7	10	3.8
*Std OREAS 905	29.8	137	1.90	5.5	3	4.7
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-105_15-20	76.7	1.9	0.33	3.6	<2	2.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-103_50-55	0.17	0.38	0.33	6.1	0.08	2.02
B21B-103_55-60	0.14	0.36	0.33	6.0	0.17	1.95
B21B-103_60-65	0.16	0.42	0.27	6.0	0.09	2.08
B21B-103_65-70	0.18	0.30	0.39	5.8	0.22	1.90
B21B-103_70-75	0.13	0.33	1.38	5.2	0.11	1.85
B21B-103_75-80	0.15	0.33	2.38	5.4	0.08	1.99
B21B-104_0-5	0.21	0.39	5.90	10.4	0.02	1.97
B21B-104_5-10	0.11	0.33	3.59	8.5	<0.02	1.70
B21B-104_10-15	0.17	0.32	1.22	8.5	0.06	1.72
B21B-104_15-20	0.18	0.30	0.63	8.1	<0.02	1.60
B21B-104_20-25	0.19	0.26	0.75	7.2	0.02	1.54
B21B-104_25-30	0.18	0.38	0.65	9.3	0.12	1.79
B21B-104_30-35	0.14	0.31	0.67	6.8	0.08	1.48
B21B-104_35-40	0.12	0.22	3.06	6.8	0.18	1.43
B21B-104_40-45	0.11	0.20	2.28	6.8	0.11	1.64
B21B-104_45-50	0.15	0.25	2.67	7.1	0.11	1.63
B21B-105_0-5	0.35	0.25	1.92	10.4	0.17	1.49
B21B-105_5-10	0.25	0.30	1.00	8.7	0.25	1.35
B21B-105_10-15	0.17	0.23	0.83	5.9	0.23	1.27
B21B-105_15-20	0.12	0.19	0.44	5.5	0.15	1.12
B21B-105_20-25	0.10	0.38	0.74	11.2	0.18	1.19
B21B-105_25-30	0.12	0.37	0.56	10.0	0.72	1.17
B21B-105_30-35	0.12	0.34	0.50	7.4	0.48	1.16
B21B-105_35-40	0.12	0.14	12.84	3.5	0.13	1.14
B21B-106_0-5	0.51	0.28	5.23	12.1	0.28	2.02
B21B-106_5-10	0.27	0.35	1.34	11.4	0.17	1.97
B21B-106_10-15	0.23	0.33	1.07	8.5	0.06	1.87
B21B-106_15-20	0.19	0.29	0.92	8.1	0.07	1.64
B21B-106_20-25	0.17	0.26	0.74	7.8	0.05	1.58

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-106_25-30	0.16	0.24	1.50	6.4	0.21	1.46
B21B-106_30-35	0.24	0.24	1.44	7.4	0.06	1.56
B21B-106_35-40	0.16	0.26	2.09	7.0	0.05	1.60
B21B-106_40-45	0.16	0.30	2.78	6.6	0.46	1.75
B21B-106_45-50	0.11	0.19	6.66	4.3	0.12	1.15
B21B-107_0-5	0.61	0.30	5.70	13.3	0.28	1.96
B21B-107_5-10	0.18	0.26	1.01	10.3	0.11	1.09
B21B-107_10-15	0.11	0.19	0.55	5.3	0.05	0.94
B21B-107_15-20	0.07	0.18	2.82	4.5	0.11	0.89
B21B-107_20-25	0.09	0.21	1.33	5.4	0.42	0.91
B21B-107_25-30	0.06	0.16	2.61	4.8	0.12	0.82
B21B-107_30-35	0.09	0.56	2.15	10.9	1.80	2.24
B21B-107_35-40	<0.05	0.17	0.55	2.7	0.06	0.77
B21B-107_40-45	0.09	0.13	0.41	3.8	0.22	0.92
B21B-107_45-50	0.10	0.23	0.97	6.7	0.81	1.05
B21B-107_50-55	0.10	0.43	7.43	10.8	0.59	1.20
B21B-107_55-60	0.08	0.31	12.63	8.6	0.43	1.09
B21B-108_0-5	0.50	0.38	3.98	13.2	0.23	1.86
B21B-108_5-10	0.29	0.37	2.30	10.6	0.31	1.82
B21B-108_10-15	0.12	0.40	6.64	7.8	0.29	1.81
B21B-108_15-20	0.08	0.28	1.60	7.6	0.33	2.06
B21B-108_20-25	0.10	0.33	2.73	7.8	0.31	1.88
B21B-108_25-30	0.09	0.44	1.19	8.5	1.17	1.69
B21B-108_30-35	<0.05	0.18	1.09	2.1	0.04	0.76
B21B-108_35-40	0.13	0.46	1.17	8.5	0.56	1.92
B21B-108_40-45	0.17	0.34	2.38	6.6	0.74	1.75
B21B-108_45-50	0.12	0.24	1.10	15.2	1.18	1.65
B21B-108_50-55	0.28	0.30	1.11	12.4	0.68	2.83
B21B-108_55-60	0.37	0.38	1.48	16.1	0.59	2.89

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-109_0-5	0.23	0.45	2.30	10.6	0.38	2.11
B21B-109_5-10	0.10	0.33	11.51	8.0	0.69	1.35
B21B-109_10-15	0.10	0.25	6.35	7.4	0.50	1.18
B21B-109_15-20	0.11	0.29	15.77	8.0	1.30	1.45
B21B-109_20-25	0.09	0.36	8.97	6.9	0.43	1.35
B21B-109_25-30	0.10	0.42	5.76	7.8	0.71	1.65
B21B-109_30-35	0.08	0.34	6.24	7.1	1.48	1.36
B21B-109_35-40	0.07	0.20	4.94	5.5	0.78	1.22
B21B-110_0-5	0.24	0.23	3.84	9.1	0.20	1.51
B21B-110_5-10	0.14	0.26	6.60	5.8	0.22	1.38
B21B-110_10-15	0.17	0.27	4.88	7.3	0.25	1.42
B21B-110_15-20	0.21	0.25	8.27	8.1	0.38	1.48
B21B-110_20-25	0.13	0.25	4.99	8.3	0.63	1.26
B21B-110_25-30	0.14	0.24	3.56	7.6	0.84	1.35
*Dup B21B-107_10-15	0.12	0.21	0.59	6.3	0.06	1.11
*Std OREAS 601b	1.03	0.52	13.25	12.6	1.51	4.87
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-110_15-20	0.20	0.25	8.33	8.0	0.37	1.47
*Std OREAS 905	1.38	0.73	0.09	14.6	0.72	4.89
*Std OREAS 601b	1.17	0.52	13.08	12.6	1.49	4.90
*Std OREAS 905	1.29	0.77	0.08	15.0	0.72	5.12
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-105_15-20	0.17	0.20	0.41	5.7	0.16	1.23

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-103_50-55	2.6	8.8	1.7
B21B-103_55-60	2.6	7.8	1.5
B21B-103_60-65	2.8	8.7	1.7
B21B-103_65-70	6.0	7.1	1.5
B21B-103_70-75	3.0	8.0	1.5
B21B-103_75-80	3.5	8.0	1.6
B21B-104_0-5	4.0	10.1	2.4
B21B-104_5-10	2.4	8.7	2.1
B21B-104_10-15	3.1	9.0	2.2
B21B-104_15-20	3.1	8.7	2.2
B21B-104_20-25	3.6	7.2	1.8
B21B-104_25-30	3.1	7.0	1.7
B21B-104_30-35	2.9	5.8	1.4
B21B-104_35-40	3.2	6.8	1.5
B21B-104_40-45	4.3	6.6	1.5
B21B-104_45-50	5.3	7.4	1.6
B21B-105_0-5	1.5	6.7	1.3
B21B-105_5-10	2.2	5.1	1.1
B21B-105_10-15	2.1	6.0	1.4
B21B-105_15-20	1.7	5.5	1.3
B21B-105_20-25	1.5	5.8	1.2
B21B-105_25-30	1.8	6.0	1.2
B21B-105_30-35	2.0	4.8	1.1
B21B-105_35-40	2.1	5.1	1.3
B21B-106_0-5	1.9	6.9	1.1
B21B-106_5-10	3.1	8.5	1.8
B21B-106_10-15	3.4	8.3	2.0
B21B-106_15-20	3.0	7.4	1.8
B21B-106_20-25	2.8	6.9	1.7
B21B-106_25-30	2.4	4.9	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-106_30-35	4.1	5.7	1.4
B21B-106_35-40	3.7	5.6	1.4
B21B-106_40-45	2.9	6.0	1.5
B21B-106_45-50	1.9	3.8	0.9
B21B-107_0-5	2.0	6.9	1.1
B21B-107_5-10	1.8	4.1	0.9
B21B-107_10-15	1.5	4.3	1.0
B21B-107_15-20	1.2	4.1	0.9
B21B-107_20-25	2.1	4.2	0.9
B21B-107_25-30	3.8	3.8	0.8
B21B-107_30-35	1.0	7.0	1.3
B21B-107_35-40	3.5	4.6	0.9
B21B-107_40-45	4.6	4.3	1.0
B21B-107_45-50	3.5	4.6	1.1
B21B-107_50-55	5.1	5.8	1.2
B21B-107_55-60	2.8	5.0	1.1
B21B-108_0-5	1.6	8.0	1.1
B21B-108_5-10	1.2	6.8	1.2
B21B-108_10-15	1.0	7.2	1.5
B21B-108_15-20	0.9	6.8	1.4
B21B-108_20-25	0.9	6.7	1.4
B21B-108_25-30	1.2	6.2	1.2
B21B-108_30-35	5.0	5.3	0.8
B21B-108_35-40	1.2	7.5	1.5
B21B-108_40-45	1.1	6.2	1.4
B21B-108_45-50	0.7	6.6	1.3
B21B-108_50-55	0.5	10.7	1.5
B21B-108_55-60	0.7	11.0	1.6
B21B-109_0-5	1.9	8.1	1.5
B21B-109_5-10	3.8	6.2	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(265-339)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11013

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-109_10-15	5.8	5.8	1.1
B21B-109_15-20	7.1	6.8	1.3
B21B-109_20-25	41.4	6.7	1.2
B21B-109_25-30	9.8	6.6	1.2
B21B-109_30-35	7.3	5.9	1.1
B21B-109_35-40	68.8	5.0	1.1
B21B-110_0-5	4.5	5.5	1.2
B21B-110_5-10	2.3	5.3	1.2
B21B-110_10-15	6.3	6.5	1.4
B21B-110_15-20	34.1	6.1	1.3
B21B-110_20-25	26.4	6.4	1.3
B21B-110_25-30	26.3	6.1	1.3
*Dup B21B-107_10-15	1.4	4.9	1.1
*Std OREAS 601b	6.2	11.3	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-110_15-20	32.9	6.4	1.3
*Std OREAS 905	3.0	15.1	0.7
*Std OREAS 601b	6.4	11.1	0.5
*Std OREAS 905	2.5	16.1	0.6
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-105_15-20	2.0	6.0	1.4

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11014

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	06-Aug-2021 - 07-Sep-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	07-Sep-2021
Gold/RABP2/1504 Samples(340-414)		SGS Order Number	BBM21-11014
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3), ICP-MS, 0.2g-12ml
16	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

8-Sep-2021 2:43AM BBM\_U0013797334

Page 1 of 32

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-111_0-5	7.24	0.027	5.56	293	0.02	10
B21B-111_5-10	5.57	0.085	3.62	281	0.02	2
B21B-111_10-15	5.70	0.085	3.77	307	0.02	3
B21B-111_15-20	4.65	0.071	4.30	287	0.02	2
596939	0.02	0.335	-	-	-	-
B21B-111_20-25	7.29	0.148	3.45	298	0.02	5
B21B-111_25-30	2.95	0.322	3.13	307	0.02	3
B21B-111_30-35	5.20	0.415	3.53	280	0.02	3
B21B-111_35-40	6.20	0.132	4.40	315	0.02	3
B21B-111_40-45	5.33	0.198	4.09	327	0.02	4
B21B-111_45-50	5.54	1.135	4.36	193	0.02	6
B21B-111_50-55	5.39	1.112	4.01	253	0.02	4
B21B-111_55-60	5.27	0.845	4.38	225	0.01	7
B21B-111_60-65	3.57	1.025	5.43	126	0.02	6
B21B-112_0-5	5.29	0.048	4.83	336	0.02	9
B21B-112_5-10	6.90	0.121	4.33	365	0.02	5
B21B-112_10-15	5.01	0.118	4.52	179	0.02	4
B21B-112_15-20	5.08	0.208	3.86	270	0.02	3
B21B-112_20-25	3.72	0.151	4.97	193	0.02	3
B21B-112_25-30	7.85	0.085	4.83	161	0.02	2
B21B-112_30-35	7.98	0.058	4.24	279	0.01	4
B21B-112_35-40	6.14	0.074	4.82	175	0.01	4
B21B-112_40-45	6.31	0.097	4.20	105	0.02	5
596940	2.97	<0.005	-	-	-	-
B21B-112_45-50	7.87	0.064	5.02	101	0.02	6
B21B-112_50-55	7.56	0.055	4.33	215	0.01	10
B21B-112_55-60	8.75	0.046	4.72	185	0.01	9
B21B-113_0-5	3.27	0.016	6.65	364	0.02	14
B21B-113_5-10	4.18	0.013	5.86	357	0.02	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-113_10-15	5.55	0.038	5.78	363	0.02	4
B21B-113_15-20	4.45	0.064	6.14	248	0.02	4
B21B-113_20-25	4.65	0.097	5.11	307	0.02	3
B21B-113_25-30	5.62	0.070	5.56	243	0.02	4
B21B-113_30-35	6.11	0.050	5.71	354	0.02	4
B21B-113_35-40	5.98	0.043	6.36	183	0.02	4
B21B-113_40-45	5.65	0.071	5.17	160	0.02	4
B21B-113_45-50	5.61	0.048	5.14	157	0.02	12
B21B-113_50-55	4.32	0.050	5.04	187	0.02	5
B21B-113_55-60	6.15	0.067	6.03	135	0.02	6
B21B-113_60-65	7.45	0.049	5.95	146	0.02	5
B21B-113_65-70	5.68	0.065	5.08	66	0.02	6
B21B-113_70-75	8.47	0.078	5.26	99	0.02	8
B21B-113_75-80	6.28	0.083	6.65	139	0.02	3
B21B-114_0-5	3.00	0.023	8.30	359	0.03	8
B21B-114_5-10	3.70	0.024	7.88	377	0.02	8
B21B-114_10-15	5.43	0.042	6.62	286	0.02	2
596941	2.85	0.064	-	-	-	-
B21B-114_15-20	4.99	0.060	7.45	144	0.03	2
B21B-114_20-25	5.38	0.093	7.25	309	0.03	2
B21B-114_25-30	6.45	0.160	7.58	145	0.03	1
B21B-114_30-35	3.21	0.102	6.38	121	0.03	1
B21B-114_35-40	7.48	0.131	7.94	118	0.04	1
B21B-114_40-45	3.93	0.361	7.39	130	0.04	3
B21B-114_45-50	6.54	0.362	6.33	130	0.04	3
B21B-114_50-55	4.46	0.140	7.00	118	0.03	2
B21B-114_55-60	4.24	0.324	5.95	110	0.03	3
B21B-114_60-65	6.12	0.102	8.64	125	0.03	2
B21B-114_65-70	3.80	0.118	9.11	145	0.02	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-114_70-75	3.96	0.083	10.05	118	0.02	2
B21B-114_75-80	4.32	0.195	8.62	148	0.03	3
B21B-115_0-5	4.58	0.131	5.11	228	0.02	11
B21B-115_5-10	7.23	0.066	7.41	117	0.03	7
B21B-115_10-15	6.87	0.146	6.00	83	0.03	4
B21B-115_15-20	6.43	0.269	6.22	92	0.03	4
B21B-115_20-25	7.39	0.150	6.21	84	0.02	3
B21B-116_0-5	6.23	0.015	7.45	294	0.02	10
B21B-116_5-10	5.68	0.007	5.10	275	0.03	2
B21B-116_10-15	7.18	0.010	5.98	402	0.02	2
B21B-116_15-20	7.89	0.087	5.26	198	0.01	2
B21B-116_20-25	8.70	0.173	5.68	347	0.02	3
B21B-116_25-30	7.55	0.077	5.54	154	0.02	1
596942	0.02	1.485	-	-	-	-
B21B-116_30-35	5.56	0.250	5.49	163	0.02	3
B21B-116_35-40	6.92	0.173	5.27	193	0.02	4
B21B-116_40-45	8.06	0.143	5.18	150	0.02	5
*Dup B21B-113_60-65	-	0.051	6.22	124	0.02	6
*Rep B21B-114_15-20	-	-	7.33	176	0.03	2
*Std OREAS 601b	-	-	6.22	284	0.82	16
*Std OREAS 905	-	-	7.02	2609	0.54	14
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.53	676	0.82	19
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.38	2654	0.54	14
*Rep B21B-112_15-20	-	-	3.97	409	0.02	3
*Blk BLANK	-	-	0.01	1	<0.01	<1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 905	-	-	6.92	2549	0.52	14
*Blk BLANK	-	-	<0.01	<1	<0.01	2
*Std OREAS 601b	-	-	6.66	1066	0.89	13
*Std OREAS 238	-	3.005	-	-	-	-
*Std OREAS 250b	-	0.330	-	-	-	-
*Rep B21B-112_5-10	-	0.120	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-113_45-50	-	0.050	-	-	-	-
*Std SN106	-	8.137	-	-	-	-
*Rep B21B-115_20-25	-	0.148	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Blk BLANK	-	0.005	-	-	-	-
*Std OREAS 238	-	2.960	-	-	-	-
*Std SN106	-	8.684	-	-	-	-
*Std OREAS 250b	-	0.336	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-111_0-5	11.5	3.20	1.47	4	0.01	31
B21B-111_5-10	21.9	6.78	1.42	1	<0.01	16
B21B-111_10-15	11.6	3.19	1.23	<1	<0.01	29
B21B-111_15-20	4.6	1.68	1.83	<1	<0.01	22
B21B-111_20-25	19.0	4.32	1.46	<1	<0.01	37
B21B-111_25-30	8.2	3.90	1.32	<1	<0.01	25

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-111_30-35	11.0	5.78	1.50	<1	<0.01	37
B21B-111_35-40	8.1	3.11	1.86	<1	<0.01	25
B21B-111_40-45	9.3	3.02	1.78	<1	<0.01	34
B21B-111_45-50	10.8	3.64	1.86	<1	<0.01	25
B21B-111_50-55	29.1	2.85	1.41	<1	<0.01	37
B21B-111_55-60	38.1	3.31	1.89	1	<0.01	30
B21B-111_60-65	94.4	4.62	2.51	<1	<0.01	29
B21B-112_0-5	10.6	2.60	1.64	2	<0.01	29
B21B-112_5-10	7.0	2.17	1.77	<1	<0.01	29
B21B-112_10-15	6.6	1.35	1.97	<1	<0.01	28
B21B-112_15-20	3.6	1.02	1.75	<1	<0.01	37
B21B-112_20-25	6.7	1.62	2.19	<1	<0.01	34
B21B-112_25-30	14.9	3.80	1.93	<1	<0.01	31
B21B-112_30-35	11.6	1.91	1.80	<1	<0.01	32
B21B-112_35-40	17.7	1.41	2.19	<1	<0.01	31
B21B-112_40-45	19.6	3.80	1.79	<1	<0.01	42
B21B-112_45-50	21.2	2.88	2.30	<1	<0.01	35
B21B-112_50-55	22.7	1.61	1.93	<1	<0.01	37
B21B-112_55-60	19.9	1.60	2.13	2	<0.01	36
B21B-113_0-5	8.8	1.13	1.34	5	0.01	22
B21B-113_5-10	5.1	0.74	1.67	2	<0.01	28
B21B-113_10-15	3.8	0.69	1.59	1	<0.01	22
B21B-113_15-20	10.2	1.04	2.12	<1	<0.01	27
B21B-113_20-25	6.0	1.68	1.95	<1	<0.01	30
B21B-113_25-30	9.2	1.53	1.77	<1	<0.01	32
B21B-113_30-35	8.8	1.53	1.54	1	<0.01	31
B21B-113_35-40	8.2	1.54	2.04	<1	<0.01	31
B21B-113_40-45	13.7	2.41	2.00	<1	<0.01	31
B21B-113_45-50	6.6	1.64	2.04	1	<0.01	34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-113_50-55	6.5	1.88	1.94	<1	<0.01	32
B21B-113_55-60	6.1	2.42	2.14	<1	<0.01	33
B21B-113_60-65	7.9	2.55	1.93	1	<0.01	39
B21B-113_65-70	8.8	2.53	1.56	1	<0.01	40
B21B-113_70-75	11.8	1.81	1.56	2	<0.01	37
B21B-113_75-80	11.4	1.13	1.93	1	<0.01	30
B21B-114_0-5	12.7	1.50	1.17	4	0.01	32
B21B-114_5-10	8.8	1.13	1.34	3	<0.01	38
B21B-114_10-15	5.6	0.64	1.30	2	<0.01	28
B21B-114_15-20	4.3	0.74	1.74	2	<0.01	24
B21B-114_20-25	6.8	1.12	1.35	2	<0.01	25
B21B-114_25-30	6.3	0.49	2.02	2	<0.01	20
B21B-114_30-35	6.5	0.35	2.09	<1	<0.01	19
B21B-114_35-40	5.7	0.67	2.32	1	<0.01	18
B21B-114_40-45	18.0	1.35	2.48	<1	<0.01	26
B21B-114_45-50	9.3	0.65	2.15	1	<0.01	28
B21B-114_50-55	6.3	0.41	2.55	<1	<0.01	24
B21B-114_55-60	17.1	1.31	2.20	<1	<0.01	31
B21B-114_60-65	5.2	0.28	3.06	<1	<0.01	24
B21B-114_65-70	9.0	0.29	3.26	<1	<0.01	27
B21B-114_70-75	9.3	0.30	3.57	1	<0.01	26
B21B-114_75-80	8.8	0.44	3.11	<1	<0.01	26
B21B-115_0-5	20.1	2.89	1.46	3	<0.01	34
B21B-115_5-10	16.0	1.22	2.45	1	<0.01	35
B21B-115_10-15	29.4	1.67	2.13	1	<0.01	32
B21B-115_15-20	52.8	2.33	2.32	<1	<0.01	33
B21B-115_20-25	37.8	2.17	2.16	<1	<0.01	35
B21B-116_0-5	6.4	1.39	1.12	5	0.01	25
B21B-116_5-10	3.1	0.49	1.35	1	<0.01	24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-116_10-15	2.7	0.42	0.85	2	<0.01	31
B21B-116_15-20	6.8	0.92	0.26	1	<0.01	25
B21B-116_20-25	4.8	0.63	0.85	2	<0.01	28
B21B-116_25-30	3.3	0.43	1.60	<1	<0.01	21
B21B-116_30-35	3.4	0.95	1.83	<1	<0.01	36
B21B-116_35-40	7.6	2.30	1.47	<1	<0.01	29
B21B-116_40-45	7.5	1.85	1.81	<1	<0.01	31
*Dup B21B-113_60-65	7.8	2.58	1.94	1	<0.01	36
*Rep B21B-114_15-20	4.0	0.75	1.74	2	<0.01	23
*Std OREAS 601b	986	2.13	2.31	22	0.09	213
*Std OREAS 905	1567	3.83	2.82	20	0.27	391
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	946	2.10	2.40	21	0.09	209
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1452	3.75	2.95	20	0.26	371
*Rep B21B-112_15-20	3.7	1.05	1.80	<1	<0.01	40
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1423	3.81	2.35	20	0.26	349
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	955	2.17	2.34	23	0.10	221

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-111_0-5	0.22	3	0.04	2.92	153	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-111_5-10	0.18	<1	0.05	2.51	115	0.02
B21B-111_10-15	0.20	<1	0.04	2.85	147	0.04
B21B-111_15-20	0.23	<1	0.04	3.20	141	0.05
B21B-111_20-25	0.17	2	0.04	3.13	130	0.04
B21B-111_25-30	0.16	1	0.04	2.25	134	0.04
B21B-111_30-35	0.18	1	0.04	2.62	122	0.03
B21B-111_35-40	0.23	2	0.04	3.42	173	0.04
B21B-111_40-45	0.22	3	0.04	3.39	162	0.03
B21B-111_45-50	0.23	2	0.04	3.44	170	0.03
B21B-111_50-55	0.20	7	0.03	4.01	130	0.04
B21B-111_55-60	0.23	8	0.03	4.75	132	0.04
B21B-111_60-65	0.29	8	0.04	>5.00	166	0.04
B21B-112_0-5	0.19	2	0.04	3.11	147	0.07
B21B-112_5-10	0.21	1	0.04	3.34	150	0.06
B21B-112_10-15	0.24	1	0.04	3.51	154	0.06
B21B-112_15-20	0.20	<1	0.04	2.92	159	0.06
B21B-112_20-25	0.24	<1	0.04	3.68	174	0.05
B21B-112_25-30	0.21	<1	0.04	3.76	143	0.03
B21B-112_30-35	0.19	2	0.03	3.36	131	0.04
B21B-112_35-40	0.25	2	0.03	3.61	143	0.05
B21B-112_40-45	0.21	2	0.04	4.56	164	0.03
B21B-112_45-50	0.26	3	0.03	>5.00	155	0.03
B21B-112_50-55	0.21	3	0.02	3.94	116	0.04
B21B-112_55-60	0.23	7	0.03	4.86	123	0.04
B21B-113_0-5	0.16	3	0.04	2.36	246	0.12
B21B-113_5-10	0.17	3	0.04	2.59	254	0.07
B21B-113_10-15	0.19	<1	0.05	3.06	256	0.06
B21B-113_15-20	0.21	<1	0.04	3.95	250	0.05
B21B-113_20-25	0.20	<1	0.04	3.48	226	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-113_25-30	0.16	<1	0.04	3.07	248	0.04
B21B-113_30-35	0.15	2	0.04	2.74	252	0.05
B21B-113_35-40	0.21	2	0.04	3.84	290	0.05
B21B-113_40-45	0.22	2	0.04	>5.00	230	0.04
B21B-113_45-50	0.22	3	0.04	4.33	233	0.04
B21B-113_50-55	0.22	3	0.04	4.67	193	0.04
B21B-113_55-60	0.24	3	0.05	4.96	253	0.04
B21B-113_60-65	0.23	4	0.04	>5.00	235	0.03
B21B-113_65-70	0.22	5	0.04	>5.00	204	0.03
B21B-113_70-75	0.22	7	0.04	>5.00	225	0.03
B21B-113_75-80	0.28	7	0.05	4.88	283	0.03
B21B-114_0-5	0.17	3	0.05	2.50	288	0.07
B21B-114_5-10	0.19	2	0.05	2.80	343	0.07
B21B-114_10-15	0.18	<1	0.05	2.86	303	0.05
B21B-114_15-20	0.23	<1	0.07	3.51	384	0.05
B21B-114_20-25	0.18	<1	0.07	2.98	296	0.04
B21B-114_25-30	0.28	<1	0.06	4.31	428	0.04
B21B-114_30-35	0.29	<1	0.07	4.56	458	0.05
B21B-114_35-40	0.32	<1	0.07	4.89	408	0.04
B21B-114_40-45	0.35	1	0.07	>5.00	420	0.04
B21B-114_45-50	0.31	2	0.07	4.55	413	0.06
B21B-114_50-55	0.37	2	0.06	>5.00	376	0.05
B21B-114_55-60	0.32	2	0.05	4.96	326	0.04
B21B-114_60-65	0.49	2	0.05	>5.00	376	0.04
B21B-114_65-70	0.51	2	0.05	>5.00	355	0.03
B21B-114_70-75	0.55	2	0.04	>5.00	348	0.03
B21B-114_75-80	0.47	2	0.05	>5.00	349	0.04
B21B-115_0-5	0.25	2	0.04	3.24	211	0.05
B21B-115_5-10	0.37	1	0.04	>5.00	217	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-115_10-15	0.32	2	0.04	>5.00	256	0.04
B21B-115_15-20	0.34	2	0.04	>5.00	236	0.04
B21B-115_20-25	0.35	3	0.04	>5.00	232	0.03
B21B-116_0-5	0.16	2	0.05	2.36	217	0.09
B21B-116_5-10	0.20	<1	0.05	2.92	289	0.07
B21B-116_10-15	0.16	<1	0.05	1.84	430	0.06
B21B-116_15-20	0.06	1	0.04	0.89	353	0.06
B21B-116_20-25	0.28	1	0.05	2.33	439	0.05
B21B-116_25-30	0.32	<1	0.05	3.79	310	0.06
B21B-116_30-35	0.29	1	0.04	4.15	225	0.05
B21B-116_35-40	0.23	2	0.04	4.18	176	0.05
B21B-116_40-45	0.26	2	0.04	4.14	191	0.05
*Dup B21B-113_60-65	0.23	4	0.04	>5.00	235	0.04
*Rep B21B-114_15-20	0.24	<1	0.07	3.70	383	0.04
*Std OREAS 601b	1.74	5	0.03	1.46	223	0.12
*Std OREAS 905	2.25	8	0.03	0.09	150	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 601b	1.90	6	0.03	1.50	231	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.47	8	0.03	0.09	151	0.11
*Rep B21B-112_15-20	0.20	<1	0.04	3.12	165	0.06
*Blk BLANK	<0.01	<1	<0.01	0.02	0.6	<0.01
*Std OREAS 905	2.27	8	0.03	0.08	149	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.82	6	0.03	1.51	241	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	37	4	110	0.32	7	0.2
B21B-111_5-10	20	2	102	0.31	12	<0.1
B21B-111_10-15	17	1	111	0.34	6	<0.1
B21B-111_15-20	19	<1	114	0.15	4	<0.1
B21B-111_20-25	21	1	119	0.34	13	<0.1
B21B-111_25-30	18	<1	129	0.20	15	<0.1
B21B-111_30-35	18	<1	119	0.37	14	<0.1
B21B-111_35-40	18	1	115	0.32	6	<0.1
B21B-111_40-45	17	<1	117	0.19	8	<0.1
B21B-111_45-50	23	1	107	0.36	17	<0.1
B21B-111_50-55	20	<1	122	0.15	13	<0.1
B21B-111_55-60	23	1	113	0.22	20	<0.1
B21B-111_60-65	32	2	103	0.24	33	<0.1
B21B-112_0-5	39	3	136	0.23	10	<0.1
B21B-112_5-10	34	2	127	0.13	10	<0.1
B21B-112_10-15	24	<1	109	0.24	5	<0.1
B21B-112_15-20	33	<1	123	0.13	5	<0.1
B21B-112_20-25	28	<1	114	0.44	4	<0.1
B21B-112_25-30	29	<1	97.8	0.24	8	<0.1
B21B-112_30-35	24	<1	106	0.15	5	<0.1
B21B-112_35-40	32	<1	109	0.11	6	<0.1
B21B-112_40-45	22	<1	111	0.12	7	<0.1
B21B-112_45-50	22	<1	99.5	0.08	4	<0.1
B21B-112_50-55	17	<1	91.5	0.18	3	<0.1
B21B-112_55-60	19	<1	96.2	0.17	4	<0.1
B21B-113_0-5	48	5	142	0.23	5	0.2
B21B-113_5-10	27	2	126	0.34	2	0.1
B21B-113_10-15	25	<1	126	0.13	2	0.1
B21B-113_15-20	26	1	117	0.08	2	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-113_20-25	28	<1	119	0.13	3	<0.1
B21B-113_25-30	28	<1	109	0.06	2	<0.1
B21B-113_30-35	25	<1	113	0.10	2	0.1
B21B-113_35-40	27	2	110	0.33	2	0.1
B21B-113_40-45	22	<1	105	0.29	3	<0.1
B21B-113_45-50	22	<1	105	0.29	2	<0.1
B21B-113_50-55	17	<1	98.1	0.38	3	<0.1
B21B-113_55-60	21	<1	104	0.05	3	<0.1
B21B-113_60-65	18	<1	85.2	0.27	2	<0.1
B21B-113_65-70	16	2	95.7	0.43	3	<0.1
B21B-113_70-75	19	2	90.9	0.44	3	<0.1
B21B-113_75-80	20	2	90.0	0.09	2	<0.1
B21B-114_0-5	47	5	121	0.05	5	0.3
B21B-114_5-10	42	3	124	0.21	4	0.2
B21B-114_10-15	32	<1	122	0.05	2	0.2
B21B-114_15-20	40	2	118	0.10	3	0.1
B21B-114_20-25	30	<1	111	0.44	3	0.1
B21B-114_25-30	34	<1	109	0.09	2	0.1
B21B-114_30-35	31	<1	119	0.10	2	<0.1
B21B-114_35-40	37	<1	110	0.09	3	<0.1
B21B-114_40-45	38	<1	99.9	0.19	7	<0.1
B21B-114_45-50	30	<1	103	0.39	3	<0.1
B21B-114_50-55	29	1	104	0.06	2	<0.1
B21B-114_55-60	24	1	103	0.19	30	<0.1
B21B-114_60-65	26	<1	75.3	0.04	1	<0.1
B21B-114_65-70	27	<1	68.5	0.12	2	<0.1
B21B-114_70-75	29	<1	63.2	0.18	2	<0.1
B21B-114_75-80	31	<1	90.4	0.30	5	<0.1
B21B-115_0-5	29	4	86.4	0.09	19	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-115_5-10	25	<1	86.8	0.14	4	<0.1
B21B-115_10-15	25	1	86.1	0.21	6	<0.1
B21B-115_15-20	28	2	91.8	0.10	13	<0.1
B21B-115_20-25	25	2	89.1	0.18	8	<0.1
B21B-116_0-5	55	3	150	0.12	7	0.2
B21B-116_5-10	29	2	146	0.28	3	0.1
B21B-116_10-15	28	2	155	0.21	3	0.3
B21B-116_15-20	20	<1	132	0.34	3	0.3
B21B-116_20-25	28	<1	128	0.06	3	0.3
B21B-116_25-30	24	2	125	0.08	2	0.1
B21B-116_30-35	28	<1	111	0.19	6	<0.1
B21B-116_35-40	25	<1	123	0.05	8	0.1
B21B-116_40-45	26	<1	116	0.10	13	<0.1
*Dup B21B-113_60-65	18	<1	93.8	0.35	2	0.1
*Rep B21B-114_15-20	39	<1	109	0.10	3	0.2
*Std OREAS 601b	10	312	174	50.74	269	2.2
*Std OREAS 905	9	140	247	0.69	32	2.8
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	313	174	49.19	305	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	138	233	-	-	-
*Blk BLANK	-	-	-	0.02	1	<0.1
*Std OREAS 905	-	-	-	0.52	36	2.9
*Rep B21B-112_15-20	33	1	120	0.12	5	<0.1
*Blk BLANK	<2	<1	0.6	0.25	<1	<0.1
*Std OREAS 905	9	134	227	0.76	33	2.7
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	11	318	182	50.09	279	2.5

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	6.62	<0.02	50.32	0.9	<1	8.8
B21B-111_5-10	11.60	0.03	42.80	0.5	<1	3.8
B21B-111_10-15	26.51	<0.02	43.83	1.8	<1	4.0
B21B-111_15-20	32.98	<0.02	40.95	0.4	<1	6.4
B21B-111_20-25	18.04	0.04	49.11	4.4	<1	5.3
B21B-111_25-30	7.09	<0.02	50.81	0.9	<1	3.8
B21B-111_30-35	5.28	0.02	40.69	1.1	<1	3.6
B21B-111_35-40	2.84	<0.02	47.95	1.1	<1	2.9
B21B-111_40-45	2.96	<0.02	47.23	0.9	<1	3.7
B21B-111_45-50	3.90	0.03	42.71	0.8	<1	6.3
B21B-111_50-55	4.56	0.04	39.68	8.0	<1	4.4
B21B-111_55-60	4.20	0.04	46.33	9.6	<1	5.1
B21B-111_60-65	4.97	0.07	42.91	19.2	<1	7.7
B21B-112_0-5	1.31	<0.02	53.07	0.8	<1	6.1
B21B-112_5-10	1.13	<0.02	60.67	1.2	<1	4.8
B21B-112_10-15	0.76	<0.02	49.38	1.2	<1	3.6
B21B-112_15-20	0.66	<0.02	69.25	0.3	<1	3.1
B21B-112_20-25	0.89	<0.02	45.81	0.5	<1	4.1
B21B-112_25-30	1.11	<0.02	49.77	0.7	<1	7.8
B21B-112_30-35	0.81	<0.02	54.20	1.2	<1	4.6
B21B-112_35-40	1.11	<0.02	49.55	2.4	<1	4.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-112_40-45	1.79	<0.02	56.44	3.1	<1	3.4
B21B-112_45-50	0.97	0.02	38.08	4.4	<1	3.3
B21B-112_50-55	0.73	<0.02	36.66	5.2	<1	3.0
B21B-112_55-60	0.67	0.03	33.42	7.7	<1	3.3
B21B-113_0-5	1.26	<0.02	61.64	0.8	<1	13.0
B21B-113_5-10	0.64	<0.02	62.18	0.7	<1	6.3
B21B-113_10-15	0.83	<0.02	74.30	0.3	<1	6.4
B21B-113_15-20	0.69	<0.02	66.80	1.1	<1	6.1
B21B-113_20-25	0.88	<0.02	65.68	0.6	<1	5.1
B21B-113_25-30	0.63	<0.02	51.48	0.8	<1	8.7
B21B-113_30-35	0.62	<0.02	46.33	1.0	<1	7.7
B21B-113_35-40	0.70	<0.02	44.75	2.9	<1	9.7
B21B-113_40-45	1.14	<0.02	43.89	4.0	<1	5.7
B21B-113_45-50	0.95	<0.02	41.71	3.4	<1	9.1
B21B-113_50-55	0.92	<0.02	38.78	5.4	<1	6.3
B21B-113_55-60	1.01	<0.02	41.28	4.2	<1	7.8
B21B-113_60-65	0.91	0.03	40.28	6.7	<1	7.0
B21B-113_65-70	1.09	<0.02	36.88	7.3	<1	4.6
B21B-113_70-75	1.35	0.03	39.37	6.5	<1	6.8
B21B-113_75-80	1.48	0.03	42.48	5.3	<1	14.1
B21B-114_0-5	2.50	<0.02	66.96	0.7	<1	12.7
B21B-114_5-10	3.58	<0.02	71.87	0.6	<1	11.2
B21B-114_10-15	1.73	<0.02	57.19	0.4	<1	11.4
B21B-114_15-20	1.41	<0.02	64.74	0.2	<1	12.3
B21B-114_20-25	1.77	<0.02	50.68	0.5	<1	14.0
B21B-114_25-30	2.00	<0.02	68.83	0.1	<1	11.2
B21B-114_30-35	2.10	<0.02	80.47	0.2	<1	9.5
B21B-114_35-40	1.47	<0.02	69.77	0.4	<1	14.1
B21B-114_40-45	2.12	<0.02	63.09	0.8	<1	13.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-114_45-50	1.63	<0.02	59.42	0.6	<1	11.4
B21B-114_50-55	1.50	<0.02	50.41	0.4	<1	10.8
B21B-114_55-60	6.81	<0.02	42.93	0.7	<1	7.6
B21B-114_60-65	1.24	<0.02	52.74	0.3	<1	11.1
B21B-114_65-70	1.70	<0.02	43.82	0.2	<1	12.6
B21B-114_70-75	2.22	<0.02	44.59	0.2	<1	15.1
B21B-114_75-80	3.62	<0.02	67.69	0.4	<1	14.2
B21B-115_0-5	3.58	<0.02	24.99	0.8	<1	8.0
B21B-115_5-10	1.78	<0.02	25.93	1.9	<1	7.6
B21B-115_10-15	2.11	<0.02	35.85	5.0	<1	8.3
B21B-115_15-20	3.70	0.04	35.64	10.9	<1	9.2
B21B-115_20-25	2.67	0.03	22.93	10.2	<1	7.4
B21B-116_0-5	1.48	<0.02	62.64	0.8	<1	17.4
B21B-116_5-10	1.05	<0.02	89.11	0.3	<1	7.4
B21B-116_10-15	0.90	<0.02	95.96	0.2	<1	10.4
B21B-116_15-20	1.20	<0.02	57.75	1.5	<1	7.8
B21B-116_20-25	2.16	<0.02	73.08	0.8	<1	9.2
B21B-116_25-30	1.03	<0.02	68.87	0.4	<1	6.5
B21B-116_30-35	1.54	<0.02	60.90	0.4	<1	7.1
B21B-116_35-40	1.21	<0.02	47.48	2.2	<1	9.7
B21B-116_40-45	1.06	<0.02	46.85	1.4	<1	6.8
*Dup B21B-113_60-65	0.88	<0.02	39.84	6.6	<1	7.5
*Rep B21B-114_15-20	1.33	<0.02	62.49	0.2	<1	11.5
*Std OREAS 601b	17.17	2.03	67.02	2.8	5	22.1
*Std OREAS 905	5.96	0.33	89.96	13.9	7	23.6
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	16.85	2.26	73.32	2.9	5	22.8
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.04	<0.02	0.11	<0.1	<1	0.1
*Std OREAS 905	5.34	0.34	99.38	14.6	7	24.3
*Rep B21B-112_15-20	0.66	<0.02	69.71	0.3	<1	3.2
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.51	0.35	91.40	14.2	7	23.4
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 601b	17.91	1.97	69.98	3.0	6	22.5

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	3.62	0.05	20.0	0.19	8.65	2.9
B21B-111_5-10	2.98	0.03	20.2	0.20	13.43	0.9
B21B-111_10-15	3.08	0.02	20.9	0.21	12.75	1.4
B21B-111_15-20	3.17	0.03	20.0	0.22	8.32	1.6
B21B-111_20-25	3.23	0.04	24.3	0.22	19.96	1.5
B21B-111_25-30	3.53	0.03	24.1	0.21	9.85	1.3
B21B-111_30-35	3.27	0.03	20.9	0.20	14.81	1.1
B21B-111_35-40	3.27	0.03	23.5	0.22	11.75	1.5
B21B-111_40-45	3.17	0.03	24.8	0.21	10.61	1.3
B21B-111_45-50	3.11	0.04	21.9	0.21	16.79	1.2
B21B-111_50-55	3.46	0.04	19.9	0.24	15.84	1.8
B21B-111_55-60	3.10	0.04	22.2	0.22	16.02	1.5
B21B-111_60-65	2.98	0.08	20.3	0.22	15.35	2.0
B21B-112_0-5	3.56	0.03	24.8	0.25	7.55	3.0
B21B-112_5-10	3.50	0.03	28.1	0.25	7.87	2.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-112_10-15	3.12	<0.02	24.4	0.24	7.01	2.6
B21B-112_15-20	3.56	<0.02	30.5	0.29	6.52	2.5
B21B-112_20-25	3.42	<0.02	21.6	0.25	4.69	2.6
B21B-112_25-30	2.94	0.02	23.0	0.23	3.68	1.5
B21B-112_30-35	3.05	<0.02	24.7	0.25	4.06	1.5
B21B-112_35-40	3.23	<0.02	22.0	0.25	7.13	2.2
B21B-112_40-45	3.22	<0.02	25.1	0.25	8.73	1.3
B21B-112_45-50	2.80	<0.02	17.5	0.21	5.10	1.6
B21B-112_50-55	2.57	<0.02	17.3	0.20	4.33	1.6
B21B-112_55-60	2.63	<0.02	16.0	0.19	8.58	1.7
B21B-113_0-5	4.25	0.03	25.1	0.23	3.90	5.3
B21B-113_5-10	3.48	<0.02	27.4	0.24	3.00	3.0
B21B-113_10-15	3.61	<0.02	30.5	0.27	3.52	2.5
B21B-113_15-20	3.46	<0.02	28.1	0.26	3.81	2.0
B21B-113_20-25	3.40	<0.02	28.5	0.27	6.52	2.0
B21B-113_25-30	3.06	<0.02	23.7	0.22	4.71	1.8
B21B-113_30-35	3.13	<0.02	22.0	0.22	7.83	2.0
B21B-113_35-40	3.40	<0.02	21.4	0.23	8.58	2.0
B21B-113_40-45	3.13	<0.02	20.8	0.21	10.39	1.5
B21B-113_45-50	3.00	<0.02	19.7	0.22	7.33	1.6
B21B-113_50-55	2.84	<0.02	18.3	0.20	6.71	1.7
B21B-113_55-60	2.90	<0.02	20.8	0.20	11.79	1.8
B21B-113_60-65	2.41	<0.02	19.2	0.17	9.46	1.3
B21B-113_65-70	2.47	<0.02	17.9	0.17	10.28	1.3
B21B-113_70-75	2.49	<0.02	18.9	0.17	10.93	1.4
B21B-113_75-80	2.47	<0.02	21.1	0.17	6.07	1.4
B21B-114_0-5	3.39	0.03	31.1	0.22	4.09	3.1
B21B-114_5-10	3.53	0.03	34.8	0.23	3.67	2.8
B21B-114_10-15	3.32	<0.02	27.0	0.24	2.24	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-114_15-20	3.24	0.02	30.5	0.24	2.42	1.8
B21B-114_20-25	2.94	<0.02	23.3	0.23	2.84	1.6
B21B-114_25-30	3.01	0.02	29.0	0.22	3.27	1.8
B21B-114_30-35	3.31	<0.02	34.5	0.28	1.73	2.2
B21B-114_35-40	3.08	0.02	30.4	0.22	2.66	1.7
B21B-114_40-45	2.79	0.04	27.4	0.21	4.28	1.5
B21B-114_45-50	2.81	0.03	26.8	0.21	3.30	2.2
B21B-114_50-55	2.92	0.02	23.1	0.21	2.48	2.0
B21B-114_55-60	2.92	<0.02	20.5	0.21	8.24	1.6
B21B-114_60-65	2.17	0.03	22.6	0.15	1.24	1.4
B21B-114_65-70	1.97	0.03	20.6	0.13	1.43	1.1
B21B-114_70-75	1.81	0.03	20.1	0.12	1.42	1.3
B21B-114_75-80	2.56	0.03	29.9	0.19	4.71	1.9
B21B-115_0-5	2.49	0.02	12.6	0.16	10.03	1.9
B21B-115_5-10	2.40	0.03	14.8	0.15	4.09	1.6
B21B-115_10-15	2.34	0.02	18.3	0.16	5.61	1.6
B21B-115_15-20	2.52	0.02	17.8	0.18	7.96	1.6
B21B-115_20-25	2.34	<0.02	11.4	0.16	16.41	1.4
B21B-116_0-5	4.28	0.04	28.8	0.26	4.48	3.8
B21B-116_5-10	3.99	0.03	35.6	0.24	2.94	2.5
B21B-116_10-15	4.41	0.02	36.1	0.26	2.41	2.4
B21B-116_15-20	3.66	<0.02	25.6	0.23	4.16	2.0
B21B-116_20-25	3.51	<0.02	29.9	0.23	2.94	2.0
B21B-116_25-30	3.54	<0.02	30.0	0.27	2.41	2.2
B21B-116_30-35	3.05	<0.02	27.2	0.22	11.11	1.9
B21B-116_35-40	3.31	<0.02	22.8	0.26	52.99	1.8
B21B-116_40-45	3.29	<0.02	23.0	0.24	9.16	1.7
*Dup B21B-113_60-65	2.59	<0.02	19.0	0.19	9.21	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep B21B-114_15-20	2.94	<0.02	29.3	0.22	2.22	1.4
*Std OREAS 601b	5.15	0.47	32.5	0.07	5.06	14.0
*Std OREAS 905	7.30	0.67	44.3	0.10	3.13	17.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.06	<0.1
*Std OREAS 601b	5.27	0.49	35.6	0.07	5.49	14.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.04	0.61	49.2	0.10	3.24	18.1
*Rep B21B-112_15-20	3.48	<0.02	31.4	0.28	6.38	2.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	6.98	0.64	44.0	0.10	3.36	18.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.52	0.56	36.7	0.08	5.24	15.2

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	68.6	6.6	0.48	5.1	5	1.5
B21B-111_5-10	51.7	1.4	0.37	4.3	15	0.5
B21B-111_10-15	58.0	1.2	0.31	3.9	6	0.7
B21B-111_15-20	66.8	1.8	0.33	4.8	4	1.1
B21B-111_20-25	66.9	1.8	0.53	4.7	12	0.9
B21B-111_25-30	65.1	1.5	0.29	4.3	11	0.7
B21B-111_30-35	74.9	1.4	0.32	3.9	15	0.6
B21B-111_35-40	95.2	1.7	0.25	4.0	8	0.9
B21B-111_40-45	95.4	1.6	0.24	3.9	11	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_45-50	111	1.6	0.36	4.3	14	0.9
B21B-111_50-55	78.4	1.4	0.26	3.9	16	1.3
B21B-111_55-60	76.4	1.3	0.46	3.5	14	1.1
B21B-111_60-65	91.0	2.0	0.88	5.0	18	1.1
B21B-112_0-5	47.0	3.7	0.39	5.6	6	0.8
B21B-112_5-10	47.7	2.5	0.33	5.1	4	0.6
B21B-112_10-15	49.2	2.6	0.24	4.8	3	0.9
B21B-112_15-20	45.8	2.0	0.26	5.7	3	0.9
B21B-112_20-25	44.5	2.3	0.20	5.3	4	0.8
B21B-112_25-30	34.7	2.4	0.14	4.7	11	0.5
B21B-112_30-35	39.3	2.1	0.19	4.4	6	0.6
B21B-112_35-40	62.4	2.4	0.30	4.7	5	0.8
B21B-112_40-45	74.0	2.0	0.27	4.7	11	0.6
B21B-112_45-50	58.1	2.5	0.23	3.7	5	0.8
B21B-112_50-55	45.6	2.4	0.17	3.3	<2	0.8
B21B-112_55-60	40.9	2.6	0.28	3.3	4	0.9
B21B-113_0-5	48.1	4.6	0.48	4.6	<2	1.5
B21B-113_5-10	42.3	2.8	0.24	5.1	<2	1.1
B21B-113_10-15	46.7	2.6	0.20	5.7	2	1.0
B21B-113_15-20	46.0	2.3	0.14	5.3	2	0.7
B21B-113_20-25	42.0	2.1	0.17	5.2	7	0.7
B21B-113_25-30	40.8	1.7	0.13	4.7	5	0.7
B21B-113_30-35	33.9	3.1	0.15	4.7	6	1.0
B21B-113_35-40	35.4	2.1	0.17	4.9	3	1.0
B21B-113_40-45	55.7	1.8	0.14	3.9	6	0.7
B21B-113_45-50	44.4	1.9	0.21	3.9	4	0.8
B21B-113_50-55	37.5	1.9	0.15	3.3	4	0.7
B21B-113_55-60	45.4	2.1	0.14	3.5	5	0.7
B21B-113_60-65	41.7	1.8	0.10	3.0	2	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-113_65-70	40.2	1.8	0.12	3.2	4	0.5
B21B-113_70-75	44.4	2.4	0.25	3.5	4	0.6
B21B-113_75-80	47.8	2.4	0.13	3.6	<2	0.6
B21B-114_0-5	42.4	4.2	0.38	6.2	3	1.0
B21B-114_5-10	46.8	3.2	0.44	6.2	3	1.2
B21B-114_10-15	43.2	1.2	0.19	5.8	<2	0.7
B21B-114_15-20	66.7	1.4	0.19	5.7	3	0.8
B21B-114_20-25	44.1	1.1	0.15	6.0	5	0.7
B21B-114_25-30	66.5	1.6	0.25	6.2	3	0.7
B21B-114_30-35	75.9	1.8	0.26	6.7	<2	0.6
B21B-114_35-40	86.6	1.9	0.24	6.0	3	0.7
B21B-114_40-45	93.8	2.2	0.29	5.8	7	0.7
B21B-114_45-50	95.6	1.9	0.33	5.7	3	1.0
B21B-114_50-55	85.3	2.1	0.29	6.6	<2	1.2
B21B-114_55-60	66.3	1.9	0.67	4.9	8	1.3
B21B-114_60-65	86.9	2.8	0.22	4.3	<2	0.7
B21B-114_65-70	99.2	2.9	0.19	3.5	<2	0.7
B21B-114_70-75	99.9	3.5	0.25	3.7	<2	1.1
B21B-114_75-80	86.7	3.1	0.40	5.5	4	1.2
B21B-115_0-5	90.1	3.7	0.82	3.6	5	0.8
B21B-115_5-10	70.8	6.4	0.26	3.5	3	1.2
B21B-115_10-15	94.0	3.0	0.33	3.8	6	1.0
B21B-115_15-20	89.7	3.0	0.33	4.5	11	0.9
B21B-115_20-25	97.8	2.6	0.28	3.8	8	0.7
B21B-116_0-5	47.1	6.2	0.53	6.2	2	1.3
B21B-116_5-10	54.4	2.7	0.22	5.4	<2	0.9
B21B-116_10-15	59.0	1.9	0.26	5.7	<2	0.8
B21B-116_15-20	43.7	0.7	0.19	4.5	6	0.7
B21B-116_20-25	96.8	1.0	0.26	5.7	4	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_25-30	67.7	2.1	0.18	5.7	<2	0.7
B21B-116_30-35	51.3	2.4	0.30	4.8	9	0.8
B21B-116_35-40	34.8	2.0	0.21	2.7	8	0.7
B21B-116_40-45	37.7	2.1	0.15	4.4	6	0.8
*Dup B21B-113_60-65	41.5	1.7	0.13	3.2	3	0.6
*Rep B21B-114_15-20	64.8	1.3	0.15	5.5	4	0.6
*Std OREAS 601b	295	92.1	23.14	4.1	8	3.1
*Std OREAS 905	32.9	131	1.98	5.0	3	3.7
*Blk BLANK	1.1	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	337	107	22.10	4.2	11	3.6
*Blk BLANK	0.9	<0.2	<0.05	<0.5	<2	<0.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	30.0	144	1.93	4.8	3	3.9
*Rep B21B-112_15-20	46.5	1.9	0.25	5.5	4	0.9
*Blk BLANK	1.0	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.0	85.6	1.88	4.8	2	3.9
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	322	96.5	22.17	4.0	10	3.8

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	0.21	0.27	2.10	8.8	1.23	1.92
B21B-111_5-10	0.06	0.25	3.69	6.8	0.24	1.35
B21B-111_10-15	0.11	0.26	2.25	6.6	0.23	1.34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-111_15-20	0.11	0.24	1.77	6.4	0.41	1.31
B21B-111_20-25	0.10	0.25	4.96	7.9	0.72	1.41
B21B-111_25-30	0.08	0.27	4.10	7.4	0.47	1.45
B21B-111_30-35	0.08	0.21	4.91	7.5	0.40	1.41
B21B-111_35-40	0.09	0.24	2.17	7.4	0.41	1.44
B21B-111_40-45	0.09	0.24	3.30	7.3	0.36	1.34
B21B-111_45-50	0.08	0.25	9.80	6.7	0.33	1.42
B21B-111_50-55	0.12	0.33	9.57	6.1	0.50	1.47
B21B-111_55-60	0.15	0.37	11.82	7.2	0.49	1.53
B21B-111_60-65	0.30	0.36	13.40	7.4	0.72	1.50
B21B-112_0-5	0.21	0.31	5.58	10.2	0.25	1.67
B21B-112_5-10	0.16	0.36	7.13	9.6	0.32	1.50
B21B-112_10-15	0.18	0.31	2.71	7.9	0.26	1.34
B21B-112_15-20	0.17	0.47	3.57	8.0	0.15	1.57
B21B-112_20-25	0.30	0.35	3.19	7.2	0.17	1.52
B21B-112_25-30	0.38	0.40	3.11	7.3	0.17	1.39
B21B-112_30-35	0.11	0.45	2.84	6.5	0.14	1.46
B21B-112_35-40	0.24	0.37	3.89	6.9	0.20	1.57
B21B-112_40-45	0.14	0.50	3.94	7.5	0.14	1.60
B21B-112_45-50	0.20	0.34	2.26	6.3	0.15	1.37
B21B-112_50-55	0.12	0.28	1.53	5.7	0.20	1.24
B21B-112_55-60	0.11	0.24	1.79	5.0	0.18	1.15
B21B-113_0-5	0.90	0.39	0.68	10.3	0.20	1.97
B21B-113_5-10	0.34	0.37	0.77	8.6	0.34	1.47
B21B-113_10-15	0.27	0.44	1.19	8.8	0.51	1.52
B21B-113_15-20	0.23	0.42	0.75	8.0	0.22	1.44
B21B-113_20-25	0.17	0.46	1.99	7.7	0.11	1.56
B21B-113_25-30	0.17	0.32	1.79	7.7	0.12	1.39
B21B-113_30-35	0.16	0.28	2.63	6.9	0.54	1.50

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-113_35-40	0.18	0.27	1.29	7.2	0.17	1.62
B21B-113_40-45	0.12	0.25	2.60	6.8	0.13	1.43
B21B-113_45-50	0.12	0.23	1.75	6.8	0.09	1.32
B21B-113_50-55	0.13	0.22	1.93	6.4	0.11	1.17
B21B-113_55-60	0.17	0.21	2.08	7.0	0.15	1.23
B21B-113_60-65	0.12	0.19	1.67	6.1	0.10	1.02
B21B-113_65-70	0.10	0.20	2.28	6.1	0.11	1.02
B21B-113_70-75	0.11	0.20	2.53	6.2	0.12	1.04
B21B-113_75-80	0.11	0.21	2.23	6.8	0.13	1.00
B21B-114_0-5	0.24	0.46	2.27	11.5	0.15	1.65
B21B-114_5-10	0.20	0.54	2.24	11.1	0.15	1.62
B21B-114_10-15	0.15	0.38	1.53	8.0	0.06	1.45
B21B-114_15-20	0.16	0.31	1.55	9.5	0.08	1.54
B21B-114_20-25	0.12	0.31	2.98	8.2	0.05	1.38
B21B-114_25-30	0.15	0.41	2.96	7.2	0.06	1.49
B21B-114_30-35	0.17	0.48	0.74	9.4	0.07	2.39
B21B-114_35-40	0.16	0.41	1.89	8.5	0.12	1.63
B21B-114_40-45	0.11	0.38	5.94	7.0	0.10	1.48
B21B-114_45-50	0.15	0.36	3.33	6.8	0.06	1.59
B21B-114_50-55	0.14	0.38	1.17	6.7	0.08	1.38
B21B-114_55-60	0.12	0.29	12.42	6.0	0.06	1.36
B21B-114_60-65	0.12	0.33	1.00	5.3	0.09	0.99
B21B-114_65-70	0.10	0.27	0.47	4.3	0.09	0.87
B21B-114_70-75	0.12	0.27	0.75	4.3	0.14	0.86
B21B-114_75-80	0.14	0.39	9.51	6.1	0.13	1.34
B21B-115_0-5	0.14	0.16	5.88	7.1	0.12	1.09
B21B-115_5-10	0.12	0.18	2.52	5.7	0.88	1.04
B21B-115_10-15	0.11	0.17	4.84	6.5	0.22	1.04
B21B-115_15-20	0.11	0.18	11.12	6.3	0.31	1.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-115_20-25	0.10	0.13	6.83	5.5	0.22	0.96
B21B-116_0-5	0.31	0.42	1.64	12.5	0.12	1.91
B21B-116_5-10	0.18	0.54	0.48	9.7	0.10	1.90
B21B-116_10-15	0.18	0.53	0.52	10.7	0.10	1.93
B21B-116_15-20	0.14	0.36	1.28	8.3	0.04	1.51
B21B-116_20-25	0.15	0.39	1.40	8.3	0.05	1.50
B21B-116_25-30	0.17	0.42	0.53	7.9	0.15	1.71
B21B-116_30-35	0.13	0.53	3.47	7.7	0.18	1.71
B21B-116_35-40	0.13	0.46	2.85	7.2	0.16	1.67
B21B-116_40-45	0.12	0.39	2.81	7.7	0.15	1.67
*Dup B21B-113_60-65	0.15	0.21	1.64	6.1	0.11	1.06
*Rep B21B-114_15-20	0.12	0.30	1.57	9.2	0.07	1.40
*Std OREAS 601b	0.98	0.55	11.80	12.2	1.38	4.75
*Std OREAS 905	1.30	0.81	0.14	15.5	0.66	5.29
*Blk BLANK	<0.05	<0.05	0.09	<0.2	<0.02	<0.05
*Std OREAS 601b	1.03	0.52	13.25	12.6	1.51	4.87
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.38	0.73	0.09	14.6	0.72	4.89
*Rep B21B-112_15-20	0.16	0.44	3.65	8.0	0.13	1.51
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.33	0.78	0.10	14.5	0.69	4.93
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.14	0.53	13.37	11.7	1.46	4.55

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-111_0-5	5.0	5.4	1.2	-	-	-
B21B-111_5-10	4.4	5.6	1.1	-	-	-
B21B-111_10-15	23.2	6.0	1.2	-	-	-
B21B-111_15-20	4.7	6.7	1.2	-	-	-
B21B-111_20-25	24.1	6.1	1.2	-	-	-
B21B-111_25-30	6.7	5.6	1.2	-	-	-
B21B-111_30-35	13.0	5.4	1.1	-	-	-
B21B-111_35-40	11.0	5.8	1.5	-	-	-
B21B-111_40-45	10.6	6.0	1.2	-	-	-
B21B-111_45-50	8.9	5.9	1.2	-	-	-
B21B-111_50-55	33.6	7.6	1.5	-	-	-
B21B-111_55-60	37.6	7.1	1.3	-	-	-
B21B-111_60-65	23.1	6.7	1.3	-	-	-
B21B-112_0-5	6.0	8.6	1.6	-	-	-
B21B-112_5-10	6.2	8.5	1.5	-	-	-
B21B-112_10-15	13.2	8.2	1.4	-	-	-
B21B-112_15-20	2.8	10.5	1.7	-	-	-
B21B-112_20-25	3.0	7.8	1.5	-	-	-
B21B-112_25-30	3.9	7.8	1.3	-	-	-
B21B-112_30-35	7.7	8.6	1.5	-	-	-
B21B-112_35-40	10.2	7.6	1.4	-	-	-
B21B-112_40-45	10.0	8.5	1.4	-	-	-
B21B-112_45-50	20.5	6.9	1.2	-	-	-
B21B-112_50-55	44.5	7.0	1.2	-	-	-
B21B-112_55-60	54.9	6.1	1.1	-	-	-
B21B-113_0-5	5.5	6.0	1.3	-	-	-
B21B-113_5-10	6.1	6.7	1.3	-	-	-
B21B-113_10-15	2.9	7.7	1.5	-	-	-
B21B-113_15-20	3.7	7.8	1.6	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-113_20-25	3.9	8.7	1.6	-	-	-
B21B-113_25-30	4.9	6.6	1.3	-	-	-
B21B-113_30-35	5.7	6.5	1.3	-	-	-
B21B-113_35-40	11.7	7.1	1.4	-	-	-
B21B-113_40-45	13.7	6.2	1.2	-	-	-
B21B-113_45-50	18.5	6.1	1.3	-	-	-
B21B-113_50-55	29.2	5.7	1.1	-	-	-
B21B-113_55-60	18.2	5.4	1.1	-	-	-
B21B-113_60-65	19.9	5.1	1.0	-	-	-
B21B-113_65-70	34.6	5.2	1.0	-	-	-
B21B-113_70-75	38.1	5.2	1.0	-	-	-
B21B-113_75-80	32.5	5.0	1.0	-	-	-
B21B-114_0-5	4.9	7.1	1.4	-	-	-
B21B-114_5-10	4.5	7.2	1.3	-	-	-
B21B-114_10-15	3.3	6.5	1.4	-	-	-
B21B-114_15-20	2.6	6.1	1.3	-	-	-
B21B-114_20-25	4.7	6.9	1.3	-	-	-
B21B-114_25-30	1.6	6.9	1.2	-	-	-
B21B-114_30-35	2.0	9.6	1.6	-	-	-
B21B-114_35-40	4.7	6.9	1.3	-	-	-
B21B-114_40-45	6.2	6.6	1.2	-	-	-
B21B-114_45-50	5.8	6.8	1.2	-	-	-
B21B-114_50-55	5.1	6.6	1.2	-	-	-
B21B-114_55-60	8.6	6.4	1.2	-	-	-
B21B-114_60-65	3.8	4.8	0.9	-	-	-
B21B-114_65-70	1.9	3.5	0.7	-	-	-
B21B-114_70-75	2.5	3.9	0.8	-	-	-
B21B-114_75-80	4.2	6.0	1.1	-	-	-
B21B-115_0-5	6.7	4.3	0.9	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@W	@Y	@Yb	Dy	Er	Eu
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-115_5-10	6.5	4.0	0.9	-	-	-
B21B-115_10-15	17.1	4.5	1.0	-	-	-
B21B-115_15-20	16.6	5.1	1.1	-	-	-
B21B-115_20-25	15.9	4.5	0.9	-	-	-
B21B-116_0-5	3.3	8.4	1.5	-	-	-
B21B-116_5-10	1.3	8.2	1.4	-	-	-
B21B-116_10-15	1.7	9.4	1.5	-	-	-
B21B-116_15-20	3.6	7.4	1.4	-	-	-
B21B-116_20-25	2.8	7.6	1.3	-	-	-
B21B-116_25-30	2.2	8.1	1.5	-	-	-
B21B-116_30-35	2.5	8.7	1.3	-	-	-
B21B-116_35-40	8.2	9.5	1.5	-	-	-
B21B-116_40-45	8.4	8.0	1.3	-	-	-
*Dup B21B-113_60-65	20.6	5.4	1.1	-	-	-
*Rep B21B-114_15-20	2.5	5.8	1.2	-	-	-
*Std OREAS 601b	6.2	10.9	0.5	2.55	0.81	0.94
*Std OREAS 905	2.8	15.6	0.7	3.68	1.09	1.37
*Blk BLANK	0.2	<0.1	<0.1	<0.05	<0.05	<0.05
*Std OREAS 601b	6.2	11.3	0.5	2.60	0.91	0.92
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Blk BLANK	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
*Std OREAS 905	3.0	15.1	0.7	3.72	1.21	1.40
*Rep B21B-112_15-20	2.7	9.5	1.7	-	-	-
*Blk BLANK	<0.1	<0.1	<0.1	-	-	-
*Std OREAS 905	2.8	15.5	0.7	-	-	-
*Blk BLANK	<0.1	<0.1	<0.1	-	-	-
*Std OREAS 601b	6.3	11.3	0.5	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(340-414)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	Gd	Ho	Nd	Pr	Sm	Tm
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.05	0.1	0.05	0.1	0.05
Upper Limit	1,000	500	1,000	1,000	1,000	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	4.0	0.38	27.9	7.95	5.2	0.10
*Std OREAS 905	5.9	0.54	38.8	10.69	7.4	0.13
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Std OREAS 601b	4.3	0.36	29.1	7.45	5.4	0.09
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Blk BLANK	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05
*Std OREAS 905	6.0	0.54	39.1	10.78	7.3	0.13

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
B21B-111_60-65	7.698
B21B-112_45-50	5.739
B21B-113_40-45	5.390
B21B-113_60-65	5.799
B21B-113_65-70	5.790
B21B-113_70-75	5.355
B21B-114_40-45	5.693
B21B-114_50-55	5.419
B21B-114_60-65	6.935
B21B-114_65-70	7.478
B21B-114_70-75	8.181
B21B-114_75-80	6.835
B21B-115_5-10	5.470
B21B-115_10-15	5.514
B21B-115_15-20	6.807

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504 Samples(340-414)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11014

Element	@S
Method	GE_CSA06V
Lower Limit	0.005
Upper Limit	30
Unit	%
B21B-115_20-25	6.710
*Dup B21B-113_60-65	5.788
*Rep B21B-113_40-45	5.488
*Blk BLANK	<0.005
*Std OREAS 135	7.134

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>

Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11016

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	10-Aug-2021 - 08-Sep-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	08-Sep-2021
Gold/RABP2/1504 Samples(415-489)		SGS Order Number	BBM21-11016
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
73	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
73	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
73	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
73	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
2	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

9-Sep-2021 8:04PM BBM\_U0013865327

Page 1 of 33

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-116_45-50	4.74	0.126	5.23	115	0.03	4
B21B-116_50-55	7.63	0.172	4.89	89	0.03	9
B21B-116_55-60	6.52	0.159	5.33	78	0.02	7
B21B-117_0-5	4.76	0.134	5.67	165	0.03	12
B21B-117_5-10	4.05	0.048	7.56	294	0.03	20
B21B-117_10-15	6.57	0.060	6.30	300	0.03	12
B21B-117_15-20	5.36	0.170	6.24	261	0.02	4
B21B-117_20-25	5.56	0.181	5.40	218	0.02	4
B21B-117_25-30	3.47	0.126	5.55	272	0.02	3
B21B-117_30-35	6.40	0.096	5.45	332	0.02	4
B21B-117_35-40	5.81	0.112	5.45	203	0.01	3
B21B-117_40-45	3.57	0.124	5.13	362	0.03	4
B21B-117_45-50	5.77	0.087	5.48	300	0.03	2
B21B-117_50-55	2.79	0.076	5.66	179	0.02	3
B21B-117_55-60	5.11	0.083	5.36	166	0.03	3
B21B-118_0-5	3.69	0.172	2.46	251	0.02	18
B21B-118_5-10	2.53	0.222	1.50	133	0.01	10
B21B-118_10-15	2.95	0.172	2.86	193	0.01	10
596943	3.84	0.005	-	-	-	-
B21B-118_15-20	4.64	0.212	3.27	288	0.02	17
B21B-118_20-25	5.74	0.258	4.81	267	0.02	11
B21B-118_25-30	3.38	0.291	7.88	542	0.03	8
B21B-118_30-35	4.36	0.216	7.24	512	0.03	6
B21B-118_35-40	3.75	0.141	6.29	305	0.02	5
B21B-118_40-45	3.45	0.191	6.22	207	0.02	3
B21B-118_45-50	3.47	0.066	6.44	336	0.03	3
B21B-118_50-55	4.37	0.048	6.35	440	0.02	2
B21B-118_55-60	3.73	0.045	6.88	451	0.03	3
B21B-118_60-65	3.11	0.045	6.00	430	0.03	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-118_65-70	2.43	0.036	7.13	379	0.03	3
B21B-118_70-75	4.08	0.044	6.71	520	0.02	3
B21B-118_75-80	3.37	0.083	7.01	498	0.03	2
B21B-119_0-5	4.98	0.026	6.44	240	0.03	14
B21B-119_5-10	5.32	0.022	6.27	110	0.03	2
B21B-119_10-15	4.80	0.032	6.39	80	0.02	2
B21B-119_15-20	4.26	0.045	8.22	94	0.03	2
B21B-119_20-25	2.78	0.090	7.10	93	0.02	3
B21B-119_25-30	4.76	0.094	6.89	87	0.02	2
B21B-119_30-35	5.61	0.046	6.76	84	0.02	2
B21B-119_35-40	3.84	0.069	5.58	227	0.02	<1
B21B-119_40-45	2.85	0.050	6.88	101	0.02	2
B21B-119_45-50	3.06	0.081	6.76	354	0.03	1
B21B-119_50-55	5.68	0.078	6.09	129	0.02	2
B21B-119_55-60	5.17	0.104	5.84	277	0.03	1
B21B-119_60-65	4.69	0.143	5.46	133	0.03	1
B21B-119_65-70	6.01	0.058	6.00	277	0.03	1
B21B-119_70-75	5.82	0.065	5.89	175	0.03	2
596944	3.51	0.130	-	-	-	-
B21B-119_75-80	6.19	0.075	6.15	171	0.03	2
B21B-120_0-5	5.31	0.092	1.82	168	0.07	13
B21B-120_5-10	4.28	0.090	5.39	237	0.03	20
B21B-120_10-15	7.26	0.034	6.29	153	0.03	5
B21B-120_15-20	5.45	0.021	7.11	164	0.03	1
B21B-120_20-25	3.83	0.080	7.14	196	0.04	1
B21B-120_25-30	4.85	0.062	8.94	470	0.05	<1
B21B-120_30-35	5.20	0.039	7.48	409	0.04	<1
B21B-120_35-40	3.88	0.067	9.47	443	0.05	2
B21B-120_40-45	4.19	0.039	7.88	182	0.03	1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-120_45-50	5.44	0.028	9.55	213	0.04	2
B21B-120_50-55	3.84	0.018	9.05	165	0.05	2
B21B-120_55-60	5.03	0.023	10.00	178	0.04	<1
B21B-120_60-65	5.37	0.024	6.35	250	0.04	2
B21B-120_65-70	5.67	0.044	6.20	183	0.04	1
B21B-120_70-75	3.50	0.056	6.62	388	0.03	2
B21B-120_75-80	2.90	0.058	8.09	427	0.03	2
B21B-121_0-5	4.38	0.012	7.56	178	0.02	7
B21B-121_5-10	7.55	0.011	6.31	180	0.02	3
B21B-121_10-15	5.12	0.009	8.66	253	0.03	2
B21B-121_15-20	4.92	0.019	6.83	260	0.02	1
B21B-121_20-25	5.67	0.039	8.81	366	0.02	2
B21B-121_25-30	4.70	0.037	10.60	347	0.03	1
B21B-121_30-35	5.23	0.044	5.55	227	0.02	1
B21B-121_35-40	6.70	0.068	7.22	337	0.02	1
B21B-121_40-45	5.78	0.017	5.05	217	0.02	1
B21B-121_45-50	5.21	0.029	6.37	285	0.02	2
*Dup B21B-119_30-35	-	0.042	6.84	87	0.02	1
*Std OREAS 905	-	-	7.32	2594	0.55	13
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Rep B21B-121_40-45	-	-	5.60	219	0.02	<1
*Std OREAS 601b	-	-	6.55	871	0.82	17
*Rep B21B-117_15-20	-	0.168	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Rep 596944	-	0.129	-	-	-	-
*Blk BLANK	-	0.005	-	-	-	-
*Std OREAS 238	-	2.960	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std SN106	-	8.684	-	-	-	-
*Std OREAS 250b	-	0.336	-	-	-	-
*Rep B21B-121_30-35	-	0.041	-	-	-	-
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.41	2645	0.55	13
*Std OREAS 601b	-	-	6.33	541	0.79	19
*Rep B21B-118_65-70	-	-	6.66	372	0.03	2
*Std OREAS 601b	-	-	6.22	284	0.82	16
*Std OREAS 905	-	-	7.02	2609	0.54	14
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Rep B21B-121_35-40	-	0.040	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	2.972	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-116_45-50	18.7	2.25	1.82	<1	<0.01	35
B21B-116_50-55	13.7	2.25	1.76	<1	<0.01	70
B21B-116_55-60	15.3	2.59	1.93	<1	<0.01	48
B21B-117_0-5	22.8	2.04	0.20	5	0.02	56
B21B-117_5-10	11.0	2.23	0.90	6	0.02	88
B21B-117_10-15	10.9	1.15	1.17	2	<0.01	56
B21B-117_15-20	12.0	1.17	1.08	1	<0.01	58
B21B-117_20-25	8.5	2.64	0.71	1	<0.01	36

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-117_25-30	6.2	1.78	1.00	1	<0.01	27
B21B-117_30-35	3.5	2.57	0.96	1	<0.01	32
B21B-117_35-40	4.2	1.79	0.84	1	<0.01	34
B21B-117_40-45	9.0	2.46	1.39	<1	<0.01	43
B21B-117_45-50	4.3	0.99	1.75	<1	<0.01	26
B21B-117_50-55	5.1	1.24	1.85	<1	<0.01	35
B21B-117_55-60	7.3	1.08	1.70	<1	<0.01	29
B21B-118_0-5	36.0	3.52	0.20	5	0.03	164
B21B-118_5-10	18.1	2.44	0.11	2	<0.01	59
B21B-118_10-15	18.4	2.68	0.35	3	0.03	59
B21B-118_15-20	31.8	3.33	0.26	2	0.01	35
B21B-118_20-25	30.9	3.17	0.30	3	0.01	42
B21B-118_25-30	47.3	2.11	0.53	3	0.02	36
B21B-118_30-35	64.0	1.36	0.88	3	0.01	37
B21B-118_35-40	19.3	2.08	0.33	2	<0.01	23
B21B-118_40-45	8.9	1.23	0.36	2	<0.01	24
B21B-118_45-50	6.8	0.68	0.49	2	<0.01	39
B21B-118_50-55	5.2	0.29	0.89	2	<0.01	10
B21B-118_55-60	4.2	0.46	1.17	2	<0.01	34
B21B-118_60-65	5.5	0.54	0.76	2	<0.01	30
B21B-118_65-70	4.5	0.35	0.53	2	<0.01	26
B21B-118_70-75	4.7	0.37	0.84	2	<0.01	25
B21B-118_75-80	4.5	0.32	0.84	2	<0.01	20
B21B-119_0-5	22.5	2.08	0.30	7	0.04	139
B21B-119_5-10	4.1	0.31	0.21	2	<0.01	31
B21B-119_10-15	5.3	0.57	0.16	2	<0.01	23
B21B-119_15-20	4.0	0.34	1.06	2	<0.01	23
B21B-119_20-25	7.6	1.34	1.51	2	<0.01	29
B21B-119_25-30	7.7	0.70	1.27	1	<0.01	21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-119_30-35	4.2	0.48	1.18	2	<0.01	34
B21B-119_35-40	5.2	0.37	0.35	2	<0.01	19
B21B-119_40-45	3.7	0.29	1.28	3	<0.01	17
B21B-119_45-50	4.7	0.43	0.45	3	<0.01	22
B21B-119_50-55	5.0	1.20	0.12	2	<0.01	46
B21B-119_55-60	3.6	0.46	0.13	3	<0.01	32
B21B-119_60-65	4.7	0.47	0.11	2	<0.01	29
B21B-119_65-70	3.3	0.33	0.21	3	<0.01	24
B21B-119_70-75	3.9	0.42	0.18	4	<0.01	30
B21B-119_75-80	3.0	0.46	0.15	3	<0.01	27
B21B-120_0-5	31.7	4.41	0.27	2	0.02	87
B21B-120_5-10	38.5	6.26	0.14	5	0.01	61
B21B-120_10-15	11.6	1.69	0.06	5	<0.01	20
B21B-120_15-20	3.6	0.40	0.05	5	<0.01	23
B21B-120_20-25	3.9	0.27	0.07	6	<0.01	14
B21B-120_25-30	3.0	0.16	0.06	8	<0.01	12
B21B-120_30-35	2.6	0.19	0.04	6	<0.01	15
B21B-120_35-40	3.0	0.25	0.04	8	<0.01	18
B21B-120_40-45	2.8	0.16	0.02	5	<0.01	13
B21B-120_45-50	2.8	0.22	0.03	7	<0.01	16
B21B-120_50-55	3.2	0.18	0.06	6	<0.01	15
B21B-120_55-60	2.4	0.19	0.16	7	<0.01	13
B21B-120_60-65	3.0	0.33	0.05	3	<0.01	17
B21B-120_65-70	1.7	0.20	0.07	3	<0.01	18
B21B-120_70-75	3.4	0.29	0.04	4	<0.01	21
B21B-120_75-80	4.0	0.35	0.06	4	<0.01	30
B21B-121_0-5	9.3	0.99	0.11	8	0.02	45
B21B-121_5-10	4.7	0.91	0.06	4	<0.01	28
B21B-121_10-15	5.3	0.67	0.05	7	<0.01	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-121_15-20	3.4	0.44	0.05	6	<0.01	22
B21B-121_20-25	2.4	0.71	0.20	6	<0.01	24
B21B-121_25-30	1.9	1.14	1.76	4	<0.01	27
B21B-121_30-35	2.5	1.96	0.10	4	<0.01	18
B21B-121_35-40	2.5	1.07	0.20	6	<0.01	19
B21B-121_40-45	2.1	0.60	0.08	5	<0.01	22
B21B-121_45-50	3.1	1.91	0.07	5	<0.01	17
*Dup B21B-119_30-35	4.3	0.37	1.24	2	<0.01	25
*Std OREAS 905	1471	3.90	2.92	21	0.26	378
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-121_40-45	2.4	0.63	0.09	5	<0.01	23
*Std OREAS 601b	961	2.19	2.41	22	0.09	222
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1558	4.18	2.95	19	0.26	362
*Std OREAS 601b	999	2.24	2.32	20	0.09	207
*Rep B21B-118_65-70	4.3	0.34	0.53	2	<0.01	26
*Std OREAS 601b	986	2.13	2.31	22	0.09	213
*Std OREAS 905	1567	3.83	2.82	20	0.27	391
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-116_45-50	0.27	4	0.04	>5.00	203	0.04
B21B-116_50-55	0.24	4	0.04	4.48	197	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-116_55-60	0.26	4	0.04	>5.00	334	0.04
B21B-117_0-5	0.06	4	0.04	0.42	258	0.10
B21B-117_5-10	0.10	4	0.06	1.58	207	0.09
B21B-117_10-15	0.11	2	0.06	2.22	181	0.07
B21B-117_15-20	0.10	1	0.05	1.86	124	0.06
B21B-117_20-25	0.08	<1	0.07	1.42	98.8	0.04
B21B-117_25-30	0.10	<1	0.06	1.94	114	0.04
B21B-117_30-35	0.09	<1	0.07	1.81	114	0.04
B21B-117_35-40	0.07	<1	0.05	1.03	73.8	0.04
B21B-117_40-45	0.13	<1	0.07	2.98	118	0.03
B21B-117_45-50	0.15	<1	0.06	3.32	139	0.04
B21B-117_50-55	0.15	<1	0.06	3.54	140	0.04
B21B-117_55-60	0.14	1	0.07	3.35	199	0.04
B21B-118_0-5	0.02	6	0.04	0.07	59.9	0.07
B21B-118_5-10	0.02	2	0.03	0.09	72.8	0.06
B21B-118_10-15	0.03	2	0.03	0.06	109	0.06
B21B-118_15-20	0.04	24	0.05	0.33	252	0.04
B21B-118_20-25	0.05	3	0.05	0.32	293	0.05
B21B-118_25-30	0.14	4	0.07	0.29	416	0.11
B21B-118_30-35	0.18	2	0.08	0.21	479	0.07
B21B-118_35-40	0.04	1	0.06	0.11	295	0.04
B21B-118_40-45	0.03	1	0.06	0.13	177	0.04
B21B-118_45-50	0.13	1	0.09	0.57	303	0.04
B21B-118_50-55	0.30	<1	0.07	1.51	196	0.03
B21B-118_55-60	0.41	<1	0.06	2.36	226	0.05
B21B-118_60-65	0.41	1	0.06	2.23	326	0.04
B21B-118_65-70	0.27	2	0.06	1.26	466	0.04
B21B-118_70-75	0.46	<1	0.06	1.96	516	0.04
B21B-118_75-80	0.38	1	0.06	1.75	519	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-119_0-5	0.03	9	0.06	0.13	344	0.12
B21B-119_5-10	0.02	<1	0.06	0.08	470	0.07
B21B-119_10-15	0.02	<1	0.05	0.07	342	0.07
B21B-119_15-20	0.05	<1	0.06	0.07	496	0.10
B21B-119_20-25	0.07	<1	0.05	0.09	285	0.07
B21B-119_25-30	0.06	<1	0.05	0.04	157	0.08
B21B-119_30-35	0.07	<1	0.06	0.05	222	0.06
B21B-119_35-40	0.02	<1	0.05	0.08	168	0.06
B21B-119_40-45	0.06	<1	0.05	0.05	250	0.08
B21B-119_45-50	0.04	<1	0.06	0.07	324	0.08
B21B-119_50-55	0.01	1	0.05	0.18	174	0.07
B21B-119_55-60	0.01	1	0.06	0.09	274	0.07
B21B-119_60-65	0.01	1	0.06	0.06	217	0.07
B21B-119_65-70	0.02	1	0.06	0.09	265	0.06
B21B-119_70-75	0.03	2	0.06	0.07	337	0.07
B21B-119_75-80	0.01	2	0.06	0.07	353	0.08
B21B-120_0-5	0.14	2	0.05	0.24	163	0.04
B21B-120_5-10	0.02	3	0.09	0.24	354	0.08
B21B-120_10-15	0.01	2	0.05	0.09	242	0.05
B21B-120_15-20	0.01	1	0.05	0.06	221	0.05
B21B-120_20-25	0.01	1	0.05	0.05	176	0.06
B21B-120_25-30	0.01	1	0.08	0.08	232	0.08
B21B-120_30-35	0.01	<1	0.07	0.07	187	0.07
B21B-120_35-40	0.05	2	0.09	0.10	313	0.11
B21B-120_40-45	0.01	1	0.05	0.06	179	0.06
B21B-120_45-50	0.01	1	0.06	0.07	293	0.06
B21B-120_50-55	0.02	2	0.06	0.09	363	0.05
B21B-120_55-60	0.02	1	0.06	0.08	384	0.03
B21B-120_60-65	0.02	1	0.06	0.09	197	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-120_65-70	0.02	<1	0.06	0.06	150	0.06
B21B-120_70-75	0.02	1	0.06	0.06	231	0.10
B21B-120_75-80	0.02	2	0.07	0.07	271	0.06
B21B-121_0-5	0.03	3	0.04	0.13	211	0.09
B21B-121_5-10	0.02	1	0.05	0.10	311	0.05
B21B-121_10-15	0.03	<1	0.05	0.14	285	0.04
B21B-121_15-20	0.03	1	0.05	0.11	385	0.06
B21B-121_20-25	0.05	<1	0.07	0.12	500	0.05
B21B-121_25-30	0.13	<1	0.08	0.16	806	0.05
B21B-121_30-35	0.02	<1	0.05	0.10	394	0.03
B21B-121_35-40	0.05	<1	0.06	0.10	522	0.04
B21B-121_40-45	0.03	1	0.05	0.09	394	0.04
B21B-121_45-50	0.02	1	0.06	0.09	463	0.04
*Dup B21B-119_30-35	0.06	<1	0.06	0.05	228	0.06
*Std OREAS 905	2.42	8	0.03	0.07	158	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.5	<0.01
*Rep B21B-121_40-45	0.03	1	0.05	0.09	435	0.04
*Std OREAS 601b	1.94	5	0.03	1.47	235	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.47	9	0.03	0.08	153	0.11
*Std OREAS 601b	1.85	5	0.03	1.46	222	0.12
*Rep B21B-118_65-70	0.27	1	0.06	1.31	465	0.04
*Std OREAS 601b	1.74	5	0.03	1.46	223	0.12
*Std OREAS 905	2.25	8	0.03	0.09	150	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_45-50	22	<1	111	0.43	22	<0.1
B21B-116_50-55	20	1	112	0.25	10	<0.1
B21B-116_55-60	25	<1	107	0.03	13	<0.1
B21B-117_0-5	36	5	120	0.15	17	0.3
B21B-117_5-10	57	4	106	0.05	10	0.2
B21B-117_10-15	36	<1	114	0.05	6	0.1
B21B-117_15-20	27	6	123	0.03	6	0.2
B21B-117_20-25	22	<1	116	0.11	5	0.1
B21B-117_25-30	24	<1	105	0.07	5	0.1
B21B-117_30-35	34	<1	113	0.05	5	0.1
B21B-117_35-40	24	<1	103	0.03	5	0.1
B21B-117_40-45	30	<1	99.0	0.12	8	<0.1
B21B-117_45-50	28	<1	91.0	0.03	4	<0.1
B21B-117_50-55	36	<1	85.2	0.04	5	<0.1
B21B-117_55-60	41	<1	85.4	0.05	6	<0.1
B21B-118_0-5	45	6	75.4	0.10	17	0.3
B21B-118_5-10	17	2	76.4	0.10	13	<0.1
B21B-118_10-15	23	4	93.4	0.08	11	0.2
B21B-118_15-20	21	4	95.9	0.18	40	0.2
B21B-118_20-25	26	2	97.3	0.38	40	0.2
B21B-118_25-30	44	2	112	0.29	19	0.3
B21B-118_30-35	44	2	115	0.14	19	0.3
B21B-118_35-40	30	<1	85.8	0.11	6	0.2
B21B-118_40-45	24	<1	89.6	0.06	4	0.2
B21B-118_45-50	23	<1	76.2	<0.02	2	0.2
B21B-118_50-55	21	<1	67.0	<0.02	<1	0.2
B21B-118_55-60	22	<1	84.7	<0.02	1	0.1
B21B-118_60-65	22	<1	77.9	<0.02	1	0.1
B21B-118_65-70	19	<1	65.3	<0.02	<1	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-118_70-75	21	<1	67.4	<0.02	<1	0.1
B21B-118_75-80	23	<1	69.8	<0.02	<1	0.1
B21B-119_0-5	60	8	107	<0.02	4	0.6
B21B-119_5-10	29	<1	103	0.03	<1	0.3
B21B-119_10-15	29	<1	98.6	0.04	2	0.3
B21B-119_15-20	60	<1	98.1	0.03	<1	0.3
B21B-119_20-25	64	<1	88.8	0.18	7	0.3
B21B-119_25-30	50	<1	101	0.03	4	0.2
B21B-119_30-35	41	<1	83.0	<0.02	<1	0.2
B21B-119_35-40	24	<1	92.3	<0.02	1	0.3
B21B-119_40-45	60	<1	73.9	<0.02	<1	0.2
B21B-119_45-50	33	<1	90.6	<0.02	3	0.3
B21B-119_50-55	21	<1	105	0.06	4	0.3
B21B-119_55-60	21	<1	99.7	0.03	2	0.3
B21B-119_60-65	23	<1	101	0.06	3	0.3
B21B-119_65-70	24	<1	94.0	0.04	2	0.3
B21B-119_70-75	23	<1	104	0.08	3	0.3
B21B-119_75-80	22	<1	96.3	0.07	3	0.3
B21B-120_0-5	22	5	63.5	0.29	9	0.2
B21B-120_5-10	45	5	136	0.42	11	0.3
B21B-120_10-15	35	4	122	0.41	5	0.4
B21B-120_15-20	22	2	109	0.03	2	0.5
B21B-120_20-25	29	2	116	<0.02	2	0.4
B21B-120_25-30	34	2	120	<0.02	2	0.5
B21B-120_30-35	28	2	107	0.05	2	0.5
B21B-120_35-40	33	3	123	0.09	2	0.7
B21B-120_40-45	24	2	117	0.03	2	0.4
B21B-120_45-50	24	2	107	0.04	1	0.5
B21B-120_50-55	19	2	110	0.02	2	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-120_55-60	21	2	91.4	0.04	2	0.4
B21B-120_60-65	18	<1	92.1	0.03	2	0.3
B21B-120_65-70	20	<1	92.5	0.12	2	0.3
B21B-120_70-75	23	2	106	0.04	2	0.5
B21B-120_75-80	21	2	105	0.10	2	0.5
B21B-121_0-5	36	4	111	0.04	7	0.5
B21B-121_5-10	19	2	97.6	0.05	5	0.4
B21B-121_10-15	23	2	100	0.03	4	0.5
B21B-121_15-20	19	2	85.5	<0.02	2	0.5
B21B-121_20-25	27	<1	96.8	0.02	2	0.5
B21B-121_25-30	107	<1	86.9	<0.02	2	0.4
B21B-121_30-35	18	<1	91.1	0.04	2	0.4
B21B-121_35-40	24	<1	92.8	0.03	2	0.4
B21B-121_40-45	15	2	94.2	0.02	1	0.3
B21B-121_45-50	18	1	96.8	0.07	3	0.4
*Dup B21B-119_30-35	40	<1	83.2	<0.02	<1	0.2
*Std OREAS 905	9	137	248	0.62	35	3.4
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Rep B21B-121_40-45	15	3	94.8	<0.02	1	0.3
*Std OREAS 601b	11	312	185	52.56	279	2.4
*Blk BLANK	<2	2	<0.5	0.04	<1	<0.1
*Std OREAS 905	9	140	234	0.59	35	3.0
*Std OREAS 601b	11	310	167	52.43	276	2.2
*Rep B21B-118_65-70	19	<1	66.7	<0.02	<1	0.2
*Std OREAS 601b	10	312	174	50.74	269	2.2
*Std OREAS 905	9	140	247	0.69	32	2.8
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_45-50	1.13	<0.02	47.25	8.8	<1	1.72
B21B-116_50-55	1.03	<0.02	44.08	3.3	<1	1.64
B21B-116_55-60	0.96	<0.02	39.57	3.5	<1	1.11
B21B-117_0-5	15.36	<0.02	56.96	1.0	<1	1.41
B21B-117_5-10	3.99	0.03	69.45	0.8	<1	1.63
B21B-117_10-15	2.91	<0.02	67.57	0.5	<1	1.59
B21B-117_15-20	1.85	<0.02	68.61	0.2	<1	1.64
B21B-117_20-25	1.83	<0.02	71.55	0.2	<1	1.54
B21B-117_25-30	1.37	<0.02	63.79	0.2	<1	1.57
B21B-117_30-35	1.17	<0.02	56.62	0.2	<1	1.38
B21B-117_35-40	0.87	<0.02	44.17	0.2	<1	1.18
B21B-117_40-45	1.30	<0.02	39.91	0.5	<1	1.05
B21B-117_45-50	1.06	<0.02	46.69	0.3	<1	1.11
B21B-117_50-55	1.35	<0.02	49.08	0.3	<1	1.25
B21B-117_55-60	1.74	<0.02	51.67	0.4	<1	1.15
B21B-118_0-5	95.07	0.03	28.22	7.1	<1	1.17
B21B-118_5-10	37.96	<0.02	13.78	1.0	<1	0.54
B21B-118_10-15	36.96	<0.02	20.03	1.0	<1	0.64
B21B-118_15-20	26.70	<0.02	42.00	1.1	<1	0.94
B21B-118_20-25	21.00	<0.02	55.54	1.0	<1	1.07
B21B-118_25-30	15.83	<0.02	81.82	0.7	<1	1.51
B21B-118_30-35	17.63	<0.02	92.90	0.5	1	1.31
B21B-118_35-40	4.86	<0.02	59.40	0.3	<1	1.26
B21B-118_40-45	2.51	<0.02	60.63	0.3	<1	1.13
B21B-118_45-50	2.40	<0.02	79.26	0.3	<1	1.10
B21B-118_50-55	2.06	<0.02	49.18	0.1	<1	0.82
B21B-118_55-60	1.31	<0.02	48.46	0.2	<1	0.86
B21B-118_60-65	1.57	<0.02	25.14	0.3	<1	0.80
B21B-118_65-70	1.73	<0.02	37.11	0.2	<1	0.73

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-118_70-75	1.86	<0.02	26.41	0.2	<1	0.72
B21B-118_75-80	3.09	<0.02	25.50	0.2	<1	0.72
B21B-119_0-5	2.56	<0.02	56.91	4.6	1	1.68
B21B-119_5-10	1.79	<0.02	59.51	0.3	<1	1.17
B21B-119_10-15	1.52	<0.02	56.16	0.3	<1	1.02
B21B-119_15-20	1.40	<0.02	59.26	0.1	<1	1.11
B21B-119_20-25	2.30	<0.02	53.21	0.2	<1	1.17
B21B-119_25-30	1.83	<0.02	56.30	0.2	<1	1.52
B21B-119_30-35	1.17	<0.02	52.01	0.2	<1	1.32
B21B-119_35-40	1.25	<0.02	54.33	0.2	<1	1.66
B21B-119_40-45	1.10	<0.02	53.98	0.1	<1	1.32
B21B-119_45-50	1.35	<0.02	52.30	0.1	<1	1.82
B21B-119_50-55	1.13	<0.02	53.19	0.4	<1	1.33
B21B-119_55-60	1.13	<0.02	55.22	0.2	<1	1.65
B21B-119_60-65	1.77	<0.02	55.60	0.2	<1	1.24
B21B-119_65-70	0.96	<0.02	54.95	0.2	<1	1.38
B21B-119_70-75	0.95	<0.02	52.71	0.3	<1	1.29
B21B-119_75-80	0.93	<0.02	52.14	0.3	<1	1.33
B21B-120_0-5	17.32	0.07	25.69	1.5	<1	0.68
B21B-120_5-10	12.17	0.03	72.94	1.3	<1	1.40
B21B-120_10-15	2.71	0.08	54.71	0.4	<1	1.31
B21B-120_15-20	0.99	<0.02	49.69	0.2	<1	1.43
B21B-120_20-25	0.70	<0.02	50.61	0.2	<1	1.57
B21B-120_25-30	0.73	<0.02	59.82	0.1	<1	2.28
B21B-120_30-35	0.74	<0.02	56.84	0.3	<1	1.83
B21B-120_35-40	1.27	<0.02	48.78	0.1	<1	2.09
B21B-120_40-45	0.98	<0.02	50.96	0.1	<1	1.38
B21B-120_45-50	0.84	<0.02	50.27	0.1	<1	1.38
B21B-120_50-55	0.75	<0.02	36.76	0.1	<1	1.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Bi	@Cd	@Ce	@Co	@Cs	Dy
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.05
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-120_55-60	0.65	<0.02	32.85	<0.1	<1	1.05
B21B-120_60-65	1.28	<0.02	55.51	0.5	<1	1.34
B21B-120_65-70	1.08	<0.02	55.71	0.1	<1	1.33
B21B-120_70-75	1.45	<0.02	60.47	0.2	<1	1.49
B21B-120_75-80	1.25	<0.02	60.90	0.2	<1	1.51
B21B-121_0-5	1.45	<0.02	48.54	1.5	<1	1.11
B21B-121_5-10	1.43	<0.02	53.60	0.2	<1	0.85
B21B-121_10-15	1.21	<0.02	51.33	0.2	<1	1.01
B21B-121_15-20	1.36	<0.02	44.90	0.2	<1	0.81
B21B-121_20-25	1.38	<0.02	64.20	0.2	<1	0.85
B21B-121_25-30	1.85	<0.02	58.72	0.1	<1	0.90
B21B-121_30-35	1.23	<0.02	58.19	0.1	<1	0.94
B21B-121_35-40	1.54	<0.02	56.96	0.1	<1	0.95
B21B-121_40-45	0.88	<0.02	47.95	0.1	<1	0.83
B21B-121_45-50	1.23	<0.02	61.69	0.2	<1	0.93
*Dup B21B-119_30-35	1.18	<0.02	51.43	0.1	<1	1.30
*Std OREAS 905	5.69	0.36	93.74	15.6	7	3.76
*Blk BLANK	<0.04	<0.02	0.09	<0.1	<1	<0.05
*Rep B21B-121_40-45	0.87	<0.02	47.92	0.2	<1	0.83
*Std OREAS 601b	16.85	2.12	69.13	2.8	5	2.61
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05
*Std OREAS 905	5.62	0.37	89.38	15.3	8	3.82
*Std OREAS 601b	16.24	2.09	67.50	2.9	5	2.64
*Rep B21B-118_65-70	1.75	<0.02	37.02	0.2	<1	0.73
*Std OREAS 601b	17.17	2.03	67.02	2.8	5	2.55
*Std OREAS 905	5.96	0.33	89.96	13.9	7	3.68
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_45-50	1.00	0.96	3.4	7.1	2.94	0.33
B21B-116_50-55	1.05	0.90	3.2	5.2	3.05	0.32
B21B-116_55-60	0.79	0.64	2.0	5.0	2.93	0.24
B21B-117_0-5	1.02	0.88	2.7	16.9	3.66	0.30
B21B-117_5-10	0.88	1.21	3.6	13.5	3.29	0.27
B21B-117_10-15	0.91	1.17	3.5	8.3	3.36	0.26
B21B-117_15-20	1.00	1.25	3.6	7.2	3.63	0.30
B21B-117_20-25	0.93	1.17	3.3	7.3	3.35	0.28
B21B-117_25-30	0.93	1.07	3.2	5.8	3.00	0.27
B21B-117_30-35	0.88	0.91	2.5	7.5	3.21	0.25
B21B-117_35-40	0.79	0.82	2.2	7.3	2.89	0.23
B21B-117_40-45	0.70	0.77	1.9	4.1	2.88	0.20
B21B-117_45-50	0.69	0.83	2.2	4.0	2.61	0.20
B21B-117_50-55	0.79	0.95	2.5	8.2	2.51	0.24
B21B-117_55-60	0.68	0.89	2.3	14.9	2.60	0.20
B21B-118_0-5	0.54	0.52	1.8	6.2	2.10	0.19
B21B-118_5-10	0.32	0.25	0.8	5.2	1.94	0.10
B21B-118_10-15	0.38	0.32	1.0	10.9	2.42	0.11
B21B-118_15-20	0.59	0.63	2.0	13.8	2.69	0.17
B21B-118_20-25	0.68	0.72	2.3	17.0	2.88	0.20
B21B-118_25-30	0.88	1.17	3.3	21.9	3.30	0.27
B21B-118_30-35	0.86	1.31	3.6	18.7	3.30	0.23
B21B-118_35-40	0.65	0.80	1.9	9.5	2.37	0.22
B21B-118_40-45	0.60	0.79	1.7	8.8	2.30	0.19
B21B-118_45-50	0.59	1.04	2.1	6.5	2.12	0.18
B21B-118_50-55	0.49	0.54	1.3	4.3	1.93	0.15
B21B-118_55-60	0.54	0.47	1.3	3.2	2.26	0.16
B21B-118_60-65	0.50	0.48	1.5	3.9	2.15	0.15
B21B-118_65-70	0.43	0.72	1.9	4.0	1.91	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-118_70-75	0.46	0.54	1.5	5.1	2.01	0.14
B21B-118_75-80	0.44	0.55	1.5	7.9	1.88	0.12
B21B-119_0-5	0.98	0.87	2.3	13.4	3.22	0.30
B21B-119_5-10	0.72	0.94	2.0	10.4	3.01	0.21
B21B-119_10-15	0.63	0.97	1.9	12.4	2.75	0.18
B21B-119_15-20	0.69	1.07	2.3	16.5	2.87	0.20
B21B-119_20-25	0.67	1.07	2.5	19.1	2.55	0.20
B21B-119_25-30	0.79	1.19	2.8	18.1	2.93	0.26
B21B-119_30-35	0.70	1.01	2.6	14.5	2.36	0.21
B21B-119_35-40	0.76	1.20	2.9	13.4	2.67	0.25
B21B-119_40-45	0.68	1.10	2.5	16.7	2.27	0.22
B21B-119_45-50	0.73	1.11	2.9	13.0	2.58	0.26
B21B-119_50-55	0.76	1.01	2.3	10.3	2.57	0.25
B21B-119_55-60	0.79	1.12	2.8	9.1	2.66	0.30
B21B-119_60-65	0.73	0.98	2.0	7.7	2.54	0.24
B21B-119_65-70	0.71	1.05	2.2	8.2	2.37	0.24
B21B-119_70-75	0.74	0.93	1.9	10.4	2.55	0.24
B21B-119_75-80	0.77	0.97	2.2	11.9	2.56	0.26
B21B-120_0-5	0.38	0.39	1.3	15.2	1.62	0.13
B21B-120_5-10	0.87	0.97	2.8	20.7	3.93	0.27
B21B-120_10-15	0.77	0.93	2.6	16.6	3.40	0.24
B21B-120_15-20	0.76	0.94	2.8	15.7	2.95	0.24
B21B-120_20-25	0.80	0.91	2.7	15.3	3.25	0.26
B21B-120_25-30	0.99	1.10	3.6	17.9	3.34	0.36
B21B-120_30-35	0.85	1.07	3.2	12.7	3.22	0.30
B21B-120_35-40	0.99	1.18	3.1	16.3	3.98	0.35
B21B-120_40-45	0.77	1.02	2.4	12.1	3.36	0.24
B21B-120_45-50	0.67	0.97	2.3	15.5	2.96	0.23
B21B-120_50-55	0.68	0.58	1.8	8.9	3.19	0.22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	Er	Eu	Gd	@Ga	@Hf	Ho
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.1	0.1	0.02	0.05
Upper Limit	1,000	500	1,000	1,000	500	500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-120_55-60	0.51	0.48	1.5	7.8	2.42	0.17
B21B-120_60-65	0.72	0.99	2.5	10.0	2.74	0.23
B21B-120_65-70	0.73	1.21	2.6	8.4	2.94	0.24
B21B-120_70-75	0.83	1.22	2.7	11.4	3.23	0.27
B21B-120_75-80	0.81	1.15	2.6	10.7	3.04	0.27
B21B-121_0-5	0.71	0.62	1.9	15.9	3.26	0.22
B21B-121_5-10	0.61	0.75	1.9	11.8	2.92	0.17
B21B-121_10-15	0.59	0.78	2.2	17.6	2.86	0.18
B21B-121_15-20	0.56	0.78	1.9	16.9	3.00	0.16
B21B-121_20-25	0.57	0.95	2.2	18.0	2.77	0.16
B21B-121_25-30	0.54	1.19	2.6	28.8	2.61	0.16
B21B-121_30-35	0.71	0.87	1.9	15.3	2.75	0.20
B21B-121_35-40	0.62	0.87	1.9	16.7	2.61	0.19
B21B-121_40-45	0.63	0.65	1.4	12.1	2.71	0.17
B21B-121_45-50	0.67	0.99	2.0	17.8	2.83	0.20
*Dup B21B-119_30-35	0.69	0.99	2.6	13.7	2.30	0.21
*Std OREAS 905	1.10	1.52	6.3	23.9	7.31	0.53
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Rep B21B-121_40-45	0.62	0.67	1.4	13.0	2.73	0.18
*Std OREAS 601b	0.79	0.98	4.2	21.9	5.16	0.37
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05
*Std OREAS 905	1.09	1.44	6.2	26.1	7.45	0.50
*Std OREAS 601b	0.78	0.99	4.2	22.4	5.37	0.36
*Rep B21B-118_65-70	0.44	0.71	1.9	3.8	1.85	0.13
*Std OREAS 601b	0.81	0.94	4.0	22.1	5.15	0.38
*Std OREAS 905	1.09	1.37	5.9	23.6	7.30	0.54
*Blk BLANK	<0.05	<0.05	<0.1	<0.1	<0.02	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_45-50	<0.02	22.5	0.23	8.50	1.5	22.4
B21B-116_50-55	<0.02	21.4	0.24	7.52	1.7	20.6
B21B-116_55-60	<0.02	19.3	0.21	9.29	1.6	16.9
B21B-117_0-5	0.07	26.7	0.24	10.10	3.7	23.3
B21B-117_5-10	0.05	32.7	0.20	9.94	3.4	30.6
B21B-117_10-15	0.04	34.4	0.21	6.86	2.5	31.8
B21B-117_15-20	0.03	37.5	0.22	7.56	1.8	33.2
B21B-117_20-25	<0.02	38.7	0.21	8.81	1.3	32.2
B21B-117_25-30	<0.02	32.6	0.21	5.01	1.2	31.0
B21B-117_30-35	0.02	29.0	0.21	6.46	1.2	27.3
B21B-117_35-40	0.03	22.0	0.19	5.15	1.1	21.3
B21B-117_40-45	<0.02	20.4	0.19	6.92	1.1	18.5
B21B-117_45-50	<0.02	23.4	0.18	5.23	1.2	21.2
B21B-117_50-55	<0.02	23.6	0.18	5.28	1.3	23.7
B21B-117_55-60	<0.02	25.2	0.17	5.77	1.3	23.2
B21B-118_0-5	0.06	10.2	0.10	77.54	1.6	10.2
B21B-118_5-10	0.03	7.0	0.07	45.99	1.4	6.0
B21B-118_10-15	0.03	10.7	0.09	67.20	1.4	8.7
B21B-118_15-20	0.05	20.8	0.14	37.51	1.1	17.2
B21B-118_20-25	0.06	27.0	0.17	23.30	1.2	21.9
B21B-118_25-30	0.10	42.6	0.21	18.02	2.7	33.2
B21B-118_30-35	0.11	48.8	0.22	11.36	1.9	38.0
B21B-118_35-40	0.03	29.0	0.14	4.72	1.4	22.6
B21B-118_40-45	0.03	28.8	0.14	4.89	1.3	24.4
B21B-118_45-50	<0.02	42.3	0.13	1.90	1.2	31.4
B21B-118_50-55	<0.02	25.0	0.12	1.69	1.0	18.7
B21B-118_55-60	<0.02	25.6	0.14	2.15	1.6	16.9
B21B-118_60-65	<0.02	14.4	0.13	1.75	1.3	11.4
B21B-118_65-70	<0.02	18.0	0.11	1.03	1.3	16.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-118_70-75	0.02	15.2	0.12	1.11	1.2	11.4
B21B-118_75-80	0.02	14.5	0.12	3.01	0.9	12.2
B21B-119_0-5	0.03	25.2	0.24	2.22	2.4	22.1
B21B-119_5-10	0.03	27.5	0.19	0.75	2.1	24.3
B21B-119_10-15	0.02	26.0	0.17	1.07	2.0	24.5
B21B-119_15-20	0.10	27.6	0.18	0.66	2.9	25.5
B21B-119_20-25	0.13	24.9	0.16	4.08	2.0	23.5
B21B-119_25-30	0.12	27.0	0.19	2.84	2.2	25.3
B21B-119_30-35	0.11	25.4	0.17	1.24	1.8	21.1
B21B-119_35-40	0.04	26.4	0.17	1.60	1.8	23.4
B21B-119_40-45	0.17	25.5	0.16	1.02	2.1	23.4
B21B-119_45-50	0.07	25.0	0.18	2.42	2.4	22.8
B21B-119_50-55	0.03	24.8	0.19	3.35	2.3	22.2
B21B-119_55-60	0.02	26.7	0.20	2.26	2.4	22.0
B21B-119_60-65	0.04	27.0	0.18	6.87	2.6	21.0
B21B-119_65-70	0.06	27.0	0.17	1.95	2.1	21.1
B21B-119_70-75	0.05	25.2	0.18	1.87	2.5	19.7
B21B-119_75-80	0.04	25.2	0.18	2.78	2.5	20.3
B21B-120_0-5	0.05	13.2	0.09	20.44	1.3	10.8
B21B-120_5-10	0.06	35.6	0.21	20.63	2.8	27.5
B21B-120_10-15	0.03	24.4	0.21	7.75	2.0	21.1
B21B-120_15-20	0.02	22.9	0.20	1.51	2.0	19.1
B21B-120_20-25	0.04	23.8	0.21	2.99	2.4	19.8
B21B-120_25-30	0.04	31.7	0.24	0.74	2.9	23.7
B21B-120_30-35	0.03	29.7	0.21	0.93	2.5	22.0
B21B-120_35-40	0.03	21.2	0.24	1.55	4.3	21.2
B21B-120_40-45	<0.02	24.5	0.22	1.85	2.2	20.3
B21B-120_45-50	<0.02	25.4	0.18	2.98	2.1	18.0
B21B-120_50-55	0.02	19.7	0.20	1.39	1.8	12.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@In	@La	@Lu	@Mo	@Nb	Nd
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.1	0.01	0.05	0.1	0.1
Upper Limit	500	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-120_55-60	0.06	18.8	0.15	1.31	1.1	10.3
B21B-120_60-65	<0.02	26.6	0.20	1.24	2.1	22.0
B21B-120_65-70	0.03	27.9	0.21	0.81	2.1	21.1
B21B-120_70-75	0.02	26.9	0.22	2.29	3.1	24.6
B21B-120_75-80	0.03	30.0	0.21	2.15	2.1	23.4
B21B-121_0-5	0.03	20.8	0.18	7.55	3.6	15.6
B21B-121_5-10	<0.02	25.7	0.17	27.29	2.0	18.7
B21B-121_10-15	<0.02	25.5	0.15	14.25	1.8	19.0
B21B-121_15-20	<0.02	20.4	0.16	3.15	2.5	19.1
B21B-121_20-25	<0.02	31.9	0.15	3.23	1.9	25.1
B21B-121_25-30	0.11	27.7	0.14	3.06	1.8	25.1
B21B-121_30-35	<0.02	28.9	0.18	4.86	1.3	24.5
B21B-121_35-40	<0.02	28.3	0.17	5.84	1.6	22.7
B21B-121_40-45	<0.02	22.4	0.18	1.90	1.5	18.3
B21B-121_45-50	<0.02	30.7	0.17	3.73	1.7	25.8
*Dup B21B-119_30-35	0.11	24.8	0.17	1.19	1.8	20.8
*Std OREAS 905	0.70	45.7	0.10	3.53	18.5	42.3
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Rep B21B-121_40-45	<0.02	22.6	0.18	2.04	1.6	18.7
*Std OREAS 601b	0.50	33.9	0.07	5.58	14.9	30.0
*Blk BLANK	<0.02	<0.1	<0.01	<0.05	<0.1	<0.1
*Std OREAS 905	0.61	48.3	0.09	3.25	17.2	41.5
*Std OREAS 601b	0.43	32.7	0.07	5.20	13.8	30.0
*Rep B21B-118_65-70	<0.02	17.7	0.11	1.02	1.1	15.8
*Std OREAS 601b	0.47	32.5	0.07	5.06	14.0	27.9
*Std OREAS 905	0.67	44.3	0.10	3.13	17.7	38.8
*Blk BLANK	<0.02	<0.1	<0.01	0.06	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
B21B-116_45-50	39.8	5.89	2.1	0.16	4.5	7
B21B-116_50-55	29.9	5.34	2.0	0.15	4.0	9
B21B-116_55-60	28.4	4.70	2.0	0.14	4.7	17
B21B-117_0-5	151	6.44	4.8	3.55	5.9	9
B21B-117_5-10	70.9	8.34	5.8	1.56	6.2	6
B21B-117_10-15	49.6	8.46	3.0	0.86	5.1	4
B21B-117_15-20	25.9	8.81	1.9	0.34	5.0	19
B21B-117_20-25	23.5	8.99	0.8	0.59	4.7	15
B21B-117_25-30	24.7	8.52	1.1	0.25	4.3	9
B21B-117_30-35	19.8	7.43	1.1	0.20	4.4	7
B21B-117_35-40	12.7	5.65	2.4	0.20	5.0	8
B21B-117_40-45	16.5	5.09	1.0	0.24	4.6	16
B21B-117_45-50	14.9	5.85	1.0	0.23	4.1	6
B21B-117_50-55	16.4	6.36	0.9	0.21	5.0	5
B21B-117_55-60	24.5	6.62	0.8	0.25	6.6	6
B21B-118_0-5	39.1	2.76	8.1	4.09	6.0	14
B21B-118_5-10	29.8	1.71	2.5	2.50	2.8	21
B21B-118_10-15	43.4	2.49	11.3	4.22	3.7	15
B21B-118_15-20	141	4.89	5.9	4.84	4.0	22
B21B-118_20-25	145	6.47	6.1	5.23	5.0	26
B21B-118_25-30	145	9.39	8.8	5.31	7.0	16
B21B-118_30-35	176	11.08	14.1	3.93	6.9	8
B21B-118_35-40	60.6	6.92	3.4	0.78	4.4	18
B21B-118_40-45	33.7	7.19	2.4	0.61	4.3	6
B21B-118_45-50	98.6	9.53	2.7	0.33	3.5	2
B21B-118_50-55	58.4	5.77	2.7	0.23	3.1	<2
B21B-118_55-60	48.2	5.28	2.5	0.23	3.4	<2
B21B-118_60-65	99.3	3.34	1.6	0.33	3.0	2
B21B-118_65-70	195	4.49	1.9	0.19	2.6	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	@Pb	Pr	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.05	0.2	0.05	0.5	2
Upper Limit	10,000	1,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-118_70-75	176	3.47	3.5	0.17	2.8	<2
B21B-118_75-80	177	3.68	4.1	0.20	2.7	<2
B21B-119_0-5	85.6	6.51	12.0	0.44	10.4	<2
B21B-119_5-10	110	7.21	1.4	0.19	4.8	<2
B21B-119_10-15	69.4	6.81	1.2	0.22	4.6	5
B21B-119_15-20	73.6	7.15	6.0	0.22	7.1	<2
B21B-119_20-25	56.5	6.64	8.9	0.30	7.8	25
B21B-119_25-30	37.5	6.94	7.2	0.21	7.3	16
B21B-119_30-35	46.3	6.12	7.3	0.19	6.0	2
B21B-119_35-40	35.0	6.76	2.2	0.27	4.4	3
B21B-119_40-45	49.2	6.65	7.9	0.21	7.3	<2
B21B-119_45-50	57.1	6.45	2.7	0.28	5.0	5
B21B-119_50-55	37.0	5.97	1.0	0.24	5.2	5
B21B-119_55-60	45.6	6.02	1.1	0.22	5.4	2
B21B-119_60-65	37.2	5.95	1.0	0.20	5.1	3
B21B-119_65-70	36.8	6.04	1.6	0.20	5.1	<2
B21B-119_70-75	50.2	5.63	1.4	0.22	5.4	3
B21B-119_75-80	52.1	5.62	1.2	0.24	5.3	2
B21B-120_0-5	94.3	2.94	8.4	3.51	3.3	45
B21B-120_5-10	234	7.39	3.9	1.81	8.3	58
B21B-120_10-15	68.2	5.63	1.4	0.70	6.4	27
B21B-120_15-20	44.7	5.17	0.9	0.37	5.3	4
B21B-120_20-25	29.9	5.41	1.0	0.43	6.0	2
B21B-120_25-30	45.6	6.53	0.8	0.37	6.3	<2
B21B-120_30-35	34.6	6.10	0.5	0.35	5.9	<2
B21B-120_35-40	51.8	5.56	0.3	0.53	6.4	<2
B21B-120_40-45	34.6	5.59	0.3	0.29	5.9	<2
B21B-120_45-50	50.8	5.16	0.4	0.27	4.7	<2
B21B-120_50-55	66.6	3.50	0.7	0.22	5.1	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	Pr GE_IMS40Q12 0.05 1,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m
B21B-120_55-60	66.9	3.06	2.0	0.34	4.3	<2
B21B-120_60-65	48.7	6.18	0.8	0.36	5.1	2
B21B-120_65-70	39.3	5.78	0.9	0.30	5.7	<2
B21B-120_70-75	51.0	6.76	0.4	0.37	5.3	<2
B21B-120_75-80	54.9	6.56	0.7	0.40	5.4	<2
B21B-121_0-5	65.9	4.44	4.6	0.60	5.0	5
B21B-121_5-10	105	5.44	1.2	0.37	3.8	12
B21B-121_10-15	85.5	5.47	1.1	0.42	4.0	13
B21B-121_15-20	114	5.22	0.7	0.31	2.6	2
B21B-121_20-25	137	6.94	2.2	0.25	3.6	3
B21B-121_25-30	197	6.62	19.4	0.28	7.8	4
B21B-121_30-35	75.1	6.54	1.2	0.23	3.1	7
B21B-121_35-40	101	6.34	3.3	0.30	3.2	3
B21B-121_40-45	76.1	5.16	1.2	0.23	3.0	<2
B21B-121_45-50	80.2	6.93	0.8	0.25	3.2	8
*Dup B21B-119_30-35	45.8	6.08	7.1	0.19	6.0	<2
*Std OREAS 905	31.0	10.68	142	1.94	5.7	3
*Blk BLANK	0.8	<0.05	<0.2	<0.05	<0.5	<2
*Rep B21B-121_40-45	75.7	5.29	1.2	0.28	3.1	<2
*Std OREAS 601b	319	7.84	101	23.03	4.1	10
*Blk BLANK	0.9	<0.05	<0.2	<0.05	<0.5	<2
*Std OREAS 905	30.0	11.48	140	2.05	5.4	3
*Std OREAS 601b	341	8.42	93.3	24.29	3.7	10
*Rep B21B-118_65-70	199	4.51	2.0	0.18	2.6	<2
*Std OREAS 601b	295	7.95	92.1	23.14	4.1	8
*Std OREAS 905	32.9	10.69	131	1.98	5.0	3
*Blk BLANK	1.1	<0.05	<0.2	<0.05	<0.5	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-116_45-50	4.4	0.6	0.11	0.38	2.86	6.7
B21B-116_50-55	4.2	0.8	0.13	0.38	3.50	7.1
B21B-116_55-60	2.9	0.7	0.11	0.25	3.86	5.7
B21B-117_0-5	4.3	2.5	0.24	0.32	8.66	11.8
B21B-117_5-10	5.6	1.9	0.27	0.35	5.21	13.9
B21B-117_10-15	5.6	1.6	0.20	0.34	3.42	10.3
B21B-117_15-20	6.4	1.3	0.15	0.34	6.63	9.5
B21B-117_20-25	5.8	0.8	0.10	0.32	6.78	9.6
B21B-117_25-30	5.5	0.8	0.10	0.32	4.14	9.2
B21B-117_30-35	4.4	0.9	0.09	0.27	3.43	8.6
B21B-117_35-40	3.7	1.2	0.08	0.22	3.09	7.6
B21B-117_40-45	3.3	0.7	0.08	0.20	5.70	6.6
B21B-117_45-50	3.6	0.8	0.10	0.22	3.66	6.6
B21B-117_50-55	4.1	0.9	0.09	0.25	3.47	7.5
B21B-117_55-60	3.8	1.4	0.10	0.24	3.36	6.9
B21B-118_0-5	2.1	1.9	0.11	0.22	31.59	4.9
B21B-118_5-10	1.1	2.3	0.08	0.10	18.56	3.2
B21B-118_10-15	1.5	2.3	0.08	0.11	16.64	5.5
B21B-118_15-20	3.0	2.0	0.07	0.19	17.58	7.6
B21B-118_20-25	3.7	1.9	0.07	0.21	15.17	10.0
B21B-118_25-30	5.6	2.3	0.17	0.30	12.60	13.1
B21B-118_30-35	6.3	3.2	0.13	0.29	7.14	14.4
B21B-118_35-40	3.3	1.3	0.10	0.23	3.95	9.2
B21B-118_40-45	3.3	1.4	0.11	0.20	2.28	9.0
B21B-118_45-50	4.2	1.3	0.09	0.21	1.36	9.5
B21B-118_50-55	2.5	1.2	0.08	0.15	1.69	6.0
B21B-118_55-60	2.4	1.7	0.12	0.16	1.84	5.8
B21B-118_60-65	2.0	1.4	0.11	0.15	1.45	4.5
B21B-118_65-70	3.0	1.7	0.10	0.17	0.82	5.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	Sm GE_IMS40Q12 0.1 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m
B21B-118_70-75	2.1	1.4	0.10	0.14	0.63	4.2
B21B-118_75-80	2.2	1.4	0.08	0.15	0.87	4.3
B21B-119_0-5	3.5	1.0	0.17	0.29	0.85	8.0
B21B-119_5-10	3.6	1.2	0.16	0.21	0.38	7.8
B21B-119_10-15	4.0	1.1	0.14	0.20	3.32	7.4
B21B-119_15-20	4.2	2.0	0.23	0.22	0.62	7.7
B21B-119_20-25	4.2	1.9	0.14	0.25	9.06	7.3
B21B-119_25-30	4.7	1.6	0.17	0.29	7.93	7.5
B21B-119_30-35	3.7	1.4	0.14	0.27	4.90	6.4
B21B-119_35-40	4.2	1.0	0.14	0.32	4.75	6.6
B21B-119_40-45	4.0	1.5	0.17	0.26	2.58	6.8
B21B-119_45-50	4.1	1.2	0.18	0.35	7.75	6.9
B21B-119_50-55	3.6	0.8	0.17	0.27	5.76	7.2
B21B-119_55-60	3.7	0.9	0.17	0.34	3.33	7.8
B21B-119_60-65	3.0	1.0	0.16	0.25	5.10	8.2
B21B-119_65-70	3.2	0.8	0.14	0.27	1.59	7.7
B21B-119_70-75	2.8	0.9	0.16	0.25	1.63	7.9
B21B-119_75-80	3.1	1.0	0.16	0.27	2.10	7.9
B21B-120_0-5	1.9	1.6	0.07	0.14	26.93	5.4
B21B-120_5-10	4.6	1.3	0.20	0.30	12.06	13.6
B21B-120_10-15	3.9	1.2	0.14	0.28	6.83	9.5
B21B-120_15-20	3.6	1.9	0.14	0.32	1.15	8.2
B21B-120_20-25	3.6	2.9	0.18	0.34	2.47	8.5
B21B-120_25-30	4.3	2.7	0.22	0.49	0.63	8.2
B21B-120_30-35	4.0	2.7	0.18	0.40	0.67	8.4
B21B-120_35-40	3.7	5.3	0.34	0.42	0.86	6.5
B21B-120_40-45	3.4	3.0	0.16	0.29	0.74	7.7
B21B-120_45-50	2.8	4.3	0.17	0.29	0.61	8.1
B21B-120_50-55	2.0	3.9	0.15	0.25	0.58	5.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element	Sm	@Sn	@Ta	@Tb	@Te	@Th
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.3	0.05	0.05	0.05	0.2
Upper Limit	1,000	1,000	10,000	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-120_55-60	1.7	3.3	0.09	0.22	1.47	5.4
B21B-120_60-65	3.5	1.8	0.15	0.29	0.82	8.7
B21B-120_65-70	3.3	1.7	0.14	0.29	0.36	9.5
B21B-120_70-75	3.8	3.3	0.22	0.30	0.94	8.8
B21B-120_75-80	3.7	2.8	0.14	0.31	0.83	10.1
B21B-121_0-5	2.6	1.4	0.24	0.22	3.01	10.1
B21B-121_5-10	2.9	1.0	0.13	0.18	2.86	8.5
B21B-121_10-15	2.9	1.0	0.14	0.23	4.76	8.5
B21B-121_15-20	3.2	1.3	0.18	0.18	0.90	6.2
B21B-121_20-25	3.7	1.3	0.14	0.19	0.94	8.4
B21B-121_25-30	4.2	3.4	0.14	0.23	0.93	7.9
B21B-121_30-35	3.5	0.8	0.10	0.19	1.41	8.0
B21B-121_35-40	3.3	1.2	0.12	0.20	1.24	7.2
B21B-121_40-45	2.4	1.0	0.11	0.16	0.49	6.9
B21B-121_45-50	3.9	0.9	0.13	0.20	1.25	8.1
*Dup B21B-119_30-35	3.6	1.3	0.15	0.26	4.73	6.4
*Std OREAS 905	8.0	4.3	1.29	0.79	0.08	15.3
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Rep B21B-121_40-45	2.4	1.0	0.12	0.16	0.50	6.8
*Std OREAS 601b	5.5	3.4	1.08	0.54	12.62	12.6
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	<0.05	<0.2
*Std OREAS 905	8.1	4.2	1.33	0.73	0.12	15.3
*Std OREAS 601b	5.6	3.4	1.12	0.50	12.35	12.2
*Rep B21B-118_65-70	3.0	1.5	0.09	0.17	0.87	5.9
*Std OREAS 601b	5.2	3.1	0.98	0.55	11.80	12.2
*Std OREAS 905	7.4	3.7	1.30	0.81	0.14	15.5
*Blk BLANK	<0.1	<0.3	<0.05	<0.05	0.09	<0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-116_45-50	0.32	0.17	1.73	17.3	8.0	1.3
B21B-116_50-55	0.15	0.18	1.73	15.8	7.9	1.4
B21B-116_55-60	0.18	0.15	1.45	18.1	6.2	1.2
B21B-117_0-5	0.06	0.19	1.75	3.0	7.3	1.4
B21B-117_5-10	0.17	0.15	1.76	1.1	7.0	1.2
B21B-117_10-15	0.16	0.16	1.54	1.4	7.2	1.3
B21B-117_15-20	0.18	0.17	1.60	0.8	7.6	1.4
B21B-117_20-25	0.06	0.16	1.41	1.3	7.1	1.3
B21B-117_25-30	0.09	0.16	1.22	1.4	6.9	1.3
B21B-117_30-35	0.11	0.16	1.13	1.2	6.5	1.3
B21B-117_35-40	0.31	0.14	1.05	1.3	5.9	1.2
B21B-117_40-45	0.06	0.13	1.10	2.0	5.2	1.1
B21B-117_45-50	0.06	0.13	0.94	1.7	5.2	1.1
B21B-117_50-55	0.05	0.13	0.95	2.2	6.1	1.1
B21B-117_55-60	0.06	0.13	0.98	3.2	5.3	1.0
B21B-118_0-5	0.11	0.09	1.00	1.0	4.2	0.7
B21B-118_5-10	0.07	0.06	0.78	1.5	2.3	0.5
B21B-118_10-15	0.19	0.07	1.18	1.3	2.9	0.6
B21B-118_15-20	0.15	0.11	1.20	1.9	4.0	0.9
B21B-118_20-25	0.18	0.12	1.26	1.7	4.8	1.1
B21B-118_25-30	0.31	0.15	1.42	1.3	6.6	1.3
B21B-118_30-35	0.51	0.16	1.43	1.2	6.0	1.3
B21B-118_35-40	0.22	0.11	1.04	0.7	4.9	0.9
B21B-118_40-45	0.25	0.10	0.92	0.6	4.6	0.8
B21B-118_45-50	0.24	0.10	0.90	0.9	4.3	0.8
B21B-118_50-55	0.26	0.08	0.72	0.7	3.6	0.7
B21B-118_55-60	0.25	0.10	0.84	0.8	4.0	0.9
B21B-118_60-65	0.09	0.09	0.80	1.2	3.7	0.8
B21B-118_65-70	0.13	0.08	0.69	1.1	3.1	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-118_70-75	0.15	0.09	0.76	0.9	3.3	0.7
B21B-118_75-80	0.18	0.08	0.78	0.9	3.1	0.7
B21B-119_0-5	0.15	0.18	1.49	1.3	7.5	1.5
B21B-119_5-10	0.15	0.13	1.23	1.6	5.1	1.2
B21B-119_10-15	0.11	0.12	1.10	1.3	4.4	1.0
B21B-119_15-20	0.70	0.13	1.16	1.3	5.0	1.1
B21B-119_20-25	1.00	0.12	1.24	0.9	5.0	1.0
B21B-119_25-30	0.81	0.14	1.40	0.8	6.4	1.1
B21B-119_30-35	0.77	0.13	1.00	0.6	5.4	1.0
B21B-119_35-40	0.22	0.12	1.24	0.8	5.7	1.0
B21B-119_40-45	0.80	0.12	1.17	0.5	5.4	0.9
B21B-119_45-50	0.28	0.13	1.14	0.6	5.5	1.1
B21B-119_50-55	0.09	0.14	1.21	1.5	6.1	1.1
B21B-119_55-60	0.09	0.14	1.23	0.9	6.7	1.1
B21B-119_60-65	0.08	0.13	1.31	0.9	6.0	1.1
B21B-119_65-70	0.14	0.12	1.12	1.3	6.0	1.0
B21B-119_70-75	0.12	0.13	1.20	2.0	6.1	1.1
B21B-119_75-80	0.10	0.14	1.20	2.3	6.7	1.1
B21B-120_0-5	0.10	0.07	0.85	1.6	3.0	0.5
B21B-120_5-10	0.10	0.16	1.80	1.3	6.2	1.3
B21B-120_10-15	0.05	0.14	1.51	1.1	5.8	1.2
B21B-120_15-20	0.04	0.14	1.27	1.0	6.7	1.2
B21B-120_20-25	0.07	0.15	1.37	0.8	7.2	1.3
B21B-120_25-30	0.07	0.17	1.55	0.7	9.1	1.4
B21B-120_30-35	0.04	0.15	1.33	1.3	7.6	1.3
B21B-120_35-40	0.03	0.17	1.80	3.2	6.9	1.4
B21B-120_40-45	<0.02	0.15	1.39	1.7	6.6	1.3
B21B-120_45-50	0.03	0.12	1.29	1.6	5.8	1.0
B21B-120_50-55	0.04	0.13	1.31	1.0	5.9	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(415-489)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11016

Element Method Lower Limit Upper Limit Unit	@TI GE_IMS40Q12 0.02 10,000 ppm m / m	Tm GE_IMS40Q12 0.05 500 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-120_55-60	0.15	0.10	1.04	0.9	4.4	0.8
B21B-120_60-65	0.03	0.13	1.37	1.0	6.2	1.1
B21B-120_65-70	0.07	0.14	1.46	0.9	6.1	1.2
B21B-120_70-75	0.03	0.15	1.71	1.5	6.1	1.3
B21B-120_75-80	0.06	0.15	1.57	1.0	6.9	1.2
B21B-121_0-5	0.08	0.13	1.45	1.1	6.0	1.0
B21B-121_5-10	0.04	0.12	1.17	0.8	4.7	1.0
B21B-121_10-15	0.04	0.10	1.13	0.9	4.8	0.9
B21B-121_15-20	0.03	0.11	1.07	1.1	3.9	0.9
B21B-121_20-25	0.17	0.10	0.91	1.0	4.3	0.9
B21B-121_25-30	2.04	0.10	0.89	0.8	4.2	0.8
B21B-121_30-35	0.08	0.13	0.94	1.0	5.4	1.1
B21B-121_35-40	0.10	0.11	0.89	1.1	4.8	0.9
B21B-121_40-45	0.05	0.12	0.92	1.0	4.8	1.0
B21B-121_45-50	0.06	0.13	0.93	1.3	5.2	1.0
*Dup B21B-119_30-35	0.77	0.12	1.03	0.6	5.2	1.0
*Std OREAS 905	0.74	0.12	5.22	2.9	15.7	0.7
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Rep B21B-121_40-45	0.05	0.12	0.92	1.0	5.0	1.0
*Std OREAS 601b	1.49	0.09	4.84	6.1	10.9	0.5
*Blk BLANK	<0.02	<0.05	<0.05	<0.1	<0.1	<0.1
*Std OREAS 905	0.72	0.12	5.23	2.8	15.9	0.7
*Std OREAS 601b	1.43	0.09	4.62	6.3	10.9	0.6
*Rep B21B-118_65-70	0.13	0.08	0.70	1.0	3.1	0.6
*Std OREAS 601b	1.38	0.10	4.75	6.2	10.9	0.5
*Std OREAS 905	0.66	0.13	5.29	2.8	15.6	0.7
*Blk BLANK	<0.02	<0.05	<0.05	0.2	<0.1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504 Samples(415-489)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11016

<b>Element</b>	@S
<b>Method</b>	GE_CSA06V
<b>Lower Limit</b>	0.005
<b>Upper Limit</b>	30
<b>Unit</b>	%
B21B-116_45-50	5.743
B21B-116_55-60	5.119

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11017

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	12-Aug-2021 - 29-Aug-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	29-Aug-2021
Gold/RABP2/1504 Samples(490-564)		SGS Order Number	BBM21-11017
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
596945	0.05	0.909	-	-	-	-
B21B-121_50-55	4.81	0.032	5.43	245	0.03	2
B21B-121_55-60	2.62	0.037	2.56	263	0.02	2
B21B-122_0-5	3.85	0.014	6.91	271	0.07	24
B21B-122_5-10	5.05	0.013	6.50	257	0.05	22
B21B-122_10-15	2.89	0.018	7.29	179	0.02	21
B21B-122_15-20	5.08	0.014	6.22	145	0.02	14
B21B-122_20-25	4.76	0.017	4.05	101	0.02	5
B21B-122_25-30	6.11	0.019	1.58	107	0.05	1
B21B-122_30-35	4.10	0.025	3.05	122	0.04	3
B21B-122_35-40	3.85	0.026	5.70	146	0.02	1
B21B-122_40-45	6.97	0.044	4.40	98	0.01	3
B21B-122_45-50	4.78	0.039	4.51	89	0.01	2
B21B-122_50-55	6.34	0.026	5.94	85	0.01	4
B21B-122_55-60	3.53	0.029	5.27	75	0.01	4
B21B-122_60-65	4.30	0.083	3.24	73	0.03	2
B21B-122_65-70	3.05	0.036	1.58	44	0.01	2
B21B-122_70-75	8.29	0.105	1.04	67	0.03	2
B21B-122_75-80	2.50	0.069	2.73	67	0.03	2
B21B-123_0-5	5.48	0.013	4.82	78	0.04	8
B21B-123_5-10	7.49	0.024	3.66	90	0.04	2
B21B-123_10-15	3.05	0.030	4.51	309	0.05	2
B21B-123_15-20	1.92	0.073	7.10	95	0.04	2
B21B-123_20-25	3.47	0.052	6.07	123	0.04	1
596946	3.60	<0.005	-	-	-	-
B21B-123_25-30	4.68	0.032	4.94	215	0.04	2
B21B-123_30-35	6.07	0.010	4.79	153	0.05	<1
B21B-123_35-40	4.43	0.016	4.91	156	0.05	<1
B21B-123_40-45	5.51	0.019	4.61	263	0.08	<1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-123_45-50	4.91	0.020	5.65	129	0.05	<1
B21B-123_50-55	5.12	0.027	5.92	109	0.04	3
B21B-123_55-60	4.57	0.020	5.69	177	0.07	1
B21B-123_60-65	4.31	0.025	5.36	120	0.04	2
B21B-123_65-70	4.83	0.021	4.92	138	0.04	2
B21B-123_70-75	5.89	0.015	5.61	157	0.05	1
B21B-123_75-80	5.56	0.010	6.48	164	0.06	<1
B21B-124_0-5	1.84	0.098	7.53	423	0.03	13
B21B-124_5-10	2.71	0.030	7.68	197	0.03	14
B21B-124_10-15	2.18	0.034	7.72	127	0.02	5
B21B-124_15-20	6.28	0.053	6.62	210	0.02	3
B21B-124_20-25	4.53	0.106	6.14	456	0.02	2
B21B-124_25-30	4.73	0.107	5.28	327	0.02	1
B21B-124_30-35	5.18	0.140	5.29	162	0.01	2
B21B-124_35-40	7.85	0.162	5.77	148	0.02	1
B21B-124_40-45	4.82	0.087	5.51	156	0.02	3
B21B-124_45-50	6.93	0.077	5.62	186	0.02	1
B21B-124_50-55	5.77	0.075	5.11	177	0.02	2
B21B-124_55-60	6.51	0.091	4.72	124	0.02	2
B21B-124_60-65	6.03	0.110	5.51	104	0.02	2
B21B-124_65-70	6.28	0.072	5.02	79	0.01	2
B21B-124_70-75	6.98	0.066	6.03	87	0.02	2
B21B-124_75-80	7.11	0.081	7.07	149	0.02	1
B21B-125_0-5	3.54	0.023	8.80	104	0.02	20
B21B-125_5-10	3.76	0.074	7.12	97	0.02	10
596947	2.45	0.305	-	-	-	-
B21B-125_10-15	0.79	0.061	6.23	96	0.02	6
B21B-125_15-20	3.70	0.338	5.95	95	0.02	2
B21B-125_20-25	4.59	0.271	6.76	133	0.01	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-125_25-30	5.13	0.130	5.73	484	0.02	3
B21B-125_30-35	4.56	0.161	6.15	516	0.02	2
B21B-125_35-40	4.60	0.255	5.09	500	0.02	3
B21B-125_40-45	5.78	0.205	5.54	581	0.02	2
B21B-125_45-50	4.28	0.224	5.69	682	0.02	3
B21B-125_50-55	5.59	0.300	6.17	698	0.02	2
B21B-125_55-60	4.82	0.229	5.89	469	0.02	2
B21B-125_60-65	5.85	0.114	5.69	469	0.02	2
B21B-125_65-70	1.24	0.135	6.04	313	0.01	3
B21B-125_70-75	6.29	0.105	5.89	280	0.02	2
B21B-126_0-5	5.73	0.276	3.53	156	0.02	8
B21B-126_5-10	6.93	0.111	5.76	261	0.02	5
B21B-126_10-15	2.24	0.120	8.04	265	0.03	3
B21B-126_15-20	7.65	0.107	7.72	244	0.03	3
B21B-126_20-25	9.74	0.076	7.33	341	0.04	4
B21B-126_25-30	6.65	0.044	6.80	209	0.02	2
B21B-126_30-35	6.05	0.060	6.96	166	0.03	3
*Dup B21B-124_10-15	-	0.031	7.58	132	0.02	5
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.26	1183	0.83	15
*Std OREAS 905	-	-	7.36	2670	0.55	16
*Rep B21B-123_75-80	-	-	6.29	163	0.05	<1
*Rep B21B-124_35-40	-	-	5.44	146	0.02	2
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.23	2631	0.55	15
*Std OREAS 601b	-	-	6.53	788	0.83	16
*Rep B21B-126_25-30	-	0.045	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	2.943	-	-	-	-
*Blk BLANK	-	0.005	-	-	-	-
*Rep 596946	-	0.005	-	-	-	-
*Std SN106	-	8.379	-	-	-	-
*Rep B21B-124_60-65	-	0.109	-	-	-	-
*Std OREAS 238	-	3.009	-	-	-	-
*Std OREAS 250b	-	0.334	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-125_70-75	-	0.100	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-121_50-55	3.8	1.20	0.04	5	<0.01	12
B21B-121_55-60	4.0	0.40	0.04	3	<0.01	16
B21B-122_0-5	17.8	2.11	0.73	11	0.05	92
B21B-122_5-10	7.8	2.56	0.59	10	0.03	75
B21B-122_10-15	7.0	2.91	0.33	11	0.03	40
B21B-122_15-20	5.3	1.94	0.46	7	0.02	33
B21B-122_20-25	3.2	0.78	0.34	4	<0.01	24
B21B-122_25-30	3.0	0.46	0.10	2	<0.01	21
B21B-122_30-35	3.7	0.76	0.19	3	<0.01	29
B21B-122_35-40	2.3	0.50	0.42	3	<0.01	16
B21B-122_40-45	3.5	3.26	0.18	3	<0.01	22
B21B-122_45-50	3.2	2.81	0.11	3	<0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-122_50-55	2.5	1.05	0.27	3	<0.01	38
B21B-122_55-60	3.6	1.47	0.08	4	<0.01	18
B21B-122_60-65	29.1	2.67	0.08	3	<0.01	17
B21B-122_65-70	8.6	0.93	0.06	2	<0.01	25
B21B-122_70-75	9.5	1.74	0.03	1	<0.01	22
B21B-122_75-80	5.6	0.88	0.19	2	<0.01	18
B21B-123_0-5	6.5	2.89	0.06	3	<0.01	30
B21B-123_5-10	5.0	1.78	0.02	<1	<0.01	14
B21B-123_10-15	4.9	1.66	0.52	1	<0.01	24
B21B-123_15-20	2.4	0.85	2.26	<1	<0.01	18
B21B-123_20-25	3.3	1.27	1.70	<1	<0.01	22
B21B-123_25-30	24.1	1.71	0.40	<1	<0.01	25
B21B-123_30-35	2.4	0.34	0.15	<1	<0.01	24
B21B-123_35-40	1.3	0.45	0.13	<1	<0.01	17
B21B-123_40-45	1.9	0.30	0.07	1	<0.01	19
B21B-123_45-50	1.4	0.21	1.13	2	<0.01	16
B21B-123_50-55	15.2	1.83	1.75	2	<0.01	18
B21B-123_55-60	1.5	0.79	1.66	1	<0.01	15
B21B-123_60-65	1.5	1.58	1.52	<1	<0.01	15
B21B-123_65-70	5.0	1.36	0.88	1	<0.01	14
B21B-123_70-75	2.7	0.51	1.08	1	<0.01	14
B21B-123_75-80	1.7	0.20	1.34	2	<0.01	13
B21B-124_0-5	14.3	1.62	0.39	6	0.02	24
B21B-124_5-10	6.4	1.21	0.39	7	0.02	26
B21B-124_10-15	5.0	0.62	0.11	4	<0.01	22
B21B-124_15-20	4.7	0.62	0.18	3	<0.01	22
B21B-124_20-25	2.7	0.44	0.55	1	<0.01	24
B21B-124_25-30	4.4	1.37	0.52	1	<0.01	25
B21B-124_30-35	5.1	1.27	0.23	2	<0.01	24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-124_35-40	5.3	1.05	0.26	2	<0.01	21
B21B-124_40-45	4.5	1.03	0.40	2	<0.01	21
B21B-124_45-50	4.2	0.71	0.47	2	<0.01	19
B21B-124_50-55	5.5	1.00	0.33	2	<0.01	16
B21B-124_55-60	9.0	0.91	0.27	2	<0.01	21
B21B-124_60-65	10.5	0.84	0.14	2	<0.01	18
B21B-124_65-70	9.4	0.47	0.17	2	<0.01	20
B21B-124_70-75	6.5	0.52	0.13	2	<0.01	18
B21B-124_75-80	21.3	0.57	0.31	3	<0.01	19
B21B-125_0-5	18.2	4.88	0.10	11	0.03	44
B21B-125_5-10	13.8	3.19	0.10	4	0.01	27
B21B-125_10-15	11.5	3.12	0.05	4	<0.01	33
B21B-125_15-20	11.9	1.93	0.04	2	<0.01	20
B21B-125_20-25	7.8	1.58	0.08	2	<0.01	24
B21B-125_25-30	4.0	2.10	0.44	2	<0.01	23
B21B-125_30-35	4.8	3.03	0.61	2	<0.01	27
B21B-125_35-40	10.5	3.92	0.49	<1	<0.01	23
B21B-125_40-45	6.9	2.95	0.59	1	<0.01	24
B21B-125_45-50	6.3	2.01	0.91	<1	<0.01	23
B21B-125_50-55	5.6	1.15	0.70	1	<0.01	26
B21B-125_55-60	4.5	0.92	0.36	2	<0.01	26
B21B-125_60-65	3.3	0.57	0.34	2	<0.01	26
B21B-125_65-70	6.7	1.63	0.27	2	<0.01	20
B21B-125_70-75	4.8	1.15	0.20	2	<0.01	19
B21B-126_0-5	28.4	>15.00	0.03	1	<0.01	11
B21B-126_5-10	14.5	10.06	0.04	1	<0.01	22
B21B-126_10-15	23.1	5.80	0.07	3	<0.01	20
B21B-126_15-20	21.4	5.44	0.07	3	<0.01	25
B21B-126_20-25	53.4	5.04	0.11	5	<0.01	33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
<b>Lower Limit</b>	0.5	0.01	0.01	1	0.01	2
<b>Upper Limit</b>	10,000	15	15	10,000	15	10,000
<b>Unit</b>	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-126_25-30	25.8	2.46	0.04	4	<0.01	17
B21B-126_30-35	24.6	2.83	0.06	6	<0.01	16
*Dup B21B-124_10-15	5.3	0.64	0.12	5	<0.01	22
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	946	2.15	2.55	21	0.09	204
*Std OREAS 905	1480	3.85	2.74	20	0.27	365
*Rep B21B-123_75-80	1.6	0.20	1.30	2	<0.01	13
*Rep B21B-124_35-40	4.7	1.05	0.27	2	<0.01	22
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1435	3.85	2.85	19	0.27	357
*Std OREAS 601b	947	2.19	2.38	21	0.09	203

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
<b>Lower Limit</b>	0.01	1	0.01	0.01	0.5	0.01
<b>Upper Limit</b>	15	10,000	15	5	10,000	15
<b>Unit</b>	%	ppm m / m	%	%	ppm m / m	%
B21B-121_50-55	<0.01	2	0.06	0.11	466	0.03
B21B-121_55-60	<0.01	2	0.04	0.08	305	0.06
B21B-122_0-5	0.12	6	0.04	0.55	184	0.17
B21B-122_5-10	0.06	5	0.04	0.54	184	0.13
B21B-122_10-15	0.02	5	0.04	0.25	178	0.13
B21B-122_15-20	0.02	4	0.05	0.17	221	0.12
B21B-122_20-25	0.01	2	0.04	0.09	231	0.08
B21B-122_25-30	<0.01	<1	0.07	0.07	244	0.08
B21B-122_30-35	<0.01	1	0.07	0.11	238	0.08
B21B-122_35-40	0.01	<1	0.05	0.04	167	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-122_40-45	<0.01	<1	0.04	0.06	96.3	0.04
B21B-122_45-50	<0.01	<1	0.05	0.03	98.0	0.04
B21B-122_50-55	0.02	<1	0.04	0.08	86.1	0.07
B21B-122_55-60	<0.01	<1	0.04	0.04	103	0.05
B21B-122_60-65	<0.01	<1	0.06	0.05	118	0.04
B21B-122_65-70	<0.01	1	0.02	0.04	57.8	0.05
B21B-122_70-75	<0.01	1	0.05	0.04	65.5	0.05
B21B-122_75-80	<0.01	3	0.04	0.04	89.9	0.06
B21B-123_0-5	<0.01	1	0.05	0.10	187	0.07
B21B-123_5-10	<0.01	<1	0.05	0.19	296	0.04
B21B-123_10-15	0.09	<1	0.07	1.94	345	0.04
B21B-123_15-20	0.42	<1	0.06	4.63	318	0.05
B21B-123_20-25	0.33	<1	0.06	3.70	306	0.03
B21B-123_25-30	0.07	<1	0.05	1.54	251	0.04
B21B-123_30-35	0.03	<1	0.06	0.42	318	0.05
B21B-123_35-40	0.02	<1	0.06	0.38	379	0.04
B21B-123_40-45	0.01	<1	0.10	0.28	509	0.04
B21B-123_45-50	0.02	<1	0.06	0.19	332	0.05
B21B-123_50-55	0.04	1	0.05	1.32	249	0.04
B21B-123_55-60	0.03	<1	0.08	0.19	453	0.04
B21B-123_60-65	0.05	<1	0.06	0.17	259	0.03
B21B-123_65-70	0.02	1	0.06	0.87	260	0.04
B21B-123_70-75	0.02	<1	0.07	0.25	332	0.05
B21B-123_75-80	0.02	1	0.07	0.16	355	0.05
B21B-124_0-5	0.14	6	0.06	0.51	317	0.26
B21B-124_5-10	0.07	4	0.05	0.62	216	0.13
B21B-124_10-15	0.03	2	0.06	0.18	178	0.10
B21B-124_15-20	0.05	1	0.06	0.36	291	0.08
B21B-124_20-25	0.12	<1	0.07	1.18	348	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-124_25-30	0.08	<1	0.08	0.94	324	0.06
B21B-124_30-35	0.04	1	0.05	0.47	190	0.05
B21B-124_35-40	0.05	<1	0.05	0.46	161	0.06
B21B-124_40-45	0.09	1	0.06	0.63	160	0.06
B21B-124_45-50	0.15	1	0.06	1.04	249	0.05
B21B-124_50-55	0.13	<1	0.06	0.80	315	0.04
B21B-124_55-60	0.10	1	0.07	0.51	196	0.05
B21B-124_60-65	0.06	2	0.06	0.30	199	0.05
B21B-124_65-70	0.07	2	0.05	0.27	130	0.07
B21B-124_70-75	0.06	2	0.08	0.23	105	0.04
B21B-124_75-80	0.12	2	0.07	0.40	186	0.04
B21B-125_0-5	0.02	4	0.07	0.09	218	0.14
B21B-125_5-10	0.01	2	0.06	0.77	229	0.11
B21B-125_10-15	0.01	2	0.07	0.35	232	0.07
B21B-125_15-20	0.01	<1	0.06	0.11	233	0.06
B21B-125_20-25	0.03	<1	0.08	0.16	244	0.08
B21B-125_25-30	0.15	<1	0.08	1.06	348	0.05
B21B-125_30-35	0.19	<1	0.07	1.29	380	0.05
B21B-125_35-40	0.17	<1	0.07	1.21	312	0.05
B21B-125_40-45	0.20	<1	0.06	1.50	301	0.04
B21B-125_45-50	0.28	<1	0.06	2.29	338	0.05
B21B-125_50-55	0.26	<1	0.10	1.86	410	0.07
B21B-125_55-60	0.14	<1	0.06	0.99	256	0.05
B21B-125_60-65	0.16	<1	0.08	0.99	237	0.06
B21B-125_65-70	0.09	2	0.06	0.60	200	0.06
B21B-125_70-75	0.09	2	0.07	0.52	256	0.05
B21B-126_0-5	0.01	<1	0.06	0.09	126	0.02
B21B-126_5-10	0.02	<1	0.07	0.07	133	0.04
B21B-126_10-15	0.02	<1	0.08	0.10	172	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-126_15-20	0.02	<1	0.08	0.11	164	0.04
B21B-126_20-25	0.02	5	0.11	3.17	215	0.03
B21B-126_25-30	0.02	2	0.07	0.79	139	0.04
B21B-126_30-35	0.02	2	0.06	1.25	139	0.03
*Dup B21B-124_10-15	0.04	2	0.06	0.17	175	0.10
*Blk BLANK	0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.86	6	0.03	1.43	231	0.13
*Std OREAS 905	2.42	8	0.03	0.07	152	0.12
*Rep B21B-123_75-80	0.04	1	0.07	0.16	337	0.05
*Rep B21B-124_35-40	0.05	<1	0.04	0.45	162	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.37	8	0.03	0.07	149	0.12
*Std OREAS 601b	1.89	5	0.03	1.42	231	0.13

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-121_50-55	13	<1	96.0	0.03	2	0.3
B21B-121_55-60	9	46	68.3	0.06	<1	0.1
B21B-122_0-5	58	46	84.8	0.08	11	0.7
B21B-122_5-10	64	11	82.7	0.07	9	0.6
B21B-122_10-15	61	8	114	0.06	8	0.5
B21B-122_15-20	60	5	124	0.03	5	0.4
B21B-122_20-25	33	2	120	0.12	2	0.3
B21B-122_25-30	14	1	24.8	0.02	1	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-122_30-35	23	2	97.4	0.08	2	0.3
B21B-122_35-40	29	<1	104	0.09	<1	0.4
B21B-122_40-45	22	1	104	0.21	2	0.3
B21B-122_45-50	18	<1	111	0.13	2	0.3
B21B-122_50-55	31	2	111	0.10	2	0.3
B21B-122_55-60	18	1	97.7	0.14	2	0.3
B21B-122_60-65	14	<1	95.5	0.08	2	0.3
B21B-122_65-70	11	2	77.9	0.07	3	0.2
B21B-122_70-75	25	3	60.5	0.22	13	0.2
B21B-122_75-80	22	3	98.8	0.12	4	0.3
B21B-123_0-5	34	2	94.3	0.06	3	<0.1
B21B-123_5-10	19	<1	87.3	0.05	2	<0.1
B21B-123_10-15	25	<1	93.3	0.03	2	<0.1
B21B-123_15-20	37	<1	91.4	0.05	2	<0.1
B21B-123_20-25	27	<1	86.0	0.03	1	<0.1
B21B-123_25-30	24	<1	92.3	0.05	3	<0.1
B21B-123_30-35	22	<1	83.6	<0.02	<1	<0.1
B21B-123_35-40	23	<1	91.2	0.03	<1	<0.1
B21B-123_40-45	13	<1	92.1	0.03	1	<0.1
B21B-123_45-50	28	<1	108	0.03	<1	0.1
B21B-123_50-55	33	<1	102	0.05	2	0.1
B21B-123_55-60	37	<1	105	0.05	<1	0.2
B21B-123_60-65	31	<1	101	0.06	2	0.2
B21B-123_65-70	20	1	103	0.04	1	0.1
B21B-123_70-75	25	<1	106	0.09	2	0.1
B21B-123_75-80	32	<1	113	0.18	<1	0.2
B21B-124_0-5	57	6	130	0.10	13	0.5
B21B-124_5-10	48	4	122	0.08	6	0.3
B21B-124_10-15	36	2	123	0.06	4	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-124_15-20	27	1	111	0.11	3	0.2
B21B-124_20-25	30	<1	108	0.02	2	0.2
B21B-124_25-30	27	<1	110	0.03	4	0.2
B21B-124_30-35	22	<1	100	0.10	6	0.2
B21B-124_35-40	19	1	120	0.06	5	0.2
B21B-124_40-45	22	<1	102	0.12	3	0.2
B21B-124_45-50	23	<1	96.6	<0.02	2	0.1
B21B-124_50-55	17	<1	93.6	0.02	2	0.2
B21B-124_55-60	14	<1	88.5	0.07	2	0.1
B21B-124_60-65	13	<1	90.2	0.09	3	0.1
B21B-124_65-70	11	<1	87.6	0.02	2	0.1
B21B-124_70-75	11	<1	73.4	0.04	1	0.2
B21B-124_75-80	14	<1	66.3	0.06	1	0.2
B21B-125_0-5	58	8	143	0.11	12	0.3
B21B-125_5-10	43	4	156	0.13	6	0.2
B21B-125_10-15	31	2	123	0.07	5	0.2
B21B-125_15-20	22	<1	126	0.08	4	0.2
B21B-125_20-25	28	<1	133	0.09	4	0.3
B21B-125_25-30	37	<1	111	0.04	4	0.2
B21B-125_30-35	44	<1	108	0.13	4	0.2
B21B-125_35-40	38	<1	117	0.13	6	0.2
B21B-125_40-45	41	<1	111	0.09	5	0.2
B21B-125_45-50	44	<1	114	0.10	4	0.1
B21B-125_50-55	37	<1	120	0.03	3	0.1
B21B-125_55-60	27	<1	117	0.03	2	0.2
B21B-125_60-65	30	<1	129	0.09	2	0.2
B21B-125_65-70	28	<1	129	0.05	5	0.2
B21B-125_70-75	25	<1	122	0.04	3	0.2
B21B-126_0-5	26	<1	94.9	0.08	11	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-126_5-10	19	<1	112	0.14	11	0.1
B21B-126_10-15	20	<1	132	0.06	9	0.3
B21B-126_15-20	19	<1	129	0.08	9	0.4
B21B-126_20-25	16	<1	106	0.25	7	0.5
B21B-126_25-30	12	<1	88.1	0.14	4	0.4
B21B-126_30-35	14	<1	63.4	0.08	4	0.4
*Dup B21B-124_10-15	33	3	117	0.03	4	0.4
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	11	315	174	50.72	283	2.3
*Std OREAS 905	9	139	244	0.59	35	2.7
*Rep B21B-123_75-80	32	<1	110	0.10	<1	0.2
*Rep B21B-124_35-40	18	<1	105	0.03	4	0.2
*Blk BLANK	<2	<1	<0.5	0.04	<1	<0.1
*Std OREAS 905	9	138	240	0.70	37	3.0
*Std OREAS 601b	11	312	175	51.70	311	2.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-121_50-55	1.36	<0.02	67.98	0.2	<1	13.4
B21B-121_55-60	0.97	<0.02	50.61	0.2	<1	4.9
B21B-122_0-5	1.83	<0.02	54.73	1.2	2	15.4
B21B-122_5-10	2.15	<0.02	52.21	0.9	2	16.1
B21B-122_10-15	2.36	<0.02	54.39	1.0	2	15.9
B21B-122_15-20	2.12	<0.02	63.08	0.6	1	13.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-122_20-25	1.37	<0.02	64.56	0.3	<1	7.2
B21B-122_25-30	1.46	<0.02	71.73	0.1	<1	2.8
B21B-122_30-35	1.88	<0.02	92.71	0.3	<1	5.6
B21B-122_35-40	1.90	<0.02	79.09	<0.1	<1	10.2
B21B-122_40-45	2.69	<0.02	56.53	0.2	<1	8.5
B21B-122_45-50	2.38	<0.02	53.14	<0.1	<1	7.3
B21B-122_50-55	1.73	<0.02	49.86	0.2	<1	11.2
B21B-122_55-60	2.38	<0.02	54.31	0.1	<1	11.1
B21B-122_60-65	2.98	<0.02	71.89	0.1	<1	7.2
B21B-122_65-70	1.18	<0.02	41.62	0.2	<1	3.2
B21B-122_70-75	1.33	0.02	52.60	0.2	<1	2.1
B21B-122_75-80	1.41	<0.02	52.79	0.3	<1	6.2
B21B-123_0-5	1.92	<0.02	41.09	0.3	<1	7.5
B21B-123_5-10	1.19	<0.02	46.72	0.3	<1	4.6
B21B-123_10-15	1.15	<0.02	48.97	1.7	<1	6.8
B21B-123_15-20	1.65	<0.02	58.09	0.1	<1	10.7
B21B-123_20-25	1.34	<0.02	47.73	0.1	<1	8.6
B21B-123_25-30	1.32	<0.02	51.02	1.3	<1	6.1
B21B-123_30-35	0.64	<0.02	48.52	0.1	<1	5.1
B21B-123_35-40	0.61	<0.02	48.73	<0.1	<1	5.7
B21B-123_40-45	0.82	<0.02	48.80	<0.1	<1	7.1
B21B-123_45-50	1.06	<0.02	47.64	<0.1	<1	10.4
B21B-123_50-55	2.51	<0.02	37.67	1.5	<1	11.7
B21B-123_55-60	1.20	<0.02	47.19	<0.1	<1	12.4
B21B-123_60-65	0.96	<0.02	41.93	<0.1	<1	11.6
B21B-123_65-70	0.73	<0.02	46.03	1.9	<1	9.3
B21B-123_70-75	0.76	<0.02	48.33	0.3	<1	8.5
B21B-123_75-80	0.69	<0.02	47.65	0.1	<1	9.1
B21B-124_0-5	8.26	<0.02	80.31	1.0	<1	17.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-124_5-10	2.56	<0.02	57.23	0.8	<1	15.5
B21B-124_10-15	1.65	<0.02	62.46	0.4	<1	13.2
B21B-124_15-20	1.32	<0.02	54.36	0.2	<1	10.5
B21B-124_20-25	1.09	<0.02	57.36	0.1	<1	11.5
B21B-124_25-30	1.78	<0.02	63.81	0.1	<1	10.8
B21B-124_30-35	1.75	<0.02	61.85	0.2	<1	10.6
B21B-124_35-40	1.63	<0.02	62.16	0.1	<1	10.1
B21B-124_40-45	1.23	<0.02	58.60	0.2	<1	9.6
B21B-124_45-50	1.07	<0.02	55.39	0.2	<1	9.4
B21B-124_50-55	0.95	<0.02	57.41	0.2	<1	5.9
B21B-124_55-60	1.25	<0.02	46.66	0.2	<1	5.4
B21B-124_60-65	1.16	<0.02	43.06	0.3	<1	4.9
B21B-124_65-70	0.53	<0.02	46.32	0.2	<1	4.1
B21B-124_70-75	0.51	<0.02	37.88	0.2	<1	4.5
B21B-124_75-80	0.68	<0.02	36.18	0.2	<1	5.3
B21B-125_0-5	2.43	<0.02	70.51	1.0	2	19.5
B21B-125_5-10	1.91	<0.02	58.67	3.4	<1	16.7
B21B-125_10-15	1.92	<0.02	53.78	1.4	<1	14.0
B21B-125_15-20	2.67	<0.02	56.16	0.3	<1	12.8
B21B-125_20-25	2.69	<0.02	58.32	0.2	<1	16.5
B21B-125_25-30	2.71	<0.02	61.65	0.1	<1	10.9
B21B-125_30-35	3.35	<0.02	62.86	0.2	<1	10.5
B21B-125_35-40	5.39	<0.02	58.79	0.1	<1	11.3
B21B-125_40-45	4.46	<0.02	57.58	0.2	<1	14.4
B21B-125_45-50	2.64	<0.02	55.66	0.2	<1	12.5
B21B-125_50-55	5.62	<0.02	57.97	0.2	<1	11.6
B21B-125_55-60	3.94	<0.02	54.00	0.1	<1	10.3
B21B-125_60-65	3.11	<0.02	55.34	0.1	<1	8.3
B21B-125_65-70	3.35	<0.02	50.27	0.2	<1	11.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-125_70-75	2.57	<0.02	51.53	0.2	<1	10.7
B21B-126_0-5	3.50	<0.02	63.78	0.2	<1	15.8
B21B-126_5-10	2.93	<0.02	66.32	0.2	<1	15.2
B21B-126_10-15	1.69	<0.02	107	0.2	<1	17.2
B21B-126_15-20	1.55	<0.02	103	0.2	<1	16.7
B21B-126_20-25	1.27	<0.02	80.34	12.6	<1	12.6
B21B-126_25-30	0.77	<0.02	64.26	3.1	<1	9.7
B21B-126_30-35	0.81	<0.02	55.60	4.4	<1	9.3
*Dup B21B-124_10-15	1.67	<0.02	58.65	0.4	<1	13.2
*Blk BLANK	<0.04	<0.02	0.11	<0.1	<1	<0.1
*Std OREAS 601b	17.45	2.17	68.36	3.3	5	23.0
*Std OREAS 905	5.98	0.37	94.82	16.2	8	25.6
*Rep B21B-123_75-80	0.67	<0.02	47.45	<0.1	<1	9.0
*Rep B21B-124_35-40	1.62	<0.02	62.44	0.1	<1	9.3
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.1
*Std OREAS 905	6.01	0.34	93.49	16.0	8	25.2
*Std OREAS 601b	18.01	2.12	69.37	3.3	5	23.7

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-121_50-55	2.67	<0.02	34.8	0.16	1.99	1.1
B21B-121_55-60	1.81	<0.02	25.7	0.16	1.68	1.0
B21B-122_0-5	2.65	0.03	24.6	0.16	3.96	8.5
B21B-122_5-10	2.61	0.04	23.5	0.15	5.12	7.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-122_10-15	3.37	0.04	25.7	0.21	6.52	6.3
B21B-122_15-20	3.65	0.05	29.9	0.25	4.73	5.2
B21B-122_20-25	3.62	0.02	30.6	0.26	1.98	2.3
B21B-122_25-30	0.42	<0.02	33.8	0.25	2.15	0.5
B21B-122_30-35	2.73	<0.02	43.2	0.22	3.98	1.9
B21B-122_35-40	3.09	0.03	38.7	0.23	2.67	1.8
B21B-122_40-45	3.11	<0.02	28.3	0.22	5.42	1.3
B21B-122_45-50	3.16	<0.02	27.2	0.22	6.54	1.2
B21B-122_50-55	3.26	0.02	25.4	0.24	2.17	2.6
B21B-122_55-60	2.87	<0.02	27.9	0.21	4.87	1.3
B21B-122_60-65	2.80	<0.02	37.1	0.20	9.21	1.0
B21B-122_65-70	2.27	<0.02	21.3	0.15	4.17	1.1
B21B-122_70-75	1.41	0.02	26.5	0.17	62.00	0.6
B21B-122_75-80	2.91	<0.02	26.6	0.18	15.63	1.4
B21B-123_0-5	2.84	<0.02	20.9	0.17	4.37	2.4
B21B-123_5-10	2.64	<0.02	23.8	0.17	3.50	1.0
B21B-123_10-15	2.76	<0.02	24.2	0.20	3.52	1.3
B21B-123_15-20	2.73	<0.02	27.8	0.19	2.13	1.8
B21B-123_20-25	2.53	<0.02	23.2	0.18	1.97	1.4
B21B-123_25-30	2.75	<0.02	25.1	0.20	2.14	1.2
B21B-123_30-35	2.48	<0.02	23.7	0.18	0.84	1.6
B21B-123_35-40	2.69	<0.02	24.1	0.19	1.12	1.5
B21B-123_40-45	2.82	<0.02	24.3	0.20	0.70	1.1
B21B-123_45-50	3.32	<0.02	24.6	0.24	1.01	1.7
B21B-123_50-55	3.10	<0.02	20.5	0.22	2.07	1.3
B21B-123_55-60	3.16	<0.02	24.0	0.22	1.99	1.1
B21B-123_60-65	3.09	<0.02	21.7	0.21	3.16	1.0
B21B-123_65-70	3.15	<0.02	23.1	0.23	2.23	1.2
B21B-123_70-75	3.25	<0.02	24.0	0.22	1.21	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-123_75-80	3.44	<0.02	24.2	0.24	0.67	2.0
B21B-124_0-5	3.91	0.09	37.5	0.24	7.12	7.5
B21B-124_5-10	3.79	0.03	24.3	0.21	3.82	5.0
B21B-124_10-15	3.55	<0.02	27.6	0.21	1.83	3.7
B21B-124_15-20	3.20	<0.02	25.9	0.20	2.18	2.6
B21B-124_20-25	3.16	<0.02	28.5	0.21	1.05	2.2
B21B-124_25-30	3.12	<0.02	34.5	0.21	1.91	1.5
B21B-124_30-35	2.92	<0.02	33.1	0.19	2.86	1.3
B21B-124_35-40	3.47	<0.02	32.2	0.21	1.98	1.8
B21B-124_40-45	2.99	<0.02	29.5	0.19	1.71	1.9
B21B-124_45-50	2.81	<0.02	26.1	0.19	1.47	1.6
B21B-124_50-55	2.79	<0.02	27.4	0.18	1.80	1.3
B21B-124_55-60	2.63	<0.02	23.4	0.17	1.55	1.4
B21B-124_60-65	2.62	<0.02	21.9	0.16	2.16	1.3
B21B-124_65-70	2.52	<0.02	23.2	0.16	1.20	2.0
B21B-124_70-75	2.17	<0.02	19.4	0.13	3.16	1.7
B21B-124_75-80	1.90	<0.02	18.9	0.10	3.08	1.3
B21B-125_0-5	4.41	0.04	27.6	0.24	33.07	5.7
B21B-125_5-10	4.54	0.03	26.6	0.29	27.70	3.7
B21B-125_10-15	3.66	<0.02	25.3	0.24	20.26	2.5
B21B-125_15-20	3.71	<0.02	25.9	0.24	16.67	1.6
B21B-125_20-25	3.98	<0.02	27.9	0.26	11.31	2.4
B21B-125_25-30	3.27	<0.02	32.1	0.23	4.75	1.3
B21B-125_30-35	3.22	<0.02	34.1	0.22	6.62	1.4
B21B-125_35-40	3.53	<0.02	30.2	0.23	6.53	1.3
B21B-125_40-45	3.25	<0.02	29.2	0.23	8.24	1.3
B21B-125_45-50	3.33	<0.02	29.1	0.21	19.70	1.4
B21B-125_50-55	3.55	<0.02	30.3	0.24	14.77	2.2
B21B-125_55-60	3.42	<0.02	27.6	0.22	6.50	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-125_60-65	3.79	<0.02	28.0	0.23	9.23	1.9
B21B-125_65-70	3.87	<0.02	25.1	0.25	22.16	1.7
B21B-125_70-75	3.56	<0.02	25.9	0.22	10.03	1.5
B21B-126_0-5	2.85	<0.02	31.3	0.17	23.68	0.6
B21B-126_5-10	3.34	<0.02	32.1	0.20	25.88	1.4
B21B-126_10-15	4.00	<0.02	52.8	0.23	31.77	1.5
B21B-126_15-20	3.89	<0.02	51.5	0.22	29.89	1.3
B21B-126_20-25	3.19	<0.02	39.7	0.19	19.24	1.2
B21B-126_25-30	2.65	<0.02	31.5	0.16	22.51	1.4
B21B-126_30-35	1.98	<0.02	27.5	0.11	29.52	1.1
*Dup B21B-124_10-15	3.36	<0.02	25.9	0.20	1.81	3.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.56	0.52	33.9	0.06	5.10	15.4
*Std OREAS 905	7.54	0.71	47.0	0.10	3.58	19.0
*Rep B21B-123_75-80	3.40	<0.02	23.7	0.24	0.69	1.9
*Rep B21B-124_35-40	3.03	<0.02	32.0	0.20	1.86	1.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.57	0.71	44.7	0.10	2.97	19.1
*Std OREAS 601b	5.64	0.50	33.7	0.07	5.47	15.6

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-121_50-55	71.4	0.7	0.16	3.2	6	0.7
B21B-121_55-60	60.4	0.7	0.17	3.1	<2	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-122_0-5	49.0	30.2	0.89	5.1	3	2.1
B21B-122_5-10	54.0	24.5	0.83	5.0	5	1.5
B21B-122_10-15	58.1	13.5	0.86	6.3	5	1.9
B21B-122_15-20	71.4	11.7	0.60	6.5	2	2.3
B21B-122_20-25	69.4	8.2	0.32	4.9	<2	2.3
B21B-122_25-30	70.7	2.2	0.15	3.9	<2	1.4
B21B-122_30-35	63.5	5.3	0.28	4.1	2	1.9
B21B-122_35-40	52.7	5.2	0.27	4.7	<2	2.9
B21B-122_40-45	34.8	3.1	0.28	4.2	11	1.4
B21B-122_45-50	33.5	1.6	0.21	3.8	8	1.4
B21B-122_50-55	29.1	5.1	0.26	5.2	4	1.9
B21B-122_55-60	29.9	1.6	0.16	4.2	5	1.5
B21B-122_60-65	52.4	2.4	0.20	4.4	7	1.7
B21B-122_65-70	26.5	2.1	0.17	2.7	2	1.5
B21B-122_70-75	39.3	0.8	0.82	3.6	2	1.2
B21B-122_75-80	44.5	4.7	0.46	3.6	4	2.0
B21B-123_0-5	23.0	3.4	0.57	4.2	4	1.1
B21B-123_5-10	18.2	0.6	0.31	3.6	3	0.7
B21B-123_10-15	34.1	0.9	0.30	4.2	5	0.8
B21B-123_15-20	66.8	1.7	0.39	4.4	4	0.8
B21B-123_20-25	48.7	1.3	0.26	3.8	4	0.6
B21B-123_25-30	24.7	0.4	0.25	3.9	7	0.7
B21B-123_30-35	21.1	<0.2	0.31	3.9	<2	0.8
B21B-123_35-40	24.8	<0.2	0.34	4.3	3	0.7
B21B-123_40-45	35.5	0.3	0.36	3.2	<2	0.9
B21B-123_45-50	23.3	27.8	0.51	3.9	<2	1.6
B21B-123_50-55	21.6	42.9	0.33	4.5	7	8.0
B21B-123_55-60	39.0	42.7	0.30	5.4	3	2.2
B21B-123_60-65	22.7	38.4	0.30	4.4	4	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-123_65-70	20.8	22.0	0.35	3.4	3	1.0
B21B-123_70-75	23.0	28.5	0.36	3.9	<2	1.3
B21B-123_75-80	26.3	35.5	0.34	4.2	<2	1.7
B21B-124_0-5	110	8.0	3.81	8.0	5	2.6
B21B-124_5-10	85.2	7.1	0.79	5.5	<2	1.7
B21B-124_10-15	58.2	2.5	0.48	5.9	<2	1.0
B21B-124_15-20	80.2	1.3	0.29	4.8	5	0.9
B21B-124_20-25	106	0.6	0.23	4.6	<2	1.1
B21B-124_25-30	87.1	0.8	0.16	4.5	3	1.3
B21B-124_30-35	48.0	0.5	0.13	4.2	5	1.0
B21B-124_35-40	43.7	0.8	0.16	4.5	2	1.2
B21B-124_40-45	44.4	1.3	0.16	4.4	2	1.2
B21B-124_45-50	63.1	1.3	0.15	3.9	<2	1.1
B21B-124_50-55	67.8	0.7	0.12	3.8	2	0.9
B21B-124_55-60	42.7	0.9	0.22	3.7	<2	0.9
B21B-124_60-65	36.5	0.6	0.25	3.6	2	0.9
B21B-124_65-70	29.9	0.8	0.15	3.6	<2	1.0
B21B-124_70-75	31.5	0.7	0.14	2.8	<2	0.7
B21B-124_75-80	54.9	1.6	0.15	2.7	<2	0.9
B21B-125_0-5	79.4	9.4	1.19	8.2	16	2.4
B21B-125_5-10	68.3	3.4	0.67	7.8	9	2.9
B21B-125_10-15	71.7	2.0	0.56	5.8	11	2.2
B21B-125_15-20	75.7	0.4	0.56	5.5	14	2.1
B21B-125_20-25	97.7	0.4	0.67	6.4	10	3.3
B21B-125_25-30	195	0.8	0.61	4.9	4	2.0
B21B-125_30-35	253	1.7	0.73	5.3	7	2.6
B21B-125_35-40	232	0.9	0.71	5.7	13	1.8
B21B-125_40-45	239	0.8	0.96	5.6	13	1.6
B21B-125_45-50	315	0.5	1.23	5.2	14	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-125_50-55	310	0.7	1.13	5.3	5	1.9
B21B-125_55-60	218	0.4	0.74	4.2	6	1.8
B21B-125_60-65	232	0.5	0.81	3.8	3	1.9
B21B-125_65-70	161	1.0	1.80	4.4	7	2.0
B21B-125_70-75	168	0.7	0.85	4.1	5	1.5
B21B-126_0-5	45.5	0.8	0.51	2.7	26	0.7
B21B-126_5-10	41.2	1.3	0.56	3.7	26	1.3
B21B-126_10-15	50.6	1.4	0.63	4.3	18	1.6
B21B-126_15-20	49.9	1.3	0.61	4.4	18	1.5
B21B-126_20-25	53.2	3.8	0.36	3.3	16	1.4
B21B-126_25-30	24.8	1.1	0.27	2.6	7	1.3
B21B-126_30-35	31.2	2.1	0.30	2.2	9	1.1
*Dup B21B-124_10-15	57.9	2.6	0.47	5.9	<2	1.1
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	313	101	25.10	3.4	11	3.5
*Std OREAS 905	31.9	132	2.09	5.5	3	4.2
*Rep B21B-123_75-80	25.8	35.4	0.33	4.2	<2	1.7
*Rep B21B-124_35-40	43.8	0.8	0.14	4.0	2	1.0
*Blk BLANK	0.9	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	32.3	146	2.00	5.5	3	4.3
*Std OREAS 601b	324	102	24.81	4.1	11	3.6

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-121_50-55	0.08	0.19	1.23	7.6	<0.02	0.86
B21B-121_55-60	<0.05	0.17	0.63	5.7	<0.02	0.91
B21B-122_0-5	0.61	0.27	1.78	11.3	0.25	1.65
B21B-122_5-10	0.51	0.25	2.65	11.4	0.22	1.54
B21B-122_10-15	0.48	0.26	2.69	12.5	0.20	1.74
B21B-122_15-20	0.40	0.30	1.51	11.6	0.26	1.58
B21B-122_20-25	0.13	0.31	0.65	9.1	0.20	1.36
B21B-122_25-30	<0.05	0.37	0.33	8.0	0.05	1.51
B21B-122_30-35	0.08	0.41	1.10	8.3	0.10	1.46
B21B-122_35-40	0.10	0.36	0.86	7.8	0.30	1.11
B21B-122_40-45	0.07	0.24	2.94	7.6	0.11	1.21
B21B-122_45-50	0.07	0.24	2.21	7.0	0.06	1.15
B21B-122_50-55	0.17	0.22	0.98	7.5	0.20	1.21
B21B-122_55-60	0.07	0.24	1.60	7.2	0.04	1.15
B21B-122_60-65	<0.05	0.30	2.57	7.8	0.03	1.71
B21B-122_65-70	<0.05	0.16	0.88	5.2	0.02	1.10
B21B-122_70-75	<0.05	0.32	4.44	6.0	<0.02	2.01
B21B-122_75-80	0.06	0.27	2.20	6.4	0.11	1.62
B21B-123_0-5	0.12	0.18	1.37	7.4	<0.02	1.09
B21B-123_5-10	<0.05	0.21	1.12	7.4	<0.02	0.94
B21B-123_10-15	0.06	0.27	1.08	7.4	<0.02	1.10
B21B-123_15-20	0.13	0.31	1.45	7.3	<0.02	1.33
B21B-123_20-25	0.09	0.25	1.09	6.3	<0.02	1.29
B21B-123_25-30	0.06	0.22	0.88	7.3	<0.02	1.07
B21B-123_30-35	0.07	0.21	0.31	6.6	<0.02	0.85
B21B-123_35-40	0.07	0.20	0.38	6.3	<0.02	0.86
B21B-123_40-45	0.05	0.26	0.23	6.7	<0.02	0.98
B21B-123_45-50	0.10	0.23	0.68	7.4	0.12	1.05
B21B-123_50-55	0.10	0.18	1.00	6.3	0.22	1.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-123_55-60	0.07	0.24	0.39	6.9	0.22	1.31
B21B-123_60-65	0.06	0.19	0.61	6.9	0.18	1.12
B21B-123_65-70	0.07	0.22	0.43	7.3	0.08	1.13
B21B-123_70-75	0.10	0.24	0.35	7.2	0.10	1.11
B21B-123_75-80	0.14	0.25	0.35	7.6	0.15	1.17
B21B-124_0-5	0.53	0.49	4.61	10.9	0.11	1.47
B21B-124_5-10	0.40	0.29	1.38	10.7	0.12	1.76
B21B-124_10-15	0.31	0.32	1.09	10.1	0.04	1.41
B21B-124_15-20	0.20	0.27	1.97	7.9	<0.02	1.21
B21B-124_20-25	0.17	0.28	1.02	7.6	<0.02	1.13
B21B-124_25-30	0.09	0.37	1.64	6.8	0.06	1.19
B21B-124_30-35	0.10	0.34	1.79	7.4	<0.02	1.20
B21B-124_35-40	0.13	0.33	1.74	7.0	0.04	1.21
B21B-124_40-45	0.13	0.36	0.95	6.9	0.09	1.17
B21B-124_45-50	0.11	0.36	0.58	6.8	0.03	1.09
B21B-124_50-55	0.08	0.35	0.81	6.9	<0.02	1.09
B21B-124_55-60	0.10	0.28	1.81	5.7	0.04	1.03
B21B-124_60-65	0.10	0.24	1.48	5.0	<0.02	1.01
B21B-124_65-70	0.12	0.25	0.37	4.9	0.02	0.97
B21B-124_70-75	0.10	0.26	0.51	4.3	<0.02	0.85
B21B-124_75-80	0.10	0.22	0.48	4.1	0.06	0.76
B21B-125_0-5	0.45	0.36	9.67	15.3	0.12	2.20
B21B-125_5-10	0.27	0.35	8.62	11.4	0.08	1.75
B21B-125_10-15	0.18	0.29	6.80	8.4	0.02	1.41
B21B-125_15-20	0.12	0.30	11.18	7.9	<0.02	1.33
B21B-125_20-25	0.18	0.30	5.23	7.6	<0.02	1.36
B21B-125_25-30	0.09	0.29	6.05	6.7	0.03	1.03
B21B-125_30-35	0.11	0.28	6.87	6.9	0.11	0.99
B21B-125_35-40	0.09	0.29	6.73	6.8	0.03	1.14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-125_40-45	0.09	0.28	8.49	6.7	0.02	1.11
B21B-125_45-50	0.09	0.26	10.56	6.7	<0.02	1.12
B21B-125_50-55	0.16	0.30	8.09	6.4	<0.02	1.17
B21B-125_55-60	0.12	0.30	4.04	6.5	<0.02	1.13
B21B-125_60-65	0.15	0.32	3.91	6.7	<0.02	1.21
B21B-125_65-70	0.14	0.32	9.89	6.7	<0.02	1.31
B21B-125_70-75	0.10	0.33	4.23	6.8	<0.02	1.26
B21B-126_0-5	<0.05	0.22	5.25	10.0	<0.02	1.16
B21B-126_5-10	0.11	0.27	4.53	10.7	<0.02	1.31
B21B-126_10-15	0.13	0.33	2.92	15.2	<0.02	1.65
B21B-126_15-20	0.10	0.32	2.66	15.0	<0.02	1.59
B21B-126_20-25	0.11	0.34	1.44	11.1	0.03	1.39
B21B-126_25-30	0.13	0.24	0.77	9.6	<0.02	1.10
B21B-126_30-35	0.10	0.19	1.02	7.9	<0.02	0.90
*Dup B21B-124_10-15	0.28	0.31	0.97	9.7	0.04	1.35
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.15	0.58	12.31	11.5	1.49	4.59
*Std OREAS 905	1.37	0.88	0.09	15.0	0.71	5.02
*Rep B21B-123_75-80	0.14	0.25	0.37	7.4	0.15	1.15
*Rep B21B-124_35-40	0.06	0.33	1.73	7.0	0.03	1.13
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.44	0.84	<0.05	14.9	0.73	5.23
*Std OREAS 601b	1.20	0.59	12.59	12.8	1.55	4.96

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-121_50-55	0.7	4.9	1.0
B21B-121_55-60	0.4	4.9	1.0
B21B-122_0-5	1.0	7.4	1.0
B21B-122_5-10	0.9	6.9	0.9
B21B-122_10-15	1.0	7.8	1.3
B21B-122_15-20	0.8	8.5	1.5
B21B-122_20-25	0.4	8.5	1.6
B21B-122_25-30	0.1	8.6	1.5
B21B-122_30-35	0.4	8.0	1.4
B21B-122_35-40	0.6	8.4	1.4
B21B-122_40-45	0.6	7.0	1.3
B21B-122_45-50	0.6	6.7	1.3
B21B-122_50-55	0.8	7.7	1.4
B21B-122_55-60	0.8	6.3	1.3
B21B-122_60-65	0.7	5.8	1.2
B21B-122_65-70	1.1	4.5	0.9
B21B-122_70-75	1.0	5.7	1.0
B21B-122_75-80	1.7	5.9	1.1
B21B-123_0-5	1.6	5.8	1.1
B21B-123_5-10	1.1	5.4	1.0
B21B-123_10-15	1.6	6.4	1.2
B21B-123_15-20	0.9	6.6	1.2
B21B-123_20-25	1.2	6.5	1.1
B21B-123_25-30	1.5	6.3	1.2
B21B-123_30-35	1.9	5.9	1.1
B21B-123_35-40	1.8	5.5	1.1
B21B-123_40-45	1.4	6.5	1.2
B21B-123_45-50	1.3	7.5	1.4
B21B-123_50-55	1.4	6.9	1.3
B21B-123_55-60	1.5	7.1	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-123_60-65	1.0	6.8	1.2
B21B-123_65-70	1.8	7.2	1.4
B21B-123_70-75	1.7	7.1	1.4
B21B-123_75-80	1.7	8.0	1.5
B21B-124_0-5	1.4	10.5	1.5
B21B-124_5-10	1.5	6.3	1.3
B21B-124_10-15	1.2	7.5	1.3
B21B-124_15-20	1.0	6.2	1.2
B21B-124_20-25	0.8	6.1	1.2
B21B-124_25-30	0.7	7.6	1.3
B21B-124_30-35	1.0	6.2	1.1
B21B-124_35-40	0.8	6.8	1.3
B21B-124_40-45	0.9	6.6	1.1
B21B-124_45-50	1.4	6.0	1.1
B21B-124_50-55	1.4	5.6	1.0
B21B-124_55-60	1.8	5.0	1.0
B21B-124_60-65	3.2	4.7	1.0
B21B-124_65-70	2.1	4.9	0.9
B21B-124_70-75	1.8	4.3	0.8
B21B-124_75-80	2.0	4.3	0.6
B21B-125_0-5	2.4	8.5	1.5
B21B-125_5-10	14.4	8.8	1.7
B21B-125_10-15	6.4	7.4	1.4
B21B-125_15-20	1.7	6.5	1.4
B21B-125_20-25	1.6	7.2	1.5
B21B-125_25-30	1.0	6.5	1.4
B21B-125_30-35	1.0	6.1	1.3
B21B-125_35-40	1.0	6.4	1.3
B21B-125_40-45	1.2	6.2	1.4
B21B-125_45-50	1.3	5.9	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(490-564)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11017

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-125_50-55	1.7	6.5	1.4
B21B-125_55-60	1.0	6.0	1.3
B21B-125_60-65	1.2	6.1	1.3
B21B-125_65-70	1.3	6.3	1.4
B21B-125_70-75	1.2	6.3	1.3
B21B-126_0-5	1.1	4.9	1.0
B21B-126_5-10	1.4	5.7	1.1
B21B-126_10-15	1.5	6.9	1.3
B21B-126_15-20	1.3	6.8	1.3
B21B-126_20-25	1.2	6.4	1.1
B21B-126_25-30	1.4	5.1	0.9
B21B-126_30-35	1.5	3.7	0.7
*Dup B21B-124_10-15	1.1	6.9	1.2
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.6	11.2	0.6
*Std OREAS 905	2.9	16.8	0.7
*Rep B21B-123_75-80	1.7	8.0	1.4
*Rep B21B-124_35-40	0.7	6.2	1.1
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.9	16.1	0.7
*Std OREAS 601b	6.8	11.5	0.6

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11019

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	31-Aug-2021 - 23-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	23-Oct-2021
Gold/RABP2/1504 Samples(640-714)		SGS Order Number	BBM21-11019
Number of Samples	74		

### Methods Summary

Number of Sample	Method Code	Description
74	G_WGH_KG	Weight of samples received
74	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
10	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.

-This report cancels and supersedes the report BBM\_U0015738049 dated 28-Oct-2021 issued by SGS Canada (Burnaby).  
Elements sequence & WGH unit updated.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

29-Nov-2021 6:25PM BBM\_U0016975143

Page 1 of 29

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-130_75-80	4.03	0.012	7.25	1003	0.04	5
B21B-131_0-5	3.36	0.019	6.98	240	0.02	3
B21B-131_5-10	3.04	0.011	5.90	243	0.02	<1
B21B-131_10-15	1.61	0.013	5.60	198	0.02	2
B21B-131_15-20	5.88	0.023	6.85	230	0.02	4
B21B-131_20-25	3.40	0.023	8.04	255	0.01	2
B21B-131_25-30	5.24	0.013	7.13	282	0.02	2
B21B-131_30-35	5.44	0.020	7.28	592	0.02	<1
B21B-131_35-40	6.52	0.014	7.11	794	0.02	1
B21B-131_40-45	5.46	0.018	5.30	418	0.02	5
B21B-131_45-50	5.95	0.022	5.95	236	0.02	3
B21B-131_50-55	2.18	0.026	5.40	474	0.02	4
B21B-131_55-60	7.07	0.018	5.44	1184	0.02	2
B21B-131_60-65	2.59	0.014	5.93	292	0.02	3
B21B-131_65-70	4.29	0.010	5.39	358	0.02	1
B21B-131_70-75	6.67	0.013	5.10	522	0.03	2
596955	3.57	<0.005	-	-	-	-
B21B-131_75-80	6.49	0.014	4.59	224	0.02	5
B21B-132_0-5	4.92	<0.005	7.60	182	0.04	8
B21B-132_5-10	4.81	0.057	7.88	191	0.03	3
B21B-132_10-15	4.79	0.060	7.54	177	0.03	5
B21B-132_15-20	6.58	0.023	8.67	283	0.04	3
B21B-132_20-25	9.74	0.072	7.50	99	0.02	2
B21B-132_25-30	8.90	0.026	8.14	82	0.01	1
B21B-132_30-35	7.25	0.036	9.27	200	0.02	4
B21B-132_35-40	7.60	0.040	7.77	78	0.03	8
B21B-132_40-45	6.06	0.037	7.79	92	0.03	4
B21B-132_45-50	5.63	0.029	7.42	94	0.03	3
B21B-132_50-55	4.33	0.016	7.69	126	0.02	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
596951	0.05	0.756	-	-	-	-
B21B-132_55-60	5.72	0.011	8.93	118	0.02	2
B21B-132_60-65	3.61	0.031	8.19	33	<0.01	2
B21B-132_65-70	3.63	0.031	8.49	59	0.01	2
B21B-132_70-75	5.73	0.019	6.72	44	<0.01	2
B21B-132_75-80	6.83	0.013	8.74	90	<0.01	1
B21B-133_0-5	6.64	0.031	7.06	254	0.04	8
B21B-133_5-10	5.34	0.023	6.98	76	0.04	8
B21B-133_10-15	8.11	0.072	8.25	59	0.05	3
B21B-133_15-20	8.72	0.044	6.97	98	0.04	5
B21B-133_20-25	5.10	0.052	6.58	133	0.05	6
B21B-133_25-30	6.85	0.049	7.34	109	0.04	5
B21B-133_30-35	8.79	0.037	7.05	77	0.06	6
B21B-133_35-40	5.85	0.045	7.69	412	0.05	5
B21B-133_40-45	6.55	0.055	7.11	114	0.05	3
B21B-133_45-50	7.67	0.034	7.09	115	0.05	5
B21B-133_50-55	6.77	0.032	6.82	244	0.06	4
B21B-133_55-60	6.93	0.042	7.18	129	0.05	24
B21B-133_60-65	6.44	0.033	7.67	700	0.04	4
B21B-133_65-70	6.87	0.037	7.79	388	0.03	3
B21B-134_0-5	4.84	0.026	8.38	411	0.03	3
B21B-134_5-10	6.19	0.018	7.63	407	0.03	3
B21B-134_10-15	5.57	0.057	7.74	500	0.04	4
596952	4.22	<0.005	-	-	-	-
B21B-134_15-20	4.72	0.172	6.80	365	0.04	5
B21B-134_20-25	5.18	0.042	6.99	613	0.04	2
B21B-134_25-30	6.31	0.038	7.68	454	0.02	3
B21B-134_30-35	7.85	0.012	8.04	409	0.02	2
B21B-134_35-40	7.79	0.018	8.26	346	0.02	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-134_40-45	8.90	0.061	8.93	437	0.02	3
B21B-134_45-50	8.38	0.041	8.02	489	0.01	3
B21B-134_50-55	8.32	0.027	7.89	282	0.01	3
B21B-134_55-60	9.54	0.041	8.70	397	0.02	5
B21B-134_60-65	6.39	0.049	9.07	395	0.02	<1
B21B-134_65-70	8.40	0.062	8.73	366	0.03	2
B21B-134_70-75	10.43	0.043	10.13	420	0.02	3
B21B-134_75-80	8.66	0.188	8.89	380	0.03	3
B21B-135_0-5	2.58	0.030	8.02	444	0.04	12
B21B-135_5-10	3.52	0.044	6.77	511	0.04	1
B21B-135_10-15	3.52	0.046	6.63	485	0.03	1
B21B-135_15-20	5.94	0.055	6.55	460	0.03	1
B21B-135_25-30	6.29	0.035	7.65	424	0.04	2
B21B-135_30-35	6.36	0.018	7.54	639	0.04	3
B21B-135_35-40	6.39	0.021	7.35	473	0.03	3
B21B-135_40-45	6.10	0.025	7.77	452	0.03	3
*Dup B21B-133_15-20	-	0.044	6.74	200	0.05	3
*Std OREAS 601b	-	-	6.68	477	0.88	15
*Rep B21B-131_30-35	-	-	7.10	576	0.02	1
*Blk BLANK	-	-	<0.01	<1	<0.01	2
*Std OREAS 905	-	-	7.19	2554	0.57	12
*Std OREAS 601b	-	-	6.60	501	0.86	35
*Rep B21B-134_10-15	-	-	7.75	491	0.04	3
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.30	2727	0.57	13
*Blk BLANK	-	-	<0.01	<1	<0.01	41
*Std SN106	-	8.389	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Rep B21B-131_65-70	-	0.010	-	-	-	-
*Std OREAS 235	-	1.496	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-134_0-5	-	0.027	-	-	-	-
*Std OREAS 502c	-	0.502	-	-	-	-
*Rep B21B-135_0-5	-	0.031	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-130_75-80	30.5	2.55	2.63	<1	0.06	16
B21B-131_0-5	4.7	2.33	0.49	7	0.02	19
B21B-131_5-10	7.9	2.51	0.07	5	<0.01	12
B21B-131_10-15	10.2	2.50	0.39	4	0.01	30
B21B-131_15-20	4.0	1.94	0.19	7	<0.01	15
B21B-131_20-25	2.4	1.17	1.08	6	0.01	14
B21B-131_25-30	2.7	2.02	1.56	4	0.02	5
B21B-131_30-35	2.5	1.99	2.34	1	0.03	6
B21B-131_35-40	8.0	1.74	0.20	5	<0.01	8
B21B-131_40-45	20.6	2.40	0.11	3	<0.01	13
B21B-131_45-50	24.7	2.44	0.05	3	<0.01	11
B21B-131_50-55	9.6	2.42	0.04	3	<0.01	12
B21B-131_55-60	14.7	2.29	0.04	3	<0.01	12
B21B-131_60-65	9.8	2.82	0.03	3	<0.01	11
B21B-131_65-70	18.5	2.53	0.02	3	<0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-131_70-75	8.3	2.48	0.06	3	<0.01	14
B21B-131_75-80	6.4	2.85	0.13	3	<0.01	21
B21B-132_0-5	2.4	2.45	3.06	4	0.05	14
B21B-132_5-10	1.3	2.06	3.55	<1	0.05	11
B21B-132_10-15	2.0	2.31	3.15	1	0.04	4
B21B-132_15-20	2.2	2.56	3.51	<1	0.03	6
B21B-132_20-25	2.9	1.13	1.33	5	0.01	15
B21B-132_25-30	2.1	0.45	0.56	9	<0.01	13
B21B-132_30-35	1.5	1.61	2.14	4	0.02	4
B21B-132_35-40	1.5	1.74	3.05	<1	0.03	5
B21B-132_40-45	2.0	1.98	3.21	<1	0.04	2
B21B-132_45-50	2.3	1.55	3.00	1	0.03	6
B21B-132_50-55	1.4	0.32	2.45	3	0.03	3
B21B-132_55-60	1.2	0.24	2.61	5	0.03	4
B21B-132_60-65	1.9	0.27	0.33	9	<0.01	14
B21B-132_65-70	1.9	0.26	0.20	9	<0.01	6
B21B-132_70-75	1.9	0.33	0.49	6	<0.01	18
B21B-132_75-80	1.8	0.15	0.96	6	<0.01	8
B21B-133_0-5	15.4	6.20	1.96	4	<0.01	25
B21B-133_5-10	26.7	3.74	2.07	1	<0.01	19
B21B-133_10-15	41.7	2.65	3.01	<1	<0.01	22
B21B-133_15-20	11.5	3.05	2.41	<1	<0.01	21
B21B-133_20-25	18.2	3.50	2.19	<1	<0.01	29
B21B-133_25-30	15.4	2.71	2.42	<1	<0.01	21
B21B-133_30-35	66.6	3.33	2.28	<1	<0.01	33
B21B-133_35-40	6.4	3.22	2.78	<1	<0.01	16
B21B-133_40-45	40.9	3.18	2.14	<1	<0.01	30
B21B-133_45-50	43.0	3.03	2.02	<1	<0.01	21
B21B-133_50-55	15.5	3.65	1.80	<1	<0.01	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-133_55-60	13.6	2.97	1.73	<1	<0.01	19
B21B-133_60-65	6.9	3.75	0.80	4	<0.01	19
B21B-133_65-70	7.6	3.23	0.67	5	<0.01	19
B21B-134_0-5	5.9	1.54	3.01	4	0.03	20
B21B-134_5-10	7.0	1.91	2.87	<1	0.02	12
B21B-134_10-15	6.0	1.52	3.19	<1	0.02	14
B21B-134_15-20	5.6	2.59	2.70	<1	0.02	11
B21B-134_20-25	14.4	3.01	2.76	<1	<0.01	14
B21B-134_25-30	7.0	2.47	3.05	<1	0.02	12
B21B-134_30-35	6.8	1.38	3.33	1	0.02	12
B21B-134_35-40	88.4	2.55	3.37	1	0.02	11
B21B-134_40-45	57.6	1.56	3.43	<1	0.02	12
B21B-134_45-50	9.3	2.11	3.53	<1	0.02	9
B21B-134_50-55	11.0	4.03	3.58	<1	0.02	12
B21B-134_55-60	19.2	1.99	3.77	1	0.02	11
B21B-134_60-65	5.3	1.36	3.99	<1	0.02	10
B21B-134_65-70	10.1	1.07	3.02	2	0.02	10
B21B-134_70-75	18.4	1.27	3.34	3	0.02	15
B21B-134_75-80	24.2	2.70	3.13	2	0.03	17
B21B-135_0-5	32.0	5.38	2.56	8	0.03	22
B21B-135_5-10	13.5	3.92	2.76	<1	<0.01	9
B21B-135_10-15	9.6	3.65	2.56	<1	<0.01	11
B21B-135_15-20	14.2	4.09	2.53	<1	<0.01	10
B21B-135_25-30	9.7	2.37	3.30	<1	<0.01	10
B21B-135_30-35	8.7	2.83	3.29	<1	<0.01	8
B21B-135_35-40	7.4	3.83	3.21	1	<0.01	11
B21B-135_40-45	7.3	1.41	3.55	<1	<0.01	8
*Dup B21B-133_15-20	11.8	3.08	2.29	<1	<0.01	29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	1023	2.27	2.45	24	0.09	226
*Rep B21B-131_30-35	2.2	1.94	2.61	2	0.03	6
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1521	4.01	2.86	21	0.26	373
*Std OREAS 601b	1010	2.26	2.48	24	0.09	222
*Rep B21B-134_10-15	5.7	1.59	3.08	<1	0.02	14
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1547	4.03	3.02	22	0.27	374
*Blk BLANK	<0.5	0.02	<0.01	<1	<0.01	5

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-130_75-80	0.26	6	0.08	1.75	151	0.04
B21B-131_0-5	0.06	1	0.04	0.04	173	0.06
B21B-131_5-10	0.02	<1	0.04	0.04	262	0.04
B21B-131_10-15	0.06	<1	0.04	0.07	243	0.05
B21B-131_15-20	0.05	1	0.05	0.06	381	0.04
B21B-131_20-25	0.10	<1	0.03	0.03	199	0.05
B21B-131_25-30	0.13	<1	0.04	0.04	278	0.04
B21B-131_30-35	0.21	<1	0.05	0.04	182	0.04
B21B-131_35-40	0.03	<1	0.07	0.06	425	0.05
B21B-131_40-45	0.02	2	0.05	0.06	372	0.03
B21B-131_45-50	0.02	<1	0.04	0.44	288	0.05
B21B-131_50-55	0.02	<1	0.05	0.13	299	0.03
B21B-131_55-60	0.02	<1	0.08	0.09	619	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-131_60-65	0.02	1	0.05	0.08	491	0.03
B21B-131_65-70	0.02	<1	0.05	0.06	298	0.03
B21B-131_70-75	0.02	<1	0.07	0.07	318	0.02
B21B-131_75-80	0.02	5	0.03	0.08	151	0.02
B21B-132_0-5	0.25	<1	0.04	0.06	80.7	0.09
B21B-132_5-10	0.28	<1	0.04	0.04	78.6	0.05
B21B-132_10-15	0.25	<1	0.04	0.06	101	0.05
B21B-132_15-20	0.27	<1	0.06	0.06	142	0.05
B21B-132_20-25	0.11	<1	0.03	0.03	160	0.04
B21B-132_25-30	0.06	<1	0.02	0.02	201	0.06
B21B-132_30-35	0.16	<1	0.03	0.03	149	0.06
B21B-132_35-40	0.23	<1	0.03	0.04	94.6	0.09
B21B-132_40-45	0.24	<1	0.04	0.04	107	0.06
B21B-132_45-50	0.22	<1	0.04	0.04	128	0.04
B21B-132_50-55	0.18	<1	0.03	0.03	164	0.06
B21B-132_55-60	0.19	<1	0.04	0.03	183	0.10
B21B-132_60-65	0.04	<1	0.01	0.02	83.1	0.07
B21B-132_65-70	0.03	<1	0.02	0.02	121	0.08
B21B-132_70-75	0.05	<1	0.01	0.02	61.1	0.06
B21B-132_75-80	0.08	<1	0.02	0.03	138	0.06
B21B-133_0-5	0.45	<1	0.06	4.45	278	0.07
B21B-133_5-10	0.51	2	0.05	>5.00	289	0.05
B21B-133_10-15	0.73	2	0.07	>5.00	471	0.03
B21B-133_15-20	0.58	<1	0.06	>5.00	277	0.05
B21B-133_20-25	0.54	<1	0.07	>5.00	271	0.05
B21B-133_25-30	0.59	<1	0.06	>5.00	394	0.05
B21B-133_30-35	0.59	1	0.07	>5.00	261	0.05
B21B-133_35-40	0.49	<1	0.08	4.22	271	0.05
B21B-133_40-45	0.61	<1	0.07	>5.00	244	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-133_45-50	0.64	2	0.07	>5.00	331	0.06
B21B-133_50-55	0.73	1	0.08	>5.00	290	0.06
B21B-133_55-60	0.79	6	0.08	>5.00	352	0.05
B21B-133_60-65	0.23	1	0.09	1.42	296	0.04
B21B-133_65-70	0.17	1	0.06	0.98	307	0.04
B21B-134_0-5	0.21	1	0.05	0.06	104	0.09
B21B-134_5-10	0.20	<1	0.05	0.05	99.0	0.08
B21B-134_10-15	0.22	<1	0.07	0.14	166	0.07
B21B-134_15-20	0.19	<1	0.06	0.08	150	0.06
B21B-134_20-25	0.18	<1	0.09	0.09	535	0.07
B21B-134_25-30	0.20	<1	0.07	0.15	181	0.08
B21B-134_30-35	0.22	<1	0.06	0.03	198	0.09
B21B-134_35-40	0.22	<1	0.08	0.12	196	0.09
B21B-134_40-45	0.22	2	0.07	0.42	86.6	0.08
B21B-134_45-50	0.22	<1	0.08	0.03	49.8	0.08
B21B-134_50-55	0.22	<1	0.05	0.07	54.0	0.11
B21B-134_55-60	0.23	1	0.08	0.03	57.4	0.08
B21B-134_60-65	0.24	<1	0.10	0.03	50.3	0.06
B21B-134_65-70	0.18	1	0.07	0.14	78.9	0.07
B21B-134_70-75	0.20	2	0.07	0.67	105	0.09
B21B-134_75-80	0.19	6	0.15	2.43	188	0.07
B21B-135_0-5	0.17	2	0.07	0.08	359	0.11
B21B-135_5-10	0.18	<1	0.07	0.08	452	0.05
B21B-135_10-15	0.17	<1	0.06	0.07	381	0.05
B21B-135_15-20	0.17	<1	0.07	0.08	507	0.05
B21B-135_25-30	0.22	<1	0.06	0.06	374	0.09
B21B-135_30-35	0.22	<1	0.08	0.06	391	0.10
B21B-135_35-40	0.21	<1	0.06	0.06	308	0.10
B21B-135_40-45	0.23	<1	0.05	0.04	229	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
*Dup B21B-133_15-20	0.56	<1	0.06	>5.00	252	0.05
*Std OREAS 601b	1.82	6	0.03	1.47	253	0.13
*Rep B21B-131_30-35	0.21	<1	0.05	0.04	210	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.24	9	0.03	0.08	156	0.11
*Std OREAS 601b	1.86	8	0.03	1.53	242	0.13
*Rep B21B-134_10-15	0.21	<1	0.07	0.14	158	0.07
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.39	8	0.03	0.07	164	0.12
*Blk BLANK	<0.01	19	<0.01	<0.01	<0.5	<0.01

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-130_75-80	35	4	121	0.17	5	0.9
B21B-131_0-5	30	5	106	0.17	5	0.5
B21B-131_5-10	16	4	94.3	0.12	5	0.4
B21B-131_10-15	23	2	78.3	0.29	4	0.4
B21B-131_15-20	25	2	102	0.09	3	0.4
B21B-131_20-25	36	2	112	0.07	2	0.6
B21B-131_25-30	30	2	85.8	0.06	3	0.6
B21B-131_30-35	34	3	111	0.04	6	0.9
B21B-131_35-40	21	2	126	<0.02	3	0.4
B21B-131_40-45	17	1	113	0.06	3	0.2
B21B-131_45-50	16	<1	118	0.17	4	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-131_50-55	17	1	100.0	0.16	6	0.3
B21B-131_55-60	16	<1	114	0.12	5	0.2
B21B-131_60-65	16	<1	110	0.77	6	0.2
B21B-131_65-70	13	<1	82.1	0.02	5	0.2
B21B-131_70-75	12	<1	80.8	0.03	4	0.2
B21B-131_75-80	11	<1	73.9	0.04	3	0.2
B21B-132_0-5	42	8	117	0.09	9	0.8
B21B-132_5-10	44	3	116	0.10	8	0.8
B21B-132_10-15	42	2	101	0.11	7	0.6
B21B-132_15-20	48	<1	90.8	0.09	5	0.7
B21B-132_20-25	30	1	76.4	0.04	2	0.5
B21B-132_25-30	30	<1	94.6	0.03	2	0.4
B21B-132_30-35	55	<1	76.0	0.04	3	0.5
B21B-132_35-40	48	<1	85.4	0.06	6	0.5
B21B-132_40-45	43	<1	79.0	0.07	6	0.4
B21B-132_45-50	40	<1	79.1	0.11	5	0.4
B21B-132_50-55	41	2	74.6	0.03	2	0.4
B21B-132_55-60	56	2	75.2	0.05	2	0.4
B21B-132_60-65	25	<1	58.1	0.03	2	0.3
B21B-132_65-70	23	<1	81.3	0.03	2	0.3
B21B-132_70-75	27	<1	75.1	0.02	1	0.3
B21B-132_75-80	22	<1	87.3	<0.02	<1	0.4
B21B-133_0-5	67	1	113	0.12	19	0.2
B21B-133_5-10	45	<1	98.5	0.08	12	0.1
B21B-133_10-15	42	<1	66.0	0.12	13	0.2
B21B-133_15-20	37	<1	89.6	0.10	11	0.1
B21B-133_20-25	33	<1	98.3	0.50	8	0.2
B21B-133_25-30	37	<1	88.5	0.13	10	0.2
B21B-133_30-35	35	<1	91.6	0.10	13	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-133_35-40	45	<1	108	0.24	26	0.4
B21B-133_40-45	44	<1	102	0.21	30	0.2
B21B-133_45-50	39	<1	97.4	0.11	15	0.2
B21B-133_50-55	38	<1	93.3	0.14	15	0.2
B21B-133_55-60	42	<1	87.8	0.10	12	0.2
B21B-133_60-65	30	<1	80.1	0.11	7	0.5
B21B-133_65-70	31	<1	87.3	0.09	6	0.6
B21B-134_0-5	37	3	91.5	0.08	5	0.5
B21B-134_5-10	35	2	91.7	0.06	4	0.5
B21B-134_10-15	31	2	93.5	0.20	5	0.5
B21B-134_15-20	31	<1	90.6	0.11	7	0.4
B21B-134_20-25	50	2	105	0.12	3	0.4
B21B-134_25-30	38	3	89.2	0.16	3	0.5
B21B-134_30-35	36	3	93.9	0.24	1	0.6
B21B-134_35-40	45	12	86.9	<0.02	2	0.5
B21B-134_40-45	41	4	97.5	0.21	4	0.6
B21B-134_45-50	37	3	99.8	0.09	8	0.7
B21B-134_50-55	42	2	93.3	0.24	4	0.5
B21B-134_55-60	43	2	87.1	0.15	1	0.6
B21B-134_60-65	44	2	78.2	0.06	2	0.6
B21B-134_65-70	37	3	83.1	0.06	2	0.6
B21B-134_70-75	46	2	87.6	0.06	5	0.7
B21B-134_75-80	37	3	79.9	0.13	11	0.7
B21B-135_0-5	69	10	104	0.15	9	0.5
B21B-135_5-10	48	<1	119	0.09	5	0.4
B21B-135_10-15	44	1	118	0.64	2	0.4
B21B-135_15-20	47	<1	105	0.24	2	0.4
B21B-135_25-30	53	1	102	0.13	2	0.5
B21B-135_30-35	45	1	90.0	0.08	2	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-135_35-40	50	2	106	0.07	2	0.5
B21B-135_40-45	38	2	62.9	0.12	2	0.5
*Dup B21B-133_15-20	34	<1	91.8	0.12	12	0.1
*Std OREAS 601b	10	320	172	50.26	282	2.0
*Rep B21B-131_30-35	34	4	82.5	-	-	-
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	7	133	241	0.58	32	2.8
*Rep B21B-131_30-35	-	-	-	0.04	6	1.0
*Std OREAS 601b	10	318	178	50.51	275	2.4
*Rep B21B-134_10-15	32	<1	95.2	0.17	5	0.4
*Blk BLANK	<2	<1	<0.5	0.03	<1	<0.1
*Std OREAS 905	8	126	244	0.60	31	3.4
*Blk BLANK	<2	<1	0.5	<0.02	<1	<0.1

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-130_75-80	0.92	<0.02	59.48	3.3	4	14.2
B21B-131_0-5	1.19	<0.02	54.24	0.3	<1	15.3
B21B-131_5-10	1.26	<0.02	46.23	0.1	<1	12.8
B21B-131_10-15	1.14	<0.02	38.22	0.3	<1	13.3
B21B-131_15-20	1.24	<0.02	50.32	0.2	<1	14.5
B21B-131_20-25	0.77	<0.02	41.77	0.1	1	16.5
B21B-131_25-30	0.65	<0.02	46.62	<0.1	1	15.0
B21B-131_30-35	0.95	<0.02	46.46	<0.1	2	16.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-131_35-40	0.90	<0.02	49.04	0.1	<1	13.2
B21B-131_40-45	0.83	<0.02	39.60	0.1	<1	12.3
B21B-131_45-50	0.64	<0.02	40.10	0.7	<1	14.4
B21B-131_50-55	1.69	<0.02	41.85	0.3	<1	12.6
B21B-131_55-60	1.50	<0.02	42.85	0.1	<1	8.1
B21B-131_60-65	1.08	<0.02	45.82	0.1	<1	12.5
B21B-131_65-70	0.91	<0.02	40.07	<0.1	<1	12.7
B21B-131_70-75	0.97	<0.02	41.65	0.1	<1	11.2
B21B-131_75-80	0.78	<0.02	17.07	0.2	<1	10.1
B21B-132_0-5	1.20	<0.02	43.55	0.3	3	17.7
B21B-132_5-10	1.12	<0.02	49.30	<0.1	2	17.0
B21B-132_10-15	1.41	<0.02	46.14	0.1	2	16.1
B21B-132_15-20	1.62	<0.02	49.01	<0.1	2	18.8
B21B-132_20-25	1.04	<0.02	46.10	0.1	1	15.1
B21B-132_25-30	0.80	<0.02	50.18	<0.1	<1	14.4
B21B-132_30-35	1.43	<0.02	51.66	<0.1	2	22.9
B21B-132_35-40	1.88	<0.02	51.16	<0.1	2	19.8
B21B-132_40-45	1.92	<0.02	53.32	<0.1	2	18.5
B21B-132_45-50	1.38	<0.02	48.54	<0.1	2	16.8
B21B-132_50-55	0.95	<0.02	46.50	<0.1	2	16.6
B21B-132_55-60	1.25	<0.02	53.42	<0.1	2	20.0
B21B-132_60-65	0.74	<0.02	27.39	<0.1	<1	14.3
B21B-132_65-70	0.71	<0.02	43.63	0.2	<1	15.6
B21B-132_70-75	0.49	<0.02	18.93	<0.1	<1	13.3
B21B-132_75-80	0.39	<0.02	31.22	<0.1	1	16.1
B21B-133_0-5	3.24	<0.02	40.27	0.3	<1	22.1
B21B-133_5-10	2.11	<0.02	34.91	2.7	<1	13.4
B21B-133_10-15	2.15	<0.02	44.79	4.3	<1	20.9
B21B-133_15-20	1.71	<0.02	44.85	0.6	<1	11.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-133_20-25	1.44	<0.02	47.52	1.1	<1	10.8
B21B-133_25-30	1.58	<0.02	53.06	1.3	<1	11.7
B21B-133_30-35	2.82	<0.02	45.39	4.2	<1	16.8
B21B-133_35-40	3.15	<0.02	55.33	0.3	<1	21.0
B21B-133_40-45	3.07	<0.02	54.82	1.0	<1	19.4
B21B-133_45-50	2.23	<0.02	53.69	2.5	<1	12.5
B21B-133_50-55	2.87	<0.02	60.46	1.0	<1	13.6
B21B-133_55-60	2.78	<0.02	59.64	1.3	<1	12.2
B21B-133_60-65	2.28	<0.02	68.38	0.4	<1	14.0
B21B-133_65-70	3.62	<0.02	68.18	0.3	<1	15.0
B21B-134_0-5	0.34	<0.02	44.39	0.5	3	13.9
B21B-134_5-10	0.26	0.02	51.13	0.3	3	13.0
B21B-134_10-15	0.30	<0.02	47.89	0.4	3	11.7
B21B-134_15-20	0.40	<0.02	41.56	0.4	2	10.8
B21B-134_20-25	0.50	<0.02	44.72	0.2	2	19.5
B21B-134_25-30	0.24	0.02	46.61	1.6	3	13.5
B21B-134_30-35	0.14	<0.02	46.95	0.2	3	14.5
B21B-134_35-40	0.14	<0.02	50.75	1.1	3	15.0
B21B-134_40-45	0.55	<0.02	43.14	14.1	3	13.3
B21B-134_45-50	0.29	<0.02	40.48	0.8	3	12.8
B21B-134_50-55	0.25	<0.02	45.94	2.2	3	11.2
B21B-134_55-60	0.32	0.02	39.39	0.5	3	11.1
B21B-134_60-65	0.31	<0.02	33.12	0.2	3	9.6
B21B-134_65-70	0.34	<0.02	29.77	3.6	3	8.2
B21B-134_70-75	0.33	0.02	40.84	16.5	3	14.5
B21B-134_75-80	0.89	<0.02	49.94	26.3	3	15.1
B21B-135_0-5	0.55	0.02	44.32	1.3	4	17.6
B21B-135_5-10	0.32	<0.02	49.74	0.2	2	15.8
B21B-135_10-15	0.33	<0.02	44.98	0.2	2	13.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_15-20	0.36	<0.02	50.47	0.1	2	16.1
B21B-135_25-30	0.46	<0.02	43.76	0.1	3	18.7
B21B-135_30-35	0.41	<0.02	47.18	0.1	3	16.3
B21B-135_35-40	0.37	<0.02	41.67	0.1	3	14.8
B21B-135_40-45	0.30	<0.02	40.30	0.1	3	10.1
*Dup B21B-133_15-20	1.63	<0.02	43.51	0.7	<1	10.5
*Std OREAS 601b	17.48	2.05	67.43	2.8	5	22.7
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.78	0.37	85.46	13.5	7	24.5
*Rep B21B-131_30-35	0.96	<0.02	49.46	<0.1	2	16.6
*Std OREAS 601b	16.87	2.11	64.93	2.9	5	23.2
*Rep B21B-134_10-15	0.30	0.02	46.35	0.5	3	11.7
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.37	0.31	91.23	16.1	7	26.9
*Blk BLANK	<0.04	<0.02	0.07	0.2	<1	<0.1

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-130_75-80	3.57	0.10	25.7	0.26	1.83	1.4
B21B-131_0-5	3.25	0.18	27.1	0.24	1.30	2.7
B21B-131_5-10	2.73	0.02	23.0	0.23	1.30	1.8
B21B-131_10-15	2.28	0.03	18.6	0.19	1.51	1.9
B21B-131_15-20	3.00	0.03	25.4	0.25	1.14	1.6
B21B-131_20-25	3.31	0.08	20.4	0.25	0.87	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-131_25-30	2.42	0.06	23.2	0.24	1.18	1.0
B21B-131_30-35	3.55	0.14	22.6	0.22	1.32	1.3
B21B-131_35-40	3.70	<0.02	24.0	0.28	1.45	1.6
B21B-131_40-45	3.22	<0.02	19.4	0.29	1.40	1.1
B21B-131_45-50	3.46	<0.02	19.0	0.31	1.25	1.8
B21B-131_50-55	2.94	<0.02	20.1	0.26	1.41	1.2
B21B-131_55-60	3.31	<0.02	20.6	0.24	2.48	1.1
B21B-131_60-65	3.21	<0.02	22.2	0.27	1.71	1.3
B21B-131_65-70	2.33	<0.02	19.5	0.21	1.65	1.0
B21B-131_70-75	2.27	<0.02	19.8	0.18	1.60	0.9
B21B-131_75-80	2.09	<0.02	8.3	0.17	2.30	0.6
B21B-132_0-5	3.67	0.18	21.2	0.31	2.46	3.2
B21B-132_5-10	3.66	0.23	23.8	0.32	0.92	1.3
B21B-132_10-15	3.10	0.13	22.7	0.27	1.22	1.3
B21B-132_15-20	2.97	0.13	24.8	0.23	3.43	1.2
B21B-132_20-25	2.41	0.07	24.2	0.22	1.61	1.1
B21B-132_25-30	3.03	0.05	27.1	0.24	0.89	1.8
B21B-132_30-35	2.33	0.10	25.4	0.27	1.81	1.3
B21B-132_35-40	2.80	0.14	25.0	0.22	2.52	3.0
B21B-132_40-45	2.64	0.17	26.3	0.22	3.74	1.8
B21B-132_45-50	2.63	0.16	25.0	0.21	1.90	1.1
B21B-132_50-55	2.41	0.14	23.4	0.21	0.71	1.6
B21B-132_55-60	2.71	0.18	26.9	0.23	0.83	3.2
B21B-132_60-65	1.86	0.03	13.8	0.18	1.56	2.2
B21B-132_65-70	2.51	0.02	23.2	0.26	1.09	2.7
B21B-132_70-75	2.33	0.04	9.9	0.23	0.65	2.1
B21B-132_75-80	2.78	<0.02	16.6	0.26	0.46	2.3
B21B-133_0-5	3.41	0.05	19.8	0.28	4.37	2.8
B21B-133_5-10	2.91	0.03	16.3	0.24	2.70	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-133_10-15	1.91	0.03	19.5	0.16	2.43	1.0
B21B-133_15-20	2.51	<0.02	20.7	0.22	2.05	1.5
B21B-133_20-25	2.91	<0.02	23.0	0.25	1.86	1.8
B21B-133_25-30	2.72	<0.02	26.5	0.23	2.33	1.7
B21B-133_30-35	2.87	<0.02	22.0	0.24	1.86	1.6
B21B-133_35-40	3.27	<0.02	27.5	0.28	2.50	1.5
B21B-133_40-45	3.09	<0.02	27.5	0.27	2.77	1.8
B21B-133_45-50	2.97	<0.02	26.3	0.24	2.18	2.2
B21B-133_50-55	2.98	<0.02	30.5	0.23	2.54	1.9
B21B-133_55-60	2.77	0.04	29.5	0.21	2.93	1.6
B21B-133_60-65	2.58	0.04	33.9	0.20	2.58	1.4
B21B-133_65-70	2.74	0.04	34.0	0.20	2.76	1.4
B21B-134_0-5	2.95	0.07	20.6	0.18	13.70	2.8
B21B-134_5-10	2.91	0.07	23.6	0.19	17.41	2.1
B21B-134_10-15	3.05	0.06	22.9	0.20	32.33	1.9
B21B-134_15-20	2.82	0.05	19.5	0.19	13.05	1.5
B21B-134_20-25	3.14	0.05	21.8	0.22	5.20	1.8
B21B-134_25-30	2.87	0.06	22.1	0.18	7.24	1.8
B21B-134_30-35	3.08	0.06	22.3	0.19	9.18	2.0
B21B-134_35-40	2.51	0.06	24.9	0.15	7.02	1.4
B21B-134_40-45	2.98	0.09	20.6	0.18	10.31	2.4
B21B-134_45-50	3.05	0.11	19.4	0.17	27.16	1.7
B21B-134_50-55	2.97	0.09	21.4	0.17	24.10	1.4
B21B-134_55-60	2.82	0.09	19.5	0.18	14.77	1.8
B21B-134_60-65	2.55	0.07	16.8	0.15	12.49	1.3
B21B-134_65-70	2.77	0.07	15.7	0.17	21.97	1.8
B21B-134_70-75	2.85	0.08	20.2	0.16	23.73	2.8
B21B-134_75-80	2.55	0.06	22.6	0.17	23.34	1.8
B21B-135_0-5	3.36	0.10	22.2	0.20	13.99	3.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_5-10	3.73	0.08	25.1	0.23	12.36	1.5
B21B-135_10-15	3.54	0.08	22.8	0.21	30.96	1.2
B21B-135_15-20	3.20	0.07	24.8	0.22	9.71	1.9
B21B-135_25-30	3.15	0.06	21.6	0.22	4.41	1.9
B21B-135_30-35	2.82	0.06	23.3	0.23	4.32	1.7
B21B-135_35-40	3.27	0.05	20.3	0.21	8.05	1.5
B21B-135_40-45	2.12	0.05	19.2	0.20	4.76	1.2
*Dup B21B-133_15-20	2.80	<0.02	20.9	0.23	1.65	1.6
*Std OREAS 601b	5.30	0.47	34.2	0.07	5.40	15.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.24	0.69	42.4	0.10	3.55	18.3
*Rep B21B-131_30-35	3.55	0.14	23.6	0.23	1.19	1.7
*Std OREAS 601b	5.56	0.49	32.8	0.08	5.13	15.5
*Rep B21B-134_10-15	3.11	0.06	22.4	0.19	32.44	1.9
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.36	0.59	44.7	0.09	3.11	18.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.93	<0.1

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-130_75-80	29.7	79.2	0.36	9.3	5	1.0
B21B-131_0-5	17.3	14.7	0.67	8.4	4	0.7
B21B-131_5-10	24.0	2.1	0.43	5.7	5	0.4
B21B-131_10-15	30.4	11.8	0.41	5.0	4	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-131_15-20	63.6	4.5	0.47	6.1	4	0.8
B21B-131_20-25	31.1	23.1	0.45	9.2	2	0.8
B21B-131_25-30	22.7	32.7	0.40	7.8	4	0.6
B21B-131_30-35	15.4	59.0	1.17	9.0	4	0.8
B21B-131_35-40	29.6	4.6	0.39	7.4	4	0.4
B21B-131_40-45	24.6	2.0	0.25	6.8	6	0.3
B21B-131_45-50	22.1	1.1	0.35	7.1	6	0.4
B21B-131_50-55	22.6	0.8	0.36	5.8	6	<0.3
B21B-131_55-60	47.2	1.0	0.42	6.4	6	0.4
B21B-131_60-65	47.2	0.7	0.26	6.2	6	0.3
B21B-131_65-70	46.0	0.4	0.26	4.5	5	<0.3
B21B-131_70-75	57.8	1.5	0.33	4.1	6	0.3
B21B-131_75-80	20.1	3.1	0.32	4.0	7	<0.3
B21B-132_0-5	21.5	70.3	1.20	10.6	9	1.4
B21B-132_5-10	18.4	73.9	1.01	10.9	9	1.2
B21B-132_10-15	24.0	67.7	1.15	9.7	9	1.1
B21B-132_15-20	34.3	72.1	1.03	10.5	10	1.3
B21B-132_20-25	35.5	26.6	0.52	7.1	4	1.0
B21B-132_25-30	38.0	10.8	0.47	7.5	<2	1.1
B21B-132_30-35	39.5	44.6	0.65	10.8	5	1.2
B21B-132_35-40	29.9	66.9	1.24	11.2	5	1.6
B21B-132_40-45	31.2	67.2	0.93	10.0	6	1.5
B21B-132_45-50	26.6	62.0	0.51	9.6	4	1.2
B21B-132_50-55	24.9	47.5	0.34	9.0	<2	1.1
B21B-132_55-60	31.1	56.5	0.55	10.7	<2	1.4
B21B-132_60-65	14.1	7.3	0.81	5.5	<2	1.0
B21B-132_65-70	31.6	4.6	0.74	6.6	<2	0.9
B21B-132_70-75	13.2	14.9	0.53	5.4	<2	1.2
B21B-132_75-80	26.6	74.3	0.46	6.2	<2	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-133_0-5	39.9	7.9	1.87	8.4	10	1.4
B21B-133_5-10	38.2	5.2	1.29	6.6	6	0.8
B21B-133_10-15	58.3	10.7	2.94	5.4	8	0.9
B21B-133_15-20	33.6	3.7	1.06	6.1	8	0.6
B21B-133_20-25	31.5	4.2	0.88	6.2	8	0.7
B21B-133_25-30	41.9	4.8	1.30	6.5	6	0.7
B21B-133_30-35	24.4	4.0	1.26	7.0	8	0.8
B21B-133_35-40	41.9	64.1	2.74	9.2	8	1.6
B21B-133_40-45	43.3	6.2	2.78	8.3	7	0.9
B21B-133_45-50	36.9	7.4	1.55	7.0	9	0.8
B21B-133_50-55	39.4	4.5	1.86	7.0	9	0.7
B21B-133_55-60	68.1	8.4	2.01	6.6	10	0.7
B21B-133_60-65	77.0	7.0	0.81	6.2	11	0.7
B21B-133_65-70	70.6	6.7	0.74	6.2	11	0.9
B21B-134_0-5	47.7	41.0	0.36	7.1	<2	5.7
B21B-134_5-10	53.9	35.3	0.34	6.6	<2	5.6
B21B-134_10-15	63.0	35.0	0.37	6.5	<2	4.7
B21B-134_15-20	53.6	28.6	0.31	6.2	6	3.9
B21B-134_20-25	77.1	23.3	0.34	8.2	8	3.3
B21B-134_25-30	37.5	32.2	0.29	7.0	2	4.9
B21B-134_30-35	37.0	34.5	0.34	7.3	<2	7.9
B21B-134_35-40	28.8	33.7	0.31	7.2	<2	7.3
B21B-134_40-45	20.0	37.4	0.35	7.5	<2	8.3
B21B-134_45-50	14.3	35.1	0.33	7.5	<2	10.2
B21B-134_50-55	12.3	33.4	0.20	6.7	<2	7.1
B21B-134_55-60	12.1	35.9	0.28	8.3	<2	4.9
B21B-134_60-65	10.9	36.1	0.22	8.1	<2	5.0
B21B-134_65-70	12.4	28.9	0.30	7.1	<2	6.6
B21B-134_70-75	17.1	34.5	0.45	8.0	<2	6.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-134_75-80	22.0	29.8	0.31	7.2	4	3.6
B21B-135_0-5	65.1	37.7	0.53	8.3	7	4.8
B21B-135_5-10	68.6	24.8	0.23	7.7	12	4.5
B21B-135_10-15	61.6	23.7	0.24	8.1	16	3.9
B21B-135_15-20	75.3	23.4	0.28	8.0	16	4.0
B21B-135_25-30	63.7	29.1	0.37	9.0	4	3.3
B21B-135_30-35	62.7	27.9	0.29	8.7	3	2.8
B21B-135_35-40	52.1	28.0	0.25	7.4	<2	3.5
B21B-135_40-45	44.9	30.2	0.21	6.7	<2	3.3
*Dup B21B-133_15-20	31.6	3.8	0.92	6.5	8	0.7
*Std OREAS 601b	303	96.2	24.19	3.6	9	3.7
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	31.8	132	2.04	5.0	2	4.6
*Rep B21B-131_30-35	15.4	62.5	1.25	9.6	5	0.7
*Std OREAS 601b	285	94.3	22.66	3.7	9	4.0
*Rep B21B-134_10-15	61.0	34.6	0.37	6.7	<2	4.7
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.3	143	1.96	5.3	3	4.4
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-130_75-80	0.09	0.55	4.54	7.1	1.03	4.50
B21B-131_0-5	0.18	0.39	2.33	8.9	0.19	1.49

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-131_5-10	0.11	0.39	2.31	7.7	0.03	1.30
B21B-131_10-15	0.11	0.27	2.02	6.5	0.16	1.16
B21B-131_15-20	0.10	0.30	1.46	8.4	0.08	1.35
B21B-131_20-25	0.11	0.31	1.27	7.3	0.37	1.28
B21B-131_25-30	0.05	0.38	1.28	7.9	0.47	1.50
B21B-131_30-35	0.08	0.46	4.37	7.5	0.75	1.37
B21B-131_35-40	0.11	0.36	1.88	8.2	0.06	1.72
B21B-131_40-45	0.07	0.30	1.65	7.7	0.03	1.58
B21B-131_45-50	0.12	0.30	1.40	7.9	<0.02	1.62
B21B-131_50-55	0.08	0.32	3.07	7.4	<0.02	1.38
B21B-131_55-60	0.08	0.27	2.51	7.6	<0.02	1.57
B21B-131_60-65	0.07	0.26	1.47	8.1	<0.02	1.44
B21B-131_65-70	0.06	0.19	1.28	7.0	<0.02	1.00
B21B-131_70-75	0.05	0.17	1.17	7.1	<0.02	0.99
B21B-131_75-80	<0.05	0.13	1.68	3.3	0.03	0.88
B21B-132_0-5	0.22	0.26	6.17	8.5	1.23	1.64
B21B-132_5-10	0.09	0.32	9.80	8.5	1.40	1.46
B21B-132_10-15	0.09	0.27	9.88	8.6	1.28	1.24
B21B-132_15-20	0.08	0.31	7.60	9.7	1.41	1.13
B21B-132_20-25	0.06	0.26	3.41	8.5	0.55	0.98
B21B-132_25-30	0.11	0.25	1.39	8.2	0.23	1.21
B21B-132_30-35	0.06	0.31	5.26	9.3	0.89	1.16
B21B-132_35-40	0.18	0.33	6.99	9.1	1.26	1.10
B21B-132_40-45	0.10	0.32	7.28	9.9	1.26	1.12
B21B-132_45-50	0.07	0.32	5.30	8.8	1.17	1.03
B21B-132_50-55	0.10	0.31	3.70	8.7	0.92	0.95
B21B-132_55-60	0.19	0.36	14.72	9.6	1.08	1.05
B21B-132_60-65	0.13	0.18	5.42	5.2	0.14	0.78
B21B-132_65-70	0.15	0.25	1.68	7.7	0.08	1.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-132_70-75	0.11	0.15	1.36	3.6	0.22	0.95
B21B-132_75-80	0.14	0.20	0.62	4.6	0.50	1.03
B21B-133_0-5	0.19	0.34	12.72	10.3	0.11	1.78
B21B-133_5-10	0.13	0.29	9.97	6.8	0.07	1.33
B21B-133_10-15	0.07	0.29	30.52	4.8	0.10	0.97
B21B-133_15-20	0.11	0.31	10.58	6.1	0.04	1.13
B21B-133_20-25	0.12	0.40	6.78	6.5	0.05	1.29
B21B-133_25-30	0.11	0.33	9.62	6.5	0.06	1.21
B21B-133_30-35	0.10	0.42	6.90	6.6	0.07	1.49
B21B-133_35-40	0.10	0.41	19.29	7.4	0.48	1.39
B21B-133_40-45	0.11	0.40	8.74	6.6	0.11	1.49
B21B-133_45-50	0.14	0.37	5.28	6.9	0.13	1.48
B21B-133_50-55	0.12	0.41	5.31	7.0	0.12	1.38
B21B-133_55-60	0.11	0.35	7.81	7.2	0.22	1.26
B21B-133_60-65	0.09	0.31	4.82	9.1	0.19	1.07
B21B-133_65-70	0.09	0.29	4.57	10.3	0.20	1.07
B21B-134_0-5	0.18	0.21	0.66	8.6	1.60	1.25
B21B-134_5-10	0.14	0.25	0.50	7.8	1.54	1.16
B21B-134_10-15	0.12	0.25	1.68	8.2	1.53	1.13
B21B-134_15-20	0.08	0.20	4.65	7.3	1.31	1.00
B21B-134_20-25	0.10	0.40	5.57	8.1	1.18	1.48
B21B-134_25-30	0.11	0.23	0.81	7.2	1.47	1.10
B21B-134_30-35	0.13	0.23	0.25	7.7	1.59	1.15
B21B-134_35-40	0.10	0.20	0.26	7.3	1.55	1.17
B21B-134_40-45	0.15	0.17	0.75	6.6	1.70	1.14
B21B-134_45-50	0.11	0.19	0.53	7.7	1.59	1.14
B21B-134_50-55	0.09	0.22	0.28	7.4	1.54	1.21
B21B-134_55-60	0.11	0.18	0.22	6.8	1.62	1.08
B21B-134_60-65	0.09	0.12	0.39	6.6	1.65	0.83

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-134_65-70	0.12	0.14	0.50	5.5	1.31	0.99
B21B-134_70-75	0.19	0.14	0.86	7.8	1.53	1.11
B21B-134_75-80	0.12	0.20	3.69	8.1	1.34	1.19
B21B-135_0-5	0.26	0.33	11.12	11.2	1.37	1.99
B21B-135_5-10	0.08	0.38	11.04	8.4	1.25	1.51
B21B-135_10-15	0.07	0.31	8.43	8.0	1.23	1.39
B21B-135_15-20	0.08	0.34	10.66	8.4	1.19	1.54
B21B-135_25-30	0.11	0.37	10.51	8.1	1.48	1.41
B21B-135_30-35	0.09	0.37	15.57	8.4	1.39	1.54
B21B-135_35-40	0.10	0.30	2.38	7.0	1.31	1.42
B21B-135_40-45	0.07	0.25	1.27	6.6	1.55	1.15
*Dup B21B-133_15-20	0.11	0.32	10.30	6.4	0.04	1.16
*Std OREAS 601b	1.07	0.55	12.91	12.4	1.49	4.80
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.33	0.78	0.15	15.4	0.72	5.32
*Rep B21B-131_30-35	0.13	0.48	4.15	6.9	0.70	1.33
*Std OREAS 601b	1.08	0.55	13.18	13.0	1.48	4.99
*Rep B21B-134_10-15	0.12	0.25	1.68	8.0	1.49	1.13
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.28	0.75	0.10	15.4	0.72	5.17
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05

Element Method Lower Limit Upper Limit Unit	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m	@S GE_CSA06V 0.005 30 %
---	---	---	---	-------------------------------------

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@W	@Y	@Yb	@S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-130_75-80	0.6	10.2	1.5	-
B21B-131_0-5	0.4	10.6	1.5	-
B21B-131_5-10	0.8	9.4	1.3	-
B21B-131_10-15	1.1	7.0	1.2	-
B21B-131_15-20	1.0	7.9	1.4	-
B21B-131_20-25	0.7	10.4	1.5	-
B21B-131_25-30	0.3	9.6	1.4	-
B21B-131_30-35	0.4	10.0	1.3	-
B21B-131_35-40	0.7	8.4	1.6	-
B21B-131_40-45	0.9	9.2	1.7	-
B21B-131_45-50	1.1	10.5	1.8	-
B21B-131_50-55	1.0	9.5	1.5	-
B21B-131_55-60	0.9	6.2	1.3	-
B21B-131_60-65	0.8	6.9	1.5	-
B21B-131_65-70	0.7	6.1	1.2	-
B21B-131_70-75	0.8	5.3	1.0	-
B21B-131_75-80	0.6	4.7	0.9	-
B21B-132_0-5	0.6	9.7	1.8	-
B21B-132_5-10	0.3	9.8	1.8	-
B21B-132_10-15	0.4	8.1	1.5	-
B21B-132_15-20	0.3	8.4	1.3	-
B21B-132_20-25	0.6	6.8	1.3	-
B21B-132_25-30	1.2	6.7	1.4	-
B21B-132_30-35	0.9	9.0	1.5	-
B21B-132_35-40	0.7	8.8	1.3	-
B21B-132_40-45	0.5	8.6	1.2	-
B21B-132_45-50	0.6	8.6	1.3	-
B21B-132_50-55	0.6	8.2	1.2	-
B21B-132_55-60	1.0	9.0	1.4	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element	@W	@Y	@Yb	@S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-132_60-65	1.5	6.7	1.1	-
B21B-132_65-70	2.2	9.4	1.5	-
B21B-132_70-75	2.0	7.3	1.3	-
B21B-132_75-80	1.8	9.0	1.5	-
B21B-133_0-5	1.3	9.6	1.6	-
B21B-133_5-10	6.7	7.9	1.3	6.169
B21B-133_10-15	10.2	5.9	0.9	8.187
B21B-133_15-20	3.6	7.8	1.3	5.708
B21B-133_20-25	5.3	9.8	1.4	5.457
B21B-133_25-30	3.7	8.3	1.3	6.074
B21B-133_30-35	7.6	8.8	1.3	7.561
B21B-133_35-40	2.7	9.9	1.6	-
B21B-133_40-45	2.6	9.6	1.5	5.627
B21B-133_45-50	5.7	8.3	1.3	6.453
B21B-133_50-55	3.2	8.6	1.3	5.484
B21B-133_55-60	4.5	7.1	1.2	5.039
B21B-133_60-65	2.1	6.9	1.1	-
B21B-133_65-70	1.7	6.2	1.1	-
B21B-134_0-5	0.9	6.1	1.0	-
B21B-134_5-10	1.1	5.7	1.0	-
B21B-134_10-15	1.4	5.9	1.0	-
B21B-134_15-20	1.3	5.3	1.0	-
B21B-134_20-25	1.0	8.0	1.3	-
B21B-134_25-30	1.0	6.0	1.0	-
B21B-134_30-35	1.0	5.4	1.1	-
B21B-134_35-40	1.6	4.4	1.0	-
B21B-134_40-45	3.6	4.5	1.0	-
B21B-134_45-50	1.3	4.9	1.0	-
B21B-134_50-55	2.3	4.6	0.9	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(640-714)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11019

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-134_55-60	0.9	4.8	1.0	-
B21B-134_60-65	1.0	3.5	0.8	-
B21B-134_65-70	1.3	4.5	0.9	-
B21B-134_70-75	4.8	4.1	0.9	-
B21B-134_75-80	8.9	5.7	1.0	-
B21B-135_0-5	6.2	7.2	1.1	-
B21B-135_5-10	1.3	7.7	1.3	-
B21B-135_10-15	1.1	6.5	1.1	-
B21B-135_15-20	0.8	7.4	1.3	-
B21B-135_25-30	0.6	8.0	1.2	-
B21B-135_30-35	0.6	9.0	1.3	-
B21B-135_35-40	0.8	8.2	1.2	-
B21B-135_40-45	0.5	6.1	1.1	-
*Dup B21B-133_15-20	3.5	8.6	1.3	5.554
*Std OREAS 601b	6.6	11.1	0.5	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	2.9	16.1	0.7	-
*Rep B21B-131_30-35	0.4	11.0	1.4	-
*Std OREAS 601b	6.4	11.2	0.5	-
*Rep B21B-134_10-15	1.2	6.1	1.1	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	2.8	16.2	0.7	-
*Blk BLANK	<0.1	<0.1	<0.1	-

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11020

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	31-Aug-2021 - 20-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	20-Oct-2021
Gold/RABP2/1504 Samples(715-789)		SGS Order Number	BBM21-11020
Number of Samples	74		

### Methods Summary

Number of Sample	Method Code	Description
74	G_WGH_KG	Weight of samples received
74	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-135_45-50	4.90	0.052	7.32	740	0.08	2
B21B-135_50-55	5.38	0.040	6.52	533	0.03	4
B21B-135_55-60	5.60	0.075	5.78	440	0.03	3
B21B-135_60-65	6.48	0.041	6.45	496	0.03	3
B21B-135_65-70	4.61	0.035	7.51	477	0.03	5
B21B-135_70-75	5.13	0.038	7.43	454	0.03	4
B21B-135_75-80	5.12	0.040	5.65	383	0.04	5
B21B-136_0-5	4.98	0.026	6.37	87	0.03	4
B21B-136_5-10	3.13	0.054	7.12	101	0.03	1
B21B-136_10-15	4.84	0.131	5.76	76	0.07	2
B21B-136_15-20	4.11	0.152	5.76	68	0.13	2
B21B-136_20-25	5.07	0.157	5.43	77	0.03	2
B21B-136_25-30	5.23	0.119	4.95	105	0.03	2
B21B-136_30-35	6.08	0.176	5.68	121	0.03	1
B21B-136_35-40	5.53	0.108	4.76	117	0.03	1
B21B-136_40-45	5.65	0.075	6.09	108	0.03	2
B21B-136_45-50	5.28	0.110	7.63	146	0.03	4
B21B-136_50-55	3.96	0.073	6.41	129	0.03	<1
B21B-136_55-60	4.13	0.083	6.78	101	0.03	2
B21B-136_60-65	5.07	0.062	6.13	111	0.02	4
B21B-136_65-70	4.86	0.070	6.00	138	0.04	3
B21B-136_70-75	5.10	0.116	5.53	123	0.03	3
B21B-136_75-80	4.96	0.069	5.64	146	0.03	1
B21B-137_0-5	1.19	0.303	9.27	139	0.02	11
B21B-137_5-10	4.38	0.024	8.77	357	<0.01	4
B21B-137_10-15	4.98	0.037	7.52	247	<0.01	1
B21B-137_15-20	7.21	0.085	6.80	75	0.02	1
B21B-137_20-25	5.36	0.041	7.02	98	0.02	1
596953	4.52	0.029	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-137_25-30	4.85	0.059	6.54	124	0.02	1
B21B-137_30-35	6.02	0.069	6.43	152	0.02	2
B21B-137_35-40	6.42	0.060	6.98	134	0.02	2
B21B-137_40-45	4.86	0.055	6.54	105	0.02	2
B21B-137_45-50	7.15	0.040	6.06	109	0.02	2
B21B-137_50-55	4.80	0.066	6.80	102	0.02	4
B21B-137_55-60	6.64	0.031	6.18	95	0.02	5
B21B-137_60-65	3.85	0.024	5.72	106	0.03	3
B21B-137_65-70	5.56	0.022	5.72	122	0.02	8
B21B-137_70-75	7.39	0.023	6.10	142	0.02	7
B21B-137_75-80	3.90	0.022	5.96	108	0.02	7
B21B-138_0-5	2.39	0.016	6.20	218	0.01	6
B21B-138_5-10	2.28	0.038	5.94	387	0.02	2
B21B-138_10-15	1.43	0.015	8.33	800	0.01	2
B21B-138_15-20	4.53	0.027	6.33	143	0.01	3
B21B-138_20-25	3.32	0.043	5.39	262	0.02	3
596956	2.99	0.021	-	-	-	-
B21B-138_25-30	4.77	0.018	6.54	220	0.02	3
B21B-138_30-35	5.28	0.017	6.60	150	0.02	3
B21B-138_35-40	4.80	0.076	5.25	88	0.01	2
B21B-138_40-45	3.57	0.030	5.97	260	0.03	2
B21B-138_45-50	5.85	0.033	5.65	191	0.01	7
B21B-138_50-55	6.22	0.041	4.53	196	0.02	6
B21B-138_55-60	4.63	0.047	5.17	204	0.02	3
B21B-138_60-65	2.41	0.024	11.82	40	<0.01	4
B21B-138_65-70	5.12	0.015	4.41	32	<0.01	4
B21B-138_70-75	4.45	0.047	5.32	1065	0.03	3
B21B-138_75-80	5.65	0.028	6.32	445	0.03	4
B21B-139_0-5	1.86	0.063	7.34	142	0.05	23

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-139_5-10	4.41	0.074	6.53	106	0.04	9
B21B-139_10-15	5.31	0.023	6.87	137	0.04	4
B21B-139_15-20	6.24	0.232	7.00	166	0.04	2
B21B-139_20-25	3.27	0.289	6.57	112	0.03	2
B21B-139_30-35	4.06	0.216	4.74	103	0.03	3
B21B-139_35-40	3.69	0.258	5.43	91	0.02	10
B21B-139_40-45	3.62	0.145	6.13	173	0.02	7
B21B-140_0-5	1.81	0.015	7.88	775	0.04	14
596957	0.04	1.859	-	-	-	-
B21B-140_5-10	1.99	0.015	6.10	715	0.03	6
B21B-140_10-15	4.17	0.015	7.41	276	0.03	3
B21B-140_15-20	6.36	0.096	4.93	279	0.02	3
B21B-140_20-25	5.45	0.173	6.04	594	0.02	4
B21B-140_25-30	4.03	0.059	5.66	683	0.04	3
B21B-140_30-35	4.80	0.138	3.07	448	0.03	3
B21B-140_35-40	6.37	0.159	3.97	479	0.03	7
*Dup B21B-137_70-75	-	0.023	5.92	139	0.02	8
*Rep B21B-138_40-45	-	-	5.91	253	0.02	3
*Blk BLANK	-	-	0.01	<1	<0.01	1
*Std OREAS 601b	-	-	6.44	450	0.88	21
*Std OREAS 905	-	-	7.25	2699	0.57	16
*Rep B21B-135_60-65	-	-	6.45	441	0.04	4
*Std OREAS 905	-	-	6.98	2688	0.54	13
*Std OREAS 601b	-	-	6.51	340	0.85	15
*Blk BLANK	-	-	0.02	<1	<0.01	<1
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.594	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 502c	-	0.496	-	-	-	-
*Rep B21B-137_15-20	-	0.081	-	-	-	-
*Rep B21B-137_40-45	-	0.042	-	-	-	-
*Rep B21B-139_15-20	-	0.240	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.405	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-135_45-50	16.9	2.18	3.00	<1	0.03	15
B21B-135_50-55	19.5	2.57	2.68	<1	<0.01	11
B21B-135_55-60	45.9	4.57	2.21	<1	<0.01	10
B21B-135_60-65	30.8	3.77	2.70	<1	<0.01	14
B21B-135_65-70	46.4	3.74	2.75	<1	<0.01	11
B21B-135_70-75	37.4	5.09	3.01	2	0.01	18
B21B-135_75-80	41.4	4.90	1.47	<1	<0.01	15
B21B-136_0-5	12.9	2.04	0.09	3	<0.01	25
B21B-136_5-10	15.0	0.80	0.31	1	<0.01	18
B21B-136_10-15	7.6	3.00	0.05	1	0.02	26
B21B-136_15-20	5.4	5.08	0.06	1	0.05	36
B21B-136_20-25	7.2	6.35	0.05	2	<0.01	15
B21B-136_25-30	4.0	5.74	0.03	3	<0.01	12
B21B-136_30-35	4.0	4.36	0.05	4	<0.01	12
B21B-136_35-40	5.5	4.64	0.06	2	<0.01	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-136_40-45	5.9	3.91	0.28	2	<0.01	15
B21B-136_45-50	6.4	6.09	0.69	3	<0.01	18
B21B-136_50-55	6.1	4.42	0.25	3	<0.01	13
B21B-136_55-60	4.4	3.85	0.60	4	<0.01	13
B21B-136_60-65	21.2	3.73	0.21	2	<0.01	17
B21B-136_65-70	7.7	3.39	0.25	3	<0.01	15
B21B-136_70-75	9.3	4.35	0.12	4	<0.01	10
B21B-136_75-80	11.7	3.75	0.34	3	<0.01	11
B21B-137_0-5	11.0	3.52	0.49	12	0.05	39
B21B-137_5-10	1.2	0.71	1.55	5	0.15	15
B21B-137_10-15	2.5	0.39	2.94	3	0.05	10
B21B-137_15-20	2.6	0.78	0.42	7	<0.01	9
B21B-137_20-25	2.4	0.52	0.14	7	<0.01	11
B21B-137_25-30	2.9	1.06	0.12	7	<0.01	8
B21B-137_30-35	5.1	2.59	0.08	8	<0.01	7
B21B-137_35-40	5.6	0.75	0.15	7	<0.01	5
B21B-137_40-45	3.5	1.91	0.11	8	<0.01	11
B21B-137_45-50	3.8	2.77	0.05	6	<0.01	6
B21B-137_50-55	9.1	3.92	0.34	6	<0.01	10
B21B-137_55-60	16.4	2.64	0.11	5	<0.01	11
B21B-137_60-65	6.5	2.34	0.10	6	<0.01	12
B21B-137_65-70	4.2	2.37	0.04	3	<0.01	10
B21B-137_70-75	18.2	2.58	0.04	3	<0.01	16
B21B-137_75-80	18.1	3.11	0.06	2	<0.01	14
B21B-138_0-5	7.8	2.63	0.38	4	<0.01	14
B21B-138_5-10	9.9	2.31	0.18	5	<0.01	8
B21B-138_10-15	6.2	0.75	1.91	4	0.12	15
B21B-138_15-20	9.1	1.15	0.38	5	<0.01	6
B21B-138_20-25	7.1	2.14	0.25	4	<0.01	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-138_25-30	4.3	1.05	0.15	6	<0.01	7
B21B-138_30-35	9.8	0.24	0.13	6	<0.01	13
B21B-138_35-40	8.7	2.28	0.25	4	<0.01	26
B21B-138_40-45	5.9	1.30	0.12	4	<0.01	7
B21B-138_45-50	8.3	2.41	0.32	3	<0.01	11
B21B-138_50-55	7.7	3.48	0.29	3	<0.01	9
B21B-138_55-60	5.6	3.06	0.34	4	<0.01	9
B21B-138_60-65	4.3	1.54	0.08	11	<0.01	12
B21B-138_65-70	11.1	1.29	0.03	4	<0.01	16
B21B-138_70-75	6.2	2.17	0.26	5	<0.01	10
B21B-138_75-80	22.5	3.19	1.24	4	<0.01	13
B21B-139_0-5	23.2	2.15	0.15	7	0.03	74
B21B-139_5-10	5.8	1.41	0.07	6	0.02	26
B21B-139_10-15	4.1	0.67	0.04	4	<0.01	18
B21B-139_15-20	2.9	0.27	0.02	3	<0.01	15
B21B-139_20-25	4.5	0.23	0.03	3	<0.01	12
B21B-139_30-35	20.2	2.48	0.04	2	<0.01	18
B21B-139_35-40	72.0	1.86	0.04	1	<0.01	24
B21B-139_40-45	45.5	2.11	0.02	<1	<0.01	26
B21B-140_0-5	12.6	1.93	0.30	11	0.03	42
B21B-140_5-10	9.2	1.13	0.49	4	0.02	33
B21B-140_10-15	7.9	0.41	0.54	2	<0.01	26
B21B-140_15-20	9.4	1.23	0.65	<1	<0.01	31
B21B-140_20-25	11.9	2.97	1.25	<1	<0.01	12
B21B-140_25-30	6.0	0.29	1.10	<1	<0.01	8
B21B-140_30-35	8.5	1.17	0.58	<1	<0.01	11
B21B-140_35-40	19.9	4.06	0.89	<1	<0.01	13
*Dup B21B-137_70-75	13.1	2.52	0.04	3	<0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Rep B21B-138_40-45	4.8	1.29	0.12	4	<0.01	7
*Blk BLANK	0.6	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	992	2.23	2.37	22	0.10	208
*Std OREAS 905	1544	4.07	2.97	21	0.28	367
*Rep B21B-135_60-65	31.3	3.77	2.53	<1	0.02	15
*Std OREAS 905	1466	4.17	2.60	17	0.28	365
*Std OREAS 601b	990	2.32	2.55	24	0.10	205
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-135_45-50	0.24	1	0.09	0.07	259	0.08
B21B-135_50-55	0.19	2	0.06	1.57	271	0.06
B21B-135_55-60	0.16	3	0.07	3.82	335	0.05
B21B-135_60-65	0.19	3	0.07	3.48	364	0.05
B21B-135_65-70	0.20	3	0.07	3.67	282	0.05
B21B-135_70-75	0.22	3	0.06	4.45	276	0.05
B21B-135_75-80	0.12	4	0.08	3.64	309	0.05
B21B-136_0-5	0.02	1	0.07	0.11	216	0.09
B21B-136_5-10	0.02	<1	0.08	0.06	252	0.10
B21B-136_10-15	0.04	<1	0.07	0.07	265	0.08
B21B-136_15-20	0.06	1	0.07	0.07	251	0.09
B21B-136_20-25	0.02	<1	0.07	0.10	274	0.06
B21B-136_25-30	0.02	<1	0.07	0.09	375	0.05
B21B-136_30-35	0.02	<1	0.07	0.09	352	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-136_35-40	0.02	<1	0.06	0.10	318	0.04
B21B-136_40-45	0.02	<1	0.07	0.07	277	0.06
B21B-136_45-50	0.04	<1	0.08	0.14	475	0.07
B21B-136_50-55	0.02	<1	0.06	0.07	333	0.06
B21B-136_55-60	0.03	<1	0.08	0.08	257	0.06
B21B-136_60-65	0.01	2	0.06	1.15	233	0.06
B21B-136_65-70	0.03	<1	0.08	0.26	437	0.06
B21B-136_70-75	0.02	1	0.07	0.28	406	0.04
B21B-136_75-80	0.02	1	0.07	0.15	366	0.05
B21B-137_0-5	0.03	4	0.04	0.10	187	0.14
B21B-137_5-10	0.04	1	<0.01	0.01	21.2	0.12
B21B-137_10-15	0.13	<1	0.02	0.02	165	0.10
B21B-137_15-20	0.03	<1	0.04	0.05	387	0.08
B21B-137_20-25	0.02	<1	0.04	0.05	398	0.08
B21B-137_25-30	0.02	<1	0.05	0.07	499	0.07
B21B-137_30-35	0.02	<1	0.06	0.15	422	0.06
B21B-137_35-40	0.02	<1	0.05	0.23	576	0.09
B21B-137_40-45	0.02	<1	0.04	0.07	344	0.07
B21B-137_45-50	0.01	1	0.05	0.08	298	0.06
B21B-137_50-55	0.03	<1	0.05	0.48	405	0.05
B21B-137_55-60	0.02	3	0.06	1.12	464	0.07
B21B-137_60-65	0.03	1	0.06	0.52	520	0.07
B21B-137_65-70	0.02	2	0.06	0.25	442	0.10
B21B-137_70-75	0.01	4	0.07	1.38	307	0.07
B21B-137_75-80	0.01	4	0.06	1.99	263	0.07
B21B-138_0-5	0.04	<1	0.04	0.05	215	0.05
B21B-138_5-10	0.03	<1	0.07	0.05	331	0.04
B21B-138_10-15	0.15	<1	0.02	0.02	105	0.08
B21B-138_15-20	0.04	<1	0.03	0.04	238	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-138_20-25	0.03	<1	0.06	0.06	326	0.04
B21B-138_25-30	0.03	<1	0.06	0.07	521	0.06
B21B-138_30-35	0.03	1	0.03	0.03	139	0.05
B21B-138_35-40	0.04	<1	0.02	0.03	113	0.04
B21B-138_40-45	0.02	<1	0.06	0.07	489	0.08
B21B-138_45-50	0.04	1	0.05	0.05	320	0.06
B21B-138_50-55	0.04	1	0.05	0.08	491	0.05
B21B-138_55-60	0.04	1	0.05	0.08	428	0.04
B21B-138_60-65	0.02	2	0.01	0.12	49.3	0.03
B21B-138_65-70	0.01	3	0.01	0.66	64.4	0.04
B21B-138_70-75	0.03	2	0.10	0.07	200	0.03
B21B-138_75-80	0.10	5	0.08	3.00	609	0.03
B21B-139_0-5	0.04	6	0.04	0.14	155	0.16
B21B-139_5-10	0.03	3	0.05	0.11	363	0.10
B21B-139_10-15	0.03	1	0.07	0.13	621	0.09
B21B-139_15-20	0.02	<1	0.08	0.11	578	0.07
B21B-139_20-25	0.02	<1	0.08	0.09	410	0.08
B21B-139_30-35	0.01	2	0.06	0.21	215	0.07
B21B-139_35-40	0.02	5	0.05	1.29	186	0.08
B21B-139_40-45	<0.01	3	0.06	1.06	127	0.08
B21B-140_0-5	0.03	5	0.08	0.07	226	0.11
B21B-140_5-10	0.05	2	0.08	0.07	319	0.07
B21B-140_10-15	0.06	<1	0.06	0.05	292	0.04
B21B-140_15-20	0.06	1	0.04	0.04	216	0.04
B21B-140_20-25	0.10	<1	0.06	0.07	266	0.04
B21B-140_25-30	0.10	<1	0.08	0.08	314	0.08
B21B-140_30-35	0.05	<1	0.06	0.05	214	0.05
B21B-140_35-40	0.08	<1	0.06	0.06	147	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Dup B21B-137_70-75	0.02	4	0.07	1.32	322	0.07
*Rep B21B-138_40-45	0.02	<1	0.06	0.07	485	0.08
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.7	<0.01
*Std OREAS 601b	1.77	6	0.03	1.59	236	0.12
*Std OREAS 905	2.30	8	0.03	0.07	162	0.12
*Rep B21B-135_60-65	0.18	4	0.07	3.54	337	0.05
*Std OREAS 905	2.19	8	0.03	0.08	141	0.11
*Std OREAS 601b	2.01	6	0.03	1.53	266	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.8	<0.01

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	49	3	82.0	0.08	2	0.5
B21B-135_50-55	39	2	103	0.15	2	0.4
B21B-135_55-60	39	2	96.3	0.21	2	0.4
B21B-135_60-65	46	2	98.6	0.13	2	0.4
B21B-135_65-70	57	1	98.1	0.14	3	0.5
B21B-135_70-75	62	2	103	0.12	2	0.4
B21B-135_75-80	41	<1	105	0.15	4	0.2
B21B-136_0-5	31	1	152	0.06	4	0.3
B21B-136_5-10	51	<1	51.4	0.03	3	0.4
B21B-136_10-15	26	<1	150	0.07	4	0.3
B21B-136_15-20	24	3	90.4	0.09	4	0.3
B21B-136_20-25	21	<1	47.9	0.08	5	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-136_25-30	17	<1	119	0.07	4	0.3
B21B-136_30-35	20	<1	104	0.07	4	0.2
B21B-136_35-40	15	<1	98.4	0.08	4	0.2
B21B-136_40-45	33	<1	119	0.08	5	0.2
B21B-136_45-50	43	<1	143	0.13	5	0.3
B21B-136_50-55	28	<1	112	0.09	4	0.3
B21B-136_55-60	39	<1	123	0.08	4	0.3
B21B-136_60-65	30	<1	122	0.08	6	0.2
B21B-136_65-70	37	<1	122	0.08	3	0.2
B21B-136_70-75	21	<1	118	0.08	4	0.3
B21B-136_75-80	37	1	112	0.07	2	0.2
B21B-137_0-5	58	8	125	0.08	7	0.7
B21B-137_5-10	23	22	133	0.06	1	1.3
B21B-137_10-15	45	4	121	0.03	<1	0.8
B21B-137_15-20	34	<1	102	0.04	2	0.4
B21B-137_20-25	27	<1	62.9	0.03	1	0.4
B21B-137_25-30	29	<1	105	0.04	2	0.4
B21B-137_30-35	27	<1	107	0.07	3	0.4
B21B-137_35-40	34	<1	118	0.05	2	0.4
B21B-137_40-45	30	3	107	0.04	2	0.4
B21B-137_45-50	24	1	108	0.04	2	0.4
B21B-137_50-55	27	<1	90.4	0.08	3	0.4
B21B-137_55-60	27	<1	104	0.06	6	0.3
B21B-137_60-65	27	<1	114	0.05	4	0.2
B21B-137_65-70	31	<1	126	0.05	5	0.2
B21B-137_70-75	27	<1	126	0.05	4	0.2
B21B-137_75-80	24	1	116	0.07	6	0.2
B21B-138_0-5	33	1	94.5	0.04	5	0.4
B21B-138_5-10	20	<1	83.3	0.04	5	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-138_10-15	33	11	114	0.04	2	1.1
B21B-138_15-20	23	<1	88.7	0.03	3	0.4
B21B-138_20-25	20	<1	93.7	0.08	4	0.3
B21B-138_25-30	18	<1	65.3	0.04	3	0.4
B21B-138_30-35	16	<1	59.0	0.03	<1	0.5
B21B-138_35-40	22	<1	105	0.15	4	0.3
B21B-138_40-45	19	<1	61.9	0.06	3	0.3
B21B-138_45-50	27	<1	96.0	0.07	5	0.3
B21B-138_50-55	18	<1	63.0	0.10	4	0.3
B21B-138_55-60	19	<1	80.9	0.12	3	0.3
B21B-138_60-65	24	<1	80.6	0.06	2	0.6
B21B-138_65-70	9	<1	87.9	0.05	2	0.2
B21B-138_70-75	20	<1	68.1	0.07	3	0.4
B21B-138_75-80	70	1	69.4	0.07	3	0.3
B21B-139_0-5	45	9	99.1	0.13	10	0.4
B21B-139_5-10	44	4	125	0.03	6	0.2
B21B-139_10-15	33	1	146	0.03	6	0.1
B21B-139_15-20	23	<1	127	0.02	3	0.3
B21B-139_20-25	17	<1	130	0.04	3	0.4
B21B-139_30-35	15	<1	113	0.10	9	0.1
B21B-139_35-40	18	<1	107	0.10	7	0.1
B21B-139_40-45	18	<1	108	0.09	4	<0.1
B21B-140_0-5	56	7	96.7	0.05	8	0.4
B21B-140_5-10	51	3	80.8	0.04	5	0.3
B21B-140_10-15	35	<1	59.2	0.04	3	0.4
B21B-140_15-20	42	1	37.6	0.19	4	0.2
B21B-140_20-25	55	<1	114	0.15	8	0.2
B21B-140_25-30	57	<1	40.4	0.04	1	0.2
B21B-140_30-35	37	<1	44.0	0.18	6	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_35-40	29	<1	81.1	0.14	7	<0.1
*Dup B21B-137_70-75	25	<1	122	0.05	4	0.2
*Rep B21B-138_40-45	19	<1	95.6	0.05	4	0.4
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	324	187	50.25	275	2.5
*Std OREAS 905	7	139	254	0.63	32	2.9
*Rep B21B-135_60-65	45	2	99.1	0.12	4	0.4
*Std OREAS 905	8	141	241	0.62	33	2.8
*Std OREAS 601b	10	313	179	50.09	283	2.0
*Blk BLANK	<2	<1	1.0	<0.02	<1	<0.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	0.43	<0.02	45.89	0.4	3	12.0
B21B-135_50-55	0.43	<0.02	44.87	5.1	2	12.7
B21B-135_55-60	0.45	<0.02	46.75	9.3	2	11.9
B21B-135_60-65	0.42	<0.02	48.24	7.8	2	12.6
B21B-135_65-70	0.44	<0.02	46.32	8.0	3	16.0
B21B-135_70-75	0.40	<0.02	48.27	6.1	3	17.2
B21B-135_75-80	0.44	<0.02	46.63	5.0	2	14.0
B21B-136_0-5	1.47	<0.02	70.27	0.4	<1	18.2
B21B-136_5-10	1.82	<0.02	81.98	0.1	<1	19.1
B21B-136_10-15	1.73	<0.02	65.37	0.4	<1	13.9
B21B-136_15-20	1.56	<0.02	55.95	0.7	<1	10.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-136_20-25	1.33	<0.02	55.60	0.2	<1	7.5
B21B-136_25-30	1.22	<0.02	64.12	0.1	<1	8.7
B21B-136_30-35	1.24	<0.02	54.09	0.1	<1	7.5
B21B-136_35-40	1.62	<0.02	58.42	0.2	<1	6.5
B21B-136_40-45	1.86	<0.02	57.05	0.1	<1	13.3
B21B-136_45-50	2.48	0.02	69.27	0.2	<1	16.3
B21B-136_50-55	2.52	<0.02	53.07	0.1	<1	9.8
B21B-136_55-60	2.27	<0.02	62.03	0.1	<1	16.9
B21B-136_60-65	2.04	<0.02	50.22	3.3	<1	21.1
B21B-136_65-70	2.26	<0.02	63.98	0.8	<1	21.5
B21B-136_70-75	2.50	<0.02	54.27	0.8	<1	15.4
B21B-136_75-80	2.06	<0.02	53.26	0.3	<1	19.5
B21B-137_0-5	1.66	<0.02	40.79	1.0	2	22.4
B21B-137_5-10	0.38	<0.02	15.21	0.6	2	22.7
B21B-137_10-15	1.22	0.04	46.48	0.2	2	13.8
B21B-137_15-20	0.99	<0.02	47.99	0.1	<1	11.5
B21B-137_20-25	0.98	<0.02	48.15	0.1	<1	11.2
B21B-137_25-30	0.96	<0.02	47.06	0.1	<1	15.9
B21B-137_30-35	1.01	<0.02	48.99	0.3	<1	16.5
B21B-137_35-40	1.31	<0.02	50.65	0.4	<1	14.9
B21B-137_40-45	1.15	<0.02	48.11	0.2	<1	16.9
B21B-137_45-50	1.69	<0.02	54.31	0.3	<1	17.6
B21B-137_50-55	1.47	<0.02	49.51	1.0	<1	16.1
B21B-137_55-60	2.08	<0.02	38.81	3.2	<1	15.0
B21B-137_60-65	1.30	<0.02	46.09	2.1	<1	14.6
B21B-137_65-70	1.31	<0.02	43.59	1.5	<1	15.7
B21B-137_70-75	1.36	<0.02	47.00	4.5	<1	16.2
B21B-137_75-80	1.63	<0.02	42.89	4.5	<1	14.8
B21B-138_0-5	1.79	<0.02	43.71	0.2	<1	18.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-138_5-10	1.35	<0.02	49.86	0.1	<1	16.1
B21B-138_10-15	1.00	<0.02	25.43	0.3	5	21.1
B21B-138_15-20	1.56	<0.02	40.16	0.1	<1	15.4
B21B-138_20-25	3.13	<0.02	43.59	0.1	<1	11.4
B21B-138_25-30	1.92	<0.02	53.76	0.1	<1	14.6
B21B-138_30-35	0.79	<0.02	42.59	0.1	<1	14.4
B21B-138_35-40	2.85	0.04	28.65	0.2	<1	13.6
B21B-138_40-45	2.70	<0.02	49.94	0.1	<1	17.7
B21B-138_45-50	2.20	<0.02	45.52	0.2	<1	16.2
B21B-138_50-55	2.73	<0.02	42.50	0.2	<1	15.0
B21B-138_55-60	2.60	<0.02	44.72	0.3	<1	14.7
B21B-138_60-65	0.52	<0.02	15.87	0.5	<1	23.8
B21B-138_65-70	0.59	<0.02	35.82	2.2	<1	9.2
B21B-138_70-75	1.43	<0.02	47.58	0.2	<1	12.2
B21B-138_75-80	1.98	<0.02	52.42	5.8	1	14.9
B21B-139_0-5	6.24	<0.02	59.79	1.1	1	16.8
B21B-139_5-10	1.52	<0.02	81.95	0.6	<1	10.6
B21B-139_10-15	1.08	<0.02	111	0.3	<1	9.0
B21B-139_15-20	1.03	<0.02	100	0.2	<1	7.7
B21B-139_20-25	1.37	<0.02	79.76	0.2	<1	10.3
B21B-139_30-35	5.83	0.02	61.68	1.5	<1	12.4
B21B-139_35-40	5.97	<0.02	58.57	9.0	<1	13.5
B21B-139_40-45	4.54	<0.02	50.81	7.4	<1	14.4
B21B-140_0-5	2.50	<0.02	88.21	1.2	2	17.4
B21B-140_5-10	2.56	<0.02	103	0.7	1	14.4
B21B-140_10-15	1.52	<0.02	94.78	0.2	<1	22.9
B21B-140_15-20	2.10	<0.02	57.83	0.2	<1	13.5
B21B-140_20-25	2.75	<0.02	58.11	0.2	<1	21.2
B21B-140_25-30	4.68	<0.02	68.17	<0.1	1	24.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_30-35	5.55	<0.02	55.76	0.1	<1	11.8
B21B-140_35-40	3.11	<0.02	48.70	0.2	<1	13.2
*Dup B21B-137_70-75	1.34	<0.02	47.03	4.7	<1	15.7
*Rep B21B-138_40-45	2.69	<0.02	49.05	0.1	<1	18.1
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	17.00	2.16	68.04	2.8	5	23.1
*Std OREAS 905	5.62	0.37	93.02	13.9	7	24.3
*Rep B21B-135_60-65	0.41	<0.02	47.87	8.1	2	13.0
*Std OREAS 905	5.81	0.34	90.94	13.8	7	24.3
*Std OREAS 601b	17.53	2.01	67.32	2.8	5	22.8
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	2.28	0.06	22.6	0.19	14.50	1.3
B21B-135_50-55	2.99	0.05	22.1	0.20	5.20	1.6
B21B-135_55-60	2.82	0.04	22.6	0.20	4.31	1.1
B21B-135_60-65	2.89	0.05	23.0	0.21	3.76	1.4
B21B-135_65-70	2.80	0.06	21.8	0.20	3.10	1.5
B21B-135_70-75	2.86	0.06	22.6	0.22	4.58	1.4
B21B-135_75-80	2.93	0.04	22.3	0.21	4.63	1.7
B21B-136_0-5	4.54	<0.02	34.0	0.31	5.42	2.8
B21B-136_5-10	1.26	0.11	39.4	0.33	2.64	1.1
B21B-136_10-15	4.34	<0.02	32.5	0.30	9.94	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-136_15-20	2.05	<0.02	29.5	0.29	6.97	1.6
B21B-136_20-25	1.29	<0.02	31.1	0.25	11.49	1.1
B21B-136_25-30	3.42	<0.02	33.2	0.25	6.83	1.4
B21B-136_30-35	2.88	<0.02	30.6	0.23	8.19	1.3
B21B-136_35-40	2.76	<0.02	31.7	0.20	11.39	1.2
B21B-136_40-45	3.54	0.07	31.5	0.25	9.18	1.6
B21B-136_45-50	4.21	0.10	37.1	0.27	21.18	1.9
B21B-136_50-55	3.25	0.04	28.4	0.24	11.16	1.8
B21B-136_55-60	3.73	0.08	33.3	0.25	15.04	1.8
B21B-136_60-65	3.70	0.04	25.5	0.27	11.73	2.1
B21B-136_65-70	3.56	0.04	31.4	0.26	11.01	1.6
B21B-136_70-75	3.47	0.02	27.7	0.24	11.74	1.3
B21B-136_75-80	3.24	0.05	28.0	0.22	11.39	1.3
B21B-137_0-5	3.98	0.04	17.5	0.21	6.02	5.5
B21B-137_5-10	4.24	0.02	7.9	0.12	1.28	2.6
B21B-137_10-15	3.81	0.06	24.0	0.25	1.09	2.8
B21B-137_15-20	3.16	0.03	24.0	0.26	1.97	2.3
B21B-137_20-25	1.44	<0.02	23.7	0.24	1.66	1.5
B21B-137_25-30	3.24	<0.02	23.3	0.25	1.94	2.1
B21B-137_30-35	3.28	<0.02	24.0	0.24	2.39	1.9
B21B-137_35-40	3.52	<0.02	24.4	0.27	1.23	2.7
B21B-137_40-45	3.37	<0.02	24.0	0.26	2.23	2.1
B21B-137_45-50	3.31	<0.02	28.8	0.27	4.54	2.0
B21B-137_50-55	2.77	<0.02	27.8	0.21	4.71	1.6
B21B-137_55-60	3.07	<0.02	18.6	0.23	4.75	2.2
B21B-137_60-65	3.46	<0.02	22.7	0.29	5.24	2.0
B21B-137_65-70	3.71	<0.02	20.9	0.29	8.04	3.3
B21B-137_70-75	3.58	<0.02	23.5	0.29	6.61	2.3
B21B-137_75-80	3.38	<0.02	21.7	0.28	7.10	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-138_0-5	2.79	0.04	21.5	0.22	2.97	2.1
B21B-138_5-10	2.47	<0.02	25.0	0.21	2.58	1.5
B21B-138_10-15	3.58	0.04	13.5	0.18	1.15	2.7
B21B-138_15-20	2.68	<0.02	19.1	0.22	1.74	1.9
B21B-138_20-25	2.73	0.02	22.4	0.24	2.00	1.4
B21B-138_25-30	1.46	<0.02	26.9	0.25	1.80	1.3
B21B-138_30-35	1.37	<0.02	22.6	0.20	0.98	1.0
B21B-138_35-40	3.14	0.03	15.2	0.23	4.04	1.5
B21B-138_40-45	1.27	<0.02	26.2	0.25	1.64	1.4
B21B-138_45-50	2.89	0.04	23.1	0.22	3.20	2.1
B21B-138_50-55	2.01	0.02	22.4	0.21	2.99	1.3
B21B-138_55-60	2.47	0.03	23.7	0.18	3.20	1.2
B21B-138_60-65	2.35	<0.02	8.4	0.15	2.42	1.4
B21B-138_65-70	2.64	<0.02	19.4	0.18	2.06	1.1
B21B-138_70-75	1.64	0.03	24.0	0.17	3.18	0.8
B21B-138_75-80	2.10	0.13	23.1	0.15	2.99	0.9
B21B-139_0-5	3.09	0.04	23.4	0.18	7.21	5.6
B21B-139_5-10	3.72	0.03	33.6	0.21	3.63	3.4
B21B-139_10-15	4.32	0.02	44.5	0.26	4.01	3.1
B21B-139_15-20	3.83	<0.02	41.0	0.23	3.57	2.1
B21B-139_20-25	3.73	<0.02	33.2	0.24	9.28	2.2
B21B-139_30-35	3.20	<0.02	29.4	0.23	6.53	1.9
B21B-139_35-40	3.19	<0.02	27.0	0.21	7.07	2.6
B21B-139_40-45	3.12	<0.02	23.6	0.21	9.31	2.5
B21B-140_0-5	3.17	0.07	34.4	0.16	4.19	4.1
B21B-140_5-10	2.49	0.07	43.6	0.19	2.75	2.0
B21B-140_10-15	1.44	0.05	43.9	0.18	1.18	0.8
B21B-140_15-20	1.18	0.08	27.4	0.18	4.73	0.6
B21B-140_20-25	3.52	0.14	27.7	0.22	9.21	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_25-30	2.14	0.14	32.5	0.27	1.71	1.4
B21B-140_30-35	1.84	0.09	26.4	0.26	3.89	0.8
B21B-140_35-40	2.69	0.11	24.5	0.27	5.49	1.1
*Dup B21B-137_70-75	3.53	<0.02	23.2	0.29	6.71	2.1
*Rep B21B-138_40-45	2.82	<0.02	25.8	0.25	1.66	2.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.63	0.50	34.0	0.08	5.26	14.3
*Std OREAS 905	7.52	0.69	44.9	0.10	3.57	18.1
*Rep B21B-135_60-65	2.83	0.05	22.6	0.21	3.72	1.3
*Std OREAS 905	7.38	0.64	44.6	0.10	3.42	19.0
*Std OREAS 601b	5.42	0.48	34.2	0.07	5.32	15.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	51.2	28.9	0.31	6.9	3	3.0
B21B-135_50-55	52.6	24.9	0.31	6.4	6	3.0
B21B-135_55-60	61.1	21.7	0.23	6.3	14	2.8
B21B-135_60-65	65.2	23.9	0.25	7.2	10	2.9
B21B-135_65-70	61.5	29.1	0.31	8.5	10	2.9
B21B-135_70-75	54.2	27.8	0.37	8.5	13	2.9
B21B-135_75-80	61.5	15.6	0.31	6.5	16	2.0
B21B-136_0-5	73.1	3.0	0.56	8.2	7	2.2
B21B-136_5-10	76.1	2.8	0.46	9.4	10	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-136_10-15	75.2	1.1	0.75	7.9	7	1.7
B21B-136_15-20	61.2	1.7	0.39	6.8	8	1.4
B21B-136_20-25	56.8	0.8	0.24	6.4	11	1.3
B21B-136_25-30	62.2	0.5	0.37	6.0	9	1.2
B21B-136_30-35	68.4	0.8	0.41	5.9	9	1.2
B21B-136_35-40	68.6	0.8	0.45	5.2	9	1.0
B21B-136_40-45	66.7	2.4	0.38	6.8	5	1.4
B21B-136_45-50	90.1	5.9	0.47	7.8	11	1.9
B21B-136_50-55	69.0	2.0	0.28	6.0	8	1.3
B21B-136_55-60	62.6	4.7	0.32	7.0	5	1.3
B21B-136_60-65	47.4	1.8	0.34	6.4	7	1.0
B21B-136_65-70	67.8	2.2	0.38	6.6	5	1.0
B21B-136_70-75	58.2	1.2	0.45	6.0	12	0.7
B21B-136_75-80	61.4	2.9	0.54	6.2	9	0.9
B21B-137_0-5	62.7	26.3	0.84	6.1	5	1.7
B21B-137_5-10	28.8	75.5	0.50	4.2	<2	0.9
B21B-137_10-15	41.5	91.4	0.39	7.5	<2	1.5
B21B-137_15-20	61.3	9.3	0.47	6.5	3	1.1
B21B-137_20-25	57.0	3.4	0.34	5.7	<2	0.8
B21B-137_25-30	85.4	2.9	0.39	6.3	3	0.9
B21B-137_30-35	88.2	1.6	0.53	6.0	9	0.7
B21B-137_35-40	96.4	3.2	0.47	6.3	<2	1.0
B21B-137_40-45	91.8	2.2	0.37	6.2	3	0.7
B21B-137_45-50	84.3	1.5	0.61	5.9	3	0.9
B21B-137_50-55	121	13.7	0.57	4.7	6	0.8
B21B-137_55-60	80.2	3.6	1.18	4.8	6	1.0
B21B-137_60-65	89.6	3.0	0.44	5.7	4	0.8
B21B-137_65-70	81.1	1.1	0.50	5.1	5	1.3
B21B-137_70-75	72.3	1.3	0.41	5.1	5	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-137_75-80	57.7	2.4	0.38	5.0	6	0.9
B21B-138_0-5	61.0	7.2	0.46	5.2	7	1.2
B21B-138_5-10	76.6	4.4	0.34	3.8	5	0.8
B21B-138_10-15	46.7	95.2	0.28	4.7	<2	1.2
B21B-138_15-20	62.4	13.7	0.37	4.0	3	1.2
B21B-138_20-25	88.3	5.8	0.48	4.3	6	1.0
B21B-138_25-30	130	2.8	0.36	4.6	3	1.0
B21B-138_30-35	38.3	2.8	0.29	3.8	<2	1.0
B21B-138_35-40	34.2	5.5	0.82	5.6	13	1.2
B21B-138_40-45	116	1.8	0.38	4.7	5	1.0
B21B-138_45-50	91.6	6.9	0.43	4.8	7	1.4
B21B-138_50-55	124	4.1	0.27	4.4	8	1.3
B21B-138_55-60	109	5.8	0.69	3.8	7	1.3
B21B-138_60-65	14.2	2.8	0.42	3.2	5	0.7
B21B-138_65-70	19.4	0.9	0.30	3.2	3	0.7
B21B-138_70-75	34.8	4.8	0.44	3.2	10	0.8
B21B-138_75-80	136	19.5	0.29	4.4	7	1.6
B21B-139_0-5	86.9	9.6	1.54	4.3	8	3.7
B21B-139_5-10	55.0	4.6	0.75	4.8	2	2.9
B21B-139_10-15	67.6	1.6	0.79	5.3	<2	3.5
B21B-139_15-20	74.0	0.5	0.46	4.4	<2	3.5
B21B-139_20-25	106	0.6	0.63	4.7	<2	3.4
B21B-139_30-35	58.6	0.8	0.89	3.3	8	4.6
B21B-139_35-40	36.5	1.1	1.01	3.1	8	5.5
B21B-139_40-45	23.7	0.4	0.67	3.2	8	4.5
B21B-140_0-5	70.5	15.5	0.74	6.0	<2	2.1
B21B-140_5-10	87.8	11.6	0.54	5.8	<2	2.1
B21B-140_10-15	77.5	8.5	0.33	5.1	<2	1.7
B21B-140_15-20	56.5	9.6	0.42	6.2	30	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_20-25	94.9	15.7	0.45	9.1	58	2.0
B21B-140_25-30	140	16.5	0.46	7.7	<2	1.8
B21B-140_30-35	105	7.9	0.41	6.3	20	1.0
B21B-140_35-40	75.6	9.7	0.25	7.5	22	1.1
*Dup B21B-137_70-75	71.4	1.3	0.40	5.2	5	1.0
*Rep B21B-138_40-45	115	1.8	0.41	4.8	4	1.4
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	289	95.9	22.96	3.7	10	3.9
*Std OREAS 905	29.7	135	1.87	4.8	3	4.8
*Rep B21B-135_60-65	62.9	24.5	0.28	7.1	10	2.8
*Std OREAS 905	31.3	135	1.96	5.0	3	4.4
*Std OREAS 601b	305	94.5	24.73	3.6	10	3.7
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	0.07	0.28	2.78	6.4	1.41	1.22
B21B-135_50-55	0.11	0.28	3.50	6.1	1.23	1.17
B21B-135_55-60	0.08	0.33	5.54	6.7	1.09	1.25
B21B-135_60-65	0.09	0.35	5.26	6.7	1.18	1.19
B21B-135_65-70	0.10	0.34	6.91	6.4	1.44	1.30
B21B-135_70-75	0.09	0.34	4.83	7.0	1.37	1.29
B21B-135_75-80	0.10	0.39	6.33	7.2	0.74	1.39
B21B-136_0-5	0.15	0.39	3.39	9.8	0.06	1.89

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-136_5-10	<0.05	0.44	4.27	9.6	0.22	1.78
B21B-136_10-15	0.11	0.40	3.26	9.2	0.02	1.48
B21B-136_15-20	0.07	0.37	2.84	7.7	0.02	1.37
B21B-136_20-25	<0.05	0.32	2.75	7.9	0.02	1.20
B21B-136_25-30	0.09	0.35	1.99	8.3	<0.02	1.14
B21B-136_30-35	0.05	0.31	2.61	6.7	0.02	1.10
B21B-136_35-40	0.07	0.29	3.98	7.0	0.03	0.94
B21B-136_40-45	0.09	0.34	6.68	7.9	0.19	1.19
B21B-136_45-50	0.11	0.43	6.82	8.8	0.45	1.38
B21B-136_50-55	0.11	0.39	5.82	6.6	0.15	1.14
B21B-136_55-60	0.11	0.42	3.73	8.4	0.36	1.29
B21B-136_60-65	0.12	0.39	4.31	6.6	0.13	1.41
B21B-136_65-70	0.09	0.39	3.97	7.7	0.14	1.22
B21B-136_70-75	0.07	0.34	3.54	7.4	0.07	1.21
B21B-136_75-80	0.07	0.30	3.14	7.5	0.20	1.12
B21B-137_0-5	0.36	0.25	3.19	13.6	0.20	2.41
B21B-137_5-10	0.23	0.17	0.81	16.0	0.41	3.50
B21B-137_10-15	0.19	0.18	0.68	10.0	0.64	1.81
B21B-137_15-20	0.14	0.23	1.70	6.8	0.15	1.31
B21B-137_20-25	0.07	0.24	0.96	7.0	0.05	1.30
B21B-137_25-30	0.12	0.25	0.90	6.8	0.04	1.43
B21B-137_30-35	0.13	0.26	1.54	7.0	0.03	1.39
B21B-137_35-40	0.16	0.28	1.11	7.4	0.06	1.55
B21B-137_40-45	0.14	0.23	1.43	7.0	0.05	1.43
B21B-137_45-50	0.13	0.23	2.56	7.1	0.02	1.39
B21B-137_50-55	0.11	0.21	5.20	6.2	0.13	1.41
B21B-137_55-60	0.14	0.21	4.72	6.3	0.04	1.40
B21B-137_60-65	0.13	0.30	1.49	7.1	0.03	1.58
B21B-137_65-70	0.20	0.28	1.40	6.9	<0.02	1.54

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-137_70-75	0.15	0.28	1.37	7.1	0.02	1.61
B21B-137_75-80	0.14	0.26	1.56	6.8	0.02	1.56
B21B-138_0-5	0.13	0.27	2.86	7.8	0.23	1.38
B21B-138_5-10	0.09	0.26	1.56	7.8	0.07	1.10
B21B-138_10-15	0.17	0.20	0.78	12.3	0.72	2.55
B21B-138_15-20	0.12	0.21	1.36	6.3	0.15	1.09
B21B-138_20-25	0.10	0.23	2.87	6.0	0.11	1.19
B21B-138_25-30	0.06	0.30	1.73	8.6	0.10	1.15
B21B-138_30-35	<0.05	0.17	0.35	5.8	0.07	0.97
B21B-138_35-40	0.08	0.14	4.67	5.0	0.14	1.21
B21B-138_40-45	<0.05	0.24	1.66	7.5	0.07	1.43
B21B-138_45-50	0.14	0.23	2.23	7.0	0.18	1.39
B21B-138_50-55	0.05	0.27	2.02	6.8	0.18	1.40
B21B-138_55-60	0.08	0.22	2.69	6.4	0.21	1.17
B21B-138_60-65	0.10	0.08	0.82	3.1	0.03	0.74
B21B-138_65-70	0.06	0.12	0.64	6.8	<0.02	0.88
B21B-138_70-75	<0.05	0.29	2.88	7.0	0.12	1.28
B21B-138_75-80	0.07	0.23	2.30	9.4	0.56	0.89
B21B-139_0-5	0.32	0.28	4.96	11.3	0.11	1.66
B21B-139_5-10	0.19	0.34	1.29	14.7	0.06	1.54
B21B-139_10-15	0.16	0.43	1.83	18.9	0.03	1.61
B21B-139_15-20	0.11	0.41	1.11	13.9	<0.02	1.43
B21B-139_20-25	0.10	0.35	2.23	12.6	<0.02	1.43
B21B-139_30-35	0.10	0.31	3.78	9.6	<0.02	1.38
B21B-139_35-40	0.17	0.27	2.58	8.9	0.03	1.29
B21B-139_40-45	0.16	0.29	3.31	8.3	<0.02	1.37
B21B-140_0-5	0.29	0.39	1.66	17.5	0.28	1.97
B21B-140_5-10	0.08	0.45	1.05	18.0	0.31	1.60
B21B-140_10-15	<0.05	0.47	0.45	13.9	0.30	1.15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_15-20	<0.05	0.28	2.79	9.1	0.36	1.04
B21B-140_20-25	0.08	0.35	5.72	8.6	0.68	1.46
B21B-140_25-30	0.09	0.29	0.48	9.1	0.60	1.35
B21B-140_30-35	0.05	0.26	7.80	8.2	0.30	1.39
B21B-140_35-40	0.05	0.26	7.66	7.7	0.46	1.63
*Dup B21B-137_70-75	0.15	0.28	1.33	7.0	0.02	1.57
*Rep B21B-138_40-45	0.11	0.24	1.69	7.4	0.08	1.42
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.07	0.55	13.38	12.8	1.48	5.00
*Std OREAS 905	1.38	0.81	0.17	15.5	0.73	5.29
*Rep B21B-135_60-65	0.09	0.33	5.40	6.7	1.19	1.20
*Std OREAS 905	1.36	0.80	0.12	14.8	0.73	5.06
*Std OREAS 601b	1.06	0.55	13.10	12.3	1.47	4.74
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-135_45-50	0.9	6.9	1.1
B21B-135_50-55	1.3	7.6	1.2
B21B-135_55-60	2.9	7.9	1.2
B21B-135_60-65	3.8	8.2	1.2
B21B-135_65-70	2.0	7.7	1.2
B21B-135_70-75	2.2	7.9	1.2
B21B-135_75-80	1.8	8.3	1.2
B21B-136_0-5	1.2	9.1	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-136_5-10	0.5	9.4	1.8
B21B-136_10-15	1.1	8.4	1.6
B21B-136_15-20	1.0	8.9	1.7
B21B-136_20-25	0.9	7.2	1.4
B21B-136_25-30	1.1	7.6	1.5
B21B-136_30-35	1.1	6.6	1.3
B21B-136_35-40	1.3	5.7	1.1
B21B-136_40-45	1.0	7.2	1.4
B21B-136_45-50	1.1	7.3	1.5
B21B-136_50-55	1.1	6.8	1.3
B21B-136_55-60	0.9	7.5	1.4
B21B-136_60-65	22.9	8.4	1.5
B21B-136_65-70	6.0	7.7	1.5
B21B-136_70-75	7.1	6.8	1.3
B21B-136_75-80	3.2	6.2	1.2
B21B-137_0-5	4.7	7.3	1.2
B21B-137_5-10	1.7	6.1	0.7
B21B-137_10-15	2.0	6.5	1.4
B21B-137_15-20	1.3	7.2	1.5
B21B-137_20-25	1.1	6.9	1.4
B21B-137_25-30	1.2	7.4	1.4
B21B-137_30-35	1.9	7.1	1.4
B21B-137_35-40	4.7	8.0	1.5
B21B-137_40-45	1.3	7.5	1.5
B21B-137_45-50	3.4	7.2	1.5
B21B-137_50-55	7.3	5.8	1.2
B21B-137_55-60	32.4	6.7	1.3
B21B-137_60-65	22.5	8.2	1.6
B21B-137_65-70	16.7	7.8	1.6
B21B-137_70-75	45.4	8.0	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-137_75-80	34.1	8.0	1.5
B21B-138_0-5	1.7	7.9	1.3
B21B-138_5-10	1.5	7.4	1.2
B21B-138_10-15	1.2	7.5	1.1
B21B-138_15-20	1.4	7.5	1.3
B21B-138_20-25	1.3	8.0	1.4
B21B-138_25-30	1.4	8.0	1.4
B21B-138_30-35	1.3	6.2	1.1
B21B-138_35-40	1.6	5.9	1.2
B21B-138_40-45	1.8	7.4	1.4
B21B-138_45-50	2.4	6.9	1.2
B21B-138_50-55	1.8	7.3	1.2
B21B-138_55-60	4.0	5.4	1.0
B21B-138_60-65	1.4	4.1	0.9
B21B-138_65-70	6.7	5.0	1.0
B21B-138_70-75	2.0	7.2	0.9
B21B-138_75-80	3.8	5.2	0.8
B21B-139_0-5	2.2	6.6	1.0
B21B-139_5-10	1.8	6.9	1.2
B21B-139_10-15	1.7	7.8	1.4
B21B-139_15-20	1.4	7.3	1.3
B21B-139_20-25	1.5	7.0	1.3
B21B-139_30-35	12.2	7.0	1.2
B21B-139_35-40	67.1	6.7	1.2
B21B-139_40-45	58.5	6.5	1.2
B21B-140_0-5	5.0	6.9	0.9
B21B-140_5-10	4.0	6.5	1.1
B21B-140_10-15	1.2	5.8	1.0
B21B-140_15-20	0.8	5.4	1.0
B21B-140_20-25	1.7	6.5	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(715-789)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11020

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-140_25-30	0.8	7.4	1.6
B21B-140_30-35	0.7	6.6	1.4
B21B-140_35-40	1.5	7.2	1.5
*Dup B21B-137_70-75	46.1	8.2	1.6
*Rep B21B-138_40-45	2.1	7.4	1.3
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.4	11.3	0.5
*Std OREAS 905	3.0	15.8	0.7
*Rep B21B-135_60-65	3.9	7.8	1.2
*Std OREAS 905	2.9	16.1	0.7
*Std OREAS 601b	6.3	11.2	0.5
*Blk BLANK	<0.1	<0.1	<0.1

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11021

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	19-Aug-2021 - 01-Nov-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	01-Nov-2021
Gold/RABP2/1504 Samples(790-864)		SGS Order Number	BBM21-11021
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-140_40-45	5.06	0.110	5.41	1405	0.03	15
B21B-140_45-50	4.74	0.130	5.00	501	0.02	3
B21B-140_50-55	5.27	0.072	5.24	545	0.03	12
B21B-140_55-60	5.97	0.043	5.03	637	0.04	6
B21B-140_60-65	6.35	0.063	4.54	389	0.03	17
B21B-140_65-70	4.63	0.050	6.61	398	0.03	4
B21B-140_70-75	4.33	0.089	5.17	294	0.04	4
B21B-140_75-80	6.58	0.030	7.83	299	0.03	2
B21B-141_0-5	1.57	0.012	4.43	129	0.01	11
B21B-141_5-10	7.59	0.015	4.18	237	0.01	5
B21B-141_10-15	5.91	0.082	4.40	559	<0.01	3
B21B-141_15-20	4.46	0.153	4.36	150	0.01	4
B21B-141_20-25	5.46	0.205	5.51	658	<0.01	3
B21B-141_25-30	5.23	0.185	7.16	685	0.01	3
B21B-141_30-35	6.77	0.166	5.88	643	0.02	15
B21B-141_35-40	3.94	0.236	7.04	520	0.02	3
B21B-141_40-45	5.02	0.150	6.24	543	0.02	2
596958	3.20	<0.005	-	-	-	-
B21B-141_45-50	5.63	0.171	4.05	161	0.01	4
B21B-141_50-55	4.89	0.214	6.07	67	<0.01	4
B21B-141_55-60	7.96	0.101	11.91	52	<0.01	6
B21B-141_60-65	5.38	0.063	11.14	51	<0.01	4
B21B-141_65-70	4.30	0.085	6.93	87	<0.01	2
B21B-141_70-75	4.46	0.105	9.10	50	<0.01	4
B21B-141_75-80	6.12	0.103	6.94	63	<0.01	4
B21B-142_0-5	0.91	0.008	4.96	176	0.05	10
B21B-142_5-10	4.33	0.030	2.55	103	0.02	3
B21B-142_10-15	6.55	0.091	5.67	278	0.02	3
B21B-142_15-20	5.97	0.062	1.97	48	<0.01	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-142_20-25	7.01	0.122	3.04	101	0.02	3
B21B-142_25-30	5.03	0.168	5.26	375	0.04	5
B21B-142_30-35	3.76	0.140	5.70	677	0.06	3
B21B-142_35-40	4.97	0.355	3.56	353	0.02	4
B21B-142_40-45	6.14	0.110	4.95	383	0.03	4
B21B-142_45-50	4.28	0.092	5.48	619	0.03	3
B21B-142_50-55	5.36	0.185	4.82	347	0.03	2
B21B-142_55-60	6.15	0.601	7.04	791	0.04	21
B21B-142_60-65	5.12	0.106	5.64	289	0.03	4
B21B-142_65-70	4.71	0.084	5.08	184	0.03	83
596959	3.25	0.062	-	-	-	-
B21B-142_70-75	4.64	0.075	4.33	390	0.03	4
B21B-142_75-80	4.88	0.064	4.57	435	0.03	10
B21B-143_0-5	5.38	0.162	1.83	135	0.03	5
B21B-143_5-10	3.10	0.037	6.41	298	0.02	11
B21B-143_10-15	3.60	0.074	5.78	295	0.02	5
B21B-143_15-20	5.28	0.071	5.79	278	0.02	3
B21B-143_20-25	4.97	0.032	5.24	161	0.01	3
B21B-143_25-30	6.46	0.026	4.76	133	0.02	4
B21B-143_30-35	4.27	0.042	5.74	156	0.03	8
B21B-143_35-40	6.29	0.100	5.69	178	0.02	5
B21B-144_0-5	2.88	0.081	2.74	241	0.11	5
B21B-144_5-10	5.25	0.027	7.41	173	0.02	20
B21B-144_10-15	6.39	0.071	6.28	205	0.01	6
B21B-144_15-20	7.39	0.196	5.63	180	0.01	5
B21B-144_20-25	4.81	0.217	5.23	343	0.01	5
B21B-144_25-30	3.24	0.118	6.06	314	0.01	3
B21B-144_30-35	6.95	0.105	6.17	270	0.01	8
B21B-144_35-40	7.68	0.083	5.75	368	0.03	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-144_40-45	5.81	0.076	5.81	408	0.02	5
B21B-144_45-50	6.85	0.073	4.40	278	0.02	3
B21B-144_50-55	5.02	0.057	5.69	313	0.02	5
B21B-144_55-60	7.66	0.057	5.61	144	0.01	10
B21B-145_0-5	2.11	0.106	5.42	214	0.10	10
596960	0.05	0.305	-	-	-	-
B21B-145_5-10	5.85	0.075	7.07	118	0.03	2
B21B-145_10-15	3.33	0.079	6.29	185	0.03	3
B21B-145_15-20	4.60	0.030	7.09	942	0.04	2
B21B-145_20-25	4.32	0.020	6.27	183	0.02	2
B21B-145_25-30	5.11	0.017	6.09	216	0.03	2
B21B-145_30-35	5.17	0.012	6.80	181	0.03	2
B21B-145_35-40	4.99	0.018	7.59	150	0.02	2
B21B-145_40-45	4.53	0.012	7.01	210	0.02	2
B21B-145_45-50	6.28	0.013	7.26	201	0.02	2
B21B-145_50-55	4.64	0.011	6.95	159	0.02	2
B21B-145_55-60	6.13	0.012	7.01	154	0.03	2
*Dup B21B-142_65-70	-	0.088	5.30	190	0.03	4
*Rep B21B-140_50-55	-	0.070	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-142_65-70	-	0.085	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.279	-	-	-	-
*Std SN106	-	8.784	-	-	-	-
*Std OREAS 235	-	1.521	-	-	-	-
*Rep B21B-145_25-30	-	0.016	-	-	-	-
*Rep B21B-140_60-65	-	-	4.62	388	0.03	20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 601b	-	-	6.58	485	0.87	19
*Std OREAS 905	-	-	7.49	2737	0.59	14
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Rep B21B-142_65-70	-	0.086	-	-	-	-
*Std SN106	-	8.177	-	-	-	-
*Std OREAS 235	-	1.610	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.104	-	-	-	-
*Blk BLANK	-	0.007	-	-	-	-
*Std OREAS 601b	-	-	6.20	512	0.85	18
*Rep B21B-144_10-15	-	-	5.56	198	0.01	6
*Std OREAS 905	-	-	7.36	2701	0.60	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-140_40-45	8.6	0.75	0.61	<1	<0.01	17
B21B-140_45-50	22.3	3.25	0.72	<1	<0.01	14
B21B-140_50-55	59.0	3.78	0.65	<1	<0.01	34
B21B-140_55-60	29.6	3.33	0.58	<1	<0.01	27
B21B-140_60-65	99.8	3.93	0.40	<1	<0.01	31
B21B-140_65-70	29.6	3.94	0.42	1	<0.01	25
B21B-140_70-75	17.0	4.28	0.32	4	<0.01	20
B21B-140_75-80	6.3	0.70	0.40	10	<0.01	20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-141_0-5	14.1	3.86	0.10	3	<0.01	33
B21B-141_5-10	9.7	2.64	0.36	<1	<0.01	18
B21B-141_10-15	9.2	2.92	0.08	4	<0.01	22
B21B-141_15-20	8.1	3.35	0.48	7	<0.01	25
B21B-141_20-25	12.9	3.59	0.18	<1	<0.01	18
B21B-141_25-30	12.1	4.20	0.65	<1	<0.01	24
B21B-141_30-35	12.5	3.41	0.75	<1	<0.01	46
B21B-141_35-40	10.3	3.75	0.73	3	<0.01	18
B21B-141_40-45	9.2	2.46	0.47	<1	<0.01	14
B21B-141_45-50	8.5	3.90	0.16	<1	<0.01	28
B21B-141_50-55	27.1	7.09	0.37	<1	<0.01	25
B21B-141_55-60	9.1	5.58	0.10	2	<0.01	37
B21B-141_60-65	4.4	2.34	0.10	1	<0.01	33
B21B-141_65-70	4.6	1.86	0.12	<1	<0.01	32
B21B-141_70-75	5.9	4.79	0.06	1	<0.01	16
B21B-141_75-80	5.2	2.44	0.07	1	<0.01	17
B21B-142_0-5	6.3	1.21	0.22	4	0.01	27
B21B-142_5-10	4.5	0.54	0.37	<1	<0.01	40
B21B-142_10-15	4.3	0.42	0.88	1	<0.01	24
B21B-142_15-20	4.2	0.59	0.34	<1	<0.01	51
B21B-142_20-25	4.4	0.88	0.77	<1	<0.01	39
B21B-142_25-30	8.3	2.13	1.97	<1	0.01	10
B21B-142_30-35	12.1	3.33	2.07	<1	0.01	8
B21B-142_35-40	9.9	3.70	1.08	<1	<0.01	15
B21B-142_40-45	6.5	3.07	1.35	<1	<0.01	9
B21B-142_45-50	6.9	3.09	1.70	1	0.01	11
B21B-142_50-55	4.0	0.54	1.52	<1	<0.01	24
B21B-142_55-60	6.2	0.70	2.55	1	0.06	23
B21B-142_60-65	20.6	2.62	2.07	<1	0.01	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-142_65-70	23.6	2.48	1.95	<1	0.01	32
B21B-142_70-75	7.6	2.45	1.44	<1	<0.01	9
B21B-142_75-80	13.1	3.10	1.43	1	<0.01	12
B21B-143_0-5	9.3	0.68	0.17	2	<0.01	41
B21B-143_5-10	19.3	1.32	0.40	3	<0.01	41
B21B-143_10-15	11.6	1.60	0.35	2	<0.01	28
B21B-143_15-20	8.9	0.94	0.28	1	<0.01	35
B21B-143_20-25	7.7	0.75	0.15	1	<0.01	31
B21B-143_25-30	5.4	1.07	0.09	1	<0.01	37
B21B-143_30-35	12.0	1.82	0.18	2	<0.01	39
B21B-143_35-40	9.5	1.73	0.09	1	<0.01	32
B21B-144_0-5	10.8	1.23	0.53	4	0.03	74
B21B-144_5-10	31.5	5.06	0.34	8	0.02	40
B21B-144_10-15	25.4	5.90	0.28	2	<0.01	30
B21B-144_15-20	9.2	3.73	0.67	1	<0.01	34
B21B-144_20-25	9.4	4.49	0.52	1	<0.01	29
B21B-144_25-30	5.3	2.21	0.55	1	<0.01	32
B21B-144_30-35	7.0	1.71	0.48	<1	<0.01	40
B21B-144_35-40	15.6	2.60	0.75	1	<0.01	46
B21B-144_40-45	8.4	2.14	0.75	<1	<0.01	33
B21B-144_45-50	5.7	1.58	0.48	1	<0.01	42
B21B-144_50-55	7.2	1.54	0.43	2	<0.01	36
B21B-144_55-60	12.9	2.20	0.16	2	<0.01	40
B21B-145_0-5	47.0	2.96	1.07	6	0.04	83
B21B-145_5-10	5.1	2.02	0.64	3	<0.01	19
B21B-145_10-15	7.4	2.91	0.12	4	<0.01	18
B21B-145_15-20	4.0	1.71	0.29	6	<0.01	16
B21B-145_20-25	2.9	2.23	0.37	3	<0.01	15
B21B-145_25-30	3.3	3.91	0.78	2	<0.01	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
<b>Lower Limit</b>	0.5	0.01	0.01	1	0.01	2
<b>Upper Limit</b>	10,000	15	15	10,000	15	10,000
<b>Unit</b>	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-145_30-35	4.1	3.98	1.15	2	<0.01	9
B21B-145_35-40	3.8	3.72	1.96	1	<0.01	8
B21B-145_40-45	3.1	3.31	1.58	1	<0.01	11
B21B-145_45-50	3.2	3.00	1.59	2	<0.01	13
B21B-145_50-55	2.8	2.78	2.03	1	<0.01	9
B21B-145_55-60	3.9	1.88	1.82	1	<0.01	9
*Dup B21B-142_65-70	23.2	2.51	2.03	<1	0.01	10
*Rep B21B-140_60-65	98.7	3.88	0.41	<1	<0.01	32
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1007	2.24	2.50	24	0.10	214
*Std OREAS 905	1537	4.05	2.89	20	0.29	389
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	941	2.11	2.33	22	0.09	210
*Rep B21B-144_10-15	24.0	5.55	0.27	2	<0.01	29
*Std OREAS 905	1534	3.99	3.01	21	0.28	396
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
<b>Lower Limit</b>	0.01	1	0.01	0.01	0.5	0.01
<b>Upper Limit</b>	15	10,000	15	5	10,000	15
<b>Unit</b>	%	ppm m / m	%	%	ppm m / m	%
B21B-140_40-45	0.06	5	0.09	0.05	146	0.05
B21B-140_45-50	0.07	<1	0.06	0.05	140	0.03
B21B-140_50-55	0.06	2	0.07	0.05	210	0.03
B21B-140_55-60	0.06	1	0.11	0.09	507	0.02
B21B-140_60-65	0.04	2	0.06	0.05	195	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-140_65-70	0.04	<1	0.06	0.05	249	0.03
B21B-140_70-75	0.04	<1	0.07	0.06	334	0.03
B21B-140_75-80	0.04	1	0.06	0.05	284	0.04
B21B-141_0-5	0.02	1	0.03	0.03	162	0.05
B21B-141_5-10	0.04	<1	0.04	0.04	247	0.04
B21B-141_10-15	0.02	<1	0.04	0.04	121	0.04
B21B-141_15-20	0.05	<1	0.04	0.04	174	0.02
B21B-141_20-25	0.02	<1	0.05	0.04	128	0.03
B21B-141_25-30	0.06	<1	0.07	0.05	192	0.04
B21B-141_30-35	0.07	4	0.07	0.04	183	0.04
B21B-141_35-40	0.07	<1	0.07	0.06	266	0.05
B21B-141_40-45	0.06	<1	0.06	0.05	253	0.04
B21B-141_45-50	0.03	<1	0.03	0.04	173	0.02
B21B-141_50-55	0.05	3	0.03	0.61	154	0.02
B21B-141_55-60	0.02	1	0.02	0.06	51.4	0.03
B21B-141_60-65	0.02	1	0.01	0.03	37.7	0.03
B21B-141_65-70	0.02	1	0.02	0.03	73.1	0.03
B21B-141_70-75	0.02	<1	0.01	0.04	42.2	0.02
B21B-141_75-80	0.02	6	0.02	0.66	75.7	0.03
B21B-142_0-5	0.03	2	0.07	0.07	246	0.07
B21B-142_5-10	0.04	<1	0.04	0.04	240	0.04
B21B-142_10-15	0.08	<1	0.05	0.04	290	0.05
B21B-142_15-20	0.04	1	0.01	0.01	71.5	0.01
B21B-142_20-25	0.07	<1	0.03	0.03	154	0.03
B21B-142_25-30	0.19	<1	0.07	0.08	402	0.05
B21B-142_30-35	0.21	<1	0.10	0.11	537	0.03
B21B-142_35-40	0.12	<1	0.05	0.06	224	0.03
B21B-142_40-45	0.16	<1	0.07	0.07	443	0.03
B21B-142_45-50	0.19	<1	0.08	0.07	428	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-142_50-55	0.18	<1	0.07	0.06	447	0.05
B21B-142_55-60	0.25	1	0.07	0.05	335	0.09
B21B-142_60-65	0.24	<1	0.06	0.07	467	0.04
B21B-142_65-70	0.23	82	0.05	0.06	302	0.04
B21B-142_70-75	0.18	<1	0.06	0.06	313	0.03
B21B-142_75-80	0.18	4	0.07	0.07	324	0.03
B21B-143_0-5	0.04	1	0.03	0.15	158	0.07
B21B-143_5-10	0.07	2	0.05	1.03	198	0.08
B21B-143_10-15	0.06	1	0.05	1.03	229	0.07
B21B-143_15-20	0.05	1	0.07	0.92	229	0.06
B21B-143_20-25	0.03	1	0.05	0.54	158	0.07
B21B-143_25-30	0.02	3	0.05	0.89	174	0.06
B21B-143_30-35	0.06	4	0.05	1.70	219	0.06
B21B-143_35-40	0.03	3	0.06	0.62	338	0.05
B21B-144_0-5	0.22	2	0.05	0.28	309	0.07
B21B-144_5-10	0.06	3	0.05	0.56	122	0.12
B21B-144_10-15	0.05	<1	0.06	0.55	113	0.05
B21B-144_15-20	0.07	<1	0.05	0.74	76.4	0.04
B21B-144_20-25	0.08	<1	0.10	1.08	133	0.03
B21B-144_25-30	0.07	<1	0.08	0.95	122	0.05
B21B-144_30-35	0.07	<1	0.06	0.91	91.7	0.06
B21B-144_35-40	0.12	2	0.07	2.73	137	0.05
B21B-144_40-45	0.12	1	0.06	1.96	109	0.05
B21B-144_45-50	0.07	1	0.05	0.91	99.2	0.05
B21B-144_50-55	0.07	2	0.06	0.95	181	0.06
B21B-144_55-60	0.03	5	0.07	1.10	147	0.06
B21B-145_0-5	0.19	3	0.05	0.21	152	0.09
B21B-145_5-10	0.02	<1	0.05	0.04	121	0.08
B21B-145_10-15	0.01	<1	0.06	0.06	174	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-145_15-20	0.02	<1	0.08	0.10	190	0.07
B21B-145_20-25	0.02	<1	0.04	0.04	118	0.09
B21B-145_25-30	0.03	<1	0.05	0.05	73.6	0.11
B21B-145_30-35	0.03	<1	0.07	0.03	73.5	0.11
B21B-145_35-40	0.05	<1	0.06	0.03	60.2	0.11
B21B-145_40-45	0.04	<1	0.06	0.03	77.3	0.10
B21B-145_45-50	0.04	1	0.08	0.03	85.0	0.10
B21B-145_50-55	0.05	<1	0.05	0.02	84.4	0.10
B21B-145_55-60	0.05	<1	0.05	0.03	137	0.08
*Dup B21B-142_65-70	0.24	2	0.06	0.06	332	0.04
*Rep B21B-140_60-65	0.04	7	0.06	0.05	200	0.03
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.88	6	0.03	1.44	247	0.13
*Std OREAS 905	2.40	10	0.03	0.07	153	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.80	6	0.03	1.54	226	0.12
*Rep B21B-144_10-15	0.05	<1	0.06	0.55	107	0.04
*Std OREAS 905	2.39	9	0.03	0.07	161	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_40-45	34	<1	114	0.04	3	0.2
B21B-140_45-50	39	<1	98.0	0.06	5	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-140_50-55	47	<1	93.1	0.08	6	0.1
B21B-140_55-60	37	<1	93.9	0.06	3	0.1
B21B-140_60-65	26	1	94.6	0.06	3	<0.1
B21B-140_65-70	31	<1	111	0.10	4	0.2
B21B-140_70-75	25	2	101	0.09	5	0.1
B21B-140_75-80	28	<1	109	0.05	2	0.2
B21B-141_0-5	28	2	75.4	0.13	8	0.1
B21B-141_5-10	38	2	85.7	0.24	8	0.1
B21B-141_10-15	21	<1	95.0	0.29	7	0.1
B21B-141_15-20	27	<1	73.1	0.20	8	0.1
B21B-141_20-25	18	<1	91.4	0.14	4	<0.1
B21B-141_25-30	36	<1	95.0	0.09	3	0.2
B21B-141_30-35	44	<1	81.5	0.05	4	0.2
B21B-141_35-40	49	<1	99.8	0.08	5	0.2
B21B-141_40-45	36	<1	94.2	0.05	3	0.2
B21B-141_45-50	16	<1	72.3	0.09	4	<0.1
B21B-141_50-55	27	1	101	0.10	5	0.1
B21B-141_55-60	26	<1	144	0.07	3	0.4
B21B-141_60-65	26	<1	135	0.07	3	0.3
B21B-141_65-70	21	<1	91.4	0.04	2	0.2
B21B-141_70-75	20	<1	98.7	0.11	5	0.2
B21B-141_75-80	21	3	97.7	0.06	3	0.2
B21B-142_0-5	38	3	86.9	0.03	5	0.2
B21B-142_5-10	25	2	30.2	0.03	2	0.1
B21B-142_10-15	43	1	77.4	0.04	1	0.3
B21B-142_15-20	18	2	18.8	0.03	1	<0.1
B21B-142_20-25	34	1	38.6	0.03	2	0.1
B21B-142_25-30	56	<1	73.3	0.06	4	0.2
B21B-142_30-35	53	<1	58.0	0.05	2	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-142_35-40	34	<1	65.7	0.15	5	0.1
B21B-142_40-45	43	<1	64.8	0.07	4	0.2
B21B-142_45-50	49	<1	63.3	0.05	3	0.2
B21B-142_50-55	44	12	58.1	0.02	1	0.2
B21B-142_55-60	74	<1	93.2	0.03	2	0.3
B21B-142_60-65	52	1	73.9	0.05	2	0.2
B21B-142_65-70	57	<1	64.5	0.05	3	0.2
B21B-142_70-75	39	<1	57.0	0.06	3	0.2
B21B-142_75-80	44	<1	63.4	0.05	3	0.2
B21B-143_0-5	14	2	77.2	0.24	4	<0.1
B21B-143_5-10	40	2	106	0.05	4	0.2
B21B-143_10-15	32	<1	123	0.03	5	0.1
B21B-143_15-20	25	<1	118	0.04	2	0.1
B21B-143_20-25	18	<1	114	0.02	2	<0.1
B21B-143_25-30	15	1	109	<0.02	1	<0.1
B21B-143_30-35	18	2	108	0.02	2	0.1
B21B-143_35-40	20	<1	107	0.04	3	0.2
B21B-144_0-5	17	7	98.1	0.09	3	0.3
B21B-144_5-10	56	4	136	0.09	7	0.3
B21B-144_10-15	36	<1	138	0.23	4	0.2
B21B-144_15-20	34	<1	125	0.10	3	0.2
B21B-144_20-25	28	<1	126	0.08	8	0.2
B21B-144_25-30	25	2	130	0.05	3	0.2
B21B-144_30-35	22	<1	129	0.04	3	0.1
B21B-144_35-40	24	<1	117	0.06	3	0.1
B21B-144_40-45	26	1	118	0.05	3	0.1
B21B-144_45-50	20	<1	110	0.03	3	0.1
B21B-144_50-55	25	<1	118	0.03	5	0.1
B21B-144_55-60	19	1	119	0.04	5	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_0-5	43	11	98.1	0.17	17	0.4
B21B-145_5-10	39	3	116	0.04	4	0.4
B21B-145_10-15	21	3	109	0.04	6	0.3
B21B-145_15-20	44	3	102	0.04	4	0.5
B21B-145_20-25	37	2	107	0.02	1	0.4
B21B-145_25-30	50	3	115	<0.02	1	0.4
B21B-145_30-35	49	3	120	0.03	1	0.4
B21B-145_35-40	50	4	121	<0.02	<1	0.4
B21B-145_40-45	44	5	116	0.03	<1	0.4
B21B-145_45-50	45	6	115	<0.02	<1	0.4
B21B-145_50-55	43	6	113	0.03	<1	0.5
B21B-145_55-60	37	5	98.2	0.02	<1	0.4
*Dup B21B-142_65-70	60	<1	65.5	0.04	2	0.2
*Rep B21B-140_60-65	27	1	98.8	0.08	3	<0.1
*Std OREAS 905	-	-	-	0.65	34	2.8
*Blk BLANK	<2	<1	<0.5	0.04	<1	<0.1
*Std OREAS 601b	10	305	181	50.07	267	2.0
*Std OREAS 905	10	130	259	-	-	-
*Blk BLANK	<2	<1	<0.5	-	-	-
*Std OREAS 601b	10	308	171	50.77	289	2.3
*Rep B21B-144_10-15	34	<1	137	0.21	5	0.2
*Std OREAS 905	8	142	252	0.57	31	2.8
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_40-45	1.95	<0.02	67.98	0.3	<1	16.8
B21B-140_45-50	1.60	<0.02	47.40	0.3	<1	14.5
B21B-140_50-55	1.43	<0.02	52.17	0.2	<1	16.3
B21B-140_55-60	2.37	<0.02	120	0.2	<1	12.7
B21B-140_60-65	1.31	<0.02	54.01	0.2	<1	12.0
B21B-140_65-70	1.46	<0.02	62.10	0.2	<1	15.7
B21B-140_70-75	1.77	<0.02	54.18	0.2	<1	10.3
B21B-140_75-80	0.79	<0.02	60.38	0.1	<1	10.9
B21B-141_0-5	1.58	0.02	51.76	0.3	<1	10.4
B21B-141_5-10	1.44	<0.02	68.77	0.2	<1	10.9
B21B-141_10-15	1.07	0.03	30.95	0.1	<1	9.1
B21B-141_15-20	1.47	0.02	54.92	0.2	<1	11.8
B21B-141_20-25	1.18	<0.02	30.33	0.2	<1	15.7
B21B-141_25-30	1.16	0.03	49.78	0.2	<1	18.1
B21B-141_30-35	1.11	0.02	58.56	0.3	<1	17.5
B21B-141_35-40	1.74	<0.02	76.87	0.2	<1	24.2
B21B-141_40-45	0.88	<0.02	64.09	0.1	<1	17.8
B21B-141_45-50	0.79	<0.02	49.81	0.2	<1	11.4
B21B-141_50-55	0.71	<0.02	48.15	1.9	<1	15.3
B21B-141_55-60	0.38	0.03	10.27	0.3	<1	27.5
B21B-141_60-65	0.20	<0.02	6.84	0.2	<1	24.8
B21B-141_65-70	0.38	<0.02	17.75	0.2	<1	15.4
B21B-141_70-75	0.56	<0.02	8.82	0.2	<1	20.3
B21B-141_75-80	0.37	<0.02	15.07	1.9	<1	18.0
B21B-142_0-5	1.44	<0.02	67.74	0.4	<1	10.2
B21B-142_5-10	0.86	0.02	63.90	0.2	<1	4.5
B21B-142_10-15	1.01	<0.02	80.53	0.1	<1	10.3
B21B-142_15-20	0.26	<0.02	22.19	0.2	<1	3.8
B21B-142_20-25	0.63	<0.02	51.49	0.3	<1	7.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-142_25-30	1.58	<0.02	76.63	0.1	2	14.5
B21B-142_30-35	1.99	<0.02	67.34	<0.1	2	17.3
B21B-142_35-40	1.48	<0.02	49.05	0.2	1	9.6
B21B-142_40-45	1.43	<0.02	84.20	0.1	1	14.4
B21B-142_45-50	1.48	<0.02	82.26	0.1	2	16.4
B21B-142_50-55	1.40	<0.02	69.77	0.1	1	14.2
B21B-142_55-60	1.74	<0.02	63.70	0.1	2	24.0
B21B-142_60-65	1.52	<0.02	56.61	<0.1	2	19.0
B21B-142_65-70	1.40	<0.02	55.48	2.6	2	27.8
B21B-142_70-75	1.51	<0.02	62.86	0.1	2	17.9
B21B-142_75-80	1.63	<0.02	65.90	0.2	2	16.5
B21B-143_0-5	24.81	<0.02	29.73	0.5	<1	7.2
B21B-143_5-10	4.51	0.02	64.59	1.6	<1	19.8
B21B-143_10-15	4.38	<0.02	60.43	4.5	<1	23.2
B21B-143_15-20	2.28	<0.02	52.70	4.1	<1	16.2
B21B-143_20-25	1.78	<0.02	49.21	5.4	<1	10.8
B21B-143_25-30	2.25	<0.02	40.83	9.1	<1	10.9
B21B-143_30-35	2.50	<0.02	52.66	10.7	<1	13.1
B21B-143_35-40	2.08	<0.02	55.23	5.3	<1	12.7
B21B-144_0-5	13.67	<0.02	45.02	0.9	<1	9.4
B21B-144_5-10	6.56	<0.02	43.95	0.8	1	42.6
B21B-144_10-15	8.01	<0.02	51.73	0.2	<1	35.4
B21B-144_15-20	2.20	<0.02	52.56	0.2	<1	16.3
B21B-144_20-25	2.24	<0.02	62.78	0.1	<1	11.8
B21B-144_25-30	1.48	<0.02	64.89	0.2	<1	10.5
B21B-144_30-35	1.82	<0.02	56.95	0.2	<1	8.6
B21B-144_35-40	2.59	<0.02	52.89	3.0	<1	8.0
B21B-144_40-45	1.14	<0.02	47.42	0.9	<1	8.4
B21B-144_45-50	2.35	<0.02	42.68	0.5	<1	6.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-144_50-55	1.87	<0.02	50.00	0.9	<1	9.2
B21B-144_55-60	1.86	<0.02	51.33	2.5	<1	11.2
B21B-145_0-5	10.19	0.03	54.07	3.3	<1	13.3
B21B-145_5-10	0.54	<0.02	50.65	0.4	<1	9.8
B21B-145_10-15	0.60	<0.02	53.30	0.2	<1	6.9
B21B-145_15-20	0.41	<0.02	52.95	0.2	<1	8.3
B21B-145_20-25	0.58	<0.02	49.95	0.2	<1	7.8
B21B-145_25-30	0.36	<0.02	50.95	0.2	<1	16.3
B21B-145_30-35	0.31	<0.02	52.51	0.2	<1	14.3
B21B-145_35-40	0.29	<0.02	45.16	0.2	<1	12.1
B21B-145_40-45	0.31	<0.02	51.42	0.4	<1	9.9
B21B-145_45-50	0.28	0.02	43.23	0.2	<1	8.7
B21B-145_50-55	0.23	<0.02	40.16	0.1	<1	8.8
B21B-145_55-60	0.28	<0.02	48.49	0.2	<1	15.8
*Dup B21B-142_65-70	1.41	<0.02	55.64	0.1	2	26.8
*Rep B21B-140_60-65	1.33	<0.02	56.84	0.4	<1	12.4
*Std OREAS 905	5.78	0.39	95.50	15.2	8	25.8
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	16.20	2.04	62.88	2.8	5	21.4
*Std OREAS 601b	17.88	2.19	73.06	3.1	5	24.6
*Rep B21B-144_10-15	8.19	<0.02	51.90	0.2	<1	33.9
*Std OREAS 905	5.51	0.33	83.26	13.8	7	22.7
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_40-45	3.85	0.10	37.9	0.27	8.35	1.6
B21B-140_45-50	3.18	0.12	24.7	0.20	7.26	1.0
B21B-140_50-55	3.07	0.09	26.5	0.19	14.98	1.0
B21B-140_55-60	3.21	0.08	59.7	0.20	5.23	0.8
B21B-140_60-65	3.10	0.07	27.5	0.20	5.68	1.0
B21B-140_65-70	3.84	0.09	32.8	0.23	6.11	1.0
B21B-140_70-75	3.12	0.06	26.7	0.20	2.77	0.9
B21B-140_75-80	3.05	0.06	29.3	0.20	1.71	1.6
B21B-141_0-5	2.38	0.03	25.3	0.13	45.10	2.0
B21B-141_5-10	2.79	0.04	35.2	0.16	53.08	1.5
B21B-141_10-15	2.85	<0.02	15.1	0.17	43.73	1.1
B21B-141_15-20	2.42	0.04	27.4	0.15	62.32	0.7
B21B-141_20-25	2.81	0.02	15.5	0.17	38.04	1.1
B21B-141_25-30	3.22	0.07	27.2	0.21	35.22	1.3
B21B-141_30-35	2.98	0.08	30.3	0.22	37.90	1.3
B21B-141_35-40	3.18	0.08	40.9	0.24	37.93	1.4
B21B-141_40-45	2.89	0.05	34.6	0.22	23.60	1.1
B21B-141_45-50	2.00	<0.02	26.2	0.15	32.10	0.5
B21B-141_50-55	2.69	0.04	26.2	0.20	26.66	0.7
B21B-141_55-60	3.94	<0.02	4.6	0.23	50.90	1.2
B21B-141_60-65	3.59	<0.02	2.9	0.20	33.67	1.1
B21B-141_65-70	2.72	0.02	9.1	0.18	18.32	1.0
B21B-141_70-75	2.79	<0.02	3.9	0.16	26.22	0.9
B21B-141_75-80	2.68	<0.02	7.1	0.17	30.10	1.1
B21B-142_0-5	2.43	0.04	32.1	0.16	6.24	2.3
B21B-142_5-10	0.66	0.04	30.7	0.12	2.76	0.6
B21B-142_10-15	2.15	0.08	40.0	0.17	2.25	1.5
B21B-142_15-20	0.49	0.02	10.9	0.05	2.93	0.3
B21B-142_20-25	1.06	0.05	26.4	0.08	4.96	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-142_25-30	2.09	0.11	39.8	0.16	16.52	1.4
B21B-142_30-35	1.69	0.12	35.2	0.13	18.50	1.1
B21B-142_35-40	1.76	0.06	24.3	0.13	13.59	0.9
B21B-142_40-45	1.79	0.08	46.3	0.14	13.05	1.0
B21B-142_45-50	2.01	0.10	44.4	0.14	9.60	1.0
B21B-142_50-55	1.66	0.08	35.7	0.14	2.49	1.2
B21B-142_55-60	2.83	0.14	30.9	0.21	3.83	1.8
B21B-142_60-65	2.22	0.11	26.4	0.18	8.63	1.2
B21B-142_65-70	2.53	0.16	24.7	0.20	23.12	1.2
B21B-142_70-75	2.09	0.12	27.6	0.17	18.18	1.1
B21B-142_75-80	2.11	0.11	29.7	0.16	22.70	1.0
B21B-143_0-5	2.28	0.03	14.2	0.09	10.11	2.1
B21B-143_5-10	3.22	0.02	27.2	0.21	4.31	3.4
B21B-143_10-15	3.88	<0.02	26.7	0.24	10.50	2.9
B21B-143_15-20	3.76	<0.02	23.3	0.22	22.05	2.9
B21B-143_20-25	3.61	<0.02	22.8	0.22	9.12	2.6
B21B-143_25-30	3.57	<0.02	20.0	0.23	6.75	2.4
B21B-143_30-35	3.29	<0.02	23.6	0.20	8.15	2.6
B21B-143_35-40	3.12	<0.02	24.1	0.18	9.63	2.1
B21B-144_0-5	2.80	0.03	21.8	0.11	6.70	2.7
B21B-144_5-10	3.97	0.04	20.6	0.20	14.26	4.9
B21B-144_10-15	3.99	0.03	23.5	0.21	18.90	1.7
B21B-144_15-20	3.64	0.06	23.8	0.21	14.71	1.5
B21B-144_20-25	3.61	0.04	28.7	0.21	25.31	1.4
B21B-144_25-30	3.72	0.03	29.5	0.24	10.24	1.7
B21B-144_30-35	3.83	0.03	25.6	0.24	10.18	2.1
B21B-144_35-40	3.39	0.02	23.8	0.22	11.77	2.1
B21B-144_40-45	3.15	<0.02	21.9	0.21	9.13	1.9
B21B-144_45-50	3.10	<0.02	19.6	0.21	8.23	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-144_50-55	3.24	<0.02	23.2	0.21	17.71	2.3
B21B-144_55-60	3.30	<0.02	23.8	0.22	24.98	2.0
B21B-145_0-5	2.89	0.08	24.3	0.19	10.13	2.6
B21B-145_5-10	3.11	0.07	22.8	0.23	1.86	2.1
B21B-145_10-15	3.09	<0.02	24.2	0.21	2.48	1.5
B21B-145_15-20	3.04	0.04	23.7	0.22	3.80	1.7
B21B-145_20-25	3.07	0.04	22.7	0.22	2.32	1.7
B21B-145_25-30	3.23	0.05	22.3	0.23	3.15	1.4
B21B-145_30-35	3.40	0.06	23.5	0.23	3.67	1.5
B21B-145_35-40	3.07	0.10	19.9	0.20	3.15	1.7
B21B-145_40-45	3.19	0.08	22.8	0.21	3.05	1.5
B21B-145_45-50	3.04	0.07	18.9	0.19	2.88	2.1
B21B-145_50-55	3.08	0.08	18.2	0.20	2.43	1.6
B21B-145_55-60	2.89	0.08	21.1	0.19	1.51	1.7
*Dup B21B-142_65-70	2.31	0.15	24.8	0.18	21.50	1.3
*Rep B21B-140_60-65	3.36	0.07	28.9	0.21	5.98	1.2
*Std OREAS 905	7.70	0.73	49.3	0.10	3.41	20.9
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.02	0.47	33.7	0.07	4.88	15.3
*Std OREAS 601b	5.68	0.50	36.9	0.08	5.71	16.6
*Rep B21B-144_10-15	4.06	0.03	24.2	0.22	18.89	1.6
*Std OREAS 905	6.69	0.63	41.2	0.09	3.20	18.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-140_40-45	74.3	7.7	0.36	7.7	7	2.0
B21B-140_45-50	49.4	8.2	0.35	7.9	26	1.6
B21B-140_50-55	65.2	10.3	0.40	8.0	33	1.6
B21B-140_55-60	165	9.6	0.29	7.5	24	1.5
B21B-140_60-65	64.8	4.9	0.26	7.4	29	1.2
B21B-140_65-70	78.5	5.2	0.32	7.3	26	1.2
B21B-140_70-75	80.2	3.4	0.25	6.5	18	0.9
B21B-140_75-80	71.8	4.4	0.30	5.8	4	1.2
B21B-141_0-5	62.3	5.0	0.47	4.2	17	1.0
B21B-141_5-10	81.3	7.0	0.46	5.4	19	1.8
B21B-141_10-15	36.2	1.3	0.41	4.6	26	1.1
B21B-141_15-20	59.7	6.9	0.30	5.4	23	1.4
B21B-141_20-25	37.1	2.7	0.31	5.4	22	1.3
B21B-141_25-30	47.7	7.6	0.30	8.4	12	2.4
B21B-141_30-35	44.2	10.1	0.33	8.7	11	2.3
B21B-141_35-40	64.7	9.6	0.53	9.0	25	2.5
B21B-141_40-45	59.1	6.6	0.27	7.3	18	1.5
B21B-141_45-50	43.9	2.2	0.23	4.6	31	0.7
B21B-141_50-55	37.9	5.4	0.23	5.6	68	1.2
B21B-141_55-60	11.3	1.3	0.37	5.5	29	0.9
B21B-141_60-65	8.1	1.6	0.36	4.6	14	1.1
B21B-141_65-70	15.8	1.8	0.30	4.8	10	1.2
B21B-141_70-75	9.3	0.9	0.30	3.5	33	0.8
B21B-141_75-80	17.6	1.0	0.45	3.5	14	1.1
B21B-142_0-5	77.0	6.1	0.58	5.1	2	1.4
B21B-142_5-10	68.4	6.0	0.22	3.6	<2	1.1
B21B-142_10-15	78.3	13.7	0.48	5.7	<2	2.1
B21B-142_15-20	19.4	5.3	0.14	1.9	<2	0.8
B21B-142_20-25	41.1	11.6	0.30	3.8	7	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-142_25-30	113	27.6	0.56	7.0	28	2.6
B21B-142_30-35	173	31.5	0.39	6.0	17	2.4
B21B-142_35-40	75.0	16.4	0.43	5.6	65	1.4
B21B-142_40-45	127	21.4	0.51	6.2	33	1.7
B21B-142_45-50	120	27.1	0.42	7.3	32	1.9
B21B-142_50-55	105	21.7	0.33	6.2	4	1.9
B21B-142_55-60	50.9	42.5	0.56	11.2	5	2.2
B21B-142_60-65	127	29.2	0.25	8.3	16	1.7
B21B-142_65-70	113	37.5	0.55	9.5	15	2.0
B21B-142_70-75	116	28.2	0.37	7.8	23	1.6
B21B-142_75-80	109	24.9	0.35	7.6	25	2.0
B21B-143_0-5	80.4	4.5	1.96	2.6	6	4.1
B21B-143_5-10	61.5	3.3	0.47	3.6	<2	2.7
B21B-143_10-15	54.4	1.0	0.45	3.4	3	3.5
B21B-143_15-20	50.7	0.6	0.25	3.9	2	3.5
B21B-143_20-25	36.1	0.6	0.29	3.9	<2	3.3
B21B-143_25-30	40.6	0.5	0.24	3.7	<2	2.5
B21B-143_30-35	49.3	3.4	0.28	3.5	3	2.1
B21B-143_35-40	81.3	0.9	0.39	3.5	5	1.7
B21B-144_0-5	145	16.0	1.00	3.6	2	2.8
B21B-144_5-10	71.2	9.4	0.64	6.8	4	2.1
B21B-144_10-15	59.0	0.8	0.31	5.6	8	1.1
B21B-144_15-20	51.1	3.1	0.21	6.5	5	1.0
B21B-144_20-25	71.0	1.0	0.22	4.4	7	0.8
B21B-144_25-30	71.8	1.3	0.14	4.5	3	1.6
B21B-144_30-35	64.0	0.8	0.17	4.7	3	1.8
B21B-144_35-40	81.1	1.2	0.24	4.0	3	1.7
B21B-144_40-45	64.4	0.8	0.16	4.1	3	1.3
B21B-144_45-50	52.6	1.1	0.20	4.0	2	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-144_50-55	70.7	1.2	0.21	4.0	3	1.8
B21B-144_55-60	46.6	0.7	0.20	3.9	4	1.7
B21B-145_0-5	75.3	19.6	1.84	7.1	10	2.8
B21B-145_5-10	42.8	6.2	0.19	5.7	2	2.3
B21B-145_10-15	62.3	1.2	0.17	4.4	5	1.2
B21B-145_15-20	57.1	2.9	0.23	5.1	<2	1.6
B21B-145_20-25	53.3	3.6	0.15	5.0	<2	2.1
B21B-145_25-30	47.6	7.2	0.12	5.7	<2	3.1
B21B-145_30-35	52.2	10.2	0.11	6.4	<2	3.8
B21B-145_35-40	54.8	16.9	0.10	6.9	<2	4.6
B21B-145_40-45	67.5	14.7	0.10	7.1	<2	4.7
B21B-145_45-50	53.7	13.5	0.16	5.9	<2	3.7
B21B-145_50-55	52.4	17.8	0.10	7.0	<2	4.0
B21B-145_55-60	57.2	16.9	0.12	7.6	<2	2.5
*Dup B21B-142_65-70	116	35.7	0.54	9.0	14	1.9
*Rep B21B-140_60-65	65.6	5.0	0.29	7.6	29	1.3
*Std OREAS 905	34.6	137	1.98	5.4	3	4.9
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	285	94.1	22.48	3.5	9	3.7
*Std OREAS 601b	313	108	24.99	4.0	10	4.0
*Rep B21B-144_10-15	59.7	0.8	0.30	5.5	8	1.0
*Std OREAS 905	30.5	125	1.85	4.8	3	4.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-140_40-45	0.12	0.25	9.54	8.1	0.40	1.63
B21B-140_45-50	0.08	0.20	8.56	6.1	0.45	1.31
B21B-140_50-55	0.08	0.19	11.12	7.6	0.37	1.43
B21B-140_55-60	0.06	0.32	4.38	18.0	0.35	1.50
B21B-140_60-65	0.07	0.19	7.36	8.0	0.27	1.38
B21B-140_65-70	0.08	0.24	6.91	9.0	0.29	1.75
B21B-140_70-75	0.08	0.24	4.07	7.0	0.22	1.39
B21B-140_75-80	0.12	0.26	1.17	7.3	0.28	1.18
B21B-141_0-5	0.15	0.18	4.48	11.2	0.09	1.05
B21B-141_5-10	0.10	0.22	7.93	13.8	0.23	1.13
B21B-141_10-15	0.07	0.15	6.63	5.3	0.04	1.02
B21B-141_15-20	<0.05	0.19	5.75	8.9	0.27	0.93
B21B-141_20-25	0.08	0.14	4.69	4.6	0.10	1.07
B21B-141_25-30	0.10	0.23	3.75	6.8	0.37	1.31
B21B-141_30-35	0.10	0.23	5.18	7.3	0.46	1.28
B21B-141_35-40	0.10	0.30	6.70	10.7	0.46	1.45
B21B-141_40-45	0.09	0.26	2.42	9.2	0.27	1.23
B21B-141_45-50	<0.05	0.17	2.50	7.1	0.09	0.81
B21B-141_50-55	<0.05	0.17	3.56	7.1	0.20	1.05
B21B-141_55-60	0.12	0.09	3.08	1.6	0.05	1.45
B21B-141_60-65	0.10	0.08	2.21	1.1	0.06	1.28
B21B-141_65-70	0.08	0.12	1.69	2.7	0.07	1.00
B21B-141_70-75	0.10	0.07	2.68	1.3	0.04	1.02
B21B-141_75-80	0.10	0.09	2.50	2.0	0.04	0.97
B21B-142_0-5	0.15	0.25	1.88	13.9	0.13	1.19
B21B-142_5-10	<0.05	0.19	0.78	8.9	0.18	0.70
B21B-142_10-15	0.10	0.30	0.63	11.8	0.42	0.89
B21B-142_15-20	<0.05	0.07	0.37	3.1	0.16	0.27
B21B-142_20-25	<0.05	0.14	1.67	7.4	0.35	0.54

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-142_25-30	0.10	0.29	3.38	10.8	0.83	1.01
B21B-142_30-35	0.09	0.26	3.35	9.8	0.89	0.91
B21B-142_35-40	<0.05	0.19	8.29	7.3	0.46	0.92
B21B-142_40-45	0.07	0.34	3.77	12.8	0.58	1.05
B21B-142_45-50	0.09	0.36	2.58	10.8	0.74	1.06
B21B-142_50-55	0.08	0.26	1.09	8.3	0.59	0.82
B21B-142_55-60	0.14	0.35	3.27	8.1	1.03	1.49
B21B-142_60-65	0.08	0.21	1.41	6.9	0.87	0.99
B21B-142_65-70	0.09	0.22	3.25	6.7	1.06	1.13
B21B-142_70-75	0.08	0.25	3.27	7.5	0.78	1.17
B21B-142_75-80	0.06	0.25	3.55	8.0	0.72	1.19
B21B-143_0-5	0.10	0.13	6.56	4.9	0.08	0.81
B21B-143_5-10	0.26	0.28	1.66	10.0	0.04	1.26
B21B-143_10-15	0.24	0.23	2.71	10.4	0.03	1.30
B21B-143_15-20	0.20	0.20	1.58	8.2	<0.02	1.27
B21B-143_20-25	0.18	0.18	0.94	7.4	0.02	1.27
B21B-143_25-30	0.16	0.18	0.61	6.4	<0.02	1.30
B21B-143_30-35	0.18	0.21	1.32	7.8	0.06	1.24
B21B-143_35-40	0.15	0.22	4.11	8.1	0.02	1.12
B21B-144_0-5	0.16	0.21	2.38	8.2	0.16	1.16
B21B-144_5-10	0.36	0.28	4.04	12.3	0.13	1.95
B21B-144_10-15	0.12	0.36	4.26	10.1	0.04	1.32
B21B-144_15-20	0.11	0.39	4.12	8.1	0.27	1.37
B21B-144_20-25	0.09	0.44	4.00	8.4	0.08	1.30
B21B-144_25-30	0.13	0.37	2.41	8.2	0.12	1.43
B21B-144_30-35	0.14	0.32	1.76	7.9	0.07	1.48
B21B-144_35-40	0.15	0.32	2.40	7.4	0.05	1.35
B21B-144_40-45	0.13	0.29	1.61	7.0	0.04	1.31
B21B-144_45-50	0.12	0.27	1.22	6.2	0.08	1.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-144_50-55	0.16	0.31	1.46	7.3	0.05	1.41
B21B-144_55-60	0.14	0.32	1.73	7.7	0.03	1.41
B21B-145_0-5	0.19	0.34	6.73	7.6	0.59	1.35
B21B-145_5-10	0.15	0.36	1.62	6.6	0.43	1.22
B21B-145_10-15	0.10	0.36	3.06	7.2	0.09	1.15
B21B-145_15-20	0.14	0.52	1.50	6.7	0.20	1.25
B21B-145_20-25	0.13	0.32	0.61	6.3	0.26	1.13
B21B-145_25-30	0.12	0.46	0.19	6.6	0.50	1.32
B21B-145_30-35	0.12	0.44	0.17	6.8	0.70	1.32
B21B-145_35-40	0.13	0.38	0.10	5.9	1.17	1.10
B21B-145_40-45	0.11	0.38	0.07	6.0	0.98	1.19
B21B-145_45-50	0.15	0.30	0.10	5.3	0.97	1.26
B21B-145_50-55	0.13	0.31	0.05	5.4	1.24	1.23
B21B-145_55-60	0.15	0.31	0.08	6.1	1.15	1.22
*Dup B21B-142_65-70	0.09	0.21	3.04	6.7	1.04	1.09
*Rep B21B-140_60-65	0.09	0.19	7.40	8.0	0.27	1.42
*Std OREAS 905	1.63	0.84	0.12	15.6	0.78	5.27
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.23	0.52	13.17	11.4	1.45	4.36
*Std OREAS 601b	1.26	0.57	13.87	12.6	1.57	4.88
*Rep B21B-144_10-15	0.12	0.38	4.39	10.3	0.04	1.33
*Std OREAS 905	1.35	0.70	0.08	13.2	0.69	4.49
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-140_40-45	0.7	8.2	1.6
B21B-140_45-50	3.1	6.0	1.2
B21B-140_50-55	0.8	5.2	1.1
B21B-140_55-60	1.1	5.6	1.1
B21B-140_60-65	0.7	4.9	1.1
B21B-140_65-70	0.8	6.1	1.3
B21B-140_70-75	0.7	5.5	1.1
B21B-140_75-80	0.6	5.4	1.2
B21B-141_0-5	0.6	3.6	0.8
B21B-141_5-10	0.6	4.2	0.9
B21B-141_10-15	0.8	4.3	1.0
B21B-141_15-20	0.9	3.9	0.9
B21B-141_20-25	1.0	4.3	1.0
B21B-141_25-30	0.8	5.1	1.2
B21B-141_30-35	0.9	5.4	1.3
B21B-141_35-40	0.9	5.9	1.4
B21B-141_40-45	0.9	6.0	1.3
B21B-141_45-50	1.5	3.7	0.8
B21B-141_50-55	1.1	5.0	1.2
B21B-141_55-60	1.1	4.0	1.3
B21B-141_60-65	1.1	3.2	1.2
B21B-141_65-70	1.2	4.4	1.0
B21B-141_70-75	1.1	2.7	0.9
B21B-141_75-80	1.1	3.5	1.0
B21B-142_0-5	0.9	5.5	1.0
B21B-142_5-10	0.6	3.6	0.7
B21B-142_10-15	0.8	5.1	1.0
B21B-142_15-20	0.8	1.3	0.3
B21B-142_20-25	1.9	2.6	0.5
B21B-142_25-30	1.1	5.3	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-142_30-35	0.9	4.6	0.8
B21B-142_35-40	1.4	4.5	0.8
B21B-142_40-45	1.1	5.0	0.8
B21B-142_45-50	1.0	4.9	0.8
B21B-142_50-55	1.7	4.4	0.8
B21B-142_55-60	4.9	6.8	1.3
B21B-142_60-65	1.1	5.4	1.1
B21B-142_65-70	1.2	5.8	1.2
B21B-142_70-75	1.4	5.6	1.0
B21B-142_75-80	1.2	5.4	1.0
B21B-143_0-5	1.6	3.0	0.6
B21B-143_5-10	7.3	6.5	1.2
B21B-143_10-15	43.3	6.4	1.3
B21B-143_15-20	44.9	5.8	1.2
B21B-143_20-25	71.6	5.9	1.3
B21B-143_25-30	103	5.8	1.3
B21B-143_30-35	90.4	5.7	1.2
B21B-143_35-40	53.0	4.8	1.0
B21B-144_0-5	2.9	4.5	0.7
B21B-144_5-10	2.7	6.0	1.2
B21B-144_10-15	3.0	5.8	1.2
B21B-144_15-20	2.6	6.5	1.2
B21B-144_20-25	2.0	7.3	1.2
B21B-144_25-30	1.7	8.4	1.4
B21B-144_30-35	2.1	8.5	1.4
B21B-144_35-40	24.9	7.9	1.3
B21B-144_40-45	9.5	8.0	1.3
B21B-144_45-50	4.6	7.3	1.2
B21B-144_50-55	9.9	8.7	1.3
B21B-144_55-60	23.3	7.6	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(790-864)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11021

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-145_0-5	6.3	7.6	1.2
B21B-145_5-10	1.5	7.6	1.4
B21B-145_10-15	1.6	7.4	1.3
B21B-145_15-20	1.2	9.0	1.3
B21B-145_20-25	1.1	7.1	1.2
B21B-145_25-30	0.9	8.8	1.3
B21B-145_30-35	0.9	8.2	1.3
B21B-145_35-40	0.8	6.4	1.1
B21B-145_40-45	0.8	7.5	1.2
B21B-145_45-50	1.2	6.2	1.1
B21B-145_50-55	0.7	6.8	1.1
B21B-145_55-60	0.7	6.8	1.1
*Dup B21B-142_65-70	1.1	5.5	1.1
*Rep B21B-140_60-65	0.8	5.2	1.2
*Std OREAS 905	3.2	16.9	0.7
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.3	10.6	0.5
*Std OREAS 601b	7.1	12.0	0.6
*Rep B21B-144_10-15	2.8	5.9	1.2
*Std OREAS 905	2.8	14.9	0.6
*Blk BLANK	<0.1	<0.1	<0.1

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11024

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	23-Aug-2021 - 27-Sep-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	27-Sep-2021
Gold/RABP2/1504 Samples(865-939)		SGS Order Number	BBM21-11024
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
72	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.  
This Report cancels and supersedes the report  
BBM\_U0014661138 dated 30-Sep-2021 issued by SGS  
Canada (Burnaby).  
Updated the analyte sequence.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

8-Oct-2021 2:05AM BBM\_U0014962679

Page 1 of 30

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504 Samples(865-939)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11024

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

8-Oct-2021 2:05AM BBM\_U0014962679

Page 2 of 30

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-145_60-65	5.46	0.030	7.10	217	0.03	1
B21B-145_65-70	8.43	0.021	6.76	140	0.02	1
B21B-145_70-75	4.08	0.020	6.44	144	0.02	1
B21B-145_75-80	5.89	0.027	6.40	188	0.02	2
B21B-146_0-5	4.36	0.125	3.06	191	0.03	7
B21B-146_5-10	4.90	0.079	4.45	117	0.02	4
B21B-146_10-15	1.65	0.032	8.18	25	<0.01	2
B21B-146_15-20	4.29	0.034	8.67	12	<0.01	<1
B21B-146_20-25	4.86	0.074	7.38	46	<0.01	<1
B21B-146_25-30	5.78	0.088	6.79	93	0.01	1
B21B-146_30-35	3.33	0.138	6.71	92	0.01	2
B21B-146_35-40	4.77	0.088	6.99	145	0.02	2
B21B-146_40-45	4.05	0.051	7.55	160	0.03	1
596961	3.75	<0.005	-	-	-	-
B21B-146_45-50	3.36	0.038	7.28	172	0.03	2
B21B-146_50-55	4.40	0.051	6.50	209	0.03	2
B21B-146_55-60	2.84	0.051	6.79	164	0.03	4
B21B-147_0-5	2.28	0.810	6.40	390	0.06	8
B21B-147_5-10	2.44	0.345	4.91	81	0.02	7
B21B-147_10-15	4.19	0.099	6.37	57	0.02	6
B21B-147_15-20	5.13	0.209	5.94	115	0.02	3
B21B-147_20-25	5.65	0.149	5.95	91	0.02	2
B21B-147_25-30	7.16	0.139	6.00	61	0.02	4
B21B-147_30-35	4.62	0.167	5.52	91	0.02	4
B21B-147_35-40	3.80	0.116	4.71	96	0.02	6
B21B-147_40-45	6.81	0.139	4.90	58	0.02	6
B21B-147_45-50	6.51	0.168	5.43	79	0.02	6
B21B-148_0-5	3.50	0.057	7.90	127	0.02	11
B21B-148_5-10	2.14	0.091	5.77	70	0.02	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-148_10-15	4.22	0.218	5.31	84	0.02	2
B21B-148_15-20	3.49	0.245	6.54	94	0.02	1
B21B-148_20-25	4.74	0.230	6.14	80	0.02	2
B21B-148_25-30	3.40	0.204	5.24	83	0.03	2
B21B-148_30-35	4.15	0.265	4.37	93	0.02	3
B21B-148_35-40	6.19	0.216	3.99	73	0.02	2
596962	2.33	0.054	-	-	-	-
B21B-148_40-45	6.08	0.193	6.39	193	0.02	3
B21B-148_45-50	3.61	0.157	5.01	122	0.02	2
B21B-148_50-55	3.09	0.105	7.89	125	0.03	38
B21B-148_55-60	7.71	0.104	5.17	49	0.01	3
B21B-148_60-65	3.15	0.050	4.95	47	0.01	2
B21B-148_65-70	4.81	0.368	5.57	115	0.03	31
B21B-148_70-75	8.70	0.044	6.91	109	0.02	33
B21B-148_75-80	4.11	0.195	6.49	66	<0.01	2
B21B-149_0-5	1.69	0.409	2.45	157	0.02	3
B21B-149_5-10	2.69	0.373	3.95	92	0.02	6
B21B-149_10-15	2.73	0.091	8.97	457	0.03	8
B21B-149_15-20	2.67	0.079	7.84	467	0.03	7
B21B-149_20-25	5.55	0.184	7.15	400	0.03	12
B21B-149_25-30	5.80	0.102	8.19	464	0.03	9
B21B-149_30-35	4.97	0.105	7.74	482	0.03	8
B21B-149_35-40	2.93	0.129	7.62	433	0.03	9
B21B-149_40-45	6.21	0.136	7.44	459	0.04	5
B21B-149_45-50	4.40	0.161	6.59	391	0.03	7
B21B-149_50-55	2.30	0.182	7.27	269	0.03	7
596963	0.06	0.953	-	-	-	-
B21B-150_0-5	4.81	0.020	1.22	47	0.02	3
B21B-150_5-10	5.24	0.021	0.40	39	0.01	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-150_10-15	6.74	0.088	0.22	23	<0.01	3
B21B-150_15-20	5.22	0.033	0.13	56	0.01	4
B21B-150_20-25	6.45	0.355	0.68	162	0.02	5
B21B-150_25-30	1.34	0.134	0.36	114	0.03	2
B21B-150_30-35	3.19	0.317	0.44	108	0.04	2
B21B-150_35-40	6.44	0.313	0.93	130	0.03	2
B21B-150_40-45	5.95	0.180	0.45	92	0.01	4
B21B-150_45-50	3.10	0.116	0.34	83	0.01	4
B21B-150_50-55	0.95	0.060	0.55	89	0.01	1
B21B-150_55-60	3.79	0.054	1.08	87	0.03	2
B21B-150_60-65	1.29	0.127	0.60	377	0.06	4
B21B-150_65-70	5.13	0.083	2.09	218	0.04	2
B21B-150_70-75	5.72	0.108	2.28	141	0.04	4
B21B-150_75-80	1.32	0.095	2.26	92	0.03	2
B21B-151_0-5	4.50	0.008	6.92	200	0.03	5
B21B-151_5-10	4.34	0.037	4.71	139	0.03	<1
B21B-151_10-15	4.39	0.024	4.06	239	0.03	1
*Dup B21B-148_50-55	-	0.105	7.67	127	0.03	34
*Rep B21B-146_40-45	-	-	7.63	163	0.03	1
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.07	2629	0.58	15
*Std OREAS 601b	-	-	6.44	647	0.88	15
*Rep B21B-148_55-60	-	-	5.09	54	0.02	3
*Std OREAS 601b	-	-	6.66	359	0.91	18
*Blk BLANK	-	-	0.02	<1	<0.01	<1
*Std OREAS 905	-	-	7.31	2671	0.57	14
*Rep B21B-146_35-40	-	0.086	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 238	-	3.087	-	-	-	-
*Rep B21B-148_25-30	-	0.223	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.668	-	-	-	-
*Rep B21B-151_5-10	-	0.036	-	-	-	-
*Std SN106	-	8.549	-	-	-	-
*Std OREAS 250b	-	0.332	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	3.323	-	-	-	-

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-145_60-65	6.3	1.24	1.40	2	<0.01	8
B21B-145_65-70	5.2	2.85	1.37	2	<0.01	8
B21B-145_70-75	4.1	2.60	1.19	2	<0.01	8
B21B-145_75-80	4.4	2.89	1.19	2	<0.01	8
B21B-146_0-5	38.9	3.07	0.20	2	<0.01	37
B21B-146_5-10	33.5	2.17	0.45	3	<0.01	76
B21B-146_10-15	10.6	0.92	0.99	6	<0.01	148
B21B-146_15-20	2.7	0.70	1.37	6	<0.01	227
B21B-146_20-25	6.5	1.50	2.36	6	0.07	320
B21B-146_25-30	10.9	2.29	3.03	5	0.12	270
B21B-146_30-35	4.9	1.20	2.68	2	0.02	61

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
<b>Lower Limit</b>	0.5	0.01	0.01	1	0.01	2
<b>Upper Limit</b>	10,000	15	15	10,000	15	10,000
<b>Unit</b>	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-146_35-40	9.6	0.97	2.63	3	0.01	27
B21B-146_40-45	16.2	0.94	2.38	5	0.01	32
B21B-146_45-50	11.1	1.76	1.46	6	<0.01	28
B21B-146_50-55	21.0	1.44	1.11	5	<0.01	21
B21B-146_55-60	136	1.15	2.17	3	<0.01	18
B21B-147_0-5	16.7	2.27	0.93	3	0.02	43
B21B-147_5-10	15.3	3.47	0.18	2	<0.01	24
B21B-147_10-15	7.7	1.55	0.06	1	<0.01	28
B21B-147_15-20	6.6	1.43	0.10	<1	<0.01	25
B21B-147_20-25	4.2	0.95	0.08	1	<0.01	27
B21B-147_25-30	11.4	1.99	0.04	<1	<0.01	27
B21B-147_30-35	7.7	1.60	0.12	1	<0.01	26
B21B-147_35-40	12.7	1.85	0.11	<1	<0.01	24
B21B-147_40-45	8.5	1.74	0.05	<1	<0.01	22
B21B-147_45-50	18.7	1.58	0.08	1	<0.01	28
B21B-148_0-5	10.6	2.54	0.09	4	<0.01	36
B21B-148_5-10	8.3	1.33	0.07	3	<0.01	22
B21B-148_10-15	5.9	0.85	0.05	2	<0.01	18
B21B-148_15-20	6.1	0.44	0.09	2	<0.01	16
B21B-148_20-25	7.9	0.57	0.05	2	<0.01	20
B21B-148_25-30	7.7	2.26	0.07	2	<0.01	19
B21B-148_30-35	14.8	2.87	0.07	2	<0.01	21
B21B-148_35-40	17.1	2.55	0.05	2	<0.01	20
B21B-148_40-45	17.4	1.98	0.13	4	<0.01	15
B21B-148_45-50	17.1	1.88	0.14	3	<0.01	12
B21B-148_50-55	18.1	0.91	0.35	7	0.01	10
B21B-148_55-60	27.9	0.93	0.11	3	<0.01	13
B21B-148_60-65	27.5	0.66	0.21	2	<0.01	13
B21B-148_65-70	26.3	1.91	0.27	8	<0.01	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-148_70-75	16.2	0.53	0.30	10	<0.01	8
B21B-148_75-80	115	3.09	0.19	5	<0.01	12
B21B-149_0-5	43.3	2.79	0.06	<1	<0.01	23
B21B-149_5-10	54.1	2.86	0.08	1	<0.01	20
B21B-149_10-15	16.7	0.80	0.89	4	0.01	14
B21B-149_15-20	10.9	0.57	0.89	4	<0.01	16
B21B-149_20-25	18.9	0.95	0.72	4	<0.01	19
B21B-149_25-30	13.5	0.69	0.91	4	<0.01	21
B21B-149_30-35	11.8	0.61	0.94	4	<0.01	17
B21B-149_35-40	13.2	0.77	0.82	5	<0.01	23
B21B-149_40-45	12.3	0.66	0.88	3	<0.01	20
B21B-149_45-50	12.1	0.85	0.74	3	<0.01	38
B21B-149_50-55	12.8	0.78	0.47	2	<0.01	32
B21B-150_0-5	9.8	1.19	0.03	1	<0.01	32
B21B-150_5-10	6.7	0.49	<0.01	<1	<0.01	32
B21B-150_10-15	6.5	1.64	<0.01	<1	<0.01	38
B21B-150_15-20	5.6	0.42	<0.01	<1	<0.01	36
B21B-150_20-25	33.0	1.30	0.02	<1	<0.01	48
B21B-150_25-30	9.8	0.66	<0.01	<1	<0.01	51
B21B-150_30-35	7.4	0.64	0.01	<1	<0.01	50
B21B-150_35-40	12.3	0.83	0.02	<1	<0.01	54
B21B-150_40-45	6.6	0.70	<0.01	<1	<0.01	55
B21B-150_45-50	6.1	0.60	0.01	<1	<0.01	52
B21B-150_50-55	5.0	0.39	0.02	<1	<0.01	38
B21B-150_55-60	5.0	0.46	0.04	<1	<0.01	42
B21B-150_60-65	7.6	0.74	0.02	<1	<0.01	62
B21B-150_65-70	6.0	0.64	0.10	<1	<0.01	42
B21B-150_70-75	5.3	0.94	0.08	<1	<0.01	38
B21B-150_75-80	6.8	1.10	0.12	<1	<0.01	30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-151_0-5	10.1	0.61	0.11	5	<0.01	20
B21B-151_5-10	9.2	0.35	0.02	2	<0.01	13
B21B-151_10-15	4.0	0.29	0.03	2	<0.01	24
*Dup B21B-148_50-55	19.3	0.90	0.36	7	0.01	10
*Rep B21B-146_40-45	16.4	0.97	2.42	5	0.01	34
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1543	3.93	2.84	19	0.27	382
*Std OREAS 601b	986	2.26	2.35	21	0.10	217
*Rep B21B-148_55-60	29.4	0.94	0.12	3	<0.01	14
*Std OREAS 601b	973	2.18	2.40	22	0.09	212
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1554	3.86	2.74	20	0.26	392

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-145_60-65	0.04	1	0.05	0.05	154	0.08
B21B-145_65-70	0.04	<1	0.05	0.03	73.8	0.09
B21B-145_70-75	0.04	1	0.07	0.02	64.2	0.08
B21B-145_75-80	0.03	2	0.05	0.02	67.5	0.09
B21B-146_0-5	0.04	3	0.05	0.66	228	0.05
B21B-146_5-10	0.02	1	0.03	0.32	135	0.04
B21B-146_10-15	0.02	<1	0.01	0.09	28.0	0.01
B21B-146_15-20	0.03	<1	<0.01	0.01	3.8	<0.01
B21B-146_20-25	0.08	<1	0.02	0.02	4.8	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-146_25-30	0.11	<1	0.03	0.02	7.2	<0.01
B21B-146_30-35	0.11	<1	0.03	0.02	55.0	0.04
B21B-146_35-40	0.10	<1	0.04	0.08	70.7	0.06
B21B-146_40-45	0.10	2	0.05	0.19	86.0	0.07
B21B-146_45-50	0.07	1	0.05	0.14	112	0.08
B21B-146_50-55	0.06	2	0.06	0.33	133	0.06
B21B-146_55-60	0.09	2	0.05	0.12	104	0.07
B21B-147_0-5	0.14	1	0.09	0.12	488	0.06
B21B-147_5-10	0.02	2	0.08	1.09	206	0.05
B21B-147_10-15	0.02	1	0.05	0.10	234	0.07
B21B-147_15-20	0.03	1	0.06	0.24	394	0.05
B21B-147_20-25	0.02	1	0.05	0.18	278	0.06
B21B-147_25-30	0.01	2	0.06	0.61	319	0.05
B21B-147_30-35	0.02	2	0.06	0.34	299	0.05
B21B-147_35-40	0.02	3	0.06	1.06	372	0.05
B21B-147_40-45	0.02	2	0.06	0.62	254	0.06
B21B-147_45-50	0.02	5	0.07	0.78	449	0.06
B21B-148_0-5	0.03	3	0.07	0.10	287	0.09
B21B-148_5-10	0.02	<1	0.05	0.06	265	0.07
B21B-148_10-15	0.01	<1	0.06	0.06	315	0.06
B21B-148_15-20	0.01	<1	0.05	0.05	364	0.08
B21B-148_20-25	0.02	<1	0.05	0.05	292	0.09
B21B-148_25-30	0.03	<1	0.05	0.07	390	0.08
B21B-148_30-35	0.03	<1	0.05	0.06	312	0.06
B21B-148_35-40	0.04	<1	0.04	0.04	245	0.05
B21B-148_40-45	0.15	1	0.04	0.04	246	0.07
B21B-148_45-50	0.14	<1	0.04	0.04	216	0.06
B21B-148_50-55	0.33	13	0.02	0.02	144	0.45
B21B-148_55-60	0.10	2	0.04	0.03	153	0.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-148_60-65	0.19	1	0.04	0.03	150	0.07
B21B-148_65-70	0.27	15	0.04	0.03	219	0.32
B21B-148_70-75	0.42	14	0.03	0.02	192	0.42
B21B-148_75-80	0.24	3	0.02	0.03	101	0.05
B21B-149_0-5	0.03	<1	0.05	0.17	213	0.06
B21B-149_5-10	0.02	2	0.04	0.24	169	0.06
B21B-149_10-15	0.21	4	0.07	1.89	421	0.11
B21B-149_15-20	0.25	2	0.07	2.02	402	0.10
B21B-149_20-25	0.17	4	0.07	1.56	369	0.11
B21B-149_25-30	0.22	3	0.07	2.01	412	0.11
B21B-149_30-35	0.23	4	0.07	2.12	422	0.10
B21B-149_35-40	0.20	4	0.07	1.86	404	0.09
B21B-149_40-45	0.21	2	0.08	2.08	435	0.09
B21B-149_45-50	0.18	3	0.07	1.75	410	0.08
B21B-149_50-55	0.12	3	0.07	1.10	346	0.08
B21B-150_0-5	0.01	2	0.02	0.07	113	0.07
B21B-150_5-10	<0.01	<1	0.01	0.02	64.9	0.06
B21B-150_10-15	<0.01	<1	<0.01	0.02	42.7	0.06
B21B-150_15-20	<0.01	<1	0.02	0.02	85.5	0.06
B21B-150_20-25	<0.01	2	0.03	0.04	118	0.03
B21B-150_25-30	<0.01	2	0.03	0.04	140	0.03
B21B-150_30-35	<0.01	1	0.04	0.05	204	0.05
B21B-150_35-40	<0.01	1	0.04	0.06	242	0.05
B21B-150_40-45	<0.01	2	0.02	0.11	74.9	0.04
B21B-150_45-50	<0.01	1	0.02	0.04	70.6	0.07
B21B-150_50-55	<0.01	1	0.02	0.03	111	0.07
B21B-150_55-60	0.01	2	0.03	0.05	189	0.06
B21B-150_60-65	0.01	4	0.07	0.07	187	0.03
B21B-150_65-70	0.02	4	0.04	0.05	190	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-150_70-75	0.02	3	0.04	0.36	193	0.04
B21B-150_75-80	0.02	3	0.04	0.16	215	0.05
B21B-151_0-5	0.03	2	0.07	0.11	681	0.08
B21B-151_5-10	0.02	<1	0.06	0.09	600	0.06
B21B-151_10-15	0.02	1	0.06	0.08	530	0.06
*Dup B21B-148_50-55	0.33	13	0.02	0.02	142	0.39
*Rep B21B-146_40-45	0.10	2	0.05	0.20	86.0	0.07
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.39	9	0.03	0.07	156	0.11
*Std OREAS 601b	1.87	6	0.03	1.53	236	0.12
*Rep B21B-148_55-60	0.11	2	0.04	0.04	161	0.07
*Std OREAS 601b	1.81	6	0.03	1.47	236	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.22	8	0.03	0.07	152	0.11

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-145_60-65	35	6	102	<0.02	1	0.4
B21B-145_65-70	49	7	118	<0.02	1	0.5
B21B-145_70-75	41	6	117	<0.02	1	0.4
B21B-145_75-80	48	5	115	<0.02	1	0.4
B21B-146_0-5	22	2	109	0.13	21	0.2
B21B-146_5-10	15	7	111	0.08	16	0.6
B21B-146_10-15	8	17	143	<0.02	5	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-146_15-20	10	28	131	<0.02	3	2.6
B21B-146_20-25	26	48	108	<0.02	5	3.1
B21B-146_25-30	34	45	112	0.12	7	4.2
B21B-146_30-35	53	9	96.1	<0.02	3	1.4
B21B-146_35-40	48	5	109	<0.02	3	0.9
B21B-146_40-45	42	7	120	<0.02	3	1.0
B21B-146_45-50	41	6	121	<0.02	2	0.8
B21B-146_50-55	32	5	116	<0.02	2	0.7
B21B-146_55-60	45	6	113	<0.02	4	0.7
B21B-147_0-5	54	3	104	0.26	9	0.3
B21B-147_5-10	25	2	117	0.09	8	0.2
B21B-147_10-15	23	<1	132	<0.02	4	0.2
B21B-147_15-20	24	1	118	<0.02	4	0.2
B21B-147_20-25	22	<1	123	<0.02	2	0.1
B21B-147_25-30	21	1	116	<0.02	4	0.1
B21B-147_30-35	20	<1	114	<0.02	4	0.1
B21B-147_35-40	18	2	115	0.02	3	0.1
B21B-147_40-45	17	3	110	<0.02	4	0.1
B21B-147_45-50	21	<1	113	<0.02	3	0.1
B21B-148_0-5	44	3	96.7	<0.02	6	0.4
B21B-148_5-10	26	1	105	0.10	4	0.3
B21B-148_10-15	12	1	109	<0.02	2	0.3
B21B-148_15-20	19	<1	95.2	<0.02	2	0.3
B21B-148_20-25	18	1	106	<0.02	2	0.3
B21B-148_25-30	13	1	95.9	0.04	3	0.2
B21B-148_30-35	14	1	106	0.08	4	0.1
B21B-148_35-40	11	2	95.6	0.02	2	0.1
B21B-148_40-45	20	2	78.0	<0.02	5	0.2
B21B-148_45-50	15	2	91.2	<0.02	5	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-148_50-55	48	4	63.8	<0.02	5	0.3
B21B-148_55-60	17	1	71.4	<0.02	4	0.2
B21B-148_60-65	20	1	67.7	<0.02	2	0.1
B21B-148_65-70	46	5	59.9	<0.02	3	0.4
B21B-148_70-75	46	2	53.6	<0.02	2	0.3
B21B-148_75-80	19	2	83.8	0.04	9	0.2
B21B-149_0-5	16	2	88.9	0.30	77	0.1
B21B-149_5-10	20	<1	99.3	0.26	48	0.1
B21B-149_10-15	44	2	128	<0.02	9	0.2
B21B-149_15-20	37	2	127	<0.02	5	0.2
B21B-149_20-25	37	3	133	<0.02	9	0.2
B21B-149_25-30	40	2	135	<0.02	7	0.2
B21B-149_30-35	39	2	132	<0.02	5	0.2
B21B-149_35-40	37	3	128	<0.02	6	0.2
B21B-149_40-45	34	2	130	<0.02	5	0.2
B21B-149_45-50	29	2	125	<0.02	6	0.2
B21B-149_50-55	24	2	119	<0.02	5	0.1
B21B-150_0-5	10	2	119	0.07	9	<0.1
B21B-150_5-10	5	<1	47.8	<0.02	9	<0.1
B21B-150_10-15	5	<1	99.5	0.31	15	<0.1
B21B-150_15-20	3	<1	70.2	0.05	4	<0.1
B21B-150_20-25	20	2	39.0	0.31	142	<0.1
B21B-150_25-30	8	2	19.6	0.13	15	<0.1
B21B-150_30-35	7	1	31.9	0.10	9	<0.1
B21B-150_35-40	15	1	57.6	0.07	14	<0.1
B21B-150_40-45	6	1	73.0	0.05	7	<0.1
B21B-150_45-50	7	1	82.1	<0.02	9	<0.1
B21B-150_50-55	6	<1	40.2	<0.02	5	<0.1
B21B-150_55-60	8	1	40.8	0.05	5	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-150_60-65	8	2	29.7	0.08	15	<0.1
B21B-150_65-70	13	2	40.5	0.14	13	<0.1
B21B-150_70-75	11	<1	46.1	0.20	6	<0.1
B21B-150_75-80	14	<1	55.1	0.41	6	<0.1
B21B-151_0-5	28	2	132	<0.02	15	0.3
B21B-151_5-10	10	1	111	<0.02	14	0.2
B21B-151_10-15	10	1	125	<0.02	5	0.2
*Dup B21B-148_50-55	45	3	55.8	0.05	5	0.3
*Rep B21B-146_40-45	43	7	116	<0.02	3	1.0
*Blk BLANK	<2	2	<0.5	0.04	<1	<0.1
*Std OREAS 905	9	126	252	0.62	34	3.2
*Std OREAS 601b	12	299	177	52.26	313	2.4
*Rep B21B-148_55-60	16	2	69.1	0.04	5	0.2
*Std OREAS 601b	10	306	177	48.15	285	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	142	251	0.38	34	3.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_60-65	0.42	<0.02	50.72	0.2	<1	21.1
B21B-145_65-70	0.23	<0.02	44.14	0.2	<1	16.6
B21B-145_70-75	0.23	<0.02	42.16	0.2	<1	16.1
B21B-145_75-80	0.32	<0.02	43.15	0.2	<1	14.6
B21B-146_0-5	29.62	<0.02	47.89	1.8	<1	10.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-146_5-10	18.88	<0.02	29.14	1.2	<1	19.6
B21B-146_10-15	3.37	<0.02	8.55	0.5	2	39.8
B21B-146_15-20	6.97	<0.02	2.23	0.1	3	42.7
B21B-146_20-25	9.84	<0.02	3.47	0.1	3	35.4
B21B-146_25-30	7.32	<0.02	4.62	0.2	4	33.2
B21B-146_30-35	1.90	<0.02	30.65	0.2	2	17.3
B21B-146_35-40	0.92	<0.02	42.24	0.2	2	13.4
B21B-146_40-45	0.88	<0.02	44.17	2.2	2	16.9
B21B-146_45-50	0.66	<0.02	50.10	0.9	1	19.0
B21B-146_50-55	0.62	<0.02	54.87	3.0	<1	16.1
B21B-146_55-60	0.61	<0.02	46.62	0.7	1	18.0
B21B-147_0-5	23.34	<0.02	96.77	0.4	1	29.0
B21B-147_5-10	6.45	<0.02	66.93	2.0	<1	9.5
B21B-147_10-15	2.18	<0.02	57.89	0.4	<1	10.8
B21B-147_15-20	2.28	<0.02	53.17	0.5	<1	10.4
B21B-147_20-25	1.03	<0.02	53.35	1.4	<1	9.9
B21B-147_25-30	1.70	<0.02	50.71	4.1	<1	12.2
B21B-147_30-35	1.94	<0.02	50.89	1.8	<1	8.9
B21B-147_35-40	1.36	<0.02	52.91	4.8	<1	6.6
B21B-147_40-45	1.40	<0.02	52.14	2.2	<1	8.0
B21B-147_45-50	2.21	<0.02	55.45	6.5	<1	11.4
B21B-148_0-5	2.37	<0.02	55.68	0.4	<1	14.9
B21B-148_5-10	2.12	<0.02	54.61	0.3	<1	8.5
B21B-148_10-15	1.65	<0.02	58.24	0.3	<1	6.2
B21B-148_15-20	1.70	<0.02	31.84	0.3	<1	7.8
B21B-148_20-25	1.72	<0.02	38.63	0.4	<1	9.5
B21B-148_25-30	2.22	<0.02	77.71	0.3	<1	8.0
B21B-148_30-35	1.64	<0.02	48.30	0.4	<1	7.9
B21B-148_35-40	1.70	<0.02	43.44	0.3	<1	6.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-148_40-45	1.63	<0.02	44.22	0.2	<1	9.9
B21B-148_45-50	1.37	<0.02	48.32	0.3	<1	6.3
B21B-148_50-55	1.06	0.03	29.72	0.3	<1	11.9
B21B-148_55-60	0.89	<0.02	36.99	0.2	<1	5.3
B21B-148_60-65	1.67	<0.02	41.97	0.2	<1	7.1
B21B-148_65-70	4.79	<0.02	54.70	0.5	<1	10.8
B21B-148_70-75	0.72	<0.02	39.83	0.6	<1	12.6
B21B-148_75-80	2.14	<0.02	48.33	0.3	<1	10.6
B21B-149_0-5	10.87	<0.02	49.16	0.8	<1	6.7
B21B-149_5-10	10.03	<0.02	50.26	0.4	<1	10.4
B21B-149_10-15	4.02	<0.02	76.57	0.4	<1	14.2
B21B-149_15-20	3.86	<0.02	70.87	0.3	<1	11.1
B21B-149_20-25	6.48	<0.02	69.69	0.5	<1	12.1
B21B-149_25-30	4.20	<0.02	73.95	0.4	<1	11.9
B21B-149_30-35	4.37	<0.02	72.22	0.4	<1	10.7
B21B-149_35-40	4.69	<0.02	71.76	0.4	<1	10.7
B21B-149_40-45	4.38	<0.02	72.37	0.3	<1	9.5
B21B-149_45-50	4.87	<0.02	67.11	0.4	<1	8.5
B21B-149_50-55	4.36	<0.02	62.66	0.5	<1	8.1
B21B-150_0-5	2.18	<0.02	21.73	0.4	<1	3.5
B21B-150_5-10	2.58	<0.02	18.08	0.2	<1	1.2
B21B-150_10-15	2.52	<0.02	10.19	0.2	<1	1.1
B21B-150_15-20	1.28	<0.02	19.89	0.3	<1	0.5
B21B-150_20-25	16.70	<0.02	19.00	0.3	<1	4.2
B21B-150_25-30	9.26	<0.02	26.52	0.3	<1	2.4
B21B-150_30-35	9.80	<0.02	44.27	0.3	<1	2.3
B21B-150_35-40	12.57	<0.02	42.63	0.3	<1	4.5
B21B-150_40-45	8.21	<0.02	15.38	0.5	<1	2.2
B21B-150_45-50	9.31	<0.02	17.36	0.3	<1	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-150_50-55	8.02	<0.02	24.69	0.2	<1	2.4
B21B-150_55-60	4.72	<0.02	37.16	0.4	<1	3.8
B21B-150_60-65	11.57	<0.02	20.81	0.3	<1	3.0
B21B-150_65-70	5.59	<0.02	23.10	0.2	<1	6.4
B21B-150_70-75	4.13	<0.02	25.95	1.1	<1	6.5
B21B-150_75-80	4.35	<0.02	31.18	0.5	<1	6.3
B21B-151_0-5	6.70	<0.02	59.80	0.3	<1	29.2
B21B-151_5-10	1.95	<0.02	48.56	<0.1	<1	19.4
B21B-151_10-15	1.32	<0.02	54.95	0.2	<1	17.6
*Dup B21B-148_50-55	1.05	<0.02	27.31	0.3	<1	12.0
*Rep B21B-146_40-45	0.86	<0.02	43.33	2.4	2	17.3
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.76	0.32	94.11	15.3	7	24.6
*Std OREAS 601b	17.63	2.04	71.31	3.1	5	24.9
*Rep B21B-148_55-60	0.93	<0.02	39.41	0.2	<1	5.3
*Std OREAS 601b	17.29	2.18	68.01	2.9	5	23.1
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.90	0.33	92.24	14.3	6	23.8

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_60-65	2.90	0.07	24.0	0.21	1.83	2.1
B21B-145_65-70	3.46	0.07	21.1	0.23	2.64	1.5
B21B-145_70-75	3.41	0.06	20.1	0.22	2.25	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_75-80	3.33	0.06	21.1	0.21	2.26	1.4
B21B-146_0-5	3.04	0.05	23.8	0.19	44.88	2.0
B21B-146_5-10	5.29	0.07	15.0	0.34	57.16	40.8
B21B-146_10-15	9.73	0.15	4.2	0.96	15.95	113
B21B-146_15-20	9.44	0.20	1.0	0.99	15.48	115
B21B-146_20-25	8.41	0.22	1.4	0.60	26.59	101
B21B-146_25-30	8.57	0.19	1.9	0.48	38.17	98.9
B21B-146_30-35	3.84	0.09	14.8	0.26	20.80	21.6
B21B-146_35-40	3.67	0.08	20.0	0.27	21.31	14.3
B21B-146_40-45	4.01	0.08	20.9	0.30	15.44	16.6
B21B-146_45-50	4.04	0.05	22.6	0.30	16.31	10.0
B21B-146_50-55	3.79	0.04	25.4	0.28	10.63	6.8
B21B-146_55-60	3.58	0.09	21.8	0.25	9.46	6.7
B21B-147_0-5	3.15	0.14	49.2	0.18	12.43	2.6
B21B-147_5-10	3.44	0.03	32.3	0.23	6.72	2.1
B21B-147_10-15	3.78	<0.02	28.0	0.26	3.75	2.5
B21B-147_15-20	3.54	<0.02	25.8	0.23	4.06	1.9
B21B-147_20-25	3.63	<0.02	26.0	0.24	3.10	2.3
B21B-147_25-30	3.43	<0.02	24.5	0.23	5.50	1.9
B21B-147_30-35	3.42	<0.02	26.0	0.22	4.39	2.0
B21B-147_35-40	3.38	<0.02	27.2	0.23	5.14	1.9
B21B-147_40-45	3.28	<0.02	26.9	0.21	4.26	1.9
B21B-147_45-50	3.35	<0.02	28.0	0.22	5.22	2.5
B21B-148_0-5	2.83	0.03	24.0	0.17	3.54	2.8
B21B-148_5-10	3.21	<0.02	24.3	0.21	3.10	2.3
B21B-148_10-15	3.26	<0.02	27.1	0.20	1.51	1.9
B21B-148_15-20	2.72	<0.02	14.1	0.16	1.51	2.4
B21B-148_20-25	3.34	<0.02	17.5	0.17	2.75	2.6
B21B-148_25-30	2.75	<0.02	31.7	0.16	4.85	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-148_30-35	2.86	<0.02	23.0	0.17	6.58	1.6
B21B-148_35-40	2.75	<0.02	21.4	0.16	4.68	1.6
B21B-148_40-45	2.34	0.04	23.1	0.15	8.24	1.5
B21B-148_45-50	2.63	<0.02	25.0	0.18	11.27	1.9
B21B-148_50-55	1.69	0.07	15.1	0.14	6.19	4.0
B21B-148_55-60	2.06	<0.02	18.8	0.15	3.22	2.2
B21B-148_60-65	1.96	0.02	20.5	0.15	5.07	1.7
B21B-148_65-70	1.63	0.06	21.1	0.14	2.90	2.8
B21B-148_70-75	1.53	0.04	18.8	0.12	2.06	3.5
B21B-148_75-80	2.32	0.03	23.9	0.16	2.99	1.3
B21B-149_0-5	2.54	0.05	25.1	0.20	9.04	1.8
B21B-149_5-10	3.09	0.04	24.4	0.24	9.58	2.0
B21B-149_10-15	3.63	0.04	38.0	0.24	5.64	3.4
B21B-149_15-20	3.63	0.03	35.6	0.24	4.22	3.3
B21B-149_20-25	3.75	0.04	33.8	0.24	7.06	3.7
B21B-149_25-30	3.87	0.04	35.8	0.24	5.25	3.5
B21B-149_30-35	3.73	0.04	35.1	0.23	4.92	3.2
B21B-149_35-40	3.68	0.03	34.2	0.23	5.49	3.0
B21B-149_40-45	3.73	0.03	35.3	0.24	5.86	2.9
B21B-149_45-50	3.49	0.03	31.9	0.22	6.82	2.6
B21B-149_50-55	3.43	<0.02	29.4	0.22	6.17	2.7
B21B-150_0-5	3.38	<0.02	10.4	0.23	6.46	2.2
B21B-150_5-10	0.86	<0.02	8.2	0.20	7.41	0.6
B21B-150_10-15	2.80	0.03	4.1	0.23	21.42	1.4
B21B-150_15-20	1.72	<0.02	10.0	0.18	5.77	1.0
B21B-150_20-25	1.05	0.15	8.3	0.12	91.50	0.7
B21B-150_25-30	0.31	0.07	13.3	0.13	30.00	0.3
B21B-150_30-35	0.55	0.03	22.3	0.16	12.95	0.5
B21B-150_35-40	1.51	0.08	21.8	0.11	46.10	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-150_40-45	1.91	0.02	7.5	0.12	12.28	1.2
B21B-150_45-50	1.72	0.03	8.7	0.18	17.32	1.3
B21B-150_50-55	0.89	0.02	12.5	0.18	6.79	0.7
B21B-150_55-60	0.61	0.02	18.5	0.13	8.63	0.6
B21B-150_60-65	0.54	0.04	11.1	0.08	17.97	0.4
B21B-150_65-70	0.99	0.04	11.8	0.07	15.01	0.7
B21B-150_70-75	1.19	0.02	13.4	0.06	7.99	1.1
B21B-150_75-80	1.45	0.04	15.8	0.08	13.32	1.2
B21B-151_0-5	3.69	0.02	28.7	0.22	6.57	3.1
B21B-151_5-10	3.21	<0.02	23.6	0.20	5.19	1.8
B21B-151_10-15	3.58	<0.02	27.0	0.23	2.54	1.9
*Dup B21B-148_50-55	1.58	0.07	13.6	0.13	6.24	3.3
*Rep B21B-146_40-45	3.96	0.07	19.9	0.28	15.80	16.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.12	0.65	47.6	0.09	3.24	18.0
*Std OREAS 601b	5.27	0.49	35.9	0.07	5.43	14.7
*Rep B21B-148_55-60	1.95	0.02	18.8	0.15	3.27	1.8
*Std OREAS 601b	4.98	0.44	33.5	0.07	5.16	15.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.02	0.54	45.1	0.10	3.33	18.4

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_60-65	59.2	12.9	0.17	8.6	<2	2.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-145_65-70	33.6	13.2	0.15	7.9	<2	3.6
B21B-145_70-75	27.4	11.3	0.13	7.1	<2	2.9
B21B-145_75-80	29.5	11.6	0.13	7.1	<2	3.3
B21B-146_0-5	120	6.2	3.17	5.0	26	3.6
B21B-146_5-10	70.4	55.2	2.99	3.2	15	7.2
B21B-146_10-15	22.8	151	0.96	2.4	5	13.8
B21B-146_15-20	7.3	227	0.49	2.0	<2	17.7
B21B-146_20-25	10.5	255	0.57	2.7	2	18.5
B21B-146_25-30	23.7	290	0.67	3.6	3	14.8
B21B-146_30-35	20.8	139	0.54	8.9	<2	5.8
B21B-146_35-40	18.2	129	0.57	8.4	5	4.3
B21B-146_40-45	16.2	121	0.50	7.3	3	5.2
B21B-146_45-50	16.3	72.7	0.36	5.9	<2	4.3
B21B-146_50-55	19.8	46.3	0.27	5.8	<2	3.2
B21B-146_55-60	20.3	59.6	0.30	9.0	5	4.5
B21B-147_0-5	206	17.8	4.09	6.3	18	5.3
B21B-147_5-10	46.8	2.9	0.70	5.0	16	1.4
B21B-147_10-15	28.5	1.1	0.34	4.4	7	1.3
B21B-147_15-20	38.7	0.4	0.32	3.7	4	0.9
B21B-147_20-25	29.7	0.4	0.21	3.7	3	1.0
B21B-147_25-30	27.8	0.4	0.25	3.5	4	1.1
B21B-147_30-35	38.0	0.5	0.20	4.1	4	1.1
B21B-147_35-40	45.5	0.5	0.15	3.4	4	0.9
B21B-147_40-45	31.9	0.3	0.15	3.6	4	1.0
B21B-147_45-50	39.6	0.8	0.30	3.7	5	1.3
B21B-148_0-5	47.0	2.3	0.39	4.3	10	1.5
B21B-148_5-10	40.6	1.2	0.30	4.6	10	1.1
B21B-148_10-15	46.6	0.5	0.29	4.3	<2	1.1
B21B-148_15-20	48.0	0.6	0.23	3.1	4	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-148_20-25	34.9	0.5	0.23	4.5	4	2.2
B21B-148_25-30	37.9	0.7	0.33	3.7	4	1.8
B21B-148_30-35	30.7	0.6	0.24	3.7	9	1.3
B21B-148_35-40	25.9	0.5	0.15	3.4	6	1.2
B21B-148_40-45	18.6	1.3	0.17	3.8	4	1.1
B21B-148_45-50	16.2	1.5	0.21	4.1	3	1.4
B21B-148_50-55	10.2	4.4	0.41	4.7	3	1.5
B21B-148_55-60	15.5	1.2	0.16	3.6	<2	1.0
B21B-148_60-65	18.5	1.8	0.12	3.7	<2	1.1
B21B-148_65-70	17.9	3.0	0.25	8.7	4	1.4
B21B-148_70-75	18.2	3.8	0.29	7.8	<2	1.3
B21B-148_75-80	10.5	2.2	0.16	4.2	4	1.1
B21B-149_0-5	176	1.4	6.41	3.3	26	7.4
B21B-149_5-10	178	1.0	4.27	4.0	19	2.7
B21B-149_10-15	140	3.6	0.81	5.6	3	2.2
B21B-149_15-20	143	2.9	0.64	4.9	<2	2.3
B21B-149_20-25	139	3.1	1.52	5.0	4	3.0
B21B-149_25-30	142	3.3	0.82	5.0	<2	2.5
B21B-149_30-35	142	3.1	0.70	4.7	<2	2.4
B21B-149_35-40	137	3.0	0.96	4.6	2	2.2
B21B-149_40-45	135	2.4	0.82	4.4	<2	2.2
B21B-149_45-50	126	2.1	1.02	4.0	2	2.2
B21B-149_50-55	101	1.4	1.01	3.6	2	2.6
B21B-150_0-5	33.9	1.1	1.49	3.1	10	1.3
B21B-150_5-10	20.6	0.3	1.60	2.6	3	0.7
B21B-150_10-15	12.8	0.3	2.94	3.3	17	1.0
B21B-150_15-20	29.6	<0.2	1.11	2.7	<2	0.9
B21B-150_20-25	48.1	0.6	14.02	3.7	10	0.6
B21B-150_25-30	51.1	0.3	3.94	2.3	3	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-150_30-35	62.4	0.2	2.09	2.5	3	0.7
B21B-150_35-40	71.6	0.4	7.48	2.5	5	1.0
B21B-150_40-45	34.0	0.2	2.08	2.2	3	0.9
B21B-150_45-50	34.7	0.2	3.30	3.0	<2	1.2
B21B-150_50-55	42.5	0.4	1.55	2.8	<2	1.2
B21B-150_55-60	59.4	0.7	1.61	2.1	<2	1.0
B21B-150_60-65	74.7	0.4	2.73	1.4	<2	0.6
B21B-150_65-70	56.6	1.9	3.05	1.6	5	1.0
B21B-150_70-75	58.0	1.7	1.82	1.5	9	1.2
B21B-150_75-80	62.7	2.4	2.96	1.8	11	1.4
B21B-151_0-5	238	2.9	1.59	4.8	6	2.2
B21B-151_5-10	192	0.3	1.25	3.6	12	1.8
B21B-151_10-15	185	0.6	0.75	3.8	<2	1.9
*Dup B21B-148_50-55	8.0	4.3	0.67	4.2	3	1.4
*Rep B21B-146_40-45	16.5	122	0.54	7.0	3	5.2
*Blk BLANK	1.0	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.0	138	1.91	5.7	3	4.1
*Std OREAS 601b	314	101	24.43	4.4	9	3.4
*Rep B21B-148_55-60	16.2	1.4	0.17	3.5	<2	0.8
*Std OREAS 601b	306	97.9	22.84	3.8	9	3.2
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	30.9	139	1.76	5.0	3	3.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-145_60-65	0.16	0.32	0.19	6.8	0.90	1.18
B21B-145_65-70	0.13	0.29	0.15	6.3	0.91	1.36
B21B-145_70-75	0.12	0.32	0.11	6.1	0.81	1.27
B21B-145_75-80	0.12	0.32	0.11	6.0	0.80	1.30
B21B-146_0-5	0.14	0.26	13.65	7.4	0.15	1.28
B21B-146_5-10	3.75	0.22	11.02	9.9	0.31	2.14
B21B-146_10-15	10.47	0.90	2.19	21.8	0.60	6.36
B21B-146_15-20	10.23	0.81	1.55	19.7	0.85	7.18
B21B-146_20-25	9.94	0.43	4.75	16.1	0.99	4.61
B21B-146_25-30	10.13	0.33	5.08	14.0	1.22	4.86
B21B-146_30-35	1.92	0.25	2.91	8.0	1.43	2.12
B21B-146_35-40	1.17	0.32	1.22	8.1	1.46	1.93
B21B-146_40-45	1.28	0.37	0.79	7.8	1.43	2.05
B21B-146_45-50	0.90	0.46	0.59	7.7	0.91	1.85
B21B-146_50-55	0.58	0.44	0.65	7.4	0.72	1.56
B21B-146_55-60	0.58	0.37	0.53	6.6	1.48	1.60
B21B-147_0-5	0.18	0.33	13.11	14.9	0.59	1.47
B21B-147_5-10	0.15	0.37	6.15	10.7	0.12	1.77
B21B-147_10-15	0.17	0.32	3.38	9.0	0.04	1.61
B21B-147_15-20	0.15	0.30	3.66	8.2	<0.02	1.44
B21B-147_20-25	0.17	0.30	1.52	8.6	<0.02	1.47
B21B-147_25-30	0.14	0.34	2.83	7.5	<0.02	1.46
B21B-147_30-35	0.16	0.35	2.82	7.0	0.04	1.40
B21B-147_35-40	0.14	0.33	2.10	6.9	0.03	1.41
B21B-147_40-45	0.13	0.32	2.02	7.5	0.02	1.31
B21B-147_45-50	0.17	0.34	3.83	7.4	0.04	1.37
B21B-148_0-5	0.20	0.27	6.05	10.2	0.06	1.16
B21B-148_5-10	0.15	0.24	5.57	10.2	0.04	1.14
B21B-148_10-15	0.13	0.26	3.93	10.4	0.03	1.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-148_15-20	0.16	0.22	1.75	6.3	0.07	1.00
B21B-148_20-25	0.17	0.27	2.74	9.2	0.04	1.17
B21B-148_25-30	0.12	0.40	7.50	10.1	0.04	1.13
B21B-148_30-35	0.09	0.26	5.17	7.2	0.04	1.11
B21B-148_35-40	0.08	0.20	2.82	6.1	0.03	1.08
B21B-148_40-45	0.10	0.27	2.50	4.8	0.04	0.97
B21B-148_45-50	0.10	0.30	2.65	5.3	0.05	1.03
B21B-148_50-55	0.31	0.28	2.77	3.7	0.09	0.77
B21B-148_55-60	0.13	0.21	1.52	5.2	0.03	0.81
B21B-148_60-65	0.08	0.21	0.82	7.5	0.04	0.93
B21B-148_65-70	0.18	0.30	2.55	12.8	0.06	0.90
B21B-148_70-75	0.25	0.24	0.76	5.5	0.07	0.68
B21B-148_75-80	0.09	0.20	1.34	10.0	0.03	0.95
B21B-149_0-5	0.11	0.30	14.67	7.7	0.25	1.37
B21B-149_5-10	0.13	0.35	6.67	8.8	0.08	1.74
B21B-149_10-15	0.25	0.31	2.22	10.9	0.12	1.60
B21B-149_15-20	0.26	0.28	1.51	10.1	0.11	1.51
B21B-149_20-25	0.29	0.29	4.44	10.6	0.11	1.58
B21B-149_25-30	0.28	0.29	2.09	10.9	0.13	1.60
B21B-149_30-35	0.24	0.28	2.07	10.5	0.13	1.52
B21B-149_35-40	0.23	0.28	2.25	10.4	0.12	1.50
B21B-149_40-45	0.22	0.27	2.39	10.4	0.09	1.44
B21B-149_45-50	0.19	0.26	2.84	9.5	0.08	1.38
B21B-149_50-55	0.21	0.25	2.38	8.9	0.06	1.31
B21B-150_0-5	0.11	0.11	6.54	4.4	0.02	1.15
B21B-150_5-10	<0.05	0.08	8.22	3.1	<0.02	1.03
B21B-150_10-15	0.06	0.08	25.70	2.4	<0.02	1.11
B21B-150_15-20	<0.05	0.11	5.68	3.9	<0.02	1.00
B21B-150_20-25	<0.05	0.19	125	2.9	<0.02	0.92

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-150_25-30	<0.05	0.16	36.27	3.9	<0.02	0.80
B21B-150_30-35	<0.05	0.18	17.16	6.9	<0.02	0.92
B21B-150_35-40	<0.05	0.19	67.90	6.8	<0.02	0.85
B21B-150_40-45	0.05	0.11	15.49	2.5	<0.02	0.70
B21B-150_45-50	<0.05	0.11	23.39	3.1	<0.02	1.06
B21B-150_50-55	<0.05	0.11	8.97	4.3	<0.02	1.03
B21B-150_55-60	<0.05	0.13	10.52	5.5	0.02	0.80
B21B-150_60-65	<0.05	0.39	18.31	2.6	<0.02	0.56
B21B-150_65-70	<0.05	0.21	18.01	3.5	0.06	0.53
B21B-150_70-75	0.06	0.16	11.63	4.1	0.06	0.50
B21B-150_75-80	0.06	0.13	31.55	5.2	0.08	0.56
B21B-151_0-5	0.23	0.27	2.17	11.0	0.09	1.50
B21B-151_5-10	0.11	0.21	1.37	8.0	<0.02	1.14
B21B-151_10-15	0.12	0.23	1.02	8.7	<0.02	1.34
*Dup B21B-148_50-55	0.25	0.26	2.90	3.3	0.09	0.75
*Rep B21B-146_40-45	1.31	0.36	0.77	7.5	1.45	2.06
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.35	0.77	0.09	14.1	0.71	4.87
*Std OREAS 601b	1.12	0.54	11.83	12.1	1.47	4.74
*Rep B21B-148_55-60	0.10	0.22	1.67	5.4	0.03	0.80
*Std OREAS 601b	1.12	0.50	11.38	12.4	1.50	4.81
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.34	0.70	0.18	15.1	0.72	5.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-145_60-65	0.9	6.9	1.3
B21B-145_65-70	0.6	7.4	1.3
B21B-145_70-75	0.7	6.9	1.4
B21B-145_75-80	1.9	6.5	1.2
B21B-146_0-5	3.7	6.1	1.2
B21B-146_5-10	2.3	8.9	2.0
B21B-146_10-15	2.1	56.2	6.2
B21B-146_15-20	2.1	52.2	6.4
B21B-146_20-25	3.2	25.2	3.7
B21B-146_25-30	3.3	17.3	3.2
B21B-146_30-35	1.8	8.8	1.6
B21B-146_35-40	1.4	10.5	1.7
B21B-146_40-45	1.5	11.2	1.8
B21B-146_45-50	1.2	11.2	1.8
B21B-146_50-55	1.0	9.7	1.6
B21B-146_55-60	0.8	8.7	1.5
B21B-147_0-5	1.1	5.7	1.1
B21B-147_5-10	5.7	8.8	1.4
B21B-147_10-15	2.9	8.2	1.5
B21B-147_15-20	4.6	6.3	1.3
B21B-147_20-25	16.8	6.4	1.3
B21B-147_25-30	42.6	7.4	1.3
B21B-147_30-35	14.4	7.6	1.4
B21B-147_35-40	41.2	8.0	1.3
B21B-147_40-45	27.8	6.9	1.2
B21B-147_45-50	64.6	6.6	1.3
B21B-148_0-5	1.2	5.3	1.0
B21B-148_5-10	2.1	5.8	1.2
B21B-148_10-15	1.7	5.9	1.2
B21B-148_15-20	1.4	4.0	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-148_20-25	2.1	4.7	1.0
B21B-148_25-30	1.4	5.0	0.9
B21B-148_30-35	2.1	5.5	1.0
B21B-148_35-40	1.3	4.9	0.9
B21B-148_40-45	0.8	6.9	0.9
B21B-148_45-50	1.8	6.8	1.0
B21B-148_50-55	0.9	6.6	0.9
B21B-148_55-60	1.1	4.7	0.8
B21B-148_60-65	1.0	4.4	0.8
B21B-148_65-70	0.9	5.4	0.8
B21B-148_70-75	1.2	4.6	0.7
B21B-148_75-80	0.8	4.9	0.9
B21B-149_0-5	2.2	6.4	1.2
B21B-149_5-10	1.6	7.7	1.4
B21B-149_10-15	1.3	6.9	1.3
B21B-149_15-20	1.4	6.4	1.3
B21B-149_20-25	1.8	6.5	1.3
B21B-149_25-30	1.4	6.7	1.3
B21B-149_30-35	1.4	6.4	1.3
B21B-149_35-40	1.4	6.1	1.3
B21B-149_40-45	1.7	6.3	1.3
B21B-149_45-50	1.9	6.1	1.2
B21B-149_50-55	3.6	5.6	1.2
B21B-150_0-5	4.3	5.0	1.3
B21B-150_5-10	1.6	4.2	1.1
B21B-150_10-15	2.2	4.7	1.3
B21B-150_15-20	3.2	3.8	1.0
B21B-150_20-25	1.7	3.5	0.7
B21B-150_25-30	1.6	3.9	0.8
B21B-150_30-35	2.3	3.9	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(865-939)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11024

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-150_35-40	2.1	3.2	0.7
B21B-150_40-45	2.3	2.9	0.7
B21B-150_45-50	2.1	3.9	1.0
B21B-150_50-55	1.4	4.0	1.0
B21B-150_55-60	3.8	3.1	0.7
B21B-150_60-65	2.7	4.1	0.5
B21B-150_65-70	1.8	2.5	0.4
B21B-150_70-75	2.6	2.2	0.4
B21B-150_75-80	2.8	2.1	0.4
B21B-151_0-5	2.5	5.6	1.2
B21B-151_5-10	2.0	4.9	1.1
B21B-151_10-15	2.3	5.5	1.3
*Dup B21B-148_50-55	0.8	5.8	0.8
*Rep B21B-146_40-45	1.5	11.0	1.7
*Blk BLANK	0.1	<0.1	<0.1
*Std OREAS 905	2.9	15.1	0.7
*Std OREAS 601b	6.1	11.1	0.5
*Rep B21B-148_55-60	0.9	4.7	0.8
*Std OREAS 601b	6.1	11.1	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.8	15.5	0.6

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11025

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	23-Aug-2021 - 27-Sep-2021
Submission Number		Date Completed	27-Sep-2021
	*SD*PANCON_RESOURCES/Brewer	SGS Order Number	BBM21-11025
Gold/RABP2/1504 Samples(940-1014)			
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
72	G_PRP	Combined Sample Preparation
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.  
This Report cancels and supersedes the report  
BBM\_U0014661109 dated 30-Sep-2021 issued by SGS  
Canada (Burnaby).  
Updated the analyte sequence.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504 Samples(940-1014)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11025

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

8-Oct-2021 2:10AM BBM\_U0014962984

Page 2 of 32

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-151_15-20	4.46	0.037	5.82	195	0.02	1
B21B-151_20-25	3.72	0.016	5.16	269	0.03	<1
B21B-151_25-30	4.93	0.012	4.15	198	0.03	<1
596964	3.72	<0.005	-	-	-	-
B21B-151_30-35	3.87	0.017	4.72	192	0.02	<1
B21B-151_35-40	4.57	0.056	4.50	354	0.03	2
B21B-151_40-45	3.59	0.052	8.71	493	0.05	<1
B21B-151_45-50	3.58	0.016	5.88	327	0.05	1
B21B-151_50-55	3.75	0.021	6.39	361	0.05	<1
B21B-151_55-60	2.61	0.016	5.07	292	0.03	1
B21B-151_60-65	5.05	0.049	2.95	308	0.04	2
B21B-151_65-70	6.66	0.069	4.12	284	0.04	1
B21B-151_70-75	4.25	0.065	3.08	185	0.02	2
B21B-151_75-80	8.87	0.120	1.03	60	<0.01	4
B21B-152_0-5	2.06	0.034	5.20	74	0.01	24
B21B-152_5-10	6.21	0.013	1.49	274	0.03	2
B21B-152_10-15	5.82	0.014	1.59	215	0.03	2
B21B-152_15-20	6.82	0.036	0.95	92	0.03	2
B21B-152_20-25	7.06	0.047	2.07	60	0.01	4
B21B-152_25-30	5.25	0.018	1.41	58	<0.01	2
B21B-152_30-35	5.13	0.037	2.28	296	0.02	3
B21B-152_35-40	9.31	0.012	4.36	191	0.02	2
B21B-152_40-45	6.44	0.047	3.91	279	0.03	2
B21B-152_45-50	5.48	0.095	4.44	308	0.03	5
B21B-152_50-55	6.47	0.069	4.16	298	0.02	2
B21B-152_55-60	7.33	0.156	2.07	209	0.01	5
B21B-152_60-65	9.10	0.117	3.63	609	0.02	7
B21B-152_65-67	8.35	0.044	3.17	275	0.02	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-153_0-5	5.32	0.047	2.26	73	0.03	2
B21B-153_5-10	4.89	0.082	2.38	64	0.02	1
B21B-153_10-15	8.51	0.139	2.24	66	0.02	2
596965	4.41	0.067	-	-	-	-
B21B-153_15-20	8.25	0.378	1.99	197	0.05	3
B21B-153_20-25	8.44	0.823	1.83	164	0.07	2
B21B-153_25-30	1.88	0.077	1.22	79	0.03	2
B21B-153_30-35	9.25	0.044	1.54	62	0.02	4
B21B-153_35-40	3.21	0.061	0.96	65	0.02	3
B21B-153_40-45	8.28	0.237	1.18	156	0.05	3
B21B-153_45-50	6.79	0.065	1.50	76	0.02	3
B21B-153_50-55	7.87	0.098	1.78	109	0.02	2
B21B-153_55-60	9.82	1.306	1.28	74	0.02	3
B21B-153_60-65	5.22	0.124	1.34	103	0.03	3
B21B-153_65-70	6.37	0.228	1.02	201	0.05	3
B21B-153_70-75	8.25	1.412	1.19	161	0.04	6
B21B-153_75-80	7.69	0.392	0.74	436	0.18	4
B21B-154_0-5	2.96	0.110	9.54	373	0.03	16
B21B-154_5-10	3.63	0.245	7.82	524	0.04	19
B21B-154_10-15	4.63	0.137	5.32	506	0.05	18
B21B-154_15-20	6.67	0.134	4.53	211	0.04	11
B21B-154_20-25	7.19	0.150	4.33	1102	0.03	9
B21B-154_25-30	5.42	0.057	1.69	192	0.01	2
B21B-154_30-35	5.09	0.076	2.53	611	0.02	3
B21B-154_35-40	3.98	0.064	1.77	143	<0.01	2
B21B-154_40-45	6.12	0.054	1.61	82	<0.01	2
B21B-154_45-50	3.43	0.115	3.10	132	0.01	5
B21B-154_50-55	4.62	0.204	4.02	550	0.02	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
596966	0.09	0.331	-	-	-	-
B21B-154_55-60	6.24	0.107	2.74	226	0.01	4
B21B-154_60-65	7.76	0.088	3.97	303	0.04	4
B21B-154_65-70	6.72	0.094	1.79	162	0.01	2
B21B-154_70-75	3.36	0.086	2.15	150	0.01	5
B21B-154_75-80	6.43	0.066	1.17	116	<0.01	5
B21B-155_0-5	5.87	0.109	4.34	539	0.05	4
B21B-155_5-10	8.19	0.153	4.63	783	0.08	2
B21B-155_10-15	4.29	0.140	6.34	741	0.07	1
B21B-155_15-20	5.04	0.061	1.87	115	0.03	2
B21B-155_20-25	7.36	0.059	1.61	97	0.03	4
B21B-155_25-30	3.87	0.256	4.57	335	0.06	1
B21B-155_30-35	5.64	0.406	4.90	240	0.05	2
B21B-155_35-40	4.51	0.141	1.89	198	0.03	2
B21B-155_40-45	5.42	0.462	2.42	172	0.03	3
B21B-155_45-50	4.44	0.736	2.20	229	0.03	4
B21B-155_50-55	5.25	0.522	4.85	630	0.10	3
B21B-155_55-60	6.75	0.068	5.23	557	0.10	2
B21B-155_60-65	5.89	0.053	6.48	576	0.09	3
*Dup B21B-153_45-50	-	0.067	1.45	78	0.02	3
*Std SN106	-	8.549	-	-	-	-
*Std OREAS 250b	-	0.332	-	-	-	-
*Rep B21B-151_60-65	-	0.047	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 596965	-	0.064	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-155_40-45	-	0.451	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 238	-	3.323	-	-	-	-
*Std OREAS 601b	-	-	6.62	635	0.89	16
*Std OREAS 905	-	-	7.26	2672	0.59	14
*Rep B21B-151_45-50	-	-	5.87	335	0.06	1
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.66	359	0.91	18
*Blk BLANK	-	-	0.02	<1	<0.01	<1
*Std OREAS 905	-	-	7.31	2671	0.57	14
*Rep B21B-155_60-65	-	0.056	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 238	-	2.980	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 601b	-	-	6.69	471	0.87	22
*Rep B21B-155_0-5	-	-	4.83	554	0.06	5
*Std OREAS 905	-	-	7.15	2699	0.58	15

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-151_15-20	10.3	0.36	0.02	3	<0.01	14
B21B-151_20-25	3.4	0.18	0.02	3	<0.01	15
B21B-151_25-30	3.6	0.14	0.02	4	<0.01	10
B21B-151_30-35	4.5	0.20	0.01	3	<0.01	16
B21B-151_35-40	4.9	0.38	0.17	3	<0.01	14
B21B-151_40-45	2.5	0.19	0.93	3	<0.01	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-151_45-50	2.0	0.16	0.52	3	<0.01	11
B21B-151_50-55	3.8	0.19	0.49	3	<0.01	11
B21B-151_55-60	3.9	0.20	0.24	3	<0.01	14
B21B-151_60-65	7.1	0.48	0.11	3	<0.01	23
B21B-151_65-70	6.3	0.38	0.15	3	<0.01	15
B21B-151_70-75	10.0	0.50	0.22	4	<0.01	22
B21B-151_75-80	8.8	0.40	0.05	2	<0.01	21
B21B-152_0-5	133	2.15	0.13	17	0.04	40
B21B-152_5-10	18.1	0.41	0.02	2	<0.01	26
B21B-152_10-15	9.4	0.51	0.02	2	<0.01	27
B21B-152_15-20	10.5	0.53	0.02	2	<0.01	25
B21B-152_20-25	9.6	1.88	0.01	2	<0.01	26
B21B-152_25-30	7.0	0.36	0.02	2	<0.01	24
B21B-152_30-35	5.7	1.11	0.40	2	<0.01	23
B21B-152_35-40	4.2	0.51	1.08	2	<0.01	35
B21B-152_40-45	3.9	0.59	0.98	1	<0.01	16
B21B-152_45-50	21.3	2.37	0.42	2	<0.01	20
B21B-152_50-55	8.8	1.39	0.55	1	<0.01	15
B21B-152_55-60	18.1	2.78	0.13	2	<0.01	28
B21B-152_60-65	13.6	2.56	0.06	2	<0.01	20
B21B-152_65-67	22.0	2.36	0.43	2	<0.01	31
B21B-153_0-5	12.6	0.73	0.06	2	<0.01	27
B21B-153_5-10	6.3	0.45	0.02	2	<0.01	21
B21B-153_10-15	5.7	1.04	0.02	2	<0.01	17
B21B-153_15-20	25.6	3.11	0.36	1	<0.01	19
B21B-153_20-25	21.9	2.67	0.31	2	<0.01	25
B21B-153_25-30	9.2	1.08	0.27	2	<0.01	21
B21B-153_30-35	5.5	1.26	0.38	1	<0.01	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-153_35-40	5.6	1.47	0.12	1	<0.01	21
B21B-153_40-45	6.2	2.23	0.13	2	<0.01	18
B21B-153_45-50	4.9	0.66	0.21	<1	<0.01	22
B21B-153_50-55	5.7	0.69	0.36	<1	<0.01	22
B21B-153_55-60	10.9	1.30	0.34	<1	<0.01	21
B21B-153_60-65	6.2	0.67	0.43	<1	<0.01	26
B21B-153_65-70	8.4	1.43	0.28	<1	<0.01	18
B21B-153_70-75	8.0	3.52	0.36	<1	<0.01	21
B21B-153_75-80	5.8	1.08	0.07	<1	<0.01	32
B21B-154_0-5	8.9	1.03	3.45	1	0.05	19
B21B-154_5-10	4.5	2.31	1.84	3	0.02	12
B21B-154_10-15	4.7	5.14	0.27	3	<0.01	11
B21B-154_15-20	8.4	4.59	0.18	1	<0.01	12
B21B-154_20-25	8.4	4.49	0.23	3	<0.01	19
B21B-154_25-30	3.3	0.97	0.19	<1	<0.01	16
B21B-154_30-35	6.2	2.47	0.13	2	<0.01	16
B21B-154_35-40	3.3	0.65	0.15	<1	<0.01	21
B21B-154_40-45	5.3	0.85	0.09	<1	<0.01	17
B21B-154_45-50	4.8	1.31	0.30	2	<0.01	17
B21B-154_50-55	7.1	1.27	0.12	3	<0.01	15
B21B-154_55-60	5.9	0.92	0.21	2	<0.01	19
B21B-154_60-65	6.1	1.24	0.58	2	<0.01	16
B21B-154_65-70	3.9	0.87	0.34	<1	<0.01	20
B21B-154_70-75	5.2	0.92	0.25	2	<0.01	31
B21B-154_75-80	4.9	0.65	0.18	<1	<0.01	31
B21B-155_0-5	26.0	2.74	0.05	3	<0.01	30
B21B-155_5-10	10.2	3.71	0.09	2	<0.01	36
B21B-155_10-15	14.6	3.97	0.08	2	<0.01	15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-155_15-20	13.1	3.04	0.03	<1	<0.01	41
B21B-155_20-25	13.7	4.98	0.04	1	<0.01	37
B21B-155_25-30	22.8	4.32	0.05	2	<0.01	18
B21B-155_30-35	37.9	4.43	0.07	2	<0.01	16
B21B-155_35-40	11.4	2.87	0.29	1	<0.01	22
B21B-155_40-45	59.4	2.19	0.34	<1	<0.01	22
B21B-155_45-50	86.6	3.02	0.21	<1	<0.01	25
B21B-155_50-55	15.8	2.14	0.45	1	<0.01	19
B21B-155_55-60	35.3	1.45	0.07	2	<0.01	16
B21B-155_60-65	76.5	2.92	0.04	3	<0.01	13
*Dup B21B-153_45-50	5.1	0.64	0.20	<1	<0.01	20
*Std OREAS 601b	966	2.29	2.23	23	0.09	208
*Std OREAS 905	1496	4.04	2.83	22	0.27	360
*Rep B21B-151_45-50	2.1	0.16	0.52	3	<0.01	11
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	973	2.18	2.40	22	0.09	212
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1554	3.86	2.74	20	0.26	392
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1015	2.37	2.38	22	0.10	222
*Rep B21B-155_0-5	26.9	2.94	0.05	3	<0.01	32
*Std OREAS 905	1537	3.94	2.89	20	0.28	368

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-151_15-20	0.01	<1	0.04	0.06	374	0.07
B21B-151_20-25	0.02	1	0.06	0.08	504	0.06
B21B-151_25-30	0.01	<1	0.05	0.07	426	0.06
B21B-151_30-35	0.01	1	0.05	0.07	563	0.06
B21B-151_35-40	0.03	1	0.07	0.09	658	0.08
B21B-151_40-45	0.13	<1	0.12	0.16	1131	0.09
B21B-151_45-50	0.08	<1	0.12	0.17	1142	0.05
B21B-151_50-55	0.07	<1	0.11	0.15	1168	0.06
B21B-151_55-60	0.04	2	0.07	0.09	653	0.06
B21B-151_60-65	0.03	2	0.08	0.08	541	0.04
B21B-151_65-70	0.03	2	0.06	0.07	361	0.04
B21B-151_70-75	0.03	3	0.04	0.05	280	0.06
B21B-151_75-80	0.01	3	0.02	0.02	113	0.08
B21B-152_0-5	0.02	11	0.02	0.10	80.6	0.22
B21B-152_5-10	0.01	1	0.05	0.06	285	0.07
B21B-152_10-15	0.01	<1	0.05	0.06	370	0.06
B21B-152_15-20	<0.01	1	0.04	0.05	251	0.07
B21B-152_20-25	<0.01	2	0.02	1.11	140	0.05
B21B-152_25-30	<0.01	<1	0.01	0.04	92.8	0.08
B21B-152_30-35	0.04	2	0.04	0.12	237	0.05
B21B-152_35-40	0.09	3	0.04	0.06	303	0.07
B21B-152_40-45	0.09	1	0.06	0.08	420	0.07
B21B-152_45-50	0.05	2	0.06	0.09	362	0.08
B21B-152_50-55	0.06	2	0.05	0.10	297	0.06
B21B-152_55-60	0.02	4	0.03	0.09	129	0.07
B21B-152_60-65	0.01	3	0.07	0.06	206	0.06
B21B-152_65-67	0.05	5	0.05	0.08	296	0.06
B21B-153_0-5	0.03	<1	0.04	0.04	409	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-153_5-10	0.01	<1	0.03	0.04	374	0.07
B21B-153_10-15	0.01	<1	0.03	0.04	316	0.06
B21B-153_15-20	0.06	1	0.08	0.06	403	0.03
B21B-153_20-25	0.04	2	0.11	0.08	385	0.04
B21B-153_25-30	0.04	2	0.04	0.05	259	0.09
B21B-153_30-35	0.05	1	0.03	0.53	212	0.07
B21B-153_35-40	0.02	2	0.03	0.23	172	0.06
B21B-153_40-45	0.02	2	0.06	0.09	284	0.07
B21B-153_45-50	0.03	4	0.03	0.04	167	0.08
B21B-153_50-55	0.04	3	0.04	0.04	240	0.06
B21B-153_55-60	0.04	5	0.04	0.04	214	0.05
B21B-153_60-65	0.05	5	0.05	0.05	264	0.07
B21B-153_65-70	0.03	3	0.07	0.07	369	0.09
B21B-153_70-75	0.04	5	0.06	0.12	290	0.07
B21B-153_75-80	0.01	4	0.19	0.18	364	0.06
B21B-154_0-5	0.39	3	0.06	0.07	131	0.13
B21B-154_5-10	0.49	1	0.09	0.06	259	0.09
B21B-154_10-15	0.21	<1	0.10	0.07	227	0.06
B21B-154_15-20	0.07	<1	0.06	0.06	84.4	0.07
B21B-154_20-25	0.06	1	0.11	0.07	317	0.05
B21B-154_25-30	0.05	2	0.03	0.03	197	0.07
B21B-154_30-35	0.04	2	0.06	0.04	275	0.06
B21B-154_35-40	0.04	2	0.02	0.02	168	0.08
B21B-154_40-45	0.02	3	0.02	0.11	139	0.07
B21B-154_45-50	0.05	3	0.03	0.03	210	0.07
B21B-154_50-55	0.03	2	0.06	0.05	352	0.07
B21B-154_55-60	0.04	2	0.03	0.03	171	0.07
B21B-154_60-65	0.09	2	0.07	0.06	349	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-154_65-70	0.05	3	0.02	0.03	140	0.04
B21B-154_70-75	0.06	6	0.03	0.03	162	0.05
B21B-154_75-80	0.03	10	0.02	0.02	106	0.03
B21B-155_0-5	0.03	1	0.11	0.10	510	0.04
B21B-155_5-10	0.03	<1	0.16	0.12	516	0.02
B21B-155_10-15	0.04	<1	0.15	0.15	568	0.03
B21B-155_15-20	0.02	<1	0.06	0.06	218	0.01
B21B-155_20-25	0.02	1	0.06	0.11	220	0.01
B21B-155_25-30	0.02	<1	0.11	0.13	513	0.04
B21B-155_30-35	0.03	2	0.09	0.83	431	0.04
B21B-155_35-40	0.04	1	0.05	0.17	171	0.04
B21B-155_40-45	0.06	4	0.04	0.98	193	0.05
B21B-155_45-50	0.04	5	0.05	1.40	197	0.04
B21B-155_50-55	0.08	2	0.16	0.31	862	0.05
B21B-155_55-60	0.03	2	0.17	0.55	1167	0.06
B21B-155_60-65	0.03	5	0.15	1.89	781	0.04
*Dup B21B-153_45-50	0.03	4	0.03	0.04	169	0.07
*Std OREAS 601b	1.81	6	0.03	1.51	233	0.12
*Std OREAS 905	2.37	8	0.03	0.07	159	0.11
*Rep B21B-151_45-50	0.08	1	0.12	0.17	1194	0.05
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.81	6	0.03	1.47	236	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.22	8	0.03	0.07	152	0.11
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.88	6	0.03	1.52	233	0.13
*Rep B21B-155_0-5	0.03	1	0.12	0.11	540	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11025**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 905	2.32	8	0.03	0.07	153	0.12

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-151_15-20	12	<1	122	0.12	11	0.2
B21B-151_20-25	10	<1	128	0.08	1	0.2
B21B-151_25-30	9	1	114	0.06	1	0.1
B21B-151_30-35	10	4	110	0.04	1	0.2
B21B-151_35-40	18	1	170	0.09	6	0.2
B21B-151_40-45	50	<1	169	0.10	2	0.3
B21B-151_45-50	32	<1	145	0.10	1	0.2
B21B-151_50-55	36	<1	139	0.07	3	0.2
B21B-151_55-60	20	<1	117	0.03	2	0.2
B21B-151_60-65	11	<1	69.3	0.08	8	0.2
B21B-151_65-70	14	<1	87.8	0.09	7	0.2
B21B-151_70-75	18	<1	104	0.05	11	0.1
B21B-151_75-80	8	<1	128	0.06	7	<0.1
B21B-152_0-5	58	12	72.8	0.06	12	0.3
B21B-152_5-10	8	<1	51.6	<0.02	3	0.1
B21B-152_10-15	6	2	62.1	0.04	2	<0.1
B21B-152_15-20	7	<1	53.6	0.03	4	<0.1
B21B-152_20-25	5	<1	66.4	0.05	3	<0.1
B21B-152_25-30	6	<1	61.5	0.03	<1	<0.1
B21B-152_30-35	22	<1	54.0	0.03	2	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-152_35-40	52	<1	51.4	<0.02	<1	0.1
B21B-152_40-45	45	1	64.2	0.03	2	<0.1
B21B-152_45-50	28	<1	106	0.21	7	<0.1
B21B-152_50-55	32	<1	116	0.07	4	0.1
B21B-152_55-60	11	<1	76.9	0.15	5	<0.1
B21B-152_60-65	11	<1	93.2	0.12	4	<0.1
B21B-152_65-67	28	<1	108	0.07	4	<0.1
B21B-153_0-5	13	1	117	0.05	64	<0.1
B21B-153_5-10	10	<1	90.0	0.03	22	<0.1
B21B-153_10-15	10	<1	111	0.12	12	0.1
B21B-153_15-20	27	1	90.5	0.40	20	0.1
B21B-153_20-25	24	<1	75.1	0.27	18	<0.1
B21B-153_25-30	24	<1	31.6	0.07	5	<0.1
B21B-153_30-35	30	<1	113	0.09	5	<0.1
B21B-153_35-40	12	<1	99.5	0.14	6	<0.1
B21B-153_40-45	14	<1	74.7	0.65	8	<0.1
B21B-153_45-50	18	1	57.2	0.04	6	<0.1
B21B-153_50-55	28	<1	65.1	0.07	5	<0.1
B21B-153_55-60	22	<1	77.7	0.29	14	<0.1
B21B-153_60-65	25	2	73.4	0.04	5	<0.1
B21B-153_65-70	21	<1	84.1	0.63	10	<0.1
B21B-153_70-75	20	2	126	0.80	14	<0.1
B21B-153_75-80	11	1	33.2	0.15	8	<0.1
B21B-154_0-5	124	5	154	0.07	12	0.6
B21B-154_5-10	94	2	102	0.06	25	0.5
B21B-154_10-15	72	1	88.3	0.14	80	0.3
B21B-154_15-20	48	<1	81.4	0.31	27	0.2
B21B-154_20-25	44	3	78.7	0.12	46	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-154_25-30	19	2	69.9	0.03	8	<0.1
B21B-154_30-35	26	2	82.2	0.08	21	0.2
B21B-154_35-40	18	1	80.9	<0.02	4	<0.1
B21B-154_40-45	14	2	78.6	<0.02	4	<0.1
B21B-154_45-50	29	2	103	0.16	6	0.2
B21B-154_50-55	23	2	106	0.22	8	0.2
B21B-154_55-60	26	2	85.3	0.05	5	0.1
B21B-154_60-65	39	2	106	0.23	6	0.2
B21B-154_65-70	18	2	75.7	0.11	4	<0.1
B21B-154_70-75	18	2	72.9	0.18	6	0.1
B21B-154_75-80	12	2	61.1	0.02	4	<0.1
B21B-155_0-5	30	4	63.6	0.14	31	0.2
B21B-155_5-10	23	3	62.7	0.15	13	0.2
B21B-155_10-15	22	<1	105	0.05	7	0.2
B21B-155_15-20	19	2	39.1	0.13	11	0.1
B21B-155_20-25	18	2	48.2	0.34	14	<0.1
B21B-155_25-30	15	<1	121	0.07	15	0.2
B21B-155_30-35	15	1	121	0.31	23	0.2
B21B-155_35-40	23	<1	88.2	0.12	24	<0.1
B21B-155_40-45	25	4	115	0.29	28	<0.1
B21B-155_45-50	18	3	109	0.60	21	<0.1
B21B-155_50-55	46	2	104	0.24	26	0.2
B21B-155_55-60	26	2	80.2	0.09	7	0.2
B21B-155_60-65	26	1	84.0	0.14	9	0.2
*Dup B21B-153_45-50	18	2	103	0.02	7	<0.1
*Std OREAS 601b	11	314	181	51.22	289	2.2
*Std OREAS 905	9	139	253	0.68	34	2.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
<b>Lower Limit</b>	2	1	0.5	0.02	1	0.1
<b>Upper Limit</b>	10,000	10,000	10,000	100	10,000	2,500
<b>Unit</b>	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep B21B-151_45-50	31	<1	142	0.05	1	0.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	306	177	48.15	285	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	142	251	0.38	34	3.1
*Blk BLANK	<2	2	<0.5	0.03	<1	<0.1
*Std OREAS 601b	11	319	180	50.16	280	2.4
*Rep B21B-155_0-5	33	4	67.3	0.13	31	0.3
*Std OREAS 905	8	130	251	0.46	34	3.2

Element Method	@Bi GE_IMS40Q12	@Cd GE_IMS40Q12	@Ce GE_IMS40Q12	@Co GE_IMS40Q12	@Cs GE_IMS40Q12	@Ga GE_IMS40Q12
<b>Lower Limit</b>	0.04	0.02	0.05	0.1	1	0.1
<b>Upper Limit</b>	10,000	10,000	1,000	10,000	1,000	1,000
<b>Unit</b>	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-151_15-20	1.43	<0.02	42.73	0.1	<1	23.7
B21B-151_20-25	0.89	<0.02	49.73	0.1	<1	22.2
B21B-151_25-30	0.82	<0.02	40.72	0.1	<1	17.4
B21B-151_30-35	1.22	<0.02	43.45	0.2	<1	22.6
B21B-151_35-40	5.84	<0.02	54.74	0.1	<1	21.9
B21B-151_40-45	19.35	<0.02	89.53	<0.1	<1	45.5
B21B-151_45-50	17.94	<0.02	123	0.1	<1	29.1
B21B-151_50-55	6.20	<0.02	97.97	<0.1	<1	29.9
B21B-151_55-60	2.86	<0.02	54.34	0.1	<1	24.3
B21B-151_60-65	2.95	<0.02	50.04	0.2	<1	12.8
B21B-151_65-70	2.02	<0.02	38.78	0.2	<1	16.2
B21B-151_70-75	1.36	<0.02	28.72	0.3	<1	13.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-151_75-80	1.18	<0.02	11.05	0.4	<1	4.4
B21B-152_0-5	6.10	0.03	34.49	1.6	2	14.6
B21B-152_5-10	15.93	<0.02	46.10	0.4	<1	5.6
B21B-152_10-15	15.04	<0.02	59.18	0.3	<1	6.4
B21B-152_15-20	10.71	<0.02	40.86	0.3	<1	3.3
B21B-152_20-25	3.86	<0.02	18.02	1.8	<1	9.0
B21B-152_25-30	2.17	<0.02	11.18	0.2	<1	5.6
B21B-152_30-35	2.70	<0.02	24.86	0.6	<1	12.4
B21B-152_35-40	1.16	<0.02	34.55	0.4	<1	26.3
B21B-152_40-45	3.56	<0.02	44.92	0.4	<1	23.8
B21B-152_45-50	7.04	0.02	48.38	0.3	<1	27.4
B21B-152_50-55	4.60	<0.02	39.80	0.3	<1	26.2
B21B-152_55-60	4.82	<0.02	15.63	0.8	<1	11.5
B21B-152_60-65	4.48	0.02	30.66	0.5	<1	20.2
B21B-152_65-67	3.26	0.03	36.95	1.0	<1	19.6
B21B-153_0-5	4.20	<0.02	32.23	0.3	<1	9.0
B21B-153_5-10	6.78	<0.02	28.62	0.1	<1	9.6
B21B-153_10-15	5.93	<0.02	27.96	0.1	<1	10.6
B21B-153_15-20	24.45	0.06	47.16	0.1	<1	9.2
B21B-153_20-25	21.85	0.06	29.42	0.5	<1	9.2
B21B-153_25-30	57.27	0.04	19.73	0.3	<1	7.2
B21B-153_30-35	37.81	0.02	19.69	0.5	<1	9.2
B21B-153_35-40	26.36	<0.02	16.64	0.7	<1	5.3
B21B-153_40-45	66.99	0.04	30.78	0.4	<1	6.5
B21B-153_45-50	36.57	<0.02	21.44	0.7	<1	8.0
B21B-153_50-55	72.54	<0.02	37.47	0.6	<1	10.6
B21B-153_55-60	66.96	<0.02	26.83	0.4	<1	7.8
B21B-153_60-65	43.20	<0.02	30.74	0.6	<1	7.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-153_65-70	108	<0.02	50.82	0.3	<1	5.9
B21B-153_70-75	167	<0.02	37.70	0.5	<1	7.4
B21B-153_75-80	126	0.04	38.35	0.4	<1	3.5
B21B-154_0-5	3.02	<0.02	66.62	0.3	5	25.3
B21B-154_5-10	2.33	<0.02	80.03	0.3	2	20.5
B21B-154_10-15	2.79	<0.02	63.88	0.2	<1	15.3
B21B-154_15-20	3.38	<0.02	47.79	0.1	<1	13.6
B21B-154_20-25	2.08	<0.02	56.24	0.4	<1	11.4
B21B-154_25-30	2.91	<0.02	19.93	0.5	<1	4.9
B21B-154_30-35	3.74	<0.02	31.20	0.9	<1	8.1
B21B-154_35-40	3.89	<0.02	17.82	0.6	<1	5.9
B21B-154_40-45	3.77	<0.02	17.11	1.2	<1	5.1
B21B-154_45-50	4.83	<0.02	28.53	0.6	<1	10.2
B21B-154_50-55	3.93	<0.02	43.88	0.5	<1	12.9
B21B-154_55-60	2.25	<0.02	25.67	0.3	<1	9.3
B21B-154_60-65	2.27	<0.02	39.37	0.2	<1	13.1
B21B-154_65-70	5.42	<0.02	16.48	0.5	<1	7.6
B21B-154_70-75	4.54	<0.02	23.07	0.8	<1	8.0
B21B-154_75-80	6.16	<0.02	14.41	0.7	<1	4.5
B21B-155_0-5	2.63	<0.02	86.46	0.7	<1	12.1
B21B-155_5-10	2.17	<0.02	83.77	0.4	<1	12.3
B21B-155_10-15	3.94	<0.02	95.42	0.5	<1	18.9
B21B-155_15-20	2.03	0.04	37.11	0.5	<1	5.4
B21B-155_20-25	2.17	0.03	36.42	0.7	<1	5.8
B21B-155_25-30	5.58	<0.02	85.92	0.5	<1	19.6
B21B-155_30-35	6.76	0.03	72.49	6.3	<1	26.4
B21B-155_35-40	6.38	<0.02	21.45	1.5	<1	13.6
B21B-155_40-45	10.54	0.06	25.86	15.8	<1	17.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_45-50	13.78	0.06	27.15	22.1	<1	16.2
B21B-155_50-55	11.81	0.03	86.68	2.9	<1	31.7
B21B-155_55-60	5.21	<0.02	104	3.1	<1	31.7
B21B-155_60-65	11.81	0.02	59.32	12.2	<1	28.2
*Dup B21B-153_45-50	37.39	<0.02	22.18	0.7	<1	8.2
*Std OREAS 601b	17.25	2.00	67.10	2.8	5	22.8
*Std OREAS 905	5.65	0.34	87.81	14.1	7	24.0
*Rep B21B-151_45-50	18.08	<0.02	123	<0.1	<1	27.8
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	17.29	2.18	68.01	2.9	5	23.1
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.90	0.33	92.24	14.3	6	23.8
*Blk BLANK	0.06	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 601b	17.75	2.01	70.15	2.8	4	22.0
*Rep B21B-155_0-5	2.74	<0.02	91.10	0.7	<1	13.0
*Std OREAS 905	5.71	0.33	91.96	14.2	6	23.5

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-151_15-20	3.38	<0.02	21.4	0.19	5.49	2.9
B21B-151_20-25	3.19	<0.02	25.0	0.19	1.52	2.1
B21B-151_25-30	3.06	<0.02	20.0	0.19	1.24	1.6
B21B-151_30-35	2.99	<0.02	20.0	0.17	1.78	2.1
B21B-151_35-40	4.68	0.02	27.6	0.25	7.87	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-151_40-45	4.77	0.08	44.7	0.20	7.13	3.9
B21B-151_45-50	3.87	0.06	62.8	0.21	1.24	1.9
B21B-151_50-55	3.92	0.06	47.3	0.20	3.09	2.1
B21B-151_55-60	3.15	0.03	26.7	0.18	2.20	1.6
B21B-151_60-65	1.38	<0.02	25.6	0.14	10.82	0.7
B21B-151_65-70	2.43	0.02	19.2	0.14	10.92	1.2
B21B-151_70-75	2.78	0.03	14.1	0.14	15.95	1.5
B21B-151_75-80	3.00	<0.02	5.5	0.16	12.39	1.5
B21B-152_0-5	2.11	0.06	15.7	0.12	18.94	7.4
B21B-152_5-10	1.18	<0.02	20.6	0.08	6.95	1.2
B21B-152_10-15	1.55	<0.02	26.3	0.07	11.96	1.3
B21B-152_15-20	1.20	<0.02	19.2	0.05	23.21	1.1
B21B-152_20-25	1.71	<0.02	8.6	0.05	8.52	1.1
B21B-152_25-30	1.59	<0.02	5.7	0.05	6.26	1.6
B21B-152_30-35	1.42	0.04	12.2	0.04	14.11	1.1
B21B-152_35-40	1.35	0.11	17.3	0.04	4.19	1.4
B21B-152_40-45	1.66	0.14	21.7	0.05	7.98	1.5
B21B-152_45-50	2.70	0.06	24.9	0.09	20.71	1.9
B21B-152_50-55	2.99	0.07	20.7	0.13	15.48	1.6
B21B-152_55-60	2.05	<0.02	8.0	0.06	8.99	1.4
B21B-152_60-65	2.16	<0.02	15.4	0.07	19.10	1.2
B21B-152_65-67	2.68	0.05	17.9	0.07	11.38	1.3
B21B-153_0-5	2.98	0.04	16.1	0.20	46.61	1.7
B21B-153_5-10	1.64	0.03	14.1	0.21	53.21	1.0
B21B-153_10-15	2.75	0.02	13.4	0.20	87.61	1.5
B21B-153_15-20	2.08	0.12	23.6	0.19	145	0.8
B21B-153_20-25	1.83	0.10	14.7	0.16	160	1.0
B21B-153_25-30	0.51	0.08	11.7	0.14	24.82	0.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-153_30-35	2.99	0.14	10.4	0.16	12.16	1.5
B21B-153_35-40	2.52	0.04	9.0	0.14	17.28	1.3
B21B-153_40-45	1.83	0.05	17.7	0.17	36.75	1.0
B21B-153_45-50	1.01	0.09	12.2	0.18	14.59	0.9
B21B-153_50-55	1.00	0.17	21.4	0.19	14.57	0.7
B21B-153_55-60	1.75	0.12	15.0	0.18	29.53	1.0
B21B-153_60-65	1.58	0.11	16.8	0.20	14.50	1.0
B21B-153_65-70	1.71	0.08	28.2	0.32	23.42	1.1
B21B-153_70-75	4.07	0.09	21.2	0.29	20.28	1.6
B21B-153_75-80	0.89	0.04	21.3	0.24	14.02	0.7
B21B-154_0-5	4.28	0.69	29.9	0.30	21.30	3.7
B21B-154_5-10	3.38	0.20	37.0	0.30	27.16	2.3
B21B-154_10-15	2.63	0.10	29.0	0.25	30.84	1.5
B21B-154_15-20	2.41	0.08	22.6	0.24	24.14	1.8
B21B-154_20-25	2.22	0.12	25.7	0.20	129	1.4
B21B-154_25-30	1.99	0.05	10.0	0.16	44.11	1.8
B21B-154_30-35	2.19	0.05	15.7	0.21	49.11	1.6
B21B-154_35-40	2.21	0.05	9.0	0.17	45.77	2.1
B21B-154_40-45	2.06	0.03	8.7	0.17	25.87	2.1
B21B-154_45-50	2.79	0.10	14.4	0.23	41.72	2.0
B21B-154_50-55	3.04	0.04	20.8	0.26	49.79	1.9
B21B-154_55-60	2.31	0.07	13.1	0.20	22.89	1.9
B21B-154_60-65	2.85	0.16	19.5	0.26	36.26	1.5
B21B-154_65-70	2.06	0.09	8.4	0.15	21.49	1.3
B21B-154_70-75	2.00	0.07	11.7	0.15	23.48	1.2
B21B-154_75-80	1.53	0.04	7.4	0.12	35.03	0.9
B21B-155_0-5	1.74	0.06	46.1	0.13	137	1.4
B21B-155_5-10	1.75	0.04	45.2	0.14	36.88	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-155_10-15	2.93	0.03	48.9	0.23	8.92	0.9
B21B-155_15-20	1.03	0.03	19.3	0.09	24.93	0.3
B21B-155_20-25	1.31	0.03	18.9	0.11	22.27	0.3
B21B-155_25-30	3.29	0.03	43.6	0.27	10.63	1.1
B21B-155_30-35	3.35	0.03	37.5	0.25	9.65	1.2
B21B-155_35-40	2.47	0.11	12.3	0.19	9.30	1.1
B21B-155_40-45	3.05	0.10	13.9	0.23	9.42	1.4
B21B-155_45-50	2.96	0.09	14.0	0.24	9.43	1.3
B21B-155_50-55	2.82	0.14	42.0	0.24	7.66	1.4
B21B-155_55-60	2.18	0.03	46.5	0.20	5.29	1.7
B21B-155_60-65	2.32	0.03	26.8	0.19	9.14	1.4
*Dup B21B-153_45-50	2.60	0.09	12.5	0.18	14.34	1.6
*Std OREAS 601b	4.93	0.46	32.7	0.07	4.85	14.6
*Std OREAS 905	6.66	0.64	41.2	0.09	3.22	18.3
*Rep B21B-151_45-50	3.89	0.05	63.7	0.20	1.23	1.6
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.09	<0.1
*Std OREAS 601b	4.98	0.44	33.5	0.07	5.16	15.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.02	0.54	45.1	0.10	3.33	18.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.10	<0.1
*Std OREAS 601b	5.06	0.45	33.9	0.07	5.54	14.8
*Rep B21B-155_0-5	2.00	0.06	48.5	0.15	137	1.4
*Std OREAS 905	6.82	0.62	45.6	0.10	3.25	18.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-151_15-20	116	0.4	1.03	4.2	14	2.0
B21B-151_20-25	158	0.3	0.52	3.0	<2	1.7
B21B-151_25-30	137	0.3	0.48	3.4	<2	1.7
B21B-151_30-35	192	0.2	0.47	3.3	<2	1.4
B21B-151_35-40	236	2.3	1.54	6.3	5	2.5
B21B-151_40-45	434	12.6	0.64	6.6	<2	5.3
B21B-151_45-50	460	7.8	0.43	5.1	<2	2.5
B21B-151_50-55	418	6.8	0.62	5.4	<2	3.3
B21B-151_55-60	225	3.3	0.47	4.0	<2	2.1
B21B-151_60-65	188	1.6	0.98	3.2	3	1.1
B21B-151_65-70	129	2.5	1.17	3.3	2	1.4
B21B-151_70-75	91.7	3.1	1.60	3.3	<2	1.9
B21B-151_75-80	41.2	0.8	1.12	3.5	<2	2.2
B21B-152_0-5	41.6	11.6	3.88	6.1	2	1.8
B21B-152_5-10	127	0.9	0.57	1.5	<2	1.4
B21B-152_10-15	162	0.5	0.70	1.2	4	1.9
B21B-152_15-20	109	0.7	1.31	1.1	5	1.9
B21B-152_20-25	62.0	0.3	0.48	0.9	20	1.5
B21B-152_25-30	45.4	0.5	0.63	0.9	<2	2.4
B21B-152_30-35	113	4.4	0.67	1.8	11	2.3
B21B-152_35-40	147	12.2	0.53	3.7	<2	3.4
B21B-152_40-45	243	11.1	0.61	3.3	5	3.2
B21B-152_45-50	233	5.3	1.21	3.2	23	3.2
B21B-152_50-55	198	7.0	0.50	3.5	12	3.0
B21B-152_55-60	76.5	1.5	0.48	1.3	29	2.2
B21B-152_60-65	118	0.8	0.45	1.3	27	2.0
B21B-152_65-67	165	5.3	0.66	2.3	12	2.9
B21B-153_0-5	116	2.1	4.28	6.0	2	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-153_5-10	103	0.4	3.72	5.6	3	1.2
B21B-153_10-15	91.9	0.5	3.97	4.8	14	1.5
B21B-153_15-20	115	6.9	4.42	5.5	29	2.0
B21B-153_20-25	91.8	5.6	2.97	4.7	29	2.1
B21B-153_25-30	105	4.9	1.86	4.3	10	3.9
B21B-153_30-35	86.4	6.8	1.20	4.8	17	3.9
B21B-153_35-40	71.2	2.3	1.26	3.5	22	2.9
B21B-153_40-45	125	2.4	2.06	4.6	49	2.9
B21B-153_45-50	70.6	3.7	1.58	4.6	12	3.1
B21B-153_50-55	116	6.3	1.89	5.0	16	2.6
B21B-153_55-60	98.7	5.4	5.97	4.8	31	2.7
B21B-153_60-65	103	7.0	1.92	5.1	9	3.4
B21B-153_65-70	156	3.9	2.77	8.1	24	3.1
B21B-153_70-75	130	4.8	4.83	7.4	67	4.4
B21B-153_75-80	125	1.1	3.13	5.6	18	3.1
B21B-154_0-5	24.7	93.8	1.47	19.0	3	2.3
B21B-154_5-10	23.8	53.4	1.03	17.9	7	1.0
B21B-154_10-15	11.2	6.6	2.91	11.6	13	0.5
B21B-154_15-20	6.2	4.2	1.15	11.0	11	0.6
B21B-154_20-25	31.7	5.7	2.31	7.9	8	0.7
B21B-154_25-30	19.8	4.4	1.11	4.4	3	1.2
B21B-154_30-35	28.4	3.0	1.75	6.3	5	1.0
B21B-154_35-40	19.1	3.2	1.13	4.2	3	1.6
B21B-154_40-45	17.7	2.2	1.00	3.8	5	1.5
B21B-154_45-50	28.8	6.3	1.41	6.0	7	1.6
B21B-154_50-55	35.8	2.8	1.53	6.3	9	1.3
B21B-154_55-60	26.7	4.1	2.13	4.6	4	1.6
B21B-154_60-65	44.2	11.1	2.26	6.9	11	2.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-154_65-70	31.5	6.3	1.64	3.5	6	1.6
B21B-154_70-75	34.5	5.7	1.52	4.1	5	1.5
B21B-154_75-80	22.0	4.5	1.24	2.9	2	1.2
B21B-155_0-5	101	2.1	1.91	5.6	12	0.5
B21B-155_5-10	85.8	2.1	1.07	5.3	16	0.4
B21B-155_10-15	87.8	1.9	0.80	7.0	8	0.4
B21B-155_15-20	36.5	0.8	2.41	2.7	8	<0.3
B21B-155_20-25	36.9	0.8	2.90	2.9	17	<0.3
B21B-155_25-30	80.4	1.1	1.78	6.9	13	0.4
B21B-155_30-35	69.8	1.6	2.28	6.4	12	0.6
B21B-155_35-40	37.2	5.7	3.62	4.9	7	0.9
B21B-155_40-45	37.4	6.8	2.90	6.0	7	1.0
B21B-155_45-50	34.6	4.5	5.64	6.0	10	0.8
B21B-155_50-55	85.9	9.0	3.15	8.2	9	0.9
B21B-155_55-60	103	1.7	1.16	7.6	5	0.5
B21B-155_60-65	86.3	1.0	1.27	4.4	10	0.4
*Dup B21B-153_45-50	71.3	3.7	1.87	4.7	13	3.6
*Std OREAS 601b	304	92.6	22.86	3.9	9	3.1
*Std OREAS 905	31.0	133	1.86	5.1	2	3.8
*Rep B21B-151_45-50	468	7.6	0.42	4.9	<2	2.2
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	306	97.9	22.84	3.8	9	3.2
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	30.9	139	1.76	5.0	3	3.5
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	297	95.4	23.07	3.7	9	3.0
*Rep B21B-155_0-5	106	2.0	1.92	5.9	13	0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	28.6	138	1.88	5.0	2	3.5

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-151_15-20	0.23	0.18	1.79	6.2	<0.02	1.15
B21B-151_20-25	0.16	0.21	0.48	7.0	<0.02	1.19
B21B-151_25-30	0.11	0.18	0.49	6.0	<0.02	1.13
B21B-151_30-35	0.16	0.20	0.55	6.8	<0.02	1.08
B21B-151_35-40	0.14	0.26	4.55	8.2	0.06	1.54
B21B-151_40-45	0.93	0.39	1.14	12.0	0.56	1.86
B21B-151_45-50	0.17	0.48	0.41	16.0	0.26	1.67
B21B-151_50-55	0.14	0.43	1.26	12.9	0.27	1.51
B21B-151_55-60	0.10	0.24	0.52	7.3	0.12	1.17
B21B-151_60-65	<0.05	0.22	2.18	6.6	0.03	1.12
B21B-151_65-70	0.07	0.17	3.36	5.4	0.05	0.94
B21B-151_70-75	0.07	0.13	5.47	4.9	0.10	1.09
B21B-151_75-80	0.08	0.09	4.53	2.7	<0.02	1.17
B21B-152_0-5	0.50	0.19	11.40	10.2	0.14	1.87
B21B-152_5-10	<0.05	0.19	4.55	4.1	<0.02	0.68
B21B-152_10-15	<0.05	0.19	5.16	5.0	<0.02	0.65
B21B-152_15-20	<0.05	0.14	6.54	3.7	<0.02	0.61
B21B-152_20-25	0.06	0.08	2.49	2.3	<0.02	0.48
B21B-152_25-30	0.06	0.06	1.06	2.1	<0.02	0.51
B21B-152_30-35	0.05	0.11	1.64	3.5	0.22	0.48

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-152_35-40	0.07	0.13	0.70	5.1	0.65	0.49
B21B-152_40-45	0.08	0.20	2.72	5.8	0.56	0.69
B21B-152_45-50	0.12	0.21	14.84	7.1	0.21	0.96
B21B-152_50-55	0.09	0.18	6.68	7.1	0.31	1.08
B21B-152_55-60	0.06	0.08	5.74	3.0	0.04	0.68
B21B-152_60-65	<0.05	0.13	3.99	5.1	<0.02	0.73
B21B-152_65-67	0.07	0.15	4.11	6.1	0.26	0.78
B21B-153_0-5	0.09	0.22	5.05	5.5	<0.02	1.36
B21B-153_5-10	<0.05	0.20	6.77	4.9	<0.02	1.35
B21B-153_10-15	0.08	0.17	10.44	4.9	<0.02	1.22
B21B-153_15-20	<0.05	0.36	26.14	6.2	0.22	1.20
B21B-153_20-25	<0.05	0.21	21.95	4.2	0.18	1.06
B21B-153_25-30	<0.05	0.14	49.42	3.9	0.17	1.20
B21B-153_30-35	0.07	0.15	10.72	4.9	0.32	1.24
B21B-153_35-40	0.06	0.13	6.84	4.0	0.07	1.08
B21B-153_40-45	<0.05	0.19	13.38	6.5	0.07	1.40
B21B-153_45-50	<0.05	0.14	7.67	5.1	0.18	1.31
B21B-153_50-55	<0.05	0.20	15.54	6.6	0.35	1.36
B21B-153_55-60	<0.05	0.18	28.35	6.5	0.34	1.28
B21B-153_60-65	<0.05	0.21	13.34	7.1	0.37	1.33
B21B-153_65-70	<0.05	0.36	37.91	11.4	0.26	2.30
B21B-153_70-75	0.05	0.29	23.57	9.3	0.31	2.22
B21B-153_75-80	<0.05	0.33	32.29	7.3	0.06	1.62
B21B-154_0-5	0.30	0.44	3.01	8.3	2.59	1.64
B21B-154_5-10	0.19	0.71	2.31	9.2	1.33	1.46
B21B-154_10-15	0.12	0.53	6.78	7.8	0.18	1.19
B21B-154_15-20	0.13	0.34	5.78	7.0	0.13	1.26
B21B-154_20-25	0.09	0.55	6.73	5.9	0.19	1.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11025**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-154_25-30	0.09	0.19	3.98	3.4	0.14	0.82
B21B-154_30-35	0.07	0.26	5.47	5.1	0.11	1.09
B21B-154_35-40	0.11	0.14	4.12	3.5	0.17	0.92
B21B-154_40-45	0.09	0.14	4.92	3.3	0.10	0.91
B21B-154_45-50	0.11	0.20	7.58	5.2	0.37	1.16
B21B-154_50-55	0.13	0.45	13.98	6.2	0.12	1.29
B21B-154_55-60	0.11	0.17	11.16	4.0	0.19	0.99
B21B-154_60-65	0.08	0.27	10.92	6.1	0.49	1.25
B21B-154_65-70	0.07	0.11	10.94	3.1	0.29	0.86
B21B-154_70-75	0.06	0.15	6.14	4.0	0.25	0.85
B21B-154_75-80	<0.05	0.10	11.14	2.8	0.14	0.71
B21B-155_0-5	0.10	0.50	36.37	11.9	0.07	1.38
B21B-155_5-10	0.05	0.48	9.92	9.7	0.10	1.40
B21B-155_10-15	0.06	0.53	11.01	13.2	0.10	2.35
B21B-155_15-20	<0.05	0.22	9.21	5.0	0.04	0.84
B21B-155_20-25	<0.05	0.27	11.03	5.4	0.05	0.87
B21B-155_25-30	0.07	0.46	22.51	13.1	0.09	2.24
B21B-155_30-35	0.08	0.38	20.27	11.9	0.17	1.98
B21B-155_35-40	0.06	0.17	22.73	5.5	0.30	1.15
B21B-155_40-45	0.08	0.18	31.65	7.2	0.47	1.55
B21B-155_45-50	0.08	0.21	45.17	6.6	0.60	1.61
B21B-155_50-55	0.08	0.48	31.71	10.9	0.54	1.71
B21B-155_55-60	0.11	0.48	5.95	9.3	0.11	1.44
B21B-155_60-65	0.11	0.39	11.72	7.3	0.16	1.79
*Dup B21B-153_45-50	0.06	0.14	7.88	5.1	0.18	1.30
*Std OREAS 601b	0.94	0.50	11.55	11.8	1.39	4.62
*Std OREAS 905	1.39	0.72	0.13	14.0	0.66	4.94

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
*Rep B21B-151_45-50	0.14	0.48	0.42	16.2	0.26	1.65
*Blk BLANK	<0.05	<0.05	0.08	<0.2	<0.02	<0.05
*Std OREAS 601b	1.12	0.50	11.38	12.4	1.50	4.81
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.34	0.70	0.18	15.1	0.72	5.13
*Blk BLANK	<0.05	<0.05	0.06	<0.2	<0.02	<0.05
*Std OREAS 601b	1.10	0.50	10.05	12.4	1.51	4.77
*Rep B21B-155_0-5	0.10	0.52	35.65	12.3	0.07	1.45
*Std OREAS 905	1.31	0.68	0.10	14.6	0.72	5.02

Element Method Lower Limit Upper Limit Unit	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-151_15-20	2.5	4.7	1.1
B21B-151_20-25	2.9	4.6	1.1
B21B-151_25-30	2.3	4.4	1.1
B21B-151_30-35	2.7	3.7	0.9
B21B-151_35-40	3.2	5.7	1.4
B21B-151_40-45	3.9	5.1	1.1
B21B-151_45-50	2.1	5.2	1.1
B21B-151_50-55	2.2	4.9	1.1
B21B-151_55-60	2.3	4.4	1.0
B21B-151_60-65	2.5	3.8	0.8
B21B-151_65-70	2.4	3.6	0.8
B21B-151_70-75	3.3	3.3	0.8
B21B-151_75-80	3.6	3.9	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11025

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-152_0-5	1.7	4.5	0.7
B21B-152_5-10	2.3	2.7	0.4
B21B-152_10-15	3.0	2.2	0.4
B21B-152_15-20	2.6	1.9	0.3
B21B-152_20-25	13.1	1.4	0.3
B21B-152_25-30	2.8	1.5	0.3
B21B-152_30-35	6.7	1.4	0.2
B21B-152_35-40	4.2	1.4	0.2
B21B-152_40-45	5.3	1.8	0.3
B21B-152_45-50	5.5	2.6	0.5
B21B-152_50-55	5.2	3.1	0.7
B21B-152_55-60	10.5	1.6	0.3
B21B-152_60-65	8.4	2.2	0.4
B21B-152_65-67	10.6	2.3	0.4
B21B-153_0-5	2.7	6.2	1.2
B21B-153_5-10	2.1	6.3	1.2
B21B-153_10-15	2.8	5.7	1.2
B21B-153_15-20	1.7	6.7	1.1
B21B-153_20-25	4.3	5.2	0.9
B21B-153_25-30	3.3	3.9	0.8
B21B-153_30-35	8.3	4.5	0.9
B21B-153_35-40	9.1	3.8	0.8
B21B-153_40-45	5.8	4.9	1.0
B21B-153_45-50	7.4	4.7	1.1
B21B-153_50-55	6.9	5.2	1.1
B21B-153_55-60	5.2	4.9	1.1
B21B-153_60-65	6.9	5.8	1.2
B21B-153_65-70	4.3	9.2	1.9
B21B-153_70-75	6.8	8.3	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-153_75-80	5.3	8.3	1.4
B21B-154_0-5	2.6	9.7	1.7
B21B-154_5-10	3.2	13.4	1.7
B21B-154_10-15	2.9	13.4	1.6
B21B-154_15-20	4.3	10.2	1.5
B21B-154_20-25	3.7	9.2	1.2
B21B-154_25-30	8.6	5.6	1.0
B21B-154_30-35	7.5	8.0	1.4
B21B-154_35-40	9.2	5.5	1.1
B21B-154_40-45	16.9	5.2	1.0
B21B-154_45-50	9.3	7.1	1.4
B21B-154_50-55	8.6	8.8	1.5
B21B-154_55-60	5.6	5.5	1.2
B21B-154_60-65	3.5	7.8	1.5
B21B-154_65-70	5.6	4.0	0.9
B21B-154_70-75	10.0	4.6	0.9
B21B-154_75-80	7.5	3.8	0.8
B21B-155_0-5	3.8	6.6	0.8
B21B-155_5-10	2.5	7.9	0.9
B21B-155_10-15	2.2	9.8	1.4
B21B-155_15-20	3.8	3.5	0.5
B21B-155_20-25	4.1	4.0	0.6
B21B-155_25-30	3.4	9.7	1.6
B21B-155_30-35	7.9	9.2	1.5
B21B-155_35-40	5.8	7.4	1.2
B21B-155_40-45	20.6	8.5	1.5
B21B-155_45-50	31.4	8.9	1.4
B21B-155_50-55	8.8	9.9	1.4
B21B-155_55-60	5.7	8.9	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11025

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504 Samples(940-1014)  
 Number of Samples 75

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-155_60-65	7.4	7.2	1.2
*Dup B21B-153_45-50	9.2	4.6	1.0
*Std OREAS 601b	5.8	10.9	0.5
*Std OREAS 905	2.6	15.1	0.6
*Rep B21B-151_45-50	2.1	5.1	1.1
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.1	11.1	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.8	15.5	0.6
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.0	10.6	0.5
*Rep B21B-155_0-5	4.0	7.1	0.9
*Std OREAS 905	2.7	15.3	0.6

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



# ANALYSIS REPORT BBM21-11027

To COD SGS MINERALS - GEOCHEM VANCOUVER  
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
 201 ROUTE 17 NORTH, 7TH FLOOR  
 Rutherford 07070  
 Bergen  
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	25-Aug-2021 - 27-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	04-Nov-2021
Gold/RABP2/1504Samples(1015-1089)		SGS Order Number	BBM21-11027
Number of Samples	75		

Methods Summary		
Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
 Analysis of samples was performed at the SGS Burnaby site.  
 -This report cancels and supersedes the report  
 BBM\_U0015795655 dated 29-Oct-2021 issued by SGS  
 Canada (Burnaby).  
 Elements sequence is updated.

Authorised Signatory

John Chiang  
 Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504Samples(1015-1089)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11027

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

29-Nov-2021 6:11PM BBM\_U0016975007

Page 2 of 32

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-155_65-70	4.74	0.050	4.49	971	0.19	4
B21B-155_70-75	5.75	0.099	2.26	377	0.08	5
B21B-155_75-80	4.04	0.046	1.86	349	0.05	4
B21B-156_0-5	5.10	0.021	8.05	942	0.03	4
B21B-156_5-10	5.17	0.007	7.04	1252	0.05	2
596967	3.52	<0.005	-	-	-	-
B21B-156_10-15	6.19	0.009	7.08	1074	0.06	3
B21B-156_15-20	6.17	0.011	7.32	1186	0.07	2
B21B-156_20-25	3.74	0.012	7.40	1301	0.09	9
B21B-156_25-30	6.52	0.008	7.65	1199	0.07	3
B21B-156_30-35	6.06	0.009	7.68	479	0.06	3
B21B-156_35-40	6.36	0.011	7.17	206	0.06	5
B21B-156_40-45	5.70	0.013	8.06	983	0.07	3
B21B-156_45-50	5.83	0.018	8.48	445	0.12	4
B21B-156_50-55	5.26	0.017	7.68	693	0.10	4
B21B-156_55-60	5.68	0.040	8.38	1267	0.14	5
B21B-156_60-65	4.81	0.054	3.92	549	0.06	28
B21B-156_65-70	4.92	0.068	7.50	808	0.03	4
B21B-156_70-75	5.08	0.050	7.00	743	0.03	6
B21B-156_75-80	4.93	0.043	8.08	715	0.04	4
B21B-157_0-5	5.15	0.012	9.40	224	0.03	12
B21B-157_5-10	5.10	0.022	7.95	178	0.02	3
B21B-157_10-15	7.56	0.015	6.55	181	0.02	8
B21B-157_15-20	5.61	0.025	5.97	188	0.04	4
B21B-157_20-25	6.26	0.027	5.61	198	0.03	3
596968	3.49	0.013	-	-	-	-
B21B-157_25-30	8.29	0.024	5.11	251	0.05	4
B21B-157_30-35	8.38	0.015	5.85	355	0.04	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-157_35-40	5.83	0.031	6.04	209	0.04	4
B21B-157_40-45	8.28	0.017	4.63	157	0.03	3
B21B-157_45-50	6.11	0.018	4.51	175	0.03	3
B21B-157_50-55	6.94	0.036	5.28	720	0.05	4
B21B-157_55-60	9.24	0.049	7.00	847	0.05	4
B21B-157_60-65	7.38	0.027	6.48	866	0.09	4
B21B-157_65-70	8.91	0.021	6.12	927	0.11	8
B21B-157_70-75	4.80	0.028	8.26	741	0.05	4
B21B-157_75-80	8.25	0.029	5.81	873	0.06	6
B21B-158_0-5	4.74	0.030	10.23	764	0.09	9
B21B-158_5-10	6.63	0.074	9.19	1020	0.07	4
B21B-158_10-15	4.98	0.306	4.22	567	0.06	5
B21B-158_15-20	5.51	0.358	2.69	296	0.05	2
B21B-158_20-25	4.19	0.309	5.41	627	0.06	3
B21B-158_25-30	3.54	0.128	4.36	988	0.07	2
B21B-158_30-35	4.96	0.080	5.97	440	0.03	3
B21B-158_35-40	4.85	0.058	6.88	260	0.03	2
596969	0.06	<0.005	-	-	-	-
B21B-158_40-45	6.22	0.049	7.00	253	0.03	11
B21B-158_45-50	4.73	0.062	7.55	289	0.03	2
B21B-158_50-55	5.61	0.028	6.65	285	0.02	4
B21B-158_55-60	4.03	0.123	4.53	158	0.02	3
B21B-158_60-65	3.79	0.099	4.25	161	0.02	4
B21B-158_65-70	4.08	0.030	5.55	265	0.03	8
B21B-158_70-75	5.41	0.034	4.85	592	0.03	5
B21B-158_75-80	5.48	0.026	6.78	705	0.03	5
B21B-159_0-5	7.41	0.130	6.06	600	0.04	17
B21B-159_5-10	6.71	0.151	5.86	421	0.04	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-159_10-15	7.95	0.085	9.42	1251	0.06	5
B21B-159_15-20	5.90	0.025	7.31	429	0.03	2
B21B-159_20-25	6.35	0.036	8.77	519	0.04	2
B21B-159_25-30	5.51	0.033	7.00	795	0.07	4
B21B-159_30-35	5.35	0.016	2.57	530	0.05	4
B21B-159_35-40	3.83	0.015	1.73	632	0.03	4
B21B-159_40-45	5.97	0.016	1.92	562	0.04	2
B21B-159_45-50	4.32	0.010	4.63	346	0.03	2
B21B-159_50-55	6.25	0.030	3.75	920	0.07	3
B21B-159_55-60	5.07	0.024	5.88	514	0.03	3
B21B-159_60-65	4.02	0.013	5.03	116	0.02	2
B21B-159_65-70	5.29	0.011	7.15	555	0.02	2
B21B-159_70-75	5.54	0.008	7.91	554	0.03	2
B21B-159_75-80	6.17	0.007	7.73	311	0.03	2
B21B-160_0-5	5.50	0.013	2.64	596	0.03	4
596970	4.04	<0.005	-	-	-	-
B21B-160_5-10	4.67	0.008	4.73	881	0.06	3
B21B-160_10-15	5.46	0.005	4.38	575	0.05	3
B21B-160_15-20	6.98	<0.005	4.89	480	0.02	3
*Dup B21B-158_5-10	-	0.075	8.68	1045	0.08	4
*Std OREAS 905	-	-	7.20	2673	0.58	17
*Std OREAS 601b	-	-	6.39	434	0.88	20
*Blk BLANK	-	-	0.02	<1	<0.01	<1
*Rep B21B-157_75-80	-	-	5.37	817	0.06	7
*Rep B21B-160_15-20	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.601	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	-	-	6.20	512	0.85	18
*Std OREAS 905	-	-	7.36	2701	0.60	13
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std SN106	-	8.177	-	-	-	-
*Std OREAS 235	-	1.610	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-157_45-50	-	0.018	-	-	-	-
*Std OREAS 296	-	2.104	-	-	-	-
*Blk BLANK	-	0.007	-	-	-	-
*Rep B21B-159_30-35	-	0.016	-	-	-	-
*Std OREAS 601b	-	-	6.43	451	0.85	27
*Rep B21B-159_50-55	-	-	3.77	945	0.07	4
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.18	2639	0.57	13

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-155_65-70	26.1	2.63	0.04	1	<0.01	18
B21B-155_70-75	11.8	3.45	0.06	<1	<0.01	14
B21B-155_75-80	5.6	3.07	0.10	<1	<0.01	18
B21B-156_0-5	13.9	0.81	2.89	2	0.06	10
B21B-156_5-10	3.4	0.89	2.67	1	0.06	8
B21B-156_10-15	4.2	1.42	2.72	<1	0.06	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-156_15-20	10.1	2.14	2.82	<1	0.07	6
B21B-156_20-25	8.2	1.57	2.85	<1	0.07	9
B21B-156_25-30	25.6	1.72	3.00	<1	0.07	8
B21B-156_30-35	26.7	1.65	3.01	1	0.08	9
B21B-156_35-40	16.1	2.47	2.79	1	0.06	14
B21B-156_40-45	7.0	1.47	3.13	<1	0.06	18
B21B-156_45-50	7.6	1.98	3.27	1	0.06	28
B21B-156_50-55	23.9	1.09	2.91	1	0.05	22
B21B-156_55-60	20.1	2.64	3.13	2	0.06	35
B21B-156_60-65	12.4	2.83	1.48	1	0.03	59
B21B-156_65-70	6.9	3.49	2.88	3	0.05	23
B21B-156_70-75	18.9	2.70	2.73	2	0.04	36
B21B-156_75-80	11.5	2.36	3.15	1	0.06	32
B21B-157_0-5	23.0	5.64	0.07	8	0.02	18
B21B-157_5-10	5.9	5.38	0.01	3	<0.01	14
B21B-157_10-15	5.1	5.16	0.04	3	<0.01	16
B21B-157_15-20	4.5	4.68	0.02	1	<0.01	16
B21B-157_20-25	5.7	5.08	0.05	2	<0.01	14
B21B-157_25-30	7.4	4.68	0.02	<1	<0.01	12
B21B-157_30-35	6.1	5.08	0.04	2	<0.01	14
B21B-157_35-40	9.0	3.81	0.07	2	<0.01	16
B21B-157_40-45	11.5	4.21	0.02	1	<0.01	14
B21B-157_45-50	14.2	4.85	0.02	<1	<0.01	14
B21B-157_50-55	7.3	3.47	0.02	2	<0.01	15
B21B-157_55-60	12.3	3.36	0.02	3	<0.01	17
B21B-157_60-65	9.0	3.15	0.10	3	<0.01	18
B21B-157_65-70	9.7	3.14	0.41	2	<0.01	25
B21B-157_70-75	12.3	3.64	0.71	2	<0.01	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-157_75-80	14.5	2.97	0.34	2	<0.01	27
B21B-158_0-5	18.1	3.58	0.09	7	0.01	26
B21B-158_5-10	14.3	4.17	0.05	4	<0.01	21
B21B-158_10-15	9.8	8.86	0.07	2	<0.01	15
B21B-158_15-20	8.3	4.78	0.04	<1	<0.01	20
B21B-158_20-25	15.3	6.12	0.03	2	<0.01	14
B21B-158_25-30	7.1	2.38	0.05	2	<0.01	18
B21B-158_30-35	7.9	1.42	0.07	2	<0.01	16
B21B-158_35-40	14.7	3.19	0.02	2	<0.01	14
B21B-158_40-45	18.8	2.25	0.03	2	<0.01	14
B21B-158_45-50	33.0	2.77	0.07	2	<0.01	17
B21B-158_50-55	33.1	2.31	0.02	1	<0.01	15
B21B-158_55-60	39.8	2.90	0.02	1	<0.01	21
B21B-158_60-65	33.2	2.85	0.04	<1	<0.01	20
B21B-158_65-70	20.6	3.17	0.03	2	<0.01	16
B21B-158_70-75	11.8	4.39	0.19	2	<0.01	22
B21B-158_75-80	18.5	3.44	0.04	2	<0.01	24
B21B-159_0-5	87.8	4.81	0.09	7	0.02	29
B21B-159_5-10	98.9	6.45	0.02	1	<0.01	22
B21B-159_10-15	74.7	3.46	0.04	4	<0.01	26
B21B-159_15-20	23.6	1.51	0.15	3	<0.01	16
B21B-159_20-25	37.7	2.56	0.04	4	<0.01	25
B21B-159_25-30	25.0	4.70	0.12	3	<0.01	18
B21B-159_30-35	21.4	2.75	0.04	1	<0.01	26
B21B-159_35-40	17.5	2.76	0.03	1	<0.01	21
B21B-159_40-45	8.2	4.64	0.02	3	<0.01	19
B21B-159_45-50	10.9	1.95	0.03	3	<0.01	16
B21B-159_50-55	81.9	3.09	0.02	4	<0.01	18

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
<b>Lower Limit</b>	0.5	0.01	0.01	1	0.01	2
<b>Upper Limit</b>	10,000	15	15	10,000	15	10,000
<b>Unit</b>	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-159_55-60	16.7	2.08	0.03	3	<0.01	18
B21B-159_60-65	14.4	2.54	0.02	<1	<0.01	19
B21B-159_65-70	27.0	2.41	1.22	1	0.02	14
B21B-159_70-75	14.0	2.73	2.32	1	0.03	18
B21B-159_75-80	68.9	2.83	2.12	1	0.03	16
B21B-160_0-5	29.2	3.96	0.03	2	<0.01	22
B21B-160_5-10	18.5	2.29	0.07	2	<0.01	27
B21B-160_10-15	15.9	1.84	0.01	2	<0.01	18
B21B-160_15-20	46.7	1.97	0.01	2	<0.01	25
*Dup B21B-158_5-10	14.8	4.38	0.05	4	<0.01	20
*Std OREAS 905	1451	4.02	2.93	22	0.28	386
*Std OREAS 601b	970	2.30	2.39	24	0.10	214
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-157_75-80	13.8	2.74	0.31	2	<0.01	27
*Std OREAS 601b	941	2.11	2.33	22	0.09	210
*Std OREAS 905	1534	3.99	3.01	21	0.28	396
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	984	2.20	2.44	23	0.10	226
*Rep B21B-159_50-55	87.5	3.14	0.02	4	<0.01	18
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1515	3.93	2.98	21	0.27	384

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
<b>Lower Limit</b>	0.01	1	0.01	0.01	0.5	0.01
<b>Upper Limit</b>	15	10,000	15	5	10,000	15
<b>Unit</b>	%	ppm m / m	%	%	ppm m / m	%

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-155_65-70	0.02	3	0.28	0.96	1871	0.08
B21B-155_70-75	0.02	2	0.12	0.28	792	0.06
B21B-155_75-80	0.03	2	0.08	0.12	516	0.05
B21B-156_0-5	0.35	<1	0.05	0.05	137	0.08
B21B-156_5-10	0.32	<1	0.08	0.07	148	0.07
B21B-156_10-15	0.33	<1	0.08	0.07	150	0.07
B21B-156_15-20	0.34	<1	0.10	0.10	151	0.06
B21B-156_20-25	0.34	5	0.12	0.28	182	0.08
B21B-156_25-30	0.35	2	0.10	1.47	169	0.07
B21B-156_30-35	0.35	2	0.09	1.69	163	0.05
B21B-156_35-40	0.33	3	0.09	2.54	168	0.05
B21B-156_40-45	0.37	2	0.11	1.37	216	0.06
B21B-156_45-50	0.39	3	0.15	1.93	163	0.07
B21B-156_50-55	0.35	2	0.11	0.93	110	0.10
B21B-156_55-60	0.38	2	0.19	0.67	194	0.05
B21B-156_60-65	0.19	3	0.07	0.37	86.7	0.02
B21B-156_65-70	0.34	1	0.06	0.16	104	0.06
B21B-156_70-75	0.34	3	0.05	1.00	81.9	0.06
B21B-156_75-80	0.40	3	0.05	0.80	103	0.06
B21B-157_0-5	0.02	4	0.06	0.12	354	0.09
B21B-157_5-10	0.02	<1	0.05	0.07	395	0.05
B21B-157_10-15	0.03	<1	0.05	0.11	336	0.04
B21B-157_15-20	0.03	<1	0.06	0.16	441	0.04
B21B-157_20-25	0.03	<1	0.06	0.17	385	0.04
B21B-157_25-30	0.03	1	0.07	0.13	499	0.03
B21B-157_30-35	0.03	<1	0.06	0.09	364	0.04
B21B-157_35-40	0.04	<1	0.07	0.10	361	0.04
B21B-157_40-45	0.02	<1	0.05	0.10	301	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-157_45-50	0.03	<1	0.06	0.12	339	0.03
B21B-157_50-55	0.02	1	0.11	0.13	470	0.04
B21B-157_55-60	0.02	2	0.10	0.17	477	0.04
B21B-157_60-65	0.05	1	0.17	0.17	707	0.04
B21B-157_65-70	0.09	1	0.20	0.16	664	0.03
B21B-157_70-75	0.13	2	0.11	0.48	522	0.05
B21B-157_75-80	0.07	2	0.17	0.41	640	0.03
B21B-158_0-5	0.04	3	0.16	0.25	946	0.08
B21B-158_5-10	0.03	2	0.16	0.27	900	0.08
B21B-158_10-15	0.03	<1	0.12	0.18	579	0.11
B21B-158_15-20	0.02	<1	0.09	0.13	434	0.12
B21B-158_20-25	0.03	<1	0.14	0.18	518	0.09
B21B-158_25-30	0.02	<1	0.15	0.15	744	0.06
B21B-158_30-35	0.03	1	0.07	0.08	401	0.06
B21B-158_35-40	0.02	<1	0.07	0.08	358	0.06
B21B-158_40-45	0.03	5	0.07	0.08	409	0.05
B21B-158_45-50	0.10	1	0.06	0.08	331	0.06
B21B-158_50-55	0.03	2	0.06	1.12	351	0.05
B21B-158_55-60	0.02	2	0.05	0.27	335	0.05
B21B-158_60-65	0.02	5	0.05	1.07	323	0.05
B21B-158_65-70	0.03	3	0.06	1.11	399	0.05
B21B-158_70-75	0.05	2	0.08	0.15	417	0.04
B21B-158_75-80	0.03	3	0.08	0.59	406	0.05
B21B-159_0-5	0.11	3	0.11	0.17	748	0.15
B21B-159_5-10	0.04	<1	0.12	0.17	817	0.10
B21B-159_10-15	0.10	2	0.21	0.33	1073	0.08
B21B-159_15-20	0.13	<1	0.07	0.10	344	0.07
B21B-159_20-25	0.07	1	0.09	0.18	447	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-159_25-30	0.11	<1	0.18	0.88	849	0.06
B21B-159_30-35	0.06	1	0.09	1.00	440	0.10
B21B-159_35-40	0.05	1	0.08	0.66	387	0.10
B21B-159_40-45	0.03	<1	0.09	0.11	317	0.07
B21B-159_45-50	0.04	1	0.07	0.67	243	0.07
B21B-159_50-55	0.03	3	0.15	1.38	490	0.08
B21B-159_55-60	0.04	1	0.09	0.36	312	0.09
B21B-159_60-65	0.04	<1	0.04	0.47	145	0.07
B21B-159_65-70	0.23	1	0.04	1.07	160	0.07
B21B-159_70-75	0.37	3	0.04	3.06	165	0.07
B21B-159_75-80	0.33	2	0.05	3.15	194	0.07
B21B-160_0-5	0.02	<1	0.08	0.12	391	0.08
B21B-160_5-10	0.05	1	0.12	0.23	525	0.08
B21B-160_10-15	0.02	2	0.10	0.49	468	0.08
B21B-160_15-20	0.02	3	0.06	1.29	280	0.08
*Dup B21B-158_5-10	0.03	2	0.16	0.27	896	0.07
*Std OREAS 905	2.32	8	0.03	0.07	156	0.11
*Std OREAS 601b	1.80	6	0.03	1.48	239	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.9	<0.01
*Rep B21B-157_75-80	0.07	3	0.17	0.39	589	0.03
*Std OREAS 601b	1.80	6	0.03	1.54	226	0.12
*Std OREAS 905	2.39	9	0.03	0.07	161	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.83	8	0.03	1.55	244	0.13
*Rep B21B-159_50-55	0.03	3	0.15	1.38	516	0.08
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.32	8	0.03	0.08	159	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	22	<1	92.8	0.21	8	0.1
B21B-155_70-75	32	<1	130	0.59	11	<0.1
B21B-155_75-80	23	<1	107	0.22	8	<0.1
B21B-156_0-5	48	2	80.4	<0.02	7	0.7
B21B-156_5-10	40	2	64.9	0.04	3	0.8
B21B-156_10-15	49	3	74.6	0.05	3	0.8
B21B-156_15-20	52	2	85.3	<0.02	3	0.8
B21B-156_20-25	52	3	94.1	0.07	3	0.9
B21B-156_25-30	50	3	88.5	0.06	3	0.8
B21B-156_30-35	41	3	67.1	0.05	3	0.8
B21B-156_35-40	44	3	64.8	0.04	4	0.7
B21B-156_40-45	51	3	62.4	0.04	3	0.8
B21B-156_45-50	62	3	63.4	0.04	4	0.9
B21B-156_50-55	67	3	64.7	<0.02	2	0.7
B21B-156_55-60	87	20	70.2	0.09	5	0.9
B21B-156_60-65	38	50	33.0	0.08	4	0.4
B21B-156_65-70	60	11	60.3	0.10	5	0.8
B21B-156_70-75	59	9	58.9	0.07	4	0.6
B21B-156_75-80	61	4	58.9	0.05	4	0.7
B21B-157_0-5	46	4	117	0.06	11	0.5
B21B-157_5-10	29	<1	110	0.07	7	0.4
B21B-157_10-15	24	<1	103	0.07	6	0.2
B21B-157_15-20	18	<1	101	0.08	6	0.2
B21B-157_20-25	18	<1	86.0	0.13	7	0.2
B21B-157_25-30	18	<1	67.8	0.12	6	0.1
B21B-157_30-35	17	1	64.1	0.20	6	0.2
B21B-157_35-40	20	<1	76.5	0.08	4	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-157_40-45	15	<1	70.3	0.04	3	0.1
B21B-157_45-50	17	<1	74.2	0.05	4	0.1
B21B-157_50-55	19	<1	77.5	0.26	7	0.1
B21B-157_55-60	19	<1	87.9	0.10	5	0.2
B21B-157_60-65	23	1	82.7	0.08	5	0.3
B21B-157_65-70	32	1	66.8	0.05	5	0.2
B21B-157_70-75	42	2	84.9	0.08	6	0.3
B21B-157_75-80	26	2	62.8	0.07	5	0.2
B21B-158_0-5	47	3	157	0.18	13	0.7
B21B-158_5-10	33	<1	193	0.43	16	0.6
B21B-158_10-15	19	1	244	1.10	47	0.4
B21B-158_15-20	12	<1	233	1.06	31	0.1
B21B-158_20-25	13	<1	308	0.53	41	0.3
B21B-158_25-30	20	<1	131	0.29	12	0.3
B21B-158_30-35	22	<1	82.4	0.13	5	0.4
B21B-158_35-40	20	<1	102	0.14	7	0.3
B21B-158_40-45	21	<1	77.0	0.12	4	0.3
B21B-158_45-50	25	<1	101	0.08	4	0.3
B21B-158_50-55	16	<1	92.2	0.10	3	0.2
B21B-158_55-60	10	<1	95.8	0.19	10	0.2
B21B-158_60-65	12	<1	94.7	0.29	8	0.2
B21B-158_65-70	13	<1	107	0.14	7	0.3
B21B-158_70-75	21	<1	85.6	0.18	7	0.2
B21B-158_75-80	16	<1	87.4	0.14	4	0.3
B21B-159_0-5	53	3	150	0.64	60	0.5
B21B-159_5-10	27	<1	177	0.38	41	0.2
B21B-159_10-15	49	<1	233	0.22	28	0.5
B21B-159_15-20	27	<1	116	0.08	11	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-159_20-25	19	<1	152	0.25	19	0.5
B21B-159_25-30	22	<1	140	0.31	14	0.5
B21B-159_30-35	15	<1	141	0.35	24	0.2
B21B-159_35-40	14	<1	147	0.36	20	0.1
B21B-159_40-45	10	<1	98.2	0.28	14	0.2
B21B-159_45-50	16	<1	93.2	0.17	7	0.3
B21B-159_50-55	17	2	120	0.98	15	0.4
B21B-159_55-60	21	<1	127	0.31	8	0.3
B21B-159_60-65	14	<1	108	0.12	3	0.2
B21B-159_65-70	23	<1	114	0.08	5	0.6
B21B-159_70-75	31	5	110	0.06	5	1.0
B21B-159_75-80	32	2	104	0.08	5	1.0
B21B-160_0-5	18	2	138	0.26	15	0.2
B21B-160_5-10	22	4	120	0.22	12	0.4
B21B-160_10-15	21	3	109	0.15	10	0.3
B21B-160_15-20	18	2	122	0.13	11	0.3
*Dup B21B-158_5-10	30	1	179	0.46	16	0.6
*Std OREAS 905	9	136	239	0.48	31	3.2
*Std OREAS 601b	11	312	174	51.21	292	2.5
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Rep B21B-157_75-80	26	2	63.0	0.07	5	0.2
*Std OREAS 601b	10	308	171	50.77	289	2.3
*Std OREAS 905	8	142	252	0.57	31	2.8
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 601b	10	326	183	50.93	278	2.5
*Rep B21B-159_50-55	16	3	121	0.97	16	0.4
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 905	7	138	258	0.63	33	3.4

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	14.98	<0.02	117	3.9	<1	29.3
B21B-155_70-75	17.16	<0.02	52.14	1.1	<1	16.1
B21B-155_75-80	13.78	<0.02	28.09	0.6	<1	13.9
B21B-156_0-5	2.96	<0.02	60.57	0.2	2	17.1
B21B-156_5-10	1.43	<0.02	63.33	0.1	2	15.8
B21B-156_10-15	2.33	<0.02	64.60	0.1	2	24.7
B21B-156_15-20	2.42	<0.02	75.14	0.2	2	30.6
B21B-156_20-25	1.97	<0.02	81.81	1.0	2	37.7
B21B-156_25-30	2.03	<0.02	72.65	5.3	2	36.1
B21B-156_30-35	1.27	0.03	48.06	6.5	2	27.3
B21B-156_35-40	1.94	0.04	54.92	7.3	2	23.4
B21B-156_40-45	1.02	0.04	55.57	6.1	2	23.8
B21B-156_45-50	1.69	0.04	65.34	8.0	3	27.0
B21B-156_50-55	0.67	<0.02	60.60	4.2	2	24.5
B21B-156_55-60	2.74	0.06	78.15	2.1	3	29.5
B21B-156_60-65	1.65	0.14	36.98	1.3	1	16.1
B21B-156_65-70	2.14	0.04	57.22	0.6	2	35.8
B21B-156_70-75	1.35	0.02	43.75	2.2	2	31.3
B21B-156_75-80	1.32	<0.02	51.28	2.0	2	38.0
B21B-157_0-5	2.69	<0.02	76.08	0.8	<1	23.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-157_5-10	0.82	<0.02	66.39	0.2	<1	18.6
B21B-157_10-15	1.04	<0.02	64.33	0.3	<1	13.6
B21B-157_15-20	1.15	<0.02	79.05	0.4	<1	11.5
B21B-157_20-25	1.30	<0.02	78.01	0.6	<1	11.4
B21B-157_25-30	1.30	<0.02	66.71	0.3	<1	9.9
B21B-157_30-35	1.03	<0.02	68.85	0.2	<1	11.0
B21B-157_35-40	1.02	<0.02	66.21	0.2	<1	11.9
B21B-157_40-45	0.85	<0.02	46.99	0.2	<1	9.7
B21B-157_45-50	1.22	<0.02	53.89	0.4	<1	11.0
B21B-157_50-55	1.62	<0.02	73.43	0.4	<1	12.5
B21B-157_55-60	1.59	<0.02	61.61	0.5	<1	15.9
B21B-157_60-65	1.77	<0.02	99.88	0.3	<1	19.2
B21B-157_65-70	1.76	<0.02	110	0.3	<1	23.0
B21B-157_70-75	1.99	<0.02	70.18	2.4	<1	29.1
B21B-157_75-80	2.12	<0.02	93.53	2.0	<1	23.7
B21B-158_0-5	9.41	<0.02	120	1.3	<1	46.5
B21B-158_5-10	14.98	<0.02	154	1.4	<1	47.5
B21B-158_10-15	63.49	<0.02	118	1.8	<1	30.1
B21B-158_15-20	38.18	0.02	62.10	1.9	<1	29.7
B21B-158_20-25	85.20	0.03	92.83	2.5	<1	51.2
B21B-158_25-30	16.59	0.03	85.42	0.9	<1	25.0
B21B-158_30-35	4.44	<0.02	44.60	0.3	<1	18.4
B21B-158_35-40	5.01	<0.02	56.84	0.3	<1	18.2
B21B-158_40-45	3.11	<0.02	49.43	0.3	<1	15.4
B21B-158_45-50	2.35	<0.02	44.63	0.3	<1	17.2
B21B-158_50-55	2.51	<0.02	51.73	3.3	<1	14.7
B21B-158_55-60	5.65	<0.02	43.81	2.2	<1	12.2
B21B-158_60-65	5.29	<0.02	42.48	6.4	<1	13.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-158_65-70	3.92	<0.02	59.51	3.8	<1	16.7
B21B-158_70-75	3.75	<0.02	66.78	0.7	<1	16.9
B21B-158_75-80	2.48	<0.02	56.97	2.0	<1	19.1
B21B-159_0-5	19.96	0.03	58.45	0.9	<1	33.5
B21B-159_5-10	19.72	0.02	69.26	0.7	<1	36.0
B21B-159_10-15	12.24	0.03	120	1.0	<1	49.3
B21B-159_15-20	4.13	<0.02	60.89	0.6	<1	31.6
B21B-159_20-25	8.44	<0.02	84.37	2.2	<1	37.1
B21B-159_25-30	7.90	<0.02	121	1.0	<1	42.7
B21B-159_30-35	27.35	0.03	48.53	1.5	<1	18.1
B21B-159_35-40	27.29	0.06	31.29	2.2	<1	11.7
B21B-159_40-45	24.18	0.02	41.53	0.4	<1	9.7
B21B-159_45-50	8.33	<0.02	51.82	1.7	<1	15.9
B21B-159_50-55	139	0.13	90.56	10.5	<1	24.8
B21B-159_55-60	88.47	<0.02	66.01	1.3	<1	31.8
B21B-159_60-65	6.30	<0.02	43.01	1.0	<1	11.6
B21B-159_65-70	2.84	<0.02	47.12	2.2	<1	15.2
B21B-159_70-75	2.33	0.05	46.83	7.3	2	17.9
B21B-159_75-80	2.26	<0.02	55.94	6.5	2	18.2
B21B-160_0-5	107	0.04	32.92	0.8	<1	15.8
B21B-160_5-10	97.10	0.04	68.15	2.6	<1	24.6
B21B-160_10-15	22.37	0.06	63.39	4.5	<1	21.3
B21B-160_15-20	22.79	0.08	44.78	11.0	<1	25.2
*Dup B21B-158_5-10	15.24	<0.02	152	1.5	<1	45.5
*Std OREAS 905	5.85	0.32	95.64	14.9	6	24.7
*Std OREAS 601b	17.58	2.02	73.92	3.0	4	23.1
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep B21B-157_75-80	2.04	<0.02	91.78	2.0	<1	23.1
*Std OREAS 601b	17.88	2.19	73.06	3.1	5	24.6
*Std OREAS 905	5.51	0.33	83.26	13.8	7	22.7
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 601b	16.48	2.05	69.26	2.8	5	22.8
*Rep B21B-159_50-55	137	0.15	94.62	10.4	<1	24.4
*Blk BLANK	0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.60	0.36	91.68	14.0	8	25.3

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	2.63	0.02	63.3	0.26	6.74	2.0
B21B-155_70-75	3.55	0.06	28.1	0.27	14.88	1.6
B21B-155_75-80	2.89	0.10	13.2	0.22	9.59	1.3
B21B-156_0-5	2.33	0.22	27.6	0.17	9.91	2.4
B21B-156_5-10	1.97	0.20	26.5	0.17	6.31	1.7
B21B-156_10-15	2.13	0.23	28.5	0.16	4.82	1.7
B21B-156_15-20	2.41	0.23	33.0	0.18	4.73	1.5
B21B-156_20-25	2.89	0.25	36.3	0.19	4.06	2.2
B21B-156_25-30	2.68	0.25	33.4	0.18	2.24	1.8
B21B-156_30-35	2.03	0.24	20.6	0.14	1.94	1.4
B21B-156_35-40	1.88	0.27	23.2	0.14	2.84	1.3
B21B-156_40-45	1.94	0.28	22.7	0.14	2.16	1.7
B21B-156_45-50	1.85	0.31	28.1	0.13	2.18	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-156_50-55	1.91	0.28	26.3	0.13	2.32	2.6
B21B-156_55-60	2.04	0.42	34.8	0.14	6.53	1.3
B21B-156_60-65	0.99	0.20	16.4	0.06	6.80	0.5
B21B-156_65-70	1.87	0.26	27.3	0.12	9.25	1.5
B21B-156_70-75	1.69	0.26	19.1	0.11	3.91	1.5
B21B-156_75-80	1.78	0.28	22.5	0.12	3.40	1.8
B21B-157_0-5	3.44	0.05	34.9	0.22	10.42	3.2
B21B-157_5-10	3.27	0.02	30.5	0.21	8.01	1.7
B21B-157_10-15	2.89	0.02	31.3	0.21	6.98	1.4
B21B-157_15-20	2.82	<0.02	36.8	0.21	5.42	1.1
B21B-157_20-25	2.47	<0.02	37.0	0.20	7.11	1.3
B21B-157_25-30	2.06	<0.02	30.7	0.18	5.40	1.0
B21B-157_30-35	1.90	<0.02	31.4	0.17	7.31	1.3
B21B-157_35-40	2.22	<0.02	30.6	0.21	5.49	1.4
B21B-157_40-45	2.01	<0.02	20.3	0.23	2.48	1.1
B21B-157_45-50	2.06	<0.02	23.0	0.23	5.66	1.0
B21B-157_50-55	2.25	0.02	34.0	0.20	12.39	1.2
B21B-157_55-60	2.59	<0.02	27.8	0.22	10.27	1.4
B21B-157_60-65	2.37	0.04	45.3	0.21	19.37	1.2
B21B-157_65-70	1.98	0.10	51.9	0.18	27.12	1.0
B21B-157_70-75	2.45	0.13	31.7	0.19	19.88	1.4
B21B-157_75-80	1.85	0.07	43.8	0.16	8.69	0.9
B21B-158_0-5	4.39	0.07	54.0	0.21	12.44	2.5
B21B-158_5-10	5.51	0.09	73.5	0.27	19.72	2.2
B21B-158_10-15	6.74	0.16	56.7	0.37	24.99	3.0
B21B-158_15-20	6.37	0.11	33.1	0.37	15.35	3.5
B21B-158_20-25	7.85	0.08	50.7	0.50	18.44	3.7
B21B-158_25-30	3.57	0.04	41.8	0.25	10.05	2.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-158_30-35	2.43	0.03	23.2	0.18	5.84	2.2
B21B-158_35-40	2.90	<0.02	28.9	0.24	11.27	2.6
B21B-158_40-45	2.23	0.03	23.9	0.18	7.93	2.1
B21B-158_45-50	2.68	<0.02	21.3	0.22	7.22	2.3
B21B-158_50-55	2.65	<0.02	24.8	0.22	3.77	1.9
B21B-158_55-60	2.69	<0.02	22.0	0.22	3.37	1.5
B21B-158_60-65	2.76	0.02	21.4	0.24	4.05	1.8
B21B-158_65-70	2.90	<0.02	30.2	0.23	8.10	1.8
B21B-158_70-75	2.39	0.04	33.5	0.19	8.22	1.5
B21B-158_75-80	2.53	<0.02	30.0	0.19	3.93	1.9
B21B-159_0-5	4.36	0.16	31.6	0.12	33.93	5.3
B21B-159_5-10	4.85	0.09	37.9	0.14	16.91	3.2
B21B-159_10-15	5.38	0.07	61.3	0.18	11.97	2.9
B21B-159_15-20	3.31	0.09	32.0	0.20	3.38	2.4
B21B-159_20-25	4.17	0.08	41.7	0.33	6.46	2.0
B21B-159_25-30	4.05	0.13	61.4	0.32	10.51	2.2
B21B-159_30-35	3.84	0.10	25.6	0.30	33.03	3.3
B21B-159_35-40	4.05	0.09	16.0	0.31	58.62	3.1
B21B-159_40-45	2.52	0.08	19.8	0.22	25.93	2.1
B21B-159_45-50	2.51	0.05	25.0	0.21	11.36	2.1
B21B-159_50-55	3.28	0.13	55.8	0.23	13.51	2.3
B21B-159_55-60	3.59	0.06	36.4	0.25	17.58	3.0
B21B-159_60-65	2.86	0.02	22.1	0.19	4.37	2.0
B21B-159_65-70	3.12	0.08	24.2	0.18	5.60	2.3
B21B-159_70-75	2.87	0.08	23.3	0.18	5.17	2.2
B21B-159_75-80	2.96	0.07	28.6	0.20	4.11	2.3
B21B-160_0-5	3.66	0.14	17.7	0.26	9.04	2.5
B21B-160_5-10	3.21	0.11	34.5	0.25	4.95	2.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-160_10-15	2.85	0.08	30.4	0.22	3.10	2.5
B21B-160_15-20	3.13	0.09	21.7	0.25	5.26	2.7
*Dup B21B-158_5-10	5.20	0.09	73.4	0.25	20.08	1.9
*Std OREAS 905	7.00	0.63	43.7	0.09	3.47	17.2
*Std OREAS 601b	5.19	0.48	34.0	0.07	5.28	14.6
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.05	<0.1
*Rep B21B-157_75-80	1.81	0.07	43.2	0.16	8.63	1.0
*Std OREAS 601b	5.68	0.50	36.9	0.08	5.71	16.6
*Std OREAS 905	6.69	0.63	41.2	0.09	3.20	18.4
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.19	0.49	34.9	0.07	5.25	15.8
*Rep B21B-159_50-55	3.23	0.13	59.0	0.23	13.74	2.3
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.36	0.71	45.2	0.10	3.51	19.2

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	214	0.9	1.22	8.4	12	1.2
B21B-155_70-75	101	1.1	4.78	6.9	16	0.9
B21B-155_75-80	67.2	1.8	3.89	5.1	9	0.8
B21B-156_0-5	28.5	64.2	0.81	8.7	5	1.4
B21B-156_5-10	18.1	57.3	0.36	8.2	4	1.0
B21B-156_10-15	16.5	59.3	0.43	8.5	6	1.0
B21B-156_15-20	21.4	63.2	0.34	8.6	11	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-156_20-25	21.8	63.1	0.45	9.9	8	1.0
B21B-156_25-30	18.0	65.7	0.38	10.5	9	0.8
B21B-156_30-35	13.8	67.1	0.36	9.8	7	0.7
B21B-156_35-40	14.7	61.4	0.30	8.9	11	0.8
B21B-156_40-45	16.4	68.4	0.32	9.6	6	0.9
B21B-156_45-50	17.6	72.4	0.39	10.6	9	1.0
B21B-156_50-55	15.4	63.0	0.57	9.8	4	1.8
B21B-156_55-60	23.2	70.5	1.34	11.2	15	3.3
B21B-156_60-65	18.7	31.9	0.82	4.9	11	1.4
B21B-156_65-70	18.6	61.5	1.34	9.7	14	2.8
B21B-156_70-75	15.4	56.3	0.70	8.8	12	1.9
B21B-156_75-80	18.4	69.4	0.64	10.1	10	1.7
B21B-157_0-5	48.3	4.0	0.90	9.8	13	0.8
B21B-157_5-10	46.0	0.3	0.51	8.2	14	0.3
B21B-157_10-15	44.0	1.0	0.48	7.3	15	<0.3
B21B-157_15-20	66.7	0.5	0.45	7.4	16	<0.3
B21B-157_20-25	66.9	1.2	0.56	7.5	15	<0.3
B21B-157_25-30	49.5	0.5	0.56	6.7	14	<0.3
B21B-157_30-35	43.2	0.9	0.87	6.7	14	<0.3
B21B-157_35-40	43.4	1.5	0.62	7.1	12	0.4
B21B-157_40-45	30.9	0.4	0.72	6.4	11	<0.3
B21B-157_45-50	39.1	0.5	0.45	6.4	14	<0.3
B21B-157_50-55	67.3	0.4	0.44	6.8	18	0.3
B21B-157_55-60	61.2	0.4	0.53	7.6	12	0.3
B21B-157_60-65	102	2.1	0.58	7.4	9	0.5
B21B-157_65-70	108	8.1	0.35	7.4	11	0.8
B21B-157_70-75	86.5	12.5	0.43	8.4	10	1.2
B21B-157_75-80	100	6.4	0.33	6.8	9	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-158_0-5	181	3.3	1.71	10.4	10	1.1
B21B-158_5-10	240	1.3	2.16	11.9	32	1.2
B21B-158_10-15	240	1.7	8.69	12.5	48	3.0
B21B-158_15-20	194	1.0	8.46	11.5	55	3.8
B21B-158_20-25	207	0.8	11.83	15.0	31	2.8
B21B-158_25-30	176	1.1	2.53	7.7	13	1.2
B21B-158_30-35	81.8	1.5	1.01	6.9	7	0.7
B21B-158_35-40	67.6	0.5	1.27	7.4	11	0.7
B21B-158_40-45	64.9	0.6	0.70	5.5	7	0.6
B21B-158_45-50	54.7	1.7	0.70	6.3	9	0.7
B21B-158_50-55	52.8	0.4	0.67	6.5	8	0.6
B21B-158_55-60	49.0	0.4	1.71	6.3	10	0.5
B21B-158_60-65	53.0	1.0	0.80	6.3	11	0.6
B21B-158_65-70	69.4	0.7	0.84	6.9	10	0.6
B21B-158_70-75	79.6	3.9	1.39	6.5	16	0.7
B21B-158_75-80	63.3	0.9	0.95	6.6	13	0.7
B21B-159_0-5	115	6.3	3.40	10.0	44	3.6
B21B-159_5-10	107	0.7	3.21	11.3	35	3.0
B21B-159_10-15	127	1.4	3.29	12.9	14	1.7
B21B-159_15-20	57.1	3.5	0.96	7.9	11	0.7
B21B-159_20-25	69.4	1.2	1.84	9.2	17	0.7
B21B-159_25-30	116	3.1	2.15	11.9	43	0.8
B21B-159_30-35	78.6	1.1	2.96	8.8	46	2.2
B21B-159_35-40	71.2	0.9	3.30	8.7	25	2.1
B21B-159_40-45	56.3	0.5	3.91	5.9	10	1.2
B21B-159_45-50	30.3	0.7	1.75	6.4	7	1.0
B21B-159_50-55	104	0.7	3.58	6.8	15	5.5
B21B-159_55-60	39.0	0.9	2.04	8.5	13	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-159_60-65	11.2	0.6	0.49	6.4	9	0.6
B21B-159_65-70	15.9	29.5	0.50	8.0	7	0.8
B21B-159_70-75	21.3	56.2	0.41	7.8	5	0.9
B21B-159_75-80	19.9	50.0	0.54	10.3	8	0.8
B21B-160_0-5	86.9	1.4	4.73	6.4	12	2.2
B21B-160_5-10	101	2.8	3.05	7.3	11	1.4
B21B-160_10-15	68.5	0.5	1.50	7.0	7	1.0
B21B-160_15-20	49.4	0.4	1.90	7.7	6	1.2
*Dup B21B-158_5-10	236	1.3	2.14	11.2	33	1.1
*Std OREAS 905	27.6	134	1.99	5.6	3	4.2
*Std OREAS 601b	321	97.2	24.85	4.2	9	3.4
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-157_75-80	99.4	6.4	0.34	6.9	9	0.8
*Std OREAS 601b	313	108	24.99	4.0	10	4.0
*Std OREAS 905	30.5	125	1.85	4.8	3	4.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	307	93.9	24.08	3.8	10	3.8
*Rep B21B-159_50-55	104	0.7	3.91	6.6	14	5.5
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	32.0	138	2.01	5.1	3	4.9

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	0.11	0.68	11.45	14.8	0.08	2.34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-155_70-75	0.11	0.40	124	10.0	0.10	2.23
B21B-155_75-80	0.09	0.28	66.08	5.7	0.14	1.76
B21B-156_0-5	0.19	0.31	4.48	8.0	4.26	1.03
B21B-156_5-10	0.14	0.49	3.04	6.1	4.06	0.79
B21B-156_10-15	0.14	0.39	4.64	7.6	4.09	0.97
B21B-156_15-20	0.12	0.39	4.68	9.6	4.15	1.08
B21B-156_20-25	0.16	0.46	4.61	11.8	4.11	1.22
B21B-156_25-30	0.14	0.43	3.78	12.3	4.13	1.11
B21B-156_30-35	0.12	0.34	3.65	7.1	4.15	0.85
B21B-156_35-40	0.10	0.33	3.75	6.7	3.59	0.75
B21B-156_40-45	0.13	0.39	3.71	6.7	4.11	0.76
B21B-156_45-50	0.14	0.34	4.37	7.2	4.09	0.78
B21B-156_50-55	0.18	0.25	1.95	6.6	3.48	0.77
B21B-156_55-60	0.10	0.55	4.42	8.5	3.83	0.83
B21B-156_60-65	<0.05	0.20	8.67	3.6	1.82	0.36
B21B-156_65-70	0.11	0.28	6.14	8.9	3.57	0.67
B21B-156_70-75	0.11	0.21	4.27	7.6	3.23	0.67
B21B-156_75-80	0.13	0.22	4.39	8.4	3.70	0.77
B21B-157_0-5	0.26	0.34	9.91	11.7	0.15	1.61
B21B-157_5-10	0.15	0.30	6.27	7.6	0.05	1.24
B21B-157_10-15	0.10	0.31	7.28	8.4	0.08	1.19
B21B-157_15-20	0.08	0.39	5.28	8.8	0.07	1.29
B21B-157_20-25	0.10	0.33	7.86	7.1	0.13	1.12
B21B-157_25-30	0.07	0.38	5.14	7.4	0.06	1.12
B21B-157_30-35	0.09	0.37	3.78	6.9	0.08	0.99
B21B-157_35-40	0.11	0.37	3.35	7.7	0.17	1.09
B21B-157_40-45	0.08	0.30	2.15	6.0	0.06	1.00
B21B-157_45-50	0.07	0.34	8.75	6.7	0.08	1.08

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-157_50-55	0.09	0.37	7.67	8.5	0.06	1.23
B21B-157_55-60	0.11	0.41	6.35	7.7	0.05	1.37
B21B-157_60-65	0.10	0.55	7.12	11.4	0.28	1.48
B21B-157_65-70	0.08	0.56	4.13	13.1	0.73	1.36
B21B-157_70-75	0.11	0.33	5.48	9.4	1.20	1.30
B21B-157_75-80	0.07	0.40	5.51	11.3	0.66	1.11
B21B-158_0-5	0.22	0.58	15.62	17.1	0.60	2.82
B21B-158_5-10	0.18	0.70	27.49	21.1	0.44	3.16
B21B-158_10-15	0.22	0.57	74.85	18.0	0.48	3.23
B21B-158_15-20	0.21	0.45	58.95	13.7	0.29	3.17
B21B-158_20-25	0.26	0.65	88.68	20.4	0.27	4.13
B21B-158_25-30	0.14	0.58	33.52	10.2	0.27	2.04
B21B-158_30-35	0.17	0.32	9.48	6.5	0.25	1.27
B21B-158_35-40	0.20	0.39	10.28	8.9	0.09	1.54
B21B-158_40-45	0.19	0.40	5.40	7.5	0.12	1.26
B21B-158_45-50	0.19	0.40	4.47	6.5	0.50	1.44
B21B-158_50-55	0.15	0.40	4.41	7.8	0.10	1.40
B21B-158_55-60	0.10	0.33	20.28	7.4	0.14	1.40
B21B-158_60-65	0.12	0.31	12.35	7.2	0.32	1.43
B21B-158_65-70	0.13	0.35	8.77	8.8	0.15	1.46
B21B-158_70-75	0.11	0.37	11.39	8.4	0.48	1.31
B21B-158_75-80	0.16	0.34	5.81	8.2	0.10	1.24
B21B-159_0-5	0.38	0.35	24.02	14.5	0.17	2.64
B21B-159_5-10	0.22	0.40	20.16	14.2	0.05	2.93
B21B-159_10-15	0.22	0.69	15.82	21.9	0.11	3.45
B21B-159_15-20	0.17	0.36	9.76	13.2	0.25	1.85
B21B-159_20-25	0.15	0.55	14.14	15.5	0.13	2.94
B21B-159_25-30	0.18	0.81	9.61	29.9	0.21	3.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-159_30-35	0.19	0.43	22.66	11.9	0.09	2.47
B21B-159_35-40	0.19	0.38	19.02	9.6	0.08	2.47
B21B-159_40-45	0.12	0.37	6.08	7.0	0.04	1.61
B21B-159_45-50	0.13	0.38	3.86	7.1	0.06	1.63
B21B-159_50-55	0.14	0.62	9.77	17.0	0.35	2.82
B21B-159_55-60	0.20	0.51	4.98	12.0	0.09	2.24
B21B-159_60-65	0.12	0.28	1.76	8.0	0.04	1.43
B21B-159_65-70	0.17	0.29	2.69	7.4	2.20	1.40
B21B-159_70-75	0.16	0.29	3.72	6.5	4.15	1.69
B21B-159_75-80	0.20	0.37	3.03	7.6	3.63	1.59
B21B-160_0-5	0.15	0.32	29.66	8.7	0.06	2.14
B21B-160_5-10	0.18	0.45	13.42	10.5	0.13	2.11
B21B-160_10-15	0.15	0.41	8.32	8.1	0.40	1.89
B21B-160_15-20	0.17	0.34	12.07	7.8	0.24	2.12
*Dup B21B-158_5-10	0.16	0.69	27.83	21.1	0.44	3.16
*Std OREAS 905	1.42	0.78	0.10	13.6	0.69	4.58
*Std OREAS 601b	1.20	0.54	12.59	11.3	1.41	4.28
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-157_75-80	0.07	0.40	5.53	11.1	0.65	1.09
*Std OREAS 601b	1.26	0.57	13.87	12.6	1.57	4.88
*Std OREAS 905	1.35	0.70	0.08	13.2	0.69	4.49
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.25	0.55	12.93	12.2	1.44	4.65
*Rep B21B-159_50-55	0.14	0.63	10.48	17.2	0.35	2.82
*Blk BLANK	<0.05	<0.05	0.06	<0.2	<0.02	<0.05
*Std OREAS 905	1.44	0.81	0.13	15.0	0.70	5.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11027

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-155_65-70	9.7	11.7	1.6
B21B-155_70-75	8.0	10.0	1.8
B21B-155_75-80	6.4	8.2	1.4
B21B-156_0-5	1.0	6.7	1.0
B21B-156_5-10	1.5	9.4	1.1
B21B-156_10-15	1.2	6.9	1.0
B21B-156_15-20	0.9	7.0	1.1
B21B-156_20-25	1.6	8.0	1.2
B21B-156_25-30	1.4	7.7	1.1
B21B-156_30-35	2.5	6.8	0.9
B21B-156_35-40	1.8	6.4	0.8
B21B-156_40-45	1.6	7.0	0.9
B21B-156_45-50	1.3	6.5	0.8
B21B-156_50-55	1.5	5.3	0.8
B21B-156_55-60	1.7	6.6	0.8
B21B-156_60-65	2.4	2.7	0.4
B21B-156_65-70	1.3	4.8	0.7
B21B-156_70-75	1.3	4.4	0.7
B21B-156_75-80	1.4	4.8	0.7
B21B-157_0-5	5.7	7.6	1.4
B21B-157_5-10	2.1	6.8	1.4
B21B-157_10-15	1.7	6.6	1.3
B21B-157_15-20	1.7	7.1	1.3
B21B-157_20-25	1.8	6.7	1.3
B21B-157_25-30	1.7	6.7	1.1
B21B-157_30-35	1.6	6.9	1.1
B21B-157_35-40	2.1	7.4	1.3
B21B-157_40-45	2.4	7.1	1.4
B21B-157_45-50	2.7	7.5	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

## ANALYSIS REPORT BBM21-11027

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-157_50-55	3.6	7.2	1.3
B21B-157_55-60	5.5	8.5	1.4
B21B-157_60-65	4.0	8.5	1.3
B21B-157_65-70	3.5	8.1	1.1
B21B-157_70-75	5.1	6.6	1.2
B21B-157_75-80	4.2	6.6	1.0
B21B-158_0-5	5.5	8.6	1.4
B21B-158_5-10	5.0	12.0	1.7
B21B-158_10-15	5.1	16.5	2.4
B21B-158_15-20	4.9	15.3	2.2
B21B-158_20-25	4.5	21.1	3.0
B21B-158_25-30	4.0	11.7	1.6
B21B-158_30-35	3.9	7.9	1.1
B21B-158_35-40	3.8	10.3	1.4
B21B-158_40-45	3.0	8.2	1.1
B21B-158_45-50	3.8	9.5	1.3
B21B-158_50-55	12.2	9.5	1.3
B21B-158_55-60	6.2	8.7	1.3
B21B-158_60-65	20.1	9.1	1.4
B21B-158_65-70	14.9	9.2	1.4
B21B-158_70-75	4.3	7.8	1.2
B21B-158_75-80	5.3	8.4	1.1
B21B-159_0-5	8.5	7.0	0.8
B21B-159_5-10	9.2	8.6	0.9
B21B-159_10-15	7.7	11.3	1.1
B21B-159_15-20	6.4	9.7	1.2
B21B-159_20-25	5.3	13.3	1.9
B21B-159_25-30	7.3	15.7	1.9
B21B-159_30-35	20.0	13.6	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11027

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1015-1089)  
 Number of Samples 75

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-159_35-40	30.8	13.5	1.9
B21B-159_40-45	8.4	10.3	1.3
B21B-159_45-50	9.5	10.5	1.3
B21B-159_50-55	12.6	12.2	1.4
B21B-159_55-60	8.0	13.3	1.6
B21B-159_60-65	3.7	8.7	1.2
B21B-159_65-70	2.5	8.0	1.0
B21B-159_70-75	2.6	7.5	1.0
B21B-159_75-80	3.3	9.6	1.2
B21B-160_0-5	6.4	10.7	1.6
B21B-160_5-10	14.1	11.0	1.5
B21B-160_10-15	19.4	10.3	1.4
B21B-160_15-20	28.1	11.1	1.5
*Dup B21B-158_5-10	4.4	11.8	1.6
*Std OREAS 905	3.1	14.2	0.6
*Std OREAS 601b	6.9	10.3	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-157_75-80	4.1	6.4	1.0
*Std OREAS 601b	7.1	12.0	0.6
*Std OREAS 905	2.8	14.9	0.6
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.3	10.9	0.5
*Rep B21B-159_50-55	12.2	11.9	1.4
*Blk BLANK	0.1	<0.1	<0.1
*Std OREAS 905	2.9	15.9	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504Samples(1015-1089)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11027

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11028

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	26-Aug-2021 - 27-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	27-Oct-2021
Gold/RABP2/1504Samples(1090-1164)		SGS Order Number	BBM21-11028
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3), ICP-MS, 0.2g-12ml
7	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

27-Oct-2021 9:10PM BBM\_U0015737319

Page 1 of 32

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-160_20-25	6.12	0.020	2.76	672	0.03	12
B21B-160_25-30	5.10	0.041	2.18	1645	0.03	4
B21B-160_30-35	6.73	0.013	2.38	619	0.03	4
B21B-160_35-40	5.87	0.033	2.22	488	0.02	4
B21B-160_40-45	7.88	0.016	2.32	39	0.01	6
B21B-160_45-50	5.15	0.010	2.15	86	0.02	8
B21B-160_50-55	5.39	0.012	2.05	47	0.02	4
B21B-160_55-60	6.49	0.020	3.15	53	0.02	6
B21B-160_60-65	5.35	0.011	4.06	66	0.02	16
B21B-160_65-70	5.35	0.008	4.97	106	0.02	5
B21B-160_70-75	5.29	0.014	3.41	96	0.02	4
B21B-160_75-80	5.32	0.011	3.88	868	0.04	6
B21B-161_0-5	5.24	0.099	9.22	759	0.07	42
B21B-161_5-10	7.04	0.029	7.70	728	0.05	26
B21B-161_10-15	9.09	0.066	7.82	605	0.03	28
B21B-161_15-20	5.63	0.044	5.50	647	0.02	16
B21B-161_20-25	5.96	0.038	4.38	465	0.02	12
B21B-161_25-30	6.08	0.045	2.47	371	0.02	5
B21B-161_30-35	7.34	0.071	4.46	353	0.02	7
B21B-161_35-40	5.51	0.105	1.69	119	0.02	2
B21B-161_40-45	5.84	0.082	1.47	146	0.01	4
596971	4.57	0.076	-	-	-	-
B21B-161_45-50	6.74	0.074	1.65	97	0.01	5
B21B-161_50-55	5.37	0.079	1.52	87	0.01	5
B21B-161_55-60	7.19	0.085	1.22	80	<0.01	4
B21B-161_60-65	6.51	0.108	1.43	106	0.01	7
B21B-161_65-70	5.99	0.148	1.42	205	<0.01	13
B21B-161_70-73	5.92	0.062	1.22	103	<0.01	15

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-162_0-5	6.69	0.030	8.30	748	<0.01	25
B21B-162_5-10	5.43	0.022	8.77	602	<0.01	37
B21B-162_10-15	5.75	0.059	8.55	720	0.01	37
B21B-162_15-20	6.32	0.012	11.47	341	<0.01	22
B21B-162_20-25	5.18	0.007	11.02	326	<0.01	24
B21B-162_25-30	6.49	<0.005	12.97	448	<0.01	35
B21B-162_30-35	7.46	0.013	7.05	633	0.02	19
B21B-162_35-40	6.33	0.015	6.93	608	0.02	15
596972	0.05	0.744	-	-	-	-
B21B-162_40-45	6.25	0.010	7.70	527	0.02	27
B21B-162_45-50	6.46	0.024	6.69	496	0.02	14
B21B-162_50-55	6.01	0.024	5.70	309	0.03	13
B21B-162_55-60	5.35	0.030	7.20	392	0.02	26
B21B-162_60-65	7.55	0.028	4.10	377	0.04	6
B21B-162_65-70	7.88	0.028	3.57	245	0.02	10
B21B-162_70-75	2.69	0.036	4.41	855	0.03	9
B21B-162_75-80	2.70	0.053	2.76	579	0.02	7
B21B-163_0-5	5.02	0.034	3.29	63	0.01	4
B21B-163_5-10	3.85	0.008	1.86	290	0.01	2
B21B-163_10-15	5.40	0.015	3.82	1013	0.04	2
B21B-163_15-20	7.31	0.057	2.11	231	0.01	7
B21B-163_20-25	7.38	0.039	2.32	1423	0.01	2
B21B-163_25-30	3.83	0.031	2.81	1235	0.02	3
B21B-163_30-35	5.44	0.051	1.78	1189	0.01	3
B21B-163_35-40	5.73	0.047	3.09	821	0.03	4
B21B-163_40-45	5.48	0.045	4.14	2045	0.04	6
B21B-163_45-50	7.08	0.036	7.50	709	0.03	3
B21B-163_50-55	8.94	0.073	13.78	1083	0.08	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-163_55-60	7.41	0.060	4.35	269	0.02	4
B21B-163_60-65	7.35	0.155	2.85	545	0.02	7
B21B-163_65-70	5.69	0.108	3.78	270	0.02	3
B21B-163_70-75	6.34	0.082	2.05	252	0.02	13
B21B-163_75-80	9.70	0.065	2.28	192	0.01	6
596973	4.19	<0.005	-	-	-	-
B21B-164_0-5	5.30	0.036	1.80	813	0.02	4
B21B-164_5-10	5.14	0.145	1.61	750	0.02	4
B21B-164_10-15	7.18	0.134	4.20	97	<0.01	3
B21B-164_15-20	6.76	0.037	2.07	49	<0.01	3
B21B-164_20-25	6.41	0.021	2.28	77	0.01	4
B21B-164_25-30	9.42	0.011	1.46	59	<0.01	7
B21B-164_30-35	8.06	0.013	2.17	78	<0.01	3
B21B-164_35-40	5.50	0.012	4.36	94	0.01	3
B21B-164_40-45	4.65	0.009	7.11	131	0.01	2
B21B-164_45-50	4.32	0.006	6.74	543	0.02	3
B21B-164_50-55	7.06	0.005	8.10	1365	0.02	2
B21B-164_55-60	6.00	<0.005	7.69	1340	0.01	3
B21B-164_60-65	7.28	<0.005	7.66	1443	0.02	2
*Dup B21B-162_45-50	-	0.027	6.62	492	0.02	10
*Blk BLANK	-	-	<0.01	1	<0.01	<1
*Std OREAS 905	-	-	7.20	2720	0.59	13
*Std OREAS 601b	-	-	6.46	598	0.89	18
*Std OREAS 601b	-	-	6.54	670	0.82	21
*Rep B21B-160_65-70	-	-	4.33	62	0.02	4
*Std OREAS 905	-	-	7.19	2679	0.55	14
*Blk BLANK	-	-	0.02	1	<0.01	1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Rep 596971	-	0.079	-	-	-	-
*Std OREAS 296	-	2.085	-	-	-	-
*Std SN106	-	8.735	-	-	-	-
*Rep B21B-163_25-30	-	0.031	-	-	-	-
*Std OREAS 235	-	1.500	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-164_10-15	-	0.134	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	2
*Std OREAS 905	-	-	7.34	2877	0.55	17
*Rep B21B-164_20-25	-	-	2.08	72	0.01	3
*Std OREAS 601b	-	-	6.37	275	0.82	20
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.592	-	-	-	-
*Rep B21B-162_45-50	-	0.025	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 601b	-	-	6.43	451	0.85	27
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.18	2639	0.57	13

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-160_20-25	48.0	5.21	0.02	2	<0.01	24

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-160_25-30	6.9	4.68	0.02	3	<0.01	17
B21B-160_30-35	17.6	4.22	0.02	2	<0.01	18
B21B-160_35-40	59.7	7.91	<0.01	2	<0.01	25
B21B-160_40-45	80.8	10.50	0.02	1	<0.01	60
B21B-160_45-50	56.7	9.27	0.01	2	<0.01	54
B21B-160_50-55	72.8	8.73	<0.01	1	<0.01	54
B21B-160_55-60	57.2	9.34	<0.01	3	<0.01	56
B21B-160_60-65	57.1	7.39	<0.01	2	<0.01	48
B21B-160_65-70	48.8	6.35	<0.01	2	<0.01	34
B21B-160_70-75	66.0	9.12	<0.01	1	<0.01	33
B21B-160_75-80	26.2	5.80	0.01	1	<0.01	19
B21B-161_0-5	13.0	1.66	1.71	4	0.03	14
B21B-161_5-10	4.3	3.29	1.73	2	0.02	6
B21B-161_10-15	10.4	5.96	1.74	1	0.02	5
B21B-161_15-20	3.1	3.15	0.69	1	<0.01	9
B21B-161_20-25	2.9	2.79	0.32	2	<0.01	9
B21B-161_25-30	2.2	1.36	0.20	<1	<0.01	12
B21B-161_30-35	2.7	1.48	0.88	<1	<0.01	13
B21B-161_35-40	3.0	0.72	0.10	<1	<0.01	34
B21B-161_40-45	4.2	0.56	0.07	<1	<0.01	19
B21B-161_45-50	9.5	0.95	0.08	1	<0.01	27
B21B-161_50-55	8.8	1.20	0.06	<1	<0.01	23
B21B-161_55-60	9.6	1.37	0.09	1	<0.01	24
B21B-161_60-65	32.6	3.67	0.23	<1	<0.01	28
B21B-161_65-70	34.3	3.70	0.26	<1	<0.01	22
B21B-161_70-73	37.0	3.25	0.22	2	<0.01	55
B21B-162_0-5	15.1	2.80	3.45	2	0.11	52
B21B-162_5-10	10.6	3.15	3.72	3	0.12	43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-162_10-15	13.1	1.90	3.63	2	0.11	60
B21B-162_15-20	5.0	1.21	4.81	3	0.16	28
B21B-162_20-25	5.4	1.30	4.69	3	0.13	31
B21B-162_25-30	3.9	1.23	4.93	3	0.15	25
B21B-162_30-35	8.2	2.15	2.89	1	0.08	27
B21B-162_35-40	11.8	2.72	2.84	2	0.07	17
B21B-162_40-45	8.0	2.64	3.13	<1	0.06	13
B21B-162_45-50	7.9	2.03	2.76	1	0.05	13
B21B-162_50-55	8.4	3.42	2.16	<1	0.03	11
B21B-162_55-60	54.5	3.16	2.65	2	0.02	14
B21B-162_60-65	22.8	1.52	1.24	2	0.01	15
B21B-162_65-70	58.1	1.75	0.52	2	<0.01	17
B21B-162_70-75	21.9	2.34	1.31	4	0.03	22
B21B-162_75-80	9.2	1.62	0.55	3	0.01	20
B21B-163_0-5	40.1	2.10	0.05	4	0.01	16
B21B-163_5-10	9.1	1.11	0.02	3	<0.01	16
B21B-163_10-15	8.1	2.73	0.03	4	<0.01	14
B21B-163_15-20	22.2	2.28	<0.01	1	<0.01	13
B21B-163_20-25	4.7	1.77	0.03	3	<0.01	25
B21B-163_25-30	5.1	1.82	0.02	2	<0.01	25
B21B-163_30-35	5.3	1.79	0.02	3	<0.01	27
B21B-163_35-40	6.7	1.27	0.35	<1	<0.01	43
B21B-163_40-45	21.0	8.11	0.05	1	<0.01	35
B21B-163_45-50	28.1	4.61	0.06	3	<0.01	53
B21B-163_50-55	56.2	4.35	0.04	3	<0.01	64
B21B-163_55-60	93.7	4.45	0.03	3	<0.01	36
B21B-163_60-65	40.6	6.03	0.04	1	<0.01	39
B21B-163_65-70	123	5.27	0.11	2	<0.01	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-163_70-75	89.7	5.25	0.04	2	<0.01	30
B21B-163_75-80	101	5.48	0.03	1	<0.01	51
B21B-164_0-5	10.2	4.53	0.02	1	<0.01	42
B21B-164_5-10	20.5	14.75	0.01	<1	<0.01	21
B21B-164_10-15	30.9	9.28	<0.01	<1	<0.01	45
B21B-164_15-20	18.2	4.47	<0.01	<1	<0.01	15
B21B-164_20-25	33.4	4.43	0.03	1	<0.01	31
B21B-164_25-30	10.4	3.44	0.01	<1	<0.01	87
B21B-164_30-35	17.9	3.88	0.02	2	<0.01	34
B21B-164_35-40	8.9	1.97	0.01	1	<0.01	20
B21B-164_40-45	6.3	1.54	0.02	3	<0.01	13
B21B-164_45-50	7.5	1.43	1.10	2	0.02	22
B21B-164_50-55	7.7	2.21	2.81	<1	0.04	13
B21B-164_55-60	24.7	1.95	2.86	2	0.05	21
B21B-164_60-65	19.9	1.51	2.95	<1	0.06	13
*Dup B21B-162_45-50	7.5	2.16	2.71	1	0.05	12
*Blk BLANK	0.9	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1517	4.08	2.95	20	0.28	368
*Std OREAS 601b	995	2.32	2.36	21	0.10	215
*Std OREAS 601b	1023	2.18	2.44	24	0.09	207
*Rep B21B-160_65-70	48.9	6.44	<0.01	2	<0.01	35
*Std OREAS 905	1587	4.03	2.91	22	0.27	364
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1572	4.19	3.04	23	0.27	396
*Rep B21B-164_20-25	31.1	4.21	0.02	1	<0.01	29
*Std OREAS 601b	991	2.25	2.43	25	0.09	217

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11028**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	984	2.20	2.44	23	0.10	226
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1515	3.93	2.98	21	0.27	384

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-160_20-25	0.02	25	0.08	0.50	366	0.08
B21B-160_25-30	0.02	<1	0.14	0.12	404	0.08
B21B-160_30-35	0.01	3	0.07	0.78	367	0.09
B21B-160_35-40	0.01	9	0.06	2.49	233	0.10
B21B-160_40-45	0.02	31	0.04	>5.00	189	0.09
B21B-160_45-50	0.02	24	0.05	>5.00	222	0.08
B21B-160_50-55	0.01	18	0.06	>5.00	265	0.09
B21B-160_55-60	0.01	14	0.09	>5.00	327	0.09
B21B-160_60-65	0.01	23	0.09	>5.00	408	0.09
B21B-160_65-70	0.02	20	0.07	>5.00	324	0.08
B21B-160_70-75	0.01	12	0.07	>5.00	318	0.06
B21B-160_75-80	0.03	5	0.13	1.62	586	0.06
B21B-161_0-5	0.35	3	0.11	0.11	212	0.14
B21B-161_5-10	0.37	<1	0.07	0.07	108	0.06
B21B-161_10-15	0.37	<1	0.05	0.11	107	0.09
B21B-161_15-20	0.16	<1	0.05	0.05	153	0.06
B21B-161_20-25	0.09	<1	0.04	0.05	129	0.06
B21B-161_25-30	0.05	2	0.04	0.04	113	0.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-161_30-35	0.19	<1	0.03	0.03	102	0.07
B21B-161_35-40	0.03	1	0.02	0.03	110	0.09
B21B-161_40-45	0.02	2	0.02	0.04	131	0.07
B21B-161_45-50	0.03	3	0.02	0.28	155	0.06
B21B-161_50-55	0.02	2	0.02	0.21	142	0.05
B21B-161_55-60	0.03	2	0.01	0.50	95.7	0.04
B21B-161_60-65	0.05	3	0.01	3.12	73.3	0.05
B21B-161_65-70	0.05	3	0.02	2.60	95.5	0.09
B21B-161_70-73	0.04	9	0.01	2.37	60.7	0.07
B21B-162_0-5	0.37	7	0.04	0.04	68.5	0.14
B21B-162_5-10	0.39	5	0.04	0.02	67.5	0.12
B21B-162_10-15	0.38	3	0.05	0.04	104	0.07
B21B-162_15-20	0.50	3	0.02	0.02	49.3	0.07
B21B-162_20-25	0.50	4	0.02	0.02	38.1	0.08
B21B-162_25-30	0.59	5	0.03	0.01	40.1	0.08
B21B-162_30-35	0.32	3	0.05	0.03	81.9	0.06
B21B-162_35-40	0.30	4	0.04	0.05	63.3	0.09
B21B-162_40-45	0.34	2	0.05	0.05	59.9	0.13
B21B-162_45-50	0.30	2	0.04	0.04	87.4	0.07
B21B-162_50-55	0.28	6	0.06	0.06	108	0.06
B21B-162_55-60	0.43	19	0.04	2.68	100	0.07
B21B-162_60-65	0.30	2	0.07	0.29	140	0.08
B21B-162_65-70	0.12	6	0.03	1.00	86.0	0.11
B21B-162_70-75	0.20	5	0.08	0.36	202	0.06
B21B-162_75-80	0.09	4	0.05	0.12	225	0.08
B21B-163_0-5	0.02	2	0.02	0.05	128	0.12
B21B-163_5-10	0.02	3	0.03	0.04	118	0.10
B21B-163_10-15	0.03	<1	0.11	0.09	612	0.06

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-163_15-20	0.01	1	0.03	0.99	168	0.24
B21B-163_20-25	0.03	<1	0.07	0.06	193	0.15
B21B-163_25-30	0.03	<1	0.09	0.06	392	0.14
B21B-163_30-35	0.02	<1	0.07	0.05	270	0.10
B21B-163_35-40	0.12	<1	0.08	0.08	530	0.21
B21B-163_40-45	0.03	<1	0.17	0.13	616	0.05
B21B-163_45-50	0.05	<1	0.09	0.16	500	0.05
B21B-163_50-55	0.04	2	0.18	0.92	1080	0.09
B21B-163_55-60	0.03	10	0.06	3.12	326	0.05
B21B-163_60-65	0.03	1	0.06	0.58	396	0.07
B21B-163_65-70	0.08	11	0.05	4.08	288	0.08
B21B-163_70-75	0.03	5	0.07	2.05	218	0.05
B21B-163_75-80	0.02	5	0.05	3.21	154	0.06
B21B-164_0-5	0.01	<1	0.08	0.08	388	0.06
B21B-164_5-10	0.01	<1	0.12	0.11	323	0.04
B21B-164_10-15	0.01	<1	0.03	0.14	82.5	0.08
B21B-164_15-20	0.01	<1	0.02	0.08	45.6	0.09
B21B-164_20-25	0.02	1	0.03	2.60	73.6	0.06
B21B-164_25-30	0.01	1	0.02	1.71	53.2	0.08
B21B-164_30-35	0.01	3	0.02	2.83	81.6	0.09
B21B-164_35-40	0.01	<1	0.05	0.32	142	0.10
B21B-164_40-45	0.02	<1	0.07	0.08	171	0.09
B21B-164_45-50	0.19	<1	0.05	0.17	188	0.08
B21B-164_50-55	0.40	<1	0.08	0.15	343	0.06
B21B-164_55-60	0.39	<1	0.05	0.75	195	0.06
B21B-164_60-65	0.39	<1	0.04	0.50	186	0.06
*Dup B21B-162_45-50	0.30	2	0.04	0.04	87.8	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.41	9	0.03	0.08	151	0.11
*Std OREAS 601b	1.83	7	0.03	1.52	225	0.13
*Std OREAS 601b	1.87	6	0.03	1.52	256	0.13
*Rep B21B-160_65-70	0.02	21	0.07	>5.00	325	0.06
*Std OREAS 905	2.35	8	0.03	0.08	164	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Blk BLANK	<0.01	2	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.38	7	0.03	0.08	160	0.12
*Rep B21B-164_20-25	0.02	<1	0.03	2.61	67.7	0.05
*Std OREAS 601b	1.80	5	0.03	1.48	237	0.12
*Std OREAS 601b	1.83	8	0.03	1.55	244	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.32	8	0.03	0.08	159	0.12

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-160_20-25	11	3	156	0.78	32	0.2
B21B-160_25-30	13	4	171	0.37	30	0.3
B21B-160_30-35	11	4	192	0.34	16	0.2
B21B-160_35-40	9	3	241	2.16	66	0.1
B21B-160_40-45	4	8	245	1.48	53	0.1
B21B-160_45-50	4	7	254	0.87	43	0.1
B21B-160_50-55	4	4	316	0.77	52	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-160_55-60	8	5	345	0.63	88	0.1
B21B-160_60-65	13	4	299	0.42	102	0.1
B21B-160_65-70	16	3	237	0.33	61	0.1
B21B-160_70-75	11	2	216	0.47	51	0.1
B21B-160_75-80	23	2	181	0.25	23	0.2
B21B-161_0-5	153	3	109	0.11	60	0.5
B21B-161_5-10	120	1	101	0.17	16	0.4
B21B-161_10-15	118	<1	124	0.31	28	0.4
B21B-161_15-20	57	<1	103	0.23	21	0.2
B21B-161_20-25	36	<1	79.8	0.26	18	0.1
B21B-161_25-30	22	<1	86.4	0.12	11	0.1
B21B-161_30-35	50	<1	95.7	0.16	9	0.2
B21B-161_35-40	13	<1	84.3	0.14	5	<0.1
B21B-161_40-45	12	<1	86.8	0.10	4	<0.1
B21B-161_45-50	12	1	82.4	0.11	5	<0.1
B21B-161_50-55	9	<1	83.2	0.14	5	<0.1
B21B-161_55-60	8	1	62.7	0.19	6	<0.1
B21B-161_60-65	7	1	80.9	0.34	10	<0.1
B21B-161_65-70	10	<1	196	0.49	34	<0.1
B21B-161_70-73	10	2	160	0.65	42	<0.1
B21B-162_0-5	108	13	97.1	0.10	5	1.4
B21B-162_5-10	133	12	106	0.13	16	1.2
B21B-162_10-15	141	8	89.6	0.25	36	1.1
B21B-162_15-20	160	7	144	0.05	4	1.3
B21B-162_20-25	182	9	109	0.27	4	1.1
B21B-162_25-30	216	8	111	0.05	1	1.4
B21B-162_30-35	97	12	86.5	0.07	3	0.8
B21B-162_35-40	87	13	98.4	0.07	5	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-162_40-45	114	5	136	0.07	6	1.1
B21B-162_45-50	67	4	133	0.07	14	0.9
B21B-162_50-55	76	2	104	0.25	21	0.7
B21B-162_55-60	89	2	110	0.10	6	0.9
B21B-162_60-65	48	1	104	0.12	7	0.5
B21B-162_65-70	33	2	106	0.17	13	0.2
B21B-162_70-75	48	3	93.8	0.12	29	0.4
B21B-162_75-80	31	1	95.5	0.14	10	0.2
B21B-163_0-5	22	2	208	0.04	8	0.1
B21B-163_5-10	9	<1	137	0.22	4	<0.1
B21B-163_10-15	15	<1	112	0.34	9	0.2
B21B-163_15-20	20	1	230	0.31	9	<0.1
B21B-163_20-25	17	1	63.5	0.28	6	<0.1
B21B-163_25-30	12	<1	203	0.13	6	<0.1
B21B-163_30-35	9	1	137	0.15	6	<0.1
B21B-163_35-40	25	1	265	0.14	7	0.1
B21B-163_40-45	25	<1	149	0.89	36	0.2
B21B-163_45-50	40	<1	130	0.46	14	0.2
B21B-163_50-55	48	<1	185	0.54	15	0.3
B21B-163_55-60	14	2	104	0.42	14	0.1
B21B-163_60-65	12	<1	132	0.71	42	<0.1
B21B-163_65-70	11	1	191	0.61	28	0.2
B21B-163_70-75	12	2	125	0.50	33	<0.1
B21B-163_75-80	8	2	138	0.55	27	<0.1
B21B-164_0-5	14	<1	106	0.31	26	0.2
B21B-164_5-10	8	<1	143	1.28	72	0.3
B21B-164_10-15	9	<1	226	0.32	34	0.1
B21B-164_15-20	7	<1	128	0.15	23	<0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_20-25	9	<1	104	0.25	13	<0.1
B21B-164_25-30	7	9	105	0.10	10	<0.1
B21B-164_30-35	9	1	167	0.12	10	<0.1
B21B-164_35-40	30	<1	132	0.05	6	0.1
B21B-164_40-45	39	<1	127	<0.02	3	0.2
B21B-164_45-50	42	<1	129	0.09	4	0.5
B21B-164_50-55	50	<1	142	0.08	6	1.1
B21B-164_55-60	42	<1	139	0.08	4	1.1
B21B-164_60-65	48	2	129	0.11	3	1.2
*Dup B21B-162_45-50	67	4	133	0.08	15	0.9
*Blk BLANK	<2	2	<0.5	<0.02	<1	<0.1
*Std OREAS 905	9	138	239	0.63	35	3.1
*Std OREAS 601b	12	313	175	50.54	286	2.5
*Std OREAS 601b	11	317	180	52.57	276	2.2
*Rep B21B-160_65-70	13	3	222	0.32	55	0.2
*Std OREAS 905	7	136	251	0.75	33	2.8
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Blk BLANK	<2	2	<0.5	<0.02	<1	<0.1
*Std OREAS 905	10	139	248	0.39	36	3.1
*Rep B21B-164_20-25	9	<1	97.4	0.25	12	<0.1
*Std OREAS 601b	12	305	181	49.61	293	2.0
*Std OREAS 601b	10	326	183	50.93	278	2.5
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	7	138	258	0.63	33	3.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-160_20-25	170	0.07	47.92	4.8	<1	18.1
B21B-160_25-30	176	0.06	49.67	1.0	<1	15.1
B21B-160_30-35	84.26	0.06	45.23	6.7	<1	16.0
B21B-160_35-40	195	0.11	35.53	54.5	<1	17.9
B21B-160_40-45	89.08	0.29	34.37	185	<1	18.4
B21B-160_45-50	57.42	0.22	35.21	131	<1	16.0
B21B-160_50-55	48.92	0.23	36.36	103	<1	16.3
B21B-160_55-60	46.23	0.17	51.78	76.0	<1	25.2
B21B-160_60-65	35.03	0.16	64.66	88.9	<1	32.0
B21B-160_65-70	39.48	0.15	67.13	117	<1	44.0
B21B-160_70-75	68.81	0.12	57.00	47.9	<1	34.1
B21B-160_75-80	44.52	0.06	88.25	10.1	<1	37.1
B21B-161_0-5	9.66	0.06	76.10	0.8	2	28.1
B21B-161_5-10	2.12	0.02	59.80	0.3	2	21.0
B21B-161_10-15	3.64	<0.02	56.60	0.8	2	22.0
B21B-161_15-20	2.04	<0.02	60.56	0.2	<1	15.5
B21B-161_20-25	2.95	<0.02	42.49	0.2	<1	14.2
B21B-161_25-30	4.75	<0.02	27.57	0.4	<1	8.0
B21B-161_30-35	5.23	<0.02	33.08	0.4	<1	16.6
B21B-161_35-40	4.19	0.03	17.29	0.5	<1	5.2
B21B-161_40-45	7.14	0.02	16.65	0.8	<1	4.7
B21B-161_45-50	7.64	0.03	17.76	1.7	<1	5.4
B21B-161_50-55	21.01	0.03	15.90	11.2	<1	5.3
B21B-161_55-60	22.42	0.03	11.12	8.1	<1	4.5
B21B-161_60-65	20.15	0.06	10.84	12.4	<1	5.6
B21B-161_65-70	60.68	0.05	12.20	26.8	<1	5.7
B21B-161_70-73	41.23	0.04	9.66	272	<1	4.7
B21B-162_0-5	2.24	0.05	65.74	4.2	7	20.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-162_5-10	1.70	0.05	59.23	1.6	7	21.5
B21B-162_10-15	0.35	0.08	68.77	2.3	7	25.3
B21B-162_15-20	0.64	0.03	67.78	0.3	8	31.3
B21B-162_20-25	0.63	0.02	55.27	0.8	8	32.0
B21B-162_25-30	0.11	0.06	55.72	0.3	10	38.6
B21B-162_30-35	2.03	0.04	35.94	0.4	5	17.1
B21B-162_35-40	3.70	<0.02	46.88	0.3	4	16.2
B21B-162_40-45	0.88	<0.02	47.13	0.3	5	19.1
B21B-162_45-50	1.37	<0.02	43.65	0.2	4	15.2
B21B-162_50-55	1.23	0.02	44.21	0.3	3	13.7
B21B-162_55-60	1.17	0.04	47.44	10.0	4	18.7
B21B-162_60-65	1.73	0.02	39.00	1.2	2	11.3
B21B-162_65-70	2.19	0.05	31.15	4.1	<1	10.6
B21B-162_70-75	4.48	<0.02	43.63	1.8	2	11.3
B21B-162_75-80	3.93	<0.02	34.16	0.9	<1	7.8
B21B-163_0-5	14.32	<0.02	46.26	0.2	<1	9.4
B21B-163_5-10	11.63	<0.02	34.67	0.2	<1	4.6
B21B-163_10-15	49.90	<0.02	129	<0.1	<1	11.2
B21B-163_15-20	36.33	<0.02	34.46	0.7	<1	5.2
B21B-163_20-25	26.55	<0.02	37.01	0.2	<1	5.6
B21B-163_25-30	83.50	<0.02	53.86	0.3	<1	6.8
B21B-163_30-35	35.56	<0.02	29.68	0.3	<1	4.5
B21B-163_35-40	59.14	<0.02	46.68	0.2	<1	10.5
B21B-163_40-45	22.48	<0.02	67.25	0.4	<1	19.1
B21B-163_45-50	10.38	<0.02	59.86	0.7	<1	20.3
B21B-163_50-55	16.83	0.02	35.57	9.7	<1	25.2
B21B-163_55-60	10.77	0.04	44.46	30.1	<1	13.2
B21B-163_60-65	24.48	<0.02	40.87	7.2	<1	13.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-163_65-70	15.72	0.08	55.98	50.6	<1	17.2
B21B-163_70-75	15.30	0.04	29.66	17.5	<1	11.0
B21B-163_75-80	13.02	0.07	34.59	20.7	<1	12.8
B21B-164_0-5	121	<0.02	34.92	0.5	<1	10.3
B21B-164_5-10	407	<0.02	37.68	0.7	<1	12.8
B21B-164_10-15	73.47	<0.02	26.56	0.6	<1	20.5
B21B-164_15-20	26.50	<0.02	18.83	0.7	<1	8.6
B21B-164_20-25	24.78	<0.02	27.01	4.5	<1	12.8
B21B-164_25-30	10.96	0.02	16.42	4.5	<1	8.0
B21B-164_30-35	11.21	0.04	27.76	9.0	<1	15.0
B21B-164_35-40	9.20	<0.02	50.66	0.8	<1	26.8
B21B-164_40-45	3.87	<0.02	63.63	0.3	<1	22.4
B21B-164_45-50	2.56	<0.02	62.67	0.5	<1	18.5
B21B-164_50-55	1.76	<0.02	41.85	0.4	2	17.3
B21B-164_55-60	1.68	<0.02	42.46	2.3	2	16.3
B21B-164_60-65	1.27	<0.02	48.13	1.2	2	15.8
*Dup B21B-162_45-50	1.45	<0.02	44.00	0.2	4	15.0
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 905	5.70	0.36	86.76	14.8	7	23.7
*Std OREAS 601b	17.78	2.02	75.63	3.2	5	24.0
*Std OREAS 601b	17.35	2.06	64.81	2.8	5	23.1
*Rep B21B-160_65-70	36.28	0.14	56.97	91.9	<1	35.1
*Std OREAS 905	5.89	0.36	86.62	14.0	7	24.7
*Blk BLANK	<0.04	<0.02	0.12	<0.1	<1	<0.1
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 905	6.05	0.38	94.92	15.1	8	27.2
*Rep B21B-164_20-25	24.63	<0.02	26.85	4.9	<1	12.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	17.65	2.08	71.76	2.6	5	22.5
*Std OREAS 601b	16.48	2.05	69.26	2.8	5	22.8
*Blk BLANK	0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.60	0.36	91.68	14.0	8	25.3

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-160_20-25	3.97	0.16	24.7	0.27	11.91	2.3
B21B-160_25-30	4.10	0.20	24.5	0.32	15.22	2.3
B21B-160_30-35	4.78	0.20	23.5	0.29	8.69	2.9
B21B-160_35-40	6.50	0.29	17.9	0.34	16.72	3.8
B21B-160_40-45	6.86	0.19	17.7	0.39	12.02	3.3
B21B-160_45-50	6.75	0.16	17.3	0.42	15.79	2.8
B21B-160_50-55	8.00	0.18	19.0	0.51	17.41	3.0
B21B-160_55-60	8.86	0.22	28.1	0.55	21.31	3.3
B21B-160_60-65	7.85	0.19	35.7	0.51	16.75	2.9
B21B-160_65-70	6.67	0.15	37.1	0.49	14.91	2.8
B21B-160_70-75	5.52	0.19	35.7	0.39	27.07	1.9
B21B-160_75-80	4.66	0.18	50.3	0.34	20.85	2.0
B21B-161_0-5	3.16	0.19	38.0	0.26	57.62	4.4
B21B-161_5-10	3.05	0.16	29.7	0.27	30.51	1.6
B21B-161_10-15	3.59	0.13	27.9	0.34	12.74	2.1
B21B-161_15-20	2.96	0.11	31.7	0.29	19.32	1.9
B21B-161_20-25	2.21	0.06	21.8	0.20	20.71	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-161_25-30	2.40	0.05	14.0	0.19	13.86	2.6
B21B-161_30-35	2.63	0.14	16.2	0.22	18.48	2.1
B21B-161_35-40	2.36	0.02	8.6	0.19	46.85	2.5
B21B-161_40-45	2.35	0.02	8.3	0.19	26.48	2.2
B21B-161_45-50	2.25	0.02	8.8	0.17	41.20	2.0
B21B-161_50-55	2.30	0.02	8.1	0.17	28.64	1.7
B21B-161_55-60	1.69	0.02	5.6	0.12	33.43	1.2
B21B-161_60-65	2.17	0.06	5.5	0.14	40.11	1.4
B21B-161_65-70	5.59	0.10	7.0	0.26	36.11	1.4
B21B-161_70-73	4.43	0.07	5.2	0.23	30.44	0.1
B21B-162_0-5	3.02	0.22	31.5	0.22	4.24	2.8
B21B-162_5-10	3.20	0.33	27.4	0.22	7.31	1.8
B21B-162_10-15	2.70	0.47	33.2	0.21	13.93	1.5
B21B-162_15-20	4.40	0.49	31.9	0.33	1.36	1.8
B21B-162_20-25	3.17	0.61	25.8	0.24	2.15	1.5
B21B-162_25-30	3.48	0.70	24.7	0.23	0.67	1.5
B21B-162_30-35	2.62	0.27	15.9	0.18	6.16	1.0
B21B-162_35-40	3.00	0.18	21.5	0.19	4.16	1.2
B21B-162_40-45	4.01	0.09	21.8	0.23	3.83	2.4
B21B-162_45-50	3.83	0.08	21.3	0.23	25.61	1.8
B21B-162_50-55	3.12	0.08	22.5	0.23	23.32	1.5
B21B-162_55-60	3.33	0.09	22.8	0.26	9.38	1.7
B21B-162_60-65	3.11	0.05	18.9	0.23	18.91	2.2
B21B-162_65-70	3.22	0.06	14.6	0.25	36.30	3.1
B21B-162_70-75	3.16	0.09	20.5	0.21	24.30	2.6
B21B-162_75-80	3.01	0.05	16.3	0.21	20.30	3.1
B21B-163_0-5	6.64	0.05	23.0	0.29	6.26	4.5
B21B-163_5-10	4.29	0.03	17.8	0.19	5.06	3.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-163_10-15	3.61	0.05	65.9	0.19	22.33	2.6
B21B-163_15-20	6.10	0.05	18.6	0.26	13.85	6.5
B21B-163_20-25	1.37	0.05	18.4	0.24	12.71	1.3
B21B-163_25-30	5.22	0.03	27.9	0.27	16.63	3.1
B21B-163_30-35	2.91	0.03	14.9	0.18	15.58	1.8
B21B-163_35-40	7.14	0.19	26.0	0.19	12.52	4.4
B21B-163_40-45	4.10	0.15	35.9	0.19	20.98	1.6
B21B-163_45-50	3.58	0.06	29.0	0.25	12.46	1.4
B21B-163_50-55	4.36	0.06	14.9	0.13	9.91	2.6
B21B-163_55-60	2.83	0.04	21.7	0.17	12.92	1.6
B21B-163_60-65	3.76	0.13	20.8	0.16	22.86	1.9
B21B-163_65-70	5.57	0.10	30.1	0.22	12.17	2.5
B21B-163_70-75	3.41	0.17	14.7	0.15	13.69	1.5
B21B-163_75-80	3.89	0.16	16.7	0.19	8.80	2.0
B21B-164_0-5	2.99	0.06	16.4	0.17	16.95	1.9
B21B-164_5-10	4.11	0.16	18.1	0.21	20.72	1.6
B21B-164_10-15	6.94	0.20	12.0	0.36	8.29	2.7
B21B-164_15-20	3.59	0.04	9.1	0.22	5.68	2.3
B21B-164_20-25	3.01	0.03	12.8	0.18	14.26	1.8
B21B-164_25-30	3.29	0.03	7.9	0.15	28.23	2.9
B21B-164_30-35	4.81	0.04	13.5	0.18	8.37	2.9
B21B-164_35-40	3.89	0.04	25.7	0.18	5.91	3.0
B21B-164_40-45	3.55	0.04	28.6	0.21	3.90	3.0
B21B-164_45-50	3.86	0.07	30.1	0.19	3.05	2.6
B21B-164_50-55	4.44	0.10	18.7	0.21	3.51	2.0
B21B-164_55-60	4.14	0.09	18.7	0.19	2.54	1.8
B21B-164_60-65	4.07	0.09	22.3	0.19	1.83	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Dup B21B-162_45-50	3.87	0.08	21.1	0.23	25.52	1.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.01	0.63	42.5	0.08	3.50	19.3
*Std OREAS 601b	4.81	0.46	33.1	0.07	5.74	14.6
*Std OREAS 601b	5.16	0.48	34.1	0.08	5.35	15.2
*Rep B21B-160_65-70	5.96	0.16	31.8	0.44	13.70	2.0
*Std OREAS 905	7.10	0.70	42.5	0.11	3.37	18.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.12	<0.1
*Std OREAS 905	7.72	0.67	46.5	0.10	3.63	20.6
*Rep B21B-164_20-25	2.85	0.03	12.7	0.17	14.22	1.6
*Std OREAS 601b	5.59	0.45	35.3	0.07	5.60	15.9
*Std OREAS 601b	5.19	0.49	34.9	0.07	5.25	15.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.36	0.71	45.2	0.10	3.51	19.2

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-160_20-25	83.8	0.5	6.16	6.9	28	2.0
B21B-160_25-30	155	0.7	7.65	7.2	19	1.7
B21B-160_30-35	88.5	0.6	4.34	7.4	17	2.1
B21B-160_35-40	96.8	0.4	10.55	9.2	45	2.7
B21B-160_40-45	81.9	0.6	5.33	8.6	31	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-160_45-50	59.1	0.4	4.58	9.2	21	1.8
B21B-160_50-55	53.2	<0.2	4.37	11.7	24	2.1
B21B-160_55-60	67.4	<0.2	3.93	14.0	30	2.6
B21B-160_60-65	58.4	<0.2	2.56	12.9	23	2.2
B21B-160_65-70	42.2	<0.2	2.25	10.8	29	1.7
B21B-160_70-75	58.9	<0.2	2.66	9.6	31	2.2
B21B-160_75-80	47.4	0.3	2.99	10.1	19	2.0
B21B-161_0-5	63.4	43.8	1.96	16.3	13	1.7
B21B-161_5-10	32.2	43.4	1.63	15.4	7	1.2
B21B-161_10-15	26.6	40.4	3.29	15.8	12	1.3
B21B-161_15-20	31.9	16.4	2.13	11.2	7	0.7
B21B-161_20-25	25.9	7.2	2.00	6.3	9	0.7
B21B-161_25-30	30.0	4.2	1.08	4.9	4	1.4
B21B-161_30-35	26.1	18.3	1.04	6.9	8	1.7
B21B-161_35-40	28.7	2.2	0.66	3.1	3	2.2
B21B-161_40-45	38.4	1.6	0.78	3.0	4	1.8
B21B-161_45-50	45.7	1.7	1.07	2.7	7	1.7
B21B-161_50-55	42.2	1.3	0.88	2.6	11	1.6
B21B-161_55-60	29.7	1.9	0.57	2.0	15	1.4
B21B-161_60-65	26.7	4.4	0.31	2.6	42	2.2
B21B-161_65-70	44.5	4.7	2.41	8.6	42	3.1
B21B-161_70-73	25.6	4.2	1.24	8.1	26	2.4
B21B-162_0-5	33.8	110	0.88	24.4	<2	2.3
B21B-162_5-10	24.0	111	1.42	20.6	<2	2.1
B21B-162_10-15	50.9	107	3.11	22.9	<2	3.4
B21B-162_15-20	16.0	138	0.74	28.4	<2	4.5
B21B-162_20-25	11.3	130	0.67	25.1	<2	5.3
B21B-162_25-30	8.5	137	0.45	32.0	<2	6.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-162_30-35	12.1	85.0	0.39	15.9	<2	2.1
B21B-162_35-40	13.2	79.6	0.68	16.6	<2	1.4
B21B-162_40-45	10.4	92.6	0.95	21.0	3	1.7
B21B-162_45-50	12.1	82.8	0.62	13.1	6	1.3
B21B-162_50-55	11.9	64.2	0.59	12.7	9	1.1
B21B-162_55-60	10.9	78.3	0.57	17.9	3	1.3
B21B-162_60-65	18.2	34.1	0.75	8.9	5	1.0
B21B-162_65-70	9.7	15.0	1.09	7.5	5	1.3
B21B-162_70-75	22.0	38.0	1.67	8.7	6	1.4
B21B-162_75-80	14.7	13.6	1.32	5.7	6	1.3
B21B-163_0-5	29.7	2.3	1.86	7.7	8	2.2
B21B-163_5-10	21.1	0.5	1.25	5.3	4	2.6
B21B-163_10-15	89.2	0.8	2.00	5.3	13	1.6
B21B-163_15-20	22.3	0.3	1.92	7.7	17	3.8
B21B-163_20-25	29.2	0.8	1.08	6.6	8	1.7
B21B-163_25-30	61.9	0.6	1.42	7.1	10	2.2
B21B-163_30-35	40.4	0.4	1.25	4.1	9	1.4
B21B-163_35-40	87.6	6.2	1.31	8.0	8	3.1
B21B-163_40-45	73.5	1.1	2.82	5.7	47	0.9
B21B-163_45-50	44.7	1.2	1.22	7.0	22	0.7
B21B-163_50-55	86.8	0.7	1.78	2.4	17	1.0
B21B-163_55-60	34.2	0.8	1.40	4.1	14	0.8
B21B-163_60-65	49.0	1.2	8.92	5.0	23	1.2
B21B-163_65-70	40.3	2.8	5.28	7.5	19	1.4
B21B-163_70-75	32.0	1.2	3.99	5.1	15	0.8
B21B-163_75-80	28.1	0.7	3.10	5.7	16	0.8
B21B-164_0-5	38.2	0.7	6.33	5.4	19	1.6
B21B-164_5-10	41.0	0.4	16.04	8.2	62	1.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_10-15	7.9	0.2	5.10	10.9	48	2.1
B21B-164_15-20	5.6	0.2	1.87	5.1	43	1.4
B21B-164_20-25	9.2	0.7	1.01	3.8	32	1.2
B21B-164_25-30	6.5	0.3	0.69	4.6	16	1.3
B21B-164_30-35	5.8	0.4	0.73	6.8	18	1.4
B21B-164_35-40	3.5	0.4	0.74	8.8	9	2.0
B21B-164_40-45	1.8	0.5	0.61	8.8	6	0.8
B21B-164_45-50	7.7	34.6	0.42	12.4	5	0.9
B21B-164_50-55	20.2	83.4	0.24	11.2	4	1.0
B21B-164_55-60	18.8	90.6	0.33	11.2	4	0.9
B21B-164_60-65	21.0	95.5	0.21	12.9	3	0.8
*Dup B21B-162_45-50	12.3	81.5	0.57	13.1	6	1.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	30.2	128	2.08	5.3	3	4.2
*Std OREAS 601b	317	106	22.85	5.0	12	3.5
*Std OREAS 601b	298	93.9	23.07	3.6	10	3.8
*Rep B21B-160_65-70	40.7	<0.2	2.05	9.7	18	1.4
*Std OREAS 905	31.7	136	1.92	4.9	3	4.7
*Blk BLANK	0.8	0.2	<0.05	<0.5	<2	<0.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	28.1	149	2.02	5.7	3	4.9
*Rep B21B-164_20-25	9.0	0.7	0.60	3.8	32	1.1
*Std OREAS 601b	313	101	22.93	3.6	11	3.6
*Std OREAS 601b	307	93.9	24.08	3.8	10	3.8
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	32.0	138	2.01	5.1	3	4.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-160_20-25	0.14	0.37	37.92	10.0	0.28	2.52
B21B-160_25-30	0.10	0.41	66.66	9.8	0.09	2.90
B21B-160_30-35	0.17	0.39	36.14	10.5	0.20	3.30
B21B-160_35-40	0.24	0.36	68.15	10.2	0.49	3.46
B21B-160_40-45	0.21	0.38	46.41	10.5	2.67	3.70
B21B-160_45-50	0.17	0.41	45.60	10.4	3.06	4.25
B21B-160_50-55	0.19	0.49	43.70	12.0	2.32	5.26
B21B-160_55-60	0.21	0.55	35.71	15.0	2.17	5.43
B21B-160_60-65	0.19	0.55	29.29	16.4	3.20	5.10
B21B-160_65-70	0.22	0.46	33.93	15.2	3.85	4.14
B21B-160_70-75	0.11	0.43	26.64	14.8	3.29	3.64
B21B-160_75-80	0.12	0.59	18.63	17.8	0.65	3.28
B21B-161_0-5	0.34	0.53	14.08	12.4	2.93	1.83
B21B-161_5-10	0.14	0.40	15.15	9.6	3.08	1.31
B21B-161_10-15	0.15	0.43	20.38	9.5	3.33	1.48
B21B-161_15-20	0.13	0.52	20.50	9.2	1.14	1.45
B21B-161_20-25	0.12	0.41	15.39	6.6	0.53	1.09
B21B-161_25-30	0.15	0.36	12.00	4.8	0.33	1.12
B21B-161_30-35	0.13	0.27	10.03	6.4	1.64	1.21
B21B-161_35-40	0.14	0.18	9.34	3.8	0.17	1.05
B21B-161_40-45	0.10	0.19	10.52	3.6	0.12	1.05
B21B-161_45-50	0.11	0.17	13.65	3.7	0.13	0.97
B21B-161_50-55	0.10	0.18	24.67	3.7	0.10	0.99
B21B-161_55-60	0.07	0.13	36.28	2.7	0.16	0.71
B21B-161_60-65	0.09	0.13	16.20	3.1	0.45	0.84
B21B-161_65-70	<0.05	0.22	40.21	5.7	0.54	2.07
B21B-161_70-73	<0.05	0.19	20.12	5.3	0.51	1.76
B21B-162_0-5	0.21	0.57	2.51	9.6	2.45	1.34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-162_5-10	0.13	0.34	3.48	7.1	2.57	1.21
B21B-162_10-15	0.13	0.47	12.65	11.0	2.56	1.09
B21B-162_15-20	0.17	0.21	0.98	10.0	3.40	1.28
B21B-162_20-25	0.12	0.19	0.98	7.7	3.28	0.98
B21B-162_25-30	0.23	0.20	0.27	8.2	4.04	1.07
B21B-162_30-35	0.09	0.33	2.25	5.6	2.11	1.06
B21B-162_35-40	0.09	0.28	1.85	6.7	2.13	1.05
B21B-162_40-45	0.16	0.31	1.08	8.1	2.57	1.72
B21B-162_45-50	0.12	0.32	1.87	7.6	2.15	1.59
B21B-162_50-55	0.11	0.35	3.71	6.9	1.69	1.39
B21B-162_55-60	0.13	0.39	3.95	7.9	2.10	1.38
B21B-162_60-65	0.14	0.41	4.81	5.9	0.91	1.37
B21B-162_65-70	0.21	0.28	9.26	5.8	0.42	1.30
B21B-162_70-75	0.19	0.45	12.99	5.4	0.98	1.18
B21B-162_75-80	0.20	0.32	14.99	5.2	0.64	1.18
B21B-163_0-5	0.29	0.36	10.37	12.6	0.07	2.08
B21B-163_5-10	0.22	0.27	7.14	7.3	0.03	1.26
B21B-163_10-15	0.17	0.55	25.44	15.1	0.05	1.56
B21B-163_15-20	0.44	0.31	29.99	8.3	0.03	1.84
B21B-163_20-25	0.07	0.38	18.26	8.4	0.06	1.75
B21B-163_25-30	0.13	0.46	31.33	9.9	0.07	2.08
B21B-163_30-35	0.08	0.32	19.38	6.0	0.05	1.49
B21B-163_35-40	0.24	0.50	24.21	8.7	0.54	2.78
B21B-163_40-45	0.11	0.55	34.64	9.8	0.14	1.93
B21B-163_45-50	0.11	0.48	18.48	8.6	0.18	1.81
B21B-163_50-55	0.19	0.30	18.24	4.6	0.31	2.92
B21B-163_55-60	0.11	0.29	16.59	6.5	0.65	1.39
B21B-163_60-65	0.12	0.34	65.81	7.6	0.35	1.72

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-163_65-70	0.16	0.44	38.14	11.1	1.65	2.25
B21B-163_70-75	0.10	0.32	51.27	6.1	0.46	1.45
B21B-163_75-80	0.12	0.32	37.80	6.7	0.51	1.59
B21B-164_0-5	0.12	0.20	43.94	5.5	0.04	1.42
B21B-164_5-10	0.10	0.24	164	6.4	0.03	1.98
B21B-164_10-15	0.18	0.30	63.71	5.7	0.03	2.51
B21B-164_15-20	0.15	0.20	33.29	4.8	0.02	1.44
B21B-164_20-25	0.12	0.20	16.61	6.6	0.09	1.20
B21B-164_25-30	0.17	0.18	8.91	4.0	0.07	1.18
B21B-164_30-35	0.17	0.24	12.29	7.1	0.12	1.71
B21B-164_35-40	0.18	0.25	9.82	7.3	0.03	1.56
B21B-164_40-45	0.21	0.34	5.39	6.5	0.03	1.32
B21B-164_45-50	0.19	0.30	3.90	7.4	1.31	1.35
B21B-164_50-55	0.15	0.29	3.34	6.7	3.37	1.31
B21B-164_55-60	0.13	0.20	4.63	6.8	3.50	1.43
B21B-164_60-65	0.14	0.18	3.20	6.2	3.86	1.31
*Dup B21B-162_45-50	0.12	0.32	1.73	7.5	2.11	1.59
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.33	0.72	0.18	13.2	0.68	4.54
*Std OREAS 601b	1.07	0.54	12.50	11.2	1.38	4.48
*Std OREAS 601b	1.10	0.58	14.41	12.9	1.48	4.91
*Rep B21B-160_65-70	0.13	0.42	35.34	14.5	3.49	3.93
*Std OREAS 905	1.34	0.84	0.27	15.6	0.72	5.37
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.54	0.80	0.23	14.0	0.71	4.79
*Rep B21B-164_20-25	0.10	0.20	15.25	6.6	0.09	1.19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
*Std OREAS 601b	1.26	0.57	12.51	11.5	1.43	4.33
*Std OREAS 601b	1.25	0.55	12.93	12.2	1.44	4.65
*Blk BLANK	<0.05	<0.05	0.06	<0.2	<0.02	<0.05
*Std OREAS 905	1.44	0.81	0.13	15.0	0.70	5.13

Element Method Lower Limit Upper Limit Unit	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m	@S GE_CSA06V 0.005 30 %
B21B-160_20-25	16.0	12.2	1.7	-
B21B-160_25-30	9.7	14.3	1.9	-
B21B-160_30-35	14.4	13.3	1.8	-
B21B-160_35-40	18.1	15.7	2.1	-
B21B-160_40-45	57.2	16.3	2.3	12.058
B21B-160_45-50	60.1	17.4	2.5	8.992
B21B-160_50-55	41.5	21.1	3.0	8.272
B21B-160_55-60	23.6	22.9	3.2	7.280
B21B-160_60-65	26.4	21.2	3.0	7.744
B21B-160_65-70	24.4	17.9	3.0	7.216
B21B-160_70-75	17.9	15.9	2.3	6.340
B21B-160_75-80	9.6	14.9	2.0	-
B21B-161_0-5	6.0	10.0	1.5	-
B21B-161_5-10	4.1	10.1	1.6	-
B21B-161_10-15	5.2	12.4	1.9	-
B21B-161_15-20	4.6	11.6	1.7	-
B21B-161_20-25	4.9	8.9	1.2	-
B21B-161_25-30	7.4	7.6	1.1	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-161_30-35	6.2	7.7	1.2	-
B21B-161_35-40	8.4	5.2	1.0	-
B21B-161_40-45	12.1	5.0	1.0	-
B21B-161_45-50	20.2	4.6	0.9	-
B21B-161_50-55	158	4.6	0.9	-
B21B-161_55-60	106	3.5	0.7	-
B21B-161_60-65	120	4.3	0.8	-
B21B-161_65-70	385	11.8	1.6	-
B21B-161_70-73	889	10.8	1.4	-
B21B-162_0-5	74.1	5.8	1.1	-
B21B-162_5-10	25.1	4.9	1.1	-
B21B-162_10-15	36.3	6.2	1.0	-
B21B-162_15-20	4.0	6.2	1.6	-
B21B-162_20-25	9.2	4.8	1.1	-
B21B-162_25-30	3.2	4.2	1.1	-
B21B-162_30-35	5.1	5.8	1.0	-
B21B-162_35-40	2.6	5.5	1.0	-
B21B-162_40-45	4.1	7.3	1.2	-
B21B-162_45-50	3.4	7.7	1.2	-
B21B-162_50-55	2.9	9.0	1.3	-
B21B-162_55-60	7.7	9.9	1.4	-
B21B-162_60-65	10.9	9.0	1.4	-
B21B-162_65-70	22.9	9.0	1.5	-
B21B-162_70-75	13.3	9.0	1.3	-
B21B-162_75-80	14.1	8.2	1.3	-
B21B-163_0-5	4.7	16.8	2.0	-
B21B-163_5-10	7.8	11.7	1.3	-
B21B-163_10-15	5.0	10.9	1.3	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-163_15-20	21.8	15.5	1.8	-
B21B-163_20-25	6.6	15.5	1.6	-
B21B-163_25-30	8.5	16.2	1.8	-
B21B-163_30-35	7.2	10.0	1.1	-
B21B-163_35-40	5.7	16.8	1.4	-
B21B-163_40-45	4.3	11.1	1.2	-
B21B-163_45-50	2.9	10.5	1.6	-
B21B-163_50-55	8.5	4.5	0.8	-
B21B-163_55-60	22.1	7.6	1.1	-
B21B-163_60-65	8.0	9.5	1.0	-
B21B-163_65-70	12.6	14.4	1.5	-
B21B-163_70-75	23.5	10.4	1.1	-
B21B-163_75-80	29.3	11.8	1.3	-
B21B-164_0-5	4.2	8.8	1.1	-
B21B-164_5-10	4.2	10.6	1.4	-
B21B-164_10-15	4.8	18.0	2.3	-
B21B-164_15-20	8.4	9.8	1.5	-
B21B-164_20-25	23.8	7.5	1.1	-
B21B-164_25-30	35.3	8.4	1.0	-
B21B-164_30-35	30.1	11.3	1.2	-
B21B-164_35-40	6.6	9.3	1.2	-
B21B-164_40-45	3.3	9.6	1.3	-
B21B-164_45-50	2.3	8.9	1.2	-
B21B-164_50-55	1.1	7.5	1.2	-
B21B-164_55-60	1.1	6.0	1.1	-
B21B-164_60-65	0.7	5.3	1.1	-
*Dup B21B-162_45-50	2.1	7.5	1.2	-
*Blk BLANK	<0.1	<0.1	<0.1	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11028

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1090-1164)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
*Std OREAS 905	2.7	15.3	0.6	-
*Std OREAS 601b	5.8	12.3	0.5	-
*Rep B21B-160_65-70	-	-	-	7.024
*Std SU-1B	-	-	-	14.031
*Blk BLANK	-	-	-	<0.005
*Std OREAS 601b	6.7	11.1	0.5	-
*Rep B21B-160_65-70	21.0	16.5	2.6	-
*Std OREAS 905	3.1	15.9	0.7	-
*Blk BLANK	0.2	<0.1	<0.1	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	3.1	17.2	0.7	-
*Rep B21B-164_20-25	30.8	7.5	1.1	-
*Std OREAS 601b	6.5	11.3	0.5	-
*Std OREAS 601b	6.3	10.9	0.5	-
*Blk BLANK	0.1	<0.1	<0.1	-
*Std OREAS 905	2.9	15.9	0.7	-

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11029

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	30-Aug-2021 - 18-Nov-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	02-Dec-2021
Gold/RABP2/1504Samples(1165-1239)		SGS Order Number	BBM21-11029
Number of Samples	75		

### Methods Summary

Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
71	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
71	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
71	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3), ICP-MS, 0.2g-12ml
3	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.  
This report cancels and supersedes the report  
BBM\_U0017054224 dated 30-Nov-2021 issued by SGS  
Canada (Burnaby).  
Samples initially marked as CHECK/NR has been updated.

Authorised Signatory

John Chiang  
Laboratory Operations Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504Samples(1165-1239)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11029

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

5-Dec-2021 6:01PM BBM\_U0017236052

Page 2 of 31

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-164_65-70	5.76	0.006	8.47	1517	0.02	2
B21B-164_70-75	7.77	<0.005	8.17	1443	0.02	2
B21B-164_75-80	4.39	0.006	8.69	1409	0.02	2
B21B-165_0-5	4.66	0.015	2.33	44	0.01	5
B21B-165_5-10	3.88	0.064	1.50	42	0.02	2
B21B-165_10-15	3.87	0.053	1.41	43	0.02	10
B21B-165_15-20	5.43	0.064	0.93	24	0.01	3
B21B-165_20-25	5.60	0.041	0.40	42	<0.01	3
B21B-165_25-30	6.74	0.039	0.09	19	<0.01	3
B21B-165_30-35	6.30	0.138	0.35	29	0.01	2
B21B-165_35-40	5.15	0.033	0.06	11	<0.01	4
596974	3.00	0.008	-	-	-	-
B21B-165_40-45	4.63	0.033	0.04	6	<0.01	3
B21B-165_45-50	5.51	0.032	0.10	15	<0.01	5
B21B-165_50-55	6.94	0.085	5.38	1046	0.04	3
B21B-165_55-60	4.84	0.138	3.06	596	0.02	6
B21B-165_60-65	4.45	0.027	4.91	389	0.02	3
B21B-165_65-70	7.25	0.055	4.06	340	0.01	7
B21B-165_70-75	5.54	0.061	4.04	172	0.02	7
B21B-165_75-80	9.09	0.067	0.75	112	<0.01	12
B21B-166_0-5	5.19	0.023	9.18	1129	0.08	35
B21B-166_5-10	6.26	0.159	6.06	931	0.05	23
B21B-166_10-15	4.22	0.275	6.96	751	0.03	11
B21B-166_15-20	7.79	0.265	1.37	92	0.01	17
B21B-166_20-25	6.14	0.451	1.60	210	0.04	10
B21B-166_25-30	6.07	0.131	2.46	179	0.02	4
B21B-166_30-35	7.77	0.072	2.33	184	0.02	6
B21B-166_35-40	8.76	0.044	2.01	285	0.02	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-166_40-45	8.17	0.040	2.05	159	0.01	6
B21B-166_45-50	5.86	0.122	2.72	264	0.02	5
596975	0.06	1.930	-	-	-	-
B21B-166_50-55	5.59	0.063	1.90	104	0.01	4
B21B-166_55-60	5.78	0.045	1.32	106	0.01	4
B21B-166_60-65	8.30	0.044	1.37	162	0.01	5
B21B-167_0-5	3.19	0.035	3.13	143	0.02	31
B21B-167_5-10	2.71	0.098	2.68	75	<0.01	5
B21B-167_10-15	4.80	0.247	1.62	160	0.01	3
B21B-167_15-20	6.88	0.188	1.10	99	0.02	6
B21B-167_20-25	6.29	0.234	1.24	36	<0.01	6
B21B-167_25-30	7.10	0.146	1.04	57	<0.01	3
596978	0.07	0.912	-	-	-	-
B21B-167_30-35	5.81	0.262	2.24	128	0.03	10
B21B-167_35-40	8.12	0.177	0.81	31	<0.01	7
B21B-167_40-45	10.08	0.038	0.27	19	<0.01	5
B21B-167_45-50	4.50	0.059	0.49	112	0.01	5
B21B-167_50-55	7.76	0.153	1.02	171	0.03	3
B21B-167_55-60	6.03	0.054	1.29	77	0.02	5
B21B-167_60-62	4.50	0.045	1.14	167	0.02	3
B21B-168_0-5	4.33	0.021	>15.00	822	0.12	9
B21B-168_5-10	5.84	0.036	13.60	1975	0.19	4
B21B-168_10-15	4.36	0.019	14.90	2502	0.18	4
B21B-168_15-20	4.89	0.023	12.66	2469	0.12	5
B21B-168_20-25	6.16	0.011	>15.00	2370	0.14	7
B21B-168_25-30	7.36	0.012	14.97	4097	0.13	3
B21B-168_30-35	6.22	0.047	13.13	2217	0.09	7
B21B-168_35-40	4.94	0.477	>15.00	1518	0.11	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11029**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method	*WTKG G_WGH_KG	Au GE_FAA30V5	Al GE_ICP40Q12	Ba GE_ICP40Q12	Ca GE_ICP40Q12	Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-168_40-45	4.70	0.321	12.83	964	0.08	7
B21B-168_45-50	5.99	0.245	14.66	1323	0.12	7
B21B-168_50-55	3.98	0.212	10.02	2101	0.04	7
B21B-168_55-60	5.38	0.308	14.60	1504	0.12	7
B21B-168_60-65	7.55	0.334	10.76	171	0.07	4
B21B-168_65-70	7.81	0.337	10.34	38	0.08	4
B21B-168_70-75	5.88	0.175	9.38	23	0.07	6
596979	3.21	<0.005	-	-	-	-
B21B-168_75-80	9.09	0.177	9.22	21	0.06	10
B21B-169_0-5	4.48	0.023	11.63	240	0.03	6
B21B-169_5-10	6.54	0.021	9.30	567	0.02	4
B21B-169_10-15	5.70	0.044	5.85	444	0.03	1
B21B-169_15-20	6.02	0.030	5.93	293	0.01	2
B21B-169_20-25	3.93	0.092	9.11	847	0.03	1
B21B-169_25-30	5.35	0.074	12.46	530	0.05	2
B21B-169_30-35	5.19	0.046	6.41	226	0.03	1
B21B-169_35-40	2.27	0.047	4.30	282	0.03	1
B21B-169_40-45	5.19	0.046	2.46	298	0.02	<1
B21B-169_45-50	5.31	0.078	6.33	390	0.04	2
*Dup B21B-167_20-25	-	0.240	1.24	32	<0.01	4
*Rep B21B-169_5-10	-	-	9.89	591	0.02	3
*Std OREAS 601b	-	-	6.62	336	0.86	18
*Blk BLANK	-	-	<0.01	2	<0.01	<1
*Std OREAS 905	-	-	7.50	2732	0.58	12
*Rep B21B-168_70-75	-	-	-	-	0.07	6
*Rep B21B-168_75-80	-	-	9.22	21	0.06	10
*Rep B21B-169_0-5	-	-	11.63	240	0.03	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	*WTKG	Au	Al	Ba	Ca	Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std SN106	-	8.189	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 502c	-	0.484	-	-	-	-
*Std OREAS 601b	-	-	6.91	541	0.93	22
*Blk BLANK	-	-	<0.01	<1	<0.01	<1
*Std OREAS 905	-	-	7.31	2785	0.59	14
*Rep B21B-167_5-10	-	-	2.67	79	<0.01	5
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.592	-	-	-	-
*Std SN106	-	9.006	-	-	-	-
*Rep B21B-165_55-60	-	0.124	-	-	-	-
*Std OREAS 235	-	1.548	-	-	-	-
*Rep B21B-166_35-40	-	0.046	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 296	-	2.388	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-169_5-10	-	0.020	-	-	-	-
*Std OREAS 502c	-	0.490	-	-	-	-

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-164_65-70	40.6	1.68	3.32	<1	0.07	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-164_70-75	27.5	1.77	3.25	2	0.07	9
B21B-164_75-80	12.2	2.36	3.32	<1	0.06	7
B21B-165_0-5	24.0	1.51	0.06	3	<0.01	20
B21B-165_5-10	8.8	1.19	0.02	<1	<0.01	17
B21B-165_10-15	10.3	0.88	0.03	<1	<0.01	18
B21B-165_15-20	10.0	1.19	0.02	<1	<0.01	20
B21B-165_20-25	9.7	0.54	0.04	<1	<0.01	42
B21B-165_25-30	7.5	0.50	<0.01	<1	<0.01	52
B21B-165_30-35	5.3	0.55	<0.01	1	<0.01	52
B21B-165_35-40	4.8	0.32	<0.01	<1	<0.01	33
B21B-165_40-45	4.7	0.32	<0.01	<1	<0.01	33
B21B-165_45-50	6.5	0.41	0.01	<1	<0.01	44
B21B-165_50-55	6.4	0.31	1.32	1	<0.01	11
B21B-165_55-60	10.4	2.07	0.67	1	<0.01	24
B21B-165_60-65	5.4	0.22	0.48	2	<0.01	15
B21B-165_65-70	28.7	2.16	0.10	2	<0.01	22
B21B-165_70-75	36.0	2.08	0.08	2	<0.01	24
B21B-165_75-80	27.9	2.67	0.06	<1	<0.01	46
B21B-166_0-5	12.6	1.42	3.28	2	0.04	20
B21B-166_5-10	26.7	4.76	1.37	4	0.02	27
B21B-166_10-15	13.1	2.99	0.75	5	<0.01	13
B21B-166_15-20	151	>15.00	0.35	<1	<0.01	20
B21B-166_20-25	42.6	10.42	0.23	<1	<0.01	34
B21B-166_25-30	12.1	1.83	0.39	<1	<0.01	16
B21B-166_30-35	12.5	1.71	0.45	<1	<0.01	18
B21B-166_35-40	11.2	2.16	0.25	<1	<0.01	19
B21B-166_40-45	36.1	2.29	0.23	<1	<0.01	21
B21B-166_45-50	11.0	2.25	0.81	<1	0.01	29

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-166_50-55	10.7	1.35	0.18	2	<0.01	25
B21B-166_55-60	11.0	1.50	0.27	1	<0.01	42
B21B-166_60-65	22.9	1.53	0.20	<1	<0.01	27
B21B-167_0-5	22.7	5.75	0.40	8	0.03	52
B21B-167_5-10	9.9	2.76	0.43	1	<0.01	17
B21B-167_10-15	14.6	2.08	0.29	<1	<0.01	24
B21B-167_15-20	33.1	4.84	0.22	<1	<0.01	23
B21B-167_20-25	49.1	4.78	0.07	1	<0.01	31
B21B-167_25-30	59.9	5.78	0.12	<1	<0.01	22
B21B-167_30-35	58.9	5.93	0.42	5	0.03	69
B21B-167_35-40	44.7	4.87	0.23	1	<0.01	58
B21B-167_40-45	31.2	3.07	0.06	<1	<0.01	62
B21B-167_45-50	12.5	2.00	0.12	1	<0.01	54
B21B-167_50-55	17.8	6.64	0.35	<1	<0.01	40
B21B-167_55-60	6.3	2.36	0.42	<1	<0.01	44
B21B-167_60-62	7.2	1.62	0.14	1	<0.01	43
B21B-168_0-5	7.0	1.81	5.55	4	0.05	49
B21B-168_5-10	2.1	0.93	4.58	1	0.02	9
B21B-168_10-15	2.2	0.98	5.64	1	0.03	7
B21B-168_15-20	1.1	1.11	4.75	<1	0.02	10
B21B-168_20-25	2.1	0.95	5.83	1	0.03	7
B21B-168_25-30	2.8	0.80	5.53	<1	0.03	9
B21B-168_30-35	7.0	2.09	4.66	1	0.02	9
B21B-168_35-40	21.6	8.48	4.54	<1	0.03	6
B21B-168_40-45	60.6	14.00	4.39	<1	0.02	5
B21B-168_45-50	29.2	9.22	5.26	1	0.02	5
B21B-168_50-55	33.6	>15.00	1.83	2	0.01	7
B21B-168_55-60	24.2	7.89	4.77	1	0.02	9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-168_60-65	19.4	5.18	2.71	1	<0.01	10
B21B-168_65-70	51.0	6.56	2.06	<1	<0.01	15
B21B-168_70-75	40.4	10.94	1.87	<1	<0.01	27
B21B-168_75-80	44.9	8.77	2.05	<1	<0.01	29
B21B-169_0-5	8.0	0.73	0.14	6	0.02	18
B21B-169_5-10	4.0	0.38	0.45	3	<0.01	24
B21B-169_10-15	2.9	0.41	0.58	2	<0.01	25
B21B-169_15-20	2.0	0.58	1.28	<1	0.01	45
B21B-169_20-25	3.7	0.20	0.24	3	<0.01	12
B21B-169_25-30	5.0	0.30	0.09	4	0.01	11
B21B-169_30-35	2.4	0.24	0.15	3	<0.01	15
B21B-169_35-40	<0.5	0.14	0.30	1	<0.01	9
B21B-169_40-45	0.8	0.12	0.25	<1	<0.01	11
B21B-169_45-50	2.6	0.51	0.35	2	<0.01	11
*Dup B21B-167_20-25	53.1	5.21	0.07	<1	<0.01	29
*Rep B21B-169_5-10	4.5	0.39	0.46	3	<0.01	24
*Std OREAS 601b	1083	2.41	2.48	25	0.10	224
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1541	4.07	3.04	22	0.28	379
*Rep B21B-168_70-75	40.4	10.94	1.87	<1	<0.01	27
*Rep B21B-168_75-80	44.9	8.77	2.05	<1	<0.01	29
*Rep B21B-169_0-5	8.0	0.73	0.14	6	0.02	18
*Std OREAS 601b	1026	2.37	2.60	23	0.11	225
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1541	4.04	3.05	20	0.28	379
*Rep B21B-167_5-10	9.8	2.82	0.42	2	<0.01	19

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	Na GE_ICP40Q12 0.01 15 %	Ni GE_ICP40Q12 1 10,000 ppm m / m	P GE_ICP40Q12 0.01 15 %	S GE_ICP40Q12 0.01 5 %	Sr GE_ICP40Q12 0.5 10,000 ppm m / m	Ti GE_ICP40Q12 0.01 15 %
B21B-164_65-70	0.45	1	0.04	0.89	194	0.08
B21B-164_70-75	0.45	1	0.04	0.69	199	0.06
B21B-164_75-80	0.49	1	0.05	0.96	234	0.07
B21B-165_0-5	0.01	2	0.02	0.06	190	0.07
B21B-165_5-10	0.01	<1	0.03	0.07	202	0.06
B21B-165_10-15	0.01	8	0.03	0.05	226	0.06
B21B-165_15-20	0.01	1	0.02	0.03	129	0.06
B21B-165_20-25	0.01	1	0.02	0.03	115	0.08
B21B-165_25-30	<0.01	2	<0.01	0.02	87.7	0.06
B21B-165_30-35	<0.01	1	0.02	0.03	201	0.06
B21B-165_35-40	<0.01	2	<0.01	<0.01	42.4	0.07
B21B-165_40-45	<0.01	1	<0.01	<0.01	18.3	0.07
B21B-165_45-50	<0.01	5	<0.01	0.01	43.2	0.07
B21B-165_50-55	0.11	4	0.13	0.11	617	0.05
B21B-165_55-60	0.06	4	0.06	0.05	201	0.04
B21B-165_60-65	0.05	3	0.05	0.05	294	0.07
B21B-165_65-70	0.02	5	0.05	0.87	217	0.07
B21B-165_70-75	0.02	4	0.05	1.35	354	0.05
B21B-165_75-80	0.01	10	0.01	1.91	83.0	0.07
B21B-166_0-5	0.45	1	0.17	0.10	534	0.12
B21B-166_5-10	0.50	1	0.13	0.09	492	0.05
B21B-166_10-15	0.57	<1	0.10	0.08	510	0.05
B21B-166_15-20	0.09	<1	0.04	0.12	99.8	0.01
B21B-166_20-25	0.09	<1	0.08	0.13	349	0.04
B21B-166_25-30	0.09	1	0.04	0.14	192	0.08
B21B-166_30-35	0.09	2	0.04	0.29	162	0.08
B21B-166_35-40	0.06	3	0.04	1.07	157	0.05
B21B-166_40-45	0.06	2	0.03	1.12	126	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-166_45-50	0.17	2	0.04	0.10	121	0.05
B21B-166_50-55	0.06	2	0.03	0.04	165	0.05
B21B-166_55-60	0.08	3	0.02	0.06	91.1	0.04
B21B-166_60-65	0.09	4	0.03	0.04	107	0.05
B21B-167_0-5	0.06	9	0.03	0.04	62.7	0.17
B21B-167_5-10	0.13	<1	0.02	0.03	69.8	0.15
B21B-167_10-15	0.07	<1	0.02	0.03	88.4	0.15
B21B-167_15-20	0.03	<1	0.04	0.05	96.9	0.17
B21B-167_20-25	0.02	1	0.02	0.03	46.3	0.22
B21B-167_25-30	0.03	<1	0.01	0.04	38.6	0.08
B21B-167_30-35	0.10	1	0.03	0.04	72.3	0.10
B21B-167_35-40	0.04	1	0.01	0.06	28.5	0.04
B21B-167_40-45	0.02	2	<0.01	0.08	19.4	0.02
B21B-167_45-50	0.02	2	0.01	0.04	55.1	0.08
B21B-167_50-55	0.05	<1	0.03	0.05	56.8	0.11
B21B-167_55-60	0.07	2	0.02	0.03	74.2	0.05
B21B-167_60-62	0.03	4	0.03	0.03	105	0.05
B21B-168_0-5	0.69	2	0.23	0.22	1407	0.19
B21B-168_5-10	0.62	<1	0.41	0.38	2251	0.25
B21B-168_10-15	0.72	<1	0.40	0.39	2055	0.24
B21B-168_15-20	0.57	<1	0.26	0.30	1452	0.21
B21B-168_20-25	0.73	<1	0.29	0.33	1710	0.20
B21B-168_25-30	0.66	<1	0.31	0.31	1345	0.15
B21B-168_30-35	0.56	<1	0.21	0.23	1130	0.10
B21B-168_35-40	0.56	<1	0.22	0.25	983	0.06
B21B-168_40-45	0.51	<1	0.20	0.23	921	0.05
B21B-168_45-50	0.54	<1	0.25	0.28	1300	0.06
B21B-168_50-55	0.25	<1	0.23	0.20	563	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-168_55-60	0.47	<1	0.23	0.28	1099	0.06
B21B-168_60-65	1.20	<1	0.15	3.61	758	0.05
B21B-168_65-70	1.49	14	0.14	>5.00	761	0.05
B21B-168_70-75	1.35	18	0.11	>5.00	560	0.03
B21B-168_75-80	1.19	20	0.10	>5.00	510	0.05
B21B-169_0-5	0.05	2	0.06	0.10	294	0.06
B21B-169_5-10	0.08	1	0.06	0.07	348	0.04
B21B-169_10-15	0.10	<1	0.05	0.05	236	0.03
B21B-169_15-20	0.18	<1	0.03	0.04	108	0.02
B21B-169_20-25	0.04	<1	0.08	0.07	370	0.04
B21B-169_25-30	0.03	<1	0.10	0.10	472	0.04
B21B-169_30-35	0.04	<1	0.04	0.05	262	0.04
B21B-169_35-40	0.07	<1	0.05	0.07	464	0.07
B21B-169_40-45	0.03	<1	0.04	0.05	369	0.07
B21B-169_45-50	0.05	<1	0.07	0.09	510	0.05
*Dup B21B-167_20-25	0.02	<1	0.02	0.03	48.4	0.21
*Rep B21B-169_5-10	0.09	1	0.06	0.07	376	0.04
*Std OREAS 601b	1.94	6	0.03	1.43	250	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 905	2.53	9	0.03	0.07	164	0.11
*Rep B21B-168_70-75	1.35	18	0.11	>5.00	560	0.03
*Rep B21B-168_75-80	1.19	20	0.10	>5.00	510	0.05
*Rep B21B-169_0-5	0.05	2	0.06	0.10	294	0.06
*Rep B21B-169_5-10	-	-	0.05	0.06	347	0.04
*Std OREAS 601b	1.94	6	0.03	1.63	254	0.14
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.41	9	0.03	0.07	154	0.12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11029**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Rep B21B-167_5-10	0.13	<1	0.02	0.03	68.2	0.14

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_65-70	47	<1	153	0.05	3	1.4
B21B-164_70-75	49	2	147	0.05	3	1.4
B21B-164_75-80	51	1	156	0.06	4	1.3
B21B-165_0-5	25	3	97.4	0.03	12	<0.1
B21B-165_5-10	6	<1	89.6	0.04	3	<0.1
B21B-165_10-15	6	<1	91.4	0.02	2	<0.1
B21B-165_15-20	5	<1	85.1	0.09	4	<0.1
B21B-165_20-25	6	<1	80.5	0.05	2	<0.1
B21B-165_25-30	2	<1	47.6	0.03	<1	<0.1
B21B-165_30-35	3	<1	40.6	<0.02	1	<0.1
B21B-165_35-40	2	<1	51.6	<0.02	<1	<0.1
B21B-165_40-45	3	<1	46.0	0.02	<1	<0.1
B21B-165_45-50	3	1	74.8	0.04	<1	<0.1
B21B-165_50-55	62	<1	56.0	0.10	2	0.1
B21B-165_55-60	36	<1	41.1	0.38	5	<0.1
B21B-165_60-65	28	<1	49.7	0.03	<1	0.1
B21B-165_65-70	11	<1	74.6	0.09	8	<0.1
B21B-165_70-75	9	<1	65.0	0.12	9	0.1
B21B-165_75-80	5	1	82.8	0.20	7	<0.1
B21B-166_0-5	221	3	113	0.08	11	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-166_5-10	90	2	84.4	0.29	11	0.4
B21B-166_10-15	40	<1	112	0.11	8	0.4
B21B-166_15-20	79	<1	54.9	0.81	18	0.2
B21B-166_20-25	15	<1	113	0.35	12	0.1
B21B-166_25-30	29	<1	104	0.09	5	<0.1
B21B-166_30-35	30	<1	102	0.06	4	<0.1
B21B-166_35-40	18	<1	93.8	0.07	3	<0.1
B21B-166_40-45	15	<1	90.0	0.07	3	<0.1
B21B-166_45-50	34	1	141	0.05	3	0.1
B21B-166_50-55	12	<1	90.1	0.12	3	<0.1
B21B-166_55-60	15	2	76.7	0.08	2	<0.1
B21B-166_60-65	14	1	62.4	0.06	3	<0.1
B21B-167_0-5	61	5	271	0.39	18	0.3
B21B-167_5-10	33	<1	344	0.21	4	0.1
B21B-167_10-15	26	<1	243	0.29	5	<0.1
B21B-167_15-20	31	<1	284	0.43	16	<0.1
B21B-167_20-25	18	<1	384	0.15	15	<0.1
B21B-167_25-30	19	<1	160	0.19	16	<0.1
B21B-167_30-35	46	9	166	0.24	12	0.1
B21B-167_35-40	28	2	64.0	0.26	5	<0.1
B21B-167_40-45	13	<1	29.2	0.08	3	<0.1
B21B-167_45-50	16	<1	92.3	0.09	4	<0.1
B21B-167_50-55	32	<1	86.2	0.81	14	<0.1
B21B-167_55-60	23	<1	105	0.20	6	<0.1
B21B-167_60-62	13	<1	82.6	0.16	4	<0.1
B21B-168_0-5	196	3	261	0.07	7	0.4
B21B-168_5-10	166	<1	397	0.06	5	0.3
B21B-168_10-15	210	1	332	0.07	4	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	V GE_ICP40Q12 2 10,000 ppm m / m	Zn GE_ICP40Q12 1 10,000 ppm m / m	Zr GE_ICP40Q12 0.5 10,000 ppm m / m	Ag GE_IMS40Q12 0.02 100 ppm m / m	As GE_IMS40Q12 1 10,000 ppm m / m	Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-168_15-20	177	1	291	0.30	6	0.2
B21B-168_20-25	188	<1	258	0.11	13	0.3
B21B-168_25-30	142	<1	195	0.07	18	0.2
B21B-168_30-35	111	<1	166	0.25	15	0.2
B21B-168_35-40	123	<1	185	0.31	16	0.2
B21B-168_40-45	127	<1	166	0.29	16	0.2
B21B-168_45-50	141	<1	133	0.15	13	0.3
B21B-168_50-55	88	<1	124	0.15	13	0.3
B21B-168_55-60	168	<1	126	0.23	15	0.3
B21B-168_60-65	68	<1	95.2	0.15	23	0.1
B21B-168_65-70	62	<1	93.7	0.73	19	<0.1
B21B-168_70-75	51	<1	70.2	0.35	14	<0.1
B21B-168_75-80	43	2	79.3	0.58	14	<0.1
B21B-169_0-5	33	3	99.2	0.06	12	0.4
B21B-169_5-10	30	2	104	0.04	3	0.7
B21B-169_10-15	29	1	74.4	0.13	9	0.2
B21B-169_15-20	40	<1	48.6	0.09	2	0.2
B21B-169_20-25	24	<1	125	0.05	2	0.5
B21B-169_25-30	22	<1	109	0.11	4	0.5
B21B-169_30-35	14	<1	100	0.07	2	0.2
B21B-169_35-40	19	<1	108	0.03	<1	<0.1
B21B-169_40-45	16	<1	58.3	<0.02	<1	<0.1
B21B-169_45-50	22	<1	96.5	0.09	2	0.2
*Dup B21B-167_20-25	18	<1	396	0.18	15	<0.1
*Std OREAS 601b	-	-	-	57.98	314	2.6
*Blk BLANK	-	-	-	0.03	<1	<0.1
*Std OREAS 905	-	-	-	0.51	30	3.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep B21B-169_5-10	30	2	104	0.04	3	0.6
*Std OREAS 601b	13	322	172	-	-	-
*Blk BLANK	<2	<1	<0.5	-	-	-
*Std OREAS 905	11	137	252	-	-	-
*Rep B21B-168_70-75	51	<1	70.2	-	-	-
*Rep B21B-168_75-80	43	2	79.3	-	-	-
*Rep B21B-169_0-5	33	3	99.2	-	-	-
*Rep B21B-169_5-10	32	<1	111	-	-	-
*Std OREAS 601b	11	330	193	50.09	298	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	140	248	0.58	32	2.7
*Rep B21B-167_5-10	31	<1	346	0.19	3	0.1

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_65-70	1.39	<0.02	49.00	2.6	3	18.5
B21B-164_70-75	1.10	<0.02	43.68	2.0	3	17.6
B21B-164_75-80	1.57	<0.02	46.14	2.6	3	17.5
B21B-165_0-5	4.54	0.02	20.79	0.6	<1	10.8
B21B-165_5-10	1.87	<0.02	17.77	1.1	<1	7.4
B21B-165_10-15	2.43	<0.02	20.37	0.9	<1	7.0
B21B-165_15-20	6.46	<0.02	11.55	0.5	<1	5.4
B21B-165_20-25	5.21	<0.02	14.65	0.5	<1	1.9
B21B-165_25-30	4.79	<0.02	7.70	0.4	<1	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-165_30-35	13.29	<0.02	18.37	0.2	<1	1.5
B21B-165_35-40	5.12	<0.02	5.72	0.2	<1	0.2
B21B-165_40-45	3.12	<0.02	2.13	0.2	<1	0.2
B21B-165_45-50	3.92	<0.02	6.70	0.4	<1	0.4
B21B-165_50-55	9.77	0.03	76.13	0.2	1	38.0
B21B-165_55-60	14.91	<0.02	22.48	0.4	<1	22.3
B21B-165_60-65	7.04	<0.02	31.07	0.3	<1	28.9
B21B-165_65-70	16.44	<0.02	23.47	1.3	<1	24.1
B21B-165_70-75	36.56	<0.02	35.16	1.9	<1	22.8
B21B-165_75-80	18.15	<0.02	9.22	4.6	<1	4.5
B21B-166_0-5	43.82	0.02	161	0.6	5	30.6
B21B-166_5-10	54.12	<0.02	163	0.4	2	18.1
B21B-166_10-15	10.20	<0.02	120	0.2	<1	19.2
B21B-166_15-20	15.12	0.05	33.48	0.4	<1	9.9
B21B-166_20-25	10.03	0.16	86.58	0.8	<1	5.7
B21B-166_25-30	5.83	<0.02	33.71	0.7	<1	9.4
B21B-166_30-35	6.98	<0.02	31.90	1.4	<1	10.0
B21B-166_35-40	5.20	<0.02	30.03	2.3	<1	8.3
B21B-166_40-45	4.21	<0.02	23.59	2.6	<1	7.8
B21B-166_45-50	4.17	<0.02	31.55	0.6	1	8.2
B21B-166_50-55	4.16	<0.02	22.38	0.6	<1	7.1
B21B-166_55-60	3.52	<0.02	19.67	0.6	<1	5.3
B21B-166_60-65	5.59	<0.02	17.49	1.0	<1	5.5
B21B-167_0-5	66.92	0.03	20.24	1.3	1	13.5
B21B-167_5-10	9.34	<0.02	8.25	0.2	<1	23.2
B21B-167_10-15	26.92	0.02	13.18	0.7	<1	15.6
B21B-167_15-20	96.67	<0.02	11.65	0.5	<1	13.4
B21B-167_20-25	79.35	<0.02	5.21	0.5	<1	9.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-167_25-30	53.17	<0.02	4.49	0.3	<1	11.4
B21B-167_30-35	76.06	<0.02	22.08	0.4	<1	11.7
B21B-167_35-40	30.66	0.04	7.53	0.4	<1	7.9
B21B-167_40-45	11.62	<0.02	2.75	0.7	<1	3.5
B21B-167_45-50	13.48	0.02	8.52	0.6	<1	3.6
B21B-167_50-55	15.35	<0.02	9.35	0.3	<1	5.9
B21B-167_55-60	11.10	<0.02	15.05	0.3	<1	5.4
B21B-167_60-62	19.53	<0.02	15.76	0.4	<1	5.7
B21B-168_0-5	4.02	<0.02	144	1.9	6	201
B21B-168_5-10	2.69	<0.02	196	<0.1	5	196
B21B-168_10-15	1.97	<0.02	157	0.1	6	225
B21B-168_15-20	1.23	<0.02	114	<0.1	5	154
B21B-168_20-25	3.25	<0.02	169	<0.1	6	196
B21B-168_25-30	4.36	<0.02	106	<0.1	5	154
B21B-168_30-35	6.17	<0.02	101	<0.1	4	153
B21B-168_35-40	13.75	<0.02	87.69	0.4	4	124
B21B-168_40-45	12.09	<0.02	73.08	0.4	3	133
B21B-168_45-50	12.08	<0.02	114	0.3	5	117
B21B-168_50-55	16.19	<0.02	68.34	0.4	2	84.0
B21B-168_55-60	22.60	<0.02	79.02	0.4	5	87.7
B21B-168_60-65	16.21	<0.02	63.49	0.5	2	44.2
B21B-168_65-70	10.62	0.09	74.17	43.0	<1	44.3
B21B-168_70-75	3.60	0.22	51.08	66.5	<1	58.8
B21B-168_75-80	2.31	0.26	46.15	76.4	<1	67.9
B21B-169_0-5	4.33	<0.02	56.67	0.6	<1	29.1
B21B-169_5-10	1.37	<0.02	63.88	0.2	<1	27.0
B21B-169_10-15	1.72	<0.02	52.10	0.1	<1	14.8
B21B-169_15-20	0.93	0.02	26.04	0.2	2	16.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_20-25	2.31	<0.02	57.37	0.2	<1	24.3
B21B-169_25-30	2.34	<0.02	65.63	0.2	<1	27.2
B21B-169_30-35	1.91	<0.02	47.43	0.1	<1	13.7
B21B-169_35-40	2.44	<0.02	37.87	<0.1	<1	9.6
B21B-169_40-45	2.24	<0.02	28.36	<0.1	<1	5.7
B21B-169_45-50	2.91	<0.02	39.32	0.2	<1	15.8
*Dup B21B-167_20-25	81.16	<0.02	4.93	0.3	<1	9.8
*Std OREAS 601b	17.24	1.93	68.42	3.1	5	24.7
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.70	0.31	94.53	13.4	7	23.9
*Rep B21B-169_5-10	1.40	<0.02	66.67	0.2	<1	25.7
*Std OREAS 601b	17.16	2.30	74.78	3.2	6	25.2
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.37	0.36	85.83	14.2	7	23.5
*Rep B21B-167_5-10	9.48	<0.02	8.09	0.2	<1	22.9

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_65-70	4.31	0.12	21.4	0.22	1.71	2.5
B21B-164_70-75	3.89	0.10	18.6	0.19	1.78	1.7
B21B-164_75-80	4.09	0.10	20.8	0.21	1.82	2.0
B21B-165_0-5	2.71	0.03	10.1	0.18	36.43	2.4
B21B-165_5-10	2.60	<0.02	9.1	0.18	24.28	1.8
B21B-165_10-15	2.58	<0.02	10.3	0.18	12.37	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-165_15-20	2.20	<0.02	5.8	0.17	21.21	1.8
B21B-165_20-25	2.13	<0.02	7.5	0.08	4.25	2.1
B21B-165_25-30	1.01	<0.02	4.1	0.04	3.35	1.4
B21B-165_30-35	1.03	<0.02	9.6	0.03	3.35	1.3
B21B-165_35-40	1.30	<0.02	2.9	0.03	2.33	1.4
B21B-165_40-45	1.44	<0.02	1.0	0.04	2.94	1.7
B21B-165_45-50	1.91	<0.02	3.4	0.05	2.79	1.6
B21B-165_50-55	1.60	0.15	34.4	0.06	5.91	1.7
B21B-165_55-60	1.07	0.08	10.8	0.04	15.16	0.9
B21B-165_60-65	1.27	0.05	16.1	0.05	2.36	1.9
B21B-165_65-70	1.78	<0.02	12.2	0.07	14.90	1.9
B21B-165_70-75	1.70	<0.02	18.3	0.06	14.15	1.5
B21B-165_75-80	2.05	<0.02	4.6	0.07	8.18	1.8
B21B-166_0-5	3.38	0.44	79.7	0.35	13.65	3.3
B21B-166_5-10	2.70	0.20	78.7	0.25	43.93	1.7
B21B-166_10-15	3.62	0.07	58.1	0.37	22.14	1.3
B21B-166_15-20	1.41	0.12	17.1	0.13	99.43	0.4
B21B-166_20-25	3.22	0.04	50.4	0.29	440	1.0
B21B-166_25-30	2.79	0.04	16.8	0.23	29.11	2.1
B21B-166_30-35	2.79	0.07	15.5	0.21	18.22	2.1
B21B-166_35-40	2.54	0.04	14.5	0.21	21.49	1.6
B21B-166_40-45	2.39	0.03	11.4	0.18	19.40	1.3
B21B-166_45-50	3.86	0.12	16.2	0.26	10.30	1.3
B21B-166_50-55	2.48	0.02	11.4	0.18	8.72	1.4
B21B-166_55-60	2.07	0.04	10.2	0.14	7.30	1.0
B21B-166_60-65	1.65	0.03	8.6	0.13	8.34	1.1
B21B-167_0-5	6.69	0.12	8.9	0.34	40.59	4.5
B21B-167_5-10	8.84	0.07	3.8	0.43	4.82	4.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-167_10-15	5.33	0.05	5.5	0.38	6.36	2.9
B21B-167_15-20	7.11	0.07	5.9	0.41	21.66	4.2
B21B-167_20-25	8.54	0.03	2.6	0.43	13.41	4.7
B21B-167_25-30	5.69	0.03	2.4	0.29	13.03	2.1
B21B-167_30-35	4.42	0.12	7.9	0.25	45.71	2.4
B21B-167_35-40	1.99	0.09	3.3	0.11	24.42	0.9
B21B-167_40-45	0.78	0.04	1.2	0.04	11.91	0.5
B21B-167_45-50	3.45	0.04	4.1	0.25	8.77	1.9
B21B-167_50-55	5.55	0.10	5.1	0.45	25.72	2.8
B21B-167_55-60	2.03	0.08	8.1	0.15	9.54	1.2
B21B-167_60-62	2.52	0.04	7.8	0.15	8.28	1.3
B21B-168_0-5	7.44	1.07	77.0	0.26	14.59	4.7
B21B-168_5-10	11.15	0.96	99.6	0.31	4.31	8.9
B21B-168_10-15	9.39	1.22	78.3	0.27	4.90	8.6
B21B-168_15-20	7.96	1.17	58.0	0.27	9.40	6.5
B21B-168_20-25	7.84	1.59	90.6	0.28	3.32	6.2
B21B-168_25-30	5.20	1.39	58.1	0.20	3.51	4.0
B21B-168_30-35	4.80	1.21	60.5	0.17	17.83	2.5
B21B-168_35-40	5.17	1.14	44.4	0.14	10.68	1.9
B21B-168_40-45	4.52	1.17	37.2	0.12	6.38	1.4
B21B-168_45-50	3.61	1.60	56.6	0.13	6.84	1.5
B21B-168_50-55	3.41	0.42	41.4	0.13	6.20	0.7
B21B-168_55-60	3.26	0.81	43.9	0.12	5.44	1.5
B21B-168_60-65	2.77	0.42	35.0	0.09	3.88	1.5
B21B-168_65-70	2.55	0.44	36.8	0.09	4.00	1.2
B21B-168_70-75	2.32	0.41	22.9	0.07	4.34	1.3
B21B-168_75-80	2.83	0.46	22.2	0.10	4.79	1.6
B21B-169_0-5	2.71	0.05	26.1	0.16	28.94	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_5-10	2.92	0.05	33.0	0.17	6.14	1.1
B21B-169_10-15	2.24	0.08	27.6	0.14	64.56	0.8
B21B-169_15-20	1.46	0.11	13.3	0.09	12.60	0.6
B21B-169_20-25	4.04	0.04	29.1	0.19	4.57	2.5
B21B-169_25-30	2.98	0.02	33.8	0.17	8.45	1.2
B21B-169_30-35	2.81	0.02	25.7	0.17	4.73	1.3
B21B-169_35-40	3.19	0.03	19.2	0.25	2.27	1.9
B21B-169_40-45	0.94	0.03	14.4	0.23	0.80	0.8
B21B-169_45-50	2.82	0.05	20.8	0.19	2.83	1.5
*Dup B21B-167_20-25	9.29	0.03	2.5	0.45	13.82	4.3
*Std OREAS 601b	5.10	0.43	35.2	0.07	4.82	15.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.06	<0.1
*Std OREAS 905	6.92	0.58	47.4	0.09	3.28	17.2
*Rep B21B-169_5-10	2.91	0.05	35.6	0.18	6.00	1.0
*Std OREAS 601b	5.62	0.53	36.9	0.08	5.40	16.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.05	<0.1
*Std OREAS 905	6.83	0.68	41.2	0.09	3.13	18.7
*Rep B21B-167_5-10	8.80	0.07	3.7	0.43	4.78	3.7

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_65-70	26.1	99.7	0.18	14.3	3	1.0
B21B-164_70-75	24.3	93.0	0.34	13.8	4	0.9
B21B-164_75-80	26.2	91.0	0.21	13.4	4	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-165_0-5	71.8	2.4	2.43	5.0	5	2.0
B21B-165_5-10	76.8	0.5	0.87	3.6	13	1.9
B21B-165_10-15	94.6	0.6	0.77	3.4	9	2.0
B21B-165_15-20	58.6	0.5	1.40	3.4	16	2.3
B21B-165_20-25	56.6	0.8	0.71	2.1	<2	2.7
B21B-165_25-30	43.6	<0.2	0.52	1.1	<2	1.7
B21B-165_30-35	94.5	<0.2	0.75	1.1	<2	1.9
B21B-165_35-40	21.2	<0.2	0.43	0.9	<2	1.8
B21B-165_40-45	9.5	<0.2	0.43	1.1	<2	1.8
B21B-165_45-50	20.8	<0.2	0.48	1.4	<2	2.4
B21B-165_50-55	310	14.8	0.77	3.9	3	5.9
B21B-165_55-60	105	7.7	1.44	2.7	36	3.2
B21B-165_60-65	145	6.3	0.72	2.0	<2	3.8
B21B-165_65-70	110	1.3	1.33	1.6	40	3.0
B21B-165_70-75	196	1.3	1.33	1.7	39	2.3
B21B-165_75-80	45.3	0.8	1.84	1.8	46	2.9
B21B-166_0-5	190	63.9	9.01	17.4	3	3.6
B21B-166_5-10	127	29.3	41.18	11.9	23	2.1
B21B-166_10-15	118	16.4	16.48	13.6	15	0.9
B21B-166_15-20	35.5	7.1	41.08	7.0	89	1.1
B21B-166_20-25	111	4.6	7.06	9.2	82	1.1
B21B-166_25-30	67.1	7.6	3.89	6.7	12	1.6
B21B-166_30-35	62.4	7.7	4.41	6.2	11	1.8
B21B-166_35-40	56.3	4.5	2.89	5.4	16	1.5
B21B-166_40-45	47.3	4.9	3.59	4.7	20	1.3
B21B-166_45-50	39.8	17.6	2.86	9.2	24	2.9
B21B-166_50-55	54.3	3.6	2.76	4.8	18	1.5
B21B-166_55-60	35.2	5.3	2.46	4.3	8	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-166_60-65	35.8	3.8	2.00	3.4	3	1.3
B21B-167_0-5	45.3	14.3	4.08	10.9	32	3.4
B21B-167_5-10	49.2	6.1	2.38	10.0	27	2.6
B21B-167_10-15	57.0	4.7	2.34	8.9	32	2.8
B21B-167_15-20	55.1	3.5	2.80	11.5	95	5.4
B21B-167_20-25	18.6	1.1	2.22	12.9	77	5.5
B21B-167_25-30	10.8	2.1	1.17	8.6	80	2.5
B21B-167_30-35	30.9	10.6	2.38	10.0	17	2.6
B21B-167_35-40	15.6	4.4	1.04	4.0	5	1.4
B21B-167_40-45	7.7	1.2	0.58	1.6	3	0.7
B21B-167_45-50	13.5	2.3	1.34	8.0	12	3.1
B21B-167_50-55	19.7	6.1	2.53	18.3	80	7.5
B21B-167_55-60	24.7	8.5	1.22	5.3	27	3.2
B21B-167_60-62	30.0	3.0	0.94	4.1	17	2.2
B21B-168_0-5	1099	70.7	2.03	27.8	16	2.8
B21B-168_5-10	2111	41.7	3.06	23.0	21	3.3
B21B-168_10-15	2208	39.2	3.13	24.4	17	3.1
B21B-168_15-20	1463	38.3	3.13	20.6	27	2.6
B21B-168_20-25	1792	45.0	4.88	24.9	16	2.8
B21B-168_25-30	1432	39.2	5.43	16.0	18	2.0
B21B-168_30-35	1370	48.5	4.81	14.3	23	1.7
B21B-168_35-40	898	35.1	2.45	14.1	72	1.6
B21B-168_40-45	684	31.5	1.91	15.6	79	1.3
B21B-168_45-50	753	49.7	2.28	15.8	31	1.6
B21B-168_50-55	290	31.1	1.67	12.7	38	1.2
B21B-168_55-60	550	46.6	3.63	13.3	35	1.9
B21B-168_60-65	596	27.4	3.03	6.8	25	1.1
B21B-168_65-70	345	12.3	2.23	6.3	19	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-168_70-75	277	9.1	1.61	5.5	30	0.8
B21B-168_75-80	273	7.9	1.83	7.4	20	0.8
B21B-169_0-5	90.5	4.7	3.79	5.7	5	1.5
B21B-169_5-10	116	8.8	1.16	6.2	<2	1.7
B21B-169_10-15	73.8	10.8	13.20	5.4	<2	2.0
B21B-169_15-20	33.6	26.6	2.28	4.9	<2	2.9
B21B-169_20-25	115	4.3	1.47	6.5	<2	2.6
B21B-169_25-30	145	1.6	1.60	5.5	5	1.3
B21B-169_30-35	79.9	2.7	0.98	4.3	<2	1.4
B21B-169_35-40	183	4.4	0.82	5.9	<2	2.0
B21B-169_40-45	131	2.9	0.53	5.0	<2	1.4
B21B-169_45-50	185	4.5	0.96	5.3	3	1.6
*Dup B21B-167_20-25	18.7	1.0	1.98	13.2	82	5.1
*Std OREAS 601b	325	104	23.67	4.1	10	3.8
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.7	97.8	1.86	5.5	3	4.3
*Rep B21B-169_5-10	117	8.6	1.15	6.1	<2	1.7
*Std OREAS 601b	312	99.8	25.06	4.1	11	3.9
*Blk BLANK	0.6	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	31.2	131	1.92	5.0	2	4.7
*Rep B21B-167_5-10	49.6	6.0	2.33	9.9	26	2.5

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11029**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-164_65-70	0.22	0.17	2.83	5.5	4.28	1.55
B21B-164_70-75	0.16	0.16	2.81	5.1	3.93	1.30
B21B-164_75-80	0.19	0.17	3.93	5.7	3.86	1.41
B21B-165_0-5	0.16	0.16	7.70	6.0	0.05	1.25
B21B-165_5-10	0.11	0.15	1.77	3.9	<0.02	0.96
B21B-165_10-15	0.09	0.15	1.61	4.3	<0.02	0.99
B21B-165_15-20	0.06	0.10	7.45	2.9	<0.02	0.97
B21B-165_20-25	0.07	0.08	2.01	2.2	0.03	0.65
B21B-165_25-30	<0.05	0.05	1.39	1.3	<0.02	0.40
B21B-165_30-35	<0.05	0.09	3.48	3.1	<0.02	0.38
B21B-165_35-40	<0.05	<0.05	0.52	0.9	<0.02	0.31
B21B-165_40-45	0.06	<0.05	0.65	0.7	<0.02	0.37
B21B-165_45-50	0.06	<0.05	0.63	1.2	<0.02	0.46
B21B-165_50-55	0.12	0.34	2.14	7.9	0.85	0.65
B21B-165_55-60	0.06	0.12	4.66	2.4	0.43	0.45
B21B-165_60-65	0.14	0.14	2.20	4.4	0.31	0.45
B21B-165_65-70	0.13	0.16	7.21	3.3	0.06	0.59
B21B-165_70-75	0.10	0.17	13.95	5.6	0.06	0.61
B21B-165_75-80	0.10	0.07	6.48	1.7	0.04	0.58
B21B-166_0-5	0.28	0.81	12.29	9.9	2.10	1.38
B21B-166_5-10	0.13	0.98	49.04	11.5	0.82	1.09
B21B-166_10-15	0.11	0.81	26.66	11.1	0.44	1.38
B21B-166_15-20	<0.05	0.17	28.71	4.1	0.22	0.73
B21B-166_20-25	0.06	0.37	13.93	13.0	0.14	1.33
B21B-166_25-30	0.13	0.21	5.73	5.4	0.23	1.21
B21B-166_30-35	0.13	0.20	6.18	5.1	0.29	1.17
B21B-166_35-40	0.11	0.19	5.36	4.7	0.16	1.11
B21B-166_40-45	0.09	0.15	4.90	4.3	0.16	0.97

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11029**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	Ta GE_IMS40Q12 0.05 10,000 ppm m / m	Tb GE_IMS40Q12 0.05 10,000 ppm m / m	Te GE_IMS40Q12 0.05 1,000 ppm m / m	Th GE_IMS40Q12 0.2 10,000 ppm m / m	Tl GE_IMS40Q12 0.02 10,000 ppm m / m	U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-166_45-50	0.08	0.18	3.94	5.3	0.50	1.26
B21B-166_50-55	0.06	0.13	4.54	4.0	0.11	0.94
B21B-166_55-60	<0.05	0.12	4.79	3.4	0.16	0.74
B21B-166_60-65	<0.05	0.11	4.22	3.1	0.11	0.69
B21B-167_0-5	0.30	0.21	27.91	9.3	0.37	2.84
B21B-167_5-10	0.27	0.21	16.37	7.6	0.31	3.47
B21B-167_10-15	0.14	0.22	15.14	7.2	0.21	3.25
B21B-167_15-20	0.23	0.20	40.42	8.1	0.16	3.00
B21B-167_20-25	0.28	0.18	23.44	5.1	0.05	3.33
B21B-167_25-30	0.10	0.12	28.97	4.2	0.09	2.35
B21B-167_30-35	0.12	0.18	27.48	9.5	0.33	2.32
B21B-167_35-40	<0.05	0.07	13.66	2.9	0.15	0.88
B21B-167_40-45	<0.05	<0.05	5.80	1.4	0.04	0.35
B21B-167_45-50	0.05	0.16	10.41	2.8	0.09	1.45
B21B-167_50-55	<0.05	0.28	13.92	4.7	0.22	2.69
B21B-167_55-60	<0.05	0.12	7.69	3.9	0.28	0.94
B21B-167_60-62	0.06	0.13	8.71	3.3	0.11	0.98
B21B-168_0-5	0.36	0.62	4.00	25.1	12.87	3.02
B21B-168_5-10	0.58	0.72	3.40	26.6	10.99	4.48
B21B-168_10-15	0.59	0.66	3.76	21.8	12.55	3.64
B21B-168_15-20	0.43	0.50	5.82	17.8	14.36	3.14
B21B-168_20-25	0.43	0.61	23.56	25.6	15.11	3.50
B21B-168_25-30	0.29	0.51	38.61	15.7	14.38	2.41
B21B-168_30-35	0.19	0.41	37.96	14.3	12.85	2.08
B21B-168_35-40	0.16	0.33	18.66	12.3	12.18	2.44
B21B-168_40-45	0.12	0.29	16.68	10.3	10.94	2.19
B21B-168_45-50	0.13	0.41	16.33	12.5	16.97	1.84
B21B-168_50-55	0.06	0.29	11.70	10.3	3.64	1.47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-168_55-60	0.13	0.34	21.60	12.0	6.72	1.29
B21B-168_60-65	0.10	0.20	40.31	8.9	3.30	0.98
B21B-168_65-70	0.08	0.26	24.97	10.2	3.30	1.09
B21B-168_70-75	0.09	0.22	18.87	7.9	2.37	0.93
B21B-168_75-80	0.12	0.22	25.14	7.9	1.94	1.08
B21B-169_0-5	0.13	0.22	5.14	11.9	0.13	1.26
B21B-169_5-10	0.08	0.31	1.51	11.2	0.25	1.23
B21B-169_10-15	0.05	0.25	37.80	9.6	0.32	0.94
B21B-169_15-20	<0.05	0.13	12.42	4.6	0.68	0.54
B21B-169_20-25	0.16	0.28	2.93	10.5	0.15	1.36
B21B-169_25-30	0.10	0.26	3.53	13.6	0.06	1.24
B21B-169_30-35	0.09	0.15	2.64	10.8	0.10	1.16
B21B-169_35-40	0.11	0.19	1.81	13.0	0.19	1.35
B21B-169_40-45	<0.05	0.14	0.55	9.2	0.17	1.05
B21B-169_45-50	0.10	0.19	2.38	10.9	0.22	1.07
*Dup B21B-167_20-25	0.22	0.18	24.18	5.5	0.05	3.44
*Std OREAS 601b	1.12	0.52	12.63	11.7	1.42	4.73
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.31	0.74	0.13	15.0	0.70	5.14
*Rep B21B-169_5-10	0.07	0.31	1.53	12.1	0.25	1.25
*Std OREAS 601b	1.34	0.59	13.55	12.6	1.60	4.72
*Blk BLANK	<0.05	<0.05	0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.46	0.75	0.12	13.2	0.73	4.47
*Rep B21B-167_5-10	0.27	0.20	16.37	7.7	0.30	3.54

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-164_65-70	0.8	4.8	1.2	-
B21B-164_70-75	0.8	4.1	1.0	-
B21B-164_75-80	0.7	4.5	1.2	-
B21B-165_0-5	5.5	5.0	1.1	-
B21B-165_5-10	15.3	4.8	1.1	-
B21B-165_10-15	8.8	4.6	1.1	-
B21B-165_15-20	8.3	4.2	1.0	-
B21B-165_20-25	4.6	2.0	0.5	-
B21B-165_25-30	4.1	1.1	0.2	-
B21B-165_30-35	2.2	0.9	0.2	-
B21B-165_35-40	2.6	0.8	0.2	-
B21B-165_40-45	2.0	1.0	0.2	-
B21B-165_45-50	4.1	1.4	0.3	-
B21B-165_50-55	4.6	2.4	0.3	-
B21B-165_55-60	4.3	1.5	0.2	-
B21B-165_60-65	4.8	1.7	0.3	-
B21B-165_65-70	11.4	2.4	0.4	-
B21B-165_70-75	18.8	2.0	0.4	-
B21B-165_75-80	43.1	1.9	0.4	-
B21B-166_0-5	5.9	13.2	2.2	-
B21B-166_5-10	3.4	10.7	1.6	-
B21B-166_10-15	3.0	13.2	2.4	-
B21B-166_15-20	1.5	4.3	0.8	-
B21B-166_20-25	3.7	8.7	1.7	-
B21B-166_25-30	7.9	7.0	1.5	-
B21B-166_30-35	12.9	6.3	1.3	-
B21B-166_35-40	28.8	5.9	1.2	-
B21B-166_40-45	24.5	5.2	1.1	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-166_45-50	7.1	7.0	1.5	-
B21B-166_50-55	8.9	4.9	1.1	-
B21B-166_55-60	6.5	4.0	0.9	-
B21B-166_60-65	11.1	3.7	0.8	-
B21B-167_0-5	4.5	10.2	2.1	-
B21B-167_5-10	5.7	11.1	2.7	-
B21B-167_10-15	5.2	10.2	2.3	-
B21B-167_15-20	8.8	11.5	2.5	-
B21B-167_20-25	7.8	13.9	2.8	-
B21B-167_25-30	4.9	8.9	1.9	-
B21B-167_30-35	3.6	8.0	1.6	-
B21B-167_35-40	2.3	3.6	0.7	-
B21B-167_40-45	3.2	1.5	0.3	-
B21B-167_45-50	4.7	9.3	1.7	-
B21B-167_50-55	4.3	16.1	2.9	-
B21B-167_55-60	3.1	5.2	1.0	-
B21B-167_60-62	4.5	5.0	1.0	-
B21B-168_0-5	2.9	10.0	1.7	-
B21B-168_5-10	4.7	10.2	2.0	-
B21B-168_10-15	4.0	10.4	1.8	-
B21B-168_15-20	2.4	10.3	1.7	-
B21B-168_20-25	1.9	10.7	1.8	-
B21B-168_25-30	1.3	9.6	1.2	-
B21B-168_30-35	1.0	5.8	1.0	-
B21B-168_35-40	0.7	4.5	0.8	-
B21B-168_40-45	0.5	4.2	0.8	-
B21B-168_45-50	0.5	5.0	0.8	-
B21B-168_50-55	0.6	5.4	0.8	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11029

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1165-1239)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	W GE_IMS40Q12 0.1 10,000 ppm m / m	Y GE_IMS40Q12 0.1 10,000 ppm m / m	Yb GE_IMS40Q12 0.1 1,000 ppm m / m	S GE_CSA06V 0.005 30 %
B21B-168_55-60	0.6	4.2	0.7	-
B21B-168_60-65	0.8	3.2	0.6	-
B21B-168_65-70	0.9	3.9	0.6	9.760
B21B-168_70-75	1.4	3.1	0.5	17.983
B21B-168_75-80	2.5	3.9	0.6	14.509
B21B-169_0-5	2.8	4.6	1.0	-
B21B-169_5-10	1.2	5.2	1.1	-
B21B-169_10-15	1.0	4.5	0.9	-
B21B-169_15-20	0.8	2.9	0.5	-
B21B-169_20-25	2.2	5.9	1.2	-
B21B-169_25-30	1.1	4.7	1.0	-
B21B-169_30-35	1.7	3.8	1.0	-
B21B-169_35-40	2.2	5.2	1.5	-
B21B-169_40-45	1.7	4.8	1.4	-
B21B-169_45-50	1.6	4.8	1.2	-
*Dup B21B-167_20-25	7.2	14.0	2.9	-
*Std OREAS 601b	6.5	12.1	0.5	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	3.0	16.8	0.7	-
*Rep B21B-169_5-10	1.1	5.5	1.1	-
*Std OREAS 601b	7.2	11.9	0.6	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	3.2	15.0	0.7	-
*Rep B21B-167_5-10	5.2	10.9	2.6	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





# ANALYSIS REPORT BBM21-11030

To COD SGS MINERALS - GEOCHEM VANCOUVER  
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
 201 ROUTE 17 NORTH, 7TH FLOOR  
 Rutherford 07070  
 Bergen  
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	09-Sep-2021 - 16-Nov-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	17-Nov-2021
Gold/RABP2/1504Samples(1240-1314)		SGS Order Number	BBM21-11030
Number of Samples	74		

Methods Summary		
Number of Sample	Method Code	Description
74	G_WGH_KG	Weight of samples received
74	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
74	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
 Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
 Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-169_50-55	4.39	0.210	4.91	948	0.03	2
B21B-169_55-60	7.71	0.168	5.39	130	0.02	3
B21B-169_60-65	5.81	0.137	3.26	151	0.02	4
B21B-169_65-70	6.26	0.151	3.06	405	0.04	9
B21B-169_70-75	5.49	0.102	4.90	477	0.02	6
B21B-169_75-80	5.52	0.044	4.65	298	0.03	4
B21B-170_0-5	3.66	0.152	5.26	117	0.02	9
B21B-170_5-10	4.62	0.174	5.30	114	0.03	8
B21B-170_10-15	5.33	0.234	5.69	149	0.03	3
B21B-170_15-20	4.76	0.213	8.34	180	0.05	2
B21B-170_20-25	5.17	0.086	7.65	205	0.06	3
596976	3.19	<0.005	-	-	-	-
B21B-170_25-30	4.76	0.104	4.75	337	0.02	2
B21B-170_30-35	5.30	0.130	5.30	363	0.02	5
B21B-170_35-40	3.37	0.286	5.40	362	0.02	3
B21B-170_40-50	4.00	0.464	3.15	594	0.02	8
B21B-171_0-5	3.51	0.067	7.09	460	0.02	8
B21B-171_5-10	4.65	0.021	7.15	514	0.02	2
B21B-171_10-15	4.96	0.043	5.27	447	0.02	3
B21B-171_15-20	4.70	0.021	4.60	460	0.03	2
B21B-171_20-25	4.33	0.021	5.49	386	0.02	3
B21B-171_25-30	5.46	0.030	4.90	451	0.03	2
B21B-171_30-35	4.20	0.058	4.95	280	0.02	3
B21B-171_35-40	4.56	0.073	3.00	203	0.01	2
B21B-171_40-45	4.58	0.072	4.49	182	0.01	2
B21B-171_45-50	5.26	0.074	6.38	447	0.02	4
B21B-171_50-55	3.47	0.068	6.44	579	0.02	5
B21B-171_55-60	5.00	0.149	4.87	597	0.02	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-171_60-65	2.31	0.156	5.73	442	0.02	6
B21B-171_65-70	5.55	0.282	5.71	722	0.02	4
B21B-171_70-75	5.34	0.077	5.67	399	0.01	5
B21B-171_75-80	6.98	0.055	6.19	557	0.02	2
B21B-172_0-5	4.21	0.126	3.17	658	0.03	14
B21B-172_5-10	5.07	0.292	2.92	208	0.01	2
B21B-172_10-15	4.66	0.150	4.55	182	0.01	2
B21B-172_15-20	3.35	0.085	4.48	293	0.02	1
B21B-172_20-25	4.85	0.046	3.18	474	0.04	2
B21B-172_25-30	4.23	0.090	1.98	292	0.06	2
B21B-172_30-35	5.49	0.047	6.53	336	0.03	3
B21B-172_35-40	4.02	0.017	7.50	327	0.02	3
B21B-172_40-45	5.07	0.033	7.21	125	0.03	3
B21B-172_45-50	4.02	0.061	3.86	726	0.08	4
B21B-172_50-55	4.79	0.088	1.48	518	0.13	3
B21B-172_55-60	4.79	0.042	3.99	709	0.06	4
B21B-172_60-65	7.17	0.025	5.74	499	0.03	6
B21B-172_65-70	5.16	0.067	3.68	225	0.04	5
B21B-172_70-75	6.73	0.046	5.18	457	0.03	3
596977	3.92	0.036	-	-	-	-
B21B-172_75-80	5.66	0.077	7.30	604	0.05	4
B21B-173_0-5	6.63	0.007	7.50	255	0.03	8
B21B-173_5-10	5.73	0.006	0.68	43	<0.01	5
B21B-173_10-15	6.97	0.081	4.10	169	0.02	5
B21B-173_15-20	4.90	0.060	2.37	99	0.01	7
B21B-173_20-25	5.78	0.062	2.38	101	0.01	7
B21B-173_25-30	6.16	0.031	5.13	117	0.02	5
B21B-173_30-35	7.64	0.071	2.62	126	0.03	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-173_35-40	6.22	0.058	1.02	176	0.03	7
B21B-173_40-45	6.59	0.046	2.72	91	0.02	4
B21B-173_45-50	6.16	0.061	0.98	51	<0.01	15
B21B-173_50-55	8.06	0.032	0.55	32	<0.01	9
B21B-173_55-60	7.22	0.015	0.50	33	<0.01	12
B21B-173_60-65	5.53	0.011	0.48	21	<0.01	3
B21B-173_65-70	8.39	0.041	1.90	43	<0.01	20
B21B-173_70-75	6.56	0.050	1.53	184	0.02	10
B21B-173_75-80	5.55	0.036	2.50	132	0.03	9
B21B-174_0-5	7.52	0.085	6.21	267	0.04	7
B21B-174_5-10	6.99	0.081	6.99	294	0.04	3
B21B-174_10-15	7.30	0.033	7.43	369	0.04	2
B21B-174_15-20	7.71	0.010	7.28	483	0.03	3
B21B-174_20-25	6.29	0.013	7.84	437	0.04	3
B21B-174_25-30	6.70	<0.005	7.78	251	0.04	3
B21B-174_30-35	6.01	0.006	7.96	667	0.03	3
B21B-174_35-40	5.36	0.007	7.90	593	0.02	3
B21B-174_40-45	6.14	0.014	8.16	852	0.03	4
*Dup B21B-172_30-35	-	0.043	6.45	338	0.02	4
*Std OREAS 235	-	1.515	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.781	-	-	-	-
*Std OREAS 296	-	2.267	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 905	-	-	7.03	2583	0.54	16
*Std OREAS 601b	-	-	6.57	373	0.86	22
*Rep B21B-173_40-45	-	-	2.71	89	0.02	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	-	0.01	<1	<0.01	2
*Std OREAS 601b	-	-	6.62	336	0.86	18
*Blk BLANK	-	-	<0.01	2	<0.01	<1
*Std OREAS 905	-	-	7.50	2732	0.58	12
*Std SN106	-	8.189	-	-	-	-
*Rep B21B-171_25-30	-	0.029	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-173_0-5	-	0.007	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-174_15-20	-	0.011	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 502c	-	0.484	-	-	-	-
*Std OREAS 601b	-	-	6.55	329	0.85	20
*Blk BLANK	-	-	0.01	<1	<0.01	<1
*Rep B21B-171_40-45	-	-	4.47	289	0.02	1
*Std OREAS 905	-	-	7.51	2755	0.59	23

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-169_50-55	12.2	2.20	0.08	<1	<0.01	14
B21B-169_55-60	27.3	4.94	0.22	1	<0.01	11
B21B-169_60-65	22.7	6.63	0.16	<1	<0.01	22
B21B-169_65-70	42.1	3.59	0.14	1	<0.01	32

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP40Q12 0.5 10,000 ppm m / m	@Fe GE_ICP40Q12 0.01 15 %	@K GE_ICP40Q12 0.01 15 %	@Li GE_ICP40Q12 1 10,000 ppm m / m	@Mg GE_ICP40Q12 0.01 15 %	@Mn GE_ICP40Q12 2 10,000 ppm m / m
B21B-169_70-75	15.4	2.58	0.11	2	<0.01	14
B21B-169_75-80	4.5	0.80	0.62	2	<0.01	17
B21B-170_0-5	48.6	3.93	1.68	2	0.01	14
B21B-170_5-10	10.5	2.29	1.68	1	<0.01	18
B21B-170_10-15	32.9	3.54	1.80	<1	<0.01	12
B21B-170_15-20	46.2	3.26	3.13	<1	0.02	11
B21B-170_20-25	8.5	1.58	2.67	<1	0.02	13
B21B-170_25-30	10.8	2.07	0.19	1	<0.01	19
B21B-170_30-35	30.3	4.30	0.24	<1	<0.01	16
B21B-170_35-40	30.8	4.42	0.25	<1	<0.01	15
B21B-170_40-50	16.3	3.19	0.19	2	<0.01	43
B21B-171_0-5	15.3	2.71	0.34	4	<0.01	23
B21B-171_5-10	4.5	0.53	0.52	2	<0.01	13
B21B-171_10-15	10.4	2.37	0.26	1	<0.01	14
B21B-171_15-20	10.0	1.64	0.40	<1	<0.01	16
B21B-171_20-25	11.7	2.46	0.19	<1	<0.01	12
B21B-171_25-30	8.0	1.08	0.34	<1	<0.01	13
B21B-171_30-35	21.1	2.06	0.26	<1	<0.01	12
B21B-171_35-40	35.2	4.37	0.10	<1	<0.01	42
B21B-171_40-45	18.1	2.45	0.08	<1	<0.01	20
B21B-171_45-50	27.6	3.72	0.28	2	<0.01	21
B21B-171_50-55	16.1	3.74	0.11	1	<0.01	18
B21B-171_55-60	13.8	3.73	0.09	1	<0.01	27
B21B-171_60-65	11.0	2.78	0.17	<1	<0.01	17
B21B-171_65-70	15.5	3.48	0.11	<1	<0.01	18
B21B-171_70-75	23.9	5.43	0.10	1	<0.01	19
B21B-171_75-80	11.4	2.31	0.10	<1	<0.01	17
B21B-172_0-5	17.8	3.27	0.17	3	<0.01	45

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-172_5-10	35.5	4.24	0.11	1	<0.01	39
B21B-172_10-15	18.8	2.49	0.09	1	<0.01	20
B21B-172_15-20	23.8	3.04	0.08	<1	<0.01	18
B21B-172_20-25	7.5	1.76	0.22	1	<0.01	11
B21B-172_25-30	10.6	4.07	0.21	<1	<0.01	13
B21B-172_30-35	12.6	2.23	0.31	<1	<0.01	14
B21B-172_35-40	10.2	2.00	0.50	1	<0.01	12
B21B-172_40-45	8.0	2.89	0.77	1	<0.01	18
B21B-172_45-50	8.5	1.83	0.42	1	<0.01	12
B21B-172_50-55	15.8	1.51	0.27	<1	<0.01	16
B21B-172_55-60	10.6	2.64	0.40	<1	<0.01	21
B21B-172_60-65	58.3	4.04	0.06	1	<0.01	25
B21B-172_65-70	17.7	4.64	0.13	<1	<0.01	21
B21B-172_70-75	47.1	4.11	0.10	1	<0.01	17
B21B-172_75-80	67.8	4.42	0.82	1	0.01	17
B21B-173_0-5	11.0	3.72	0.19	3	<0.01	22
B21B-173_5-10	10.5	0.79	0.02	<1	<0.01	51
B21B-173_10-15	27.3	4.25	0.23	<1	<0.01	37
B21B-173_15-20	9.2	1.48	0.19	<1	<0.01	35
B21B-173_20-25	8.9	1.48	0.19	<1	<0.01	36
B21B-173_25-30	20.5	3.40	0.11	<1	<0.01	16
B21B-173_30-35	13.4	3.42	0.19	<1	<0.01	27
B21B-173_35-40	12.2	1.86	0.08	<1	<0.01	24
B21B-173_40-45	11.2	3.54	0.09	<1	<0.01	36
B21B-173_45-50	10.5	2.64	0.11	<1	<0.01	61
B21B-173_50-55	11.5	1.37	0.06	<1	<0.01	42
B21B-173_55-60	8.3	1.40	0.03	<1	<0.01	93
B21B-173_60-65	7.1	0.80	0.08	<1	<0.01	41

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-173_65-70	17.9	3.98	0.57	<1	<0.01	41
B21B-173_70-75	21.3	3.65	0.32	<1	<0.01	38
B21B-173_75-80	20.4	4.17	0.28	<1	<0.01	34
B21B-174_0-5	60.1	5.02	1.35	3	0.02	20
B21B-174_5-10	40.0	3.43	2.32	1	0.02	11
B21B-174_10-15	25.8	3.18	2.65	<1	0.03	8
B21B-174_15-20	59.0	3.96	2.59	<1	0.03	12
B21B-174_20-25	82.0	3.42	2.87	<1	0.03	13
B21B-174_25-30	98.0	3.11	2.88	<1	0.04	12
B21B-174_30-35	33.7	2.93	2.91	<1	0.04	9
B21B-174_35-40	26.5	2.49	3.17	<1	0.04	9
B21B-174_40-45	9.9	3.40	3.25	<1	0.04	8
*Dup B21B-172_30-35	12.4	2.19	0.31	<1	<0.01	13
*Std OREAS 905	1441	3.91	2.84	19	0.29	359
*Std OREAS 601b	1007	2.38	2.46	23	0.10	223
*Rep B21B-173_40-45	11.0	3.63	0.09	<1	<0.01	35
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 601b	1083	2.41	2.48	25	0.10	224
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1541	4.07	3.04	22	0.28	379
*Std OREAS 601b	1029	2.38	2.45	24	0.10	222
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-171_40-45	22.8	3.03	0.07	<1	<0.01	18
*Std OREAS 905	1576	4.16	3.09	23	0.30	397

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-169_50-55	0.03	<1	0.08	0.07	333	0.05
B21B-169_55-60	0.04	2	0.03	0.83	147	0.02
B21B-169_60-65	0.03	<1	0.04	0.14	254	0.02
B21B-169_65-70	0.03	2	0.12	0.17	853	0.02
B21B-169_70-75	0.03	4	0.07	0.12	484	0.04
B21B-169_75-80	0.07	2	0.06	0.08	436	0.06
B21B-170_0-5	0.26	3	0.04	0.08	257	0.04
B21B-170_5-10	0.32	6	0.06	0.09	562	0.04
B21B-170_10-15	0.28	<1	0.06	0.10	402	0.04
B21B-170_15-20	0.30	<1	0.07	0.10	366	0.03
B21B-170_20-25	0.25	<1	0.09	0.11	407	0.04
B21B-170_25-30	0.03	1	0.05	0.05	284	0.05
B21B-170_30-35	0.03	<1	0.07	0.06	342	0.04
B21B-170_35-40	0.03	<1	0.07	0.06	341	0.04
B21B-170_40-50	0.04	4	0.07	0.11	343	0.02
B21B-171_0-5	0.04	2	0.06	0.05	215	0.06
B21B-171_5-10	0.06	<1	0.06	0.05	277	0.07
B21B-171_10-15	0.03	<1	0.06	0.05	289	0.04
B21B-171_15-20	0.05	<1	0.07	0.06	326	0.06
B21B-171_20-25	0.03	<1	0.06	0.05	262	0.04
B21B-171_25-30	0.04	1	0.07	0.06	310	0.05
B21B-171_30-35	0.03	<1	0.05	0.06	331	0.05
B21B-171_35-40	0.02	<1	0.03	0.04	138	0.02
B21B-171_40-45	0.02	<1	0.05	0.03	187	0.04
B21B-171_45-50	0.04	1	0.06	0.05	261	0.06
B21B-171_50-55	0.02	1	0.07	0.05	207	0.04
B21B-171_55-60	0.02	1	0.06	0.05	198	0.03
B21B-171_60-65	0.03	1	0.06	0.05	269	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11030**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-171_65-70	0.02	1	0.07	0.05	208	0.04
B21B-171_70-75	0.02	2	0.05	0.06	181	0.03
B21B-171_75-80	0.02	2	0.07	0.04	200	0.05
B21B-172_0-5	0.03	2	0.06	0.07	222	0.03
B21B-172_5-10	0.02	<1	0.03	0.04	136	0.02
B21B-172_10-15	0.02	<1	0.05	0.03	191	0.04
B21B-172_15-20	0.02	<1	0.07	0.04	206	0.04
B21B-172_20-25	0.03	<1	0.09	0.06	228	0.04
B21B-172_25-30	0.03	<1	0.08	0.06	115	0.05
B21B-172_30-35	0.05	<1	0.06	0.05	237	0.05
B21B-172_35-40	0.08	1	0.06	0.05	253	0.05
B21B-172_40-45	0.11	<1	0.07	0.06	288	0.04
B21B-172_45-50	0.07	1	0.14	0.11	398	0.06
B21B-172_50-55	0.04	4	0.16	0.44	439	0.08
B21B-172_55-60	0.08	3	0.13	0.19	477	0.07
B21B-172_60-65	0.03	2	0.08	1.96	329	0.04
B21B-172_65-70	0.06	2	0.09	0.24	268	0.04
B21B-172_70-75	0.08	3	0.08	2.33	403	0.04
B21B-172_75-80	0.29	2	0.11	1.83	455	0.03
B21B-173_0-5	0.05	1	0.07	0.07	344	0.05
B21B-173_5-10	0.01	1	<0.01	0.02	33.1	<0.01
B21B-173_10-15	0.05	1	0.05	0.05	220	0.02
B21B-173_15-20	0.04	2	0.03	0.04	159	0.01
B21B-173_20-25	0.04	1	0.03	0.05	161	0.01
B21B-173_25-30	0.03	2	0.07	0.34	259	0.03
B21B-173_30-35	0.04	<1	0.05	0.13	277	0.02
B21B-173_35-40	0.02	1	0.05	0.05	184	0.01
B21B-173_40-45	0.02	2	0.04	0.19	189	0.02

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-173_45-50	0.02	5	0.01	0.72	59.4	<0.01
B21B-173_50-55	0.02	3	<0.01	0.34	33.4	<0.01
B21B-173_55-60	<0.01	3	<0.01	0.04	23.8	<0.01
B21B-173_60-65	0.02	2	<0.01	0.03	18.5	<0.01
B21B-173_65-70	0.08	3	0.01	0.42	71.4	0.03
B21B-173_70-75	0.05	5	0.03	0.92	154	0.02
B21B-173_75-80	0.05	6	0.05	2.21	265	0.02
B21B-174_0-5	0.21	<1	0.07	0.06	252	0.04
B21B-174_5-10	0.32	<1	0.07	0.06	210	0.04
B21B-174_10-15	0.35	<1	0.06	0.06	189	0.05
B21B-174_15-20	0.32	1	0.05	2.77	162	0.05
B21B-174_20-25	0.36	1	0.07	2.37	189	0.05
B21B-174_25-30	0.35	2	0.07	3.21	178	0.05
B21B-174_30-35	0.34	1	0.05	1.60	109	0.05
B21B-174_35-40	0.36	1	0.04	1.65	88.5	0.05
B21B-174_40-45	0.37	<1	0.06	0.35	112	0.06
*Dup B21B-172_30-35	0.05	<1	0.06	0.05	231	0.05
*Std OREAS 905	2.27	9	0.03	0.06	152	0.11
*Std OREAS 601b	1.85	7	0.03	1.53	245	0.12
*Rep B21B-173_40-45	0.02	2	0.04	0.19	189	0.02
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 601b	1.94	6	0.03	1.43	250	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 905	2.53	9	0.03	0.07	164	0.11
*Std OREAS 601b	1.85	6	0.03	1.49	244	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep B21B-171_40-45	0.02	<1	0.07	0.04	203	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11030**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 905	2.50	12	0.03	0.06	162	0.12

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_50-55	14	<1	97.2	0.58	5	0.2
B21B-169_55-60	14	<1	59.4	0.47	9	0.2
B21B-169_60-65	12	<1	59.2	0.55	11	0.2
B21B-169_65-70	17	2	43.9	0.25	16	0.2
B21B-169_70-75	14	<1	97.7	0.09	6	0.2
B21B-169_75-80	34	<1	95.8	0.09	2	0.1
B21B-170_0-5	38	2	85.4	0.23	5	0.2
B21B-170_5-10	36	1	75.0	0.22	4	0.2
B21B-170_10-15	38	1	74.5	0.22	11	0.1
B21B-170_15-20	64	<1	71.3	0.09	18	0.2
B21B-170_20-25	89	1	61.1	0.06	5	0.2
B21B-170_25-30	18	1	121	0.12	10	0.1
B21B-170_30-35	20	<1	111	0.14	11	<0.1
B21B-170_35-40	20	<1	106	0.65	10	0.1
B21B-170_40-50	21	1	50.5	1.06	11	0.1
B21B-171_0-5	33	2	105	0.13	8	0.3
B21B-171_5-10	35	<1	105	0.04	3	0.3
B21B-171_10-15	24	<1	103	0.08	5	0.2
B21B-171_15-20	28	2	112	0.15	6	0.1
B21B-171_20-25	19	<1	104	0.08	5	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-171_25-30	21	<1	103	0.07	3	<0.1
B21B-171_30-35	21	<1	112	0.05	5	0.1
B21B-171_35-40	14	<1	60.4	0.10	6	<0.1
B21B-171_40-45	14	<1	104	0.10	6	0.1
B21B-171_45-50	24	<1	126	0.21	6	0.1
B21B-171_50-55	18	<1	104	0.23	6	0.1
B21B-171_55-60	15	<1	95.6	0.46	6	<0.1
B21B-171_60-65	20	<1	111	0.70	7	0.1
B21B-171_65-70	20	<1	101	1.65	10	0.1
B21B-171_70-75	15	<1	107	0.31	7	0.1
B21B-171_75-80	18	<1	115	0.18	8	0.1
B21B-172_0-5	27	2	38.4	0.26	9	0.1
B21B-172_5-10	14	<1	63.4	0.29	5	<0.1
B21B-172_10-15	15	<1	109	0.10	4	0.1
B21B-172_15-20	15	<1	118	0.06	3	<0.1
B21B-172_20-25	20	<1	99.7	0.14	3	<0.1
B21B-172_25-30	19	<1	63.7	0.26	4	<0.1
B21B-172_30-35	38	<1	102	0.03	3	0.1
B21B-172_35-40	52	<1	76.2	<0.02	3	0.2
B21B-172_40-45	73	<1	74.4	0.07	3	0.2
B21B-172_45-50	44	10	88.2	0.18	4	0.1
B21B-172_50-55	35	<1	77.1	0.19	4	<0.1
B21B-172_55-60	47	<1	82.7	0.12	4	0.1
B21B-172_60-65	21	1	78.1	0.08	4	0.1
B21B-172_65-70	23	<1	63.0	0.42	9	0.1
B21B-172_70-75	21	<1	88.5	0.15	4	0.1
B21B-172_75-80	36	<1	79.7	0.15	3	0.2
B21B-173_0-5	33	2	79.9	0.09	6	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-173_5-10	6	2	10.6	0.08	2	<0.1
B21B-173_10-15	26	1	37.9	0.19	6	0.1
B21B-173_15-20	17	3	24.9	0.20	2	<0.1
B21B-173_20-25	17	2	24.1	0.17	2	<0.1
B21B-173_25-30	19	<1	65.7	0.08	2	0.1
B21B-173_30-35	19	1	43.1	0.39	4	<0.1
B21B-173_35-40	14	3	23.7	0.36	7	<0.1
B21B-173_40-45	16	2	43.5	0.25	4	<0.1
B21B-173_45-50	22	4	7.1	0.24	5	<0.1
B21B-173_50-55	14	5	4.5	0.18	4	<0.1
B21B-173_55-60	13	5	3.8	0.11	3	<0.1
B21B-173_60-65	10	5	4.5	0.05	2	<0.1
B21B-173_65-70	34	4	32.6	0.10	4	<0.1
B21B-173_70-75	20	2	30.4	0.20	4	<0.1
B21B-173_75-80	20	3	39.7	0.22	3	<0.1
B21B-174_0-5	46	3	92.9	0.05	5	0.4
B21B-174_5-10	40	1	96.6	0.03	2	0.7
B21B-174_10-15	43	1	94.6	0.11	2	0.8
B21B-174_15-20	41	2	90.4	0.04	2	0.8
B21B-174_20-25	43	2	100	0.04	2	1.1
B21B-174_25-30	41	2	95.0	0.04	2	1.2
B21B-174_30-35	42	2	99.0	0.18	2	1.2
B21B-174_35-40	45	2	108	0.04	2	1.3
B21B-174_40-45	47	6	127	0.06	3	1.4
*Dup B21B-172_30-35	37	1	95.4	0.03	3	0.1
*Std OREAS 905	9	135	229	0.41	31	3.0
*Std OREAS 601b	12	324	176	51.33	290	2.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
*Rep B21B-173_40-45	15	2	40.4	0.21	4	<0.1
*Blk BLANK	<2	<1	<0.5	0.02	<1	<0.1
*Std OREAS 601b	-	-	-	57.98	314	2.6
*Blk BLANK	-	-	-	0.03	<1	<0.1
*Std OREAS 905	-	-	-	0.51	30	3.3
*Std OREAS 601b	13	322	172	-	-	-
*Blk BLANK	<2	<1	<0.5	-	-	-
*Std OREAS 905	11	137	252	-	-	-
*Std OREAS 601b	12	313	171	50.53	266	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Rep B21B-171_40-45	15	1	116	0.15	6	<0.1
*Std OREAS 905	9	138	246	0.68	33	3.0

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-169_50-55	3.05	<0.02	33.43	0.1	<1	12.4
B21B-169_55-60	4.00	<0.02	29.31	0.3	<1	19.5
B21B-169_60-65	3.79	<0.02	28.82	1.1	<1	18.9
B21B-169_65-70	4.39	<0.02	37.10	1.0	<1	16.2
B21B-169_70-75	3.73	<0.02	56.93	0.4	<1	15.7
B21B-169_75-80	2.68	<0.02	43.84	0.2	<1	16.3
B21B-170_0-5	2.02	0.03	53.53	0.3	2	8.9
B21B-170_5-10	2.28	<0.02	76.36	0.2	2	9.9
B21B-170_10-15	3.61	0.03	58.20	0.1	2	8.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-170_15-20	4.51	<0.02	84.71	0.1	3	11.1
B21B-170_20-25	3.11	<0.02	95.28	0.1	3	16.6
B21B-170_25-30	2.46	<0.02	42.74	2.6	<1	11.8
B21B-170_30-35	2.58	<0.02	78.53	0.5	<1	10.0
B21B-170_35-40	4.70	<0.02	262	0.7	<1	7.5
B21B-170_40-50	5.65	<0.02	80.61	0.5	<1	8.0
B21B-171_0-5	3.94	<0.02	50.98	0.5	<1	16.1
B21B-171_5-10	2.20	<0.02	67.03	0.2	<1	14.5
B21B-171_10-15	2.81	<0.02	75.03	0.2	<1	11.3
B21B-171_15-20	2.86	<0.02	78.37	0.2	<1	10.6
B21B-171_20-25	2.84	<0.02	49.31	0.2	<1	11.7
B21B-171_25-30	2.52	<0.02	32.31	0.2	<1	9.0
B21B-171_30-35	3.64	<0.02	47.26	0.1	<1	9.5
B21B-171_35-40	3.88	<0.02	48.92	0.2	<1	11.7
B21B-171_40-45	3.72	<0.02	74.10	0.1	<1	12.5
B21B-171_45-50	3.07	<0.02	49.78	0.2	<1	15.5
B21B-171_50-55	1.92	<0.02	50.68	0.2	<1	14.5
B21B-171_55-60	2.00	<0.02	52.58	0.3	<1	11.6
B21B-171_60-65	2.24	<0.02	80.20	0.2	<1	11.8
B21B-171_65-70	2.14	<0.02	53.41	0.2	<1	13.6
B21B-171_70-75	2.71	0.03	55.53	0.2	<1	10.9
B21B-171_75-80	2.18	<0.02	59.65	0.1	<1	11.3
B21B-172_0-5	2.54	0.05	39.29	0.3	<1	9.6
B21B-172_5-10	1.88	0.03	42.14	0.4	<1	6.4
B21B-172_10-15	1.40	0.03	59.64	0.1	<1	9.2
B21B-172_15-20	1.38	<0.02	57.17	0.1	<1	8.9
B21B-172_20-25	1.27	0.02	52.60	0.1	<1	6.6
B21B-172_25-30	1.80	0.08	23.93	0.2	<1	4.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-172_30-35	1.43	<0.02	53.39	0.1	<1	12.2
B21B-172_35-40	1.25	<0.02	62.94	0.2	<1	14.8
B21B-172_40-45	1.67	<0.02	85.15	0.1	<1	17.1
B21B-172_45-50	2.72	<0.02	75.16	0.1	<1	11.1
B21B-172_50-55	3.52	<0.02	74.58	1.0	<1	6.1
B21B-172_55-60	2.46	<0.02	78.46	0.4	<1	14.5
B21B-172_60-65	2.17	<0.02	60.44	2.7	<1	16.6
B21B-172_65-70	3.57	<0.02	69.20	0.4	<1	10.9
B21B-172_70-75	3.72	<0.02	61.17	3.8	<1	13.0
B21B-172_75-80	2.74	<0.02	49.13	3.3	<1	17.5
B21B-173_0-5	1.73	<0.02	64.56	0.3	<1	16.5
B21B-173_5-10	0.28	0.03	6.36	0.2	<1	1.7
B21B-173_10-15	1.07	<0.02	59.55	0.2	<1	9.6
B21B-173_15-20	0.75	<0.02	42.58	0.3	<1	5.5
B21B-173_20-25	0.79	<0.02	43.99	0.2	<1	5.5
B21B-173_25-30	1.22	<0.02	65.76	0.7	<1	11.0
B21B-173_30-35	1.66	<0.02	73.61	0.4	<1	6.4
B21B-173_35-40	1.15	0.03	43.77	0.2	<1	2.9
B21B-173_40-45	1.13	<0.02	51.55	0.9	<1	8.1
B21B-173_45-50	0.49	0.03	8.09	2.8	<1	2.3
B21B-173_50-55	0.32	0.04	5.56	1.6	<1	1.3
B21B-173_55-60	0.20	0.04	4.16	0.6	<1	1.1
B21B-173_60-65	0.20	0.04	3.64	0.4	<1	1.1
B21B-173_65-70	1.11	0.03	22.15	1.9	<1	5.4
B21B-173_70-75	1.69	0.02	45.27	3.6	<1	4.4
B21B-173_75-80	1.54	0.02	68.37	5.6	<1	8.9
B21B-174_0-5	1.20	0.02	50.65	0.3	1	15.1
B21B-174_5-10	0.59	<0.02	55.15	0.1	2	14.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_10-15	0.49	<0.02	44.45	0.1	2	15.2
B21B-174_15-20	0.49	<0.02	45.10	3.4	2	14.3
B21B-174_20-25	0.41	<0.02	47.32	3.8	3	16.4
B21B-174_25-30	0.34	<0.02	35.12	6.3	3	16.0
B21B-174_30-35	0.29	<0.02	30.75	2.7	3	16.7
B21B-174_35-40	0.20	<0.02	21.22	3.6	3	17.0
B21B-174_40-45	0.21	<0.02	29.89	0.6	3	17.0
*Dup B21B-172_30-35	1.45	<0.02	53.70	0.1	<1	11.3
*Std OREAS 905	5.52	0.34	94.25	15.0	7	24.7
*Std OREAS 601b	17.38	2.21	73.64	3.0	5	23.6
*Rep B21B-173_40-45	1.10	<0.02	51.16	0.9	<1	7.7
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 601b	17.24	1.93	68.42	3.1	5	24.7
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.70	0.31	94.53	13.4	7	23.9
*Std OREAS 601b	16.55	2.03	67.90	2.8	5	22.1
*Blk BLANK	<0.04	<0.02	0.11	<0.1	<1	<0.1
*Rep B21B-171_40-45	3.70	<0.02	71.99	0.1	<1	12.6
*Std OREAS 905	5.63	0.36	92.37	14.5	7	24.6

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_50-55	2.56	<0.02	18.1	0.17	9.24	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-169_55-60	2.97	<0.02	15.3	0.19	8.89	1.6
B21B-169_60-65	3.12	<0.02	14.8	0.19	16.58	1.4
B21B-169_65-70	2.94	<0.02	20.0	0.18	8.09	0.8
B21B-169_70-75	2.78	<0.02	31.4	0.20	7.50	1.1
B21B-169_75-80	2.95	0.07	21.5	0.22	6.30	1.5
B21B-170_0-5	2.40	0.10	28.4	0.17	21.32	1.2
B21B-170_5-10	2.11	0.10	37.4	0.16	18.88	1.0
B21B-170_10-15	2.11	0.12	28.8	0.16	9.75	1.0
B21B-170_15-20	2.09	0.28	37.8	0.15	5.63	0.9
B21B-170_20-25	1.77	0.28	41.8	0.12	5.88	1.0
B21B-170_25-30	1.70	0.02	21.1	0.11	14.76	0.7
B21B-170_30-35	1.68	0.02	38.3	0.12	27.77	0.7
B21B-170_35-40	1.29	0.04	127	0.10	11.42	0.6
B21B-170_40-50	1.37	0.04	39.8	0.11	34.90	0.5
B21B-171_0-5	2.97	0.07	23.4	0.21	10.04	2.2
B21B-171_5-10	3.12	0.07	31.4	0.23	3.06	2.3
B21B-171_10-15	3.00	0.04	35.6	0.23	8.87	1.4
B21B-171_15-20	3.27	0.05	37.7	0.26	11.01	1.8
B21B-171_20-25	2.96	0.03	24.4	0.23	5.14	1.4
B21B-171_25-30	3.16	0.05	15.7	0.24	3.15	1.6
B21B-171_30-35	3.14	0.04	21.8	0.23	4.99	1.4
B21B-171_35-40	3.66	0.04	23.9	0.26	9.50	1.7
B21B-171_40-45	3.18	0.04	36.2	0.21	10.63	1.3
B21B-171_45-50	3.47	0.06	23.8	0.23	16.52	1.8
B21B-171_50-55	3.06	0.03	23.9	0.21	6.79	1.5
B21B-171_55-60	2.69	0.05	26.2	0.18	8.10	1.0
B21B-171_60-65	3.21	0.07	37.4	0.21	6.98	1.7
B21B-171_65-70	2.92	0.09	25.0	0.19	11.97	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-171_70-75	3.16	0.04	27.5	0.20	36.78	1.1
B21B-171_75-80	3.31	0.04	30.0	0.22	10.48	1.6
B21B-172_0-5	1.19	0.04	18.6	0.08	12.10	1.1
B21B-172_5-10	1.85	0.02	18.7	0.12	18.19	0.7
B21B-172_10-15	3.18	<0.02	28.4	0.20	35.08	1.3
B21B-172_15-20	3.41	<0.02	27.5	0.22	11.52	1.3
B21B-172_20-25	2.85	0.03	24.2	0.21	33.17	1.1
B21B-172_25-30	1.74	0.04	10.8	0.22	161	1.2
B21B-172_30-35	2.90	0.04	23.9	0.21	23.73	1.6
B21B-172_35-40	2.27	0.06	28.1	0.19	8.84	1.7
B21B-172_40-45	2.30	0.07	38.0	0.19	6.69	1.4
B21B-172_45-50	2.69	0.04	33.7	0.21	11.67	1.9
B21B-172_50-55	2.30	0.03	33.1	0.21	13.70	1.9
B21B-172_55-60	2.54	0.05	34.6	0.21	8.84	2.2
B21B-172_60-65	2.26	<0.02	26.2	0.21	4.37	1.5
B21B-172_65-70	1.83	0.03	33.1	0.16	15.23	1.3
B21B-172_70-75	2.66	<0.02	28.2	0.24	8.06	1.3
B21B-172_75-80	2.45	0.03	23.3	0.19	3.20	1.2
B21B-173_0-5	2.48	0.04	28.2	0.18	4.54	1.8
B21B-173_5-10	0.33	<0.02	2.9	0.03	2.74	0.3
B21B-173_10-15	1.17	0.03	29.6	0.09	6.81	0.6
B21B-173_15-20	0.78	0.02	20.1	0.07	2.89	0.4
B21B-173_20-25	0.79	0.02	21.0	0.07	2.94	0.4
B21B-173_25-30	1.97	<0.02	31.4	0.17	2.41	0.9
B21B-173_30-35	1.34	0.03	36.0	0.10	4.87	0.6
B21B-173_35-40	0.69	0.02	22.7	0.06	8.27	0.3
B21B-173_40-45	1.31	<0.02	25.8	0.11	6.42	0.5
B21B-173_45-50	0.19	0.02	4.0	0.02	13.07	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-173_50-55	0.12	<0.02	2.7	0.01	9.94	0.1
B21B-173_55-60	0.10	<0.02	2.1	<0.01	9.40	0.1
B21B-173_60-65	0.12	<0.02	1.8	0.01	4.26	<0.1
B21B-173_65-70	0.98	0.11	11.2	0.07	6.19	0.8
B21B-173_70-75	0.94	0.05	23.8	0.09	5.69	0.6
B21B-173_75-80	1.24	0.04	33.3	0.11	4.37	0.7
B21B-174_0-5	2.87	0.06	22.5	0.20	5.15	1.6
B21B-174_5-10	3.12	0.05	26.1	0.21	2.36	1.4
B21B-174_10-15	2.95	0.06	18.7	0.19	1.17	1.6
B21B-174_15-20	2.80	0.06	20.1	0.19	2.14	1.4
B21B-174_20-25	3.21	0.07	20.5	0.22	1.55	1.5
B21B-174_25-30	3.05	0.07	14.5	0.20	1.43	1.5
B21B-174_30-35	3.23	0.07	12.7	0.20	2.24	1.5
B21B-174_35-40	3.42	0.07	9.0	0.21	2.81	1.6
B21B-174_40-45	3.88	0.08	12.5	0.24	3.65	1.7
*Dup B21B-172_30-35	2.86	0.04	23.6	0.21	22.60	1.6
*Std OREAS 905	7.10	0.62	43.2	0.09	3.28	18.9
*Std OREAS 601b	5.61	0.48	34.8	0.07	5.47	16.3
*Rep B21B-173_40-45	1.24	<0.02	25.4	0.11	5.09	0.5
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 601b	5.10	0.43	35.2	0.07	4.82	15.0
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	0.06	<0.1
*Std OREAS 905	6.92	0.58	47.4	0.09	3.28	17.2
*Std OREAS 601b	4.96	0.48	33.8	0.07	5.33	15.5
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-171_40-45	3.15	0.04	35.6	0.21	10.65	1.4
*Std OREAS 905	7.06	0.68	42.7	0.10	3.63	18.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method	@Pb GE_IMS40Q12	@Rb GE_IMS40Q12	@Sb GE_IMS40Q12	@Sc GE_IMS40Q12	@Se GE_IMS40Q12	@Sn GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_50-55	103	1.2	1.81	5.2	18	1.0
B21B-169_55-60	82.4	1.2	1.19	5.1	24	0.8
B21B-169_60-65	69.7	1.0	1.60	5.4	33	0.9
B21B-169_65-70	83.4	0.9	0.91	4.9	40	0.6
B21B-169_70-75	151	1.8	0.73	4.9	13	0.9
B21B-169_75-80	152	8.2	1.09	5.6	4	1.9
B21B-170_0-5	109	25.0	1.87	6.6	12	2.1
B21B-170_5-10	210	25.4	1.74	5.6	9	2.8
B21B-170_10-15	160	26.9	1.15	5.9	12	3.0
B21B-170_15-20	169	47.9	0.79	7.1	19	5.4
B21B-170_20-25	132	41.6	1.06	6.7	8	6.6
B21B-170_25-30	55.0	3.4	0.77	2.5	27	1.3
B21B-170_30-35	86.7	2.6	0.68	2.5	24	1.2
B21B-170_35-40	245	2.3	2.37	2.7	20	1.1
B21B-170_40-50	97.6	3.2	3.88	2.9	28	1.0
B21B-171_0-5	84.6	6.5	1.47	5.2	9	1.5
B21B-171_5-10	95.2	7.0	0.64	5.5	2	1.6
B21B-171_10-15	88.1	3.8	0.86	5.0	9	1.0
B21B-171_15-20	90.2	6.2	0.99	5.9	7	1.5
B21B-171_20-25	73.3	2.9	0.48	4.8	8	0.8
B21B-171_25-30	86.9	5.1	0.40	4.9	3	0.7
B21B-171_30-35	89.4	3.6	0.46	5.0	6	0.7
B21B-171_35-40	85.1	2.6	0.71	5.6	6	0.9
B21B-171_40-45	102	2.9	0.49	4.8	12	1.1
B21B-171_45-50	76.3	3.6	0.69	5.3	11	1.6
B21B-171_50-55	59.1	1.7	0.73	4.6	15	1.0
B21B-171_55-60	63.5	1.4	1.40	4.1	23	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-171_60-65	75.9	3.0	1.10	4.7	22	1.2
B21B-171_65-70	59.9	1.9	2.24	4.4	30	0.9
B21B-171_70-75	52.7	1.7	0.72	4.3	20	0.9
B21B-171_75-80	60.3	1.8	1.06	4.7	16	1.1
B21B-172_0-5	71.2	4.7	1.29	3.3	23	1.2
B21B-172_5-10	39.2	2.3	0.70	3.9	33	1.1
B21B-172_10-15	45.3	1.9	0.61	5.3	11	1.8
B21B-172_15-20	49.1	1.5	0.41	5.9	8	1.8
B21B-172_20-25	53.6	4.0	0.39	4.9	5	2.2
B21B-172_25-30	27.5	3.5	0.48	5.2	12	2.0
B21B-172_30-35	41.1	5.3	0.43	5.8	5	2.1
B21B-172_35-40	43.2	9.3	0.47	6.0	6	2.3
B21B-172_40-45	65.2	11.6	0.48	6.5	9	2.0
B21B-172_45-50	93.4	6.4	1.04	5.7	12	2.2
B21B-172_50-55	105	4.2	0.92	4.3	11	2.0
B21B-172_55-60	87.5	7.2	1.07	6.1	14	1.7
B21B-172_60-65	46.0	1.3	0.59	4.5	19	0.7
B21B-172_65-70	53.5	2.6	1.74	4.7	28	0.8
B21B-172_70-75	50.8	2.2	0.75	6.0	18	0.6
B21B-172_75-80	38.8	20.9	0.55	6.0	19	0.9
B21B-173_0-5	77.7	5.1	0.87	6.7	9	0.8
B21B-173_5-10	8.5	0.6	0.27	0.8	<2	<0.3
B21B-173_10-15	43.2	5.2	0.82	4.5	16	0.7
B21B-173_15-20	34.8	3.9	0.35	2.4	6	0.5
B21B-173_20-25	35.6	4.0	0.35	2.3	6	0.5
B21B-173_25-30	52.7	2.4	0.32	4.9	10	0.5
B21B-173_30-35	65.3	4.0	0.69	3.7	16	0.6
B21B-173_35-40	39.8	1.7	0.74	2.1	10	0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-173_40-45	41.3	2.1	0.80	3.5	14	0.4
B21B-173_45-50	9.5	2.2	1.14	0.9	14	0.3
B21B-173_50-55	6.3	1.2	0.79	0.6	6	<0.3
B21B-173_55-60	4.8	0.6	0.59	<0.5	<2	<0.3
B21B-173_60-65	4.0	1.5	0.38	0.5	<2	<0.3
B21B-173_65-70	17.9	10.9	0.77	3.4	21	1.3
B21B-173_70-75	33.3	6.3	0.42	3.0	15	0.8
B21B-173_75-80	55.7	6.0	0.35	3.8	15	0.7
B21B-174_0-5	21.7	31.6	0.49	9.3	13	0.7
B21B-174_5-10	9.2	53.7	0.24	10.2	11	0.7
B21B-174_10-15	9.2	60.9	0.26	8.8	13	0.8
B21B-174_15-20	7.8	60.8	0.21	8.9	10	0.8
B21B-174_20-25	8.2	71.5	0.21	10.3	10	0.9
B21B-174_25-30	7.9	72.8	0.18	10.5	8	0.8
B21B-174_30-35	8.3	80.3	0.38	10.9	12	0.9
B21B-174_35-40	7.8	87.7	0.39	11.3	11	1.1
B21B-174_40-45	10.9	86.9	0.51	12.1	12	1.0
*Dup B21B-172_30-35	40.7	5.1	0.43	5.5	5	2.0
*Std OREAS 905	27.3	139	1.96	5.8	3	4.4
*Std OREAS 601b	321	102	25.15	4.3	11	3.8
*Rep B21B-173_40-45	40.2	1.9	0.75	3.2	14	0.3
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 601b	325	104	23.67	4.1	10	3.8
*Blk BLANK	0.8	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.7	97.8	1.86	5.5	3	4.3
*Std OREAS 601b	287	87.7	24.23	3.5	9	3.6
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep B21B-171_40-45	102	3.0	0.52	4.9	13	1.1
*Std OREAS 905	31.8	130	2.04	4.8	3	4.5

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-169_50-55	0.05	0.16	7.36	6.8	0.06	1.07
B21B-169_55-60	0.16	0.13	6.40	6.3	0.06	1.12
B21B-169_60-65	0.11	0.13	9.54	5.8	0.03	1.14
B21B-169_65-70	0.06	0.15	7.54	7.0	0.04	1.12
B21B-169_70-75	0.08	0.23	5.14	11.3	0.09	1.12
B21B-169_75-80	0.10	0.19	4.40	9.6	0.44	1.18
B21B-170_0-5	0.09	0.21	12.17	7.7	0.77	1.04
B21B-170_5-10	0.06	0.28	9.92	10.7	0.85	0.95
B21B-170_10-15	0.05	0.25	15.06	8.1	0.96	0.95
B21B-170_15-20	0.08	0.31	4.21	10.4	1.59	0.96
B21B-170_20-25	0.08	0.31	11.59	13.1	1.40	0.82
B21B-170_25-30	0.06	0.15	7.40	6.5	0.13	0.69
B21B-170_30-35	<0.05	0.25	6.73	12.7	0.10	0.66
B21B-170_35-40	<0.05	0.72	9.24	39.7	0.09	1.04
B21B-170_40-50	<0.05	0.48	16.27	12.3	0.12	0.78
B21B-171_0-5	0.15	0.28	5.13	10.2	0.21	1.51
B21B-171_5-10	0.16	0.35	2.34	9.3	0.27	1.45
B21B-171_10-15	0.10	0.33	3.31	11.0	0.14	1.44
B21B-171_15-20	0.10	0.35	4.40	12.6	0.22	1.54

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11030**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-171_20-25	0.09	0.27	4.87	7.1	0.10	1.30
B21B-171_25-30	0.11	0.26	3.03	6.6	0.19	1.35
B21B-171_30-35	0.08	0.26	3.81	7.9	0.14	1.42
B21B-171_35-40	0.10	0.29	5.09	8.9	0.11	1.63
B21B-171_40-45	0.09	0.34	3.21	10.7	0.13	1.51
B21B-171_45-50	0.16	0.28	3.78	7.5	0.17	1.57
B21B-171_50-55	0.12	0.26	3.59	7.3	0.07	1.40
B21B-171_55-60	0.07	0.26	3.67	7.5	0.05	1.23
B21B-171_60-65	0.12	0.32	3.33	11.5	0.11	1.54
B21B-171_65-70	0.09	0.27	7.06	7.8	0.06	1.48
B21B-171_70-75	0.08	0.28	3.26	8.0	0.06	1.45
B21B-171_75-80	0.10	0.27	4.12	9.3	0.06	1.43
B21B-172_0-5	0.07	0.42	7.94	5.6	0.12	0.97
B21B-172_5-10	<0.05	0.23	5.18	5.8	0.07	0.99
B21B-172_10-15	0.09	0.27	2.34	8.7	0.06	1.29
B21B-172_15-20	0.09	0.25	2.29	8.2	0.05	1.38
B21B-172_20-25	0.06	0.25	1.87	7.3	0.15	1.24
B21B-172_25-30	<0.05	0.18	5.41	4.5	0.17	1.37
B21B-172_30-35	0.13	0.27	2.06	5.9	0.23	1.03
B21B-172_35-40	0.15	0.31	1.44	6.7	0.35	0.95
B21B-172_40-45	0.11	0.34	1.81	9.7	0.57	1.09
B21B-172_45-50	0.16	0.34	2.26	7.8	0.31	1.32
B21B-172_50-55	0.12	0.36	2.08	8.0	0.21	1.21
B21B-172_55-60	0.15	0.37	2.06	8.2	0.28	1.36
B21B-172_60-65	0.10	0.34	2.10	6.6	0.05	1.24
B21B-172_65-70	0.08	0.25	5.71	8.9	0.08	0.95
B21B-172_70-75	0.09	0.33	3.81	7.3	0.05	1.36
B21B-172_75-80	0.08	0.33	6.61	6.4	0.24	1.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-173_0-5	0.13	0.44	2.79	8.6	0.14	1.22
B21B-173_5-10	<0.05	0.06	1.00	1.2	0.02	0.17
B21B-173_10-15	<0.05	0.29	3.24	7.1	0.15	0.72
B21B-173_15-20	<0.05	0.17	1.66	5.2	0.12	0.38
B21B-173_20-25	<0.05	0.17	1.68	5.2	0.12	0.39
B21B-173_25-30	0.06	0.31	2.04	8.1	0.08	0.90
B21B-173_30-35	<0.05	0.33	2.76	9.0	0.12	0.70
B21B-173_35-40	<0.05	0.23	2.93	5.2	0.05	0.42
B21B-173_40-45	<0.05	0.22	2.29	6.2	0.07	0.64
B21B-173_45-50	<0.05	0.07	1.72	0.9	0.06	0.12
B21B-173_50-55	<0.05	<0.05	1.15	0.6	0.04	0.08
B21B-173_55-60	<0.05	<0.05	1.12	0.5	0.02	0.07
B21B-173_60-65	<0.05	<0.05	1.21	0.4	0.05	0.07
B21B-173_65-70	<0.05	0.08	2.64	2.9	0.35	0.31
B21B-173_70-75	<0.05	0.15	6.32	5.7	0.20	0.47
B21B-173_75-80	<0.05	0.25	3.56	8.6	0.18	0.68
B21B-174_0-5	0.11	0.42	5.79	8.1	0.95	1.31
B21B-174_5-10	0.10	0.47	7.72	6.5	1.67	1.15
B21B-174_10-15	0.11	0.37	5.14	5.2	1.96	1.10
B21B-174_15-20	0.10	0.35	6.63	5.7	1.92	1.01
B21B-174_20-25	0.11	0.44	6.93	6.3	2.29	1.14
B21B-174_25-30	0.11	0.37	8.00	6.0	2.32	1.09
B21B-174_30-35	0.12	0.30	14.51	5.8	2.49	1.05
B21B-174_35-40	0.12	0.25	12.94	5.3	2.67	1.02
B21B-174_40-45	0.13	0.35	10.05	6.4	2.75	1.15
*Dup B21B-172_30-35	0.11	0.27	1.97	5.8	0.23	1.03
*Std OREAS 905	1.41	0.76	0.11	12.9	0.67	4.43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	1.25	0.56	12.82	11.3	1.40	4.33
*Rep B21B-173_40-45	<0.05	0.21	2.27	5.9	0.07	0.61
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 601b	1.12	0.52	12.63	11.7	1.42	4.73
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.31	0.74	0.13	15.0	0.70	5.14
*Std OREAS 601b	1.13	0.55	13.06	12.2	1.44	4.61
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-171_40-45	0.09	0.32	3.25	10.7	0.13	1.52
*Std OREAS 905	1.40	0.82	0.13	15.1	0.71	5.14

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-169_50-55	1.7	5.3	1.0
B21B-169_55-60	2.0	3.9	1.0
B21B-169_60-65	2.8	4.1	1.1
B21B-169_65-70	1.9	3.8	1.0
B21B-169_70-75	2.2	4.2	1.1
B21B-169_75-80	2.7	4.4	1.2
B21B-170_0-5	1.3	4.4	0.9
B21B-170_5-10	1.0	4.3	0.9
B21B-170_10-15	1.0	4.1	0.9
B21B-170_15-20	0.7	4.3	0.8
B21B-170_20-25	0.8	3.8	0.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11030

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-170_25-30	4.0	3.1	0.6
B21B-170_30-35	3.6	3.4	0.7
B21B-170_35-40	6.1	4.5	0.6
B21B-170_40-50	3.3	3.9	0.6
B21B-171_0-5	1.1	6.9	1.2
B21B-171_5-10	1.5	7.3	1.3
B21B-171_10-15	1.4	6.7	1.2
B21B-171_15-20	1.6	7.9	1.4
B21B-171_20-25	1.4	6.6	1.3
B21B-171_25-30	1.5	6.8	1.3
B21B-171_30-35	1.3	6.4	1.3
B21B-171_35-40	1.5	7.3	1.5
B21B-171_40-45	1.5	5.7	1.2
B21B-171_45-50	1.8	5.9	1.2
B21B-171_50-55	1.6	5.6	1.2
B21B-171_55-60	1.4	5.2	1.0
B21B-171_60-65	1.3	6.1	1.2
B21B-171_65-70	1.1	5.5	1.0
B21B-171_70-75	1.8	5.8	1.1
B21B-171_75-80	1.3	5.7	1.2
B21B-172_0-5	0.8	3.5	0.5
B21B-172_5-10	0.7	3.4	0.6
B21B-172_10-15	0.8	5.2	1.1
B21B-172_15-20	1.2	6.0	1.2
B21B-172_20-25	1.2	5.5	1.2
B21B-172_25-30	1.7	5.8	1.3
B21B-172_30-35	1.1	6.9	1.3
B21B-172_35-40	1.1	7.6	1.2
B21B-172_40-45	1.0	7.5	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11030

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-172_45-50	1.6	7.1	1.3
B21B-172_50-55	3.4	6.8	1.3
B21B-172_55-60	2.2	7.4	1.3
B21B-172_60-65	5.3	8.0	1.3
B21B-172_65-70	2.2	5.7	1.0
B21B-172_70-75	4.4	8.6	1.5
B21B-172_75-80	2.4	7.9	1.3
B21B-173_0-5	1.2	7.1	1.2
B21B-173_5-10	1.8	1.1	0.2
B21B-173_10-15	1.3	4.7	0.6
B21B-173_15-20	1.6	2.7	0.4
B21B-173_20-25	1.6	2.7	0.4
B21B-173_25-30	2.4	7.7	1.1
B21B-173_30-35	1.8	4.4	0.7
B21B-173_35-40	0.9	2.7	0.4
B21B-173_40-45	2.2	4.4	0.7
B21B-173_45-50	1.9	1.0	0.1
B21B-173_50-55	2.9	0.6	<0.1
B21B-173_55-60	3.3	0.6	<0.1
B21B-173_60-65	3.7	0.4	<0.1
B21B-173_65-70	2.8	2.1	0.4
B21B-173_70-75	8.8	3.2	0.5
B21B-173_75-80	12.0	4.8	0.7
B21B-174_0-5	2.8	7.9	1.2
B21B-174_5-10	1.1	8.1	1.3
B21B-174_10-15	0.7	6.7	1.2
B21B-174_15-20	0.6	8.1	1.2
B21B-174_20-25	0.5	9.0	1.3
B21B-174_25-30	0.4	8.6	1.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1240-1314)  
 Number of Samples 74

## ANALYSIS REPORT BBM21-11030

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-174_30-35	0.4	7.5	1.2
B21B-174_35-40	0.4	7.7	1.2
B21B-174_40-45	0.3	8.6	1.4
*Dup B21B-172_30-35	1.1	6.7	1.3
*Std OREAS 905	2.7	15.6	0.6
*Std OREAS 601b	6.3	11.8	0.5
*Rep B21B-173_40-45	2.0	4.2	0.7
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 601b	6.5	12.1	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	3.0	16.8	0.7
*Std OREAS 601b	6.2	10.9	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Rep B21B-171_40-45	1.6	5.8	1.2
*Std OREAS 905	2.8	16.0	0.7

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-11032

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	16-Sep-2021 - 27-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	27-Oct-2021
Gold/RABP2/1504Samples(1315-1389)		SGS Order Number	BBM21-11032
Number of Samples	73		

### Methods Summary

Number of Sample	Method Code	Description
73	G_WGH_KG	Weight of samples received
73	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
70	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
70	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
70	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3),ICP-MS, 0.2g-12ml
1	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-174_45-50	5.99	<0.005	7.39	321	0.04	2
B21B-174_50-60	13.01	<0.005	7.10	541	0.03	3
B21B-174_60-65	4.39	<0.005	7.35	244	0.03	2
B21B-174_65-70	5.05	<0.005	9.21	135	0.04	3
B21B-174_70-75	2.83	<0.005	6.79	174	0.03	8
B21B-174_75-80	7.05	<0.005	7.28	149	0.04	3
B21B-175_0-5	3.09	0.053	7.85	469	0.06	13
B21B-175_5-10	6.31	0.135	5.29	355	0.03	5
B21B-175_10-15	4.95	0.686	5.85	424	0.04	4
B21B-175_15-20	5.29	1.110	6.09	296	0.03	3
B21B-175_20-25	5.39	0.477	7.15	557	0.06	4
B21B-175_25-30	5.22	0.373	8.19	398	0.03	6
B21B-175_30-35	6.55	0.388	7.15	594	0.03	5
B21B-175_35-40	6.06	0.109	7.53	667	0.03	2
596980	5.44	0.179	-	-	-	-
B21B-175_45-50	7.37	0.096	8.38	342	0.03	2
B21B-175_50-55	3.75	0.103	7.69	260	0.03	2
B21B-175_55-60	4.57	0.065	6.72	260	0.02	4
B21B-175_60-65	8.08	0.070	6.35	209	0.02	4
B21B-175_65-70	7.53	0.063	6.84	443	0.03	4
B21B-175_70-75	7.53	0.044	7.19	518	0.03	3
B21B-175_75-80	9.06	0.054	7.49	136	0.02	5
B21B-176_0-5	5.71	0.035	7.92	316	0.07	16
B21B-176_5-10	3.57	0.015	6.27	214	0.02	6
B21B-176_10-15	3.64	0.015	6.39	153	0.02	2
B21B-176_15-20	5.60	0.022	5.12	112	0.03	2
B21B-176_20-25	5.71	0.012	4.49	71	0.03	2
B21B-176_25-30	5.90	0.010	4.31	60	0.03	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-176_30-35	6.85	<0.005	4.54	113	0.02	3
B21B-176_35-40	5.14	0.010	5.40	303	0.08	1
B21B-176_45-50	5.45	0.021	5.81	118	0.08	3
B21B-176_50-55	6.44	0.012	6.49	123	0.03	2
B21B-176_55-60	7.10	0.011	6.21	88	0.05	4
B21B-176_60-65	6.71	0.009	6.17	114	0.03	3
B21B-176_65-70	8.22	0.016	5.63	308	0.02	3
B21B-176_70-75	7.12	0.013	5.49	117	0.03	6
B21B-176_75-80	7.03	0.006	5.64	252	0.02	3
B21B-177_0-5	2.60	0.008	8.46	674	0.49	16
B21B-177_5-10	4.38	0.013	10.79	1871	0.10	7
B21B-177_10-15	4.03	0.015	10.06	1132	0.10	13
B21B-177_15-20	3.78	0.010	7.65	569	0.06	2
B21B-177_20-25	7.29	0.010	5.90	369	0.06	2
B21B-177_25-30	6.02	0.011	6.65	542	0.05	1
B21B-177_30-35	6.56	0.009	6.08	579	0.05	2
B21B-177_35-40	4.82	0.006	6.19	493	0.04	2
B21B-177_40-45	5.49	<0.005	6.76	897	0.03	2
B21B-177_45-50	3.73	<0.005	6.56	630	0.03	3
596981	0.05	0.314	-	-	-	-
B21B-177_50-55	5.34	<0.005	5.77	722	0.04	2
B21B-177_55-60	5.50	0.006	5.88	370	0.03	2
B21B-177_60-65	5.46	0.005	6.57	623	0.03	2
B21B-177_65-70	6.96	0.008	5.58	331	0.03	3
B21B-177_70-75	4.35	0.008	5.20	178	0.02	2
B21B-177_75-80	5.51	0.009	5.07	186	0.02	4
B21B-178_0-5	4.15	0.029	8.19	419	0.30	16
B21B-178_5-10	3.52	0.046	9.84	342	0.06	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	*WTKG G_WGH_KG 0.01 -- kg	Au GE_FAA30V5 0.005 10 ppm m / m	Al GE_ICP40Q12 0.01 15 %	Ba GE_ICP40Q12 1 10,000 ppm m / m	Ca GE_ICP40Q12 0.01 15 %	Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-178_10-15	4.15	0.055	10.43	347	0.06	3
B21B-178_15-20	3.22	0.026	10.87	442	0.05	3
B21B-178_20-25	4.16	0.128	8.49	1886	0.05	2
B21B-178_25-30	4.13	0.055	7.85	1598	0.10	3
B21B-178_30-35	4.71	0.019	10.61	1113	0.13	3
B21B-178_35-40	3.55	0.032	9.97	1280	0.18	4
B21B-178_40-45	5.04	0.024	8.37	1937	0.13	3
B21B-178_45-50	6.86	0.013	10.29	1267	0.13	4
B21B-178_50-55	5.28	0.019	7.75	961	0.08	3
B21B-178_55-60	7.68	0.007	8.02	1460	0.08	3
B21B-178_60-65	7.36	0.007	7.87	2198	0.08	5
B21B-178_65-70	4.12	<0.005	8.06	1213	0.08	3
B21B-178_70-75	4.86	0.007	9.25	1236	0.07	3
B21B-178_75-80	6.92	0.008	7.81	963	0.09	5
B21B-179_0-5	6.74	0.015	8.45	275	0.15	6
B21B-179_5-10	4.72	0.020	7.76	169	0.04	2
596982	3.07	<0.005	-	-	-	-
*Dup B21B-177_5-10	-	0.011	9.95	1747	0.12	7
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.39	2680	0.56	15
*Std OREAS 601b	-	-	6.57	381	0.85	20
*Blk BLANK	-	-	0.02	2	<0.01	<1
*Rep B21B-175_60-65	-	-	6.80	206	0.02	3
*Std OREAS 905	-	-	7.02	2685	0.56	14
*Std OREAS 601b	-	-	6.30	494	0.85	20
*Rep B21B-175_45-50	-	0.096	-	-	-	-
*Std OREAS 235	-	1.515	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	*WTKG	Au	Al	Ba	Ca	Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.781	-	-	-	-
*Rep B21B-177_15-20	-	0.013	-	-	-	-
*Std OREAS 296	-	2.267	-	-	-	-
*Rep B21B-178_45-50	-	0.016	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-174_45-50	28.3	3.11	3.24	<1	0.04	12
B21B-174_50-60	40.1	2.92	2.77	<1	0.04	13
B21B-174_60-65	43.9	3.47	2.95	<1	0.04	16
B21B-174_65-70	42.9	6.02	3.72	<1	0.05	19
B21B-174_70-75	52.4	4.22	2.36	<1	0.04	15
B21B-174_75-80	62.4	3.38	2.99	<1	0.04	17
B21B-175_0-5	9.1	1.69	0.39	6	0.02	34
B21B-175_5-10	12.2	3.22	0.10	3	<0.01	16
B21B-175_10-15	12.5	3.50	0.07	3	<0.01	13
B21B-175_15-20	13.2	6.47	0.03	2	<0.01	14
B21B-175_20-25	7.5	3.43	0.32	2	<0.01	12
B21B-175_25-30	12.8	7.40	0.04	3	<0.01	12
B21B-175_30-35	15.7	6.59	0.02	2	<0.01	13
B21B-175_35-40	8.1	3.68	0.02	2	<0.01	12
B21B-175_45-50	8.1	2.39	0.02	2	<0.01	14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-175_50-55	9.9	2.77	0.01	2	<0.01	18
B21B-175_55-60	30.9	3.70	0.02	2	<0.01	18
B21B-175_60-65	21.2	4.15	0.02	2	<0.01	20
B21B-175_65-70	20.5	4.35	0.01	1	<0.01	18
B21B-175_70-75	38.9	4.11	0.02	2	<0.01	21
B21B-175_75-80	33.9	3.99	0.01	2	<0.01	17
B21B-176_0-5	20.8	5.12	0.34	11	0.05	48
B21B-176_5-10	11.9	5.41	0.03	3	<0.01	16
B21B-176_10-15	6.7	3.93	0.02	2	<0.01	15
B21B-176_15-20	5.7	4.40	<0.01	<1	<0.01	18
B21B-176_20-25	9.5	5.18	<0.01	1	<0.01	12
B21B-176_25-30	8.0	4.10	0.01	1	<0.01	15
B21B-176_30-35	15.0	7.56	0.01	1	<0.01	13
B21B-176_35-40	3.9	3.27	0.02	2	<0.01	13
B21B-176_45-50	5.9	3.57	0.01	2	<0.01	16
B21B-176_50-55	5.8	3.14	<0.01	1	<0.01	15
B21B-176_55-60	7.7	4.34	0.03	1	<0.01	19
B21B-176_60-65	4.7	2.45	0.04	<1	<0.01	20
B21B-176_65-70	16.8	3.52	0.51	<1	0.01	19
B21B-176_70-75	31.5	4.12	0.11	<1	<0.01	18
B21B-176_75-80	85.6	2.72	0.45	1	0.01	19
B21B-177_0-5	9.8	3.83	2.08	19	0.16	204
B21B-177_5-10	3.5	2.86	0.39	3	0.01	26
B21B-177_10-15	4.3	2.44	0.80	2	<0.01	17
B21B-177_15-20	12.4	2.04	0.08	1	<0.01	16
B21B-177_20-25	7.8	2.41	0.06	<1	<0.01	15
B21B-177_25-30	1.5	2.29	0.29	<1	<0.01	10
B21B-177_30-35	5.3	2.29	0.51	<1	<0.01	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-177_35-40	14.8	2.32	0.50	<1	<0.01	12
B21B-177_40-45	9.4	2.81	1.02	<1	0.01	12
B21B-177_45-50	5.9	2.94	0.92	<1	<0.01	13
B21B-177_50-55	6.7	2.75	0.59	<1	<0.01	13
B21B-177_55-60	5.6	3.00	0.16	<1	<0.01	15
B21B-177_60-65	4.3	2.74	0.06	1	<0.01	14
B21B-177_65-70	7.2	2.94	0.04	<1	<0.01	16
B21B-177_70-75	7.3	4.89	0.06	<1	<0.01	18
B21B-177_75-80	20.0	4.23	0.05	<1	<0.01	17
B21B-178_0-5	39.9	7.56	1.65	13	0.09	142
B21B-178_5-10	18.1	3.81	2.29	2	0.01	18
B21B-178_10-15	58.7	5.37	2.29	1	<0.01	18
B21B-178_15-20	28.3	3.64	2.46	1	<0.01	15
B21B-178_20-25	77.7	10.20	1.70	<1	<0.01	17
B21B-178_25-30	32.5	7.85	1.40	<1	<0.01	13
B21B-178_30-35	6.9	3.00	2.22	1	0.01	13
B21B-178_35-40	13.8	6.62	2.75	<1	0.01	13
B21B-178_40-45	9.4	4.00	0.35	<1	<0.01	20
B21B-178_45-50	15.5	3.29	0.28	1	<0.01	26
B21B-178_50-55	42.5	6.33	0.16	2	<0.01	23
B21B-178_55-60	17.3	2.87	0.13	1	<0.01	24
B21B-178_60-65	27.0	3.20	0.08	1	<0.01	22
B21B-178_65-70	16.7	2.94	0.08	1	<0.01	22
B21B-178_70-75	12.0	3.49	0.11	2	<0.01	23
B21B-178_75-80	14.0	3.66	0.17	1	<0.01	25
B21B-179_0-5	22.9	3.12	0.63	5	0.04	73
B21B-179_5-10	12.0	2.63	0.16	2	<0.01	17
*Dup B21B-177_5-10	2.8	2.80	0.47	3	0.02	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Cu	Fe	K	Li	Mg	Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1517	3.93	3.02	22	0.28	373
*Std OREAS 601b	981	2.19	2.49	24	0.10	207
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-175_60-65	21.3	4.11	0.02	2	<0.01	20
*Std OREAS 905	1490	4.02	2.02	20	0.27	365
*Std OREAS 601b	952	2.18	2.40	22	0.10	207

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-174_45-50	0.34	1	0.06	3.09	78.0	0.06
B21B-174_50-60	0.34	1	0.05	2.48	68.5	0.06
B21B-174_60-65	0.32	2	0.05	3.78	87.8	0.05
B21B-174_65-70	0.40	1	0.06	>5.00	149	0.05
B21B-174_70-75	0.30	4	0.05	4.31	79.4	0.06
B21B-174_75-80	0.30	2	0.06	3.47	97.2	0.05
B21B-175_0-5	0.06	3	0.09	0.12	460	0.10
B21B-175_5-10	0.03	<1	0.07	0.08	372	0.08
B21B-175_10-15	0.02	<1	0.08	0.09	446	0.05
B21B-175_15-20	0.02	<1	0.07	0.08	372	0.03
B21B-175_20-25	0.05	<1	0.10	0.11	494	0.05
B21B-175_25-30	0.02	<1	0.07	0.09	340	0.03
B21B-175_30-35	0.01	<1	0.08	0.09	367	0.03
B21B-175_35-40	0.02	<1	0.10	0.07	279	0.03

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	Na GE_ICP40Q12 0.01 15 %	Ni GE_ICP40Q12 1 10,000 ppm m / m	P GE_ICP40Q12 0.01 15 %	S GE_ICP40Q12 0.01 5 %	Sr GE_ICP40Q12 0.5 10,000 ppm m / m	Ti GE_ICP40Q12 0.01 15 %
B21B-175_45-50	0.01	<1	0.08	0.09	284	0.04
B21B-175_50-55	0.01	<1	0.07	0.08	343	0.04
B21B-175_55-60	0.02	2	0.06	2.50	227	0.04
B21B-175_60-65	0.01	2	0.04	2.25	180	0.04
B21B-175_65-70	0.01	2	0.07	2.00	254	0.04
B21B-175_70-75	0.01	2	0.08	2.65	344	0.05
B21B-175_75-80	0.02	2	0.05	2.36	249	0.06
B21B-176_0-5	0.14	6	0.06	0.11	250	0.13
B21B-176_5-10	0.02	1	0.07	0.06	275	0.06
B21B-176_10-15	0.02	<1	0.06	0.05	243	0.04
B21B-176_15-20	0.02	<1	0.06	0.06	190	0.04
B21B-176_20-25	0.02	<1	0.05	0.06	137	0.03
B21B-176_25-30	0.02	<1	0.05	0.05	148	0.04
B21B-176_30-35	0.02	<1	0.06	0.06	149	0.03
B21B-176_35-40	0.02	<1	0.15	0.08	199	0.05
B21B-176_45-50	0.02	<1	0.14	0.09	144	0.05
B21B-176_50-55	0.02	<1	0.07	0.04	187	0.08
B21B-176_55-60	0.02	<1	0.12	0.06	135	0.06
B21B-176_60-65	0.02	1	0.07	0.04	153	0.06
B21B-176_65-70	0.08	<1	0.06	0.13	129	0.05
B21B-176_70-75	0.02	1	0.06	0.63	108	0.05
B21B-176_75-80	0.07	2	0.05	2.49	130	0.05
B21B-177_0-5	1.13	5	0.07	0.10	319	0.21
B21B-177_5-10	0.09	<1	0.23	0.20	1529	0.09
B21B-177_10-15	0.17	4	0.22	0.18	1417	0.06
B21B-177_15-20	0.03	<1	0.12	0.12	828	0.05
B21B-177_20-25	0.03	<1	0.11	0.11	759	0.05
B21B-177_25-30	0.06	<1	0.09	0.10	711	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-177_30-35	0.11	<1	0.08	0.09	661	0.05
B21B-177_35-40	0.09	<1	0.07	0.07	450	0.05
B21B-177_40-45	0.16	<1	0.08	0.07	408	0.05
B21B-177_45-50	0.15	<1	0.07	0.07	348	0.06
B21B-177_50-55	0.10	<1	0.08	0.07	364	0.06
B21B-177_55-60	0.05	<1	0.10	0.06	360	0.05
B21B-177_60-65	0.03	<1	0.10	0.05	295	0.05
B21B-177_65-70	0.02	1	0.08	0.06	303	0.05
B21B-177_70-75	0.04	1	0.10	0.06	215	0.05
B21B-177_75-80	0.03	2	0.09	0.54	220	0.05
B21B-178_0-5	0.71	3	0.11	0.07	371	0.15
B21B-178_5-10	0.41	<1	0.16	0.11	799	0.07
B21B-178_10-15	0.40	<1	0.18	0.12	928	0.06
B21B-178_15-20	0.49	<1	0.20	0.11	777	0.05
B21B-178_20-25	0.31	<1	0.24	0.14	656	0.02
B21B-178_25-30	0.29	<1	0.28	0.17	1161	0.04
B21B-178_30-35	0.56	<1	0.24	0.16	963	0.04
B21B-178_35-40	0.56	<1	0.34	0.20	1213	0.05
B21B-178_40-45	0.11	<1	0.32	0.16	1071	0.02
B21B-178_45-50	0.10	<1	0.28	0.17	1489	0.04
B21B-178_50-55	0.07	<1	0.20	0.16	1323	0.03
B21B-178_55-60	0.08	<1	0.19	0.15	1358	0.04
B21B-178_60-65	0.04	<1	0.22	0.14	1287	0.05
B21B-178_65-70	0.06	<1	0.19	0.14	1250	0.05
B21B-178_70-75	0.06	<1	0.18	0.14	1148	0.04
B21B-178_75-80	0.12	1	0.20	0.11	536	0.05
B21B-179_0-5	0.35	<1	0.06	0.05	271	0.08
B21B-179_5-10	0.08	<1	0.07	0.05	274	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Na	Ni	P	S	Sr	Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Dup B21B-177_5-10	0.14	<1	0.22	0.19	1397	0.10
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 905	2.43	9	0.03	0.07	162	0.12
*Std OREAS 601b	1.89	6	0.03	1.49	250	0.13
*Blk BLANK	<0.01	<1	<0.01	0.01	<0.5	<0.01
*Rep B21B-175_60-65	0.01	2	0.05	2.19	185	0.05
*Std OREAS 905	2.31	8	0.03	0.07	152	0.12
*Std OREAS 601b	1.81	6	0.03	1.53	231	0.13

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_45-50	46	7	124	0.07	1	2.7
B21B-174_50-60	45	4	119	0.08	<1	1.5
B21B-174_60-65	43	5	116	0.07	1	1.5
B21B-174_65-70	41	6	109	0.09	2	1.4
B21B-174_70-75	42	3	110	0.10	1	2.1
B21B-174_75-80	43	2	102	0.10	3	2.1
B21B-175_0-5	52	2	134	0.05	11	0.3
B21B-175_5-10	29	<1	154	0.69	16	0.3
B21B-175_10-15	21	<1	115	0.43	10	0.2
B21B-175_15-20	20	<1	126	0.48	15	0.2
B21B-175_20-25	53	<1	152	0.32	5	0.2
B21B-175_25-30	37	<1	140	0.45	8	0.3
B21B-175_30-35	30	<1	115	0.20	5	0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-175_35-40	35	<1	108	0.12	7	0.2
B21B-175_45-50	28	<1	108	0.23	7	0.2
B21B-175_50-55	22	<1	93.2	0.21	5	0.2
B21B-175_55-60	20	<1	78.6	0.16	4	0.2
B21B-175_60-65	20	<1	82.3	0.21	5	0.2
B21B-175_65-70	20	<1	90.3	0.17	4	0.2
B21B-175_70-75	19	<1	97.6	0.21	4	0.2
B21B-175_75-80	21	<1	99.4	0.16	3	0.1
B21B-176_0-5	56	8	98.9	0.13	19	0.6
B21B-176_5-10	27	2	87.9	0.10	9	0.3
B21B-176_10-15	18	<1	87.0	0.05	4	0.3
B21B-176_15-20	16	<1	88.6	0.04	3	0.2
B21B-176_20-25	16	3	73.0	0.06	3	0.2
B21B-176_25-30	17	<1	79.2	0.12	7	0.1
B21B-176_30-35	16	<1	69.5	0.07	5	0.2
B21B-176_35-40	23	2	76.1	0.08	5	0.3
B21B-176_45-50	21	<1	69.3	0.05	4	0.2
B21B-176_50-55	28	2	86.3	0.04	3	0.3
B21B-176_55-60	29	2	81.5	0.05	3	0.3
B21B-176_60-65	25	<1	81.7	0.05	3	0.3
B21B-176_65-70	39	3	80.2	0.09	3	0.5
B21B-176_70-75	24	3	77.0	0.15	3	0.3
B21B-176_75-80	41	5	74.8	0.06	2	0.4
B21B-177_0-5	56	27	93.7	0.06	9	1.1
B21B-177_5-10	62	2	146	0.03	6	0.2
B21B-177_10-15	88	<1	121	0.03	4	0.3
B21B-177_15-20	38	<1	103	0.04	3	0.1
B21B-177_20-25	29	<1	99.9	0.03	3	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-177_25-30	39	<1	104	0.04	3	0.2
B21B-177_30-35	33	1	88.7	0.05	3	0.2
B21B-177_35-40	34	<1	82.5	0.02	2	0.3
B21B-177_40-45	42	3	77.8	0.04	4	0.4
B21B-177_45-50	40	3	77.6	0.03	4	0.4
B21B-177_50-55	39	4	75.4	0.06	4	0.3
B21B-177_55-60	31	4	73.6	0.06	4	0.2
B21B-177_60-65	30	1	78.0	0.07	4	0.2
B21B-177_65-70	23	1	97.0	0.08	3	0.2
B21B-177_70-75	31	<1	104	0.11	5	0.2
B21B-177_75-80	26	<1	85.8	0.08	3	0.2
B21B-178_0-5	56	14	77.3	0.04	11	0.8
B21B-178_5-10	73	<1	98.1	0.10	5	0.2
B21B-178_10-15	73	<1	116	0.06	5	0.1
B21B-178_15-20	78	<1	108	0.05	3	0.2
B21B-178_20-25	46	<1	90.0	0.15	28	0.2
B21B-178_25-30	68	<1	87.2	0.08	5	0.1
B21B-178_30-35	97	<1	72.5	0.03	2	0.2
B21B-178_35-40	123	<1	70.4	0.11	4	0.2
B21B-178_40-45	69	<1	54.7	0.12	5	0.1
B21B-178_45-50	58	<1	81.8	0.07	3	0.1
B21B-178_50-55	44	<1	86.2	0.22	3	0.1
B21B-178_55-60	41	<1	106	0.04	3	<0.1
B21B-178_60-65	42	<1	108	0.03	2	<0.1
B21B-178_65-70	42	<1	118	0.07	3	<0.1
B21B-178_70-75	48	<1	104	0.08	3	0.1
B21B-178_75-80	54	<1	120	0.07	3	0.1
B21B-179_0-5	41	4	104	<0.02	4	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	V	Zn	Zr	Ag	As	Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-179_5-10	37	<1	94.4	<0.02	2	0.1
*Dup B21B-177_5-10	61	2	140	0.03	6	0.3
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	131	254	0.52	32	3.0
*Std OREAS 601b	11	301	178	49.00	283	2.2
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Rep B21B-175_60-65	23	1	92.9	0.20	5	0.2
*Std OREAS 905	7	128	243	0.61	34	3.1
*Std OREAS 601b	10	302	175	51.32	283	2.3

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_45-50	0.15	<0.02	25.01	5.6	3	18.0
B21B-174_50-60	0.14	<0.02	22.00	4.9	3	17.3
B21B-174_60-65	0.15	<0.02	20.77	7.2	3	16.4
B21B-174_65-70	0.15	0.02	26.26	6.1	3	15.5
B21B-174_70-75	0.18	<0.02	22.48	4.4	3	15.2
B21B-174_75-80	0.17	<0.02	30.40	5.6	3	15.3
B21B-175_0-5	14.39	<0.02	84.95	0.6	<1	39.0
B21B-175_5-10	17.33	<0.02	67.23	0.2	<1	30.4
B21B-175_10-15	14.15	<0.02	63.27	0.1	<1	27.3
B21B-175_15-20	8.76	<0.02	59.35	0.1	<1	29.4
B21B-175_20-25	4.66	<0.02	58.67	<0.1	<1	32.6
B21B-175_25-30	5.19	<0.02	51.68	0.1	<1	44.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-175_30-35	3.65	0.02	76.10	<0.1	<1	39.1
B21B-175_35-40	2.07	<0.02	54.89	0.1	<1	29.2
B21B-175_45-50	7.06	<0.02	62.67	0.2	<1	25.8
B21B-175_50-55	4.18	<0.02	89.55	0.1	<1	17.8
B21B-175_55-60	3.56	<0.02	72.28	4.8	<1	16.5
B21B-175_60-65	3.47	<0.02	54.82	3.5	<1	15.2
B21B-175_65-70	2.57	<0.02	65.44	3.3	<1	15.5
B21B-175_70-75	2.29	<0.02	78.64	4.3	<1	15.4
B21B-175_75-80	1.51	<0.02	61.14	3.6	<1	16.5
B21B-176_0-5	4.90	<0.02	75.37	1.6	1	23.3
B21B-176_5-10	1.23	<0.02	68.66	0.4	<1	15.3
B21B-176_10-15	0.72	<0.02	64.46	0.2	<1	14.1
B21B-176_15-20	0.79	<0.02	58.85	0.1	<1	10.9
B21B-176_20-25	0.56	<0.02	52.27	0.1	<1	9.3
B21B-176_25-30	0.91	<0.02	54.01	0.1	<1	9.9
B21B-176_30-35	0.43	<0.02	55.27	0.3	<1	11.1
B21B-176_35-40	0.49	<0.02	79.02	0.1	<1	11.6
B21B-176_45-50	0.46	<0.02	65.04	0.1	<1	12.5
B21B-176_50-55	0.44	<0.02	63.99	0.1	<1	14.1
B21B-176_55-60	0.44	0.02	50.98	0.2	<1	13.8
B21B-176_60-65	0.38	<0.02	56.14	0.3	<1	12.1
B21B-176_65-70	2.64	<0.02	45.64	0.3	<1	11.6
B21B-176_70-75	0.75	<0.02	44.06	0.8	<1	11.0
B21B-176_75-80	0.77	0.02	44.49	5.1	<1	11.8
B21B-177_0-5	1.31	<0.02	77.45	2.4	2	31.4
B21B-177_5-10	1.59	<0.02	104	0.7	<1	67.8
B21B-177_10-15	1.47	<0.02	104	0.2	<1	32.8
B21B-177_15-20	1.16	<0.02	59.15	0.1	<1	13.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-177_20-25	1.24	<0.02	56.53	0.1	<1	11.3
B21B-177_25-30	1.48	0.02	54.45	<0.1	<1	13.2
B21B-177_30-35	2.10	<0.02	51.33	0.1	<1	12.6
B21B-177_35-40	1.77	<0.02	45.15	0.1	<1	13.0
B21B-177_40-45	1.85	<0.02	55.40	0.1	<1	14.9
B21B-177_45-50	1.83	<0.02	52.56	0.1	<1	14.3
B21B-177_50-55	1.82	<0.02	51.54	0.1	<1	13.6
B21B-177_55-60	1.85	<0.02	49.70	0.1	<1	12.5
B21B-177_60-65	2.51	<0.02	52.21	0.2	<1	14.5
B21B-177_65-70	3.04	<0.02	52.59	0.3	<1	15.0
B21B-177_70-75	6.65	<0.02	53.24	0.2	<1	18.5
B21B-177_75-80	2.66	<0.02	46.63	0.5	<1	13.5
B21B-178_0-5	1.53	0.02	73.61	1.8	2	32.8
B21B-178_5-10	0.65	<0.02	65.84	0.2	2	55.5
B21B-178_10-15	0.58	<0.02	101	0.2	2	60.0
B21B-178_15-20	0.31	<0.02	86.20	0.1	5	55.0
B21B-178_20-25	3.46	<0.02	82.54	0.2	1	48.9
B21B-178_25-30	1.23	0.03	121	0.2	1	101
B21B-178_30-35	0.96	<0.02	87.33	<0.1	2	52.0
B21B-178_35-40	1.69	<0.02	85.15	0.1	2	42.0
B21B-178_40-45	1.01	<0.02	99.68	0.1	<1	24.6
B21B-178_45-50	0.97	0.02	118	0.2	<1	30.7
B21B-178_50-55	1.17	0.02	88.04	0.2	<1	27.4
B21B-178_55-60	0.74	<0.02	82.35	0.2	<1	23.0
B21B-178_60-65	0.70	<0.02	76.98	0.2	<1	30.5
B21B-178_65-70	0.77	<0.02	81.51	0.2	<1	29.4
B21B-178_70-75	0.77	<0.02	77.30	0.2	<1	26.6
B21B-178_75-80	0.68	<0.02	87.05	0.2	<1	19.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Bi	Cd	Ce	Co	Cs	Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-179_0-5	0.86	<0.02	65.65	0.6	<1	20.0
B21B-179_5-10	0.70	<0.02	65.89	0.1	<1	14.9
*Dup B21B-177_5-10	1.58	<0.02	109	0.4	<1	56.0
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 905	5.74	0.36	91.81	15.5	7	26.1
*Std OREAS 601b	17.71	1.96	69.84	2.8	5	22.6
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Rep B21B-175_60-65	3.36	<0.02	43.56	3.4	<1	17.4
*Std OREAS 905	5.91	0.36	88.30	13.9	7	24.8
*Std OREAS 601b	17.16	1.96	71.16	2.7	5	22.6

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_45-50	3.70	0.08	9.9	0.20	0.73	1.8
B21B-174_50-60	3.59	0.07	8.7	0.18	1.26	1.7
B21B-174_60-65	3.52	0.07	8.4	0.20	1.40	1.6
B21B-174_65-70	3.37	0.07	10.6	0.19	1.76	1.3
B21B-174_70-75	3.29	0.06	9.3	0.17	3.34	1.7
B21B-174_75-80	3.19	0.06	12.8	0.20	3.01	1.3
B21B-175_0-5	4.13	0.08	37.3	0.23	17.98	3.8
B21B-175_5-10	4.57	0.03	30.8	0.24	29.62	2.7
B21B-175_10-15	3.46	<0.02	30.8	0.20	24.23	1.7
B21B-175_15-20	3.60	<0.02	30.0	0.23	16.03	1.2
B21B-175_20-25	4.21	0.08	31.1	0.27	13.51	1.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-175_25-30	3.85	0.02	24.7	0.23	23.51	1.3
B21B-175_30-35	3.55	<0.02	36.5	0.26	42.16	1.1
B21B-175_35-40	3.21	<0.02	26.3	0.28	22.54	1.1
B21B-175_45-50	3.35	<0.02	27.7	0.26	5.99	1.2
B21B-175_50-55	2.80	<0.02	37.7	0.23	3.26	1.2
B21B-175_55-60	2.51	<0.02	30.1	0.22	4.94	1.3
B21B-175_60-65	2.66	<0.02	24.1	0.24	5.18	1.3
B21B-175_65-70	2.87	<0.02	28.8	0.27	3.41	1.5
B21B-175_70-75	3.02	<0.02	33.2	0.28	3.27	1.9
B21B-175_75-80	3.04	<0.02	27.4	0.29	2.73	1.9
B21B-176_0-5	3.54	0.06	34.8	0.28	33.88	5.7
B21B-176_5-10	2.88	0.02	31.8	0.25	15.32	2.3
B21B-176_10-15	2.70	<0.02	29.4	0.24	9.57	1.5
B21B-176_15-20	2.65	<0.02	27.9	0.25	6.18	1.6
B21B-176_20-25	2.16	<0.02	24.7	0.21	9.86	1.2
B21B-176_25-30	2.29	0.02	25.3	0.23	8.20	1.2
B21B-176_30-35	2.12	0.04	25.8	0.21	16.16	1.1
B21B-176_35-40	2.34	0.04	35.0	0.23	14.95	1.7
B21B-176_45-50	2.17	0.05	29.7	0.20	14.87	1.7
B21B-176_50-55	3.02	0.02	28.5	0.25	7.92	2.7
B21B-176_55-60	2.56	0.05	23.1	0.21	6.51	2.1
B21B-176_60-65	2.68	0.02	25.3	0.22	5.40	2.0
B21B-176_65-70	2.69	0.09	20.5	0.21	3.01	1.7
B21B-176_70-75	2.50	0.05	20.0	0.22	3.53	1.9
B21B-176_75-80	2.35	0.06	19.3	0.20	2.81	1.8
B21B-177_0-5	3.00	0.12	37.6	0.27	12.70	12.0
B21B-177_5-10	4.23	0.12	52.8	0.33	9.58	3.3
B21B-177_10-15	3.45	0.18	48.6	0.31	5.82	1.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element Method Lower Limit Upper Limit Unit	Hf GE_IMS40Q12 0.02 500 ppm m / m	In GE_IMS40Q12 0.02 500 ppm m / m	La GE_IMS40Q12 0.1 10,000 ppm m / m	Lu GE_IMS40Q12 0.01 1,000 ppm m / m	Mo GE_IMS40Q12 0.05 10,000 ppm m / m	Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-177_15-20	2.77	0.04	27.9	0.25	2.41	1.5
B21B-177_20-25	2.82	0.04	26.8	0.23	3.27	1.5
B21B-177_25-30	2.99	0.08	26.3	0.26	4.53	2.2
B21B-177_30-35	2.48	0.08	25.3	0.23	3.72	1.5
B21B-177_35-40	2.27	0.06	20.9	0.21	2.17	1.4
B21B-177_40-45	2.21	0.11	26.3	0.20	3.10	1.5
B21B-177_45-50	2.25	0.15	25.1	0.21	2.44	1.7
B21B-177_50-55	2.08	0.13	24.3	0.23	2.30	1.7
B21B-177_55-60	2.10	0.12	24.5	0.22	2.78	1.3
B21B-177_60-65	2.33	0.13	25.0	0.24	3.31	1.5
B21B-177_65-70	2.84	0.05	25.2	0.27	5.31	1.6
B21B-177_70-75	2.96	0.10	25.5	0.27	6.60	1.3
B21B-177_75-80	2.50	0.07	21.5	0.24	4.04	1.4
B21B-178_0-5	2.42	0.11	35.8	0.13	30.96	7.4
B21B-178_5-10	2.87	0.17	29.0	0.05	28.08	2.0
B21B-178_10-15	3.38	0.18	48.7	0.06	14.83	1.6
B21B-178_15-20	3.15	0.38	57.5	0.05	18.63	1.4
B21B-178_20-25	2.72	0.51	43.1	0.06	21.40	0.6
B21B-178_25-30	2.61	0.68	62.7	0.09	41.89	1.1
B21B-178_30-35	2.08	0.48	37.2	0.06	6.47	1.1
B21B-178_35-40	2.10	0.29	31.9	0.05	9.31	1.2
B21B-178_40-45	1.58	0.10	42.2	0.05	10.14	0.7
B21B-178_45-50	2.42	0.08	49.6	0.07	11.92	1.0
B21B-178_50-55	2.46	0.04	40.7	0.07	33.97	0.9
B21B-178_55-60	3.16	0.03	37.0	0.13	5.70	1.1
B21B-178_60-65	3.27	0.03	36.3	0.13	5.67	1.4
B21B-178_65-70	3.46	0.03	37.4	0.15	10.61	1.3
B21B-178_70-75	3.03	0.03	33.6	0.11	8.10	1.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11032**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Hf	In	La	Lu	Mo	Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-178_75-80	3.50	0.05	37.1	0.09	6.68	1.4
B21B-179_0-5	3.10	0.04	31.1	0.28	4.44	3.6
B21B-179_5-10	2.76	0.04	31.6	0.26	2.19	1.0
*Dup B21B-177_5-10	4.18	0.11	56.2	0.33	8.34	3.6
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.22	0.60	44.9	0.09	3.43	18.5
*Std OREAS 601b	5.29	0.42	34.7	0.07	4.95	14.5
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-175_60-65	2.73	<0.02	18.5	0.22	4.91	1.8
*Std OREAS 905	7.25	0.64	43.9	0.09	3.47	19.7
*Std OREAS 601b	5.27	0.45	33.1	0.07	5.23	15.4

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_45-50	10.8	95.5	0.24	7.7	7	1.0
B21B-174_50-60	10.5	82.3	0.27	5.3	8	0.9
B21B-174_60-65	10.1	85.2	0.25	9.0	8	0.9
B21B-174_65-70	8.1	86.0	0.23	9.6	8	0.9
B21B-174_70-75	8.3	74.0	0.42	6.6	8	0.9
B21B-174_75-80	8.7	90.8	0.24	10.1	5	0.9
B21B-175_0-5	136	13.2	2.81	8.0	4	4.8
B21B-175_5-10	118	3.3	5.07	8.8	20	3.6
B21B-175_10-15	122	1.7	3.25	7.4	19	2.5
B21B-175_15-20	98.6	0.6	2.08	8.6	24	1.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-175_20-25	115	5.7	1.50	10.5	17	2.4
B21B-175_25-30	81.7	0.8	2.20	8.6	30	1.3
B21B-175_30-35	87.2	0.6	0.99	10.2	22	0.9
B21B-175_35-40	61.9	0.4	1.30	9.1	16	0.7
B21B-175_45-50	66.0	0.4	1.53	8.9	13	0.7
B21B-175_50-55	75.0	0.3	0.67	7.8	15	0.5
B21B-175_55-60	50.1	0.6	0.99	6.9	17	0.5
B21B-175_60-65	37.1	0.4	0.89	7.0	21	0.3
B21B-175_65-70	47.7	0.3	0.63	6.9	20	0.4
B21B-175_70-75	65.4	0.4	0.68	6.3	17	0.5
B21B-175_75-80	42.8	0.3	0.49	6.9	18	0.4
B21B-176_0-5	55.7	19.3	1.57	10.8	11	1.6
B21B-176_5-10	26.5	2.4	0.77	8.6	11	0.5
B21B-176_10-15	21.5	0.8	0.54	7.2	6	0.3
B21B-176_15-20	14.0	0.3	0.70	7.7	7	0.3
B21B-176_20-25	12.2	0.4	0.85	5.6	7	<0.3
B21B-176_25-30	13.2	0.4	3.16	5.9	6	0.3
B21B-176_30-35	13.7	0.4	1.28	5.4	6	<0.3
B21B-176_35-40	11.9	0.8	1.35	6.9	8	0.4
B21B-176_45-50	12.6	0.4	1.13	6.5	9	0.3
B21B-176_50-55	12.1	0.3	0.68	6.3	8	0.5
B21B-176_55-60	6.7	0.9	0.64	6.9	8	0.4
B21B-176_60-65	4.9	1.0	0.58	7.2	6	<0.3
B21B-176_65-70	7.4	13.1	0.43	9.2	13	0.4
B21B-176_70-75	6.0	3.2	0.54	6.1	15	0.3
B21B-176_75-80	8.0	12.5	0.27	7.2	5	0.5
B21B-177_0-5	50.5	75.6	1.10	8.4	<2	1.8
B21B-177_5-10	140	8.1	1.36	19.7	4	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-177_10-15	85.4	14.1	1.18	18.9	4	0.7
B21B-177_15-20	46.4	1.5	0.89	10.8	3	0.3
B21B-177_20-25	38.3	1.3	0.90	8.4	4	0.3
B21B-177_25-30	33.0	5.8	0.87	8.8	5	0.6
B21B-177_30-35	36.7	9.6	0.79	7.4	4	0.5
B21B-177_35-40	27.0	9.4	0.75	7.8	4	0.5
B21B-177_40-45	22.9	18.0	1.10	7.8	5	0.5
B21B-177_45-50	19.6	16.1	1.07	7.5	6	0.6
B21B-177_50-55	19.6	11.0	1.53	6.6	6	0.5
B21B-177_55-60	15.4	3.0	1.09	6.1	8	0.3
B21B-177_60-65	11.4	1.3	1.71	6.7	6	0.4
B21B-177_65-70	12.0	0.7	0.94	7.6	6	0.4
B21B-177_70-75	9.8	1.1	1.24	8.1	11	0.5
B21B-177_75-80	10.2	1.0	0.67	6.9	9	0.4
B21B-178_0-5	29.5	54.2	1.40	11.0	5	1.2
B21B-178_5-10	28.6	39.8	0.57	10.5	3	1.0
B21B-178_10-15	29.3	38.4	0.73	16.5	5	0.8
B21B-178_15-20	24.7	47.4	0.40	18.2	3	1.0
B21B-178_20-25	22.7	26.1	6.38	15.2	8	0.6
B21B-178_25-30	43.0	22.4	0.95	13.8	6	0.6
B21B-178_30-35	44.4	42.0	0.47	15.6	3	0.8
B21B-178_35-40	78.2	44.7	0.86	18.0	9	1.0
B21B-178_40-45	69.3	5.9	0.70	13.0	6	0.3
B21B-178_45-50	93.5	4.6	0.59	14.4	4	0.4
B21B-178_50-55	78.2	3.1	0.74	12.6	9	0.3
B21B-178_55-60	68.9	2.3	0.72	11.8	4	0.4
B21B-178_60-65	62.2	1.5	0.63	11.6	5	0.4
B21B-178_65-70	56.1	1.6	0.85	13.4	4	0.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Pb	Rb	Sb	Sc	Se	Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-178_70-75	47.3	2.0	0.92	11.3	6	0.4
B21B-178_75-80	20.4	3.6	0.78	13.8	5	0.5
B21B-179_0-5	37.2	20.5	0.58	8.5	3	0.6
B21B-179_5-10	27.6	3.8	0.23	8.3	3	0.4
*Dup B21B-177_5-10	137	11.0	1.26	18.6	3	0.8
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	28.6	144	2.05	5.9	3	4.6
*Std OREAS 601b	316	98.5	24.02	4.1	10	3.7
*Blk BLANK	<0.5	0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-175_60-65	36.4	0.4	1.13	4.6	21	0.4
*Std OREAS 905	32.7	102	1.96	5.0	2	4.6
*Std OREAS 601b	290	101	23.32	3.5	9	3.6

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-174_45-50	0.14	0.27	5.39	4.8	3.07	1.43
B21B-174_50-60	0.13	0.22	5.76	4.3	3.01	1.37
B21B-174_60-65	0.13	0.25	3.41	5.0	2.86	1.39
B21B-174_65-70	0.12	0.25	6.67	5.2	2.73	1.23
B21B-174_70-75	0.13	0.21	8.46	3.8	2.56	1.15
B21B-174_75-80	0.10	0.28	11.59	5.8	2.82	1.29
B21B-175_0-5	0.25	0.36	8.81	14.8	0.26	1.74
B21B-175_5-10	0.17	0.29	17.49	10.3	0.07	1.79
B21B-175_10-15	0.13	0.28	15.25	8.7	0.04	1.48

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-175_15-20	0.08	0.27	12.29	8.1	<0.02	1.49
B21B-175_20-25	0.13	0.35	4.53	8.1	0.18	2.13
B21B-175_25-30	0.13	0.25	8.47	5.2	0.02	2.01
B21B-175_30-35	0.10	0.35	4.18	9.2	<0.02	1.68
B21B-175_35-40	0.08	0.33	2.97	7.6	<0.02	1.47
B21B-175_45-50	0.10	0.42	7.52	7.0	<0.02	1.48
B21B-175_50-55	0.10	0.50	6.08	8.7	<0.02	1.26
B21B-175_55-60	0.10	0.44	5.01	6.8	0.02	1.18
B21B-175_60-65	0.10	0.44	5.72	6.2	<0.02	1.16
B21B-175_65-70	0.11	0.55	5.95	7.5	<0.02	1.22
B21B-175_70-75	0.18	0.59	4.26	8.6	<0.02	1.37
B21B-175_75-80	0.15	0.52	4.21	7.3	<0.02	1.27
B21B-176_0-5	0.38	0.45	8.48	12.9	0.30	2.05
B21B-176_5-10	0.17	0.45	6.28	8.4	0.06	1.56
B21B-176_10-15	0.11	0.40	4.75	7.9	0.03	1.40
B21B-176_15-20	0.10	0.36	5.49	7.4	<0.02	1.43
B21B-176_20-25	0.07	0.33	5.63	6.9	<0.02	1.13
B21B-176_25-30	0.07	0.34	13.42	7.1	<0.02	1.25
B21B-176_30-35	0.07	0.32	10.76	6.9	<0.02	1.08
B21B-176_35-40	0.10	0.44	11.48	8.0	0.03	1.36
B21B-176_45-50	0.11	0.45	8.87	8.3	<0.02	1.24
B21B-176_50-55	0.20	0.38	3.50	6.6	<0.02	1.28
B21B-176_55-60	0.15	0.34	3.74	7.4	0.04	1.23
B21B-176_60-65	0.15	0.29	3.49	7.4	0.06	1.14
B21B-176_65-70	0.12	0.27	4.01	6.3	0.77	1.05
B21B-176_70-75	0.13	0.26	5.12	6.2	0.19	1.11
B21B-176_75-80	0.13	0.37	6.53	5.3	0.78	1.22
B21B-177_0-5	0.82	0.56	4.80	12.6	1.11	3.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-177_5-10	0.28	0.87	6.47	17.3	1.39	2.73
B21B-177_10-15	0.14	0.91	5.02	15.2	3.19	3.09
B21B-177_15-20	0.10	0.58	2.90	7.4	0.26	2.25
B21B-177_20-25	0.10	0.49	2.82	7.2	0.17	1.84
B21B-177_25-30	0.14	0.51	2.50	7.8	1.19	1.66
B21B-177_30-35	0.10	0.47	3.32	7.7	2.09	1.60
B21B-177_35-40	0.10	0.40	3.95	7.1	2.20	1.53
B21B-177_40-45	0.10	0.47	6.94	7.1	5.01	1.57
B21B-177_45-50	0.12	0.47	7.71	6.9	4.26	1.38
B21B-177_50-55	0.11	0.51	6.05	7.4	2.73	1.52
B21B-177_55-60	0.08	0.47	6.26	7.0	0.66	1.42
B21B-177_60-65	0.10	0.43	8.65	7.1	0.22	1.42
B21B-177_65-70	0.11	0.42	8.41	7.7	0.15	1.86
B21B-177_70-75	0.09	0.35	8.81	7.8	0.18	1.78
B21B-177_75-80	0.09	0.34	6.42	6.8	0.18	1.49
B21B-178_0-5	0.50	0.38	6.56	14.2	1.37	2.54
B21B-178_5-10	0.14	0.26	3.39	8.5	5.33	1.62
B21B-178_10-15	0.12	0.35	3.84	14.6	5.27	1.94
B21B-178_15-20	0.10	0.31	1.13	9.7	5.09	1.79
B21B-178_20-25	<0.05	0.38	42.97	10.4	3.79	1.76
B21B-178_25-30	0.08	0.42	7.04	18.7	2.72	1.95
B21B-178_30-35	0.09	0.33	2.76	7.4	3.68	1.70
B21B-178_35-40	0.09	0.36	3.30	5.8	5.68	2.11
B21B-178_40-45	0.05	0.54	3.30	8.6	0.66	1.65
B21B-178_45-50	0.08	0.57	2.18	10.5	0.54	2.39
B21B-178_50-55	0.06	0.43	2.32	11.2	0.31	2.06
B21B-178_55-60	0.07	0.49	2.04	10.2	0.21	2.14
B21B-178_60-65	0.09	0.52	2.01	10.4	0.14	2.09

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	Ta	Tb	Te	Th	Tl	U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-178_65-70	0.09	0.47	2.81	11.2	0.12	2.10
B21B-178_70-75	0.09	0.46	2.69	8.7	0.18	2.04
B21B-178_75-80	0.10	0.40	2.38	11.0	0.27	2.04
B21B-179_0-5	0.25	0.41	4.95	11.3	0.22	1.93
B21B-179_5-10	0.07	0.47	3.48	10.2	0.11	1.67
*Dup B21B-177_5-10	0.27	0.87	6.17	18.1	1.38	2.69
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.34	0.76	0.10	14.6	0.71	4.94
*Std OREAS 601b	1.13	0.51	13.18	11.9	1.45	4.58
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-175_60-65	0.12	0.39	5.51	4.2	<0.02	1.20
*Std OREAS 905	1.38	0.74	0.13	14.0	0.70	4.79
*Std OREAS 601b	1.13	0.50	13.17	11.0	1.42	4.36

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-174_45-50	0.6	6.3	1.1	-
B21B-174_50-60	0.4	5.3	1.0	-
B21B-174_60-65	0.5	6.9	1.1	-
B21B-174_65-70	0.5	7.2	1.0	5.208
B21B-174_70-75	0.8	5.5	1.0	-
B21B-174_75-80	1.1	8.3	1.1	-
B21B-175_0-5	4.0	7.5	1.4	-
B21B-175_5-10	3.8	6.9	1.4	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-175_10-15	3.2	5.7	1.1	-
B21B-175_15-20	2.2	6.9	1.4	-
B21B-175_20-25	2.7	8.0	1.6	-
B21B-175_25-30	2.0	5.7	1.4	-
B21B-175_30-35	2.1	8.2	1.6	-
B21B-175_35-40	1.9	9.7	1.7	-
B21B-175_45-50	1.8	9.8	1.6	-
B21B-175_50-55	1.8	9.5	1.4	-
B21B-175_55-60	11.0	10.4	1.4	-
B21B-175_60-65	8.5	12.8	1.6	-
B21B-175_65-70	7.5	13.9	1.7	-
B21B-175_70-75	9.9	13.3	1.7	-
B21B-175_75-80	6.5	13.6	1.8	-
B21B-176_0-5	1.4	12.3	1.7	-
B21B-176_5-10	0.9	11.5	1.6	-
B21B-176_10-15	1.1	11.1	1.5	-
B21B-176_15-20	1.4	10.4	1.5	-
B21B-176_20-25	1.1	8.7	1.3	-
B21B-176_25-30	1.3	9.4	1.4	-
B21B-176_30-35	1.2	8.8	1.3	-
B21B-176_35-40	0.9	11.3	1.4	-
B21B-176_45-50	1.1	11.8	1.2	-
B21B-176_50-55	1.7	11.1	1.5	-
B21B-176_55-60	1.6	10.6	1.3	-
B21B-176_60-65	2.9	10.6	1.3	-
B21B-176_65-70	1.5	9.2	1.2	-
B21B-176_70-75	2.8	9.1	1.3	-
B21B-176_75-80	2.6	10.2	1.2	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-177_0-5	1.3	14.0	1.7	-
B21B-177_5-10	1.4	17.0	2.2	-
B21B-177_10-15	1.2	17.0	2.1	-
B21B-177_15-20	1.4	12.7	1.7	-
B21B-177_20-25	1.4	11.2	1.5	-
B21B-177_25-30	1.3	12.8	1.7	-
B21B-177_30-35	1.0	11.4	1.5	-
B21B-177_35-40	1.0	10.6	1.4	-
B21B-177_40-45	1.0	10.7	1.4	-
B21B-177_45-50	1.0	11.0	1.4	-
B21B-177_50-55	0.9	11.9	1.5	-
B21B-177_55-60	1.1	11.5	1.5	-
B21B-177_60-65	1.8	11.3	1.6	-
B21B-177_65-70	3.6	11.9	1.7	-
B21B-177_70-75	2.2	10.4	1.7	-
B21B-177_75-80	3.4	10.6	1.5	-
B21B-178_0-5	4.7	8.8	0.9	-
B21B-178_5-10	2.5	2.7	0.3	-
B21B-178_10-15	2.2	3.8	0.4	-
B21B-178_15-20	2.0	4.9	0.3	-
B21B-178_20-25	1.4	5.9	0.4	-
B21B-178_25-30	2.5	5.5	0.5	-
B21B-178_30-35	1.8	4.3	0.4	-
B21B-178_35-40	1.8	3.8	0.3	-
B21B-178_40-45	1.7	6.0	0.3	-
B21B-178_45-50	2.7	5.3	0.4	-
B21B-178_50-55	2.5	4.7	0.5	-
B21B-178_55-60	2.4	7.1	0.9	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11032

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1315-1389)  
 Number of Samples 73

Element	W	Y	Yb	S
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-178_60-65	2.8	7.3	0.8	-
B21B-178_65-70	2.6	7.6	1.0	-
B21B-178_70-75	2.8	5.9	0.7	-
B21B-178_75-80	2.9	6.7	0.6	-
B21B-179_0-5	2.4	10.9	1.8	-
B21B-179_5-10	1.6	10.3	1.6	-
*Dup B21B-177_5-10	1.3	17.1	2.2	-
*Rep B21B-174_65-70	-	-	-	5.179
*Std OREAS 135	-	-	-	7.149
*Blk BLANK	-	-	-	<0.005
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	2.7	16.1	0.6	-
*Std OREAS 601b	6.1	10.9	0.5	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Rep B21B-175_60-65	8.2	10.3	1.4	-
*Std OREAS 905	3.0	15.5	0.6	-
*Std OREAS 601b	6.4	10.4	0.5	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



# ANALYSIS REPORT BBM21-11033

To COD SGS MINERALS - GEOCHEM VANCOUVER  
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
 201 ROUTE 17 NORTH, 7TH FLOOR  
 Rutherford 07070  
 Bergen  
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	08-Sep-2021 - 31-Oct-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	30-Nov-2021
Gold/RABP2/1504Samples(1390-1464)		SGS Order Number	BBM21-11033
Number of Samples	75		

Methods Summary		
Number of Sample	Method Code	Description
75	G_WGH_KG	Weight of samples received
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
72	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
72	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
72	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3),ICP-MS, 0.2g-12ml
2	GE_CSA06V	Total Sulphur and Carbon, IR Combustion

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
 Analysis of samples was performed at the SGS Burnaby site.  
 This report cancels and supersedes the report BBM\_U0015872309 dated 31-Oct-2021 issued by SGS Canada (Burnaby).  
 Elements sequence is updated.

Authorised Signatory

**John Chiang**  
 Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-179_10-15	4.74	0.019	7.10	121	0.04	2
B21B-179_15-20	5.37	0.016	8.22	198	0.03	2
B21B-179_20-25	4.55	0.022	8.63	239	0.02	3
B21B-179_25-30	4.91	0.012	6.56	156	0.01	3
B21B-179_30-35	5.55	0.013	5.31	115	0.01	2
B21B-179_35-40	5.03	0.015	4.96	84	0.01	3
B21B-180_0-5	3.52	0.005	7.93	750	0.09	5
B21B-180_5-10	3.01	0.005	9.04	792	0.06	5
B21B-180_10-15	5.78	0.021	7.31	1264	0.04	3
B21B-180_15-20	6.12	0.029	7.77	1597	0.04	4
B21B-180_20-25	4.04	0.014	8.28	1319	0.04	5
B21B-180_25-30	3.48	0.016	6.76	903	0.03	2
B21B-180_30-35	4.70	0.011	3.98	391	0.03	3
B21B-180_35-40	4.63	0.011	6.58	316	0.04	2
B21B-180_40-45	3.44	0.010	6.49	453	0.04	1
B21B-180_45-50	2.28	0.014	7.78	674	0.05	2
B21B-180_50-55	4.52	0.007	7.82	281	0.02	4
B21B-180_55-60	4.54	0.008	6.68	361	0.03	3
B21B-180_60-65	4.87	0.011	6.49	247	0.02	2
B21B-180_65-70	4.73	0.008	6.52	172	0.03	2
B21B-180_70-75	6.00	0.008	6.64	134	0.02	3
B21B-180_75-80	6.39	0.018	5.70	116	0.02	4
B21B-181_0-5	5.23	0.011	8.51	407	0.22	20
B21B-181_5-10	2.84	0.056	8.43	133	0.06	4
B21B-181_10-15	4.15	0.020	8.08	137	0.05	2
B21B-181_15-20	4.33	0.012	7.44	145	0.04	2
B21B-181_20-25	3.74	0.027	7.31	104	0.06	3
596983	4.23	0.014	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11033**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-181_25-30	3.15	0.029	7.52	76	0.03	6
B21B-182_0-5	3.66	0.013	7.54	778	0.41	7
B21B-182_5-10	5.92	<0.005	7.44	863	0.08	2
B21B-182_10-15	5.51	<0.005	6.87	1067	0.06	2
B21B-182_15-20	5.63	0.009	7.17	1294	0.05	2
B21B-182_20-25	5.79	0.007	7.25	1492	0.06	2
B21B-182_25-30	6.35	0.009	7.39	1577	0.05	2
B21B-182_30-35	6.66	0.006	7.69	1726	0.05	2
B21B-182_35-40	5.02	0.007	8.04	506	0.06	3
B21B-183_0-5	4.44	0.025	7.44	634	0.67	15
B21B-183_5-10	4.75	0.008	7.42	951	0.07	8
B21B-183_10-15	4.49	0.014	7.70	1110	0.06	2
B21B-183_15-20	4.45	0.017	7.99	114	0.10	3
B21B-183_20-25	5.46	0.015	8.72	281	0.09	2
B21B-183_25-30	7.28	0.016	7.95	443	0.09	3
B21B-183_30-35	5.47	0.017	8.29	336	0.09	2
B21B-183_35-40	6.35	0.030	7.51	283	0.09	13
B21B-183_40-45	5.31	0.037	7.61	138	0.08	4
B21B-183_45-50	7.79	0.038	6.84	204	0.06	13
B21B-183_50-55	7.58	0.063	6.51	220	0.05	194
596984	0.02	0.718	-	-	-	-
B21B-183_55-60	5.89	0.046	7.44	215	0.06	3
B21B-183_60-65	4.43	0.036	6.86	214	0.06	2
B21B-183_65-70	7.23	0.030	7.70	284	0.07	4
B21B-183_70-75	8.25	0.011	7.90	170	0.07	2
B21B-183_75-80	4.52	0.010	10.19	336	0.10	2
B21B-184_0-5	4.82	0.033	8.02	717	0.39	9
B21B-184_5-10	5.96	0.021	8.21	145	0.06	33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA30V5 0.005 10 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@Ba GE_ICP40Q12 1 10,000 ppm m / m	@Ca GE_ICP40Q12 0.01 15 %	@Cr GE_ICP40Q12 1 10,000 ppm m / m
B21B-184_10-15	4.06	0.029	7.12	136	0.03	12
B21B-184_15-20	7.56	0.017	6.57	288	0.04	10
B21B-184_20-25	7.10	0.006	8.02	848	0.03	34
B21B-184_25-30	7.97	<0.005	7.68	98	0.07	3
B21B-184_30-35	6.31	<0.005	7.66	112	0.06	4
B21B-184_35-40	6.29	<0.005	7.72	149	0.09	3
B21B-184_40-45	7.95	<0.005	8.26	129	0.14	3
B21B-184_45-50	7.02	<0.005	8.10	156	0.06	3
B21B-184_50-55	7.06	0.007	7.07	132	0.02	4
B21B-184_55-60	7.13	<0.005	7.19	92	0.04	7
B21B-184_60-65	7.57	<0.005	7.87	83	0.03	4
B21B-184_65-70	6.82	<0.005	8.25	119	0.03	26
B21B-184_70-75	6.12	0.005	7.74	117	0.04	3
B21B-184_75-80	6.72	<0.005	8.02	183	0.05	4
B21B-185_0-5	4.05	0.155	6.96	399	0.21	15
B21B-185_5-10	4.66	0.132	4.28	219	0.05	17
596985	3.95	<0.005	-	-	-	-
B21B-185_10-15	4.69	0.091	5.68	278	0.04	12
B21B-185_15-20	5.18	0.114	2.85	157	0.03	6
*Dup B21B-183_5-10	-	0.007	7.87	970	0.07	7
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.592	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.39	2680	0.56	15
*Std OREAS 601b	-	-	6.57	381	0.85	20
*Rep B21B-180_5-10	-	0.006	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.487	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11033**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
<b>Lower Limit</b>	0.01	0.005	0.01	1	0.01	1
<b>Upper Limit</b>	--	10	15	10,000	15	10,000
<b>Unit</b>	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 235	-	1.495	-	-	-	-
*Rep B21B-183_75-80	-	0.011	-	-	-	-
*Std OREAS 296	-	1.960	-	-	-	-
*Rep B21B-184_25-30	-	0.005	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 294	-	0.207	-	-	-	-
*Std OREAS 601b	-	-	6.93	335	0.88	25
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Rep B21B-185_10-15	-	-	6.29	302	0.05	12
*Std OREAS 905	-	-	7.41	2741	0.59	18
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	7.789	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Std OREAS 45h	-	0.041	-	-	-	-
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.07	2769	0.57	16
*Rep B21B-182_5-10	-	-	7.56	878	0.08	3
*Std OREAS 601b	-	-	6.64	376	0.88	21

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
<b>Lower Limit</b>	0.5	0.01	0.01	1	0.01	2
<b>Upper Limit</b>	10,000	15	15	10,000	15	10,000
<b>Unit</b>	ppm m / m	%	%	ppm m / m	%	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-179_10-15	7.1	1.98	0.17	1	<0.01	9
B21B-179_15-20	5.3	2.09	0.03	2	<0.01	3
B21B-179_20-25	7.4	2.29	0.06	2	<0.01	9
B21B-179_25-30	3.1	2.00	0.02	1	<0.01	6
B21B-179_30-35	19.4	2.07	0.01	<1	<0.01	9
B21B-179_35-40	14.2	2.04	<0.01	<1	<0.01	5
B21B-180_0-5	8.9	2.48	0.68	3	0.03	28
B21B-180_5-10	6.6	3.08	1.04	1	0.01	8
B21B-180_10-15	6.8	4.96	1.41	<1	0.01	9
B21B-180_15-20	20.1	5.40	1.54	<1	0.01	4
B21B-180_20-25	5.0	5.53	0.54	1	<0.01	7
B21B-180_25-30	10.1	5.59	0.32	1	<0.01	6
B21B-180_30-35	4.2	8.57	0.04	<1	<0.01	8
B21B-180_35-40	3.4	6.93	0.03	1	<0.01	5
B21B-180_40-45	3.1	6.09	0.03	1	<0.01	10
B21B-180_45-50	4.8	7.36	0.23	2	<0.01	8
B21B-180_50-55	9.4	4.53	0.03	<1	<0.01	13
B21B-180_55-60	7.1	4.95	0.04	<1	<0.01	8
B21B-180_60-65	11.1	5.03	0.02	1	<0.01	9
B21B-180_65-70	9.8	4.15	0.03	<1	<0.01	12
B21B-180_70-75	22.3	7.49	0.03	1	<0.01	12
B21B-180_75-80	17.0	7.64	0.02	1	<0.01	20
B21B-181_0-5	19.4	4.78	1.04	12	0.09	123
B21B-181_5-10	16.5	2.82	0.06	3	0.01	22
B21B-181_10-15	5.0	1.84	0.03	2	<0.01	12
B21B-181_15-20	6.3	1.66	0.04	1	<0.01	16
B21B-181_20-25	5.5	1.79	0.03	2	<0.01	16
B21B-181_25-30	4.2	2.06	0.04	1	<0.01	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-182_0-5	7.4	2.42	2.32	13	0.12	150
B21B-182_5-10	3.8	2.94	1.53	5	0.02	4
B21B-182_10-15	9.7	3.36	1.72	4	0.03	5
B21B-182_15-20	7.6	2.11	1.99	4	0.05	7
B21B-182_20-25	11.2	3.34	2.13	4	0.07	117
B21B-182_25-30	10.0	2.93	2.03	3	0.12	479
B21B-182_30-35	10.2	2.78	2.35	4	0.10	270
B21B-182_35-40	10.6	3.13	2.28	4	0.11	477
B21B-183_0-5	18.6	2.83	2.80	18	0.18	275
B21B-183_5-10	28.6	4.33	1.67	5	0.05	100
B21B-183_10-15	17.7	3.48	1.98	4	0.03	21
B21B-183_15-20	17.1	4.23	1.48	5	0.02	19
B21B-183_20-25	21.5	2.72	1.22	5	0.01	18
B21B-183_25-30	21.7	2.27	1.12	4	0.01	16
B21B-183_30-35	11.3	2.98	1.20	5	0.01	15
B21B-183_35-40	16.3	2.81	1.16	5	0.02	20
B21B-183_40-45	12.3	3.36	1.06	7	0.01	21
B21B-183_45-50	10.8	3.64	0.80	7	<0.01	34
B21B-183_50-55	17.1	3.92	0.70	6	<0.01	40
B21B-183_55-60	5.8	3.21	0.78	8	<0.01	20
B21B-183_60-65	5.1	3.06	0.83	6	<0.01	16
B21B-183_65-70	10.2	2.64	0.97	7	<0.01	34
B21B-183_70-75	10.8	3.82	0.98	7	<0.01	39
B21B-183_75-80	4.6	1.13	1.11	9	<0.01	17
B21B-184_0-5	27.6	2.81	2.87	13	0.14	151
B21B-184_5-10	62.4	3.94	0.54	9	0.04	66
B21B-184_10-15	51.0	3.34	0.35	6	0.02	33
B21B-184_15-20	44.5	3.21	0.82	3	0.02	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12	@Mn GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-184_20-25	41.9	3.68	2.29	3	0.04	25
B21B-184_25-30	18.3	3.40	2.33	2	0.05	24
B21B-184_30-35	23.0	3.40	2.37	5	0.22	75
B21B-184_35-40	15.7	3.53	2.25	14	0.73	219
B21B-184_40-45	16.2	3.44	2.51	10	0.51	164
B21B-184_45-50	16.8	3.25	2.53	4	0.14	49
B21B-184_50-55	15.6	3.18	2.27	3	0.07	37
B21B-184_55-60	14.9	3.61	2.26	3	0.05	24
B21B-184_60-65	18.5	4.31	2.27	3	0.05	29
B21B-184_65-70	17.5	3.48	2.19	4	0.05	26
B21B-184_70-75	17.8	3.56	1.95	5	0.04	22
B21B-184_75-80	18.7	3.19	1.67	5	0.03	25
B21B-185_0-5	71.9	5.70	1.36	10	0.07	103
B21B-185_5-10	54.8	3.30	0.80	4	0.02	60
B21B-185_10-15	27.2	1.61	1.24	4	0.03	69
B21B-185_15-20	27.0	1.31	0.51	2	0.01	64
*Dup B21B-183_5-10	29.9	4.60	1.77	6	0.05	103
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1517	3.93	3.02	22	0.28	373
*Std OREAS 601b	981	2.19	2.49	24	0.10	207
*Std OREAS 601b	1021	2.29	2.52	24	0.10	217
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Rep B21B-185_10-15	29.6	1.74	1.38	4	0.04	75
*Std OREAS 905	1556	3.96	3.04	22	0.28	373
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1489	3.89	2.95	21	0.27	386
*Rep B21B-182_5-10	3.7	2.98	1.51	5	0.02	4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	1013	2.27	2.42	23	0.10	229

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-179_10-15	0.13	<1	0.07	0.04	163	0.04
B21B-179_15-20	0.03	<1	0.06	0.03	172	0.05
B21B-179_20-25	0.06	<1	0.06	0.03	217	0.05
B21B-179_25-30	0.02	<1	0.06	0.03	145	0.06
B21B-179_30-35	0.02	<1	0.05	0.03	109	0.07
B21B-179_35-40	0.01	<1	0.04	0.18	69.4	0.05
B21B-180_0-5	0.21	1	0.10	0.10	617	0.07
B21B-180_5-10	0.21	<1	0.11	0.10	579	0.06
B21B-180_10-15	0.26	<1	0.11	0.08	468	0.04
B21B-180_15-20	0.27	<1	0.11	0.08	432	0.05
B21B-180_20-25	0.11	<1	0.15	0.09	550	0.03
B21B-180_25-30	0.07	<1	0.14	0.08	508	0.05
B21B-180_30-35	0.02	<1	0.12	0.08	409	0.04
B21B-180_35-40	0.02	<1	0.11	0.07	344	0.04
B21B-180_40-45	0.02	<1	0.14	0.08	554	0.04
B21B-180_45-50	0.06	<1	0.14	0.08	644	0.05
B21B-180_50-55	0.02	<1	0.09	0.45	363	0.06
B21B-180_55-60	0.02	<1	0.10	1.26	369	0.05
B21B-180_60-65	0.02	<1	0.08	2.28	291	0.05
B21B-180_65-70	0.02	<1	0.11	1.71	237	0.05

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-180_70-75	0.02	6	0.07	>5.00	155	0.05
B21B-180_75-80	0.02	7	0.07	>5.00	155	0.04
B21B-181_0-5	0.51	5	0.07	0.10	244	0.16
B21B-181_5-10	0.07	1	0.12	0.08	214	0.08
B21B-181_10-15	0.07	<1	0.12	0.06	296	0.07
B21B-181_15-20	0.09	<1	0.12	0.06	242	0.06
B21B-181_20-25	0.05	<1	0.14	0.10	263	0.07
B21B-181_25-30	0.06	<1	0.11	0.06	164	0.06
B21B-182_0-5	1.40	2	0.04	0.11	235	0.14
B21B-182_5-10	1.11	<1	0.03	0.03	342	0.08
B21B-182_10-15	0.85	<1	0.03	0.03	248	0.05
B21B-182_15-20	0.75	<1	0.02	0.03	196	0.05
B21B-182_20-25	0.67	<1	0.04	0.19	189	0.05
B21B-182_25-30	0.52	<1	0.04	0.27	139	0.05
B21B-182_30-35	0.59	<1	0.04	0.39	157	0.08
B21B-182_35-40	0.72	<1	0.03	1.32	189	0.06
B21B-183_0-5	1.58	3	0.04	0.11	169	0.18
B21B-183_5-10	0.67	<1	0.04	0.05	175	0.08
B21B-183_10-15	0.89	<1	0.04	0.32	215	0.06
B21B-183_15-20	1.21	1	0.06	4.09	316	0.06
B21B-183_20-25	1.48	1	0.03	2.78	369	0.05
B21B-183_25-30	1.38	1	0.04	2.34	335	0.06
B21B-183_30-35	1.40	2	0.04	3.06	343	0.05
B21B-183_35-40	1.24	4	0.05	2.87	295	0.06
B21B-183_40-45	1.02	2	0.08	3.75	293	0.05
B21B-183_45-50	0.94	4	0.05	3.88	251	0.05
B21B-183_50-55	1.00	62	0.04	4.30	240	0.05
B21B-183_55-60	1.18	2	0.09	3.72	257	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@Na GE_ICP40Q12	@Ni GE_ICP40Q12	@P GE_ICP40Q12	@S GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-183_60-65	1.26	1	0.10	3.59	262	0.04
B21B-183_65-70	1.45	2	0.07	2.77	307	0.04
B21B-183_70-75	1.48	2	0.02	4.37	318	0.03
B21B-183_75-80	1.95	2	0.03	1.13	449	0.04
B21B-184_0-5	1.10	2	0.05	0.09	245	0.15
B21B-184_5-10	0.29	15	0.04	0.07	123	0.09
B21B-184_10-15	0.22	3	0.04	0.07	114	0.09
B21B-184_15-20	0.41	1	0.05	0.05	128	0.08
B21B-184_20-25	0.76	7	0.04	1.22	172	0.07
B21B-184_25-30	0.69	2	0.10	3.83	196	0.07
B21B-184_30-35	0.63	2	0.08	3.64	180	0.06
B21B-184_35-40	0.58	2	0.07	3.43	125	0.05
B21B-184_40-45	0.65	2	0.08	3.48	125	0.05
B21B-184_45-50	0.66	2	0.07	3.52	130	0.05
B21B-184_50-55	0.60	1	0.05	3.18	123	0.05
B21B-184_55-60	0.64	2	0.03	4.11	130	0.05
B21B-184_60-65	0.76	1	0.03	4.81	158	0.05
B21B-184_65-70	0.86	8	0.02	3.99	178	0.05
B21B-184_70-75	0.92	2	0.02	4.12	196	0.05
B21B-184_75-80	1.14	3	0.03	3.40	253	0.04
B21B-185_0-5	0.50	2	0.07	0.22	277	0.11
B21B-185_5-10	0.16	13	0.05	0.12	209	0.08
B21B-185_10-15	0.17	4	0.07	0.09	398	0.18
B21B-185_15-20	0.07	2	0.05	0.05	193	0.11
*Dup B21B-183_5-10	0.70	1	0.04	0.05	183	0.08
*Blk BLANK	<0.01	<1	<0.01	<0.01	0.6	<0.01
*Std OREAS 905	2.43	9	0.03	0.07	162	0.12
*Std OREAS 601b	1.89	6	0.03	1.49	250	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
*Std OREAS 601b	1.95	6	0.03	1.52	257	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Rep B21B-185_10-15	0.19	4	0.07	0.09	434	0.20
*Std OREAS 905	2.41	9	0.03	0.08	166	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.33	10	0.03	0.07	153	0.11
*Rep B21B-182_5-10	1.13	<1	0.03	0.03	338	0.07
*Std OREAS 601b	1.84	6	0.03	1.39	234	0.13

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-179_10-15	33	<1	104	0.02	3	0.2
B21B-179_15-20	31	<1	123	<0.02	3	0.2
B21B-179_20-25	34	<1	135	0.02	3	0.2
B21B-179_25-30	33	<1	127	0.11	4	0.1
B21B-179_30-35	25	<1	139	0.04	3	0.1
B21B-179_35-40	23	<1	148	0.10	5	<0.1
B21B-180_0-5	57	3	102	0.16	4	0.2
B21B-180_5-10	55	<1	124	0.07	4	0.3
B21B-180_10-15	39	<1	126	0.17	5	0.3
B21B-180_15-20	45	<1	122	0.18	4	0.3
B21B-180_20-25	36	<1	105	0.18	6	0.2
B21B-180_25-30	36	<1	138	0.14	4	0.2
B21B-180_30-35	31	<1	110	0.36	6	0.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-180_35-40	35	<1	105	0.17	8	0.2
B21B-180_40-45	37	<1	118	0.19	7	0.2
B21B-180_45-50	36	<1	116	0.22	7	0.2
B21B-180_50-55	32	<1	118	0.09	5	0.3
B21B-180_55-60	31	19	115	0.15	5	0.2
B21B-180_60-65	25	10	122	0.12	5	0.2
B21B-180_65-70	27	4	128	0.08	5	0.2
B21B-180_70-75	24	4	126	0.11	5	0.2
B21B-180_75-80	20	3	111	0.12	5	0.2
B21B-181_0-5	61	15	89.1	<0.02	11	0.8
B21B-181_5-10	51	2	185	0.05	5	0.2
B21B-181_10-15	39	1	156	0.05	4	0.2
B21B-181_15-20	40	<1	139	0.05	4	0.2
B21B-181_20-25	34	<1	144	0.05	4	0.1
B21B-181_25-30	34	<1	146	0.03	4	0.1
B21B-182_0-5	45	19	108	<0.02	6	1.4
B21B-182_5-10	51	5	143	0.03	6	1.3
B21B-182_10-15	47	11	134	0.04	6	1.0
B21B-182_15-20	41	14	146	0.03	5	1.1
B21B-182_20-25	44	11	146	0.05	5	1.3
B21B-182_25-30	40	34	137	0.08	5	1.7
B21B-182_30-35	42	26	147	0.07	4	2.1
B21B-182_35-40	46	34	144	0.08	4	2.3
B21B-183_0-5	36	27	76.3	<0.02	5	1.5
B21B-183_5-10	52	18	130	0.06	6	1.1
B21B-183_10-15	47	10	123	0.08	9	1.2
B21B-183_15-20	47	1	135	0.63	7	1.6
B21B-183_20-25	46	<1	153	0.09	3	1.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@V GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12	@Ag GE_IMS40Q12	@As GE_IMS40Q12	@Be GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-183_25-30	46	<1	130	0.09	3	1.5
B21B-183_30-35	46	<1	134	0.09	3	1.3
B21B-183_35-40	41	<1	120	0.08	3	1.2
B21B-183_40-45	41	<1	128	0.08	4	0.9
B21B-183_45-50	43	<1	120	0.09	3	0.7
B21B-183_50-55	42	<1	119	0.20	5	0.7
B21B-183_55-60	46	<1	132	0.19	4	0.8
B21B-183_60-65	43	<1	118	0.12	3	0.8
B21B-183_65-70	44	<1	122	0.10	3	0.8
B21B-183_70-75	41	3	123	0.07	2	0.9
B21B-183_75-80	44	2	158	0.11	4	1.1
B21B-184_0-5	42	20	107	<0.02	8	1.9
B21B-184_5-10	54	7	117	0.03	10	0.4
B21B-184_10-15	43	4	122	0.06	9	0.3
B21B-184_15-20	43	5	136	0.08	9	0.6
B21B-184_20-25	52	13	127	0.06	11	1.2
B21B-184_25-30	50	80	128	0.06	9	1.4
B21B-184_30-35	49	37	127	0.04	6	1.5
B21B-184_35-40	48	129	127	0.07	5	1.3
B21B-184_40-45	51	87	132	0.04	7	1.5
B21B-184_45-50	49	24	133	0.06	6	1.6
B21B-184_50-55	44	11	116	0.06	6	1.5
B21B-184_55-60	46	11	120	0.05	8	1.6
B21B-184_60-65	51	8	123	0.08	8	1.7
B21B-184_65-70	51	11	132	0.06	13	1.8
B21B-184_70-75	50	17	121	0.06	9	1.7
B21B-184_75-80	49	8	123	0.06	6	2.1
B21B-185_0-5	62	10	70.1	0.12	8	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-185_5-10	49	4	44.4	0.06	4	0.2
B21B-185_10-15	62	5	75.5	<0.02	3	0.5
B21B-185_15-20	29	3	43.5	<0.02	2	0.1
*Dup B21B-183_5-10	54	18	131	0.06	6	1.1
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	8	131	254	0.52	32	3.0
*Std OREAS 601b	11	301	178	49.00	283	2.2
*Std OREAS 601b	11	304	187	51.04	307	2.5
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Rep B21B-185_10-15	64	6	76.0	<0.02	3	0.5
*Std OREAS 905	9	130	256	0.47	31	3.2
*Blk BLANK	<2	1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	9	138	238	0.51	33	3.1
*Rep B21B-182_5-10	50	5	139	-	-	-
*Std OREAS 601b	11	313	175	50.73	284	2.1

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-179_10-15	0.52	<0.02	54.01	0.1	<1	13.8
B21B-179_15-20	0.28	<0.02	51.72	0.1	<1	13.7
B21B-179_20-25	0.61	<0.02	49.20	0.1	<1	15.7
B21B-179_25-30	0.39	<0.02	42.61	0.2	<1	12.1
B21B-179_30-35	0.21	<0.02	40.83	0.1	<1	9.5
B21B-179_35-40	0.17	<0.02	38.95	0.5	<1	8.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-180_0-5	1.27	<0.02	72.39	0.4	<1	16.2
B21B-180_5-10	1.74	<0.02	67.34	0.2	1	19.4
B21B-180_10-15	3.37	<0.02	55.51	0.2	<1	18.0
B21B-180_15-20	2.68	<0.02	55.03	0.1	<1	22.7
B21B-180_20-25	1.74	<0.02	74.27	0.1	<1	15.3
B21B-180_25-30	1.68	<0.02	72.62	0.1	<1	16.7
B21B-180_30-35	1.98	<0.02	69.57	0.1	<1	12.1
B21B-180_35-40	1.79	<0.02	83.48	<0.1	<1	14.3
B21B-180_40-45	1.58	<0.02	95.92	<0.1	<1	13.7
B21B-180_45-50	1.64	0.02	88.15	0.1	<1	16.2
B21B-180_50-55	0.56	0.03	60.51	0.9	<1	15.5
B21B-180_55-60	0.86	0.50	72.54	2.5	<1	13.3
B21B-180_60-65	0.82	0.35	67.69	3.3	<1	13.1
B21B-180_65-70	0.62	0.08	73.12	2.2	<1	13.2
B21B-180_70-75	1.03	0.10	54.62	6.0	<1	15.0
B21B-180_75-80	1.04	0.11	57.57	7.7	<1	15.6
B21B-181_0-5	2.19	<0.02	62.12	2.1	2	25.8
B21B-181_5-10	0.49	<0.02	107	0.6	<1	18.9
B21B-181_10-15	0.58	<0.02	74.92	0.3	<1	15.2
B21B-181_15-20	3.99	<0.02	75.65	0.2	<1	15.4
B21B-181_20-25	0.65	<0.02	66.50	0.3	<1	13.5
B21B-181_25-30	0.59	<0.02	72.86	0.2	<1	13.9
B21B-182_0-5	0.65	<0.02	55.38	1.6	2	18.7
B21B-182_5-10	0.11	<0.02	31.89	0.1	2	16.9
B21B-182_10-15	0.16	<0.02	21.24	<0.1	2	15.7
B21B-182_15-20	0.17	<0.02	35.77	<0.1	2	16.7
B21B-182_20-25	0.17	<0.02	32.88	0.6	2	17.7
B21B-182_25-30	0.12	0.04	52.68	0.9	2	16.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-182_30-35	0.12	0.02	44.69	0.8	3	15.8
B21B-182_35-40	0.16	0.04	51.52	4.3	3	16.5
B21B-183_0-5	0.71	<0.02	80.18	2.7	3	19.2
B21B-183_5-10	0.31	<0.02	28.88	0.4	2	18.4
B21B-183_10-15	0.29	<0.02	25.12	0.7	2	15.1
B21B-183_15-20	0.23	0.07	21.87	7.6	2	16.5
B21B-183_20-25	0.17	0.02	21.99	4.5	2	11.8
B21B-183_25-30	0.15	0.05	25.03	4.6	2	12.6
B21B-183_30-35	0.15	<0.02	29.58	5.3	1	12.3
B21B-183_35-40	0.17	<0.02	25.93	5.1	1	12.0
B21B-183_40-45	0.15	0.04	26.40	5.6	1	12.7
B21B-183_45-50	0.15	0.06	23.30	5.7	<1	12.0
B21B-183_50-55	0.30	0.12	29.98	6.9	<1	12.1
B21B-183_55-60	0.22	0.04	33.89	6.8	1	15.6
B21B-183_60-65	0.25	0.05	27.17	6.3	1	13.8
B21B-183_65-70	0.22	0.05	22.20	6.5	1	14.8
B21B-183_70-75	0.16	0.04	19.53	8.2	1	14.6
B21B-183_75-80	0.25	0.19	20.50	5.6	2	16.7
B21B-184_0-5	2.11	0.02	47.30	1.7	4	16.8
B21B-184_5-10	1.46	<0.02	45.31	1.1	2	18.9
B21B-184_10-15	1.44	0.02	49.43	0.6	1	15.0
B21B-184_15-20	1.04	<0.02	44.55	0.3	1	13.7
B21B-184_20-25	0.22	0.04	18.49	2.5	2	14.6
B21B-184_25-30	0.20	0.13	29.97	6.8	3	14.3
B21B-184_30-35	0.18	0.16	32.46	6.2	3	13.9
B21B-184_35-40	0.23	0.09	37.84	5.9	3	13.5
B21B-184_40-45	0.20	0.09	36.06	6.4	3	15.1
B21B-184_45-50	0.22	0.14	22.86	6.7	3	14.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-184_50-55	0.23	0.13	28.83	6.1	3	13.9
B21B-184_55-60	0.22	0.11	25.38	6.6	3	14.2
B21B-184_60-65	0.26	0.07	27.65	6.1	3	14.0
B21B-184_65-70	0.18	0.25	24.90	6.4	3	15.1
B21B-184_70-75	0.28	1.21	16.97	6.2	3	15.1
B21B-184_75-80	0.34	0.68	20.68	6.5	2	15.4
B21B-185_0-5	8.09	0.02	55.78	1.6	3	26.4
B21B-185_5-10	3.66	0.05	43.26	0.7	2	18.4
B21B-185_10-15	5.09	0.03	134	0.9	2	22.9
B21B-185_15-20	2.28	0.04	51.12	0.3	<1	8.3
*Dup B21B-183_5-10	0.33	<0.02	30.72	0.4	2	18.0
*Blk BLANK	<0.04	<0.02	0.06	<0.1	<1	<0.1
*Std OREAS 905	5.74	0.36	91.81	15.5	7	26.1
*Std OREAS 601b	17.71	1.96	69.84	2.8	5	22.6
*Std OREAS 601b	17.39	2.25	70.45	3.0	6	23.3
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Rep B21B-185_10-15	5.21	0.03	134	0.8	2	21.1
*Std OREAS 905	5.78	0.36	89.11	14.2	8	23.1
*Blk BLANK	<0.04	<0.02	0.07	<0.1	<1	<0.1
*Std OREAS 905	5.77	0.35	92.00	15.9	7	26.2
*Std OREAS 601b	17.83	2.05	70.53	2.9	5	22.3

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-179_10-15	2.95	0.05	26.6	0.22	3.28	1.1
B21B-179_15-20	3.50	0.03	25.5	0.24	2.29	1.3
B21B-179_20-25	3.93	0.04	24.5	0.22	3.23	1.5
B21B-179_25-30	3.61	0.05	21.9	0.13	4.99	1.9
B21B-179_30-35	3.98	0.04	21.1	0.15	1.69	1.7
B21B-179_35-40	4.08	0.06	19.0	0.20	3.21	1.5
B21B-180_0-5	2.97	0.12	36.1	0.22	6.07	2.7
B21B-180_5-10	3.53	0.14	32.1	0.23	10.38	1.8
B21B-180_10-15	3.66	0.13	28.7	0.23	12.00	1.1
B21B-180_15-20	3.59	0.19	28.6	0.24	12.55	1.4
B21B-180_20-25	2.97	0.14	35.2	0.22	8.66	0.9
B21B-180_25-30	3.93	0.14	36.1	0.29	6.32	1.2
B21B-180_30-35	3.05	0.11	32.8	0.25	8.98	1.1
B21B-180_35-40	3.08	0.12	37.1	0.24	10.27	1.1
B21B-180_40-45	3.25	0.11	43.1	0.27	7.97	1.1
B21B-180_45-50	3.24	0.12	41.1	0.26	9.60	1.4
B21B-180_50-55	3.36	0.10	27.1	0.25	5.42	1.8
B21B-180_55-60	3.13	0.12	33.4	0.24	5.77	1.5
B21B-180_60-65	3.29	0.09	31.7	0.25	6.04	1.2
B21B-180_65-70	3.48	0.06	33.3	0.24	7.42	1.3
B21B-180_70-75	3.60	0.08	25.4	0.23	18.53	1.5
B21B-180_75-80	3.31	0.07	27.6	0.22	11.61	1.3
B21B-181_0-5	2.77	0.09	29.0	0.17	15.65	7.4
B21B-181_5-10	5.45	0.09	50.4	0.17	10.52	2.6
B21B-181_10-15	4.44	0.10	34.1	0.18	3.70	2.0
B21B-181_15-20	3.99	0.12	33.0	0.19	2.18	1.8
B21B-181_20-25	4.12	0.04	29.3	0.19	1.88	2.1
B21B-181_25-30	4.14	0.05	32.2	0.18	1.95	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-182_0-5	3.31	0.06	26.6	0.26	3.41	7.7
B21B-182_5-10	4.14	0.06	15.0	0.32	0.17	2.3
B21B-182_10-15	3.83	0.05	10.2	0.30	0.71	1.6
B21B-182_15-20	4.24	0.05	15.9	0.33	0.24	1.5
B21B-182_20-25	4.21	0.06	15.3	0.33	0.49	1.4
B21B-182_25-30	4.02	0.05	24.5	0.28	0.51	1.4
B21B-182_30-35	4.20	0.04	20.3	0.28	1.91	2.0
B21B-182_35-40	4.09	0.05	22.6	0.28	2.54	1.6
B21B-183_0-5	2.53	0.05	39.8	0.22	5.39	11.3
B21B-183_5-10	3.83	0.07	12.3	0.25	2.84	2.7
B21B-183_10-15	3.54	0.04	12.3	0.21	2.09	2.0
B21B-183_15-20	3.95	0.04	8.5	0.25	6.23	1.9
B21B-183_20-25	4.04	0.04	9.2	0.26	7.55	1.7
B21B-183_25-30	3.52	0.05	10.6	0.22	2.59	1.9
B21B-183_30-35	3.57	0.05	12.2	0.22	4.22	1.6
B21B-183_35-40	3.22	0.05	10.9	0.21	21.67	1.9
B21B-183_40-45	3.32	0.04	10.9	0.22	9.24	1.7
B21B-183_45-50	3.18	0.05	10.3	0.20	14.52	1.5
B21B-183_50-55	3.22	0.05	13.1	0.20	10.21	1.7
B21B-183_55-60	4.12	0.06	14.7	0.23	9.86	1.5
B21B-183_60-65	3.59	0.06	11.3	0.20	10.08	1.4
B21B-183_65-70	3.61	0.07	9.5	0.23	4.02	1.4
B21B-183_70-75	3.56	0.08	8.6	0.25	3.04	1.0
B21B-183_75-80	4.52	0.07	9.3	0.32	2.01	1.4
B21B-184_0-5	3.01	0.08	21.1	0.21	4.10	7.6
B21B-184_5-10	3.29	0.09	21.7	0.19	6.86	3.7
B21B-184_10-15	3.49	0.07	24.7	0.18	4.80	3.3
B21B-184_15-20	3.75	0.07	21.6	0.19	4.29	3.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-184_20-25	3.46	0.07	8.7	0.22	2.90	2.2
B21B-184_25-30	3.45	0.06	12.4	0.25	1.19	2.0
B21B-184_30-35	3.51	0.06	14.2	0.24	0.98	1.7
B21B-184_35-40	3.51	0.06	17.0	0.24	1.09	1.4
B21B-184_40-45	3.65	0.06	15.8	0.26	1.26	1.5
B21B-184_45-50	3.60	0.06	9.5	0.22	1.64	1.5
B21B-184_50-55	3.31	0.06	11.8	0.22	1.31	1.3
B21B-184_55-60	3.25	0.05	10.4	0.22	1.05	1.3
B21B-184_60-65	3.20	0.06	11.1	0.23	1.14	1.3
B21B-184_65-70	3.40	0.06	9.5	0.22	1.88	1.4
B21B-184_70-75	3.29	0.09	8.2	0.20	1.86	1.2
B21B-184_75-80	3.49	0.14	9.0	0.22	2.65	1.3
B21B-185_0-5	2.11	0.17	28.9	0.16	12.45	5.5
B21B-185_5-10	1.28	0.16	22.9	0.08	6.38	2.9
B21B-185_10-15	2.19	0.21	73.1	0.14	4.91	8.1
B21B-185_15-20	1.27	0.09	26.6	0.08	2.99	5.2
*Dup B21B-183_5-10	3.95	0.07	13.0	0.25	2.94	2.8
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.22	0.60	44.9	0.09	3.43	18.5
*Std OREAS 601b	5.29	0.42	34.7	0.07	4.95	14.5
*Std OREAS 601b	5.35	0.50	34.7	0.07	5.40	15.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Rep B21B-185_10-15	2.20	0.21	72.5	0.14	4.90	8.0
*Std OREAS 905	7.09	0.66	44.8	0.09	3.12	19.2
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.17	0.60	45.2	0.09	3.40	18.2
*Std OREAS 601b	5.30	0.43	34.9	0.07	5.20	14.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-179_10-15	19.1	4.0	0.35	8.4	<2	0.5
B21B-179_15-20	5.6	0.6	0.41	8.6	<2	0.3
B21B-179_20-25	4.6	1.4	0.45	9.1	<2	0.4
B21B-179_25-30	3.5	0.5	0.79	8.0	<2	0.4
B21B-179_30-35	2.0	0.3	0.93	8.3	<2	0.4
B21B-179_35-40	1.2	0.2	1.53	8.7	<2	0.4
B21B-180_0-5	46.2	16.8	0.46	13.1	4	0.9
B21B-180_5-10	44.0	19.0	0.40	13.5	6	0.8
B21B-180_10-15	24.2	21.6	1.11	13.7	10	0.6
B21B-180_15-20	18.2	22.8	0.88	16.7	12	0.7
B21B-180_20-25	16.3	8.9	1.16	11.8	10	0.4
B21B-180_25-30	11.7	5.4	0.92	12.7	8	0.4
B21B-180_30-35	6.3	0.7	0.93	9.5	13	<0.3
B21B-180_35-40	5.0	0.7	2.89	10.9	11	<0.3
B21B-180_40-45	4.8	0.4	2.42	10.6	9	<0.3
B21B-180_45-50	7.1	3.7	2.24	11.9	10	0.4
B21B-180_50-55	3.1	0.4	1.35	9.0	7	0.3
B21B-180_55-60	4.2	0.7	1.26	10.0	8	0.3
B21B-180_60-65	3.5	0.5	1.11	9.2	7	<0.3
B21B-180_65-70	3.2	0.5	1.03	10.2	6	0.3
B21B-180_70-75	2.9	0.6	1.28	9.5	8	0.4
B21B-180_75-80	2.8	0.4	1.43	9.4	7	0.4
B21B-181_0-5	35.2	47.5	1.08	9.5	5	1.6
B21B-181_5-10	5.5	3.4	0.30	14.7	3	0.7
B21B-181_10-15	3.6	0.9	0.32	10.5	3	0.6
B21B-181_15-20	4.2	1.2	0.42	8.2	<2	0.6
B21B-181_20-25	4.5	1.0	0.48	8.0	4	0.6
B21B-181_25-30	4.9	1.3	0.36	8.8	4	0.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-182_0-5	24.4	90.8	0.48	10.9	<2	1.6
B21B-182_5-10	19.6	69.1	0.36	13.4	<2	1.1
B21B-182_10-15	15.1	78.0	0.42	12.3	<2	1.2
B21B-182_15-20	13.0	96.0	0.50	12.9	<2	1.2
B21B-182_20-25	12.5	101	0.57	13.1	<2	1.2
B21B-182_25-30	9.3	105	0.42	13.3	<2	1.0
B21B-182_30-35	9.8	114	0.46	13.0	<2	1.0
B21B-182_35-40	11.7	115	0.39	14.0	<2	1.1
B21B-183_0-5	26.3	107	0.50	7.3	<2	1.6
B21B-183_5-10	19.8	74.1	0.66	13.4	6	1.1
B21B-183_10-15	17.9	85.5	0.98	12.5	11	1.0
B21B-183_15-20	23.4	63.0	0.84	12.9	18	1.0
B21B-183_20-25	27.7	45.9	0.30	8.8	9	0.7
B21B-183_25-30	24.4	43.0	0.26	8.7	7	0.9
B21B-183_30-35	22.5	43.7	0.33	8.3	8	0.9
B21B-183_35-40	17.7	43.3	0.34	7.9	9	0.9
B21B-183_40-45	12.6	41.9	0.28	7.7	12	0.7
B21B-183_45-50	11.8	31.8	0.37	8.5	12	0.7
B21B-183_50-55	13.1	24.9	0.42	8.7	11	0.9
B21B-183_55-60	16.2	32.1	0.56	10.8	12	0.9
B21B-183_60-65	16.1	34.1	0.30	8.9	9	0.8
B21B-183_65-70	17.1	39.2	0.25	9.9	5	0.9
B21B-183_70-75	17.5	39.8	0.25	11.0	5	0.8
B21B-183_75-80	21.4	44.6	0.77	13.6	<2	1.0
B21B-184_0-5	30.1	101	0.66	6.1	3	1.8
B21B-184_5-10	17.5	23.4	1.26	7.6	5	1.1
B21B-184_10-15	14.2	17.0	1.09	6.8	5	0.9
B21B-184_15-20	12.8	33.3	1.07	7.8	5	0.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-184_20-25	17.9	86.3	0.44	10.1	3	1.1
B21B-184_25-30	20.2	94.8	0.36	9.2	<2	1.2
B21B-184_30-35	19.2	92.9	0.47	8.4	2	1.0
B21B-184_35-40	17.1	88.5	0.37	9.1	3	1.0
B21B-184_40-45	18.7	104	0.39	9.9	5	1.2
B21B-184_45-50	18.3	99.1	0.47	8.9	2	1.2
B21B-184_50-55	17.1	94.5	0.48	9.1	<2	1.1
B21B-184_55-60	17.4	93.5	0.40	9.1	2	1.0
B21B-184_60-65	18.2	90.8	0.31	9.5	4	1.1
B21B-184_65-70	20.1	90.8	0.52	8.4	3	1.2
B21B-184_70-75	19.1	83.1	0.39	11.6	3	1.2
B21B-184_75-80	18.8	71.9	0.58	10.4	3	1.1
B21B-185_0-5	87.0	50.7	1.53	6.2	13	2.1
B21B-185_5-10	71.6	21.4	0.72	3.9	4	1.7
B21B-185_10-15	138	31.5	0.92	6.2	3	3.1
B21B-185_15-20	47.6	12.0	0.45	3.0	<2	1.3
*Dup B21B-183_5-10	20.3	75.1	0.65	13.6	5	1.1
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	28.6	144	2.05	5.9	3	4.6
*Std OREAS 601b	316	98.5	24.02	4.1	10	3.7
*Std OREAS 601b	331	104	22.99	3.6	11	4.1
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Rep B21B-185_10-15	138	32.0	0.88	5.9	4	3.0
*Std OREAS 905	29.1	144	1.81	4.5	3	4.7
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	27.7	144	1.87	5.9	3	4.5
*Std OREAS 601b	319	101	23.34	4.1	10	3.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-179_10-15	0.08	0.37	1.50	8.6	0.13	1.59
B21B-179_15-20	0.09	0.37	1.63	8.6	0.02	1.52
B21B-179_20-25	0.10	0.34	3.32	7.8	0.05	1.72
B21B-179_25-30	0.15	0.29	2.45	6.7	<0.02	1.59
B21B-179_30-35	0.11	0.32	3.00	7.5	<0.02	1.80
B21B-179_35-40	0.09	0.26	4.33	7.9	<0.02	1.81
B21B-180_0-5	0.20	0.46	3.12	10.0	1.83	1.76
B21B-180_5-10	0.14	0.41	5.24	9.3	5.27	1.97
B21B-180_10-15	0.10	0.35	16.77	8.4	9.55	2.14
B21B-180_15-20	0.11	0.36	8.65	8.4	10.70	2.22
B21B-180_20-25	0.08	0.42	11.25	8.0	3.35	1.84
B21B-180_25-30	0.09	0.41	10.67	9.9	2.13	2.60
B21B-180_30-35	0.08	0.42	20.56	8.4	0.24	1.90
B21B-180_35-40	0.08	0.52	17.98	8.6	0.18	1.63
B21B-180_40-45	0.08	0.59	16.40	9.2	0.13	1.78
B21B-180_45-50	0.10	0.56	15.89	8.8	1.37	1.74
B21B-180_50-55	0.13	0.44	9.89	6.4	0.14	1.62
B21B-180_55-60	0.10	0.47	11.79	8.3	0.17	1.65
B21B-180_60-65	0.09	0.43	12.67	8.3	0.10	1.70
B21B-180_65-70	0.09	0.45	8.22	8.3	0.12	1.79
B21B-180_70-75	0.10	0.35	8.36	7.3	0.14	1.96
B21B-180_75-80	0.09	0.38	9.34	7.3	0.13	1.79
B21B-181_0-5	0.50	0.38	6.87	10.6	1.19	2.31
B21B-181_5-10	0.18	0.48	5.05	12.0	0.14	3.71
B21B-181_10-15	0.14	0.41	3.00	9.4	0.04	2.06
B21B-181_15-20	0.13	0.39	2.54	9.1	0.04	1.55
B21B-181_20-25	0.14	0.36	2.41	8.0	0.03	1.93
B21B-181_25-30	0.12	0.29	1.80	7.7	0.04	1.75

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11033**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-182_0-5	0.54	0.34	2.06	10.0	1.19	2.28
B21B-182_5-10	0.15	0.20	2.83	6.2	1.45	1.46
B21B-182_10-15	0.10	0.16	3.67	5.7	1.76	1.37
B21B-182_15-20	0.10	0.30	3.99	6.4	2.54	1.46
B21B-182_20-25	0.09	0.27	3.72	6.9	2.58	1.50
B21B-182_25-30	0.10	0.32	2.97	6.8	2.69	1.43
B21B-182_30-35	0.15	0.31	3.02	6.6	3.01	1.48
B21B-182_35-40	0.12	0.34	4.10	6.8	2.60	1.56
B21B-183_0-5	0.80	0.46	1.98	14.3	0.70	2.69
B21B-183_5-10	0.18	0.23	9.43	7.9	1.67	1.54
B21B-183_10-15	0.13	0.16	16.45	6.1	2.04	1.40
B21B-183_15-20	0.12	0.22	19.41	5.1	1.46	1.48
B21B-183_20-25	0.13	0.19	6.12	6.1	0.88	1.67
B21B-183_25-30	0.14	0.19	7.68	5.1	0.77	1.44
B21B-183_30-35	0.11	0.19	9.90	5.3	0.80	1.49
B21B-183_35-40	0.13	0.18	6.99	5.1	0.76	1.52
B21B-183_40-45	0.12	0.22	6.78	5.2	0.71	1.67
B21B-183_45-50	0.09	0.17	9.16	5.0	0.54	1.48
B21B-183_50-55	0.10	0.14	8.40	4.9	0.45	1.57
B21B-183_55-60	0.10	0.16	9.08	6.5	0.54	1.75
B21B-183_60-65	0.08	0.14	9.59	5.6	0.55	1.53
B21B-183_65-70	0.08	0.19	8.45	4.6	0.61	1.35
B21B-183_70-75	0.06	0.23	3.81	4.6	0.60	1.32
B21B-183_75-80	0.09	0.24	5.55	5.5	0.67	1.68
B21B-184_0-5	0.47	0.36	2.50	7.8	0.99	2.21
B21B-184_5-10	0.24	0.26	5.80	10.1	0.36	1.71
B21B-184_10-15	0.21	0.27	4.98	9.3	0.32	1.68
B21B-184_15-20	0.19	0.23	4.94	8.2	0.69	1.67

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-184_20-25	0.13	0.16	6.84	5.4	2.00	1.33
B21B-184_25-30	0.11	0.20	4.60	5.2	2.07	1.37
B21B-184_30-35	0.10	0.18	2.87	5.0	1.95	1.31
B21B-184_35-40	0.08	0.19	2.98	5.6	1.81	1.30
B21B-184_40-45	0.09	0.26	2.95	5.7	2.05	1.35
B21B-184_45-50	0.09	0.19	2.45	4.9	1.97	1.35
B21B-184_50-55	0.08	0.22	2.35	5.5	1.83	1.27
B21B-184_55-60	0.08	0.22	2.40	5.0	1.82	1.30
B21B-184_60-65	0.08	0.22	2.07	5.2	1.77	1.24
B21B-184_65-70	0.08	0.19	1.98	4.5	1.78	1.32
B21B-184_70-75	0.07	0.13	3.28	5.0	1.55	1.30
B21B-184_75-80	0.08	0.16	4.05	5.6	1.34	1.43
B21B-185_0-5	0.35	0.32	10.52	12.5	0.93	1.57
B21B-185_5-10	0.18	0.19	5.58	8.8	0.80	0.80
B21B-185_10-15	0.57	0.45	6.20	24.0	1.18	1.61
B21B-185_15-20	0.22	0.26	3.55	10.2	0.40	1.03
*Dup B21B-183_5-10	0.19	0.24	9.68	8.1	1.72	1.58
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.34	0.76	0.10	14.6	0.71	4.94
*Std OREAS 601b	1.13	0.51	13.18	11.9	1.45	4.58
*Std OREAS 601b	1.06	0.52	14.09	11.8	1.40	4.50
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Rep B21B-185_10-15	0.59	0.46	6.22	23.9	1.21	1.71
*Std OREAS 905	1.27	0.73	0.11	14.0	0.67	4.76
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.32	0.75	0.13	14.5	0.69	4.89
*Std OREAS 601b	1.10	0.53	13.12	12.2	1.46	4.58

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-179_10-15	1.4	9.2	1.4	-
B21B-179_15-20	2.2	10.1	1.6	-
B21B-179_20-25	2.7	9.7	1.4	-
B21B-179_25-30	2.9	8.2	0.8	-
B21B-179_30-35	2.8	9.1	1.0	-
B21B-179_35-40	2.0	9.2	1.3	-
B21B-180_0-5	1.3	10.1	1.4	-
B21B-180_5-10	1.4	9.1	1.5	-
B21B-180_10-15	1.5	9.8	1.5	-
B21B-180_15-20	1.5	9.7	1.5	-
B21B-180_20-25	1.2	9.6	1.4	-
B21B-180_25-30	1.4	12.4	1.9	-
B21B-180_30-35	1.0	10.2	1.6	-
B21B-180_35-40	0.9	11.6	1.6	-
B21B-180_40-45	0.7	13.0	1.8	-
B21B-180_45-50	0.9	13.1	1.7	-
B21B-180_50-55	3.3	10.4	1.6	-
B21B-180_55-60	6.4	12.8	1.6	-
B21B-180_60-65	5.0	12.7	1.6	-
B21B-180_65-70	3.7	11.7	1.6	-
B21B-180_70-75	7.4	11.0	1.4	7.042
B21B-180_75-80	12.1	11.7	1.5	7.654
B21B-181_0-5	4.0	9.1	1.1	-
B21B-181_5-10	4.5	9.2	1.1	-
B21B-181_10-15	3.9	8.8	1.2	-
B21B-181_15-20	3.3	8.6	1.1	-
B21B-181_20-25	4.3	9.4	1.2	-
B21B-181_25-30	2.8	7.5	1.1	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-182_0-5	1.4	10.6	1.6	-
B21B-182_5-10	1.0	8.3	1.8	-
B21B-182_10-15	0.6	7.1	1.7	-
B21B-182_15-20	0.7	8.8	1.9	-
B21B-182_20-25	0.7	8.8	1.8	-
B21B-182_25-30	0.8	8.0	1.7	-
B21B-182_30-35	1.1	7.6	1.6	-
B21B-182_35-40	1.0	8.1	1.6	-
B21B-183_0-5	1.0	13.4	1.5	-
B21B-183_5-10	0.9	6.5	1.4	-
B21B-183_10-15	0.8	5.3	1.2	-
B21B-183_15-20	1.4	6.4	1.4	-
B21B-183_20-25	1.1	6.3	1.5	-
B21B-183_25-30	2.0	5.6	1.2	-
B21B-183_30-35	1.6	6.1	1.3	-
B21B-183_35-40	2.1	5.8	1.2	-
B21B-183_40-45	2.1	6.6	1.3	-
B21B-183_45-50	1.8	5.7	1.2	-
B21B-183_50-55	2.1	5.6	1.1	-
B21B-183_55-60	1.7	5.9	1.3	-
B21B-183_60-65	1.6	5.4	1.2	-
B21B-183_65-70	1.2	7.8	1.4	-
B21B-183_70-75	0.8	9.5	1.4	-
B21B-183_75-80	0.8	10.1	1.8	-
B21B-184_0-5	1.1	9.7	1.4	-
B21B-184_5-10	1.7	8.7	1.2	-
B21B-184_10-15	1.7	8.0	1.1	-
B21B-184_15-20	1.3	7.7	1.2	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11033

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1390-1464)  
 Number of Samples 75

Element Method	@W GE_IMS40Q12	@Y GE_IMS40Q12	@Yb GE_IMS40Q12	@S GE_CSA06V
Lower Limit	0.1	0.1	0.1	0.005
Upper Limit	10,000	10,000	1,000	30
Unit	ppm m / m	ppm m / m	ppm m / m	%
B21B-184_20-25	0.6	5.8	1.3	-
B21B-184_25-30	0.7	7.5	1.4	-
B21B-184_30-35	1.2	6.9	1.4	-
B21B-184_35-40	0.7	6.5	1.3	-
B21B-184_40-45	0.7	7.5	1.4	-
B21B-184_45-50	1.4	6.2	1.3	-
B21B-184_50-55	1.1	6.7	1.2	-
B21B-184_55-60	1.4	6.2	1.2	-
B21B-184_60-65	1.6	6.0	1.3	-
B21B-184_65-70	0.9	5.5	1.2	-
B21B-184_70-75	0.5	5.3	1.1	-
B21B-184_75-80	0.6	6.1	1.3	-
B21B-185_0-5	1.1	8.6	1.0	-
B21B-185_5-10	1.4	3.9	0.5	-
B21B-185_10-15	1.6	7.5	0.9	-
B21B-185_15-20	1.3	4.2	0.5	-
*Dup B21B-183_5-10	1.0	6.4	1.5	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	2.7	16.1	0.6	-
*Std OREAS 601b	6.1	10.9	0.5	-
*Std OREAS 601b	6.1	11.8	0.5	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Rep B21B-185_10-15	1.6	7.6	0.9	-
*Std OREAS 905	2.6	15.8	0.6	-
*Blk BLANK	<0.1	<0.1	<0.1	-
*Std OREAS 905	2.7	15.7	0.7	-
*Std OREAS 601b	6.2	11.0	0.5	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504Samples(1390-1464)  
Number of Samples 75

## ANALYSIS REPORT BBM21-11033

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



# ANALYSIS REPORT BBM21-11035

To COD SGS MINERALS - GEOCHEM VANCOUVER  
 PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
 201 ROUTE 17 NORTH, 7TH FLOOR  
 Rutherford 07070  
 Bergen  
 UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	08-Jul-2021
Project	The Brewer Gold Project	Date Analysed	08-Sep-2021 - 04-Nov-2021
Submission Number	*SD*PANCON_RESOURCES/Brewer	Date Completed	05-Nov-2021
Gold/RABP2/1504Samples(1465-1504)		SGS Order Number	BBM21-11035
Number of Samples	40		

Methods Summary		
Number of Sample	Method Code	Description
40	G_WGH_KG	Weight of samples received
40	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
39	GE_DIG40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3)
39	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml
39	GE_IMS40Q12	4 Acid Digest Package (HCL/HClO4/HF/HNO3),ICP-MS, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
 Analysis of samples was performed at the SGS Burnaby site.  
 -This report cancels and supersedes the report  
 BBM\_U0016111468 dated 06-Nov-2021 issued by SGS  
 Canada (Burnaby).  
 Elements sequence updated.

Authorised Signatory

John Chiang  
 Laboratory Operations Manager



- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
Gold/RABP2/1504Samples(1465-1504)  
Number of Samples 40

## ANALYSIS REPORT BBM21-11035

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11035**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-185_20-25	7.45	0.036	4.14	366	0.02	8
B21B-185_25-30	3.80	0.012	7.09	806	<0.01	2
B21B-185_30-35	5.72	0.008	7.89	932	<0.01	2
B21B-185_35-40	3.68	0.010	6.27	787	<0.01	2
B21B-185_40-45	5.74	0.006	5.56	700	<0.01	2
B21B-185_45-50	7.37	0.009	6.83	878	<0.01	2
B21B-185_50-55	7.01	0.005	6.69	770	0.01	3
B21B-185_55-60	7.06	0.006	7.80	921	0.01	3
B21B-185_60-65	5.01	0.005	6.83	940	0.01	12
B21B-185_65-70	6.10	0.005	7.67	472	0.06	211
B21B-185_70-75	4.71	<0.005	7.86	814	0.02	25
B21B-185_75-80	7.13	<0.005	7.57	541	0.01	19
B21B-186_0-5	6.68	0.016	7.16	919	0.08	7
B21B-186_5-10	4.64	0.041	8.35	1102	0.18	2
B21B-186_10-15	5.23	0.033	8.36	934	0.21	4
B21B-186_15-20	8.65	0.055	9.01	961	0.20	2
B21B-186_20-25	5.09	0.041	9.32	988	0.31	2
B21B-186_25-30	7.28	0.026	8.54	1069	0.28	1
B21B-186_30-35	5.31	0.027	9.88	1035	0.32	2
B21B-186_35-40	5.80	0.024	10.07	1056	0.39	2
B21B-186_40-45	3.83	0.017	9.17	1020	0.46	2
B21B-186_45-50	6.15	0.016	8.45	756	0.54	93
596986	2.48	0.011	-	-	-	-
B21B-186_50-55	7.66	0.017	9.13	768	0.89	57
B21B-186_55-60	7.06	0.018	9.47	557	1.49	12
B21B-186_60-65	7.89	0.018	9.76	399	1.54	6
B21B-186_65-70	6.34	0.019	10.26	679	1.92	4
B21B-186_70-75	6.95	0.017	10.29	597	1.61	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method	WTKG G_WGH_KG	@Au GE_FAA30V5	@Al GE_ICP40Q12	@Ba GE_ICP40Q12	@Ca GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
B21B-186_75-80	7.88	0.015	9.64	512	3.21	5
B21B-187_0-5	3.28	0.011	8.41	568	0.39	7
B21B-187_5-10	3.95	0.011	9.06	571	0.47	3
B21B-187_10-15	3.44	0.022	9.33	585	0.44	8
B21B-187_15-20	6.20	0.015	8.47	591	0.42	3
B21B-187_20-25	3.70	0.018	8.25	606	0.32	3
B21B-187_25-30	4.13	0.020	8.68	602	0.69	3
B21B-187_30-35	8.04	0.012	8.16	526	1.67	2
B21B-187_35-40	7.26	0.010	8.10	506	2.01	3
B21B-187_40-45	5.46	0.010	8.60	540	1.57	2
B21B-187_45-50	5.79	0.009	8.80	583	0.82	2
B21B-187_50-55	6.03	0.012	7.68	507	0.76	3
*Dup B21B-187_45-50	-	0.009	8.85	578	0.83	3
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 235	-	1.592	-	-	-	-
*Std OREAS 601b	-	-	6.93	335	0.88	25
*Blk BLANK	-	-	<0.01	<1	<0.01	1
*Std OREAS 905	-	-	7.41	2741	0.59	18
*Rep B21B-186_10-15	-	0.028	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Rep B21B-187_5-10	-	0.012	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	7.789	-	-	-	-
*Blk BLANK	-	0.006	-	-	-	-
*Std OREAS 45h	-	0.041	-	-	-	-
*Blk BLANK	-	-	0.01	2	<0.01	1
*Std OREAS 905	-	-	7.38	2684	0.57	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	WTKG	@Au	@Al	@Ba	@Ca	@Cr
Method	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	0.01	1	0.01	1
Upper Limit	--	10	15	10,000	15	10,000
Unit	kg	ppm m / m	%	ppm m / m	%	ppm m / m
*Std OREAS 601b	-	-	6.57	544	0.83	20
*Rep B21B-187_5-10	-	-	9.19	579	0.48	3

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-185_20-25	55.5	1.82	1.31	2	0.04	38
B21B-185_25-30	110	3.31	2.84	1	0.07	13
B21B-185_30-35	91.9	2.87	3.22	2	0.08	10
B21B-185_35-40	38.9	2.80	2.58	1	0.07	12
B21B-185_40-45	19.3	2.60	2.30	1	0.06	8
B21B-185_45-50	18.9	3.24	2.85	2	0.08	13
B21B-185_50-55	43.1	3.82	2.71	2	0.12	25
B21B-185_55-60	76.1	3.44	3.25	3	0.13	25
B21B-185_60-65	22.9	3.37	2.66	3	0.13	23
B21B-185_65-70	66.1	6.84	0.79	37	2.32	337
B21B-185_70-75	57.7	3.57	3.07	5	0.24	46
B21B-185_75-80	50.3	3.38	2.96	4	0.18	37
B21B-186_0-5	3.2	1.99	2.11	7	0.04	8
B21B-186_5-10	7.8	3.30	2.31	11	0.05	10
B21B-186_10-15	7.1	2.78	2.26	17	0.05	8
B21B-186_15-20	7.2	3.56	2.43	17	0.06	11
B21B-186_20-25	7.3	2.88	2.32	26	0.06	10
B21B-186_25-30	5.1	1.96	2.58	24	0.07	13
B21B-186_30-35	9.5	2.39	2.67	29	0.08	43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
B21B-186_35-40	11.5	2.40	2.72	33	0.09	87
B21B-186_40-45	9.2	1.89	2.71	31	0.12	58
B21B-186_45-50	84.5	4.27	1.62	54	2.03	748
B21B-186_50-55	33.1	3.31	2.13	52	1.80	695
B21B-186_55-60	23.0	3.10	2.69	30	0.70	707
B21B-186_60-65	19.5	3.59	2.81	26	0.80	1010
B21B-186_65-70	30.8	3.34	2.99	20	0.56	701
B21B-186_70-75	16.1	2.75	3.18	18	0.46	462
B21B-186_75-80	12.7	2.48	2.51	14	0.35	728
B21B-187_0-5	26.3	4.38	1.74	38	0.08	35
B21B-187_5-10	15.2	2.25	1.82	47	0.07	22
B21B-187_10-15	15.3	2.63	1.85	45	0.08	28
B21B-187_15-20	12.8	2.27	1.90	36	0.16	424
B21B-187_20-25	11.1	1.88	2.10	36	0.26	293
B21B-187_25-30	15.8	2.36	2.17	36	0.26	220
B21B-187_30-35	21.0	2.00	1.93	34	0.41	484
B21B-187_35-40	33.0	2.26	1.94	33	0.42	784
B21B-187_40-45	34.1	1.73	2.10	36	0.35	389
B21B-187_45-50	25.8	1.63	2.19	39	0.40	245
B21B-187_50-55	37.0	1.86	1.93	35	0.37	244
*Dup B21B-187_45-50	25.9	1.65	2.19	40	0.40	258
*Std OREAS 601b	1021	2.29	2.52	24	0.10	217
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1556	3.96	3.04	22	0.28	373
*Blk BLANK	<0.5	<0.01	<0.01	<1	<0.01	<2
*Std OREAS 905	1540	4.10	3.07	21	0.27	361
*Std OREAS 601b	984	2.23	2.37	22	0.10	206

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	1	0.01	2
Upper Limit	10,000	15	15	10,000	15	10,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
*Rep B21B-187_5-10	15.4	2.26	1.84	48	0.08	22

Element	@Na	@Ni	@P	@S	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	1	0.01	0.01	0.5	0.01
Upper Limit	15	10,000	15	5	10,000	15
Unit	%	ppm m / m	%	%	ppm m / m	%
B21B-185_20-25	0.15	3	0.03	0.06	126	0.08
B21B-185_25-30	0.30	<1	0.02	1.12	93.7	0.07
B21B-185_30-35	0.32	<1	0.02	0.65	84.0	0.06
B21B-185_35-40	0.26	<1	0.02	0.10	65.8	0.06
B21B-185_40-45	0.23	<1	0.02	0.06	59.4	0.06
B21B-185_45-50	0.29	<1	0.02	0.35	72.2	0.06
B21B-185_50-55	0.27	<1	0.05	1.69	83.4	0.06
B21B-185_55-60	0.32	1	0.05	1.57	96.1	0.06
B21B-185_60-65	0.28	3	0.06	0.29	89.1	0.07
B21B-185_65-70	0.11	112	0.27	0.22	223	0.48
B21B-185_70-75	0.34	10	0.06	2.25	113	0.14
B21B-185_75-80	0.32	7	0.05	2.06	101	0.10
B21B-186_0-5	0.67	<1	0.03	0.02	261	0.10
B21B-186_5-10	0.75	<1	0.17	0.03	824	0.11
B21B-186_10-15	0.87	<1	0.04	0.03	321	0.08
B21B-186_15-20	0.85	<1	0.08	0.02	287	0.06
B21B-186_20-25	0.85	2	0.08	0.02	362	0.07
B21B-186_25-30	0.80	<1	0.04	0.02	312	0.08
B21B-186_30-35	0.77	<1	0.04	0.02	311	0.07
B21B-186_35-40	0.70	1	0.05	0.25	305	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@Na GE_ICP40Q12 0.01 15 %	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@P GE_ICP40Q12 0.01 15 %	@S GE_ICP40Q12 0.01 5 %	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
B21B-186_40-45	0.62	2	0.05	0.90	275	0.09
B21B-186_45-50	0.43	86	0.18	0.96	402	0.37
B21B-186_50-55	0.46	72	0.16	1.29	267	0.37
B21B-186_55-60	0.53	8	0.10	2.24	302	0.26
B21B-186_60-65	0.58	5	0.10	2.60	310	0.30
B21B-186_65-70	0.62	3	0.14	2.68	328	0.30
B21B-186_70-75	0.64	3	0.12	2.27	315	0.32
B21B-186_75-80	0.51	3	0.09	2.03	316	0.29
B21B-187_0-5	0.50	2	0.07	0.06	187	0.22
B21B-187_5-10	0.51	1	0.04	0.03	194	0.29
B21B-187_10-15	0.53	2	0.04	0.03	188	0.27
B21B-187_15-20	0.48	<1	0.04	0.02	180	0.26
B21B-187_20-25	0.50	<1	0.04	0.02	170	0.24
B21B-187_25-30	0.55	<1	0.05	0.47	221	0.27
B21B-187_30-35	0.52	1	0.04	1.32	299	0.27
B21B-187_35-40	0.56	1	0.04	1.52	315	0.29
B21B-187_40-45	0.63	1	0.04	1.36	295	0.28
B21B-187_45-50	0.68	2	0.03	1.32	250	0.29
B21B-187_50-55	0.63	3	0.05	1.57	224	0.29
*Dup B21B-187_45-50	0.68	2	0.03	1.39	251	0.29
*Std OREAS 601b	1.95	6	0.03	1.52	257	0.13
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.41	9	0.03	0.08	166	0.12
*Blk BLANK	<0.01	<1	<0.01	<0.01	<0.5	<0.01
*Std OREAS 905	2.43	8	0.03	0.07	162	0.12
*Std OREAS 601b	1.86	6	0.03	1.47	231	0.13
*Rep B21B-187_5-10	0.51	1	0.04	0.03	196	0.26

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@V GE_ICP40Q12 2 10,000 ppm m / m	@Zn GE_ICP40Q12 1 10,000 ppm m / m	@Zr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ag GE_IMS40Q12 0.02 100 ppm m / m	@As GE_IMS40Q12 1 10,000 ppm m / m	@Be GE_IMS40Q12 0.1 2,500 ppm m / m
B21B-185_20-25	32	4	77.6	0.03	2	0.7
B21B-185_25-30	50	2	141	0.05	3	1.7
B21B-185_30-35	54	2	153	0.07	4	1.8
B21B-185_35-40	43	2	122	0.02	3	1.4
B21B-185_40-45	40	1	117	<0.02	3	1.3
B21B-185_45-50	51	3	142	0.11	3	1.8
B21B-185_50-55	54	8	146	0.10	6	2.2
B21B-185_55-60	62	7	134	0.07	4	3.1
B21B-185_60-65	47	11	115	0.08	3	2.4
B21B-185_65-70	156	134	107	0.12	5	2.6
B21B-185_70-75	65	13	127	0.07	4	2.5
B21B-185_75-80	59	10	135	0.10	3	1.7
B21B-186_0-5	55	4	113	0.08	18	1.1
B21B-186_5-10	71	12	128	0.04	67	1.7
B21B-186_10-15	59	8	131	0.04	24	1.7
B21B-186_15-20	71	8	147	0.04	23	1.6
B21B-186_20-25	56	13	142	0.06	14	2.2
B21B-186_25-30	54	9	129	0.04	14	1.9
B21B-186_30-35	53	20	113	0.02	16	2.1
B21B-186_35-40	47	45	94.0	0.11	22	2.4
B21B-186_40-45	47	24	82.6	0.05	12	2.6
B21B-186_45-50	103	199	181	0.09	28	3.0
B21B-186_50-55	95	144	143	0.09	20	2.7
B21B-186_55-60	63	129	61.8	0.07	24	2.4
B21B-186_60-65	62	164	56.3	0.07	27	2.4
B21B-186_65-70	64	124	53.4	0.08	32	2.7
B21B-186_70-75	64	81	76.9	0.08	24	2.6
B21B-186_75-80	55	59	63.6	0.07	31	2.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@V	@Zn	@Zr	@Ag	@As	@Be
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	2	1	0.5	0.02	1	0.1
Upper Limit	10,000	10,000	10,000	100	10,000	2,500
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-187_0-5	72	17	67.5	0.02	19	1.9
B21B-187_5-10	59	10	43.8	<0.02	9	2.0
B21B-187_10-15	62	12	51.1	<0.02	9	1.9
B21B-187_15-20	55	29	46.0	0.02	5	1.6
B21B-187_20-25	45	39	47.8	<0.02	5	1.7
B21B-187_25-30	52	37	42.0	0.02	7	1.7
B21B-187_30-35	51	58	42.8	0.05	8	1.5
B21B-187_35-40	56	58	37.6	0.08	12	1.5
B21B-187_40-45	55	43	53.7	0.08	12	1.7
B21B-187_45-50	59	51	48.6	0.08	7	1.7
B21B-187_50-55	55	53	51.2	0.06	8	1.4
*Dup B21B-187_45-50	60	52	47.8	0.05	7	1.7
*Std OREAS 601b	11	304	187	51.04	307	2.5
*Blk BLANK	<2	<1	<0.5	<0.02	<1	<0.1
*Std OREAS 905	9	130	256	0.47	31	3.2
*Blk BLANK	<2	1	<0.5	-	-	-
*Std OREAS 905	8	130	250	0.63	35	3.0
*Std OREAS 601b	10	304	177	50.75	274	2.1
*Rep B21B-187_5-10	59	10	43.4	<0.02	9	1.9
*Blk BLANK	-	-	-	<0.02	<1	<0.1
*Std OREAS 905	-	-	-	0.52	32	2.8

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Bi	@Cd	@Ce	@Co	@Cs	@Ga
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.04	0.02	0.05	0.1	1	0.1
Upper Limit	10,000	10,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-185_20-25	1.45	<0.02	43.72	0.3	2	10.0
B21B-185_25-30	0.23	<0.02	40.53	1.8	3	17.2
B21B-185_30-35	0.20	<0.02	39.74	1.2	3	16.4
B21B-185_35-40	0.18	<0.02	31.10	0.2	3	12.4
B21B-185_40-45	0.16	<0.02	32.38	0.1	3	12.3
B21B-185_45-50	0.19	<0.02	35.34	0.5	3	18.7
B21B-185_50-55	0.14	<0.02	50.15	3.1	3	19.2
B21B-185_55-60	0.15	<0.02	44.48	2.9	4	18.4
B21B-185_60-65	0.11	<0.02	32.06	0.8	3	13.9
B21B-185_65-70	0.08	<0.02	57.19	24.2	<1	22.4
B21B-185_70-75	0.12	<0.02	47.47	6.2	3	17.4
B21B-185_75-80	0.11	<0.02	40.59	5.3	3	17.3
B21B-186_0-5	0.11	0.11	18.39	0.3	3	14.0
B21B-186_5-10	0.10	0.10	52.01	0.2	3	16.0
B21B-186_10-15	0.21	0.04	50.69	0.1	3	16.2
B21B-186_15-20	0.20	0.02	27.29	0.2	3	16.7
B21B-186_20-25	0.14	<0.02	53.72	0.2	3	16.1
B21B-186_25-30	0.14	<0.02	33.20	<0.1	4	16.3
B21B-186_30-35	0.17	<0.02	17.87	0.6	4	18.1
B21B-186_35-40	0.14	0.03	23.25	1.3	4	17.2
B21B-186_40-45	0.14	0.02	32.35	2.9	4	15.9
B21B-186_45-50	0.14	0.22	73.60	15.5	2	18.3
B21B-186_50-55	0.14	0.12	62.87	14.5	3	18.4
B21B-186_55-60	0.15	0.33	50.88	7.6	4	19.4
B21B-186_60-65	0.15	0.32	52.67	6.7	4	19.0
B21B-186_65-70	0.15	0.36	54.31	7.5	5	21.8
B21B-186_70-75	0.14	0.15	58.88	7.2	5	20.3
B21B-186_75-80	0.13	0.13	49.50	6.8	4	18.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11035**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@Bi GE_IMS40Q12 0.04 10,000 ppm m / m	@Cd GE_IMS40Q12 0.02 10,000 ppm m / m	@Ce GE_IMS40Q12 0.05 1,000 ppm m / m	@Co GE_IMS40Q12 0.1 10,000 ppm m / m	@Cs GE_IMS40Q12 1 1,000 ppm m / m	@Ga GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-187_0-5	0.87	<0.02	38.37	0.8	3	17.0
B21B-187_5-10	0.19	<0.02	26.82	0.6	3	19.2
B21B-187_10-15	0.19	<0.02	27.60	0.9	3	19.5
B21B-187_15-20	0.14	<0.02	37.60	2.5	3	16.6
B21B-187_20-25	0.14	<0.02	24.27	1.3	3	14.4
B21B-187_25-30	0.21	0.04	34.43	1.9	3	16.6
B21B-187_30-35	0.13	0.26	42.05	4.2	3	16.8
B21B-187_35-40	0.11	0.30	47.85	5.0	3	18.8
B21B-187_40-45	0.12	0.28	45.08	5.2	4	17.7
B21B-187_45-50	0.10	0.94	47.02	5.7	4	16.6
B21B-187_50-55	0.12	3.41	39.30	8.3	3	14.0
*Dup B21B-187_45-50	0.10	0.90	45.71	5.3	4	16.1
*Std OREAS 601b	17.39	2.25	70.45	3.0	6	23.3
*Blk BLANK	<0.04	<0.02	<0.05	<0.1	<1	<0.1
*Std OREAS 905	5.78	0.36	89.11	14.2	8	23.1
*Std OREAS 905	5.80	0.31	92.10	14.6	7	26.3
*Std OREAS 601b	17.25	1.93	70.41	2.8	5	22.7
*Rep B21B-187_5-10	0.18	<0.02	27.59	0.6	3	19.1
*Blk BLANK	<0.04	<0.02	0.08	<0.1	<1	<0.1
*Std OREAS 905	5.77	0.34	94.12	13.6	7	24.0

Element Method Lower Limit Upper Limit Unit	@Hf GE_IMS40Q12 0.02 500 ppm m / m	@In GE_IMS40Q12 0.02 500 ppm m / m	@La GE_IMS40Q12 0.1 10,000 ppm m / m	@Lu GE_IMS40Q12 0.01 1,000 ppm m / m	@Mo GE_IMS40Q12 0.05 10,000 ppm m / m	@Nb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-185_20-25	2.09	0.06	22.3	0.12	2.89	2.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-185_25-30	3.90	0.06	18.4	0.23	1.45	1.8
B21B-185_30-35	4.10	0.05	17.8	0.23	1.36	1.5
B21B-185_35-40	3.36	0.04	14.1	0.20	1.31	1.2
B21B-185_40-45	3.18	0.04	14.4	0.19	2.61	1.5
B21B-185_45-50	3.82	0.05	15.9	0.22	2.64	1.9
B21B-185_50-55	4.07	0.05	22.4	0.27	2.75	1.5
B21B-185_55-60	4.12	0.06	19.6	0.29	2.27	1.4
B21B-185_60-65	3.35	0.05	14.7	0.26	1.22	1.8
B21B-185_65-70	2.72	0.07	23.8	0.24	1.79	11.0
B21B-185_70-75	3.83	0.05	20.9	0.33	1.93	3.1
B21B-185_75-80	3.94	0.05	18.6	0.27	2.39	2.3
B21B-186_0-5	3.29	0.04	9.1	0.33	442	2.5
B21B-186_5-10	3.91	0.05	25.5	0.41	234	3.0
B21B-186_10-15	3.75	0.05	22.6	0.32	51.44	2.0
B21B-186_15-20	4.34	0.05	13.4	0.36	11.97	1.6
B21B-186_20-25	4.03	0.07	27.1	0.38	7.01	1.7
B21B-186_25-30	3.60	0.04	17.6	0.34	3.60	1.9
B21B-186_30-35	3.32	0.05	8.6	0.29	5.74	1.5
B21B-186_35-40	2.71	0.04	11.3	0.24	3.58	1.7
B21B-186_40-45	2.33	0.04	14.5	0.24	2.45	2.2
B21B-186_45-50	6.15	0.05	34.5	0.34	3.17	5.7
B21B-186_50-55	5.01	0.05	27.3	0.32	3.19	7.3
B21B-186_55-60	2.34	0.06	23.2	0.33	3.40	6.6
B21B-186_60-65	2.16	0.06	24.0	0.34	3.00	8.0
B21B-186_65-70	1.76	0.06	24.8	0.36	2.38	8.4
B21B-186_70-75	2.71	0.06	27.2	0.39	2.79	9.1
B21B-186_75-80	2.18	0.06	22.6	0.37	3.65	8.3
B21B-187_0-5	2.42	0.08	18.9	0.17	6.76	6.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Hf	@In	@La	@Lu	@Mo	@Nb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.02	0.02	0.1	0.01	0.05	0.1
Upper Limit	500	500	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-187_5-10	1.39	0.08	12.4	0.11	1.97	9.0
B21B-187_10-15	2.01	0.07	14.2	0.16	2.20	8.6
B21B-187_15-20	1.52	0.06	17.7	0.16	1.52	8.0
B21B-187_20-25	1.90	0.05	11.7	0.16	1.58	7.6
B21B-187_25-30	1.41	0.05	16.1	0.18	1.30	8.2
B21B-187_30-35	1.40	0.05	19.4	0.24	1.10	8.1
B21B-187_35-40	1.27	0.06	20.8	0.26	1.37	8.9
B21B-187_40-45	1.91	0.05	20.7	0.27	1.13	8.4
B21B-187_45-50	1.60	0.04	21.3	0.28	1.01	8.2
B21B-187_50-55	1.61	0.04	16.7	0.24	1.04	7.9
*Dup B21B-187_45-50	1.60	0.04	20.8	0.29	1.04	8.2
*Std OREAS 601b	5.35	0.50	34.7	0.07	5.40	15.7
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	<0.1
*Std OREAS 905	7.09	0.66	44.8	0.09	3.12	19.2
*Std OREAS 905	7.31	0.59	46.4	0.09	3.43	18.9
*Std OREAS 601b	5.13	0.42	35.8	0.07	4.89	14.9
*Rep B21B-187_5-10	1.41	0.08	13.3	0.11	1.95	8.1
*Blk BLANK	<0.02	<0.02	<0.1	<0.01	<0.05	0.1
*Std OREAS 905	7.17	0.65	44.0	0.10	3.31	17.8

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-185_20-25	34.5	40.8	0.28	4.9	5	1.1
B21B-185_25-30	12.6	93.1	0.23	9.5	6	1.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@Pb GE_IMS40Q12 0.5 10,000 ppm m / m	@Rb GE_IMS40Q12 0.2 10,000 ppm m / m	@Sb GE_IMS40Q12 0.05 10,000 ppm m / m	@Sc GE_IMS40Q12 0.5 10,000 ppm m / m	@Se GE_IMS40Q12 2 1,000 ppm m / m	@Sn GE_IMS40Q12 0.3 1,000 ppm m / m
B21B-185_30-35	10.4	97.1	0.41	9.3	6	1.1
B21B-185_35-40	8.4	82.0	0.17	7.8	6	0.9
B21B-185_40-45	7.9	74.6	0.12	7.2	6	0.9
B21B-185_45-50	9.7	92.6	0.31	10.9	7	1.0
B21B-185_50-55	8.8	90.2	0.27	12.0	6	1.0
B21B-185_55-60	10.2	107	0.41	12.9	5	1.1
B21B-185_60-65	11.9	85.9	0.22	12.1	6	0.9
B21B-185_65-70	12.8	23.8	0.54	23.5	3	1.2
B21B-185_70-75	17.0	98.6	0.58	13.1	4	1.1
B21B-185_75-80	12.0	101	0.42	12.4	4	1.1
B21B-186_0-5	11.8	92.0	0.62	17.2	<2	1.0
B21B-186_5-10	13.1	101	1.59	20.2	<2	1.0
B21B-186_10-15	14.7	96.6	0.54	20.1	<2	0.9
B21B-186_15-20	14.6	108	0.71	22.1	<2	1.0
B21B-186_20-25	15.7	102	1.09	14.9	<2	1.0
B21B-186_25-30	14.3	112	0.64	9.7	<2	1.0
B21B-186_30-35	12.5	113	0.97	10.3	<2	1.1
B21B-186_35-40	12.7	115	1.12	8.8	<2	1.1
B21B-186_40-45	12.3	116	0.64	9.5	<2	1.1
B21B-186_45-50	11.7	72.9	3.28	15.1	<2	1.7
B21B-186_50-55	12.9	94.6	1.91	15.3	<2	1.7
B21B-186_55-60	13.7	119	1.44	15.4	<2	1.6
B21B-186_60-65	15.3	118	1.40	15.9	<2	1.7
B21B-186_65-70	16.0	128	2.29	16.9	<2	1.7
B21B-186_70-75	14.4	139	1.56	16.9	<2	1.7
B21B-186_75-80	14.0	107	4.40	13.8	<2	1.5
B21B-187_0-5	18.1	80.1	1.65	12.2	3	1.5
B21B-187_5-10	18.1	85.8	1.39	9.8	<2	1.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element	@Pb	@Rb	@Sb	@Sc	@Se	@Sn
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.5	0.2	0.05	0.5	2	0.3
Upper Limit	10,000	10,000	10,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-187_10-15	18.0	85.8	1.49	9.7	2	1.6
B21B-187_15-20	16.7	89.9	1.42	12.9	<2	1.5
B21B-187_20-25	14.7	99.6	1.14	10.9	<2	1.3
B21B-187_25-30	15.9	99.5	1.60	10.5	2	1.5
B21B-187_30-35	14.9	86.5	1.92	12.8	<2	1.6
B21B-187_35-40	16.5	86.7	2.34	13.5	<2	1.7
B21B-187_40-45	17.1	95.4	1.81	12.2	<2	1.4
B21B-187_45-50	19.5	102	1.53	11.9	<2	1.4
B21B-187_50-55	20.0	86.4	1.52	10.1	2	1.2
*Dup B21B-187_45-50	19.4	102	1.56	12.1	<2	1.4
*Std OREAS 601b	331	104	22.99	3.6	11	4.1
*Blk BLANK	<0.5	<0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	29.1	144	1.81	4.5	3	4.7
*Std OREAS 905	28.3	142	1.92	5.5	3	8.7
*Std OREAS 601b	315	96.0	23.15	3.8	10	3.6
*Rep B21B-187_5-10	18.1	86.6	1.33	11.3	<2	1.7
*Blk BLANK	0.9	0.2	<0.05	<0.5	<2	<0.3
*Std OREAS 905	30.2	131	1.96	4.8	2	4.7

Element	@Ta	@Tb	@Te	@Th	@Tl	@U
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.05	0.05	0.2	0.02	0.05
Upper Limit	10,000	10,000	1,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
B21B-185_20-25	0.20	0.18	4.55	7.8	1.04	1.08
B21B-185_25-30	0.11	0.19	13.63	6.6	2.37	1.42
B21B-185_30-35	0.10	0.22	8.37	6.4	2.63	1.40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

**ANALYSIS REPORT BBM21-11035**

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-185_35-40	0.08	0.17	4.56	5.5	2.18	1.19
B21B-185_40-45	0.09	0.20	5.63	4.9	1.99	1.15
B21B-185_45-50	0.16	0.21	5.90	5.9	2.52	1.28
B21B-185_50-55	0.12	0.31	9.01	6.7	2.38	1.44
B21B-185_55-60	0.12	0.36	4.48	6.3	2.83	1.44
B21B-185_60-65	0.15	0.30	3.42	5.4	2.24	1.25
B21B-185_65-70	0.81	1.00	1.73	3.3	0.66	1.40
B21B-185_70-75	0.22	0.47	3.93	5.9	2.64	1.36
B21B-185_75-80	0.16	0.34	4.00	5.7	2.53	1.31
B21B-186_0-5	0.17	0.31	0.21	5.8	1.58	1.18
B21B-186_5-10	0.20	0.56	0.20	6.1	1.66	1.60
B21B-186_10-15	0.14	0.45	0.25	6.2	1.60	1.40
B21B-186_15-20	0.12	0.33	0.29	7.4	1.68	2.10
B21B-186_20-25	0.13	0.49	0.23	8.5	1.58	2.04
B21B-186_25-30	0.14	0.43	0.18	5.7	1.72	1.48
B21B-186_30-35	0.11	0.22	0.23	7.1	1.71	1.12
B21B-186_35-40	0.12	0.26	0.18	6.6	1.70	1.08
B21B-186_40-45	0.15	0.43	0.11	6.1	1.68	1.24
B21B-186_45-50	0.35	0.88	0.15	7.0	0.99	2.17
B21B-186_50-55	0.45	0.72	0.10	7.1	1.27	1.88
B21B-186_55-60	0.44	0.69	0.12	6.9	1.53	1.61
B21B-186_60-65	0.54	0.80	0.15	7.4	1.55	1.68
B21B-186_65-70	0.58	0.79	0.14	7.3	1.60	1.71
B21B-186_70-75	0.61	0.89	0.12	7.7	1.60	1.72
B21B-186_75-80	0.54	0.81	0.06	6.6	1.27	1.48
B21B-187_0-5	0.46	0.24	1.91	8.1	1.17	1.55
B21B-187_5-10	0.57	0.14	1.07	6.9	1.20	1.06
B21B-187_10-15	0.57	0.18	1.16	7.8	1.24	0.99

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number

## ANALYSIS REPORT BBM21-11035

\*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

Element Method Lower Limit Upper Limit Unit	@Ta GE_IMS40Q12 0.05 10,000 ppm m / m	@Tb GE_IMS40Q12 0.05 10,000 ppm m / m	@Te GE_IMS40Q12 0.05 1,000 ppm m / m	@Th GE_IMS40Q12 0.2 10,000 ppm m / m	@Tl GE_IMS40Q12 0.02 10,000 ppm m / m	@U GE_IMS40Q12 0.05 10,000 ppm m / m
B21B-187_15-20	0.52	0.23	0.84	7.2	1.25	1.48
B21B-187_20-25	0.49	0.18	0.75	6.7	1.36	1.32
B21B-187_25-30	0.54	0.34	0.71	7.0	1.35	1.44
B21B-187_30-35	0.54	0.55	0.56	6.5	1.17	1.67
B21B-187_35-40	0.57	0.64	0.53	6.1	1.19	1.59
B21B-187_40-45	0.53	0.59	0.55	6.4	1.27	1.56
B21B-187_45-50	0.53	0.66	0.45	6.2	1.33	1.45
B21B-187_50-55	0.50	0.56	0.58	5.2	1.17	1.44
*Dup B21B-187_45-50	0.54	0.65	0.47	6.1	1.34	1.41
*Std OREAS 601b	1.06	0.52	14.09	11.8	1.40	4.50
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.27	0.73	0.11	14.0	0.67	4.76
*Std OREAS 905	1.37	0.76	0.09	14.6	0.69	4.69
*Std OREAS 601b	1.11	0.50	12.67	12.1	1.39	4.18
*Rep B21B-187_5-10	0.54	0.14	1.09	7.5	1.20	1.04
*Blk BLANK	<0.05	<0.05	<0.05	<0.2	<0.02	<0.05
*Std OREAS 905	1.26	0.74	0.07	14.1	0.70	5.24

Element Method Lower Limit Upper Limit Unit	@W GE_IMS40Q12 0.1 10,000 ppm m / m	@Y GE_IMS40Q12 0.1 10,000 ppm m / m	@Yb GE_IMS40Q12 0.1 1,000 ppm m / m
B21B-185_20-25	0.8	4.2	0.7
B21B-185_25-30	0.4	6.2	1.2
B21B-185_30-35	0.4	5.9	1.3
B21B-185_35-40	0.5	5.0	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

## ANALYSIS REPORT BBM21-11035

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-185_40-45	0.6	4.9	1.0
B21B-185_45-50	0.7	4.9	1.2
B21B-185_50-55	0.6	7.1	1.5
B21B-185_55-60	0.8	8.0	1.7
B21B-185_60-65	0.8	7.6	1.6
B21B-185_65-70	0.5	20.3	1.7
B21B-185_70-75	0.8	11.4	1.9
B21B-185_75-80	0.9	9.6	1.8
B21B-186_0-5	1.9	8.2	1.6
B21B-186_5-10	2.5	11.5	2.2
B21B-186_10-15	1.5	10.3	1.7
B21B-186_15-20	1.1	12.5	2.0
B21B-186_20-25	1.1	19.0	2.4
B21B-186_25-30	0.9	21.7	2.2
B21B-186_30-35	0.6	8.4	1.7
B21B-186_35-40	0.6	9.3	1.6
B21B-186_40-45	0.9	12.4	1.7
B21B-186_45-50	1.5	30.0	2.5
B21B-186_50-55	1.7	24.3	2.4
B21B-186_55-60	2.7	26.9	2.5
B21B-186_60-65	2.8	30.1	2.7
B21B-186_65-70	3.9	29.4	2.8
B21B-186_70-75	3.6	33.6	2.9
B21B-186_75-80	13.9	30.0	2.9
B21B-187_0-5	1.0	6.1	1.2
B21B-187_5-10	1.2	3.8	0.7
B21B-187_10-15	1.1	7.8	1.1
B21B-187_15-20	1.1	7.8	1.1
B21B-187_20-25	1.0	6.6	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
 Project The Brewer Gold Project  
 Submission Number \*SD\*PANCON\_RESOURCES/Brewer  
 Gold/RABP2/1504Samples(1465-1504)  
 Number of Samples 40

## ANALYSIS REPORT BBM21-11035

Element	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.1	0.1
Upper Limit	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m
B21B-187_25-30	1.0	12.4	1.3
B21B-187_30-35	1.1	20.4	1.9
B21B-187_35-40	1.1	25.4	2.1
B21B-187_40-45	1.1	20.9	2.1
B21B-187_45-50	1.1	24.7	2.2
B21B-187_50-55	0.9	18.5	1.8
*Dup B21B-187_45-50	1.1	22.4	2.2
*Std OREAS 601b	6.1	11.8	0.5
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.6	15.8	0.6
*Std OREAS 905	2.8	15.5	0.7
*Std OREAS 601b	6.2	10.6	0.5
*Rep B21B-187_5-10	1.0	4.0	0.7
*Blk BLANK	<0.1	<0.1	<0.1
*Std OREAS 905	2.7	15.1	0.6

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-12749

To COD SGS MINERALS - GEOCHEM VANCOUVER  
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN  
201 ROUTE 17 NORTH, 7TH FLOOR  
Rutherford 07070  
Bergen  
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	15-Sep-2021
Project	The Brewer Gold Project	Date Analysed	02-Oct-2021 - 08-Oct-2021
Submission Number	Re-analysis For: BBM21-11018	Date Completed	13-Oct-2021
Number of Samples	75	SGS Order Number	BBM21-12749

### Methods Summary

<u>Number of Sample</u>	<u>Method Code</u>	<u>Description</u>
75	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml

### Comments

Preparation of samples was performed at the SGS Sudbury site.  
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations  
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

14-Oct-2021 7:08PM BBM\_U0015228727

Page 1 of 5

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019





Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number Re-analysis For: BBM21-11018  
Number of Samples 75

## ANALYSIS REPORT BBM21-12749

Element Method Lower Limit Upper Limit Unit	@Au GE_FAA30V5 0.005 10 ppm m / m
B21B-126_35-40	0.040
B21B-126_40-45	0.049
596948	I.S.
B21B-126_45-50	0.047
B21B-126_50-55	0.067
B21B-126_55-60	0.029
B21B-126_60-65	0.022
B21B-126_65-70	0.020
B21B-126_70-75	0.020
B21B-126_75-80	0.054
B21B-127_0-5	0.005
B21B-127_5-10	0.029
B21B-127_10-15	0.043
B21B-127_15-20	0.047
B21B-127_20-25	0.031
B21B-127_25-30	0.049
B21B-127_30-35	0.026
B21B-127_35-40	0.026
B21B-127_40-45	0.046
B21B-127_45-50	0.029
B21B-127_50-55	0.024
B21B-127_55-60	0.045
B21B-127_60-65	0.033
B21B-127_65-70	0.039
596949	<0.005
B21B-127_70-75	0.042
B21B-127_75-80	0.026
B21B-128_0-5	0.011
B21B-128_5-10	0.107
B21B-128_10-15	0.022

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number Re-analysis For: BBM21-11018  
Number of Samples 75

## ANALYSIS REPORT BBM21-12749

Element Method Lower Limit Upper Limit Unit	@Au GE_FAA30V5 0.005 10 ppm m / m
B21B-128_15-20	0.056
B21B-128_20-25	0.032
B21B-128_25-30	0.024
B21B-128_30-35	0.031
B21B-128_35-40	0.022
B21B-128_40-45	0.022
B21B-128_45-50	0.015
B21B-128_50-55	0.017
B21B-128_55-60	0.019
B21B-128_60-65	0.027
B21B-128_65-70	0.023
B21B-128_70-75	0.023
B21B-129_0-5	0.010
B21B-129_5-10	0.026
B21B-129_10-15	0.014
B21B-129_15-20	0.012
B21B-129_20-25	0.022
B21B-129_25-30	0.019
B21B-129_30-35	0.021
B21B-129_35-40	0.039
B21B-129_40-45	0.035
B21B-129_45-50	0.017
596950	0.039
B21B-129_50-55	0.011
B21B-129_55-60	0.007
B21B-129_60-65	0.012
B21B-129_65-70	0.013
B21B-129_70-75	0.011
B21B-129_75-80	0.017
B21B-130_0-5	0.012

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number Re-analysis For: BBM21-11018  
Number of Samples 75

## ANALYSIS REPORT BBM21-12749

Element	@Au
Method	GE_FAA30V5
Lower Limit	0.005
Upper Limit	10
Unit	ppm m / m
B21B-130_5-10	0.013
B21B-130_10-15	0.015
B21B-130_15-20	0.015
B21B-130_20-25	0.015
B21B-130_25-30	0.008
B21B-130_30-35	0.009
B21B-130_35-40	0.009
B21B-130_40-45	0.016
596954	I.S.
B21B-130_45-50	<0.005
B21B-130_50-55	0.012
B21B-130_55-60	0.009
B21B-130_60-65	0.012
B21B-130_65-70	0.017
B21B-130_70-75	0.013
*Blk BLANK	<0.005
*Std OREAS 238	2.918
*Rep B21B-127_50-55	0.024
*Rep B21B-128_65-70	0.026
*Std SN106	8.738
*Std OREAS 250b	0.313
*Blk BLANK	<0.005
*Rep B21B-130_70-75	0.014
*Std OREAS 502c	0.484
*Blk BLANK	<0.005

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON\_RESOURCES  
Project The Brewer Gold Project  
Submission Number Re-analysis For: BBM21-11018  
Number of Samples 75

## ANALYSIS REPORT BBM21-12749

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received