



ANALYSIS REPORT BBM21-09252

To COD SGS MINERALS - GEOCHEM VANCOUVER
PANCON RESOURCES CAROLINAS CORP – JEN SPOHN
201 ROUTE 17 NORTH, 7TH FLOOR
Rutherford 07070
Bergen
UNITED STATES

Order Number	PANCON_RESOURCES	Date Received	03-May-2021
Project	The Brewer Gold Project	Date Analysed	17-May-2021 - 20-Jul-2021
Submission Number	*SD* Pancon/ Brewer Gold B21S-003/ 53 samples	Date Completed	20-Jul-2021
Number of Samples	53	SGS Order Number	BBM21-09252

Methods Summary

Number of Sample	Method Code	Description
53	G_WGH_KG	Weight of samples received
47	G_PRP	Combined Sample Preparation
53	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml
53	GE_DIG40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3)
53	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml
53	GE_IMS40Q12	4 Acid Digest Package (HCL/HCLO4/HF/HNO3), ICP-MS, 0.2g-12ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Samples may have coarse Au.

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	WTG	G_WGH_DRYWTKG	@Au	@Al	@Ba	@Ca
Method	G_WGH_KG	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.01	5	0.01	1	0.01
Upper Limit	--	--	10,000	15	10,000	15
Unit	kg	kg	ppb	%	ppm m / m	%
548001	25.77	19.81	98	6.87	462	0.06
548002	-	-	638	6.77	470	0.04
548003	26.93	25.69	735	1.28	130	0.38
548004	21.85	21.43	169	1.88	226	0.13
548005	22.95	21.26	199	2.37	241	0.17
548006	21.90	20.92	164	2.77	249	0.17
548007	21.30	20.71	187	1.90	193	0.16
548008	26.55	25.44	210	2.37	278	0.17
548009	24.16	23.61	241	1.40	172	0.11
548010	0.06	<0.01	7250	3.03	319	0.16
548011	27.73	26.72	343	1.85	225	0.17
548012	27.86	27.28	203	2.22	250	0.18
548013	27.78	26.26	345	1.92	229	0.20
548014	8.48	8.11	244	1.36	146	0.09
548015	22.35	22.39	265	1.68	173	0.13
548016	18.75	18.34	231	3.18	212	0.21
548017	19.40	18.44	204	2.71	198	0.18
548018	31.71	30.05	170	2.40	315	0.18
548019	6.26	6.15	359	1.30	139	0.11
548020	0.06	<0.01	<5	0.31	26	0.01
548021	20.98	20.61	300	1.38	191	0.19
548022	16.20	15.96	327	1.56	198	0.16
548023	23.50	22.24	144	3.53	326	0.18
548024	12.26	11.35	327	3.54	204	0.17
548025	13.33	12.99	415	3.41	355	0.28
548026	23.64	22.75	180	3.86	390	0.25
548027	15.02	14.74	221	2.60	195	0.04
548028	16.11	15.50	296	4.49	233	0.04
548029	24.69	23.99	164	5.88	284	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	WTG	G_WGH_DRYWTKG	@Au	@Al	@Ba	@Ca
Method	G_WGH_KG	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.01	5	0.01	1	0.01
Upper Limit	--	--	10,000	15	10,000	15
Unit	kg	kg	ppb	%	ppm m / m	%
548030	-	-	176	6.38	302	0.04
548031	29.80	29.05	223	3.39	216	0.04
548032	5.21	4.93	42	6.17	126	0.03
548033	15.87	15.51	119	4.03	129	0.02
548034	16.08	15.73	182	1.78	171	0.03
548035	32.87	31.66	249	3.02	288	0.03
548036	13.13	12.86	234	6.45	262	0.11
548037	14.04	13.60	186	4.25	875	0.03
548038	15.05	14.22	141	4.58	58	0.02
548039	12.45	10.69	217	4.25	65	0.02
548040	0.06	<0.01	254	0.68	54	3.15
548041	9.68	9.26	135	2.53	89	0.01
548042	13.07	12.55	79	1.10	72	0.21
548043	24.84	21.31	165	1.81	103	0.24
548044	25.23	23.17	165	1.61	107	0.21
548045	22.71	21.26	129	1.52	103	0.24
548046	18.72	18.41	111	1.42	106	0.21
548047	17.59	16.92	177	1.60	95	0.13
548048	7.68	5.63	210	0.81	32	0.02
548049	10.83	7.38	335	0.93	54	0.02
548050	0.05	<0.01	<5	0.31	23	<0.01
548051	25.56	26.19	338	1.71	85	0.02
548052	11.13	10.53	401	0.83	61	0.02
548053	9.70	9.19	537	0.78	58	0.02
*Dup 548039	<0.01	<0.01	232	4.62	65	0.02
*Std OREAS 601b	-	-	-	6.48	288	0.89
*Blk BLANK	-	-	-	<0.01	1	<0.01
*Rep 548009	-	-	-	1.39	174	0.11
*Std OREAS 905	-	-	-	7.28	2674	0.58

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	WTG	G_WGH_DRYWTKG	@Au	@Al	@Ba	@Ca
Method	G_WGH_KG	G_WGH_KG	GE_FAA30V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.01	5	0.01	1	0.01
Upper Limit	--	--	10,000	15	10,000	15
Unit	kg	kg	ppb	%	ppm m / m	%
*Std OREAS 905	-	-	-	7.48	2720	0.57
*Blk BLANK	-	-	-	<0.01	<1	<0.01
*Std OREAS 235	-	-	1500	-	-	-
*Rep 548013	-	-	442	-	-	-
*Std GS-9B	-	-	>10000	-	-	-
*Std OREAS 278	-	-	4850	-	-	-
*Blk BLANK	-	-	<5	-	-	-
*Rep 548051	-	-	350	-	-	-
*Blk BLANK	-	-	<5	-	-	-
*Rep 548053	-	-	-	0.75	57	0.02
*Std OREAS 601b	-	-	-	6.38	350	0.82
*Std OREAS 905	-	-	-	7.18	2691	0.54
*Blk BLANK	-	-	-	0.02	<1	<0.01

Element	@Cr	@Cu	@Fe	@K	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	1	0.5	0.01	0.01	1	0.01
Upper Limit	10,000	10,000	15	15	10,000	15
Unit	ppm m / m	ppm m / m	%	%	ppm m / m	%
548001	60	220	7.20	0.58	43	0.31
548002	66	214	6.81	0.56	42	0.31
548003	10	2886	7.13	0.10	2	0.01
548004	9	235	5.29	0.14	<1	<0.01
548005	7	251	6.09	0.12	<1	<0.01
548006	6	314	4.80	0.19	2	0.01
548007	8	390	4.65	0.14	2	0.02
548008	10	306	5.26	0.16	2	0.01
548009	11	225	4.62	0.09	<1	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Cr	@Cu	@Fe	@K	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	1	0.5	0.01	0.01	1	0.01
Upper Limit	10,000	10,000	15	15	10,000	15
Unit	ppm m / m	ppm m / m	%	%	ppm m / m	%
548010	46	358	>15.00	0.53	6	0.03
548011	8	293	5.05	0.13	<1	<0.01
548012	6	435	6.73	0.10	<1	<0.01
548013	7	346	5.14	0.07	<1	<0.01
548014	9	249	5.22	0.03	<1	<0.01
548015	9	383	5.05	0.07	<1	<0.01
548016	6	450	4.64	0.09	<1	<0.01
548017	6	562	5.13	0.08	<1	<0.01
548018	6	347	7.23	0.11	<1	<0.01
548019	9	350	5.63	0.04	<1	<0.01
548020	<1	2.8	0.09	0.12	2	0.01
548021	9	385	5.24	0.07	<1	<0.01
548022	6	322	4.73	0.13	<1	<0.01
548023	6	257	3.71	0.25	2	0.01
548024	22	193	3.30	0.18	3	0.04
548025	7	291	6.83	0.27	3	0.05
548026	8	203	4.92	0.31	3	0.06
548027	8	89.3	2.56	0.11	2	0.01
548028	6	39.9	2.46	0.08	3	0.01
548029	7	30.9	1.83	0.06	5	0.02
548030	10	30.0	2.13	0.06	5	0.02
548031	9	64.9	2.32	0.28	2	0.01
548032	4	24.9	1.00	<0.01	<1	<0.01
548033	9	186	4.01	0.20	<1	<0.01
548034	3	22.3	1.25	0.06	<1	<0.01
548035	4	43.0	2.16	0.33	1	0.01
548036	6	59.9	1.80	0.21	2	<0.01
548037	6	46.7	1.98	0.02	<1	<0.01
548038	14	122	2.61	0.05	<1	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Cr	@Cu	@Fe	@K	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	1	0.5	0.01	0.01	1	0.01
Upper Limit	10,000	10,000	15	15	10,000	15
Unit	ppm m / m	ppm m / m	%	%	ppm m / m	%
548039	11	111	2.08	0.01	1	<0.01
548040	9	1161	3.05	0.15	3	0.07
548041	16	77.5	2.48	0.01	<1	<0.01
548042	6	36.0	1.92	0.03	1	<0.01
548043	8	70.0	3.03	0.04	1	<0.01
548044	11	97.6	2.86	0.03	1	<0.01
548045	7	88.9	2.72	0.03	1	<0.01
548046	8	113	2.91	0.04	1	<0.01
548047	11	121	3.44	0.03	<1	<0.01
548048	45	194	3.85	<0.01	<1	<0.01
548049	23	324	6.80	0.01	<1	<0.01
548050	2	<0.5	0.08	0.12	2	0.01
548051	26	245	7.49	<0.01	<1	<0.01
548052	21	315	5.70	<0.01	<1	<0.01
548053	12	329	9.54	<0.01	<1	<0.01
*Dup 548039	12	108	2.10	0.01	<1	<0.01
*Std OREAS 601b	15	1009	2.26	2.41	22	0.10
*Blk BLANK	<1	0.6	0.01	<0.01	<1	<0.01
*Rep 548009	9	223	4.60	0.09	<1	<0.01
*Std OREAS 905	10	1524	4.05	2.87	19	0.29
*Std OREAS 905	14	1546	4.04	3.00	20	0.29
*Blk BLANK	1	<0.5	<0.01	<0.01	<1	<0.01
*Rep 548053	13	317	9.53	<0.01	<1	<0.01
*Std OREAS 601b	15	996	2.19	2.28	21	0.09
*Std OREAS 905	14	1525	3.88	2.78	19	0.26
*Blk BLANK	1	1.1	0.01	<0.01	<1	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Mn	@Na	@Ni	@P	@S	@Sr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	0.01	1	0.01	0.01	0.5
Upper Limit	10,000	15	10,000	15	5	10,000
Unit	ppm m / m	%	ppm m / m	%	%	ppm m / m
548001	985	0.06	50	0.13	0.67	132
548002	945	0.05	49	0.12	0.66	129
548003	74	0.03	15	0.04	>5.00	192
548004	43	0.03	4	0.06	1.17	322
548005	38	0.03	5	0.07	1.97	350
548006	38	0.03	5	0.06	1.52	310
548007	56	0.03	7	0.05	1.70	269
548008	78	0.03	8	0.07	1.73	349
548009	56	0.02	5	0.04	1.48	214
548010	36	0.10	5	0.26	1.28	7792
548011	59	0.03	5	0.06	1.75	309
548012	64	0.03	5	0.07	2.52	385
548013	39	0.03	5	0.06	2.30	322
548014	33	0.02	5	0.04	2.26	241
548015	37	0.02	5	0.05	1.85	277
548016	33	0.03	5	0.06	1.86	261
548017	38	0.02	6	0.06	2.17	271
548018	35	0.03	5	0.08	1.73	461
548019	52	0.02	8	0.05	3.13	283
548020	4	0.02	<1	<0.01	0.02	2.5
548021	40	0.03	6	0.05	2.86	262
548022	34	0.03	6	0.05	2.92	254
548023	32	0.04	4	0.06	1.41	370
548024	61	0.05	5	0.05	1.71	313
548025	61	0.10	8	0.09	2.30	543
548026	52	0.13	5	0.08	1.91	500
548027	40	0.03	3	0.04	0.77	185
548028	36	0.02	3	0.05	0.31	274
548029	79	0.02	4	0.07	0.17	341

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Mn	@Na	@Ni	@P	@S	@Sr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	0.01	1	0.01	0.01	0.5
Upper Limit	10,000	15	10,000	15	5	10,000
Unit	ppm m / m	%	ppm m / m	%	%	ppm m / m
548030	78	0.03	4	0.07	0.14	348
548031	29	0.05	3	0.05	0.31	261
548032	27	0.02	2	0.06	0.84	585
548033	23	0.05	2	0.04	2.55	185
548034	28	0.02	1	0.04	0.35	240
548035	29	0.06	2	0.06	0.64	310
548036	23	0.05	2	0.26	1.48	1384
548037	33	0.02	2	0.07	1.32	377
548038	28	0.01	3	0.03	1.83	133
548039	24	0.01	3	0.04	1.60	279
548040	476	0.03	9	<0.01	0.54	12.2
548041	26	0.01	2	0.03	1.24	199
548042	58	0.02	2	0.03	0.25	187
548043	61	0.02	2	0.04	0.38	279
548044	46	0.02	2	0.05	0.34	357
548045	38	0.02	2	0.04	0.29	246
548046	36	0.02	2	0.03	0.29	226
548047	34	0.02	2	0.04	0.56	221
548048	40	0.01	7	0.02	3.95	175
548049	31	0.01	12	0.04	>5.00	344
548050	3	0.02	<1	<0.01	0.02	4.6
548051	45	0.01	15	0.04	>5.00	329
548052	42	<0.01	8	0.04	>5.00	318
548053	53	<0.01	14	0.04	>5.00	328
*Dup 548039	25	0.01	3	0.04	1.67	299
*Std OREAS 601b	224	1.85	6	0.03	1.54	237
*Blk BLANK	<2	<0.01	<1	<0.01	0.01	<0.5
*Rep 548009	56	0.02	5	0.04	1.48	219
*Std OREAS 905	367	2.36	10	0.03	0.08	152

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Mn	@Na	@Ni	@P	@S	@Sr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	0.01	1	0.01	0.01	0.5
Upper Limit	10,000	15	10,000	15	5	10,000
Unit	ppm m / m	%	ppm m / m	%	%	ppm m / m
*Std OREAS 905	372	2.50	9	0.03	0.07	158
*Blk BLANK	<2	0.01	<1	<0.01	<0.01	<0.5
*Rep 548053	51	0.01	14	0.04	>5.00	333
*Std OREAS 601b	224	1.77	6	0.03	1.47	235
*Std OREAS 905	370	2.28	9	0.03	0.09	155
*Blk BLANK	<2	<0.01	<1	<0.01	0.01	0.6

Element	@Ti	@V	@Zn	@Zr	@Ag	@As
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.01	2	1	0.5	0.02	1
Upper Limit	15	10,000	10,000	10,000	100	10,000
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	0.29	193	46	52.8	0.33	56
548002	0.27	179	44	48.4	0.30	52
548003	0.04	25	27	94.5	0.79	802
548004	0.03	25	2	119	0.72	86
548005	0.04	26	1	114	0.82	92
548006	0.03	20	4	98.2	0.72	67
548007	0.04	23	7	103	0.70	94
548008	0.05	34	5	102	0.94	94
548009	0.04	18	2	91.6	0.66	84
548010	1.88	182	21	255	23.99	8491
548011	0.03	21	2	102	0.84	126
548012	0.03	22	2	107	0.90	136
548013	0.03	17	2	99.0	0.81	91
548014	0.03	14	1	94.2	0.93	104
548015	0.03	16	1	101	0.82	118
548016	0.03	22	2	104	0.66	176

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Ti	@V	@Zn	@Zr	@Ag	@As
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.01	2	1	0.5	0.02	1
Upper Limit	15	10,000	10,000	10,000	100	10,000
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548017	0.04	21	4	102	0.76	184
548018	0.04	23	<1	106	0.94	87
548019	0.03	16	2	101	0.81	112
548020	0.02	3	2	5.5	<0.02	<1
548021	0.04	18	2	98.5	0.79	149
548022	0.03	17	3	95.4	0.65	137
548023	0.05	23	3	112	0.65	71
548024	0.04	18	16	88.5	0.71	34
548025	0.05	29	8	107	0.97	96
548026	0.06	27	7	109	0.62	64
548027	0.05	21	2	107	0.27	25
548028	0.07	27	2	99.1	0.14	38
548029	0.10	37	4	115	0.15	12
548030	0.10	32	4	114	0.17	11
548031	0.07	29	2	96.6	0.19	51
548032	0.05	12	<1	82.8	0.03	1
548033	0.04	19	1	91.2	0.14	20
548034	0.04	10	<1	92.1	0.21	9
548035	0.05	20	1	99.0	0.27	17
548036	0.11	32	2	252	0.56	46
548037	0.06	24	2	99.9	0.07	15
548038	0.05	15	2	93.2	0.13	25
548039	0.03	12	<1	83.9	0.12	15
548040	0.02	12	139	9.4	1.18	83
548041	0.03	11	1	80.6	0.04	21
548042	0.05	14	2	91.7	0.11	53
548043	0.06	18	3	95.9	0.25	99
548044	0.06	18	2	128	0.20	113
548045	0.06	18	1	122	0.19	140

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Ti	@V	@Zn	@Zr	@Ag	@As
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.01	2	1	0.5	0.02	1
Upper Limit	15	10,000	10,000	10,000	100	10,000
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548046	0.06	17	1	110	0.16	119
548047	0.05	17	1	98.3	0.24	139
548048	0.02	8	4	75.4	0.05	14
548049	0.03	10	1	134	0.11	29
548050	0.02	2	<1	5.3	<0.02	<1
548051	0.03	11	1	116	0.10	31
548052	0.04	9	<1	143	0.10	32
548053	0.05	13	1	176	0.17	41
*Dup 548039	0.04	13	1	88.4	0.12	14
*Std OREAS 601b	0.13	14	312	172	50.24	280
*Blk BLANK	<0.01	<2	1	<0.5	0.03	<1
*Rep 548009	0.04	19	1	97.6	0.65	88
*Std OREAS 905	0.11	13	136	237	0.51	34
*Std OREAS 905	0.12	9	130	242	-	-
*Blk BLANK	<0.01	<2	2	<0.5	-	-
*Rep 548053	0.04	13	1	172	0.17	41
*Std OREAS 601b	0.12	13	318	175	51.24	307
*Std OREAS 905	0.11	13	133	239	0.43	36
*Blk BLANK	<0.01	<2	<1	0.7	<0.02	<1

Element	@Be	@Bi	@Cd	@Ce	@Co	@Cs
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.04	0.02	0.05	0.1	1
Upper Limit	2,500	10,000	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	1.3	22.18	0.16	45.42	54.9	2
548002	1.3	22.80	0.14	43.96	52.0	2
548003	0.1	47.33	1.26	53.61	29.7	<1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Be	@Bi	@Cd	@Ce	@Co	@Cs
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.04	0.02	0.05	0.1	1
Upper Limit	2,500	10,000	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548004	<0.1	71.70	0.09	47.02	4.8	<1
548005	<0.1	59.98	0.28	62.58	7.6	<1
548006	0.2	60.52	0.10	57.83	6.8	<1
548007	0.2	69.23	0.11	52.46	9.8	<1
548008	0.2	98.17	0.15	57.75	11.2	<1
548009	<0.1	115	0.05	39.59	9.0	<1
548010	0.8	201	0.13	76.45	2.2	<1
548011	0.1	82.72	0.11	56.26	8.4	<1
548012	<0.1	70.67	0.19	60.64	9.4	<1
548013	0.1	56.07	0.18	54.27	9.3	<1
548014	<0.1	95.87	0.11	49.56	8.6	<1
548015	<0.1	101	0.10	49.68	8.2	<1
548016	0.1	56.35	0.12	67.19	7.6	<1
548017	0.1	54.66	0.27	62.74	10.2	<1
548018	<0.1	52.83	0.12	72.90	8.4	<1
548019	<0.1	66.06	0.15	65.81	13.8	<1
548020	<0.1	<0.04	<0.02	9.23	0.2	<1
548021	<0.1	77.05	0.22	65.20	12.0	<1
548022	0.1	97.07	<0.02	62.01	12.4	<1
548023	0.2	64.41	0.12	69.37	5.7	<1
548024	0.3	23.73	0.13	55.03	8.6	<1
548025	0.3	50.83	0.29	68.86	12.9	<1
548026	0.4	38.54	0.05	67.83	8.1	<1
548027	0.2	34.41	0.04	37.66	3.6	<1
548028	0.2	14.13	0.03	56.07	1.1	<1
548029	0.2	9.32	<0.02	66.52	0.9	<1
548030	0.2	9.34	<0.02	65.07	0.9	<1
548031	0.2	31.22	0.02	47.66	1.2	<1
548032	<0.1	1.17	<0.02	75.86	4.2	<1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Be	@Bi	@Cd	@Ce	@Co	@Cs
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.04	0.02	0.05	0.1	1
Upper Limit	2,500	10,000	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548033	0.1	4.52	0.05	44.23	5.7	<1
548034	<0.1	21.15	<0.02	29.10	0.8	<1
548035	0.2	23.19	0.03	46.60	1.9	<1
548036	0.2	27.94	0.04	195	3.4	<1
548037	0.1	5.59	0.05	53.60	3.8	<1
548038	<0.1	9.42	0.12	49.15	4.8	<1
548039	<0.1	5.75	<0.02	56.18	7.1	<1
548040	0.2	6.98	0.62	13.16	7.7	2
548041	<0.1	8.82	0.03	41.42	3.0	<1
548042	<0.1	35.11	0.03	52.88	1.4	<1
548043	0.1	53.41	0.03	69.90	1.7	<1
548044	0.1	60.78	0.04	94.17	1.3	<1
548045	0.1	46.31	0.05	71.49	1.1	<1
548046	<0.1	38.94	0.04	52.43	1.4	<1
548047	0.1	42.49	0.04	56.14	2.2	<1
548048	<0.1	3.54	0.06	51.17	14.6	<1
548049	<0.1	5.45	0.08	104	25.4	<1
548050	<0.1	0.06	<0.02	9.99	0.2	<1
548051	<0.1	6.27	0.09	89.64	27.8	<1
548052	<0.1	6.57	0.09	99.87	22.9	<1
548053	<0.1	11.01	0.10	120	35.8	<1
*Dup 548039	0.1	5.83	<0.02	58.12	7.1	<1
*Std OREAS 601b	2.2	17.32	1.97	70.18	2.9	5
*Blk BLANK	<0.1	<0.04	<0.02	0.08	<0.1	<1
*Rep 548009	<0.1	108	0.07	39.70	8.4	<1
*Std OREAS 905	3.4	5.60	0.36	91.51	15.2	7
*Rep 548053	<0.1	10.92	0.12	119	36.0	<1
*Std OREAS 601b	2.3	17.67	2.03	76.89	3.4	5
*Std OREAS 905	2.9	5.55	0.34	100	16.3	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Be	@Bi	@Cd	@Ce	@Co	@Cs
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.04	0.02	0.05	0.1	1
Upper Limit	2,500	10,000	10,000	1,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Blk BLANK	<0.1	<0.04	<0.02	<0.05	<0.1	<1

Element	@Ga	@Hf	@In	@La	@Lu	@Mo
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.02	0.02	0.1	0.01	0.05
Upper Limit	1,000	500	500	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	16.5	1.58	0.10	22.3	0.28	14.66
548002	16.5	1.55	0.09	21.9	0.27	15.06
548003	6.4	2.61	0.35	26.2	0.18	39.23
548004	13.3	3.12	0.12	23.9	0.17	40.54
548005	16.2	3.24	0.15	31.1	0.18	36.63
548006	12.7	2.71	0.12	29.1	0.16	30.98
548007	10.1	2.87	0.14	26.2	0.18	30.73
548008	14.1	2.78	0.14	28.6	0.20	46.36
548009	8.2	2.48	0.10	19.6	0.15	46.84
548010	44.9	7.59	0.67	33.1	0.12	15.43
548011	12.4	2.87	0.15	27.7	0.19	36.83
548012	14.7	2.99	0.14	29.7	0.19	39.59
548013	11.3	2.82	0.13	27.1	0.17	34.42
548014	6.6	2.63	0.14	24.9	0.16	33.66
548015	8.5	2.72	0.13	23.9	0.17	29.79
548016	12.8	2.91	0.20	32.2	0.19	28.10
548017	10.7	2.86	0.17	29.9	0.19	30.70
548018	16.5	3.10	0.15	36.1	0.17	34.61
548019	7.9	2.79	0.17	32.8	0.16	42.56
548020	0.6	0.15	<0.02	4.1	0.01	0.14
548021	8.1	2.90	0.20	32.5	0.17	39.20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Ga	@Hf	@In	@La	@Lu	@Mo
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.02	0.02	0.1	0.01	0.05
Upper Limit	1,000	500	500	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548022	7.6	2.73	0.16	31.0	0.17	34.23
548023	15.7	3.11	0.16	34.3	0.18	34.31
548024	13.6	2.56	0.06	26.4	0.19	18.42
548025	21.0	3.07	0.16	34.5	0.19	46.43
548026	18.7	3.26	0.11	33.8	0.20	32.22
548027	10.7	2.91	0.06	18.3	0.19	22.94
548028	16.6	2.91	0.06	25.4	0.18	36.56
548029	18.9	3.51	0.03	30.5	0.19	17.49
548030	19.3	3.56	0.03	29.7	0.21	17.02
548031	13.2	2.69	0.10	22.9	0.16	31.66
548032	16.1	2.33	<0.02	33.8	0.13	27.58
548033	10.9	2.80	0.06	21.5	0.22	4.63
548034	7.8	2.59	0.03	14.4	0.14	11.46
548035	12.8	2.82	0.07	23.1	0.15	16.31
548036	53.9	7.06	0.09	98.1	0.35	41.65
548037	23.9	2.90	0.02	24.6	0.19	21.85
548038	16.2	2.71	0.03	22.6	0.20	71.99
548039	21.0	2.29	0.02	25.6	0.17	594
548040	3.5	0.28	0.60	5.3	0.04	23.30
548041	7.7	2.39	0.03	19.8	0.19	13.30
548042	5.4	2.44	0.10	22.0	0.17	23.26
548043	9.1	2.70	0.16	29.8	0.18	35.48
548044	8.6	3.49	0.16	41.4	0.23	34.42
548045	7.2	3.48	0.15	30.8	0.22	28.45
548046	5.9	3.05	0.12	23.3	0.19	31.48
548047	6.8	2.83	0.11	24.7	0.19	26.42
548048	4.0	2.24	<0.02	23.6	0.16	22.81
548049	5.8	4.02	<0.02	47.2	0.31	36.33
548050	0.8	0.15	<0.02	4.3	0.01	0.20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Ga	@Hf	@In	@La	@Lu	@Mo
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.02	0.02	0.1	0.01	0.05
Upper Limit	1,000	500	500	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548051	10.8	3.64	<0.02	41.2	0.26	36.89
548052	5.6	4.44	<0.02	46.3	0.32	41.44
548053	5.1	5.32	<0.02	54.8	0.43	37.78
*Dup 548039	23.2	2.48	0.03	25.9	0.18	566
*Std OREAS 601b	22.3	4.88	0.44	34.1	0.06	4.94
*Blk BLANK	<0.1	<0.02	<0.02	<0.1	<0.01	<0.05
*Rep 548009	8.1	2.72	0.10	19.5	0.16	46.90
*Std OREAS 905	26.0	6.94	0.69	43.7	0.09	3.34
*Rep 548053	5.2	5.37	<0.02	54.3	0.42	39.42
*Std OREAS 601b	25.8	5.20	0.48	35.3	0.07	5.55
*Std OREAS 905	25.7	6.92	0.63	45.3	0.09	3.51
*Blk BLANK	<0.1	<0.02	<0.02	0.1	<0.01	0.06

Element	@Nb	@Pb	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.5	0.2	0.05	0.5	2
Upper Limit	1,000	10,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	2.5	56.3	25.8	5.15	32.2	22
548002	2.5	56.4	25.3	5.10	32.7	20
548003	1.0	113	3.3	11.98	4.8	95
548004	0.8	161	3.0	7.64	5.8	64
548005	1.1	183	2.2	7.32	5.6	61
548006	0.8	157	6.7	5.03	4.7	52
548007	0.9	154	4.3	6.05	5.4	60
548008	1.0	220	3.7	5.52	7.0	68
548009	0.9	120	2.1	3.73	4.2	60
548010	26.6	754	4.9	767	14.6	101

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Nb	@Pb	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.5	0.2	0.05	0.5	2
Upper Limit	1,000	10,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548011	0.9	171	2.7	6.85	4.9	63
548012	0.7	248	1.9	6.71	6.1	77
548013	0.8	211	1.5	5.34	4.8	70
548014	0.8	150	0.7	6.71	3.8	71
548015	0.8	169	1.1	5.52	4.2	64
548016	0.9	145	1.3	11.11	5.1	53
548017	1.0	143	1.2	11.35	4.9	63
548018	0.9	244	1.5	5.23	6.1	58
548019	0.9	160	0.7	4.46	4.4	62
548020	0.3	1.1	2.9	<0.05	<0.5	<2
548021	0.9	144	1.5	6.49	4.4	64
548022	0.9	147	2.8	6.85	3.9	62
548023	1.3	188	7.6	9.14	5.1	48
548024	1.5	153	7.7	3.79	4.8	34
548025	1.4	224	10.4	5.09	7.0	73
548026	1.9	193	12.3	4.49	6.4	48
548027	1.3	92.4	2.9	2.47	4.8	22
548028	1.9	112	2.8	5.39	4.4	17
548029	3.7	132	4.1	1.78	4.8	10
548030	3.9	126	4.0	1.81	5.0	9
548031	1.6	136	7.6	5.63	5.7	19
548032	1.2	244	0.2	0.21	2.6	6
548033	1.2	144	2.3	0.67	4.4	20
548034	1.0	113	1.1	2.05	3.7	11
548035	1.2	140	7.7	3.93	5.1	18
548036	3.2	1035	3.0	5.03	12.6	37
548037	1.9	140	0.5	1.48	3.1	13
548038	2.1	58.9	0.9	4.57	3.9	28
548039	1.4	178	0.3	4.43	3.2	39

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Nb	@Pb	@Rb	@Sb	@Sc	@Se
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.1	0.5	0.2	0.05	0.5	2
Upper Limit	1,000	10,000	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548040	0.7	11.0	4.9	1.72	0.7	2
548041	1.1	91.2	0.2	2.75	3.5	24
548042	1.4	104	1.0	6.41	3.6	22
548043	1.8	145	1.1	11.45	4.3	42
548044	1.5	204	1.0	11.22	4.9	38
548045	1.4	127	0.9	11.51	4.6	34
548046	1.6	121	1.4	9.95	4.2	36
548047	1.4	126	0.8	11.92	3.9	46
548048	0.9	85.5	0.2	0.47	2.5	35
548049	1.1	164	0.4	0.66	5.0	65
548050	0.4	0.9	3.1	0.11	<0.5	<2
548051	1.3	165	0.2	0.88	4.4	85
548052	1.5	164	<0.2	0.70	5.5	63
548053	1.8	163	<0.2	0.92	7.2	93
*Dup 548039	1.7	183	0.3	4.77	3.3	40
*Std OREAS 601b	13.4	305	95.0	22.44	3.8	10
*Blk BLANK	<0.1	0.7	<0.2	<0.05	<0.5	<2
*Rep 548009	0.9	119	2.1	6.02	4.4	59
*Std OREAS 905	16.3	29.0	137	1.80	5.6	3
*Rep 548053	1.8	159	0.2	0.86	7.1	98
*Std OREAS 601b	15.0	308	98.7	23.72	4.7	12
*Std OREAS 905	17.4	27.7	134	1.92	6.0	3
*Blk BLANK	<0.1	0.5	0.3	0.07	<0.5	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Sn	@Ta	@Tb	@Te	@Th	@Tl
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.3	0.05	0.05	0.05	0.2	0.02
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	3.9	0.14	0.61	17.00	5.6	0.23
548002	3.6	0.15	0.61	16.84	5.6	0.22
548003	40.2	<0.05	0.28	36.17	7.7	0.28
548004	5.0	<0.05	0.23	54.74	8.7	0.18
548005	8.5	0.06	0.28	53.01	10.2	0.17
548006	4.8	<0.05	0.24	35.19	10.0	0.17
548007	8.6	<0.05	0.23	47.79	8.9	0.19
548008	6.3	<0.05	0.28	36.90	9.3	0.17
548009	5.1	<0.05	0.19	25.20	6.8	0.19
548010	7.4	2.01	0.25	54.36	6.4	0.42
548011	8.0	<0.05	0.24	39.66	8.7	0.15
548012	7.8	<0.05	0.28	37.54	9.5	0.14
548013	6.2	<0.05	0.23	34.60	8.7	0.13
548014	7.3	<0.05	0.20	51.53	7.6	0.10
548015	5.9	<0.05	0.21	46.64	7.6	0.13
548016	10.1	<0.05	0.28	39.81	9.6	0.11
548017	19.3	<0.05	0.27	43.59	9.0	0.10
548018	6.4	<0.05	0.27	40.96	11.2	0.25
548019	9.1	<0.05	0.26	38.67	10.0	0.17
548020	<0.3	<0.05	<0.05	0.12	1.5	<0.02
548021	18.2	<0.05	0.25	48.45	9.5	0.16
548022	17.3	<0.05	0.24	47.75	9.1	0.17
548023	7.5	0.07	0.27	42.94	12.0	0.18
548024	3.1	0.08	0.27	21.39	8.8	0.12
548025	4.2	0.06	0.33	78.36	11.5	0.24
548026	4.4	0.10	0.32	50.30	11.0	0.19
548027	3.6	0.07	0.24	13.02	6.6	0.10
548028	3.8	0.10	0.26	12.35	9.1	0.07
548029	3.6	0.27	0.36	5.00	10.2	0.04

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Sn	@Ta	@Tb	@Te	@Th	@Tl
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.3	0.05	0.05	0.05	0.2	0.02
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548030	3.9	0.29	0.31	5.05	9.7	0.04
548031	3.9	0.08	0.24	15.07	7.7	0.23
548032	4.8	<0.05	0.28	0.46	9.2	<0.02
548033	2.8	0.09	0.26	4.58	7.7	0.52
548034	3.4	<0.05	0.16	8.30	5.3	0.06
548035	4.4	0.06	0.21	14.19	7.9	0.22
548036	4.1	0.20	0.78	9.62	27.6	0.37
548037	3.1	0.11	0.35	3.62	7.1	0.02
548038	2.3	0.12	0.30	13.92	7.4	0.04
548039	2.9	0.08	0.24	5.05	7.7	0.04
548040	1.5	<0.05	0.09	0.51	1.6	0.08
548041	2.1	0.08	0.24	8.13	6.2	<0.02
548042	5.7	<0.05	0.24	17.32	6.4	<0.02
548043	8.3	0.06	0.30	30.51	8.2	<0.02
548044	8.4	0.05	0.36	32.29	11.2	<0.02
548045	10.6	0.06	0.33	26.49	8.8	0.02
548046	10.4	0.07	0.27	28.43	7.7	0.04
548047	11.9	0.07	0.30	31.17	7.2	0.04
548048	2.1	0.06	0.21	5.60	6.4	0.18
548049	2.6	0.07	0.43	7.41	12.0	0.35
548050	<0.3	<0.05	<0.05	0.06	1.5	<0.02
548051	3.0	0.08	0.40	10.40	10.9	0.40
548052	3.7	0.09	0.56	9.78	11.7	0.20
548053	4.8	0.11	0.57	10.01	13.5	0.33
*Dup 548039	3.3	0.11	0.26	5.25	7.7	0.04
*Std OREAS 601b	3.2	0.87	0.51	11.45	11.8	1.38
*Blk BLANK	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02
*Rep 548009	5.0	<0.05	0.19	36.41	6.7	0.20
*Std OREAS 905	4.2	1.08	0.74	0.13	14.4	0.68

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@Sn	@Ta	@Tb	@Te	@Th	@Tl
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.3	0.05	0.05	0.05	0.2	0.02
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep 548053	4.7	0.10	0.56	7.59	13.4	0.33
*Std OREAS 601b	3.3	1.10	0.57	12.15	12.3	1.43
*Std OREAS 905	3.8	1.25	0.78	0.12	14.1	0.67
*Blk BLANK	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02

Element	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.1	0.1	0.1
Upper Limit	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548001	1.10	1.8	18.1	1.8
548002	1.06	1.3	17.4	1.8
548003	1.50	2.4	6.3	1.1
548004	1.44	1.3	5.1	1.0
548005	1.48	1.2	5.6	1.1
548006	1.40	1.1	5.3	1.0
548007	1.50	1.1	5.5	1.0
548008	1.44	1.4	6.7	1.1
548009	1.16	6.9	4.6	0.9
548010	12.47	139	4.6	0.8
548011	1.35	1.4	5.4	1.1
548012	1.46	1.4	5.7	1.1
548013	1.35	1.9	5.2	1.0
548014	1.18	1.8	4.5	0.9
548015	1.24	1.1	4.7	1.0
548016	1.41	1.0	5.5	1.1
548017	1.31	1.3	5.4	1.1
548018	1.55	0.9	5.2	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.1	0.1	0.1
Upper Limit	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548019	1.36	1.4	4.5	0.9
548020	0.23	<0.1	0.9	<0.1
548021	1.35	1.0	4.8	1.0
548022	1.29	1.0	4.8	1.0
548023	1.45	1.3	5.2	1.1
548024	1.42	53.6	6.2	1.1
548025	1.92	10.5	6.8	1.2
548026	1.90	7.3	6.8	1.2
548027	1.35	17.2	5.5	1.1
548028	1.35	1.4	5.0	1.0
548029	1.57	1.4	6.1	1.2
548030	1.55	1.4	6.1	1.2
548031	1.24	1.1	5.6	1.0
548032	1.08	1.5	3.5	0.7
548033	1.53	0.8	6.9	1.3
548034	0.95	0.8	3.8	0.8
548035	1.12	1.3	4.8	0.9
548036	3.83	4.7	13.6	2.2
548037	1.52	2.7	5.6	1.1
548038	1.40	1.0	6.5	1.2
548039	1.09	1.1	5.1	0.9
548040	1.22	17.3	2.9	0.2
548041	1.15	0.8	5.9	1.1
548042	1.19	1.4	5.1	0.9
548043	1.34	2.0	5.1	1.0
548044	1.64	1.7	5.5	1.2
548045	1.58	1.8	5.6	1.2
548046	1.42	2.3	5.4	1.1
548047	1.33	3.1	5.4	1.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PANCON_RESOURCES
 Project The Brewer Gold Project
 Submission Number *SD* Pancon/ Brewer Gold B21S-
 003/ 53 samples
 Number of Samples 53

ANALYSIS REPORT BBM21-09252

Element	@U	@W	@Y	@Yb
Method	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12	GE_IMS40Q12
Lower Limit	0.05	0.1	0.1	0.1
Upper Limit	10,000	10,000	10,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m
548048	1.15	0.5	4.4	0.9
548049	2.03	0.7	8.7	1.8
548050	0.22	<0.1	0.9	<0.1
548051	1.76	0.7	7.9	1.5
548052	2.62	0.8	9.2	1.8
548053	2.85	0.9	12.3	2.5
*Dup 548039	1.14	1.3	5.1	1.0
*Std OREAS 601b	4.64	6.0	10.8	0.5
*Blk BLANK	<0.05	<0.1	<0.1	<0.1
*Rep 548009	1.20	1.7	4.8	1.0
*Std OREAS 905	4.93	2.5	15.5	0.6
*Rep 548053	2.86	0.9	12.3	2.4
*Std OREAS 601b	4.79	7.0	11.6	0.5
*Std OREAS 905	4.87	2.5	15.9	0.7
*Blk BLANK	<0.05	<0.1	<0.1	<0.1

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>

Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received