



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

CERTIFICATE TF23313606

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 55 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 31-OCT-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
DIS-REJ21	Disposal of R/B Split after analysis.
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754201		4.96	0.104	0.34	5.46	6.1	440	0.19	5.65	0.03	0.03	54.6	<0.1	4	0.08	8.0
1754202		2.60	0.217	0.20	7.00	4.3	430	0.21	5.17	0.02	<0.02	63.4	<0.1	4	0.06	4.0
1754203		6.52	0.206	0.31	6.62	15.3	770	0.20	12.25	0.02	<0.02	53.0	<0.1	4	<0.05	7.0
1754204		4.38	0.126	0.09	5.31	5.5	490	0.22	5.30	0.02	<0.02	55.8	<0.1	4	<0.05	2.9
1754205		4.08	0.129	0.19	5.66	18.0	220	0.15	11.80	0.02	<0.02	49.8	<0.1	6	<0.05	7.9
1754206		4.20	0.164	0.05	4.25	6.0	500	0.13	11.60	0.02	<0.02	67.8	<0.1	4	<0.05	2.4
1754207		3.78	0.138	0.07	3.48	3.8	580	0.15	7.16	0.01	<0.02	66.0	<0.1	5	<0.05	2.1
1754208		3.22	0.082	0.09	3.67	13.7	250	0.21	3.86	0.01	<0.02	60.4	0.1	8	<0.05	2.6
1754209		5.92	0.053	0.14	5.35	9.2	430	0.24	15.65	0.01	<0.02	50.6	0.3	5	<0.05	22.4
1754210		0.06	0.340													
1754211		5.36	0.085	0.11	6.24	11.7	410	0.25	10.15	0.01	<0.02	54.6	<0.1	4	0.05	3.7
1754212		5.02	0.158	0.11	5.17	87.7	200	0.17	4.67	0.01	<0.02	49.4	10.8	6	<0.05	97.8
1754213		5.16	0.134	0.08	4.32	26.0	570	0.09	5.23	0.01	<0.02	61.9	0.1	4	<0.05	5.8
1754214		5.86	0.104	0.07	4.59	26.4	300	0.18	3.81	0.01	0.03	45.4	5.9	9	<0.05	28.6
1754215		6.12	0.069	0.06	5.28	26.0	480	0.18	2.98	0.01	<0.02	43.3	1.1	8	<0.05	34.4
1754216		6.00	0.074	0.09	5.37	32.3	430	0.19	3.13	0.01	<0.02	44.4	1.7	7	<0.05	50.8
1754217		6.24	0.087	0.05	4.80	15.0	150	0.11	3.88	0.01	0.04	41.9	5.4	16	<0.05	71.5
1754218		5.80	0.087	0.05	5.11	17.8	400	0.15	2.97	0.01	<0.02	46.3	4.4	14	<0.05	91.6
1754219		5.40	0.143	0.06	4.25	12.8	610	0.15	3.71	0.02	<0.02	57.4	2.4	11	<0.05	18.8
1754220		0.72	<0.005													
1754221		5.10	0.136	0.08	5.63	23.9	530	0.21	4.37	0.02	<0.02	58.3	0.2	8	<0.05	3.9
1754222		4.10	0.309	0.22	1.46	171.0	330	0.06	7.51	0.01	<0.02	40.1	2.1	16	<0.05	262
1754223		3.86	0.127	0.03	5.08	12.1	170	0.09	2.78	0.01	<0.02	43.7	0.2	13	<0.05	5.0
1754224		5.08	0.540	0.25	6.40	133.5	50	0.09	8.14	0.02	0.07	34.6	34.2	13	<0.05	330
1754225		5.80	0.224	0.11	6.95	40.7	100	0.10	4.61	0.02	0.02	36.1	10.2	10	<0.05	65.3
1754226		4.86	0.233	0.05	6.00	17.8	80	0.10	4.17	0.02	0.09	40.8	19.3	13	<0.05	37.9
1754227		5.66	0.092	0.04	6.89	15.9	110	0.14	3.35	0.02	<0.02	45.3	10.2	11	<0.05	51.2
1754228		6.34	0.087	0.03	6.32	17.8	140	0.10	3.28	0.02	<0.02	36.2	4.2	9	<0.05	32.6
1754229		6.84	0.067	0.04	5.69	19.0	360	0.17	3.34	0.02	0.03	48.7	5.9	13	<0.05	79.2
1754230		0.06	0.713													
1754231		4.76	0.086	0.05	5.47	32.2	260	0.09	6.84	0.02	<0.02	48.2	3.1	8	<0.05	54.3
1754232		5.86	0.045	0.03	5.92	11.0	150	0.19	2.98	0.02	0.02	57.5	6.5	7	<0.05	77.0
1754233		6.16	0.043	0.03	4.99	28.2	330	0.16	3.97	0.02	0.06	53.5	9.5	9	<0.05	93.4
1754234		7.08	0.131	0.13	4.30	49.3	320	0.16	43.9	0.02	0.10	60.5	16.0	11	<0.05	203
1754235		6.04	0.020	0.03	5.55	8.1	340	0.18	2.61	0.02	0.04	50.3	6.3	5	<0.05	60.4
1754236		6.34	0.023	0.02	6.31	7.3	120	0.14	4.03	0.02	0.02	55.2	3.9	6	<0.05	42.7
1754237		6.72	0.020	0.02	6.45	9.0	260	0.11	3.88	0.01	0.02	46.9	4.6	6	<0.05	25.8
1754238		6.76	0.023	0.05	5.75	16.7	170	0.08	6.30	0.01	0.05	51.0	7.3	8	<0.05	47.1
1754239		6.64	0.018	0.03	6.02	12.0	250	0.10	5.09	0.01	0.04	52.5	4.8	13	<0.05	30.4
1754240		0.78	<0.005													



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754201		2.22	13.85	0.25	3.5	0.066	0.53	29.7	1.4	0.01	16	7.19	0.12	3.4	<0.2	450
1754202		0.73	18.15	0.24	4.3	0.069	0.50	32.6	1.6	<0.01	9	4.16	0.06	5.6	<0.2	390
1754203		2.24	19.15	0.26	3.8	0.122	1.01	28.5	1.2	0.01	11	7.58	0.15	3.5	<0.2	520
1754204		0.95	12.80	0.22	3.9	0.036	0.51	30.0	1.2	<0.01	17	5.49	0.08	5.4	<0.2	440
1754205		1.85	13.75	0.24	3.5	0.056	1.31	26.1	0.8	<0.01	14	6.82	0.16	4.0	<0.2	510
1754206		0.59	12.35	0.20	3.8	0.060	1.26	35.7	0.3	<0.01	18	2.57	0.15	5.1	<0.2	560
1754207		0.57	11.10	0.19	4.2	0.060	0.90	35.1	0.3	<0.01	21	4.94	0.10	5.4	<0.2	410
1754208		1.71	8.99	0.21	3.6	0.033	0.36	30.5	0.7	<0.01	20	18.30	0.04	3.1	<0.2	330
1754209		1.24	11.90	0.20	3.3	0.035	0.73	26.5	1.1	<0.01	18	2.81	0.07	3.2	<0.2	310
1754210																
1754211		1.14	16.10	0.23	3.9	0.046	0.63	28.8	1.4	<0.01	19	2.61	0.06	3.8	0.4	290
1754212		3.34	12.20	0.24	3.4	0.052	0.86	24.9	1.1	<0.01	15	85.9	0.11	2.5	1.9	360
1754213		1.31	12.90	0.21	3.5	0.091	1.06	30.1	0.5	<0.01	21	64.6	0.12	3.9	<0.2	380
1754214		2.74	10.25	0.20	3.5	0.066	0.73	23.7	0.9	<0.01	22	3.69	0.07	2.7	2.0	270
1754215		1.89	10.30	0.19	3.1	0.421	0.96	23.0	0.9	<0.01	20	4.64	0.09	3.0	0.6	320
1754216		2.10	10.40	0.07	3.6	0.562	0.90	24.2	1.0	<0.01	21	6.00	0.08	3.3	3.6	310
1754217		1.93	5.79	0.06	3.2	0.032	1.35	21.0	0.7	<0.01	28	10.60	0.17	3.5	3.4	340
1754218		2.24	6.15	0.08	3.3	0.026	1.10	23.5	0.8	<0.01	20	9.85	0.12	3.2	2.3	350
1754219		1.45	6.94	0.06	3.6	0.078	1.25	28.5	0.3	<0.01	26	3.33	0.12	3.9	1.7	460
1754220																
1754221		0.87	8.19	0.06	3.9	0.448	1.54	29.1	0.5	<0.01	19	4.34	0.15	4.3	0.7	490
1754222		0.80	2.28	<0.05	3.3	3.92	0.57	19.8	<0.2	<0.01	25	10.95	0.06	3.4	1.2	210
1754223		0.62	6.64	<0.05	3.4	0.103	2.02	21.6	<0.2	<0.01	24	11.15	0.20	4.3	0.6	470
1754224		3.22	7.91	0.13	3.0	0.097	2.51	16.0	0.2	<0.01	14	18.90	0.27	3.1	7.9	460
1754225		1.89	7.82	<0.05	2.8	0.076	2.68	17.4	0.2	<0.01	13	5.65	0.34	3.0	2.8	530
1754226		2.22	7.60	0.07	3.0	0.072	2.22	19.4	0.2	<0.01	21	5.72	0.27	3.6	7.9	510
1754227		1.91	11.20	<0.05	3.2	0.058	2.10	21.4	0.6	<0.01	16	4.32	0.26	3.5	4.3	540
1754228		2.00	7.37	0.05	3.0	0.053	1.88	18.2	0.4	<0.01	17	7.57	0.30	3.3	1.3	500
1754229		2.73	11.50	0.09	3.6	0.046	0.38	24.2	0.7	<0.01	29	3.39	0.05	4.0	3.4	440
1754230																
1754231		2.50	12.55	0.07	3.5	0.088	1.29	24.4	0.2	<0.01	15	17.10	0.18	4.1	1.2	530
1754232		2.42	10.70	0.06	3.7	0.024	0.05	28.9	0.2	<0.01	30	2.07	0.02	4.5	2.2	380
1754233		2.66	10.70	0.09	3.3	0.029	0.16	25.5	0.2	<0.01	23	4.41	0.03	4.6	4.8	470
1754234		4.00	10.80	0.11	3.5	0.044	0.05	29.2	0.5	<0.01	22	3.33	0.01	3.3	8.2	580
1754235		2.01	9.75	0.06	3.3	0.015	0.04	25.1	0.8	<0.01	16	2.56	0.01	4.3	2.8	420
1754236		2.05	11.00	0.07	3.2	0.016	0.05	26.5	0.2	<0.01	19	1.58	0.01	4.9	1.3	370
1754237		2.28	11.65	0.08	3.5	0.047	0.05	23.4	<0.2	<0.01	14	1.86	0.01	4.7	1.3	320
1754238		2.71	12.05	0.08	3.4	0.078	0.81	24.0	0.2	<0.01	23	1.87	0.12	4.6	2.9	420
1754239		2.42	13.60	0.10	3.4	0.071	0.77	26.0	<0.2	<0.01	17	2.86	0.11	4.6	1.8	350
1754240																



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754201		224	2.5	0.012	0.97	2.16	7.9	42	2.0	223	0.24	7.29	8.71	0.094	0.21	1.8
1754202		135.0	2.2	0.014	0.77	1.30	9.5	22	2.8	172.5	0.35	4.45	9.86	0.145	0.25	2.4
1754203		199.5	1.5	0.026	2.05	2.57	8.8	34	1.7	292	0.24	11.25	8.37	0.094	0.20	2.2
1754204		139.5	1.2	0.019	1.01	1.34	8.0	19	2.8	304	0.34	5.05	8.60	0.145	0.21	2.1
1754205		180.0	1.4	0.020	2.62	1.54	7.6	23	2.0	269	0.27	4.38	7.83	0.104	0.16	2.2
1754206		172.0	1.3	0.017	2.57	1.01	8.2	8	3.3	355	0.33	3.45	9.69	0.124	0.13	2.3
1754207		102.5	1.3	0.011	1.71	0.76	9.3	7	3.5	240	0.34	2.95	10.25	0.139	0.27	2.5
1754208		48.2	0.8	0.003	0.67	1.04	8.5	20	0.6	153.0	0.21	2.84	10.40	0.086	0.18	2.1
1754209		51.7	2.0	0.003	1.45	0.62	9.0	15	0.7	172.5	0.23	1.75	9.09	0.087	0.39	1.9
1754210																
1754211		54.1	2.3	0.002	0.99	0.99	9.6	21	0.8	122.0	0.26	3.80	10.15	0.101	0.52	2.0
1754212		81.1	1.8	0.046	4.07	1.11	7.7	35	1.1	196.0	0.17	3.92	8.20	0.067	0.51	1.9
1754213		86.8	1.0	0.013	2.14	1.46	7.6	17	1.4	221	0.28	4.47	9.40	0.102	0.15	2.1
1754214		52.4	1.8	0.064	2.07	0.96	7.5	21	1.0	132.5	0.19	4.63	8.60	0.072	0.81	1.9
1754215		74.9	2.5	0.014	2.13	1.58	7.6	20	17.4	187.0	0.21	3.52	8.12	0.080	0.53	1.7
1754216		74.8	2.2	0.019	2.11	2.26	7.5	21	21.4	178.5	0.27	3.76	8.34	0.088	0.58	1.8
1754217		108.5	1.3	0.148	4.48	0.92	6.1	14	3.1	215	0.28	2.77	7.38	0.096	0.44	1.8
1754218		91.5	1.0	0.024	4.25	1.12	7.0	18	2.3	203	0.25	3.38	7.41	0.085	0.23	1.9
1754219		115.5	1.1	0.017	2.71	1.10	8.0	11	3.0	259	0.30	3.34	9.48	0.104	0.35	2.2
1754220																
1754221		118.5	1.3	0.003	2.99	2.46	7.8	12	18.0	268	0.34	3.74	9.70	0.117	0.17	2.2
1754222		51.5	0.3	0.026	1.46	9.43	5.7	12	120.0	101.5	0.26	5.29	6.89	0.098	0.32	1.8
1754223		108.5	1.3	0.007	3.93	1.35	7.4	3	6.2	246	0.34	4.10	7.32	0.112	0.10	2.0
1754224		120.5	1.2	0.348	8.32	4.62	7.2	30	3.0	284	0.26	11.90	7.01	0.079	1.75	1.6
1754225		117.5	1.1	0.163	6.37	1.94	6.1	20	3.0	334	0.24	6.86	6.08	0.083	0.57	1.5
1754226		116.0	1.4	0.235	6.57	0.86	7.1	16	1.9	359	0.29	4.91	6.91	0.101	2.08	1.7
1754227		104.5	1.2	0.160	6.13	1.24	7.4	15	1.7	357	0.30	4.78	7.07	0.106	0.30	2.0
1754228		109.0	0.8	0.029	4.90	0.99	7.0	21	2.0	339	0.27	4.33	6.78	0.090	0.14	1.6
1754229		78.7	0.5	0.082	2.59	1.12	7.4	16	1.7	295	0.32	3.91	8.51	0.112	0.22	2.1
1754230																
1754231		162.5	1.2	0.058	3.43	1.22	7.7	17	0.9	356	0.34	4.34	7.81	0.120	0.16	2.0
1754232		39.6	0.1	0.053	2.40	0.88	7.4	11	1.1	209	0.33	3.24	10.15	0.138	0.07	2.1
1754233		90.7	0.6	0.208	3.14	1.46	7.2	14	1.1	305	0.32	4.41	8.41	0.131	0.23	2.2
1754234		96.9	0.4	0.369	4.42	2.80	7.5	22	0.9	446	0.24	10.95	9.90	0.100	0.45	2.3
1754235		53.2	0.3	0.145	2.27	1.46	6.9	12	0.8	225	0.32	3.98	8.61	0.123	0.07	2.0
1754236		40.9	0.4	0.032	2.28	0.90	7.6	15	0.9	137.5	0.37	2.27	9.10	0.145	0.07	2.0
1754237		30.5	0.4	0.003	2.63	0.71	7.8	14	0.7	79.5	0.35	1.84	8.36	0.136	0.08	1.9
1754238		115.0	0.9	0.039	4.51	1.06	7.3	19	0.8	148.0	0.33	3.17	8.16	0.129	0.21	2.0
1754239		91.3	0.8	0.021	4.12	0.75	7.3	16	0.9	116.5	0.35	2.06	8.64	0.128	0.19	2.2
1754240																



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754201		34	1.6	11.8	4	134.5
1754202		31	3.2	14.6	<2	158.5
1754203		34	2.2	13.0	<2	138.5
1754204		26	3.2	12.3	<2	143.0
1754205		33	2.3	12.0	<2	127.5
1754206		27	2.9	13.0	<2	135.0
1754207		20	2.3	14.5	<2	148.0
1754208		14	1.3	13.2	<2	132.0
1754209		23	1.3	12.5	<2	119.5
1754210						
1754211		26	1.3	12.1	<2	135.5
1754212		21	0.9	12.2	<2	120.0
1754213		21	1.4	12.4	<2	124.5
1754214		15	0.9	11.5	<2	128.0
1754215		21	1.0	10.4	<2	116.0
1754216		20	1.2	10.6	3	120.5
1754217		21	1.5	9.2	<2	107.5
1754218		18	1.2	10.6	<2	112.0
1754219		18	1.4	11.6	<2	126.5
1754220						
1754221		24	1.5	11.5	<2	129.0
1754222		20	1.0	9.5	<2	109.5
1754223		45	1.4	10.2	<2	116.0
1754224		26	1.5	9.1	<2	101.5
1754225		30	1.1	6.6	<2	92.6
1754226		29	1.6	7.5	<2	103.0
1754227		31	2.4	8.5	<2	103.0
1754228		29	1.6	6.3	<2	102.5
1754229		19	3.4	10.0	<2	118.0
1754230						
1754231		31	3.4	10.2	<2	118.5
1754232		20	4.6	11.1	<2	123.5
1754233		23	3.6	11.0	<2	116.5
1754234		21	3.0	12.0	<2	114.0
1754235		21	4.6	11.4	<2	114.5
1754236		24	3.2	12.7	<2	108.5
1754237		26	1.5	13.4	<2	115.5
1754238		29	1.1	13.8	<2	115.0
1754239		30	0.9	13.1	<2	118.0
1754240						



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754241		6.78	0.087	0.19	5.26	15.3	200	0.10	61.5	0.01	0.05	46.0	5.8	10	<0.05	57.7
1754242		6.48	0.045	0.06	5.08	31.8	300	0.10	7.18	0.01	0.05	48.5	8.1	8	<0.05	87.0
1754243		5.80	0.120	0.09	4.91	90.9	230	0.10	9.82	0.02	0.05	51.8	16.6	10	<0.05	251
1754244		6.02	0.192	0.10	4.19	76.8	350	0.08	11.70	0.02	0.07	56.9	22.8	11	<0.05	214
1754245		6.10	0.078	0.04	4.67	30.2	330	0.08	5.09	0.01	0.03	43.4	9.2	12	<0.05	87.0
1754246		5.88	0.048	0.02	4.94	15.4	200	0.11	3.92	0.01	0.03	47.3	4.9	11	<0.05	43.5
1754247		5.82	0.087	0.06	5.05	44.5	240	0.09	5.62	0.01	0.06	47.9	9.6	8	<0.05	115.5
1754248		5.62	0.051	0.04	5.91	7.7	160	0.10	2.83	0.01	0.02	44.4	9.3	5	<0.05	21.6
1754249		5.52	0.056	0.04	4.83	6.9	340	0.10	3.26	0.01	0.02	45.0	8.3	10	<0.05	52.6
1754250		0.06	0.309													
1754251		5.72	0.053	0.01	4.99	4.1	320	0.11	2.13	0.02	<0.02	42.5	4.6	10	<0.05	57.5
1754252		5.32	0.110	0.03	4.39	14.8	150	0.09	3.76	0.02	0.04	44.4	11.2	11	<0.05	45.7
1754253		5.30	0.108	0.07	4.71	142.5	240	0.07	5.96	0.01	0.07	47.1	13.0	14	<0.05	501
1754254		5.36	0.061	0.04	4.38	4.8	230	0.08	2.41	0.01	0.03	43.6	6.7	11	<0.05	28.0
1754255		5.84	0.065	<0.01	5.59	7.0	110	0.07	1.70	0.01	0.04	43.3	6.7	15	<0.05	27.1

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754241		2.91	9.67	0.11	3.1	0.067	0.67	21.9	<0.2	<0.01	20	1.88	0.10	3.8	1.6	370
1754242		2.91	10.50	0.10	3.3	0.033	0.41	23.8	0.2	<0.01	22	1.88	0.06	4.2	3.6	340
1754243		4.51	10.95	0.17	3.3	0.031	0.31	25.0	0.2	<0.01	17	1.94	0.05	3.5	8.1	490
1754244		3.13	9.94	0.16	3.3	0.046	0.45	27.3	<0.2	<0.01	22	2.29	0.07	4.0	11.8	510
1754245		2.61	11.00	0.10	3.0	0.041	0.55	20.9	<0.2	<0.01	21	1.67	0.09	3.9	4.5	310
1754246		2.61	12.05	0.14	3.2	0.028	0.28	23.2	0.2	<0.01	20	1.78	0.04	4.0	2.3	310
1754247		2.43	10.45	0.15	3.0	0.028	0.52	23.3	<0.2	<0.01	18	2.01	0.08	3.5	3.7	360
1754248		2.40	11.25	0.05	3.1	0.037	0.34	22.0	<0.2	<0.01	13	2.62	0.06	3.9	4.7	170
1754249		2.74	7.75	0.11	3.0	0.027	0.47	23.6	0.3	<0.01	13	1.73	0.10	3.3	3.2	320
1754250																
1754251		2.59	15.55	0.08	2.8	0.023	0.55	20.9	0.5	<0.01	17	3.37	0.14	3.3	1.7	470
1754252		2.80	9.67	0.12	3.1	0.045	0.75	22.1	1.0	<0.01	17	3.28	0.14	3.5	5.6	580
1754253		2.79	8.35	0.09	3.0	0.099	1.04	23.4	<0.2	<0.01	18	2.79	0.16	4.0	3.9	390
1754254		2.88	6.28	0.08	3.2	0.025	0.63	21.4	<0.2	<0.01	17	5.73	0.12	3.6	1.9	390
1754255		2.46	6.89	0.10	2.8	0.050	1.36	22.0	<0.2	<0.01	27	2.64	0.21	4.0	2.2	360

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	
1754241	102.5	1.6	0.042	4.37	0.91	6.0	27	0.9	160.0	0.32	2.39	7.91	0.112	0.36	1.9	
1754242	78.1	0.5	0.025	4.00	1.51	5.9	26	1.0	176.0	0.31	3.23	8.30	0.123	0.19	1.9	
1754243	70.3	0.3	0.039	5.77	4.35	5.9	52	1.2	185.5	0.26	7.03	8.74	0.101	0.19	1.8	
1754244	101.5	0.5	0.336	4.39	3.14	5.9	38	1.5	230	0.26	8.37	9.48	0.114	0.63	1.9	
1754245	79.6	0.8	0.018	3.88	1.50	4.8	32	1.5	201	0.30	4.58	7.59	0.112	0.36	1.8	
1754246	38.3	0.6	0.009	3.39	0.90	5.7	31	1.2	173.5	0.31	2.86	7.59	0.111	0.16	1.8	
1754247	51.4	0.6	0.063	3.71	1.78	4.8	35	1.2	155.0	0.28	3.94	7.43	0.096	0.29	1.6	
1754248	30.7	1.2	0.184	3.15	0.70	4.0	28	3.6	89.0	0.30	3.11	8.04	0.111	0.48	1.6	
1754249	65.7	0.6	0.056	3.99	0.88	4.7	28	2.6	199.0	0.27	4.05	7.77	0.107	0.17	1.5	
1754250																
1754251	63.6	0.4	0.084	3.65	0.46	4.1	24	4.2	270	0.24	1.79	6.41	0.101	0.06	1.4	
1754252	93.7	0.4	0.215	3.67	1.49	4.4	26	3.7	280	0.29	4.75	7.51	0.102	0.40	1.6	
1754253	106.5	0.5	0.076	5.26	5.95	4.6	27	14.0	162.0	0.32	6.51	7.49	0.116	0.37	1.5	
1754254	107.5	0.3	0.060	4.59	0.94	4.0	21	3.8	156.0	0.30	2.86	7.96	0.104	0.08	1.5	
1754255	123.5	1.3	0.053	5.43	0.86	4.1	16	4.7	145.5	0.30	2.69	6.87	0.113	0.20	1.4	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-NOV-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754241		26	1.1	10.5	<2	102.0
1754242		21	1.0	10.5	<2	106.5
1754243		17	1.1	13.6	<2	109.0
1754244		19	1.3	11.4	<2	111.0
1754245		22	1.2	9.5	<2	100.0
1754246		18	1.1	10.9	<2	108.5
1754247		18	1.1	10.8	<2	99.6
1754248		18	1.3	7.7	<2	103.5
1754249		19	1.2	9.2	<2	99.4
1754250						
1754251		19	1.8	7.7	<2	93.4
1754252		22	2.0	10.4	<2	98.8
1754253		22	2.3	9.9	<2	101.0
1754254		19	2.1	8.1	<2	102.0
1754255		24	2.8	8.0	<2	99.3

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: +1 775 356 5395 Fax: +1 775 355 0179
www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
PO BOX 627
CARRBORO NC 27510

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-NOV-2023
Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23313606

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REEs may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA.
Au-AA23

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS61

Applies to Method: Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho

CRU-21	CRU-31	CRU-QC	DIS-REJ21
LOG-21	LOG-23	PUL-31	PUL-QC
SND-ALS	SPL-22Y	WEI-21	