



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

CERTIFICATE TF23337592

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 120 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 22-NOV-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SND-ALS	Send samples to internal laboratory
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
DIS-REJ21	Disposal of R/B Split after analysis.
CRU-QC	Crushing QC Test
CRU-21	Crush entire sample
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754481		6.42	0.050	0.04	3.01	5.1	160	0.16	1.15	0.11	0.04	24.9	3.3	12	<0.05	63.9
1754482		6.00	0.091	0.13	3.72	8.8	100	0.20	1.79	0.03	0.04	34.1	6.2	13	0.06	90.7
1754483		5.78	0.068	0.05	3.16	8.7	90	0.16	1.47	0.03	0.05	35.4	5.6	17	<0.05	68.7
1754484		0.06	0.706													
1754485		4.42	0.070	0.06	3.54	8.3	90	0.17	2.47	0.04	0.04	40.6	6.0	13	<0.05	106.0
1754486		6.76	0.023	0.02	4.04	5.7	40	0.17	1.04	0.02	<0.02	43.8	4.7	17	<0.05	40.8
1754487		5.08	0.023	0.03	4.24	4.4	70	0.18	1.38	0.02	<0.02	43.7	3.8	20	<0.05	40.9
1754488		5.80	0.034	0.03	4.55	5.3	40	0.19	1.90	0.03	<0.02	46.9	3.3	18	<0.05	62.7
1754489		5.66	0.115	0.11	3.42	6.9	30	0.16	6.07	0.02	<0.02	40.2	4.4	20	<0.05	240
1754490		5.92	0.079	0.08	4.10	7.9	40	0.15	3.89	0.01	<0.02	48.1	5.2	13	<0.05	154.5
1754491		6.32	0.044	0.04	3.88	5.1	40	0.14	1.78	0.02	0.02	39.2	4.7	16	<0.05	67.1
1754492		6.12	0.071	0.05	4.22	8.2	50	0.16	2.59	0.02	0.02	51.5	4.9	25	<0.05	110.0
1754493		5.52	0.065	0.04	4.53	8.2	40	0.16	2.55	0.02	0.02	34.0	5.3	19	<0.05	81.3
1754494		0.74	<0.005													
1754495		3.50	0.021	0.01	5.17	5.8	60	0.20	1.31	0.02	0.03	43.4	3.9	21	<0.05	32.0
1754496		3.76	0.177	0.08	6.32	12.8	70	0.28	3.95	0.03	0.05	45.4	8.8	18	0.09	126.5
1754497		3.58	0.319	0.24	5.64	20.4	40	0.18	21.9	0.02	0.10	39.2	7.3	14	0.09	379
1754498		5.88	2.65	1.93	2.54	1200	20	<0.05	171.5	0.01	1.18	29.2	42.8	9	<0.05	5290
1754499		3.82	1.820	1.10	4.17	611	40	0.10	87.5	0.01	0.44	40.5	34.5	16	0.07	3160
1754500		4.16	0.364	0.35	3.12	207	20	0.11	31.0	0.01	0.22	48.5	12.1	22	<0.05	1040
1754501		3.80	0.211	0.22	2.85	141.5	20	0.10	32.3	0.01	0.24	51.5	16.5	19	<0.05	642
1754502		3.82	0.075	0.08	3.75	32.7	10	0.14	7.16	0.01	0.07	41.6	9.8	26	<0.05	185.5
1754503		3.96	0.192	0.13	4.03	75.5	10	0.15	13.60	0.01	0.15	35.2	12.4	19	0.06	399
1754504		0.06	1.745													
1754505		3.88	0.391	0.25	2.58	321	20	0.08	33.4	0.01	0.28	40.9	26.4	29	<0.05	1430
1754506		3.78	0.266	0.28	2.02	709	30	0.09	21.7	0.01	0.04	29.5	21.2	31	<0.05	2470
1754507		3.80	0.160	0.10	3.34	319	20	0.14	14.20	0.01	0.07	42.0	12.0	31	<0.05	1050
1754508		4.26	0.189	0.18	4.32	33.5	20	0.16	17.95	0.01	0.08	45.2	14.8	35	<0.05	604
1754509		5.04	0.035	0.02	3.91	11.2	10	0.17	2.43	0.01	<0.02	46.9	6.7	15	<0.05	81.3
1754510		5.42	0.037	0.05	3.06	11.6	10	0.16	21.4	0.01	0.02	43.5	7.4	14	<0.05	113.0
1754511		5.46	0.072	0.02	3.87	13.4	10	0.13	4.90	0.01	0.02	49.9	8.6	17	<0.05	122.5
1754512		5.22	0.047	0.03	3.91	6.9	20	0.16	2.66	0.01	0.02	41.9	6.5	20	<0.05	76.5
1754513		5.62	0.064	0.02	4.16	5.8	20	0.17	2.71	0.01	0.02	39.9	5.2	21	<0.05	85.6
1754514		0.84	<0.005													
1754515		4.94	0.050	0.02	4.31	8.7	40	0.17	2.15	0.01	0.02	39.2	5.6	18	<0.05	63.0
1754516		5.60	0.083	0.04	3.70	19.0	30	0.15	3.58	0.01	0.03	41.1	7.7	17	<0.05	139.0
1754517		4.00	0.063	0.02	2.61	7.8	40	0.12	1.57	0.01	0.03	40.0	4.8	23	<0.05	73.9
1754518		3.88	0.078	0.05	3.12	9.2	20	0.14	1.92	0.01	<0.02	37.5	8.0	20	0.05	185.0
1754519		4.16	0.325	0.29	4.03	46.5	30	0.17	7.23	0.01	<0.02	55.6	16.9	17	0.06	1120
1754520		3.74	0.182	0.19	5.16	38.0	30	0.18	9.13	0.01	0.02	39.3	14.8	15	0.05	714

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754481		2.39	11.10	0.05	2.3	0.013	0.01	12.4	0.3	0.02	12	15.50	0.01	2.3	1.3	360
1754482		4.50	11.20	0.09	2.5	0.016	0.03	17.3	0.5	0.01	13	15.15	0.01	2.3	2.2	380
1754483		3.06	10.60	0.08	2.7	0.018	0.02	17.8	<0.2	0.01	16	20.7	<0.01	3.2	1.9	340
1754484																
1754485		2.73	12.45	0.08	3.0	0.027	0.01	21.1	<0.2	0.01	14	12.25	<0.01	3.8	1.9	360
1754486		1.92	10.90	0.08	3.1	0.013	0.01	22.7	<0.2	<0.01	13	4.34	<0.01	4.2	1.8	340
1754487		1.42	11.10	0.06	3.1	0.010	0.01	22.9	<0.2	<0.01	18	4.39	<0.01	4.5	1.5	440
1754488		1.52	13.00	0.07	3.3	0.013	0.02	24.2	<0.2	0.01	23	4.73	<0.01	4.7	1.3	520
1754489		2.38	11.15	0.10	2.9	0.036	<0.01	20.0	<0.2	<0.01	12	4.56	<0.01	3.7	1.7	390
1754490		3.45	16.10	0.11	3.1	0.035	0.01	24.2	<0.2	<0.01	16	5.17	<0.01	4.1	2.3	390
1754491		2.10	11.75	0.07	3.3	0.017	0.01	19.7	<0.2	<0.01	15	3.77	<0.01	4.0	1.3	330
1754492		2.82	11.90	0.12	3.4	0.025	0.01	26.7	0.2	<0.01	16	5.72	<0.01	4.1	1.9	390
1754493		3.09	12.55	0.09	3.0	0.012	0.01	17.0	0.5	<0.01	11	3.67	<0.01	3.1	1.6	270
1754494																
1754495		1.57	9.75	0.07	3.0	0.010	0.01	22.7	1.1	<0.01	14	2.57	<0.01	3.4	1.4	290
1754496		4.49	13.25	0.13	3.6	0.017	0.02	23.1	1.7	<0.01	8	3.48	0.01	2.8	4.2	370
1754497		8.35	13.05	0.19	3.4	0.048	0.01	19.4	0.6	<0.01	16	4.16	0.01	2.7	2.9	240
1754498		35.0	7.54	0.68	2.2	1.130	0.01	13.9	0.4	<0.01	21	5.24	<0.01	1.3	28.6	140
1754499		17.25	12.25	0.35	2.6	0.448	0.04	20.1	0.2	<0.01	17	6.80	0.01	2.2	22.5	220
1754500		7.00	11.70	0.17	3.0	0.159	0.01	25.9	<0.2	<0.01	20	33.3	<0.01	2.9	7.3	180
1754501		6.21	9.68	0.16	2.9	0.215	0.01	29.2	<0.2	<0.01	17	28.0	<0.01	2.7	7.9	160
1754502		4.37	8.25	0.09	2.9	0.069	<0.01	21.6	0.2	<0.01	18	8.52	<0.01	3.2	5.0	130
1754503		5.10	8.78	0.11	2.8	0.162	<0.01	18.2	0.3	<0.01	19	6.61	<0.01	3.3	3.9	100
1754504																
1754505		13.45	6.24	0.30	2.4	0.316	0.01	21.0	<0.2	<0.01	34	10.00	<0.01	2.0	12.4	170
1754506		6.10	14.30	0.17	2.3	0.248	<0.01	15.6	<0.2	<0.01	31	13.45	<0.01	2.2	8.8	240
1754507		3.73	16.70	0.13	2.9	0.211	0.01	22.1	<0.2	<0.01	30	13.45	<0.01	2.8	4.0	220
1754508		3.81	15.70	0.15	3.1	0.196	<0.01	23.1	<0.2	<0.01	25	7.99	<0.01	3.3	4.7	150
1754509		1.35	8.37	0.08	3.0	0.027	0.01	23.3	0.4	<0.01	30	4.16	<0.01	4.5	2.9	130
1754510		1.51	5.70	0.08	2.9	0.112	<0.01	22.6	0.2	<0.01	23	6.10	<0.01	4.5	1.8	110
1754511		2.54	6.43	0.09	3.1	0.040	0.01	25.5	0.3	<0.01	23	5.56	<0.01	4.2	3.1	130
1754512		2.22	7.56	0.07	2.9	0.020	0.01	21.4	0.4	<0.01	24	17.75	<0.01	4.1	2.0	150
1754513		1.96	6.39	0.07	3.0	0.010	0.01	19.7	0.4	<0.01	27	19.55	<0.01	4.0	1.7	150
1754514																
1754515		2.48	7.59	0.08	3.1	0.013	0.01	20.1	0.7	<0.01	23	19.20	0.01	4.2	2.3	230
1754516		3.10	8.50	0.09	3.0	0.010	0.01	20.9	0.5	<0.01	28	10.50	0.01	3.8	2.7	250
1754517		1.95	4.73	0.06	3.0	0.010	0.02	20.3	0.4	<0.01	26	10.45	0.01	4.1	1.6	170
1754518		3.33	4.68	0.07	2.9	0.015	0.02	19.8	0.5	<0.01	24	18.95	0.01	3.4	3.7	120
1754519		5.60	6.28	0.19	3.8	0.027	0.01	28.8	0.6	<0.01	26	66.6	0.01	4.2	7.2	180
1754520		6.82	7.47	0.15	3.2	0.028	0.01	20.6	0.7	<0.01	25	104.0	0.01	3.6	7.3	130



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754481		34.7	0.3	0.148	2.64	0.73	1.9	6	3.7	98.6	0.17	1.16	5.25	0.080	0.02	1.2
1754482		37.9	0.4	0.241	5.03	1.14	1.9	11	4.4	107.5	0.15	3.44	5.49	0.081	0.02	1.3
1754483		38.1	0.4	0.271	3.31	1.07	2.3	8	4.5	91.0	0.21	2.44	6.58	0.094	0.02	1.5
1754484																
1754485		37.3	0.2	0.486	3.00	1.31	3.0	10	6.0	91.5	0.26	3.66	7.33	0.108	0.03	1.6
1754486		48.9	0.1	0.039	2.07	1.08	3.7	8	4.6	85.5	0.30	2.58	7.60	0.109	<0.02	1.8
1754487		50.1	0.2	0.057	1.41	0.94	3.4	5	6.7	85.3	0.31	1.23	7.47	0.133	<0.02	1.8
1754488		34.6	0.2	0.113	1.55	1.43	3.8	5	6.7	69.6	0.34	3.91	8.16	0.135	0.02	1.9
1754489		24.3	0.1	0.054	2.61	1.95	3.3	11	4.6	52.2	0.28	7.77	7.79	0.099	<0.02	1.6
1754490		24.8	0.1	0.292	3.80	1.38	3.2	16	4.9	56.3	0.29	4.37	7.58	0.116	0.03	1.8
1754491		37.6	0.2	0.038	2.28	0.66	3.0	7	3.0	75.9	0.28	1.20	7.62	0.108	0.02	1.8
1754492		46.9	0.2	0.100	3.08	1.00	3.6	13	2.8	99.8	0.30	2.61	8.79	0.112	0.02	2.1
1754493		40.3	0.2	0.072	3.42	0.94	3.2	11	2.2	84.4	0.23	2.64	6.66	0.092	0.02	1.7
1754494																
1754495		61.8	0.1	0.046	1.73	0.59	2.9	7	2.0	95.5	0.24	1.02	6.59	0.104	<0.02	1.6
1754496		76.0	0.2	0.044	5.06	2.10	3.6	21	3.7	131.5	0.20	6.52	8.79	0.081	0.02	2.0
1754497		50.8	0.3	0.036	9.25	5.47	2.7	32	3.3	93.5	0.19	15.60	8.61	0.074	0.02	1.9
1754498		40.7	0.2	0.031	>10.0	122.0	1.5	135	14.6	49.9	0.10	210	5.56	0.033	0.05	1.3
1754499		52.3	0.7	0.027	>10.0	54.2	2.1	63	6.5	72.4	0.16	80.0	6.84	0.061	0.06	1.6
1754500		43.7	0.2	0.045	7.75	18.35	2.3	33	10.3	64.2	0.21	27.9	8.05	0.077	0.02	1.7
1754501		38.5	0.1	0.062	6.89	15.70	2.0	28	9.7	48.2	0.19	20.9	7.74	0.074	0.02	1.7
1754502		27.2	0.1	0.065	4.84	3.76	2.4	14	9.8	38.0	0.23	5.83	7.07	0.088	<0.02	1.5
1754503		17.5	0.1	0.081	5.61	8.99	2.3	16	10.6	27.0	0.23	11.95	5.93	0.095	0.02	1.4
1754504																
1754505		51.3	0.1	0.166	>10.0	23.4	1.5	59	26.6	58.8	0.14	22.0	6.25	0.059	0.04	1.3
1754506		46.7	0.1	0.096	6.84	36.7	1.3	39	56.6	59.2	0.15	14.25	6.71	0.070	0.02	1.2
1754507		41.6	0.1	0.216	4.11	21.4	1.6	24	14.4	53.7	0.21	9.48	8.58	0.095	<0.02	1.5
1754508		49.0	0.1	0.192	4.10	10.60	2.1	31	25.1	44.3	0.24	8.39	8.29	0.100	0.03	1.5
1754509		22.6	0.2	0.064	1.38	1.58	2.1	8	13.4	36.2	0.32	1.14	7.49	0.127	0.03	1.5
1754510		18.3	0.1	0.088	1.57	1.71	2.0	7	10.6	29.3	0.30	2.29	6.92	0.130	0.03	1.4
1754511		25.1	0.2	0.067	2.78	1.30	2.3	10	9.3	40.1	0.32	2.11	8.02	0.116	0.03	1.5
1754512		26.8	0.2	0.237	2.38	0.88	2.5	7	7.9	49.1	0.29	1.33	7.28	0.120	0.02	1.4
1754513		22.0	0.2	0.340	2.06	0.84	2.3	7	9.7	42.0	0.29	1.00	6.52	0.123	0.02	1.3
1754514																
1754515		27.8	0.2	0.274	2.69	0.83	2.6	10	7.8	64.6	0.28	1.17	6.09	0.121	0.04	1.4
1754516		29.0	0.2	0.165	3.42	3.04	2.7	13	9.0	57.8	0.26	7.72	6.53	0.111	0.02	1.4
1754517		35.0	0.4	0.153	2.08	0.80	2.4	6	7.3	56.1	0.27	1.06	6.62	0.121	0.02	1.4
1754518		26.3	0.4	0.234	3.67	1.22	2.4	12	8.4	46.9	0.23	1.29	6.36	0.097	0.02	1.3
1754519		42.1	0.3	0.256	6.27	11.75	3.2	39	38.5	82.2	0.29	11.55	9.27	0.118	0.02	1.8
1754520		30.3	0.2	0.283	7.49	6.14	2.9	36	18.2	49.9	0.25	8.32	6.73	0.105	0.02	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Cu %
		1	0.1	0.1	2	0.5	0.001
1754481		13	1.3	5.0	3	83.3	
1754482		15	1.4	4.9	3	90.6	
1754483		15	2.0	6.2	3	98.7	
1754484							
1754485		16	2.1	7.8	2	103.0	
1754486		17	1.8	10.8	<2	105.0	
1754487		17	2.2	8.7	2	108.5	
1754488		18	2.2	9.8	<2	115.5	
1754489		12	1.9	8.1	<2	103.0	
1754490		14	2.3	8.1	<2	108.5	
1754491		14	2.1	7.8	<2	113.0	
1754492		15	2.2	8.8	<2	120.0	
1754493		14	1.6	7.3	2	105.5	
1754494							
1754495		16	1.5	7.0	<2	105.5	
1754496		16	1.5	9.0	2	123.5	
1754497		16	1.6	8.0	2	115.5	
1754498		11	0.7	4.8	38	75.0	
1754499		14	1.2	6.6	9	90.1	
1754500		12	1.5	7.5	5	102.5	
1754501		11	1.6	6.5	6	98.0	
1754502		13	1.8	7.3	2	98.4	
1754503		15	1.9	6.1	4	96.0	
1754504							
1754505		18	1.2	4.4	8	82.6	
1754506		20	1.7	4.9	5	75.1	
1754507		11	1.5	6.0	5	100.0	
1754508		12	1.7	6.7	11	107.5	
1754509		13	2.0	6.8	<2	98.0	
1754510		11	2.3	6.2	<2	94.7	
1754511		14	1.9	7.2	<2	98.1	
1754512		14	2.7	6.9	<2	93.4	
1754513		13	2.6	6.5	<2	101.0	
1754514							
1754515		14	2.5	7.1	<2	100.5	
1754516		12	2.1	7.2	<2	97.5	
1754517		10	2.2	7.0	<2	94.3	
1754518		10	1.9	6.7	<2	95.8	
1754519		15	2.5	8.8	<2	123.0	
1754520		14	2.6	7.3	<2	105.0	



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754521		3.82	0.258	0.22	4.21	63.0	30	0.14	23.2	0.01	0.10	43.9	10.9	16	0.05	734
1754522		3.70	0.118	0.07	3.46	16.6	20	0.14	6.53	0.01	<0.02	42.2	6.5	19	<0.05	292
1754523		4.82	0.252	0.14	5.46	26.4	60	0.17	13.15	0.01	0.07	58.4	16.5	20	0.05	641
1754524		0.06	1.690													
1754525		3.42	0.113	0.05	4.17	27.6	10	0.16	10.15	0.01	<0.02	39.0	9.2	19	<0.05	285
1754526		3.98	0.329	0.17	4.42	34.6	10	0.19	16.80	0.01	0.07	73.5	33.7	24	<0.05	638
1754527		2.94	0.737	0.47	4.80	42.2	30	0.16	33.8	0.01	0.05	60.8	31.4	19	<0.05	1525
1754528		3.80	0.846	0.38	5.32	108.5	20	0.15	34.4	0.01	0.19	46.3	30.0	16	0.05	1135
1754529		4.10	4.86	1.41	5.60	172.5	30	0.15	147.0	0.01	0.46	57.5	52.6	14	0.05	3500
1754530		0.74	0.006													
1754531		5.30	0.231	0.13	4.20	24.4	10	0.18	11.35	0.01	0.07	44.6	16.5	17	<0.05	370
1754532		5.66	0.363	0.23	4.96	35.5	20	0.17	19.90	0.01	0.23	74.2	21.7	16	<0.05	684
1754533		5.22	0.154	0.08	3.08	13.1	10	0.14	7.44	0.01	0.08	37.6	10.3	20	<0.05	310
1754534		5.10	0.096	0.07	3.33	8.6	10	0.13	5.25	<0.01	<0.02	38.1	8.5	17	<0.05	254
1754535		5.16	0.128	0.09	3.20	11.6	10	0.13	6.89	0.01	0.53	39.2	10.9	19	<0.05	343
1754536		4.94	0.072	0.06	4.45	10.2	10	0.13	6.80	0.01	0.05	46.5	8.9	15	<0.05	237
1754537		4.98	0.071	0.06	4.52	9.9	10	0.13	6.22	0.01	0.06	45.9	7.1	18	<0.05	288
1754538		5.30	0.072	0.06	4.20	6.4	20	0.12	4.78	0.01	0.07	55.8	6.7	18	<0.05	189.5
1754539		5.24	0.047	0.02	5.18	5.4	20	0.15	2.90	0.01	0.02	48.9	4.9	18	<0.05	85.5
1754540		0.06	1.770													
1754541		5.20	0.070	0.03	5.17	7.4	20	0.14	4.71	0.01	<0.02	46.9	4.3	16	<0.05	134.0
1754542		3.78	0.035	0.01	4.94	7.2	30	0.20	2.02	0.01	0.03	43.1	5.5	12	<0.05	70.2
1754543		3.26	0.049	0.02	4.21	4.9	30	0.14	2.20	0.01	<0.02	42.7	5.3	19	<0.05	107.0
1754544		2.78	0.840	0.78	3.15	31.7	20	0.14	54.4	0.01	1.00	49.7	17.6	20	<0.05	3000
1754545		5.70	0.031	0.02	4.42	7.1	30	0.17	1.52	0.01	0.02	45.4	4.8	28	<0.05	74.2
1754546		5.52	0.040	0.01	4.73	11.8	30	0.17	1.56	0.01	<0.02	42.3	5.5	25	<0.05	109.0
1754547		5.36	0.031	0.02	4.74	4.1	30	0.16	1.08	0.01	<0.02	47.1	4.6	18	<0.05	82.9
1754548		5.28	0.035	0.01	5.11	5.3	20	0.18	1.14	0.01	0.04	42.3	4.4	17	0.05	87.7
1754549		5.36	0.031	0.04	5.13	6.4	30	0.16	0.92	0.01	<0.02	47.2	5.4	19	<0.05	62.7
1754550		5.30	0.045	0.03	4.84	9.3	30	0.14	1.94	0.01	0.04	60.8	4.8	19	<0.05	92.6
1754551		4.66	0.074	0.03	3.51	6.6	70	0.13	1.55	0.01	0.02	50.4	3.8	17	<0.05	50.4
1754552		4.84	0.273	0.09	4.91	23.9	30	0.17	11.35	0.01	<0.02	57.3	10.0	12	<0.05	239
1754553		4.98	0.174	0.06	4.75	11.3	20	0.14	9.37	0.01	0.09	52.7	10.5	14	<0.05	208
1754554		2.00	3.37	3.19	3.70	1830	30	0.10	1120	0.01	11.15	43.3	170.0	11	<0.05	>10000
1754555		2.48	0.196	0.12	4.74	40.6	30	0.14	21.5	0.02	0.21	62.9	6.2	12	<0.05	396
1754556		4.80	0.070	0.04	3.58	14.5	50	0.16	4.07	0.01	0.03	53.0	7.6	19	<0.05	97.8
1754557		5.04	0.062	0.04	3.49	12.7	30	0.15	4.27	0.02	0.02	57.6	7.0	22	<0.05	71.7
1754558		5.24	0.055	0.04	3.50	14.6	20	0.19	4.03	0.02	0.03	68.5	6.1	18	<0.05	74.6
1754559		5.22	0.040	0.02	3.93	8.7	20	0.17	3.15	0.01	0.03	50.1	6.6	19	<0.05	62.0
1754560		0.06	6.96													



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754521		6.43	5.49	0.20	3.0	0.055	0.01	22.4	0.5	<0.01	25	149.0	<0.01	3.8	4.8	180
1754522		2.64	4.98	0.09	2.9	0.018	0.01	21.5	0.3	<0.01	21	27.1	<0.01	4.3	2.6	200
1754523		8.55	9.12	0.25	3.9	0.053	0.01	30.1	0.5	<0.01	30	46.7	<0.01	4.8	7.7	240
1754524																
1754525		3.37	7.46	0.10	2.9	0.051	0.01	20.5	0.3	<0.01	24	38.2	<0.01	4.1	4.1	100
1754526		7.47	8.53	0.30	4.3	0.100	0.01	36.8	0.3	<0.01	34	56.1	<0.01	4.6	13.4	170
1754527		10.20	10.10	0.34	4.2	0.143	0.01	31.2	0.5	<0.01	29	40.1	<0.01	4.3	12.8	190
1754528		12.90	11.35	0.34	3.2	0.095	0.01	24.2	0.6	<0.01	29	55.3	<0.01	3.4	15.4	190
1754529		20.8	14.90	0.89	4.3	0.913	<0.01	29.5	0.7	<0.01	36	46.7	<0.01	4.4	31.7	200
1754530																
1754531		5.35	7.07	0.19	3.6	0.032	<0.01	23.4	0.6	<0.01	27	25.9	<0.01	4.2	6.4	130
1754532		10.15	8.14	0.32	4.8	0.070	0.01	38.0	0.5	<0.01	39	79.6	<0.01	5.8	9.8	200
1754533		4.81	5.62	0.20	2.9	0.037	0.01	19.5	0.3	<0.01	40	17.75	<0.01	3.7	4.0	110
1754534		4.09	5.23	0.12	3.0	0.021	0.01	19.0	0.5	<0.01	28	13.25	<0.01	3.7	2.9	100
1754535		4.38	5.46	0.11	2.9	0.022	0.01	20.5	0.5	<0.01	35	18.35	<0.01	3.6	3.8	120
1754536		3.11	7.83	0.08	3.2	0.046	0.01	24.1	0.4	<0.01	26	7.57	<0.01	4.6	3.2	140
1754537		3.18	7.78	0.07	3.0	0.072	<0.01	24.0	0.4	<0.01	36	7.50	<0.01	4.5	3.5	130
1754538		2.29	8.98	0.09	3.1	0.030	0.01	29.3	0.4	<0.01	27	7.52	<0.01	5.0	4.6	200
1754539		2.23	10.10	0.06	3.0	0.017	0.01	24.2	0.5	<0.01	27	4.65	<0.01	4.5	3.3	160
1754540																
1754541		2.00	10.20	0.07	3.0	0.009	0.01	24.4	0.5	<0.01	31	4.06	0.01	4.4	1.4	160
1754542		2.60	12.85	0.09	3.0	0.015	0.01	22.3	1.0	<0.01	17	3.12	0.01	4.6	1.9	230
1754543		2.23	9.94	0.07	2.9	0.027	<0.01	21.7	0.2	<0.01	23	4.63	<0.01	5.0	1.7	190
1754544		4.43	7.18	0.24	4.4	0.768	<0.01	25.1	0.2	<0.01	35	14.40	<0.01	5.3	4.4	190
1754545		2.15	9.02	0.07	3.1	0.025	<0.01	22.9	0.2	<0.01	25	4.43	<0.01	4.9	1.8	220
1754546		3.10	9.04	0.09	3.0	0.025	<0.01	21.5	0.2	<0.01	26	4.73	<0.01	4.6	2.3	220
1754547		1.68	8.46	0.07	3.2	0.024	<0.01	24.5	0.4	<0.01	27	5.19	<0.01	4.6	1.8	240
1754548		2.00	8.21	0.06	3.1	0.021	<0.01	22.1	0.5	<0.01	36	3.08	<0.01	4.9	1.8	170
1754549		2.32	8.51	0.06	3.1	0.019	<0.01	22.8	0.3	<0.01	26	3.89	<0.01	4.7	3.6	260
1754550		2.21	4.93	0.09	3.2	0.026	<0.01	30.2	0.3	<0.01	29	3.20	<0.01	4.8	1.5	200
1754551		1.71	5.56	0.06	3.1	0.010	<0.01	24.6	0.2	<0.01	16	20.0	<0.01	4.1	1.4	230
1754552		4.31	7.61	0.18	3.3	0.026	<0.01	30.1	0.7	<0.01	21	10.55	<0.01	4.3	4.9	270
1754553		3.28	7.34	0.13	3.4	0.032	<0.01	26.8	0.4	<0.01	55	5.22	<0.01	4.4	6.9	260
1754554		20.9	5.48	1.94	2.4	8.28	<0.01	22.9	0.6	<0.01	22	4.28	<0.01	2.0	108.0	270
1754555		2.26	6.15	0.12	3.2	0.130	0.01	32.3	<0.2	<0.01	18	2.50	0.01	4.1	3.4	250
1754556		1.95	20.9	0.09	3.2	0.017	<0.01	26.7	0.4	<0.01	24	18.30	<0.01	4.2	2.7	430
1754557		1.89	13.85	0.10	3.6	0.015	<0.01	29.1	0.4	<0.01	25	21.0	<0.01	4.9	2.2	330
1754558		2.05	14.20	0.07	3.4	0.025	<0.01	33.7	0.3	<0.01	16	8.24	<0.01	4.8	1.7	300
1754559		1.71	29.4	0.07	3.5	0.013	<0.01	25.4	0.6	<0.01	19	10.70	<0.01	4.7	2.0	400
1754560																



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754521		43.6	0.1	0.312	7.10	7.07	2.5	34	15.0	61.3	0.25	9.77	6.93	0.110	0.02	1.5
1754522		50.2	0.2	0.253	2.93	3.27	2.6	15	17.8	66.5	0.30	2.72	6.22	0.127	0.02	1.4
1754523		55.7	0.2	0.388	9.31	5.02	4.1	52	23.5	77.7	0.32	4.48	8.02	0.144	0.03	1.9
1754524																
1754525		23.4	0.1	0.305	3.68	7.60	2.6	19	18.9	33.7	0.27	8.09	5.93	0.120	0.02	1.3
1754526		41.1	0.1	0.733	8.08	8.40	3.6	51	29.1	57.0	0.30	9.38	9.02	0.147	0.04	1.9
1754527		54.0	0.2	0.432	>10.0	9.63	4.0	78	27.9	70.0	0.29	12.05	8.34	0.139	0.04	1.9
1754528		48.2	0.1	0.452	>10.0	15.65	3.0	83	15.4	63.2	0.23	18.70	6.79	0.101	0.05	1.5
1754529		56.3	0.1	0.569	>10.0	43.5	4.6	231	25.5	64.9	0.30	47.2	9.16	0.132	0.04	1.9
1754530																
1754531		30.6	0.1	0.400	6.03	4.84	3.2	30	16.6	38.8	0.30	6.74	7.51	0.134	0.03	1.6
1754532		49.9	0.1	0.722	>10.0	5.92	4.2	69	38.6	64.2	0.41	7.15	10.65	0.172	0.04	2.2
1754533		25.6	0.3	0.302	5.26	1.87	2.3	26	25.1	32.3	0.24	3.75	6.10	0.111	0.03	1.4
1754534		21.1	0.2	0.293	4.47	0.93	2.4	15	19.8	28.7	0.26	1.48	6.25	0.111	0.02	1.3
1754535		25.3	0.2	0.292	4.78	1.07	2.1	16	20.9	37.3	0.27	1.42	6.58	0.108	0.02	1.4
1754536		32.3	0.1	0.076	3.41	1.29	2.7	12	12.8	40.4	0.35	2.88	8.00	0.127	0.02	1.6
1754537		28.6	0.1	0.089	3.41	0.87	2.6	13	14.0	37.3	0.32	1.54	7.93	0.125	0.02	1.6
1754538		47.7	0.2	0.110	2.48	0.61	2.8	9	15.0	61.3	0.37	0.93	7.88	0.139	0.02	1.7
1754539		34.5	0.2	0.075	2.41	0.55	2.8	7	9.7	48.5	0.33	1.14	7.35	0.126	0.02	1.6
1754540																
1754541		32.7	0.2	0.064	2.10	0.59	2.6	7	13.8	46.4	0.33	1.28	7.27	0.121	<0.02	1.6
1754542		43.0	0.2	0.081	2.97	0.82	2.8	11	8.5	71.9	0.34	1.58	7.27	0.128	0.02	1.6
1754543		30.3	0.1	0.133	2.43	0.68	2.8	10	9.9	46.5	0.35	1.25	6.73	0.139	<0.02	1.5
1754544		33.0	0.1	0.240	5.04	8.14	5.4	66	80.8	48.6	0.37	22.0	8.85	0.179	0.04	2.1
1754545		33.1	0.1	0.043	2.29	0.62	3.2	8	9.6	49.8	0.36	1.08	7.41	0.134	<0.02	1.7
1754546		28.7	0.1	0.029	3.41	0.83	3.0	11	11.0	44.2	0.35	2.30	7.33	0.131	<0.02	1.6
1754547		34.2	0.1	0.071	1.78	0.58	2.5	8	12.6	54.0	0.32	1.36	7.91	0.134	<0.02	1.7
1754548		26.8	0.1	0.070	2.19	0.67	2.5	9	12.2	42.8	0.36	1.53	7.15	0.143	<0.02	1.6
1754549		34.9	0.1	0.049	2.50	0.68	2.8	9	8.2	54.5	0.33	1.03	7.54	0.138	<0.02	1.5
1754550		27.4	0.1	0.055	2.40	1.26	2.6	12	7.8	51.8	0.34	2.98	7.18	0.126	0.02	1.5
1754551		21.4	0.1	0.303	1.88	0.64	2.1	9	5.8	56.1	0.27	1.21	6.23	0.121	<0.02	1.3
1754552		30.9	<0.1	0.090	4.86	2.94	2.7	37	7.1	75.8	0.32	5.14	7.86	0.116	<0.02	1.7
1754553		27.6	<0.1	0.055	3.60	2.20	2.3	27	8.4	68.2	0.32	2.73	7.52	0.123	<0.02	1.6
1754554		24.2	0.1	0.068	>10.0	741	1.4	652	209	45.4	0.14	>500	5.44	0.056	0.06	1.1
1754555		34.7	0.2	0.028	2.49	12.00	2.2	24	9.1	81.9	0.32	16.55	7.75	0.127	0.02	1.6
1754556		28.4	<0.1	0.294	2.14	2.94	2.4	17	14.1	81.4	0.32	3.94	7.52	0.136	<0.02	1.3
1754557		31.1	0.1	0.312	2.01	2.60	3.1	17	9.4	91.7	0.35	3.93	7.56	0.149	0.02	1.5
1754558		27.8	0.1	0.141	2.28	2.55	3.0	14	7.7	84.8	0.36	4.21	8.34	0.138	<0.02	1.5
1754559		17.7	<0.1	0.167	1.85	1.79	2.9	11	8.2	70.2	0.34	2.85	6.85	0.145	<0.02	1.4
1754560																



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	Cu-OG62 Cu %
		1	0.1	0.1	2	0.5	0.001
1754521		14	2.6	6.6	3	99.7	
1754522		16	2.7	7.4	<2	99.6	
1754523		20	3.2	9.1	<2	127.5	
1754524							
1754525		17	2.5	6.7	2	97.0	
1754526		19	3.5	7.3	2	143.0	
1754527		17	2.9	7.9	3	138.5	
1754528		14	2.1	7.4	4	107.5	
1754529		18	4.4	8.5	17	145.0	
1754530							
1754531		17	3.2	7.5	3	116.5	
1754532		19	4.2	10.2	3	166.0	
1754533		12	2.3	6.6	2	98.1	
1754534		12	2.1	7.1	2	93.0	
1754535		11	2.2	6.1	2	93.4	
1754536		16	2.2	6.8	<2	101.5	
1754537		16	2.0	6.7	<2	97.7	
1754538		17	2.2	8.4	5	98.7	
1754539		18	1.9	8.2	<2	95.6	
1754540							
1754541		18	1.8	7.0	<2	96.7	
1754542		18	1.8	8.3	<2	93.5	
1754543		20	2.0	8.5	<2	94.8	
1754544		20	3.0	8.7	4	163.5	
1754545		19	1.8	8.3	<2	98.1	
1754546		20	1.5	7.6	<2	104.0	
1754547		19	1.4	6.3	<2	102.5	
1754548		20	1.4	6.1	<2	99.1	
1754549		19	1.7	6.6	4	107.5	
1754550		16	1.6	7.1	3	105.5	
1754551		12	2.2	5.8	2	105.0	
1754552		14	1.9	7.8	2	108.5	
1754553		15	2.0	5.8	2	114.5	
1754554		17	1.0	3.9	353	80.0	1.180
1754555		16	1.9	6.4	6	115.0	
1754556		10	2.1	5.1	2	109.0	
1754557		11	2.5	6.3	2	123.5	
1754558		11	2.2	8.0	2	117.0	
1754559		9	2.3	5.8	2	119.0	
1754560							



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754561		5.28	0.066	0.05	3.26	11.2	30	0.15	4.56	0.02	<0.02	54.5	10.4	26	<0.05	123.0
1754562		5.20	0.059	0.06	2.73	21.4	30	0.16	6.99	0.01	<0.02	63.0	5.2	20	<0.05	127.5
1754563		5.32	0.050	0.05	3.19	22.4	40	0.15	4.73	0.01	<0.02	58.7	5.3	18	<0.05	121.5
1754564		5.42	0.059	0.04	3.80	15.8	40	0.16	6.96	0.01	0.02	56.2	6.5	17	<0.05	106.5
1754565		5.10	0.052	0.06	3.41	11.4	30	0.16	6.30	0.02	<0.02	63.8	5.8	21	<0.05	134.5
1754566		5.04	0.053	0.02	3.36	12.5	20	0.17	2.61	0.02	<0.02	55.8	9.4	19	<0.05	54.9
1754567		4.84	0.048	0.02	3.79	8.9	80	0.17	1.97	0.01	0.02	50.4	6.4	18	<0.05	50.7
1754568		4.62	0.040	0.04	3.85	7.6	40	0.13	2.76	0.01	<0.02	55.5	4.5	18	<0.05	46.5
1754569		5.74	0.070	0.02	2.89	11.1	20	0.14	6.80	0.01	<0.02	49.9	6.8	24	<0.05	51.9
1754570		0.78	<0.005													
1754571		5.28	0.066	0.03	3.96	12.4	10	0.13	8.06	0.01	<0.02	48.7	6.1	17	<0.05	47.1
1754572		5.18	0.051	0.04	3.07	11.6	20	0.15	6.64	0.02	<0.02	52.0	5.6	19	<0.05	38.3
1754573		5.30	0.027	0.02	2.73	6.3	10	0.15	1.60	0.01	<0.02	41.9	1.8	22	<0.05	19.3
1754574		5.02	0.056	0.02	3.69	7.5	10	0.18	2.99	0.01	<0.02	53.2	5.0	18	<0.05	23.4
1754575		3.34	0.021	0.01	3.02	2.8	10	0.13	0.84	0.01	<0.02	44.8	2.2	18	0.05	11.3
1754576		3.06	0.146	0.03	3.49	8.3	10	0.15	2.22	0.01	<0.02	50.5	3.7	26	<0.05	42.5
1754577		4.12	0.060	0.04	0.22	25.1	10	0.07	1.63	0.01	0.06	11.20	2.2	26	<0.05	130.0
1754578		3.96	0.257	0.28	0.35	51.9	10	0.09	8.16	0.01	0.07	28.4	5.3	24	<0.05	476
1754579		4.32	0.016	0.04	2.23	4.7	20	0.12	0.38	0.01	<0.02	52.8	1.0	17	<0.05	34.1
1754580		0.06	0.703													
1754581		4.92	0.036	0.05	3.14	6.1	20	0.13	0.80	0.01	<0.02	54.4	4.1	15	<0.05	62.0
1754582		5.76	0.054	0.14	1.21	140.5	10	0.08	1.56	0.01	0.18	27.2	5.5	24	<0.05	649
1754583		3.84	0.182	0.15	0.58	7.3	10	0.10	1.72	0.01	<0.02	54.1	6.0	27	<0.05	333
1754584		4.40	0.068	0.04	0.28	12.8	10	0.08	1.20	0.01	0.05	54.3	5.1	29	<0.05	87.6
1754585		4.70	0.018	0.02	0.19	8.8	10	0.08	0.46	0.01	0.04	53.7	0.9	28	<0.05	40.5
1754586		3.66	0.025	0.02	0.08	3.8	10	0.07	0.55	0.01	0.02	62.8	1.0	29	<0.05	27.1
1754587		3.62	0.045	0.03	0.09	7.8	10	0.09	1.32	0.01	0.02	81.0	1.5	42	<0.05	48.1
1754588		4.50	0.060	0.03	0.19	17.6	10	0.14	1.66	0.02	0.06	81.0	7.0	42	<0.05	59.6
1754589		4.48	0.237	0.09	0.09	18.4	10	0.09	10.90	0.01	0.11	106.5	22.1	47	<0.05	181.5
1754590		0.06	7.39													
1754591		4.62	0.233	0.10	0.08	22.5	<10	0.06	12.80	0.01	0.06	73.3	20.0	51	<0.05	202
1754592		5.30	0.358	0.10	0.09	46.9	10	0.05	9.71	0.01	0.05	80.0	42.9	38	<0.05	345
1754593		2.58	0.263	0.07	0.16	34.7	10	0.05	5.04	0.01	<0.02	75.2	30.8	36	<0.05	237
1754594		1.70	0.209	0.05	0.13	7.0	<10	0.05	3.87	0.01	<0.02	52.0	20.6	38	<0.05	130.0
1754595		0.64	<0.005													
1754596		2.30	0.033	0.01	0.32	0.8	10	0.08	0.46	0.02	<0.02	116.0	1.0	33	<0.05	13.6
1754597		2.74	0.078	0.02	0.13	3.1	<10	0.06	0.96	0.02	<0.02	78.0	1.7	36	<0.05	28.0
1754598		3.02	0.035	0.01	0.21	1.6	<10	0.08	0.27	0.01	<0.02	74.0	0.9	31	<0.05	13.4
1754599		2.46	0.331	0.04	0.67	3.8	<10	0.10	3.10	0.01	0.03	109.0	14.2	27	<0.05	129.5
1754600		2.08	0.433	0.04	1.00	6.4	<10	0.11	3.63	0.01	0.04	104.0	19.8	28	<0.05	152.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754561		2.62	20.2	0.09	2.9	0.012	<0.01	24.5	0.4	<0.01	27	12.40	<0.01	3.9	5.3	470
1754562		1.83	17.35	0.09	3.0	0.005	<0.01	29.4	0.2	<0.01	15	17.10	<0.01	4.2	2.0	480
1754563		1.95	14.10	0.10	3.1	0.007	<0.01	28.2	0.3	<0.01	25	13.90	<0.01	4.0	1.6	440
1754564		2.37	23.4	0.09	3.2	0.013	<0.01	25.2	0.5	<0.01	28	8.36	<0.01	3.9	1.8	500
1754565		2.31	15.60	0.09	3.4	0.006	<0.01	30.2	0.4	<0.01	31	9.86	<0.01	4.6	2.4	500
1754566		2.72	10.65	0.08	3.2	0.005	<0.01	26.8	0.6	<0.01	24	7.22	<0.01	4.2	5.1	430
1754567		2.33	15.60	0.07	3.3	<0.005	<0.01	24.7	0.6	<0.01	26	10.70	<0.01	4.2	2.9	420
1754568		2.49	10.25	0.07	3.3	0.006	<0.01	26.9	0.3	<0.01	16	5.57	<0.01	3.8	2.3	400
1754569		2.52	13.65	0.08	3.6	0.006	<0.01	25.4	0.3	<0.01	82	19.85	<0.01	4.4	3.6	400
1754570																
1754571		3.09	18.00	0.09	3.3	0.005	<0.01	23.5	0.5	<0.01	76	9.60	<0.01	4.5	4.1	420
1754572		2.47	12.80	0.08	3.3	<0.005	<0.01	26.0	1.2	<0.01	54	5.58	<0.01	4.3	4.2	490
1754573		0.94	13.25	0.05	3.2	<0.005	<0.01	20.6	1.1	<0.01	53	7.12	<0.01	4.9	2.5	310
1754574		1.62	23.1	0.07	3.2	<0.005	<0.01	26.7	0.8	<0.01	49	15.50	<0.01	4.3	3.5	490
1754575		1.10	18.10	<0.05	3.4	<0.005	0.01	22.0	0.5	0.01	64	8.86	<0.01	4.8	1.7	370
1754576		1.54	27.5	0.06	3.3	<0.005	<0.01	25.5	0.4	<0.01	79	18.55	<0.01	4.3	4.7	450
1754577		1.30	1.55	<0.05	2.8	0.006	<0.01	5.5	0.2	<0.01	62	16.75	<0.01	2.4	1.3	130
1754578		2.43	3.35	0.09	2.7	0.015	<0.01	13.9	0.2	<0.01	55	16.70	<0.01	2.9	2.4	130
1754579		0.66	24.4	0.05	2.9	<0.005	<0.01	26.0	0.4	<0.01	54	7.64	<0.01	4.4	2.7	440
1754580																
1754581		1.52	28.4	0.07	3.0	<0.005	<0.01	26.1	0.7	<0.01	50	8.51	<0.01	4.8	1.9	450
1754582		1.78	13.55	0.08	2.6	0.005	<0.01	13.5	0.3	<0.01	57	12.40	<0.01	3.1	2.2	310
1754583		2.04	7.64	0.09	2.7	<0.005	<0.01	25.0	0.3	<0.01	64	11.65	<0.01	3.4	5.4	650
1754584		1.73	2.47	0.08	2.7	<0.005	<0.01	25.8	<0.2	<0.01	55	13.90	<0.01	2.9	2.0	500
1754585		0.51	1.08	0.05	1.3	<0.005	<0.01	25.1	<0.2	<0.01	53	11.55	<0.01	2.0	1.0	200
1754586		0.52	0.40	0.06	2.5	<0.005	<0.01	29.3	<0.2	<0.01	50	11.35	<0.01	3.4	2.3	130
1754587		0.67	0.37	0.08	3.4	<0.005	<0.01	36.5	<0.2	<0.01	61	13.05	<0.01	4.1	1.2	160
1754588		1.45	0.64	0.14	3.2	<0.005	<0.01	35.5	<0.2	<0.01	63	31.2	<0.01	3.0	3.6	190
1754589		2.96	0.54	0.18	3.1	0.006	<0.01	46.8	<0.2	<0.01	59	32.1	<0.01	3.5	9.5	200
1754590																
1754591		3.48	0.83	0.19	3.2	0.006	<0.01	32.3	<0.2	<0.01	61	30.4	<0.01	3.8	10.0	180
1754592		5.43	1.94	0.25	3.4	0.006	<0.01	36.5	<0.2	<0.01	55	55.5	<0.01	2.8	14.7	210
1754593		4.70	3.27	0.24	4.4	<0.005	<0.01	34.1	<0.2	<0.01	80	45.6	<0.01	5.5	11.6	190
1754594		4.22	1.96	0.22	2.3	<0.005	<0.01	23.6	<0.2	<0.01	51	32.2	<0.01	2.4	13.6	120
1754595																
1754596		0.56	2.27	0.13	3.0	<0.005	<0.01	52.0	<0.2	<0.01	41	39.2	<0.01	3.6	1.2	1250
1754597		0.80	1.12	0.10	2.5	<0.005	<0.01	34.3	<0.2	<0.01	54	25.8	<0.01	3.6	3.0	300
1754598		0.53	2.17	0.09	1.1	0.006	<0.01	33.7	<0.2	<0.01	43	29.4	<0.01	2.2	0.9	350
1754599		2.85	9.68	0.17	3.6	<0.005	<0.01	49.9	<0.2	<0.01	54	35.6	<0.01	4.1	6.5	260
1754600		4.82	13.80	0.20	3.2	0.007	<0.01	47.7	<0.2	<0.01	53	40.2	<0.01	3.4	10.4	390



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754561		22.9	<0.1	0.157	2.83	2.19	2.5	17	7.6	92.2	0.29	2.83	6.38	0.122	<0.02	1.3
1754562		24.0	<0.1	0.320	2.03	4.87	2.4	16	11.4	92.1	0.29	7.16	7.42	0.137	<0.02	1.5
1754563		20.8	<0.1	0.226	2.09	4.10	2.1	14	9.8	92.1	0.29	5.99	7.17	0.121	<0.02	1.4
1754564		18.0	<0.1	0.132	2.55	4.29	2.5	13	7.9	89.3	0.29	5.89	7.13	0.120	<0.02	1.5
1754565		26.9	<0.1	0.086	2.53	2.18	2.8	13	10.0	102.5	0.34	2.59	8.28	0.135	<0.02	1.5
1754566		14.6	<0.1	0.073	3.00	1.06	2.8	15	4.7	78.5	0.31	1.76	7.47	0.120	<0.02	1.4
1754567		12.6	<0.1	0.146	2.53	0.92	2.5	11	5.3	71.7	0.30	1.47	7.21	0.121	<0.02	1.4
1754568		14.8	<0.1	0.050	2.78	0.74	2.1	9	4.0	78.1	0.29	1.34	7.81	0.109	<0.02	1.5
1754569		11.0	<0.1	0.263	2.77	1.55	2.5	12	6.5	61.2	0.31	3.24	7.76	0.133	<0.02	1.4
1754570																
1754571		8.6	0.1	0.118	2.99	1.44	2.5	12	6.3	65.5	0.31	3.96	7.43	0.135	<0.02	1.4
1754572		12.6	<0.1	0.048	2.37	1.43	2.7	11	6.1	87.3	0.33	4.77	7.84	0.127	<0.02	1.4
1754573		9.1	<0.1	0.085	0.63	0.93	2.4	4	8.1	63.4	0.30	3.94	7.38	0.154	<0.02	1.3
1754574		7.2	<0.1	0.212	1.45	0.87	2.2	10	7.3	53.2	0.29	2.93	8.08	0.133	<0.02	1.2
1754575		6.7	0.4	0.119	0.60	0.55	1.8	3	7.8	52.1	0.31	1.08	7.68	0.148	<0.02	1.4
1754576		5.9	<0.1	0.173	1.02	1.82	1.9	6	7.6	44.2	0.30	6.22	8.67	0.138	<0.02	1.4
1754577		3.0	<0.1	0.209	0.93	0.96	1.9	5	6.4	14.9	<0.05	1.19	3.71	0.127	<0.02	1.0
1754578		4.7	0.2	0.217	2.28	7.39	1.9	20	6.5	21.8	0.12	28.7	5.81	0.108	<0.02	1.1
1754579		5.2	<0.1	0.090	0.24	0.63	2.5	2	7.6	47.0	0.26	0.43	8.48	0.139	<0.02	1.3
1754580																
1754581		6.0	0.1	0.097	1.24	0.62	2.9	7	8.5	49.6	0.31	0.69	8.88	0.140	<0.02	1.3
1754582		3.3	<0.1	0.185	1.53	7.83	2.2	13	7.3	22.2	0.17	1.39	5.48	0.101	<0.02	1.0
1754583		28.2	<0.1	0.176	1.81	1.33	2.3	13	24.8	41.3	0.17	1.06	8.55	0.116	<0.02	1.3
1754584		5.7	<0.1	0.208	1.45	0.57	2.1	12	6.7	40.7	0.10	0.74	8.48	0.116	<0.02	1.2
1754585		6.3	<0.1	0.173	0.13	0.40	2.3	2	6.5	52.6	0.05	0.27	7.88	0.132	<0.02	1.2
1754586		5.1	<0.1	0.135	0.14	0.36	2.5	3	7.8	35.8	0.09	0.54	9.01	0.155	<0.02	1.3
1754587		6.4	<0.1	0.155	0.23	0.66	2.8	4	10.2	41.7	0.11	0.76	10.65	0.184	<0.02	1.6
1754588		9.0	0.1	0.647	1.05	0.75	2.4	12	10.2	62.0	0.06	1.75	9.15	0.162	0.02	1.5
1754589		8.7	<0.1	0.486	2.84	3.86	2.4	22	8.1	42.7	0.14	24.0	11.15	0.127	0.02	1.6
1754590																
1754591		8.0	<0.1	0.366	3.35	5.38	2.2	36	8.5	30.4	0.16	29.7	7.33	0.143	0.02	1.4
1754592		10.3	<0.1	0.559	5.88	5.04	2.1	50	13.9	37.3	0.13	21.3	8.22	0.101	0.03	1.5
1754593		8.4	<0.1	0.528	4.68	2.71	2.7	46	17.7	31.0	0.26	11.95	8.09	0.226	0.02	1.7
1754594		6.5	<0.1	0.354	4.30	0.78	1.5	46	6.9	21.4	0.12	5.16	5.53	0.104	<0.02	1.0
1754595																
1754596		12.5	<0.1	0.533	0.21	0.26	2.2	2	10.2	49.4	0.12	0.57	11.10	0.161	<0.02	1.9
1754597		8.9	<0.1	0.380	0.38	0.72	1.8	3	7.7	33.6	0.12	3.70	7.13	0.151	<0.02	1.3
1754598		7.8	0.1	0.442	0.14	0.16	1.9	1	8.1	34.8	<0.05	0.18	8.78	0.158	<0.02	1.5
1754599		10.4	<0.1	0.616	2.68	0.40	2.3	16	8.2	45.0	0.24	4.02	11.95	0.146	<0.02	2.0
1754600		10.8	<0.1	0.719	5.05	0.46	2.1	27	5.9	48.8	0.23	5.03	11.45	0.111	<0.02	2.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	Cu % 0.001
1754561		8	1.9	6.0	2	104.5	
1754562		7	2.1	6.4	2	103.0	
1754563		9	2.0	5.9	2	105.5	
1754564		8	1.9	6.1	2	110.5	
1754565		9	2.2	7.0	4	115.5	
1754566		9	2.0	7.8	<2	110.0	
1754567		9	2.0	6.2	<2	112.5	
1754568		9	1.6	6.0	<2	111.5	
1754569		7	2.2	6.1	<2	121.5	
1754570							
1754571		8	2.1	6.6	<2	110.5	
1754572		8	2.0	6.9	2	108.0	
1754573		8	2.2	5.9	2	110.0	
1754574		7	2.4	5.7	2	107.0	
1754575		8	2.0	5.9	<2	111.5	
1754576		8	2.3	4.9	<2	111.0	
1754577		5	1.2	5.1	3	95.9	
1754578		4	1.8	5.6	4	96.6	
1754579		8	2.0	6.3	<2	99.9	
1754580							
1754581		9	2.5	7.0	<2	104.5	
1754582		6	1.9	5.7	7	90.9	
1754583		6	2.1	6.2	13	94.5	
1754584		5	1.8	6.1	<2	93.4	
1754585		6	1.0	7.7	<2	55.9	
1754586		6	1.3	6.9	<2	90.3	
1754587		7	1.8	7.7	<2	117.0	
1754588		7	1.8	5.2	2	115.0	
1754589		5	2.4	7.2	3	117.0	
1754590							
1754591		5	2.9	6.0	2	121.0	
1754592		4	2.4	5.7	2	132.0	
1754593		7	4.4	6.1	<2	163.5	
1754594		4	2.0	3.9	<2	88.5	
1754595							
1754596		5	2.7	5.8	<2	113.5	
1754597		5	2.1	4.5	2	95.9	
1754598		6	1.9	5.2	2	59.0	
1754599		6	2.8	5.8	2	128.0	
1754600		5	2.2	5.7	2	116.5	



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: +1 775 356 5395 Fax: +1 775 355 0179
www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
PO BOX 627
CARRBORO NC 27510

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-DEC-2023
Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23337592

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REEs may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA.
Au-AA23

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Cu-OG62 ME-MS61 ME-OG62

Applies to Method: Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho
CRU-21 CRU-31 CRU-QC DIS-REJ21
LOG-21 LOG-23 PUL-31 PUL-QC
SND-ALS SPL-22Y WEI-21