



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

CERTIFICATE TF23331504

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 107 samples of Rock submitted to our lab in Twin Falls, ID, USA on 15-NOV-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ21	Disposal of R/B Split after analysis.
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
CRU-21	Crush entire sample
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
WSH-22	"Wash" pulverizers
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754374		1.66	0.070	0.20	4.08	16.1	280	0.09	1.92	0.05	<0.02	42.2	0.2	4	0.16	102.0
1754375		4.36	0.058	0.08	5.69	7.2	490	0.12	2.93	0.03	<0.02	48.2	0.2	5	0.76	25.6
1754376		3.64	0.056	0.11	5.24	5.4	310	0.13	3.01	0.04	<0.02	59.2	0.6	5	0.87	38.7
1754377		3.04	0.052	0.05	6.33	3.0	110	0.19	4.00	0.03	<0.02	57.2	0.1	4	1.68	33.3
1754378		4.42	0.026	0.04	4.85	5.1	90	0.16	9.77	0.02	<0.02	37.0	0.2	5	0.42	42.0
1754379		3.32	0.026	0.05	5.07	6.1	250	0.16	8.42	0.02	<0.02	29.4	0.3	5	0.27	28.2
1754380		3.56	<0.005	0.04	6.12	2.8	460	0.29	5.39	0.01	<0.02	34.8	0.2	4	0.07	18.2
1754381		4.00	0.037	0.11	5.64	3.5	330	0.23	5.41	0.01	<0.02	43.1	1.2	9	<0.05	73.5
1754382		2.62	0.014	0.36	9.67	4.1	450	0.39	8.32	0.02	<0.02	55.1	0.3	6	0.06	26.7
1754383		2.48	0.009	0.11	6.38	3.1	530	0.23	46.7	0.04	<0.02	56.7	0.2	6	0.05	22.0
1754384		0.06	0.344													
1754385		4.56	0.060	0.04	4.07	4.6	90	0.18	2.42	0.02	0.05	44.8	3.2	18	<0.05	93.0
1754386		4.48	0.064	0.05	4.77	5.2	70	0.18	2.39	0.02	0.02	48.9	2.8	19	<0.05	95.6
1754387		5.56	0.036	0.04	5.48	3.9	80	0.18	1.79	0.02	0.02	45.9	2.0	12	<0.05	49.5
1754388		4.74	0.037	0.03	4.75	4.3	70	0.16	1.72	0.01	<0.02	41.9	1.8	14	<0.05	54.4
1754389		5.40	0.051	0.06	4.85	4.5	80	0.19	2.40	0.02	0.02	51.2	3.9	18	<0.05	146.0
1754390		4.84	0.047	0.02	5.00	5.0	80	0.25	1.77	0.02	<0.02	42.8	2.3	15	<0.05	65.1
1754391		5.36	0.042	0.03	4.00	4.1	70	0.19	1.45	0.01	0.02	39.2	3.7	25	<0.05	80.0
1754392		5.94	0.056	0.03	4.17	4.9	50	0.18	1.44	0.01	0.02	38.3	4.1	22	<0.05	74.6
1754393		4.88	0.079	0.02	4.83	4.1	60	0.18	1.07	0.01	0.04	52.1	4.2	31	<0.05	92.3
1754394		0.68	<0.005													
1754395		7.64	0.068	0.05	5.48	5.2	60	0.20	1.61	0.01	0.03	48.7	3.7	22	<0.05	129.0
1754396		5.08	0.029	0.03	4.30	2.6	40	0.18	0.63	0.01	<0.02	17.60	3.1	22	<0.05	47.2
1754397		6.12	0.133	0.10	4.41	6.5	60	0.31	3.63	0.01	<0.02	64.9	5.8	37	<0.05	222
1754398		5.86	0.172	0.10	1.94	10.0	100	0.38	4.36	0.02	0.02	77.6	7.5	45	<0.05	271
1754399		5.40	0.094	0.05	1.88	19.7	90	0.30	2.66	0.02	0.02	54.4	6.9	28	<0.05	138.5
1754400		5.30	0.109	0.06	0.78	12.9	190	0.20	2.03	0.02	<0.02	24.5	7.4	40	<0.05	171.5
1754401		5.42	0.100	0.07	0.32	10.0	130	0.14	1.38	0.02	0.03	39.8	4.4	34	<0.05	190.5
1754402		5.52	0.150	0.12	0.42	12.7	70	0.17	2.82	0.02	0.04	41.0	5.1	36	<0.05	273
1754403		6.86	0.148	0.09	3.76	7.6	90	0.27	4.48	0.02	0.03	62.3	6.7	29	<0.05	151.0
1754404		0.06	0.722													
1754405		5.50	0.086	0.04	2.42	4.9	70	0.27	1.77	0.02	0.02	47.6	5.2	34	<0.05	108.5
1754406		6.26	0.152	0.11	2.28	3.6	60	0.27	3.88	0.01	0.02	52.7	5.6	40	<0.05	248
1754407		5.46	0.099	0.07	0.48	6.2	270	0.22	1.93	0.01	0.04	23.9	4.5	43	<0.05	160.5
1754408		6.20	0.073	0.05	1.63	4.6	110	0.32	1.72	0.01	<0.02	60.9	5.8	50	<0.05	127.5
1754409		6.20	0.088	0.06	0.48	7.4	100	0.23	2.36	0.01	0.04	18.75	6.3	60	<0.05	171.0
1754410		5.72	0.091	0.06	1.10	5.7	170	0.27	1.77	0.02	0.04	42.1	5.3	47	<0.05	124.5
1754411		5.32	0.064	0.02	3.46	4.8	130	0.27	1.39	0.01	0.03	44.2	5.0	36	<0.05	68.8
1754412		5.52	0.057	0.04	3.66	5.3	140	0.36	1.57	0.01	0.03	46.1	4.2	48	<0.05	69.9
1754413		5.72	0.122	0.11	5.23	9.5	240	0.55	5.52	0.02	0.07	52.9	9.6	26	0.09	191.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOD	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754374		2.26	12.20	0.09	3.0	0.085	0.82	21.7	0.2	0.01	38	21.1	0.44	2.7	1.0	380
1754375		2.56	13.45	0.18	2.8	0.139	1.48	26.9	0.5	0.01	32	23.1	0.53	2.5	1.0	610
1754376		2.58	13.15	0.18	2.7	0.138	1.31	30.2	0.6	0.01	38	24.7	0.30	2.0	1.8	530
1754377		3.77	16.75	0.19	3.0	0.227	2.09	30.7	0.8	0.01	49	14.30	0.15	1.5	0.6	450
1754378		4.34	14.45	0.17	2.7	0.067	0.63	21.7	1.4	<0.01	30	8.54	0.05	1.5	0.8	290
1754379		2.27	15.50	0.10	3.0	0.054	0.36	16.8	1.1	<0.01	42	36.3	0.03	3.1	1.4	360
1754380		0.92	16.85	0.08	3.5	0.022	0.07	21.0	2.3	<0.01	53	15.05	0.02	4.9	1.4	400
1754381		1.48	14.40	0.13	3.6	0.015	0.02	24.8	1.6	<0.01	38	27.8	0.01	4.6	1.6	410
1754382		3.98	52.8	0.21	3.8	0.034	0.10	29.3	2.7	<0.01	35	21.7	0.03	3.0	2.1	610
1754383		0.76	27.6	0.11	4.0	0.011	0.05	30.7	1.8	<0.01	59	10.95	0.03	5.1	1.0	770
1754384																
1754385		2.40	16.45	0.15	3.0	0.013	0.04	23.1	1.1	<0.01	41	7.26	0.01	4.0	1.5	330
1754386		2.28	11.25	0.12	3.5	0.023	0.02	26.1	1.1	<0.01	45	6.21	0.01	4.5	1.7	360
1754387		2.28	11.10	0.14	3.6	0.016	0.02	25.4	1.3	<0.01	53	4.21	0.01	4.7	1.1	410
1754388		2.27	11.30	0.14	3.6	0.013	0.02	23.3	0.6	<0.01	30	3.16	0.01	4.6	0.8	380
1754389		2.38	12.50	0.14	3.7	0.018	0.01	26.8	0.6	<0.01	43	4.79	0.01	4.9	2.0	360
1754390		2.78	15.35	0.12	3.8	0.006	0.01	24.5	1.6	<0.01	57	6.34	0.01	4.8	1.3	330
1754391		2.15	13.15	0.12	3.5	0.010	0.02	21.9	0.7	<0.01	36	6.21	0.01	4.7	1.7	360
1754392		2.43	13.35	0.11	3.3	0.007	0.02	21.6	0.3	<0.01	47	11.10	<0.01	4.6	2.0	410
1754393		2.94	11.45	0.14	3.2	0.009	0.02	27.4	0.5	<0.01	73	43.5	0.01	4.7	2.0	380
1754394																
1754395		2.07	12.75	0.13	3.5	0.008	0.01	25.8	0.6	<0.01	46	7.00	0.01	5.8	2.0	420
1754396		1.73	12.50	0.09	3.3	0.017	0.07	8.6	0.9	<0.01	65	9.28	0.01	5.1	1.6	260
1754397		3.33	18.35	0.20	3.8	0.011	0.02	35.1	1.1	<0.01	38	10.90	0.01	5.3	2.8	500
1754398		4.76	10.20	0.23	3.7	0.011	0.01	42.2	0.5	<0.01	108	39.6	<0.01	4.1	2.5	990
1754399		3.73	11.70	0.18	3.5	0.014	0.03	30.1	0.7	<0.01	53	28.3	<0.01	3.9	2.0	590
1754400		4.96	4.97	0.16	3.1	0.011	0.01	14.0	0.3	<0.01	139	12.75	<0.01	1.9	2.6	510
1754401		2.65	1.83	0.16	2.7	0.007	0.01	20.9	<0.2	<0.01	37	17.95	<0.01	1.8	1.5	420
1754402		4.48	2.58	0.19	2.5	0.009	0.01	21.8	0.2	<0.01	54	25.0	<0.01	2.9	2.9	230
1754403		3.96	21.1	0.19	3.7	0.008	0.01	30.9	1.2	<0.01	80	33.1	0.01	4.9	3.0	620
1754404																
1754405		3.61	12.35	0.18	3.1	0.006	0.02	22.5	0.9	<0.01	40	57.8	0.01	4.3	2.5	320
1754406		3.07	11.35	0.18	3.2	0.011	0.01	27.2	0.7	<0.01	47	45.4	<0.01	4.3	2.5	350
1754407		4.01	2.89	0.14	2.8	0.008	0.01	12.7	0.2	<0.01	99	41.0	<0.01	3.2	2.3	340
1754408		3.61	8.94	0.18	3.0	0.013	0.01	33.0	0.8	<0.01	43	23.8	<0.01	3.6	2.4	340
1754409		4.25	2.75	0.15	2.3	0.012	0.01	9.2	<0.2	<0.01	49	33.0	<0.01	3.1	2.8	180
1754410		5.59	5.70	0.22	2.8	0.007	0.02	21.3	0.5	<0.01	93	21.1	0.01	3.9	2.4	510
1754411		2.97	15.45	0.15	3.4	0.010	0.04	22.9	0.8	<0.01	42	10.85	0.01	6.2	2.5	350
1754412		1.61	13.15	0.14	3.5	0.005	0.03	25.2	1.5	<0.01	40	8.62	0.01	4.8	3.2	340
1754413		3.23	20.8	0.17	3.6	0.025	0.21	28.8	2.1	0.01	65	16.80	0.05	4.4	6.3	370



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754374		311	3.2	0.030	2.19	2.06	4.9	12	9.6	149.0	0.18	1.08	5.46	0.079	0.08	1.3
1754375		518	13.2	0.024	2.12	0.73	6.7	8	3.9	361	0.19	1.86	7.12	0.070	0.46	1.2
1754376		417	15.3	0.029	1.32	0.77	6.2	11	5.2	371	0.15	1.92	8.47	0.056	0.51	1.2
1754377		321	29.1	0.016	0.13	0.61	7.7	11	5.3	376	0.11	2.93	10.35	0.047	0.94	1.2
1754378		149.5	8.7	0.019	0.08	0.84	5.3	13	3.2	186.5	0.11	9.10	6.20	0.041	0.31	1.2
1754379		83.3	4.8	0.032	0.05	1.02	4.5	11	4.5	106.0	0.20	5.89	5.07	0.085	0.19	1.2
1754380		106.5	1.0	0.106	0.04	1.07	5.0	3	6.7	158.0	0.33	8.33	6.40	0.135	0.05	1.3
1754381		162.5	0.4	0.205	0.67	1.24	3.9	8	8.6	226	0.31	5.03	7.31	0.125	0.04	1.4
1754382		278	1.3	0.030	0.10	1.07	4.6	37	5.5	398	0.21	3.69	8.39	0.078	0.08	1.3
1754383		224	0.9	0.018	0.08	1.55	5.2	7	7.2	375	0.34	18.90	7.43	0.140	0.04	1.6
1754384																
1754385		139.0	0.5	0.090	2.20	0.63	3.9	10	4.0	237	0.27	1.41	6.98	0.108	0.03	1.5
1754386		110.5	0.4	0.059	1.64	0.58	4.9	8	3.5	190.5	0.31	1.35	7.73	0.121	0.03	1.6
1754387		86.9	0.3	0.018	0.89	0.64	4.9	8	3.7	151.0	0.30	1.15	7.82	0.122	0.02	1.7
1754388		98.7	0.3	0.012	0.95	0.67	4.8	8	4.9	174.5	0.32	1.42	6.74	0.122	0.02	1.6
1754389		94.0	0.2	0.044	2.43	1.09	4.1	9	9.1	195.5	0.34	3.00	8.60	0.136	0.02	1.7
1754390		70.0	0.2	0.021	1.41	0.86	5.8	10	5.9	154.5	0.33	1.57	8.33	0.129	<0.02	1.7
1754391		70.1	0.3	0.058	2.14	0.71	5.1	9	7.3	142.5	0.34	1.04	7.66	0.127	0.02	1.7
1754392		71.9	0.2	0.152	2.49	0.90	4.2	9	7.1	128.5	0.31	1.66	7.10	0.129	0.02	1.6
1754393		93.5	0.3	0.339	2.78	0.82	3.2	13	8.3	149.0	0.32	0.89	6.52	0.144	0.02	1.5
1754394																
1754395		79.7	0.2	0.082	2.04	1.16	5.0	9	10.3	121.5	0.38	1.61	8.25	0.165	0.02	1.9
1754396		57.2	0.8	0.071	1.25	0.79	4.2	8	7.6	70.9	0.34	0.44	6.48	0.146	0.04	1.6
1754397		68.9	0.3	0.093	3.43	1.19	5.7	20	10.3	100.5	0.36	2.06	9.74	0.145	0.02	1.8
1754398		125.0	0.2	0.448	4.43	1.22	3.8	30	11.0	155.0	0.27	3.11	11.25	0.122	0.02	1.9
1754399		102.5	0.4	0.388	3.92	1.69	2.5	25	10.2	128.0	0.28	2.88	7.23	0.143	0.02	1.6
1754400		49.7	0.2	0.404	4.58	1.74	1.2	29	8.4	70.9	0.18	2.85	4.90	0.106	0.02	1.2
1754401		43.4	0.2	0.164	2.49	1.34	1.3	19	8.3	63.8	0.12	1.67	5.24	0.107	0.02	1.1
1754402		44.0	0.3	0.196	4.75	2.04	1.6	35	7.5	64.7	0.10	3.69	5.84	0.089	0.02	1.1
1754403		83.8	0.2	0.270	3.84	3.33	3.6	23	9.7	124.5	0.31	10.55	8.90	0.152	0.02	1.8
1754404																
1754405		65.2	0.4	0.442	3.75	1.18	1.9	23	7.2	91.5	0.26	2.37	6.47	0.135	0.03	1.4
1754406		65.2	0.2	0.222	3.05	1.22	2.0	17	8.2	84.3	0.26	2.89	6.62	0.139	0.02	1.4
1754407		36.7	0.2	0.254	3.27	1.09	2.6	25	7.1	60.1	0.14	3.04	4.24	0.113	<0.02	1.3
1754408		55.1	0.2	0.273	3.48	1.04	3.0	24	7.6	74.0	0.21	2.20	7.45	0.116	0.03	1.4
1754409		22.5	0.1	0.279	4.47	1.08	1.5	26	6.1	32.0	0.12	3.93	3.24	0.098	0.02	0.9
1754410		71.8	0.2	0.235	5.61	1.10	1.7	33	7.0	132.5	0.17	2.23	6.21	0.098	0.03	1.1
1754411		64.7	0.6	0.174	3.10	1.02	1.8	17	10.3	117.5	0.30	1.08	6.89	0.165	0.03	1.4
1754412		80.0	0.5	0.119	1.55	1.48	5.2	10	7.4	149.0	0.33	1.41	7.71	0.132	0.03	1.6
1754413		54.8	3.8	0.221	3.18	2.30	2.8	21	8.4	199.5	0.30	2.76	8.11	0.148	0.13	1.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754374		28	0.8	6.7	6	106.5
1754375		51	0.8	8.1	<2	102.0
1754376		46	1.1	7.0	3	98.1
1754377		71	0.6	5.3	<2	110.0
1754378		29	0.8	5.3	<2	108.5
1754379		29	1.9	6.6	<2	109.0
1754380		21	4.3	8.3	<2	130.5
1754381		21	4.6	6.9	3	140.0
1754382		39	2.6	6.6	<2	137.0
1754383		29	4.1	9.8	<2	145.0
1754384						
1754385		19	1.6	11.1	2	111.5
1754386		19	1.5	13.7	2	127.5
1754387		22	1.4	11.9	<2	135.0
1754388		20	1.4	10.3	<2	136.5
1754389		20	1.6	10.7	3	135.5
1754390		20	1.5	13.1	2	141.0
1754391		20	1.2	11.4	2	132.5
1754392		19	1.2	9.2	3	127.0
1754393		24	1.6	9.1	3	124.0
1754394						
1754395		28	1.2	15.3	4	132.0
1754396		32	0.9	9.1	2	122.0
1754397		24	0.9	12.5	4	138.0
1754398		16	1.2	9.4	4	139.5
1754399		17	1.2	6.6	3	136.0
1754400		11	1.0	4.1	3	118.5
1754401		11	0.9	4.2	3	103.5
1754402		9	1.0	6.2	4	99.6
1754403		24	2.2	9.3	2	137.0
1754404						
1754405		21	2.8	8.1	2	121.0
1754406		20	3.2	6.3	3	118.0
1754407		13	1.5	9.7	4	109.0
1754408		17	1.2	11.2	3	111.5
1754409		13	1.1	6.9	5	87.4
1754410		13	0.9	6.4	4	102.5
1754411		25	1.1	5.8	3	130.5
1754412		23	1.0	9.3	2	125.0
1754413		29	1.4	6.6	4	134.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754414		0.72	<0.005													
1754415		2.86	0.040	0.09	9.15	3.6	440	0.87	1.69	0.05	<0.02	18.10	10.2	192	0.87	123.0
1754416		5.06	0.116	0.15	2.80	6.6	110	0.33	4.19	0.01	<0.02	88.3	9.8	28	0.05	473
1754417		4.06	0.082	0.14	0.48	3.5	90	0.13	3.12	0.01	<0.02	47.4	3.8	31	<0.05	309
1754418		3.84	0.251	0.19	1.47	13.4	70	0.18	7.14	0.02	<0.02	42.1	5.9	33	<0.05	330
1754419		4.40	0.149	0.16	1.90	9.4	150	0.19	4.96	0.01	<0.02	41.1	4.6	27	<0.05	259
1754420		4.38	0.052	0.08	3.36	4.8	100	0.22	2.51	0.01	0.02	53.4	5.3	24	<0.05	166.5
1754421		5.00	0.051	0.09	2.85	4.6	90	0.19	2.28	0.01	0.02	54.2	3.6	30	<0.05	226
1754422		4.70	0.096	0.09	4.21	6.3	90	0.21	3.43	0.01	0.02	56.1	4.6	20	<0.05	261
1754423		10.78	0.198	0.13	3.96	4.5	70	0.17	6.45	0.01	<0.02	49.1	4.5	17	<0.05	467
1754424		0.06	0.703													
1754425		5.64	0.101	0.06	4.90	3.5	200	0.17	3.56	0.01	<0.02	59.1	4.0	13	<0.05	242
1754426		5.62	0.077	0.04	4.72	3.8	110	0.16	2.51	0.01	<0.02	51.3	4.4	15	<0.05	168.0
1754427		11.24	0.086	0.07	5.45	5.2	150	0.17	2.59	0.01	0.02	54.3	5.3	20	<0.05	202
1754428		4.48	0.081	0.04	6.17	6.9	50	0.18	2.07	0.01	<0.02	47.1	5.0	15	<0.05	102.0
1754429		3.74	0.077	0.10	5.11	5.9	140	0.17	1.52	0.01	<0.02	50.9	6.1	17	<0.05	149.5
1754430		4.48	0.036	0.02	4.66	4.1	50	0.16	0.61	0.01	0.04	50.5	4.6	24	<0.05	45.3
1754431		5.70	0.040	0.02	4.80	4.8	110	0.18	0.72	0.02	0.06	50.6	4.7	26	<0.05	45.1
1754432		5.38	0.096	0.06	4.23	7.2	110	0.18	2.41	0.02	<0.02	35.4	2.7	26	<0.05	182.0
1754433		5.56	0.108	0.06	4.08	5.1	210	0.13	2.28	0.01	<0.02	45.5	7.1	25	<0.05	155.5
1754434		0.68	<0.005													
1754435		11.42	0.062	0.03	4.93	3.2	110	0.09	1.13	0.02	<0.02	34.3	5.2	21	<0.05	104.0
1754436		11.34	0.101	0.04	5.45	4.5	140	0.08	1.53	0.02	0.03	91.7	6.5	15	<0.05	91.9
1754437		5.74	0.075	0.03	5.27	3.8	50	0.07	1.29	0.01	<0.02	42.2	5.2	16	<0.05	68.9
1754438		5.18	0.060	0.02	5.94	5.0	80	0.11	1.09	0.02	<0.02	57.9	6.8	15	<0.05	51.7
1754439		4.66	0.049	0.02	7.62	4.4	100	0.11	0.97	0.02	<0.02	62.4	5.2	15	<0.05	52.0
1754440		3.30	0.036	0.01	3.48	2.3	110	0.09	0.43	0.02	0.02	31.7	1.6	14	0.06	49.1
1754441		4.22	0.005	0.01	9.74	2.0	70	0.21	0.28	0.01	<0.02	50.9	1.5	12	0.05	45.3
1754442		5.48	0.017	0.02	7.93	3.6	50	0.15	0.41	0.01	<0.02	74.0	3.3	13	0.05	25.9
1754443		5.70	0.060	0.04	4.81	4.0	130	0.09	0.92	0.02	<0.02	51.1	4.7	19	<0.05	78.5
1754444		0.06	1.830													
1754445		5.40	0.062	0.03	4.28	4.3	90	0.09	0.86	0.01	0.03	37.3	5.8	18	<0.05	55.6
1754446		5.28	0.063	0.02	4.89	5.4	70	0.09	0.73	0.02	<0.02	48.5	3.6	14	<0.05	51.7
1754447		11.40	0.100	0.03	5.33	5.4	250	0.13	1.21	0.01	0.02	42.0	5.0	13	<0.05	61.9
1754448		5.18	0.081	0.04	5.17	5.6	180	0.14	1.62	0.01	0.03	39.1	4.4	14	<0.05	56.9
1754449		6.26	0.073	0.03	4.86	5.0	90	0.12	1.39	0.01	0.02	41.6	5.0	16	<0.05	59.6
1754450		5.56	0.059	0.01	5.32	3.8	220	0.11	1.17	0.02	<0.02	49.9	3.3	15	<0.05	47.3
1754451		5.56	0.103	0.03	5.55	4.1	110	0.12	1.58	0.02	<0.02	45.0	4.5	14	<0.05	51.9
1754452		5.78	0.088	0.04	5.59	4.8	100	0.14	1.43	0.02	0.06	49.9	4.1	16	<0.05	57.3
1754453		5.70	0.109	0.03	4.01	4.7	40	0.12	1.84	0.01	<0.02	30.3	3.5	17	<0.05	55.8



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754414		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754415		4.60	27.0	0.10	0.7	0.346	1.46	7.0	4.2	0.06	19	2.00	0.17	4.5	37.8	270
1754416		4.20	10.55	0.20	3.1	0.014	0.11	46.1	1.5	<0.01	38	7.66	0.02	2.0	3.8	250
1754417		3.00	1.92	0.14	2.5	0.011	0.02	25.6	0.3	<0.01	75	28.2	0.01	1.8	2.0	260
1754418		5.03	5.98	0.17	3.0	0.014	0.01	21.8	0.6	<0.01	37	7.26	0.01	1.8	2.1	340
1754419		3.46	6.99	0.13	3.0	0.010	0.01	20.1	0.7	<0.01	39	36.5	0.01	2.9	1.5	290
1754420		3.40	8.68	0.15	3.2	0.009	0.01	27.8	0.9	<0.01	88	4.56	0.01	3.9	2.3	310
1754421		2.06	6.37	0.09	3.2	0.015	0.02	28.1	0.6	<0.01	35	5.35	0.01	3.6	2.0	300
1754422		2.65	8.55	0.12	3.2	0.010	0.01	29.1	0.5	<0.01	42	2.77	0.01	4.2	2.1	320
1754423		3.22	7.76	0.13	3.1	0.018	0.01	24.4	0.3	<0.01	60	4.12	0.01	3.5	1.8	300
1754424																
1754425		2.56	11.30	0.13	3.1	0.017	0.02	29.4	0.5	<0.01	41	2.15	0.01	3.6	1.5	320
1754426		2.55	11.40	0.11	3.4	0.015	0.01	24.2	0.4	<0.01	40	2.76	0.01	4.0	2.0	270
1754427		2.65	12.65	0.13	3.6	0.018	0.02	27.6	0.4	<0.01	68	3.72	0.01	4.7	2.2	280
1754428		2.00	9.73	0.10	3.7	0.014	0.01	25.8	0.4	<0.01	38	3.13	0.01	5.3	1.7	250
1754429		2.54	7.98	0.12	3.0	0.006	0.01	27.0	0.3	<0.01	44	2.91	0.01	4.2	2.6	260
1754430		1.50	9.03	0.10	3.5	0.008	0.01	25.6	0.4	<0.01	37	25.6	0.01	4.7	1.8	250
1754431		1.47	10.00	0.11	3.3	0.010	0.01	24.3	0.4	<0.01	39	26.5	0.01	4.1	1.7	360
1754432		1.75	10.00	0.09	3.3	0.014	0.04	19.3	0.2	<0.01	61	12.80	0.01	4.3	1.3	440
1754433		3.02	11.20	0.15	3.6	0.010	0.02	22.4	0.3	<0.01	40	11.40	0.01	4.5	1.8	350
1754434																
1754435		2.87	10.40	0.10	3.3	<0.005	0.02	17.8	0.3	<0.01	53	9.38	0.01	3.6	1.6	420
1754436		3.98	10.85	0.15	3.2	<0.005	0.02	49.4	0.3	<0.01	41	14.65	0.01	2.3	2.1	410
1754437		2.56	11.75	0.11	3.0	<0.005	0.01	21.8	0.3	<0.01	42	13.50	0.01	3.4	1.7	250
1754438		2.50	12.80	0.11	3.3	<0.005	0.01	31.3	0.3	<0.01	49	14.50	0.01	5.5	1.5	390
1754439		1.83	14.95	0.10	4.1	<0.005	0.02	32.4	0.4	<0.01	42	9.48	0.01	4.9	1.6	420
1754440		0.78	6.58	0.06	3.7	0.011	0.09	17.4	0.4	<0.01	45	11.70	0.01	4.4	1.1	350
1754441		0.81	21.6	0.09	5.2	0.005	0.01	25.2	1.4	<0.01	52	30.3	0.01	5.6	1.9	240
1754442		2.28	18.05	0.13	3.7	<0.005	0.03	37.8	0.8	<0.01	42	12.20	0.01	3.3	1.5	290
1754443		2.22	12.40	0.12	3.3	<0.005	0.01	27.3	0.4	<0.01	207	15.15	0.01	5.0	3.1	460
1754444																
1754445		2.72	9.39	0.11	2.9	<0.005	0.01	20.0	0.2	<0.01	65	22.1	0.01	3.5	2.4	310
1754446		1.41	10.90	0.09	3.0	0.008	0.01	25.8	0.2	<0.01	42	20.3	0.01	4.0	1.3	350
1754447		2.63	12.50	0.12	3.0	<0.005	0.01	20.5	0.5	<0.01	47	19.80	0.01	3.2	2.7	420
1754448		3.04	13.50	0.08	3.0	<0.005	0.01	20.5	0.2	<0.01	62	19.15	0.01	3.4	1.3	320
1754449		3.03	15.70	0.12	3.1	0.008	<0.01	20.6	0.3	<0.01	38	16.80	0.01	3.5	1.6	290
1754450		1.99	14.30	0.10	3.3	0.009	0.01	23.7	0.6	<0.01	42	15.10	0.01	4.1	1.7	320
1754451		3.34	12.80	0.11	3.5	<0.005	0.01	21.7	0.5	<0.01	70	23.3	0.01	4.0	1.6	380
1754452		2.45	14.20	0.11	3.1	0.005	0.01	23.8	0.6	<0.01	40	22.3	0.01	3.8	1.6	330
1754453		3.76	12.75	0.12	3.0	<0.005	0.01	14.4	0.4	<0.01	46	32.3	<0.01	3.7	2.0	320



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754414																
1754415		15.4	36.5	0.008	0.75	2.12	21.8	3	3.0	98.5	0.31	4.85	3.14	0.863	1.00	0.7
1754416		46.3	2.0	0.143	4.54	2.93	2.2	30	8.4	113.5	0.17	10.95	9.43	0.083	0.05	1.5
1754417		56.4	0.3	0.182	2.15	1.19	1.9	15	12.5	90.9	0.09	3.73	5.65	0.077	0.02	1.3
1754418		86.4	0.2	0.238	4.86	5.95	1.3	29	7.5	185.5	0.14	20.5	6.18	0.079	0.02	1.3
1754419		76.1	0.2	0.274	3.42	3.04	2.3	19	7.3	120.5	0.18	8.37	6.59	0.089	<0.02	1.4
1754420		111.5	0.2	0.053	2.67	1.23	5.8	16	7.5	155.5	0.28	2.59	8.02	0.091	<0.02	1.7
1754421		117.0	0.3	0.051	1.93	1.01	5.3	11	5.8	167.5	0.27	2.86	8.02	0.092	<0.02	1.6
1754422		123.5	0.2	0.019	2.77	1.41	5.7	15	6.1	172.0	0.29	4.88	8.16	0.108	<0.02	1.7
1754423		121.5	0.1	0.072	3.17	1.15	4.2	16	4.7	163.5	0.24	4.43	7.41	0.089	<0.02	1.4
1754424																
1754425		115.5	0.2	0.010	2.67	0.90	4.8	13	3.7	166.5	0.25	2.62	7.35	0.093	<0.02	1.5
1754426		86.6	0.2	0.011	2.62	0.88	5.0	11	4.4	131.0	0.28	2.13	7.46	0.098	0.02	1.5
1754427		73.7	0.2	0.028	2.49	1.42	6.0	12	9.1	119.5	0.33	3.51	8.58	0.120	<0.02	1.8
1754428		49.3	0.1	0.019	2.01	1.41	5.8	8	5.2	105.5	0.37	2.74	9.41	0.139	<0.02	1.7
1754429		57.2	0.1	0.021	2.53	1.44	5.2	11	10.7	116.0	0.31	2.33	8.07	0.116	<0.02	1.6
1754430		75.7	0.2	0.386	1.39	0.91	2.6	7	7.9	173.5	0.30	0.89	7.90	0.133	<0.02	1.5
1754431		111.5	0.2	0.357	1.36	1.01	2.3	8	7.2	267	0.27	1.32	7.36	0.125	<0.02	1.4
1754432		109.0	0.4	0.192	1.42	1.93	2.2	11	8.1	266	0.29	9.05	5.64	0.125	0.02	1.4
1754433		91.6	0.3	0.170	3.12	1.36	2.8	16	5.4	205	0.27	4.71	6.62	0.109	0.02	1.4
1754434																
1754435		116.5	0.3	0.245	2.83	0.96	1.4	12	7.9	265	0.24	1.14	5.79	0.110	0.02	1.1
1754436		125.5	0.2	0.264	4.17	0.85	1.3	18	6.3	364	0.17	1.16	8.20	0.084	<0.02	1.3
1754437		67.1	0.2	0.236	2.63	0.93	1.4	11	5.3	209	0.19	1.25	6.24	0.097	<0.02	1.2
1754438		105.5	0.2	0.373	2.48	0.93	1.6	10	7.4	310	0.25	1.26	7.90	0.124	<0.02	1.6
1754439		117.0	0.2	1.055	1.78	1.05	1.4	7	8.7	321	0.33	0.73	7.51	0.165	0.02	1.6
1754440		89.2	1.1	0.449	0.53	0.88	1.4	2	7.1	215	0.31	0.22	6.93	0.145	0.07	1.4
1754441		46.3	0.2	0.365	0.45	1.00	2.4	4	7.5	150.0	0.35	0.07	8.43	0.151	<0.02	1.6
1754442		70.7	0.4	0.285	2.31	0.75	1.7	10	4.8	206	0.18	0.31	9.84	0.096	<0.02	1.3
1754443		68.6	0.1	0.676	2.09	1.07	2.2	7	9.8	148.0	0.29	1.09	7.64	0.137	0.02	1.3
1754444																
1754445		43.5	0.2	0.337	2.58	1.04	1.8	8	7.1	108.5	0.23	1.78	5.77	0.107	0.02	1.1
1754446		85.0	0.1	0.314	1.27	0.98	1.4	4	7.6	190.5	0.25	1.17	7.66	0.125	<0.02	1.1
1754447		58.3	0.1	0.286	2.63	1.11	2.2	8	5.7	139.5	0.20	2.50	6.34	0.096	<0.02	1.1
1754448		88.5	0.1	0.239	3.00	0.78	2.5	8	6.3	195.5	0.21	2.78	6.44	0.103	<0.02	1.2
1754449		88.6	0.1	0.204	3.14	0.71	2.5	9	6.8	181.5	0.23	2.33	6.06	0.101	<0.02	1.2
1754450		77.3	0.1	0.123	1.93	0.78	2.6	5	6.0	193.5	0.25	1.07	7.00	0.114	<0.02	1.3
1754451		94.6	0.1	0.293	3.21	0.98	2.1	8	7.8	239	0.24	1.65	7.04	0.114	<0.02	1.3
1754452		74.3	0.2	0.260	2.51	1.08	2.4	8	9.6	243	0.24	1.34	6.57	0.107	<0.02	1.3
1754453		53.6	0.2	0.257	3.98	1.29	1.7	14	10.3	180.0	0.23	1.97	4.90	0.115	<0.02	1.3

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754414						
1754415		239	0.5	10.4	6	27.0
1754416		16	0.7	6.7	6	122.5
1754417		8	0.8	6.3	9	94.9
1754418		11	0.6	6.4	4	116.5
1754419		12	1.0	6.6	3	113.5
1754420		15	0.7	13.9	3	113.0
1754421		14	0.7	14.5	2	116.0
1754422		15	0.6	13.3	2	116.5
1754423		14	0.5	10.9	3	108.5
1754424						
1754425		18	0.6	11.2	<2	113.0
1754426		17	0.6	12.5	2	119.5
1754427		20	0.8	16.3	5	127.0
1754428		21	0.9	13.8	<2	129.0
1754429		18	1.1	12.2	6	110.0
1754430		20	1.5	6.5	3	130.5
1754431		19	1.6	5.9	4	119.5
1754432		21	1.1	5.1	2	125.0
1754433		18	1.0	6.0	<2	128.5
1754434						
1754435		18	1.0	4.0	3	119.5
1754436		17	1.0	4.6	2	118.0
1754437		17	1.1	5.3	<2	116.5
1754438		21	1.2	4.7	<2	128.0
1754439		27	1.6	3.9	<2	154.5
1754440		22	2.5	4.1	2	140.0
1754441		33	3.0	5.2	<2	189.0
1754442		41	1.2	4.7	<2	145.5
1754443		19	1.4	6.2	3	123.0
1754444						
1754445		16	1.3	5.8	2	111.5
1754446		20	1.5	3.8	2	111.5
1754447		18	1.2	6.0	3	111.0
1754448		18	1.3	6.3	2	109.0
1754449		19	1.2	6.4	3	112.0
1754450		20	1.1	8.2	2	120.5
1754451		23	1.2	5.4	2	128.5
1754452		24	1.3	5.9	4	118.5
1754453		22	1.7	6.0	2	120.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754454		0.70	<0.005													
1754455		5.80	0.066	0.06	5.01	3.8	50	0.17	1.09	0.02	0.03	34.9	5.7	22	<0.05	36.7
1754456		5.40	0.095	0.03	5.58	3.2	80	0.14	1.39	0.02	0.03	46.6	4.5	21	<0.05	53.8
1754457		5.40	0.054	<0.01	4.45	4.0	40	0.17	0.88	0.01	<0.02	18.45	2.6	23	<0.05	30.6
1754458		5.80	0.051	0.03	4.65	3.9	50	0.14	0.90	0.02	0.03	40.9	3.8	16	<0.05	57.4
1754459		5.28	0.076	0.02	4.48	4.9	70	0.16	1.55	0.02	<0.02	43.7	4.9	23	<0.05	55.5
1754460		5.56	0.092	0.04	5.07	5.2	90	0.20	1.92	0.02	0.02	47.7	5.0	16	0.07	71.1
1754461		5.62	0.033	<0.01	4.04	3.7	140	0.18	0.98	0.02	0.02	35.6	4.7	20	0.11	23.7
1754462		5.56	0.050	0.02	4.87	5.8	210	0.21	1.07	0.02	<0.02	51.0	5.7	19	<0.05	34.0
1754463		5.10	0.034	0.02	4.56	3.5	170	0.21	0.71	0.02	<0.02	39.4	4.8	22	<0.05	20.3
1754464		0.06	0.348													
1754465		5.42	0.087	0.06	4.08	8.0	300	0.20	2.30	0.02	0.03	37.8	4.5	28	0.05	97.0
1754466		5.60	0.087	0.05	4.85	6.5	150	0.24	2.18	0.01	<0.02	39.5	4.9	22	<0.05	96.5
1754467		5.78	0.123	0.09	4.32	6.6	210	0.24	3.86	0.02	0.03	38.2	4.7	24	0.06	177.5
1754468		4.74	0.290	0.15	3.92	6.2	100	0.21	6.88	0.02	0.02	37.2	4.7	25	<0.05	332
1754469		4.62	0.380	0.30	3.20	6.8	110	0.19	11.45	0.01	0.02	37.9	7.3	28	<0.05	565
1754470		3.44	0.623	0.66	3.50	15.0	110	0.19	40.0	0.01	0.05	36.9	6.9	23	<0.05	1650
1754471		3.98	0.059	0.05	5.02	6.5	230	0.32	2.26	0.03	0.04	38.3	4.2	16	<0.05	91.6
1754472		5.02	0.057	0.05	4.42	6.1	170	0.30	1.89	0.02	<0.02	30.0	2.8	11	<0.05	68.3
1754473		5.16	0.081	0.06	4.57	7.3	330	0.28	2.46	0.02	0.04	34.9	5.2	10	<0.05	127.5
1754474		0.64	<0.005													
1754475		4.14	0.053	0.06	4.13	6.1	200	0.27	1.64	0.02	<0.02	32.4	4.3	15	<0.05	99.9
1754476		5.20	0.077	0.08	4.14	6.0	70	0.23	2.29	0.02	0.03	41.3	5.5	14	<0.05	136.5
1754477		5.88	0.038	0.03	3.45	4.6	60	0.19	0.94	0.02	0.02	38.8	4.0	21	<0.05	62.1
1754478		5.92	0.026	0.02	1.32	4.5	50	0.09	0.60	0.01	0.02	30.5	0.7	24	<0.05	34.1
1754479		5.22	0.036	0.03	3.34	6.8	90	0.18	0.88	0.02	<0.02	36.1	3.2	19	<0.05	56.4
1754480		5.80	0.077	0.05	3.67	7.6	150	0.20	1.61	0.02	<0.02	33.7	5.4	16	0.07	103.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754454		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754455		3.90	14.25	0.08	3.2	0.007	0.03	15.0	0.5	<0.01	48	25.7	0.01	3.2	6.7	280
1754456		2.26	11.00	0.07	3.5	0.005	0.01	23.9	0.3	<0.01	43	11.35	0.01	3.8	4.3	330
1754457		1.69	6.78	<0.05	3.2	0.008	0.03	9.0	0.2	<0.01	36	9.74	0.01	3.7	2.1	250
1754458		2.38	7.69	0.06	3.4	0.007	0.02	21.4	0.3	<0.01	37	4.49	0.01	3.4	2.7	340
1754459		2.77	12.20	0.09	3.7	0.006	0.02	22.2	0.4	<0.01	46	13.40	0.01	3.7	2.8	330
1754460		2.52	10.10	0.07	3.4	0.008	0.06	22.9	0.6	<0.01	38	10.30	0.01	3.6	3.0	370
1754461		3.11	9.83	0.06	3.0	0.012	0.11	16.6	0.6	<0.01	81	16.65	0.01	3.2	2.3	280
1754462		3.54	10.20	0.07	3.5	0.008	0.02	25.6	0.5	<0.01	41	21.7	0.01	3.4	2.1	390
1754463		2.71	14.00	0.05	3.1	0.009	0.01	19.8	0.4	<0.01	39	14.30	0.01	3.4	2.7	450
1754464		2.39	11.95	0.05	2.7	0.021	0.02	16.9	0.6	<0.01	37	17.40	0.01	3.4	2.0	370
1754465		2.80	14.85	0.08	3.2	0.013	0.01	20.2	0.3	<0.01	47	15.80	0.01	3.8	1.8	260
1754466		2.87	14.40	0.06	2.8	0.024	0.01	19.0	0.3	<0.01	33	17.10	0.01	3.5	2.2	350
1754467		2.04	15.60	0.05	3.0	0.025	0.01	17.7	0.4	<0.01	45	17.25	0.01	3.9	2.1	290
1754468		4.29	11.10	0.10	3.1	0.047	0.01	19.5	0.4	<0.01	48	16.25	<0.01	3.4	3.5	290
1754469		6.37	11.00	0.16	3.0	0.105	0.01	17.2	0.6	<0.01	39	21.4	<0.01	3.1	4.2	280
1754470		1.91	13.60	0.06	2.9	0.022	0.01	18.2	1.2	0.01	32	15.10	0.01	3.8	2.1	410
1754471		2.00	11.60	0.06	2.7	0.019	0.01	13.3	1.1	<0.01	34	13.80	0.01	3.6	1.6	290
1754472		2.22	10.35	0.09	2.8	0.023	0.01	15.9	0.9	<0.01	34	11.20	0.01	3.7	3.3	440
1754473		2.80	9.29	0.06	2.7	0.013	0.02	14.8	1.0	<0.01	27	14.00	0.01	3.0	2.8	400
1754474		3.06	11.75	0.07	2.7	0.023	0.02	20.2	1.0	<0.01	35	10.85	0.01	2.8	2.3	270
1754475		1.89	16.30	0.06	2.7	0.015	0.02	18.1	0.5	<0.01	28	13.55	0.01	3.1	2.0	260
1754476		0.81	3.91	<0.05	2.6	0.015	0.02	13.1	0.4	<0.01	25	10.35	0.01	2.6	1.3	170
1754477		1.91	15.20	0.06	2.9	0.012	0.03	15.5	0.7	<0.01	42	8.56	0.01	2.9	1.8	270
1754478		3.14	21.3	0.06	2.7	0.014	0.02	15.2	0.5	<0.01	46	17.35	0.01	3.2	2.8	320
1754479																
1754480																

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754454																
1754455		57.8	0.6	0.272	4.13	1.42	2.2	9	8.3	207	0.21	0.98	5.56	0.095	0.02	1.2
1754456		67.4	0.2	0.164	2.23	1.05	2.6	5	5.5	253	0.26	1.32	6.94	0.117	<0.02	1.4
1754457		33.1	0.5	0.311	1.62	1.30	2.1	6	6.3	115.5	0.26	2.55	5.19	0.108	0.02	1.4
1754458		52.1	0.3	0.052	2.46	1.02	2.4	7	7.0	184.0	0.25	1.10	7.32	0.097	0.02	1.7
1754459		46.5	0.3	0.160	2.81	1.75	2.7	12	8.0	164.0	0.26	3.47	7.23	0.116	0.02	1.7
1754460		53.2	1.6	0.115	2.61	1.60	3.4	12	7.2	223	0.25	1.64	7.49	0.100	0.03	1.6
1754461		40.3	3.3	0.199	3.18	0.88	2.9	10	6.2	173.0	0.22	0.92	5.87	0.096	0.03	1.4
1754462		53.9	0.5	0.270	3.75	1.02	3.7	11	6.8	240	0.24	1.32	7.07	0.103	0.02	1.7
1754463		40.0	0.3	0.163	2.79	0.87	3.3	7	5.4	161.5	0.24	0.90	6.56	0.104	0.02	1.5
1754464																
1754465		32.8	0.5	0.234	2.45	3.31	3.4	8	6.6	104.5	0.22	7.54	5.94	0.107	0.02	1.4
1754466		26.7	0.3	0.202	2.86	1.44	3.8	10	7.6	76.5	0.26	1.86	6.48	0.120	<0.02	1.5
1754467		46.2	0.2	0.238	3.02	1.20	3.4	10	6.3	122.0	0.24	2.32	6.19	0.108	0.02	1.5
1754468		41.2	0.3	0.245	1.92	2.10	3.2	9	7.5	89.6	0.26	6.46	6.21	0.124	0.02	1.5
1754469		40.2	0.2	0.200	4.55	1.82	3.3	24	8.1	85.5	0.24	5.93	6.54	0.103	0.07	1.6
1754470		34.7	0.2	0.227	6.87	2.01	3.4	46	6.2	90.4	0.22	9.40	6.41	0.088	0.04	1.5
1754471		38.7	0.2	0.235	1.78	1.04	3.5	9	7.8	98.5	0.27	1.98	6.40	0.114	0.02	1.7
1754472		22.1	0.2	0.129	1.45	1.20	3.2	8	5.8	51.5	0.25	1.82	5.47	0.113	0.03	1.3
1754473		27.6	0.3	0.161	2.11	2.16	3.9	10	6.0	86.0	0.27	5.93	6.40	0.116	0.04	1.4
1754474																
1754475		38.5	0.3	0.206	2.35	1.30	3.4	10	4.7	101.5	0.21	1.76	5.97	0.092	0.02	1.4
1754476		39.7	0.3	0.191	2.86	1.16	3.4	12	3.3	86.4	0.20	2.06	5.75	0.088	0.02	1.4
1754477		36.3	0.3	0.224	1.87	1.04	3.1	8	5.3	86.2	0.21	1.16	6.15	0.097	0.02	1.5
1754478		15.0	0.3	0.078	0.39	0.82	2.3	3	5.5	41.0	0.12	0.75	5.51	0.088	0.02	1.2
1754479		29.0	0.4	0.149	1.70	1.03	2.7	7	6.6	79.7	0.22	1.06	6.36	0.094	0.02	1.5
1754480		33.1	0.3	0.234	3.25	1.14	2.5	13	6.7	89.8	0.21	1.48	6.00	0.096	0.02	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1754454						
1754455		20	1.5	5.4	7	124.5
1754456		19	1.4	5.8	4	137.0
1754457		18	1.4	5.4	2	119.5
1754458		17	1.3	7.8	3	128.0
1754459		18	1.6	8.9	2	136.5
1754460		17	1.2	8.9	3	130.5
1754461		18	1.1	6.9	3	112.5
1754462		20	1.3	7.6	3	131.5
1754463		19	1.2	7.9	2	115.5
1754464						
1754465		21	1.6	8.0	3	104.0
1754466		21	1.7	8.6	2	118.0
1754467		19	1.8	8.1	3	106.0
1754468		19	2.0	8.4	3	112.0
1754469		16	1.7	9.1	3	113.5
1754470		15	1.8	8.2	2	114.0
1754471		21	2.2	8.3	4	110.0
1754472		20	2.6	7.5	3	100.5
1754473		20	2.3	10.1	3	106.0
1754474						
1754475		18	1.9	8.5	2	103.5
1754476		18	1.8	7.5	2	101.5
1754477		17	1.7	8.0	2	103.5
1754478		12	1.0	5.2	2	98.1
1754479		16	1.5	6.2	2	103.0
1754480		15	1.6	6.5	2	101.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: +1 775 356 5395 Fax: +1 775 355 0179
www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
PO BOX 627
CARRBORO NC 27510

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-DEC-2023
Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23331504

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REEs may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA.
Au-AA23

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS61

Applies to Method: Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho

CRU-21	CRU-31	CRU-QC	DIS-REJ21
LOG-21	LOG-23	PUL-31	PUL-QC
SND-ALS	SPL-22Y	WEI-21	WSH-22