



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

CERTIFICATE TF23342630

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 47 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 27-NOV-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ21	Disposal of R/B Split after analysis.
SND-ALS	Send samples to internal laboratory
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
CRU-21	Crush entire sample
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754601		2.64	0.163	0.01	0.68	1.0	10	0.11	1.38	0.04	<0.02	130.0	7.0	26	<0.05	42.1
1754602		2.78	0.189	0.02	0.88	2.0	10	0.15	2.23	0.02	<0.02	138.5	13.2	34	<0.05	61.9
1754603		2.66	0.165	0.02	1.85	2.8	10	0.18	2.41	0.02	0.03	89.6	16.8	28	<0.05	70.5
1754604		3.14	0.207	0.04	4.36	5.1	10	0.23	3.50	0.02	<0.02	171.0	19.8	20	0.06	106.5
1754605		0.06	0.723													
1754606		3.34	0.394	0.09	2.16	7.5	10	0.24	9.63	0.02	0.03	141.0	44.7	19	<0.05	239
1754607		2.78	0.102	0.03	1.21	10.8	10	0.20	1.91	0.01	0.03	63.8	14.0	31	<0.05	69.6
1754608		3.16	0.178	0.07	1.47	11.9	10	0.20	5.81	0.02	<0.02	63.7	18.0	30	<0.05	138.0
1754609		3.06	0.215	0.07	0.56	7.7	10	0.16	5.76	0.02	0.03	71.2	16.2	36	<0.05	135.0
1754610		2.44	0.157	0.07	0.82	7.8	30	0.39	6.46	0.03	<0.02	150.5	12.8	43	<0.05	122.5
1754611		2.68	0.113	0.04	0.77	12.8	20	0.40	3.53	0.02	<0.02	123.0	11.9	33	<0.05	108.0
1754612		2.12	0.435	0.11	1.07	13.4	40	0.21	12.90	0.05	0.05	354	47.0	27	<0.05	309
1754613		3.58	0.447	0.12	1.00	18.6	20	0.16	17.25	0.03	0.06	213	40.2	34	<0.05	475
1754614		3.02	0.351	0.08	0.72	10.1	10	0.05	10.60	0.01	0.08	65.2	65.3	30	<0.05	321
1754615		0.06	1.790													
1754616		1.86	0.640	0.18	0.84	33.9	20	0.05	21.7	0.02	0.18	136.5	94.1	35	<0.05	534
1754617		2.54	0.529	0.10	0.48	16.3	20	0.08	11.90	0.02	0.11	157.0	45.4	38	<0.05	320
1754618		2.68	0.831	0.25	0.38	37.6	20	0.10	20.4	0.02	0.13	174.5	74.1	40	<0.05	783
1754619		2.96	0.537	0.16	0.09	30.6	10	0.05	10.85	0.01	0.15	69.9	54.1	69	<0.05	556
1754620		2.46	0.304	0.17	0.68	13.5	10	0.08	9.55	0.01	0.07	65.2	31.7	43	<0.05	475
1754621		2.22	0.228	0.09	3.95	5.2	10	0.12	5.50	0.01	0.03	83.0	21.4	30	<0.05	257
1754622		2.98	0.266	0.10	6.55	8.7	100	0.14	5.22	0.02	<0.02	137.0	11.2	24	0.06	261
1754623		1.90	0.587	0.12	1.95	8.8	20	0.07	6.62	0.02	0.08	91.7	17.5	31	<0.05	354
1754624		2.00	0.186	0.12	6.36	5.6	10	0.16	7.29	0.01	0.04	61.3	10.4	22	0.06	304
1754625		0.76	<0.005													
1754626		1.98	0.166	0.14	3.71	7.2	10	0.18	6.53	0.02	0.06	52.9	10.2	27	0.05	299
1754627		2.32	0.263	0.09	1.69	8.0	10	0.09	5.43	0.02	0.05	63.9	10.1	35	<0.05	252
1754628		2.76	0.075	0.03	9.76	3.0	20	0.11	0.47	0.03	<0.02	61.3	3.8	18	0.07	46.2
1754629		2.42	0.064	0.03	11.40	10.0	20	0.17	1.40	0.02	<0.02	73.3	12.1	13	0.08	56.0
1754630		2.54	1.255	0.44	1.38	186.5	20	<0.05	40.2	0.02	0.53	18.70	50.0	21	<0.05	1560
1754631		2.52	0.241	0.12	0.16	42.7	10	<0.05	6.48	<0.01	0.31	3.12	15.0	40	<0.05	384
1754632		3.18	0.540	0.35	0.22	112.0	10	<0.05	20.4	0.01	0.65	4.58	38.2	37	<0.05	1005
1754633		2.88	2.65	0.22	0.26	89.2	20	<0.05	14.00	0.02	0.28	5.09	21.7	44	<0.05	638
1754634		2.90	0.160	0.08	0.52	32.8	50	<0.05	4.66	0.05	0.12	10.60	10.7	38	<0.05	199.0
1754635		0.06	0.344													
1754636		3.32	0.137	0.04	0.14	3.8	30	<0.05	2.26	0.04	0.03	15.70	7.2	49	<0.05	69.3
1754637		3.06	0.153	0.05	0.27	11.0	50	<0.05	2.69	0.07	0.02	23.0	10.1	49	<0.05	92.8
1754638		2.72	0.110	0.04	6.93	5.5	30	0.15	1.34	0.03	<0.02	46.3	8.5	22	0.09	30.6
1754639		3.04	0.147	0.03	9.12	12.5	50	0.19	1.57	0.04	<0.02	129.0	16.9	15	0.11	21.0
1754640		3.14	0.037	0.02	0.34	0.9	70	0.07	0.90	0.07	0.02	50.2	2.5	47	<0.05	41.7



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754601		1.22	9.90	0.15	3.1	<0.005	<0.01	57.2	0.4	<0.01	53	30.7	<0.01	3.1	3.1	290
1754602		2.19	14.55	0.15	3.7	0.005	<0.01	67.4	0.4	<0.01	61	41.3	<0.01	3.2	7.2	400
1754603		2.54	31.1	0.13	3.3	<0.005	<0.01	44.7	1.0	<0.01	57	43.6	<0.01	2.9	7.2	360
1754604		3.29	59.2	0.21	4.3	<0.005	<0.01	82.7	1.3	<0.01	30	48.0	<0.01	3.9	6.6	1090
1754605																
1754606		4.28	26.9	0.18	3.9	0.005	<0.01	72.2	0.7	<0.01	37	79.2	<0.01	3.7	9.1	590
1754607		1.93	14.10	0.09	3.1	<0.005	<0.01	33.5	0.4	<0.01	45	55.2	<0.01	3.5	4.8	350
1754608		2.47	22.2	0.13	3.3	<0.005	<0.01	32.1	0.5	<0.01	34	57.5	<0.01	3.9	5.9	340
1754609		2.11	9.53	0.11	3.5	0.005	<0.01	36.8	0.3	<0.01	48	75.8	<0.01	3.4	25.5	390
1754610		1.66	14.80	0.14	4.3	<0.005	<0.01	79.6	0.3	<0.01	33	75.5	<0.01	4.2	4.2	650
1754611		1.45	13.85	0.11	4.5	<0.005	<0.01	64.4	0.4	<0.01	34	71.2	<0.01	4.7	3.5	450
1754612		6.86	19.85	0.42	3.7	0.011	<0.01	157.5	0.5	<0.01	45	49.3	<0.01	2.3	17.5	830
1754613		4.61	19.15	0.24	3.5	0.019	<0.01	96.6	0.6	<0.01	42	56.1	<0.01	3.8	10.4	520
1754614		8.57	12.80	0.16	3.8	0.014	<0.01	31.4	0.3	<0.01	50	84.6	<0.01	2.2	26.0	230
1754615																
1754616		13.10	14.70	0.46	3.5	0.023	<0.01	61.8	0.3	<0.01	59	64.9	<0.01	2.2	37.6	320
1754617		5.26	8.78	0.15	5.4	0.015	<0.01	75.5	<0.2	<0.01	49	53.8	<0.01	3.6	16.1	400
1754618		8.26	6.85	0.18	3.9	0.040	<0.01	82.1	<0.2	<0.01	51	87.6	<0.01	1.9	25.4	440
1754619		6.64	0.50	0.12	3.5	0.027	<0.01	34.5	<0.2	<0.01	59	66.6	<0.01	2.3	19.4	190
1754620		4.55	2.94	0.11	3.1	0.015	<0.01	31.8	0.2	<0.01	46	50.4	<0.01	1.7	13.4	210
1754621		3.01	13.20	0.11	3.3	0.013	<0.01	40.6	0.2	<0.01	47	67.8	<0.01	4.9	8.1	310
1754622		1.91	11.40	0.08	3.7	0.021	<0.01	69.3	0.6	<0.01	58	35.5	<0.01	8.8	5.9	550
1754623		3.11	3.87	0.09	3.0	0.028	<0.01	42.7	<0.2	<0.01	47	45.5	<0.01	2.8	5.9	330
1754624		2.03	13.00	0.06	2.8	0.020	<0.01	30.7	0.7	<0.01	44	21.5	<0.01	2.7	5.9	340
1754625																
1754626		1.93	9.06	0.08	2.7	0.018	<0.01	25.3	0.3	<0.01	44	20.3	<0.01	2.7	5.5	280
1754627		2.38	2.33	0.07	2.9	0.015	<0.01	31.3	<0.2	<0.01	40	93.2	<0.01	3.4	5.4	330
1754628		0.79	9.02	0.05	2.2	0.014	0.01	28.5	0.2	0.01	52	12.00	0.01	2.1	2.7	630
1754629		1.74	9.00	<0.05	2.1	0.015	<0.01	35.8	0.4	<0.01	37	66.5	0.01	2.1	4.7	970
1754630		18.15	1.46	0.35	2.2	0.080	<0.01	9.5	<0.2	<0.01	54	92.8	<0.01	1.1	24.0	360
1754631		4.37	0.35	0.05	2.7	0.030	<0.01	1.4	<0.2	<0.01	50	49.8	<0.01	2.1	7.5	60
1754632		6.59	0.43	0.11	3.2	0.059	<0.01	2.1	<0.2	<0.01	44	143.0	<0.01	2.0	16.3	80
1754633		5.52	0.68	0.09	3.1	0.034	0.01	2.2	<0.2	<0.01	53	80.4	<0.01	2.2	9.2	210
1754634		2.32	1.36	0.05	2.9	0.009	<0.01	5.3	<0.2	<0.01	49	72.7	<0.01	2.0	5.0	580
1754635																
1754636		2.35	0.34	0.06	3.7	0.005	<0.01	7.7	<0.2	<0.01	48	39.1	<0.01	3.3	2.8	380
1754637		2.71	0.48	0.06	2.6	0.008	<0.01	12.8	<0.2	<0.01	53	131.5	<0.01	1.7	3.5	770
1754638		1.49	9.72	0.08	2.2	<0.005	0.01	23.6	0.7	<0.01	47	29.1	0.01	3.0	3.9	450
1754639		2.17	12.75	0.07	2.3	<0.005	0.03	60.2	1.3	<0.01	40	24.7	0.01	3.8	5.3	1170
1754640		0.82	0.84	<0.05	2.4	<0.005	<0.01	24.8	<0.2	<0.01	42	23.1	<0.01	1.7	1.1	1040



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754601		12.6	0.1	0.485	0.85	0.19	2.1	6	6.5	54.2	0.10	1.75	10.65	0.119	<0.02	1.9
1754602		14.1	0.1	0.558	1.89	0.19	2.6	10	6.3	61.7	0.17	2.87	15.60	0.109	<0.02	1.9
1754603		12.3	0.1	0.762	2.41	0.21	2.1	12	5.5	59.4	0.18	2.57	10.70	0.096	<0.02	1.5
1754604		29.3	<0.1	0.787	3.56	0.28	2.8	15	10.6	132.5	0.24	3.01	16.70	0.126	0.03	2.1
1754605																
1754606		23.6	<0.1	0.846	4.56	0.63	2.8	19	11.4	97.6	0.23	7.23	16.40	0.131	0.06	1.6
1754607		12.3	<0.1	0.717	1.86	0.68	2.1	11	9.2	56.5	0.20	1.73	7.60	0.131	<0.02	1.1
1754608		11.9	<0.1	0.867	2.54	0.52	2.2	23	10.0	54.7	0.22	1.86	7.86	0.141	<0.02	1.1
1754609		13.9	<0.1	1.125	1.98	0.58	2.3	14	10.2	54.5	0.13	2.75	8.77	0.156	<0.02	1.2
1754610		35.6	<0.1	1.055	1.62	0.48	3.1	11	16.1	127.0	0.13	1.36	16.90	0.208	0.02	1.6
1754611		27.5	<0.1	0.915	1.34	0.59	2.8	9	18.3	95.5	0.16	1.35	15.90	0.223	0.04	1.6
1754612		66.6	<0.1	0.484	7.39	0.87	1.8	41	6.3	198.5	0.16	4.90	26.0	0.085	0.20	2.2
1754613		40.0	<0.1	0.724	4.94	0.75	1.8	26	9.0	125.0	0.22	5.02	16.50	0.133	0.18	1.7
1754614		25.0	0.1	2.08	9.11	0.69	1.8	45	5.3	65.4	0.13	6.07	8.15	0.088	0.07	1.3
1754615																
1754616		37.1	<0.1	0.989	>10.0	2.45	1.6	149	4.6	95.8	0.11	22.5	12.20	0.067	0.07	1.9
1754617		39.7	<0.1	1.040	5.52	0.60	2.7	31	6.8	136.0	0.20	6.15	20.4	0.123	0.03	2.5
1754618		56.3	<0.1	1.685	8.80	2.15	2.0	32	4.5	157.5	0.12	24.8	18.65	0.074	0.10	2.5
1754619		14.9	<0.1	1.045	6.99	0.84	1.8	29	5.9	46.2	0.12	9.06	8.42	0.091	0.13	1.5
1754620		14.6	<0.1	0.779	4.72	0.50	1.7	22	6.5	47.3	0.12	6.37	6.90	0.085	0.04	1.3
1754621		23.1	<0.1	1.045	2.97	0.46	2.1	15	14.1	73.7	0.29	4.90	7.73	0.155	0.02	1.3
1754622		40.2	0.1	0.365	1.64	0.90	2.2	10	18.2	142.0	0.43	12.25	12.60	0.215	0.02	1.7
1754623		29.0	<0.1	0.413	3.10	0.58	1.7	16	9.6	97.4	0.26	6.86	5.80	0.133	0.11	1.6
1754624		18.9	0.1	0.127	1.88	0.43	2.0	15	13.1	82.3	0.28	4.09	6.83	0.154	0.02	1.1
1754625																
1754626		19.1	0.1	0.124	1.77	0.56	1.9	14	12.0	90.0	0.22	2.83	6.22	0.130	<0.02	1.2
1754627		27.9	0.1	3.30	2.34	0.64	1.9	17	10.8	143.0	0.21	6.81	6.20	0.126	0.02	1.4
1754628		21.7	0.2	0.282	0.38	0.38	1.7	3	15.5	102.0	0.26	0.90	10.70	0.156	0.02	0.8
1754629		29.5	0.1	0.656	1.62	1.22	1.6	8	16.5	120.0	0.21	12.10	12.35	0.133	<0.02	0.8
1754630		19.4	<0.1	1.345	>10.0	12.00	1.5	107	4.2	121.5	0.09	209	2.98	0.058	0.07	0.7
1754631		4.9	<0.1	0.543	4.52	1.59	1.7	17	5.0	26.6	0.14	9.61	1.29	0.098	0.02	0.7
1754632		6.8	<0.1	1.595	7.01	7.73	1.9	38	4.8	28.2	0.12	32.9	1.55	0.084	0.02	0.8
1754633		13.1	0.1	0.710	5.73	6.00	2.2	40	6.0	124.0	0.12	27.0	1.79	0.098	0.02	0.8
1754634		41.7	<0.1	0.826	2.23	1.21	2.4	18	6.9	291	0.14	4.14	2.22	0.092	0.02	0.9
1754635																
1754636		36.9	<0.1	0.499	2.20	0.51	2.6	13	8.2	200	0.13	2.60	2.78	0.129	<0.02	1.0
1754637		50.1	<0.1	0.936	2.62	0.61	1.8	16	6.7	350	0.08	2.50	3.16	0.075	0.02	0.8
1754638		44.2	0.2	0.212	1.25	0.72	2.2	12	13.1	209	0.19	3.08	6.35	0.118	0.02	0.9
1754639		106.5	0.3	0.259	2.18	0.68	2.2	13	17.0	389	0.20	2.61	11.60	0.123	0.03	1.1
1754640		75.5	<0.1	0.231	0.55	0.24	2.0	5	7.3	737	0.05	0.55	4.55	0.102	<0.02	1.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754601		5	1.7	5.3	2	113.0
1754602		5	2.1	6.2	2	131.0
1754603		5	2.0	5.5	2	115.5
1754604		8	3.2	6.1	2	151.5
1754605						
1754606		6	3.1	5.0	2	143.0
1754607		5	2.9	4.0	<2	114.5
1754608		6	3.0	4.2	2	122.0
1754609		5	2.9	4.5	2	128.5
1754610		8	3.2	5.1	<2	162.5
1754611		9	3.7	5.1	<2	163.5
1754612		5	2.0	6.5	2	138.0
1754613		6	2.6	5.4	3	131.5
1754614		4	1.6	4.0	2	146.0
1754615						
1754616		3	1.2	4.2	3	132.0
1754617		4	1.7	6.0	3	214
1754618		3	1.2	5.8	3	148.0
1754619		3	1.3	5.3	4	135.5
1754620		5	1.4	4.8	2	121.5
1754621		16	2.5	3.9	<2	128.5
1754622		25	3.2	3.9	<2	135.5
1754623		9	1.8	4.2	<2	139.5
1754624		19	2.5	3.0	<2	104.0
1754625						
1754626		12	1.8	2.7	<2	103.5
1754627		9	1.6	3.4	<2	112.5
1754628		29	2.6	2.3	<2	86.8
1754629		26	2.7	2.1	<2	81.9
1754630		4	0.7	3.1	11	91.4
1754631		2	1.0	3.4	7	109.0
1754632		3	1.0	4.4	12	124.0
1754633		3	1.6	4.4	10	122.5
1754634		3	1.8	4.3	4	113.5
1754635						
1754636		4	2.7	3.9	<2	142.0
1754637		3	1.9	3.8	2	101.0
1754638		18	3.3	2.9	<2	86.8
1754639		23	3.4	2.9	<2	86.6
1754640		5	1.4	4.6	<2	94.1



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS	TF23342630
-------------------------	------------

	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754641		2.32	0.078	0.07	0.09	2.3	10	<0.05	0.53	0.02	<0.02	20.6	2.6	50	<0.05	48.8
1754642		3.06	0.142	0.02	0.24	1.2	20	0.10	0.93	0.02	<0.02	122.5	3.5	38	<0.05	37.2
1754643		3.22	0.080	<0.01	0.15	1.1	10	0.09	0.41	0.01	<0.02	7.19	1.2	40	<0.05	42.1
1754644		3.34	0.230	0.01	0.12	3.3	20	<0.05	1.56	0.02	<0.02	40.0	8.4	43	<0.05	224
1754645		2.94	0.056	0.01	0.10	1.0	10	<0.05	0.40	0.01	0.03	7.77	1.4	43	<0.05	26.6
1754646		2.86	0.299	0.02	0.07	1.6	10	<0.05	0.96	0.01	<0.02	6.96	3.5	39	<0.05	36.9
1754647		2.84	0.035	0.01	0.16	0.6	20	0.05	0.46	0.03	<0.02	29.8	1.0	44	<0.05	19.8



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS	TF23342630
-------------------------	------------

Sample Description	Method	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	MS61	
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOD	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	
1754641	1.00	0.20	<0.05	2.3	<0.005	<0.01	11.6	<0.2	<0.01	50	47.8	<0.01	1.6	2.7	80	
1754642	0.73	0.34	0.06	2.9	<0.005	<0.01	61.2	<0.2	<0.01	33	41.8	<0.01	1.8	0.8	340	
1754643	0.53	0.21	<0.05	2.5	<0.005	<0.01	3.4	<0.2	<0.01	38	14.85	<0.01	1.7	0.4	70	
1754644	2.24	0.30	0.06	2.3	<0.005	<0.01	18.1	<0.2	<0.01	45	20.1	<0.01	1.4	3.4	260	
1754645	0.68	0.22	<0.05	1.2	<0.005	<0.01	3.7	<0.2	<0.01	42	26.9	<0.01	1.4	1.4	240	
1754646	1.05	0.11	<0.05	2.1	<0.005	<0.01	3.4	<0.2	<0.01	40	19.95	<0.01	1.6	1.3	110	
1754647	0.50	0.18	0.05	0.7	<0.005	<0.01	13.1	<0.2	<0.01	39	10.70	<0.01	1.0	1.5	320	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754641		3.6	0.1	0.539	0.64	0.24	1.7	4	3.7	27.4	0.05	0.69	2.59	0.093	<0.02	0.8
1754642		23.2	<0.1	0.291	0.51	0.34	2.4	4	10.5	109.0	<0.05	0.74	13.30	0.155	<0.02	1.3
1754643		1.2	<0.1	0.130	0.20	0.25	2.0	2	5.4	9.6	<0.05	0.67	1.74	0.133	<0.02	0.7
1754644		26.2	<0.1	0.303	2.15	0.39	1.9	14	3.4	86.0	0.06	3.94	3.11	0.067	<0.02	0.8
1754645		4.2	<0.1	0.243	0.32	0.15	1.4	2	4.2	27.9	<0.05	0.52	1.57	0.079	<0.02	0.6
1754646		4.4	<0.1	0.159	0.78	0.16	2.0	6	4.4	72.3	<0.05	1.14	1.62	0.084	<0.02	0.6
1754647		28.4	<0.1	0.228	0.20	0.10	2.5	3	3.7	106.5	<0.05	0.19	3.24	0.111	<0.02	0.8

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-DEC-2023
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754641		5	1.0	4.2	<2	90.5
1754642		7	1.1	3.9	<2	111.5
1754643		5	0.9	3.4	<2	94.5
1754644		3	0.9	4.5	<2	92.0
1754645		3	0.5	3.1	<2	51.4
1754646		4	0.6	3.2	<2	80.5
1754647		4	0.5	5.0	<2	39.9



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: +1 775 356 5395 Fax: +1 775 355 0179
www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
PO BOX 627
CARRBORO NC 27510

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-DEC-2023
Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23342630

	CERTIFICATE COMMENTS												
	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Applies to Method: REEs may not be totally soluble in this method. ME-MS61</p>												
	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Applies to Method: Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23</p> <p>Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS61</p> <p>Applies to Method: Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho</p>												
	<table><tbody><tr><td>CRU-21</td><td>CRU-31</td><td>CRU-QC</td><td>DIS-REJ21</td></tr><tr><td>LOG-21</td><td>LOG-23</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>SND-ALS</td><td>SPL-22Y</td><td>WEI-21</td><td></td></tr></tbody></table>	CRU-21	CRU-31	CRU-QC	DIS-REJ21	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21	
CRU-21	CRU-31	CRU-QC	DIS-REJ21										
LOG-21	LOG-23	PUL-31	PUL-QC										
SND-ALS	SPL-22Y	WEI-21											