



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

CERTIFICATE TF23354250

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 91 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 8-DEC-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ	Disposal of excess reject
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
SND-ALS	Send samples to internal laboratory
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754648		2.26	0.050	0.07	4.59	6.2	120	0.14	1.44	0.04	<0.02	46.6	2.0	32	0.25	23.4
1754649		4.22	0.068	0.06	5.31	5.4	150	0.09	2.35	0.02	<0.02	52.5	0.9	14	<0.05	23.1
1754650		4.62	0.116	0.07	4.71	5.8	290	0.12	3.04	0.02	<0.02	50.4	3.5	17	<0.05	51.5
1754651		4.56	0.109	0.08	5.43	7.0	280	0.13	3.29	0.02	<0.02	45.3	0.4	12	0.05	14.6
1754652		2.10	0.202	0.15	6.56	11.6	240	0.18	7.85	0.02	0.02	56.3	0.2	9	<0.05	13.8
1754653		2.36	0.458	0.66	5.72	19.3	340	0.13	23.4	0.02	<0.02	42.4	0.3	10	0.06	14.9
1754654		4.18	0.283	0.29	5.05	8.6	400	0.15	11.35	0.03	<0.02	71.7	0.3	9	0.09	39.0
1754655		5.56	0.180	0.23	4.11	4.6	330	0.10	6.00	0.02	<0.02	47.0	0.1	9	<0.05	21.8
1754656		3.44	0.142	0.25	4.70	4.5	80	0.15	3.79	0.01	<0.02	43.4	0.1	9	<0.05	14.0
1754657		3.42	0.141	0.08	3.69	3.6	70	0.09	4.45	0.01	0.02	44.8	0.2	7	<0.05	26.6
1754658		5.54	0.315	0.20	3.35	4.0	70	0.08	3.62	0.01	<0.02	39.9	0.3	7	<0.05	19.3
1754659		3.52	0.268	0.18	4.23	7.9	60	0.09	7.02	0.01	<0.02	36.5	0.2	7	<0.05	21.5
1754660		0.06	0.701													
1754661		3.92	0.226	0.27	4.27	5.5	70	0.12	14.25	0.01	<0.02	38.1	0.4	6	<0.05	20.0
1754662		4.70	0.142	0.34	3.00	2.3	100	0.10	6.54	0.01	0.03	42.0	0.2	10	0.05	17.4
1754663		3.92	0.132	0.14	3.45	1.6	80	0.12	2.54	0.01	0.02	57.3	0.2	9	<0.05	9.2
1754664		4.86	0.146	0.16	4.82	2.7	180	0.13	3.74	0.03	0.02	43.3	0.5	6	0.10	26.6
1754665		3.92	0.135	0.11	6.36	2.7	250	0.23	7.70	0.02	0.02	38.0	1.5	8	0.09	71.6
1754666		5.26	0.094	0.04	4.48	1.5	210	0.12	1.38	0.01	<0.02	39.4	4.4	9	<0.05	102.5
1754667		5.08	0.129	0.05	3.90	2.4	110	0.11	2.44	0.01	<0.02	40.9	3.9	12	<0.05	72.6
1754668		4.20	0.157	0.18	2.00	3.9	50	0.06	5.72	0.01	0.04	24.7	0.8	9	<0.05	67.6
1754669		3.50	0.136	0.18	3.00	6.1	90	0.09	6.49	0.01	0.02	31.2	3.3	14	<0.05	95.9
1754670		0.74	<0.005													
1754671		3.30	0.107	0.23	3.56	4.0	110	0.09	3.82	0.01	<0.02	34.2	0.7	13	<0.05	23.4
1754672		3.12	0.130	0.26	5.27	3.3	330	0.14	4.09	0.01	0.02	59.2	0.2	8	0.05	13.6
1754673		2.24	0.119	<0.01	11.30	3.6	120	0.41	10.80	0.03	<0.02	45.4	0.3	21	<0.05	2.8
1754674		4.62	0.160	0.19	3.21	3.5	240	0.15	7.96	0.01	0.02	36.2	0.4	7	0.11	21.5
1754675		5.04	0.068	0.05	3.81	10.4	130	0.17	3.41	0.01	0.04	44.0	5.0	22	<0.05	164.5
1754676		4.84	0.062	0.03	4.05	10.2	120	0.17	2.56	0.01	0.04	42.3	4.0	16	<0.05	50.8
1754677		3.70	0.075	0.06	3.54	7.7	90	0.15	3.94	0.02	0.05	44.8	4.5	16	<0.05	144.0
1754678		6.12	0.274	0.17	3.38	9.1	100	0.16	7.79	0.01	0.06	37.6	4.3	20	<0.05	294
1754679		6.08	0.172	0.23	3.81	20.6	100	0.18	9.71	0.01	0.05	51.1	2.7	18	<0.05	149.0
1754680		0.06	0.351													
1754681		6.12	0.289	0.49	3.43	25.2	80	0.17	20.1	0.01	0.06	43.6	5.4	25	<0.05	728
1754682		4.68	0.185	0.26	3.31	12.2	100	0.14	9.66	0.01	0.11	42.7	6.7	22	<0.05	488
1754683		5.16	0.138	0.28	3.35	16.0	70	0.15	7.54	0.01	0.04	39.0	3.3	24	<0.05	307
1754684		5.40	0.082	0.10	3.72	22.8	70	0.14	4.89	0.01	0.05	36.0	3.8	23	<0.05	170.5
1754685		5.18	0.058	0.07	4.18	12.4	60	0.14	2.49	0.01	0.06	37.0	4.3	14	<0.05	81.4
1754686		4.96	0.089	0.10	4.07	10.2	80	0.14	5.13	0.01	0.07	34.3	3.8	13	<0.05	125.0
1754687		5.40	0.118	0.12	3.96	43.2	90	0.16	9.11	0.01	0.05	37.9	3.7	14	<0.05	256



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754648		3.43	11.25	0.14	3.1	0.009	0.08	25.3	9.6	0.10	60	19.10	0.01	2.8	8.8	320
1754649		4.29	12.70	0.15	3.3	<0.005	0.01	27.2	0.9	<0.01	40	24.4	0.01	2.8	2.5	360
1754650		3.55	10.65	0.15	2.9	0.008	0.01	25.6	1.1	<0.01	42	22.4	0.01	3.4	2.0	490
1754651		4.23	12.45	0.15	3.4	0.016	0.03	24.4	1.3	<0.01	25	31.2	0.01	3.2	1.2	470
1754652		4.55	13.50	0.20	3.4	0.019	0.02	30.9	1.5	<0.01	41	30.1	0.02	3.0	2.7	500
1754653		3.32	11.15	0.19	3.3	0.023	0.13	23.5	1.4	<0.01	28	37.5	0.06	2.8	1.0	510
1754654		3.78	9.93	0.19	2.9	0.022	0.25	36.2	1.4	<0.01	33	33.4	0.04	2.4	1.1	740
1754655		3.04	9.33	0.13	2.9	0.009	0.04	25.4	0.6	<0.01	34	20.6	0.01	3.3	2.2	580
1754656		2.59	11.05	0.12	3.2	0.010	0.02	23.6	1.0	<0.01	32	21.5	0.01	4.0	1.2	360
1754657		3.43	10.45	0.16	3.4	0.008	0.03	21.5	0.6	<0.01	26	18.80	0.01	1.9	1.1	290
1754658		3.34	9.82	0.17	3.5	0.014	0.03	19.2	0.4	<0.01	39	22.1	0.01	2.3	3.1	240
1754659		3.85	14.20	0.15	3.7	0.023	0.05	18.4	0.6	<0.01	28	16.05	0.03	3.4	1.1	220
1754660																
1754661		2.94	15.40	0.17	3.7	0.023	0.05	19.2	1.6	<0.01	26	12.90	0.03	1.8	1.0	210
1754662		3.25	13.70	0.15	3.1	0.021	0.05	20.5	1.0	<0.01	37	15.50	0.04	1.2	1.8	260
1754663		1.46	12.90	0.13	3.8	0.008	0.03	28.2	1.8	<0.01	31	14.65	0.03	2.3	1.0	300
1754664		2.37	15.05	0.22	3.7	0.023	0.11	20.5	3.4	<0.01	15	15.55	0.06	2.0	1.1	410
1754665		2.01	17.90	0.15	3.1	0.046	0.08	18.4	3.2	<0.01	31	16.85	0.07	2.5	2.7	340
1754666		2.26	12.40	0.14	3.2	0.016	0.01	18.6	1.2	<0.01	27	11.60	0.01	2.6	2.0	370
1754667		2.68	9.26	0.18	3.1	0.012	0.02	18.5	1.3	<0.01	30	14.60	0.02	2.1	2.0	240
1754668		1.99	6.62	0.13	2.9	0.020	0.03	12.6	1.1	<0.01	26	14.70	0.02	2.7	1.8	140
1754669		2.99	9.93	0.15	3.9	0.009	<0.01	15.3	0.5	<0.01	38	19.20	0.01	2.6	1.8	180
1754670																
1754671		2.31	11.10	0.14	3.6	0.010	0.01	16.3	0.6	<0.01	46	15.15	0.01	2.7	2.6	230
1754672		2.35	15.00	0.15	3.4	0.022	0.07	27.6	1.3	<0.01	27	11.30	0.04	2.2	2.0	350
1754673		0.30	32.1	0.14	1.8	0.106	0.07	20.6	9.9	0.01	9	3.62	0.14	27.3	26.4	250
1754674		2.09	12.55	0.19	3.7	0.029	0.19	18.0	1.2	0.01	28	15.00	0.07	2.3	2.1	200
1754675		2.89	10.40	0.15	3.2	0.021	0.01	20.6	1.0	<0.01	39	18.25	0.01	2.8	2.6	390
1754676		2.32	11.60	0.14	3.1	0.012	0.01	19.8	0.7	<0.01	26	18.70	0.01	2.5	1.7	310
1754677		2.93	8.51	0.19	3.2	0.032	0.01	20.3	0.7	<0.01	47	19.15	0.01	2.7	4.0	270
1754678		3.13	10.35	0.17	3.1	0.031	0.02	17.8	0.8	<0.01	39	18.00	0.01	2.9	2.2	330
1754679		3.44	17.85	0.19	3.5	0.113	0.04	22.4	0.9	<0.01	31	19.00	0.01	2.6	1.8	370
1754680																
1754681		3.28	15.40	0.20	3.2	0.067	0.02	18.0	0.9	<0.01	49	17.15	0.01	2.5	5.6	310
1754682		3.68	11.15	0.18	2.9	0.052	0.01	17.2	1.3	<0.01	38	16.40	0.01	2.3	2.6	300
1754683		3.03	7.83	0.14	3.0	0.048	0.03	17.8	0.9	<0.01	33	15.15	0.02	2.4	1.8	340
1754684		3.09	9.51	0.13	3.0	0.026	0.01	16.6	1.0	<0.01	50	16.50	0.01	2.2	3.9	250
1754685		3.93	10.05	0.13	3.0	0.013	0.01	17.0	1.0	<0.01	33	16.85	0.01	2.2	2.4	360
1754686		3.40	10.90	0.16	3.0	0.018	0.01	16.4	1.1	<0.01	34	16.10	0.01	2.0	1.8	250
1754687		3.54	8.83	0.13	3.0	0.012	0.02	17.4	1.0	<0.01	43	13.65	0.01	2.6	3.4	410

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754648		145.0	3.4	0.040	0.74	0.93	5.8	19	4.0	202	0.16	3.72	7.52	0.117	0.06	0.9
1754649		152.0	0.1	0.080	0.74	1.06	3.0	23	3.3	228	0.17	10.05	8.44	0.085	<0.02	1.1
1754650		192.5	0.1	0.223	3.68	1.55	2.8	21	4.2	257	0.21	10.60	7.61	0.102	<0.02	1.1
1754651		167.0	0.6	0.067	0.23	3.08	3.7	29	4.1	239	0.20	17.55	8.29	0.094	0.02	1.2
1754652		193.0	0.4	0.066	0.06	5.26	3.7	29	4.3	318	0.18	22.7	8.99	0.093	<0.02	1.2
1754653		125.5	2.4	0.045	0.05	12.70	3.5	39	4.8	306	0.16	29.9	6.35	0.085	0.04	1.1
1754654		219	4.7	0.029	0.08	5.92	3.1	30	3.6	559	0.14	16.00	10.50	0.067	0.08	1.1
1754655		201	0.7	0.039	0.06	2.06	3.6	23	3.5	310	0.22	5.80	7.08	0.102	<0.02	1.1
1754656		148.0	0.3	0.046	0.04	2.83	3.6	21	4.0	244	0.26	7.42	6.85	0.124	<0.02	1.2
1754657		128.5	0.6	0.051	0.04	1.94	3.5	20	2.2	220	0.13	6.59	6.89	0.060	0.03	1.3
1754658		100.5	0.7	0.044	0.04	2.59	3.8	22	2.3	167.5	0.16	6.65	6.36	0.069	0.02	1.3
1754659		76.4	1.1	0.038	0.04	6.92	4.8	21	2.9	149.5	0.23	12.25	6.86	0.097	0.03	1.4
1754660																
1754661		91.0	1.4	0.025	0.18	4.34	3.9	20	2.7	162.5	0.13	5.56	6.31	0.052	0.03	1.3
1754662		102.0	1.7	0.033	0.14	2.27	3.4	23	2.7	258	0.09	3.95	6.86	0.035	0.04	1.2
1754663		100.5	0.9	0.027	0.03	0.98	3.9	8	3.2	223	0.14	1.32	9.73	0.068	0.02	1.3
1754664		137.5	3.0	0.052	0.26	1.56	4.2	20	2.5	310	0.15	1.98	7.17	0.061	0.07	1.3
1754665		71.5	2.1	0.176	0.62	1.10	3.6	11	3.1	207	0.18	4.15	6.92	0.074	0.04	1.2
1754666		131.0	0.1	0.177	2.35	0.70	3.7	13	2.6	250	0.17	2.01	7.13	0.074	<0.02	1.3
1754667		56.8	0.5	0.208	2.40	0.88	3.3	16	2.4	129.0	0.14	1.96	7.81	0.063	0.02	1.3
1754668		36.4	0.7	0.058	0.43	1.39	2.9	16	2.6	70.5	0.19	3.67	5.01	0.094	0.02	1.1
1754669		60.1	0.1	0.155	1.82	2.46	3.6	22	3.1	84.7	0.18	9.94	6.26	0.082	0.02	1.4
1754670																
1754671		79.1	0.1	0.054	0.32	1.15	3.7	16	2.7	101.5	0.19	3.77	6.41	0.078	<0.02	1.4
1754672		69.5	1.8	0.030	0.03	1.56	4.0	14	2.4	127.5	0.18	3.58	7.30	0.063	0.04	1.4
1754673		20.8	1.7	0.002	0.01	8.74	4.0	3	5.2	62.8	1.45	1.67	3.67	1.345	0.03	0.7
1754674		33.9	6.0	0.039	0.27	2.46	4.1	14	3.1	73.0	0.16	2.28	6.73	0.074	0.11	1.4
1754675		56.1	0.2	0.297	2.96	2.79	3.1	12	3.5	85.5	0.18	3.37	6.91	0.080	0.02	1.5
1754676		42.1	0.2	0.265	1.97	2.01	2.9	10	3.9	65.4	0.17	2.76	6.62	0.075	0.02	1.3
1754677		47.6	0.3	0.300	2.93	1.40	3.0	12	3.3	58.0	0.17	3.63	5.95	0.077	0.02	1.3
1754678		56.0	0.3	0.269	3.18	1.45	2.9	15	4.0	54.9	0.21	4.06	6.36	0.085	0.04	1.4
1754679		79.0	0.6	0.197	1.95	2.48	3.5	25	4.0	61.2	0.18	8.18	7.32	0.076	0.06	1.6
1754680																
1754681		80.5	0.5	0.212	3.06	2.61	3.4	16	4.6	58.3	0.16	6.04	6.49	0.073	0.02	1.6
1754682		85.5	0.2	0.330	3.86	1.92	3.3	18	4.3	69.3	0.16	4.96	5.83	0.069	0.03	1.6
1754683		108.5	0.8	0.158	2.36	2.98	3.1	19	3.5	83.2	0.16	5.75	6.12	0.074	0.04	1.5
1754684		109.5	0.3	0.235	2.82	2.95	2.9	16	2.4	77.3	0.15	4.03	6.43	0.064	0.02	1.5
1754685		125.0	0.3	0.313	4.05	1.81	3.0	18	2.9	84.4	0.14	2.27	6.71	0.065	0.03	1.4
1754686		122.0	0.1	0.197	2.75	2.31	2.9	18	2.6	82.4	0.15	3.40	6.12	0.058	0.02	1.3
1754687		135.5	0.3	0.234	3.39	2.98	2.9	21	2.8	83.1	0.19	5.65	6.10	0.074	0.03	1.3



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754648		33	1.8	5.4	7	114.5
1754649		16	1.8	4.8	2	124.5
1754650		18	2.0	5.9	2	111.0
1754651		25	2.0	6.2	<2	130.0
1754652		36	2.0	6.2	<2	131.0
1754653		33	1.8	5.2	4	127.0
1754654		25	1.5	4.5	<2	112.5
1754655		20	1.6	5.2	<2	109.5
1754656		32	1.7	6.1	<2	124.5
1754657		12	0.9	6.0	2	118.0
1754658		16	1.1	6.1	2	119.5
1754659		19	1.5	6.7	<2	121.5
1754660						
1754661		15	0.8	5.9	2	118.5
1754662		12	0.5	5.5	<2	109.0
1754663		13	1.0	6.6	<2	130.0
1754664		17	0.9	6.6	<2	125.0
1754665		19	1.0	6.0	2	106.0
1754666		16	1.1	6.8	<2	105.5
1754667		14	1.1	6.5	<2	103.0
1754668		14	0.8	5.4	<2	102.0
1754669		11	1.0	6.4	<2	122.5
1754670						
1754671		13	1.2	6.7	<2	124.0
1754672		17	1.0	8.3	<2	113.5
1754673		126	1.1	8.2	3	77.0
1754674		15	0.7	7.2	<2	124.5
1754675		14	1.1	7.8	3	107.5
1754676		15	1.1	7.0	2	102.5
1754677		14	1.3	7.7	2	104.0
1754678		14	1.5	8.2	2	100.0
1754679		19	1.5	8.9	2	110.0
1754680						
1754681		15	1.4	9.4	2	98.8
1754682		12	1.4	10.7	2	93.6
1754683		13	1.7	8.0	2	101.0
1754684		12	1.5	7.3	2	95.9
1754685		13	1.8	7.4	<2	99.8
1754686		12	1.6	6.8	2	96.1
1754687		13	2.0	7.4	<2	97.6



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754688		3.66	0.050	0.07	4.14	5.1	50	0.15	3.24	0.01	0.03	37.7	3.4	16	<0.05	201
1754689		4.16	0.174	0.17	4.05	11.6	70	0.15	10.80	0.01	0.03	36.3	4.1	28	<0.05	308
1754690		0.70	<0.005													
1754691		3.62	0.077	0.10	6.29	6.5	280	0.15	10.45	0.02	0.02	48.3	5.2	8	0.11	282
1754692		4.48	0.037	0.02	6.12	4.2	90	0.13	2.06	0.01	0.03	46.1	4.7	7	<0.05	15.6
1754693		5.52	0.037	0.05	5.21	11.0	70	0.12	3.58	0.02	0.04	45.2	4.0	7	0.10	38.1
1754694		4.94	0.040	0.03	5.01	9.1	60	0.13	2.56	0.01	0.04	46.8	4.3	14	<0.05	52.1
1754695		5.20	0.103	0.11	4.20	19.4	60	0.10	10.45	0.01	0.10	46.3	4.9	11	<0.05	82.1
1754696		5.64	0.191	0.41	5.26	36.7	70	0.12	18.00	0.01	0.37	49.1	5.5	8	<0.05	219
1754697		5.40	0.081	0.15	5.53	11.4	100	0.14	3.35	0.02	0.09	44.3	4.1	12	0.05	105.5
1754698		5.74	0.063	0.08	5.33	14.1	90	0.14	3.17	0.02	0.09	40.8	5.5	12	<0.05	81.3
1754699		4.42	0.123	0.07	4.83	14.0	70	0.13	2.87	0.02	0.07	38.3	5.8	15	<0.05	93.1
1754700		0.06	0.372													
1754701		3.92	0.093	0.08	5.23	23.9	200	0.15	4.56	0.02	0.16	47.0	6.2	19	<0.05	125.0
1754702		3.36	0.047	0.05	7.78	25.3	100	0.17	3.36	0.02	0.14	49.6	5.8	13	<0.05	82.9
1754703		4.42	0.026	0.03	6.36	10.3	120	0.17	1.42	0.03	0.04	43.6	4.9	8	0.09	28.9
1754704		5.02	0.025	0.02	6.27	6.7	100	0.19	0.93	0.02	<0.02	48.2	5.1	9	0.07	19.8
1754705		5.62	0.115	0.09	6.42	39.8	190	0.22	2.35	0.01	0.04	45.5	5.5	9	0.08	137.5
1754706		5.58	0.140	0.11	4.76	51.9	160	0.19	2.55	0.01	0.11	55.3	8.1	13	0.07	178.0
1754707		4.72	0.299	0.27	5.01	92.7	250	0.26	6.63	0.01	0.46	50.5	7.8	15	0.22	411
1754708		3.88	0.233	0.97	6.92	21.0	1650	1.19	8.46	0.04	2.08	72.4	24.3	23	0.85	660
1754709		3.32	0.306	0.20	7.43	35.1	330	3.83	4.62	0.04	0.04	80.1	26.2	19	1.95	274
1754710		0.76	<0.005													
1754711		4.42	0.529	0.33	2.22	19.0	230	0.21	10.60	0.01	0.05	38.7	18.1	15	0.31	986
1754712		3.88	0.281	0.29	2.36	21.5	170	0.15	3.93	0.01	0.06	44.4	8.7	17	0.21	216
1754713		5.26	1.015	0.93	0.46	44.4	30	0.13	10.80	0.01	0.70	49.5	18.0	27	0.05	1705
1754714		6.36	0.680	0.48	0.43	110.0	40	0.09	7.66	0.01	1.27	42.3	15.0	25	<0.05	1120
1754715		4.96	0.444	0.21	1.93	25.6	90	0.16	6.37	0.01	0.28	40.4	9.8	23	0.06	414
1754716		5.80	0.327	0.23	2.51	88.5	180	0.15	17.60	0.01	0.58	41.6	10.3	18	0.11	584
1754717		4.82	0.209	0.09	3.19	38.8	100	0.17	9.04	0.01	0.10	43.4	8.9	30	0.07	192.5
1754718		5.06	0.145	0.09	2.71	50.8	80	0.11	18.70	0.01	0.15	47.0	7.4	23	0.06	243
1754719		4.72	0.205	0.13	3.02	35.4	120	0.10	18.80	0.01	0.12	48.7	6.8	15	0.05	279
1754720		0.06	1.840													
1754721		4.72	0.213	0.17	3.67	50.0	160	0.12	22.7	0.01	0.28	50.8	5.9	18	0.08	309
1754722		3.86	0.036	0.06	5.13	20.2	130	0.17	7.31	0.01	0.09	46.1	5.3	18	0.11	83.4
1754723		5.24	0.201	0.20	3.98	62.1	160	0.12	34.0	0.01	0.46	50.6	7.7	17	0.06	520
1754724		5.56	0.092	0.08	3.75	39.9	170	0.13	19.50	0.01	0.42	56.6	6.4	17	0.06	143.0
1754725		3.82	0.502	0.37	3.20	741	180	0.11	31.8	0.01	0.23	53.5	28.0	24	0.06	2850
1754726		4.82	0.074	0.08	4.41	29.6	210	0.11	16.70	0.02	0.18	56.5	5.2	20	0.08	112.0
1754727		5.78	0.085	0.11	5.68	23.3	70	0.22	4.93	0.02	0.14	40.7	6.2	30	0.10	156.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754688		2.29	8.52	0.12	3.2	0.014	0.02	17.4	1.0	<0.01	36	10.55	0.01	2.7	1.8	380
1754689		3.74	8.96	0.19	3.5	0.022	0.05	17.2	0.9	<0.01	77	20.1	0.01	2.6	4.3	260
1754690																
1754691		3.31	15.75	0.18	3.5	0.079	0.18	22.5	1.0	<0.01	16	10.90	0.02	2.5	2.5	470
1754692		2.68	13.00	0.16	3.5	0.028	0.04	22.3	1.1	<0.01	37	3.90	0.01	2.6	4.4	390
1754693		2.30	11.50	0.14	3.2	0.059	0.12	21.0	0.9	<0.01	39	9.83	0.02	2.4	2.3	300
1754694		2.52	10.90	0.17	3.6	0.027	0.03	23.0	0.8	<0.01	34	9.47	0.01	3.5	2.1	280
1754695		2.86	10.20	0.16	3.5	0.037	0.02	22.0	0.8	<0.01	58	10.50	0.01	2.4	4.7	220
1754696		3.91	12.30	0.17	3.5	0.105	0.02	22.4	0.8	<0.01	27	6.54	0.01	2.7	2.6	350
1754697		2.83	9.83	0.16	3.1	0.027	0.04	20.9	0.5	<0.01	45	5.99	0.01	4.5	2.7	490
1754698		2.61	11.80	0.13	3.1	0.028	0.01	20.4	0.4	<0.01	48	11.90	0.01	4.0	4.2	400
1754699		2.07	14.40	0.12	2.9	0.035	0.01	19.6	0.2	<0.01	44	11.15	0.01	4.5	2.1	420
1754700																
1754701		2.87	17.60	0.14	3.4	0.053	0.01	23.3	<0.2	<0.01	237	12.50	0.01	5.1	4.3	410
1754702		3.30	16.65	0.17	3.4	0.043	0.02	24.3	0.6	<0.01	59	44.1	0.01	4.8	5.3	470
1754703		1.98	10.55	0.12	2.8	0.031	0.15	22.2	0.5	<0.01	31	3.60	0.01	4.5	2.4	520
1754704		2.12	9.51	0.12	2.8	0.010	0.04	23.0	1.3	<0.01	39	3.85	0.03	4.0	3.8	450
1754705		2.70	11.80	0.15	2.9	0.020	0.07	22.6	1.7	<0.01	49	3.45	0.15	4.0	3.0	260
1754706		2.83	11.85	0.18	3.2	0.031	0.07	26.8	1.7	<0.01	37	10.20	0.07	4.4	2.8	340
1754707		2.57	11.40	0.15	2.9	0.062	0.55	24.8	2.5	0.06	63	7.47	0.07	4.4	5.8	270
1754708		4.75	16.05	0.18	3.0	0.193	0.93	33.4	10.6	1.62	374	2.82	0.09	14.5	21.0	280
1754709		21.3	18.45	0.31	2.2	0.150	0.37	37.9	10.6	0.66	280	7.22	0.05	13.0	38.2	3300
1754710																
1754711		5.74	6.21	0.20	2.5	0.028	0.54	20.1	0.6	0.02	52	9.61	0.11	3.0	7.7	290
1754712		2.99	6.69	0.13	2.5	0.009	0.33	22.0	0.7	0.01	45	8.17	0.19	3.7	3.5	290
1754713		4.21	1.48	0.28	2.7	0.035	0.04	23.5	<0.2	<0.01	73	17.90	0.05	4.7	10.2	220
1754714		3.85	1.29	0.15	2.1	0.053	0.03	20.1	0.3	<0.01	56	17.45	0.04	2.9	7.3	180
1754715		3.84	4.19	0.11	2.5	0.051	0.04	20.4	1.9	0.01	51	13.45	0.07	2.9	4.7	310
1754716		4.50	5.50	0.16	2.4	0.174	0.04	20.4	2.8	<0.01	62	16.40	0.07	2.8	6.8	280
1754717		3.88	6.53	0.12	2.4	0.054	0.03	21.9	1.3	<0.01	56	12.50	0.05	3.2	4.9	270
1754718		3.23	5.36	0.13	2.4	0.069	0.02	22.8	0.6	<0.01	50	12.00	0.03	3.3	3.9	300
1754719		3.21	6.01	0.14	2.9	0.073	0.01	23.5	0.5	<0.01	70	5.75	0.04	3.9	6.0	300
1754720																
1754721		3.19	7.67	0.12	3.1	0.094	0.03	25.3	0.8	<0.01	52	5.68	0.10	4.1	3.4	290
1754722		2.73	9.95	0.12	3.0	0.031	0.02	23.5	1.4	<0.01	55	4.88	0.09	3.9	3.0	230
1754723		4.42	8.37	0.16	3.1	0.180	0.02	25.0	0.8	<0.01	64	5.86	0.08	3.6	5.9	280
1754724		3.31	11.00	0.16	3.2	0.071	0.03	28.8	1.2	<0.01	56	4.66	0.11	3.9	3.0	290
1754725		4.81	10.20	0.27	2.8	0.229	0.02	27.4	0.9	<0.01	51	15.75	0.06	3.4	6.3	300
1754726		2.94	8.83	0.15	2.9	0.062	0.02	26.1	0.7	<0.01	79	3.90	0.06	3.6	5.2	350
1754727		3.17	7.99	0.12	3.1	0.041	0.03	20.0	1.7	<0.01	56	3.47	0.12	4.1	2.6	220



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754688		116.0	0.3	0.143	2.17	1.40	3.3	14	4.1	77.4	0.19	2.81	6.66	0.078	0.02	1.4
1754689		122.0	0.7	0.296	3.69	2.17	3.1	28	2.7	82.1	0.17	4.87	6.64	0.075	0.06	1.5
1754690																
1754691		142.0	2.4	0.192	3.68	1.57	3.8	26	2.9	103.0	0.18	4.05	8.29	0.070	0.29	1.7
1754692		149.0	0.5	0.022	2.74	0.90	3.9	20	2.1	137.5	0.20	1.36	7.58	0.071	0.09	1.9
1754693		165.0	1.6	0.151	2.31	1.47	3.3	18	2.7	147.0	0.16	3.02	7.20	0.067	0.26	1.7
1754694		148.5	0.4	0.132	2.61	2.02	3.5	17	3.6	129.0	0.24	4.48	7.81	0.099	0.11	1.9
1754695		140.0	0.3	0.166	2.80	2.66	3.2	20	2.4	81.6	0.17	4.35	7.92	0.070	0.08	1.9
1754696		165.0	0.3	0.061	4.26	5.69	3.4	36	3.4	118.5	0.25	9.59	7.88	0.076	0.14	1.9
1754697		161.5	0.5	0.056	2.83	1.03	4.4	20	3.7	165.0	0.31	1.80	7.94	0.138	0.12	1.9
1754698		158.5	0.2	0.145	2.56	1.97	4.6	16	3.7	201	0.27	4.26	6.98	0.125	0.05	1.7
1754699		130.5	0.1	0.171	1.96	2.32	4.5	13	4.0	173.5	0.29	5.23	6.52	0.145	0.03	1.6
1754700																
1754701		106.5	0.2	0.188	2.81	3.80	5.3	16	5.1	151.5	0.34	7.72	7.52	0.153	0.06	1.9
1754702		134.5	0.3	1.500	3.30	3.91	4.6	21	5.8	184.5	0.33	6.87	7.39	0.142	0.13	1.8
1754703		153.5	1.8	0.076	2.02	1.27	4.0	9	4.4	231	0.31	1.99	6.58	0.133	0.43	1.8
1754704		130.5	0.7	0.070	2.10	0.84	3.0	10	5.2	226	0.27	1.28	7.09	0.122	0.11	1.7
1754705		86.7	1.3	0.051	2.69	2.93	2.6	21	7.5	170.0	0.26	4.11	7.43	0.124	0.04	1.6
1754706		114.0	1.1	0.259	2.88	4.02	2.9	21	14.4	190.0	0.28	6.08	8.28	0.135	0.05	1.7
1754707		89.7	6.9	0.074	2.38	6.73	3.7	19	10.9	154.5	0.31	12.70	7.38	0.136	0.11	1.5
1754708		158.5	20.3	0.024	0.85	1.41	15.2	9	15.5	100.0	0.78	18.45	5.87	0.738	0.21	1.1
1754709		28.0	13.7	0.021	1.28	1.27	19.5	14	4.7	178.5	0.71	5.45	3.48	0.590	0.14	0.7
1754710																
1754711		12.4	8.1	0.149	5.44	0.64	2.6	39	10.0	166.5	0.20	9.08	6.83	0.100	0.14	1.2
1754712		23.4	4.7	0.215	2.94	1.64	2.4	19	6.8	226	0.24	6.19	7.20	0.118	0.11	1.3
1754713		97.0	0.7	0.160	3.87	13.40	2.0	63	13.4	122.5	0.29	14.40	6.71	0.147	0.06	1.3
1754714		82.4	0.5	0.240	3.90	20.8	1.7	24	8.0	141.0	0.19	9.59	6.02	0.095	0.08	1.2
1754715		121.5	0.7	0.181	3.69	4.52	2.2	17	7.6	220	0.19	5.43	6.87	0.091	0.06	1.2
1754716		120.0	0.8	0.280	4.59	13.60	2.0	25	5.9	206	0.18	9.88	6.67	0.088	0.07	1.2
1754717		110.0	0.6	0.189	3.88	2.68	2.3	15	6.6	154.0	0.21	2.84	7.66	0.102	0.06	1.4
1754718		119.0	0.4	0.293	3.26	5.46	1.9	12	7.4	163.0	0.21	3.24	6.87	0.104	0.04	1.3
1754719		118.0	0.3	0.091	3.08	3.64	2.8	14	5.1	157.5	0.27	2.82	7.63	0.116	0.04	1.6
1754720																
1754721		123.0	0.8	0.073	3.18	4.16	2.8	15	4.6	169.0	0.27	2.32	7.94	0.125	0.09	1.7
1754722		92.8	0.7	0.055	2.60	1.59	2.8	12	3.8	157.5	0.27	0.95	6.69	0.118	0.04	1.6
1754723		129.0	0.6	0.058	4.53	8.70	2.5	26	25.3	159.0	0.24	6.24	8.40	0.108	0.07	1.6
1754724		129.5	0.9	0.069	3.27	4.43	2.4	17	5.9	174.5	0.27	2.67	9.09	0.121	0.06	1.7
1754725		130.5	0.6	0.262	5.24	42.0	2.3	59	222	161.0	0.24	15.95	7.54	0.099	0.08	1.6
1754726		161.5	0.7	0.058	2.79	3.26	2.4	17	5.7	210	0.25	1.95	7.88	0.111	0.05	1.6
1754727		91.6	1.0	0.021	3.11	3.07	2.7	13	4.0	130.5	0.28	3.56	6.40	0.125	0.05	1.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754688		13	2.3	8.8	<2	105.5
1754689		15	2.1	7.3	<2	109.5
1754690						
1754691		28	1.7	8.1	<2	114.0
1754692		21	2.3	7.8	<2	109.5
1754693		22	2.8	6.2	<2	99.3
1754694		18	4.1	7.7	<2	108.5
1754695		14	2.5	7.3	<2	112.0
1754696		15	2.0	7.9	5	108.5
1754697		21	3.0	9.5	<2	110.5
1754698		18	2.6	8.4	2	117.0
1754699		19	2.6	6.9	2	113.0
1754700						
1754701		20	2.9	9.5	4	136.0
1754702		23	3.5	9.0	2	127.5
1754703		28	2.5	8.7	<2	107.0
1754704		22	2.2	6.1	<2	106.0
1754705		21	2.5	5.5	3	109.0
1754706		19	2.9	5.8	9	122.5
1754707		24	2.7	11.5	16	111.0
1754708		131	1.3	52.6	134	131.5
1754709		158	0.5	25.4	159	108.5
1754710						
1754711		13	1.6	7.0	6	100.0
1754712		12	2.0	6.9	4	94.7
1754713		8	3.1	5.6	19	107.5
1754714		5	2.0	5.2	40	86.2
1754715		9	2.2	5.9	10	99.6
1754716		9	2.4	5.9	22	91.8
1754717		12	2.7	6.8	8	94.9
1754718		11	2.6	5.3	6	92.0
1754719		12	2.6	8.2	4	102.5
1754720						
1754721		15	3.0	7.9	11	111.5
1754722		17	3.6	6.5	3	112.0
1754723		14	2.9	6.5	14	116.0
1754724		14	2.4	6.6	10	117.5
1754725		13	2.4	6.3	38	105.5
1754726		15	1.8	6.0	6	109.5
1754727		16	1.9	6.1	4	115.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754728		5.66	0.049	0.06	5.00	40.3	90	0.16	3.59	0.01	0.08	39.4	4.3	15	0.09	140.0
1754729		5.88	0.209	0.22	4.03	63.9	100	0.14	7.08	0.01	0.10	43.2	6.3	16	0.08	660
1754730		0.74	<0.005													
1754731		5.72	0.285	0.23	3.70	115.0	230	0.13	37.2	0.02	0.13	53.6	6.8	15	0.06	584
1754732		6.00	0.152	0.11	5.09	27.3	170	0.15	13.45	0.02	0.05	46.7	5.8	13	0.10	190.0
1754733		5.58	0.032	0.02	6.33	7.8	130	0.19	1.73	0.02	<0.02	51.0	4.5	13	0.09	35.1
1754734		5.64	0.239	0.14	5.09	12.6	60	0.15	7.51	0.01	0.06	47.8	6.8	15	<0.05	383
1754735		5.58	0.124	0.07	5.45	9.3	100	0.14	4.48	0.01	0.04	46.2	5.5	18	0.05	195.0
1754736		5.66	0.097	0.04	4.21	13.6	90	0.16	3.21	0.02	0.04	50.9	6.0	10	0.08	103.5
1754737		5.34	1.125	0.47	0.63	70.7	50	0.05	20.8	0.01	0.37	54.4	16.1	16	<0.05	1410
1754738		5.76	0.322	0.14	1.85	50.4	90	0.07	6.79	0.01	0.18	47.9	8.0	14	<0.05	540

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1754728		2.52	7.12	0.11	2.6	0.021	0.02	20.1	0.9	<0.01	50	2.05	0.04	3.1	2.8	250
1754729		3.47	6.29	0.13	2.8	0.047	0.03	21.2	0.8	<0.01	65	4.31	0.07	3.7	6.3	270
1754730																
1754731		3.97	8.62	0.17	3.1	0.153	0.01	26.2	1.1	<0.01	50	6.59	0.02	3.8	3.6	350
1754732		3.06	10.70	0.14	2.9	0.030	0.03	24.8	1.7	<0.01	66	5.16	0.02	3.7	5.3	330
1754733		1.99	9.59	0.11	3.1	0.007	0.01	25.0	1.2	<0.01	36	2.98	0.01	3.9	1.9	450
1754734		3.37	8.50	0.14	2.9	0.054	0.01	23.0	0.9	<0.01	63	4.72	0.01	3.7	4.1	260
1754735		2.61	6.08	0.13	2.8	0.042	<0.01	22.9	0.3	<0.01	61	3.39	0.01	3.8	4.4	320
1754736		2.76	8.62	0.13	3.1	0.018	0.01	25.4	1.5	<0.01	45	4.04	0.01	4.4	2.9	340
1754737		5.97	1.74	0.27	3.1	0.119	<0.01	28.4	0.4	<0.01	50	7.20	0.01	2.6	9.9	190
1754738		3.52	4.20	0.17	2.9	0.030	0.01	23.6	0.7	<0.01	68	4.00	0.01	3.3	7.2	270

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	
1754728	92.3	0.5	0.021	2.45	2.27	2.1	13	3.1	156.0	0.21	2.12	5.75	0.093	0.04	1.4	
1754729	109.0	0.9	0.033	3.41	5.23	2.4	19	5.5	162.0	0.25	2.73	6.43	0.112	0.08	1.5	
1754730																
1754731	154.5	0.4	0.094	4.12	13.75	2.8	27	6.2	207	0.26	5.18	8.60	0.116	0.05	1.6	
1754732	123.0	0.9	0.081	2.97	2.79	2.5	18	4.6	201	0.24	4.11	7.51	0.116	0.08	1.5	
1754733	126.0	0.4	0.044	1.98	0.87	2.4	11	3.8	250	0.27	1.50	7.46	0.119	0.02	1.7	
1754734	74.6	0.1	0.113	3.29	1.50	2.4	21	6.5	125.0	0.25	4.35	7.38	0.113	0.02	1.5	
1754735	86.9	0.1	0.020	2.45	1.12	2.5	13	6.2	142.0	0.26	3.25	7.36	0.112	0.02	1.5	
1754736	116.0	0.1	0.116	2.80	2.42	2.1	15	10.2	187.0	0.32	4.75	8.33	0.130	0.02	1.6	
1754737	53.0	0.1	0.105	6.41	13.30	1.5	71	28.2	72.3	0.18	21.4	6.10	0.076	0.09	1.4	
1754738	65.9	0.1	0.056	3.52	6.57	1.5	35	17.6	99.9	0.26	7.57	5.64	0.101	0.04	1.4	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS	TF23354250
-------------------------	------------

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1754728		14	1.8	5.8	3	97.1
1754729		14	2.1	5.9	2	104.5
1754730						
1754731		14	2.4	6.6	4	112.0
1754732		16	2.2	6.6	<2	105.0
1754733		16	2.1	6.4	<2	117.5
1754734		14	2.1	5.9	<2	109.5
1754735		14	1.6	6.6	<2	110.5
1754736		14	2.4	5.7	2	119.0
1754737		5	1.4	5.5	12	107.5
1754738		9	1.7	5.2	5	107.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354250

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-AA23 ME-MS61</p>												
Applies to Method:	<p>Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-21</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">DIS-REJ</td> </tr> <tr> <td>LOG-21</td> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> </tr> <tr> <td>SND-ALS</td> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-21	CRU-31	CRU-QC	DIS-REJ	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21	
CRU-21	CRU-31	CRU-QC	DIS-REJ										
LOG-21	LOG-23	PUL-31	PUL-QC										
SND-ALS	SPL-22Y	WEI-21											