



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

CERTIFICATE TF23354244

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 77 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 8-DEC-2023.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1754739		5.46	0.134	0.08	4.86	7.0	50	0.12	2.47	0.02	<0.02	49.4	5.3	12	0.08	246
1754740		0.06	0.336													
1754741		3.82	0.035	0.02	0.76	5.5	40	<0.05	0.85	0.02	0.06	69.2	5.3	21	0.05	51.2
1754742		4.96	0.062	0.04	4.18	4.9	110	0.12	1.24	0.03	<0.02	55.3	5.9	18	0.07	62.4
1754743		5.00	0.112	0.05	2.66	5.7	70	0.13	1.56	0.02	0.05	41.9	8.2	21	0.05	89.2
1754744		5.62	0.089	0.05	2.33	5.3	120	0.13	1.28	0.02	0.02	39.3	5.8	23	0.05	84.3
1754745		5.98	0.073	0.03	2.17	3.6	60	0.08	0.92	0.01	0.02	48.2	7.3	23	<0.05	46.6
1754746		5.88	0.125	0.06	1.68	5.2	20	0.11	2.17	0.01	0.05	40.3	7.4	20	<0.05	168.0
1754747		6.12	0.199	0.11	1.14	17.0	20	0.10	4.29	0.01	0.05	45.1	11.2	32	<0.05	341
1754748		5.74	0.167	0.11	2.22	13.9	20	0.13	3.59	0.01	0.05	43.2	10.7	22	<0.05	305
1754749		3.88	0.374	0.24	3.42	19.0	40	0.14	8.88	0.01	0.06	34.8	6.3	30	<0.05	767
1754750		0.06	7.43													
1754751		3.78	0.173	0.08	4.93	15.1	100	0.20	3.66	0.01	0.02	38.1	8.0	19	<0.05	276
1754752		5.80	0.067	0.06	4.13	11.6	40	0.16	1.90	0.01	<0.02	41.5	10.4	17	<0.05	157.0
1754753		3.86	0.142	0.08	3.42	12.8	30	0.13	2.71	0.01	<0.02	38.4	9.2	23	<0.05	223
1754754		5.16	0.782	0.33	2.65	85.5	20	0.12	15.35	0.01	0.06	45.2	16.2	17	<0.05	1110
1754755		4.40	0.929	0.21	2.01	76.6	20	0.12	12.30	0.01	0.10	71.3	15.1	21	<0.05	603
1754756		4.86	0.177	0.10	1.40	12.5	10	0.11	2.67	0.01	<0.02	58.3	9.5	27	<0.05	254
1754757		3.42	0.150	0.08	1.03	81.1	10	0.10	1.71	0.01	<0.02	54.6	7.9	32	<0.05	335
1754758		4.90	0.116	0.07	1.08	23.9	20	0.11	2.17	0.01	0.03	62.5	8.3	37	<0.05	148.0
1754759		4.44	0.249	0.11	0.60	49.8	20	0.09	3.21	0.01	0.03	69.2	8.9	30	<0.05	297
1754760		0.66	<0.005													
1754761		6.34	0.309	0.30	0.18	70.1	20	0.05	3.23	0.01	0.04	42.3	9.0	32	<0.05	505
1754762		5.78	0.403	0.20	0.62	31.5	20	0.08	4.17	0.01	0.04	59.6	16.4	36	<0.05	417
1754763		5.72	0.555	0.25	0.33	60.9	20	0.08	5.74	0.01	0.08	67.3	22.4	35	<0.05	664
1754764		6.16	0.507	0.15	0.30	36.2	20	0.08	5.89	0.01	0.07	82.6	17.2	33	<0.05	386
1754765		5.90	0.210	0.07	0.15	14.1	20	0.07	2.21	0.01	0.03	79.4	12.8	44	<0.05	481
1754766		5.26	0.313	0.19	0.07	14.2	50	0.06	6.58	0.01	0.04	83.5	11.5	47	<0.05	924
1754767		3.18	0.402	0.17	0.09	46.6	50	0.08	10.50	0.01	0.08	171.0	15.8	48	<0.05	1375
1754768		4.06	0.354	0.25	0.09	34.1	40	0.07	8.08	0.01	0.03	118.5	16.4	41	<0.05	1940
1754769		6.16	2.93	0.31	0.14	64.7	50	0.14	10.40	0.02	0.06	299	27.9	55	<0.05	1375
1754770		0.06	1.875													
1754771		6.36	0.714	0.42	0.07	121.5	30	0.07	17.05	0.01	<0.02	135.5	22.3	43	<0.05	2030
1754772		4.00	0.653	0.28	0.06	80.4	20	0.07	13.20	0.01	0.05	115.5	19.5	42	<0.05	1140
1754773		5.44	2.76	0.27	0.05	69.7	20	0.06	12.70	0.01	0.05	82.1	23.7	48	<0.05	1195
1754774		5.72	0.932	0.25	0.05	49.4	30	0.07	9.76	0.01	0.04	109.5	20.8	59	<0.05	860
1754775		4.02	0.880	0.21	0.06	44.0	30	0.07	9.66	0.01	0.06	145.0	23.1	59	<0.05	902
1754776		4.12	1.920	0.27	0.07	108.0	30	<0.05	22.3	0.01	0.06	108.5	47.1	60	<0.05	1690
1754777		5.58	0.777	0.11	0.10	17.6	30	0.06	5.54	0.01	<0.02	145.5	25.0	59	<0.05	670
1754778		6.02	0.652	0.13	0.11	29.4	20	0.06	6.36	0.01	0.05	153.5	27.8	46	<0.05	481



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754739		3.03	7.22	0.11	3.3	0.016	0.01	22.9	0.5	<0.01	79	4.06	0.01	3.7	5.5	250
1754740																
1754741		2.28	2.61	0.12	3.7	0.008	0.01	34.0	0.2	<0.01	62	4.28	0.01	2.5	2.3	260
1754742		2.50	14.05	0.13	3.0	0.007	0.03	25.7	0.6	<0.01	36	6.02	0.01	3.3	2.5	440
1754743		3.53	16.05	0.13	2.5	<0.005	0.01	20.4	0.6	<0.01	55	21.0	0.01	2.3	5.4	240
1754744		2.03	16.30	0.08	2.4	0.006	0.01	18.9	0.6	<0.01	40	19.10	0.01	2.6	2.3	290
1754745		2.23	11.70	0.10	2.5	<0.005	<0.01	22.3	0.3	<0.01	47	17.70	<0.01	2.2	2.5	190
1754746		2.46	13.60	0.10	2.3	0.014	<0.01	19.6	0.5	<0.01	52	18.45	<0.01	2.0	4.5	140
1754747		4.69	13.80	0.17	2.3	0.015	<0.01	21.2	0.3	<0.01	50	15.60	<0.01	1.7	4.8	180
1754748		4.70	31.6	0.15	2.3	0.052	<0.01	21.0	0.6	<0.01	54	17.15	<0.01	1.6	3.9	190
1754749		2.67	50.5	0.14	2.4	0.054	<0.01	17.1	0.5	<0.01	66	22.7	<0.01	2.4	4.5	280
1754750																
1754751		2.54	80.5	0.11	2.8	0.017	<0.01	19.0	0.9	<0.01	41	21.3	<0.01	2.8	2.4	330
1754752		3.48	65.0	0.13	2.5	0.010	<0.01	20.2	0.7	<0.01	50	19.05	<0.01	2.3	3.9	200
1754753		4.00	55.9	0.14	2.3	0.007	<0.01	18.7	0.6	<0.01	58	28.4	<0.01	2.3	5.1	240
1754754		12.25	42.1	0.42	2.4	0.016	<0.01	21.1	0.8	<0.01	52	23.1	<0.01	1.7	16.7	210
1754755		10.75	29.0	0.33	3.3	0.012	<0.01	34.3	0.6	<0.01	60	18.15	<0.01	2.2	13.5	300
1754756		4.06	25.0	0.17	2.7	0.010	<0.01	28.1	0.4	<0.01	62	10.60	<0.01	2.5	7.9	280
1754757		2.58	17.25	0.11	2.8	0.008	<0.01	27.2	0.3	<0.01	46	6.14	<0.01	2.9	3.0	410
1754758		2.95	20.6	0.10	2.8	0.014	<0.01	30.4	0.4	<0.01	50	5.96	<0.01	2.5	2.9	230
1754759		3.11	9.91	0.14	2.7	<0.005	<0.01	32.8	0.2	<0.01	67	6.42	<0.01	2.1	5.6	200
1754760																
1754761		2.72	2.03	0.11	2.2	<0.005	<0.01	20.8	<0.2	<0.01	43	19.10	<0.01	1.8	4.0	150
1754762		3.73	11.20	0.12	2.4	<0.005	<0.01	29.4	0.3	<0.01	68	22.3	<0.01	1.9	8.5	290
1754763		4.75	5.38	0.15	2.5	0.005	0.01	30.8	0.2	<0.01	50	23.7	0.01	1.6	6.2	150
1754764		5.17	5.92	0.18	2.5	0.008	<0.01	37.4	<0.2	<0.01	51	28.6	<0.01	1.3	5.8	170
1754765		3.91	3.06	0.14	2.6	0.005	<0.01	37.1	<0.2	<0.01	58	26.3	<0.01	2.1	6.4	160
1754766		3.54	1.33	0.14	2.7	0.006	<0.01	38.9	<0.2	<0.01	59	23.4	<0.01	2.3	4.6	190
1754767		3.19	1.23	0.21	3.2	0.025	<0.01	80.3	<0.2	<0.01	45	27.4	<0.01	2.3	3.8	350
1754768		4.25	1.25	0.19	2.5	0.017	<0.01	52.9	<0.2	<0.01	101	25.7	<0.01	1.4	7.3	270
1754769		3.97	1.40	0.33	4.1	0.033	<0.01	132.5	<0.2	<0.01	51	44.7	<0.01	2.1	6.4	570
1754770																
1754771		3.71	0.75	0.27	2.5	0.028	<0.01	61.1	<0.2	<0.01	49	32.9	<0.01	1.4	6.4	270
1754772		3.73	0.59	0.23	2.9	0.017	<0.01	51.7	<0.2	<0.01	63	28.6	<0.01	2.1	7.2	210
1754773		4.95	0.52	0.22	2.9	0.014	<0.01	36.9	<0.2	<0.01	75	28.7	<0.01	1.7	6.5	150
1754774		3.87	0.69	0.20	3.1	0.018	<0.01	49.5	<0.2	<0.01	48	36.4	<0.01	2.5	6.0	200
1754775		4.47	0.68	0.24	3.5	0.020	<0.01	67.3	<0.2	<0.01	76	48.9	<0.01	2.0	9.3	250
1754776		7.60	0.69	0.32	3.1	0.034	<0.01	53.4	<0.2	0.01	55	79.1	<0.01	2.6	23.2	190
1754777		3.89	0.73	0.26	3.8	0.011	<0.01	72.2	<0.2	<0.01	54	41.2	<0.01	2.9	8.1	260
1754778		3.85	0.78	0.21	3.7	0.017	<0.01	76.9	<0.2	<0.01	65	34.9	<0.01	2.9	14.4	270



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754739		55.0	0.4	0.033	2.77	1.64	2.3	18	5.9	87.3	0.28	3.90	7.53	0.100	0.02	1.6
1754740																
1754741		62.3	0.2	0.053	2.00	0.96	2.7	13	5.6	137.5	0.16	2.04	10.65	0.071	0.02	1.5
1754742		93.0	0.6	0.053	2.56	1.13	2.4	16	6.3	175.5	0.24	3.15	8.21	0.087	0.03	1.5
1754743		53.1	0.3	0.317	3.56	1.36	2.2	21	5.3	102.0	0.15	2.85	6.40	0.065	0.02	1.1
1754744		68.4	0.3	0.375	1.97	1.05	2.0	14	6.2	125.5	0.18	1.90	6.13	0.075	<0.02	1.1
1754745		48.7	0.1	0.265	2.12	0.74	2.1	11	5.8	99.1	0.16	1.34	6.57	0.067	<0.02	1.1
1754746		22.9	0.1	0.294	2.38	1.55	1.9	14	5.2	65.4	0.13	5.07	6.18	0.062	<0.02	1.1
1754747		22.8	0.1	0.390	4.96	6.45	2.0	31	4.6	67.4	0.11	18.25	6.31	0.050	0.02	1.2
1754748		24.6	0.1	0.303	4.93	6.79	2.0	32	4.4	64.5	0.11	24.0	6.14	0.049	0.02	1.2
1754749		18.2	0.1	0.436	2.55	11.25	1.9	24	7.5	50.9	0.17	36.9	4.94	0.070	<0.02	1.1
1754750																
1754751		18.9	0.1	0.372	2.56	7.23	2.4	18	7.2	59.4	0.20	25.2	5.19	0.080	0.02	1.2
1754752		20.4	0.1	0.359	3.52	5.71	2.1	20	7.2	56.9	0.15	19.40	5.48	0.068	<0.02	1.2
1754753		19.7	0.1	0.356	4.09	4.92	1.9	25	5.1	52.7	0.15	17.55	5.41	0.064	<0.02	1.2
1754754		27.7	0.1	0.389	>10.0	16.35	2.1	97	4.9	58.1	0.12	68.8	6.10	0.048	0.02	1.2
1754755		51.5	0.1	0.369	>10.0	17.85	3.2	73	4.5	111.0	0.16	70.1	9.61	0.057	<0.02	1.7
1754756		23.9	0.1	0.134	4.10	2.61	2.2	23	4.8	76.1	0.18	9.97	7.67	0.070	<0.02	1.5
1754757		21.2	0.1	0.073	2.53	3.95	2.2	14	6.0	74.0	0.20	5.21	7.28	0.082	<0.02	1.5
1754758		24.2	0.1	0.049	2.95	3.55	2.2	15	4.5	81.4	0.18	12.15	7.69	0.069	0.02	1.6
1754759		27.3	0.1	0.051	3.02	6.53	2.4	17	4.8	83.3	0.12	24.4	8.22	0.057	0.02	1.6
1754760																
1754761		17.9	0.1	0.374	2.73	8.85	1.6	18	12.8	67.3	0.06	39.4	5.17	0.062	<0.02	1.0
1754762		26.1	<0.1	0.529	3.69	7.41	1.7	18	8.5	64.7	0.12	23.6	6.84	0.058	0.02	1.2
1754763		24.8	0.3	0.321	5.05	16.65	1.9	23	5.2	67.4	0.08	58.6	7.27	0.049	0.03	1.3
1754764		30.4	<0.1	0.363	5.51	11.80	1.9	21	4.2	69.4	0.07	44.9	8.30	0.042	0.03	1.4
1754765		31.2	0.1	0.364	3.99	2.52	2.0	15	5.5	70.8	0.12	13.00	7.38	0.066	0.02	1.4
1754766		55.3	0.1	0.365	3.50	2.08	2.2	15	20.1	74.3	0.13	7.67	7.43	0.075	0.02	1.5
1754767		77.2	<0.1	0.483	3.24	16.55	2.5	19	6.7	147.0	0.10	73.1	12.15	0.081	0.03	1.9
1754768		52.4	0.1	0.522	4.25	9.76	2.1	25	4.4	101.5	0.06	47.3	8.54	0.048	0.03	1.6
1754769		118.0	<0.1	0.944	4.15	27.3	3.0	28	8.0	239	0.09	115.5	20.6	0.081	0.04	2.9
1754770																
1754771		50.8	<0.1	0.548	3.87	66.2	1.9	41	89.2	112.5	0.06	160.0	9.46	0.051	0.03	1.7
1754772		40.6	<0.1	0.334	3.72	62.9	2.0	28	6.7	80.0	0.10	166.0	9.89	0.070	0.02	1.6
1754773		29.8	<0.1	0.369	5.15	50.0	2.3	33	5.3	48.8	0.08	140.0	8.43	0.055	0.02	1.4
1754774		42.4	<0.1	0.538	3.98	30.4	2.1	28	6.7	62.1	0.13	86.0	9.23	0.087	0.02	1.6
1754775		45.3	0.2	0.818	4.40	23.2	2.6	24	5.0	77.4	0.10	82.1	11.75	0.074	0.02	1.8
1754776		41.4	0.1	1.065	8.05	53.6	2.1	44	7.8	52.9	0.13	229	8.00	0.101	0.04	1.2
1754777		33.6	<0.1	0.467	3.91	4.14	2.4	17	9.8	70.1	0.13	21.9	12.10	0.124	0.03	1.7
1754778		41.4	<0.1	0.411	3.80	4.42	2.5	16	10.4	82.2	0.13	28.1	12.50	0.126	0.02	1.6



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754739		13	1.8	5.7	<2	112.5
1754740						
1754741		4	1.1	6.8	2	129.0
1754742		10	1.8	7.3	<2	104.5
1754743		6	1.6	5.4	2	91.7
1754744		6	2.2	5.5	2	86.8
1754745		6	1.6	4.9	<2	89.2
1754746		5	1.4	4.9	2	84.2
1754747		4	1.1	5.6	3	87.5
1754748		4	1.2	6.5	3	85.2
1754749		6	1.8	4.8	3	87.8
1754750						
1754751		8	2.3	5.8	2	99.8
1754752		7	1.9	5.7	3	89.9
1754753		6	2.0	5.1	2	84.0
1754754		5	1.5	5.3	4	86.0
1754755		5	1.6	8.8	5	113.5
1754756		4	1.4	6.6	<2	97.2
1754757		5	1.5	6.7	<2	96.2
1754758		4	1.2	7.2	<2	99.5
1754759		3	1.1	7.0	2	95.8
1754760						
1754761		4	1.5	4.2	3	83.8
1754762		3	1.6	4.2	3	90.9
1754763		2	1.4	5.1	4	90.8
1754764		2	1.2	5.1	3	94.0
1754765		3	1.8	5.6	2	95.2
1754766		3	1.9	5.6	11	98.5
1754767		3	2.7	5.5	3	119.0
1754768		2	1.5	5.2	2	92.8
1754769		3	3.0	6.1	2	158.5
1754770						
1754771		2	2.2	4.3	4	100.0
1754772		3	1.7	5.5	3	108.5
1754773		2	1.5	5.6	3	105.5
1754774		3	2.7	5.3	3	114.0
1754775		3	2.8	5.4	3	135.5
1754776		3	4.1	4.7	10	118.5
1754777		4	3.7	5.7	3	141.5
1754778		4	3.7	5.6	3	142.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	1	0.05	0.2	
1754779		6.24	0.464	0.11	0.09	21.5	30	<0.05	7.26	0.01	0.02	70.8	19.1	60	<0.05	503
1754780		0.70	0.006													
1754781		6.78	0.478	0.10	0.10	15.2	30	<0.05	6.73	0.01	0.03	50.9	21.7	52	<0.05	427
1754782		6.82	0.400	0.07	0.10	13.0	20	<0.05	5.49	0.01	0.02	50.0	17.9	49	<0.05	360
1754783		6.60	0.312	0.10	0.11	20.1	30	0.05	5.42	0.01	0.08	49.5	18.2	56	<0.05	294
1754784		5.72	0.310	0.08	0.09	15.0	10	<0.05	4.16	0.01	0.08	40.5	13.2	82	<0.05	139.5
1754785		5.70	0.359	0.09	0.05	15.4	20	<0.05	5.64	0.01	0.05	40.6	23.5	60	<0.05	485
1754786		6.10	0.288	0.07	0.09	7.8	110	0.05	3.65	0.01	0.02	50.2	20.3	56	<0.05	216
1754787		5.86	0.291	0.08	0.09	7.4	30	0.05	2.76	0.01	0.04	68.2	13.5	50	<0.05	122.0
1754788		5.80	0.258	0.07	0.07	6.5	10	<0.05	2.98	0.01	0.02	44.9	15.6	43	<0.05	164.5
1754789		4.02	0.199	0.08	0.08	8.1	10	<0.05	2.99	0.01	0.05	60.9	9.3	75	<0.05	154.0
1754790		0.06	0.707													
1754791		5.70	0.357	0.13	0.08	14.0	10	<0.05	6.49	0.02	<0.02	36.8	20.5	56	<0.05	280
1754792		6.14	0.289	0.11	0.08	13.6	10	<0.05	5.14	0.01	0.05	27.7	16.6	64	<0.05	223
1754793		5.80	0.180	0.08	0.08	9.8	20	<0.05	3.90	0.01	0.05	21.4	14.7	65	<0.05	257
1754794		4.82	0.211	0.12	0.07	13.8	10	<0.05	4.29	0.01	0.04	24.3	12.5	67	<0.05	361
1754795		6.08	0.221	0.09	0.08	14.9	20	<0.05	5.43	0.01	0.06	23.0	11.8	81	<0.05	285
1754796		6.80	0.318	0.10	0.09	12.2	20	<0.05	5.43	0.01	<0.02	17.30	13.6	85	<0.05	444
1754797		5.86	0.158	0.06	0.09	6.4	10	<0.05	2.60	<0.01	0.02	25.3	8.7	51	<0.05	179.0
1754798		5.24	0.286	0.12	0.20	7.3	40	0.15	3.62	0.03	<0.02	275	18.2	69	<0.05	300
1754799		6.58	0.104	0.06	0.17	3.1	30	0.08	1.86	0.02	0.02	89.4	5.3	45	<0.05	285
1754800		0.76	<0.005													
1754801		3.92	0.137	0.07	0.49	4.4	20	0.10	1.62	0.02	<0.02	53.1	15.3	62	<0.05	228
1754802		6.08	0.073	0.04	7.48	4.7	70	0.16	1.11	0.02	0.03	55.3	13.7	27	<0.05	58.7
1754803		5.40	0.040	0.01	4.99	2.9	30	0.16	0.41	0.02	<0.02	24.3	5.8	32	<0.05	17.2
1754804		6.26	0.049	0.04	6.58	3.5	90	0.18	0.68	0.02	0.03	39.5	10.0	29	<0.05	29.3
1754805		5.54	0.037	0.03	3.54	2.9	120	0.25	0.46	0.02	0.03	24.5	3.8	43	<0.05	35.2
1754806		6.28	0.024	0.04	1.61	2.0	20	0.14	0.46	0.02	0.02	22.6	3.3	50	<0.05	38.2
1754807		6.14	0.045	0.02	8.22	3.9	90	0.10	0.51	0.01	<0.02	25.7	9.0	19	<0.05	28.1
1754808		6.08	0.028	0.03	1.26	1.5	50	0.07	0.21	0.01	<0.02	7.05	2.3	31	<0.05	10.2
1754809		5.90	0.037	0.01	8.53	2.2	50	0.11	0.55	0.02	<0.02	55.1	7.3	17	<0.05	13.8
1754810		0.06	0.346													
1754811		7.70	0.091	<0.01	9.09	4.0	110	0.10	1.21	0.03	<0.02	44.7	11.6	18	<0.05	42.6
1754812		6.92	0.057	0.01	9.17	2.2	130	0.10	0.94	0.03	<0.02	42.6	7.4	16	0.05	21.3
1754813		6.28	0.103	0.02	6.86	4.5	50	0.12	1.20	0.03	<0.02	43.2	11.2	21	<0.05	31.4
1754814		6.80	0.103	0.02	3.23	3.6	20	0.09	1.33	0.01	0.02	48.3	9.2	35	<0.05	38.3
1754815		6.76	0.048	0.02	3.96	2.3	20	0.07	0.95	0.01	<0.02	50.4	3.2	30	<0.05	22.1



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754779		3.20	0.85	0.16	2.8	0.013	<0.01	36.0	<0.2	<0.01	51	41.8	<0.01	2.6	9.4	170
1754780																
1754781		4.20	1.03	0.17	3.4	0.012	<0.01	24.8	<0.2	<0.01	78	56.2	<0.01	3.1	6.6	170
1754782		3.29	0.83	0.14	3.1	0.024	<0.01	22.9	<0.2	<0.01	46	59.6	<0.01	2.7	5.2	160
1754783		3.23	0.83	0.13	3.3	0.021	0.01	24.5	<0.2	<0.01	87	55.4	0.01	3.1	7.1	170
1754784		2.34	0.54	0.12	3.2	0.012	<0.01	18.8	<0.2	<0.01	45	63.6	<0.01	3.5	4.1	120
1754785		4.16	0.49	0.13	3.1	0.018	<0.01	18.6	<0.2	<0.01	57	37.8	<0.01	2.8	7.1	100
1754786		3.92	0.68	0.15	3.2	0.008	<0.01	24.4	<0.2	<0.01	62	51.4	<0.01	2.5	8.1	150
1754787		3.44	0.66	0.16	3.9	0.008	<0.01	34.1	<0.2	<0.01	52	66.8	<0.01	3.1	4.1	180
1754788		3.12	0.63	0.12	3.0	0.015	<0.01	20.5	<0.2	<0.01	49	53.0	<0.01	2.8	4.9	120
1754789		1.86	0.67	0.07	3.1	0.011	<0.01	27.0	<0.2	<0.01	51	58.2	<0.01	3.4	3.7	140
1754790																
1754791		3.44	0.61	0.13	3.0	0.010	<0.01	17.2	<0.2	<0.01	61	55.6	<0.01	2.7	8.7	100
1754792		2.77	0.54	0.08	3.0	0.008	<0.01	12.9	<0.2	<0.01	43	54.7	<0.01	2.9	5.6	80
1754793		2.67	0.61	0.09	2.8	0.009	<0.01	10.4	<0.2	<0.01	52	66.5	<0.01	2.9	6.2	110
1754794		2.74	0.52	0.10	3.0	0.017	<0.01	12.2	<0.2	<0.01	64	70.8	<0.01	2.9	6.3	90
1754795		2.02	0.71	0.07	2.9	0.013	<0.01	11.2	<0.2	<0.01	53	56.8	<0.01	3.0	4.1	110
1754796		2.86	0.67	0.08	2.7	<0.005	<0.01	8.5	<0.2	<0.01	75	46.9	<0.01	2.5	7.0	80
1754797		1.71	0.57	0.06	2.4	0.010	<0.01	12.1	<0.2	<0.01	45	44.9	<0.01	2.2	3.0	80
1754798		3.53	1.09	0.40	4.6	0.017	<0.01	129.5	<0.2	<0.01	54	52.1	<0.01	6.0	5.9	650
1754799		1.49	0.80	0.14	2.5	0.008	<0.01	46.6	<0.2	<0.01	49	15.20	<0.01	3.1	4.1	360
1754800																
1754801		3.18	1.78	0.12	2.2	<0.005	<0.01	26.4	<0.2	<0.01	47	24.1	<0.01	3.0	6.6	360
1754802		2.53	12.30	0.10	2.6	<0.005	0.01	21.9	0.5	<0.01	62	10.85	0.01	5.5	6.4	510
1754803		1.08	7.65	0.06	2.7	<0.005	<0.01	10.0	0.3	<0.01	33	7.48	0.01	4.2	2.1	460
1754804		1.41	9.83	0.11	2.9	<0.005	<0.01	16.0	0.2	<0.01	46	15.00	0.01	5.1	2.7	510
1754805		0.75	5.29	0.08	3.0	0.005	<0.01	10.7	<0.2	<0.01	46	11.60	0.01	4.2	2.9	440
1754806		0.90	2.94	0.09	3.2	<0.005	<0.01	10.4	<0.2	<0.01	54	13.85	0.01	4.4	1.8	240
1754807		1.31	11.60	0.07	2.8	<0.005	<0.01	12.0	0.2	<0.01	40	6.84	0.01	5.4	2.1	440
1754808		0.67	4.15	0.05	2.8	<0.005	<0.01	3.7	<0.2	<0.01	56	9.39	<0.01	4.7	2.7	100
1754809		1.04	12.30	0.10	3.4	<0.005	<0.01	28.6	<0.2	<0.01	42	6.79	0.01	6.4	1.8	360
1754810																
1754811		3.19	21.6	0.13	2.9	0.005	<0.01	20.7	0.3	<0.01	46	6.08	0.01	4.5	4.3	990
1754812		2.32	17.30	0.11	2.5	<0.005	<0.01	18.1	0.4	<0.01	48	4.24	0.01	4.2	4.2	880
1754813		3.20	18.50	0.10	3.1	<0.005	<0.01	19.1	0.7	<0.01	84	10.20	0.01	4.6	4.6	820
1754814		2.18	15.90	0.10	3.0	<0.005	<0.01	22.0	0.3	<0.01	37	8.89	<0.01	4.3	3.1	260
1754815		1.13	20.1	0.08	2.9	<0.005	<0.01	24.6	<0.2	<0.01	99	10.85	<0.01	4.1	3.5	260



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754779		19.1	<0.1	0.433	3.13	4.69	2.0	17	8.3	41.9	0.10	33.3	6.34	0.111	0.02	1.0
1754780																
1754781		15.0	<0.1	0.572	4.15	2.48	2.3	30	8.9	33.1	0.13	19.20	5.81	0.128	0.04	1.1
1754782		14.6	<0.1	0.528	3.29	2.29	2.2	23	7.4	30.9	0.12	17.70	5.20	0.120	0.03	1.1
1754783		13.0	0.2	0.603	3.01	3.56	2.3	22	8.1	61.6	0.11	19.50	5.31	0.132	0.03	1.2
1754784		10.7	<0.1	0.498	2.23	2.55	2.2	17	8.8	33.9	0.14	16.30	4.52	0.147	0.02	1.1
1754785		17.8	<0.1	0.402	4.19	1.26	2.4	30	6.8	27.0	0.16	17.10	4.65	0.106	0.08	1.1
1754786		18.5	<0.1	0.552	3.90	0.47	2.2	23	6.4	47.2	0.10	5.74	5.50	0.108	0.04	1.2
1754787		22.2	<0.1	0.620	3.40	0.34	2.6	23	8.5	58.8	0.12	4.48	6.60	0.130	0.03	1.4
1754788		14.1	<0.1	0.529	3.05	0.43	2.2	19	7.6	31.3	0.11	4.07	4.45	0.122	0.03	1.0
1754789		12.0	<0.1	0.681	1.58	0.64	1.9	9	8.4	27.9	0.12	9.93	5.37	0.149	0.02	1.0
1754790																
1754791		8.6	<0.1	0.536	3.33	1.03	2.1	21	7.2	20.3	0.10	19.05	4.30	0.119	<0.02	0.9
1754792		7.2	<0.1	0.596	2.72	0.91	2.1	16	7.7	18.4	0.11	13.20	3.46	0.127	0.02	0.8
1754793		7.5	<0.1	0.584	2.56	0.99	2.1	21	8.0	48.1	0.11	7.35	3.13	0.133	0.02	0.8
1754794		9.9	<0.1	0.489	2.53	0.99	2.3	18	8.5	15.0	0.13	13.65	3.19	0.133	0.02	0.8
1754795		5.3	<0.1	0.564	1.83	1.31	2.3	12	8.8	18.0	0.10	19.95	3.28	0.141	<0.02	0.8
1754796		5.5	<0.1	0.486	2.66	0.95	2.0	18	8.0	12.6	0.10	15.80	2.78	0.117	<0.02	0.7
1754797		5.0	<0.1	0.533	1.47	0.58	1.9	10	6.8	16.9	0.07	8.16	3.23	0.109	0.02	0.7
1754798		103.0	<0.1	0.771	3.52	0.68	3.6	25	11.5	294	0.24	6.59	17.20	0.283	0.02	2.8
1754799		67.8	<0.1	0.154	1.21	0.47	2.1	10	5.2	188.5	0.10	2.37	6.02	0.170	<0.02	1.0
1754800																
1754801		45.0	<0.1	0.497	3.19	0.37	2.0	20	4.5	120.0	0.13	3.51	3.56	0.128	<0.02	0.8
1754802		58.4	0.1	0.102	2.31	0.48	2.7	9	7.5	200	0.35	4.51	5.94	0.215	<0.02	0.8
1754803		31.0	0.1	0.147	0.91	0.38	2.9	4	4.7	117.0	0.28	1.24	3.95	0.177	<0.02	0.8
1754804		52.5	<0.1	0.406	1.19	0.45	3.2	5	6.3	216	0.33	1.82	5.37	0.200	<0.02	0.8
1754805		32.5	<0.1	0.168	0.44	0.46	3.4	3	5.2	150.5	0.27	1.03	3.81	0.201	<0.02	0.8
1754806		19.5	0.1	0.156	0.62	0.39	3.3	6	5.0	73.8	0.23	0.70	3.60	0.193	<0.02	0.9
1754807		28.3	<0.1	0.207	1.10	0.73	3.5	4	6.1	113.0	0.34	1.42	4.68	0.214	<0.02	0.8
1754808		5.6	<0.1	0.132	0.22	0.40	3.1	3	4.2	25.2	0.18	0.25	2.00	0.214	<0.02	0.8
1754809		38.6	<0.1	0.131	0.76	0.69	3.4	5	5.2	169.5	0.40	1.40	10.60	0.231	<0.02	1.1
1754810																
1754811		64.8	<0.1	0.114	3.26	0.64	3.4	14	5.2	289	0.28	1.82	7.56	0.171	<0.02	1.0
1754812		72.5	<0.1	0.061	2.24	0.61	2.9	7	6.1	365	0.29	0.82	6.19	0.165	<0.02	0.9
1754813		43.2	<0.1	0.152	3.30	0.73	3.3	13	6.2	243	0.32	1.65	5.03	0.173	<0.02	1.0
1754814		16.1	<0.1	0.078	2.16	0.60	3.4	10	4.8	90.1	0.27	1.78	3.26	0.157	0.02	0.9
1754815		12.3	<0.1	0.101	0.73	0.41	3.1	4	4.8	60.3	0.27	0.65	6.97	0.165	<0.02	0.9

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
1754779		4	3.1	4.4	<2	109.5
1754780						
1754781		5	3.0	4.9	<2	129.0
1754782		4	2.8	4.9	<2	120.0
1754783		5	3.0	4.9	3	126.0
1754784		6	3.2	4.3	2	124.5
1754785		4	2.4	4.7	2	115.0
1754786		4	2.4	4.1	<2	115.5
1754787		5	2.5	5.0	<2	144.5
1754788		5	2.6	3.9	<2	115.5
1754789		5	2.7	3.9	<2	124.5
1754790						
1754791		4	2.6	3.5	<2	115.5
1754792		4	2.6	3.5	<2	116.0
1754793		4	2.9	4.2	<2	109.0
1754794		4	2.7	3.9	<2	119.5
1754795		5	2.4	3.8	<2	111.0
1754796		4	2.2	3.6	<2	102.0
1754797		4	1.8	3.1	<2	92.7
1754798		10	4.3	7.1	<2	176.5
1754799		6	1.4	4.9	<2	99.0
1754800						
1754801		7	1.9	4.2	<2	86.4
1754802		24	2.9	4.0	<2	103.5
1754803		18	2.3	4.1	<2	104.0
1754804		22	2.4	4.7	<2	117.5
1754805		17	2.6	4.9	<2	122.0
1754806		13	2.3	4.4	<2	119.0
1754807		25	2.2	3.7	<2	111.5
1754808		11	1.7	4.2	<2	110.5
1754809		34	2.7	3.5	<2	129.0
1754810						
1754811		29	2.5	3.7	<2	111.5
1754812		27	2.1	3.3	<2	96.6
1754813		22	1.9	4.1	<2	118.5
1754814		12	1.7	5.2	<2	119.5
1754815		16	1.3	4.3	<2	116.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 11-JAN-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF23354244

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-AA23 ME-MS61</p>												
Applies to Method:	<p>Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-21</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">LOG-21</td> </tr> <tr> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> <td>SND-ALS</td> </tr> <tr> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> <td></td> </tr> </table>	CRU-21	CRU-31	CRU-QC	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21		
CRU-21	CRU-31	CRU-QC	LOG-21										
LOG-23	PUL-31	PUL-QC	SND-ALS										
SPL-22Y	WEI-21												