



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 1  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

**CERTIFICATE TF24019447**

Project: Brewer  
 P.O. No.: US23-1032301r1-PANTIN  
 This report is for 150 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 23-JAN-2024.  
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SND-ALS	Send samples to internal laboratory
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ag-OG62	Ore Grade Ag - Four Acid	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 2 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
1754816		3.24	0.016		1.52	5.05	16.0	80	0.25	7.14	0.03	<0.02	34.9	3.8	37	1.71
1754817		1.96	0.012		0.09	0.07	2.0	10	<0.05	1.98	0.01	<0.02	1.94	0.6	11	<0.05
1754818		2.74	0.008		0.08	0.05	0.8	10	<0.05	1.08	<0.01	<0.02	2.05	0.3	13	<0.05
1754819		0.78	0.048		2.33	0.93	3.0	30	<0.05	2.09	0.01	<0.02	8.66	0.7	12	0.15
1754820		4.58	0.060		0.03	0.38	1.1	10	<0.05	2.28	0.01	<0.02	9.04	0.2	5	<0.05
1754821		3.66	0.044		0.06	1.21	1.3	50	<0.05	4.02	0.02	<0.02	19.40	0.4	7	<0.05
1754822		8.10	0.010		0.10	1.65	1.0	90	<0.05	4.96	0.02	<0.02	23.9	0.4	9	<0.05
1754823		5.50	0.005		0.01	2.61	0.9	80	0.05	6.19	0.02	<0.02	23.9	0.2	12	<0.05
1754824		5.36	0.006		0.01	5.76	1.0	260	0.10	19.85	0.04	<0.02	49.8	0.3	11	<0.05
1754825		9.92	0.009		0.06	3.89	1.6	150	0.07	7.34	0.03	<0.02	30.4	0.4	10	<0.05
1754826		6.24	0.019		0.09	2.21	2.0	230	<0.05	3.85	0.03	<0.02	37.0	0.5	7	<0.05
1754827		6.12	0.025		0.06	3.61	1.4	110	0.07	4.44	0.02	<0.02	21.6	1.7	7	<0.05
1754828		4.24	0.013		0.03	6.67	1.7	270	0.12	11.10	0.03	<0.02	40.3	0.5	9	0.11
1754829		2.66	0.029		0.17	3.24	1.9	940	0.08	4.81	0.08	<0.02	36.0	0.5	7	0.05
1754830		6.36	0.017		0.04	2.79	1.6	320	0.09	5.51	0.03	<0.02	30.5	0.5	11	<0.05
1754831		4.72	0.012		0.01	2.77	1.2	340	0.07	4.93	0.03	<0.02	21.8	0.8	8	<0.05
1754832		4.88	0.008		0.03	2.88	1.2	200	0.07	5.74	0.05	<0.02	28.5	0.9	10	<0.05
1754833		0.06	0.380													
1754834		5.20	0.012		0.03	3.63	1.6	110	0.06	12.85	0.02	<0.02	18.50	1.8	15	<0.05
1754835		4.00	0.010		0.03	4.28	1.9	170	0.08	5.42	0.03	<0.02	23.5	2.0	10	0.24
1754836		6.20	0.011		0.03	3.87	1.1	120	0.07	4.27	0.02	<0.02	23.7	1.0	8	0.32
1754837		5.52	0.093		0.05	5.80	4.5	580	0.07	19.30	0.04	<0.02	42.0	0.6	8	0.31
1754838		4.20	0.133		0.03	6.56	7.0	340	0.06	8.16	0.03	<0.02	29.0	0.5	8	0.14
1754839		5.24	0.178		0.06	3.47	16.0	700	<0.05	13.25	0.03	<0.02	19.65	0.9	9	0.33
1754840		5.28	0.078		0.24	6.08	8.8	600	0.08	4.76	0.03	<0.02	34.6	1.3	7	0.49
1754841		5.66	0.116		0.24	6.97	8.8	1350	0.09	8.80	0.04	0.02	45.2	5.8	7	0.37
1754842		5.20	0.098		0.20	5.88	6.5	140	0.07	6.28	0.02	0.02	28.6	31.6	7	0.17
1754843		5.64	0.212		0.21	4.76	9.5	350	0.06	6.44	0.02	<0.02	31.3	25.4	7	0.37
1754844		5.08	0.158		0.39	5.97	9.1	260	0.07	12.85	0.03	<0.02	30.6	28.4	9	<0.05
1754845		5.64	0.332		0.83	3.99	11.6	270	0.05	14.80	0.03	0.02	28.9	37.5	9	0.18
1754846		3.98	0.223		0.65	6.11	21.0	130	0.07	8.15	0.03	<0.02	30.2	49.7	10	<0.05
1754847		3.48	0.359		1.04	5.29	30.5	270	0.06	16.60	0.01	0.02	24.2	47.0	12	0.06
1754848		0.48	<0.005													
1754849		5.76	0.482		0.52	3.00	51.4	310	<0.05	38.6	0.03	<0.02	40.7	6.7	22	0.10
1754850		4.66	0.715		0.27	6.05	32.5	1080	0.09	25.7	0.04	<0.02	43.2	2.6	12	0.28
1754851		5.72	0.125		0.32	6.31	13.8	550	0.12	5.45	0.04	<0.02	40.3	4.4	9	0.35
1754852		6.08	0.180		0.16	5.66	6.2	280	0.11	6.12	0.10	<0.02	56.0	4.0	13	0.42
1754853		6.60	0.052		0.08	5.07	7.0	280	0.07	3.60	0.03	<0.02	13.05	10.6	9	0.41
1754854		3.42	0.031		0.11	7.78	6.2	810	0.08	1.20	0.03	0.02	21.9	3.0	4	0.43
1754855		5.44	0.007		0.01	8.59	2.4	950	0.09	0.48	0.05	<0.02	60.1	1.5	4	0.65



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 2 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOD	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
1754816		48.7	3.36	14.95	0.11	3.2	0.059	0.11	15.4	14.5	0.05	107	19.20	0.02	7.6	11.4
1754817		10.0	1.34	0.46	0.07	3.2	<0.005	0.01	1.0	<0.2	0.01	71	11.15	<0.01	5.5	1.4
1754818		10.0	1.18	0.37	<0.05	1.2	<0.005	<0.01	1.0	<0.2	<0.01	98	12.75	<0.01	3.8	1.4
1754819		34.6	1.33	3.29	<0.05	1.6	0.007	0.02	3.7	1.2	0.01	104	5.69	0.01	4.9	3.0
1754820		5.3	0.46	1.47	<0.05	2.0	<0.005	0.01	4.2	<0.2	<0.01	43	4.19	<0.01	4.0	0.9
1754821		5.3	0.61	4.69	<0.05	2.1	<0.005	0.01	10.2	0.2	<0.01	55	2.21	0.01	3.2	1.2
1754822		4.0	0.55	6.40	<0.05	1.6	<0.005	0.01	14.0	0.2	<0.01	56	1.22	0.01	3.2	1.1
1754823		2.1	0.45	10.35	0.05	1.3	<0.005	0.01	14.6	0.6	<0.01	45	1.32	0.01	2.9	0.8
1754824		2.7	0.51	23.5	0.07	1.5	<0.005	0.01	31.5	1.4	<0.01	48	1.96	0.01	3.2	0.9
1754825		3.4	0.73	15.50	0.05	1.5	<0.005	0.01	18.4	1.2	<0.01	49	4.81	0.01	2.9	1.0
1754826		7.3	1.36	8.68	0.10	1.5	<0.005	0.01	19.8	0.3	<0.01	41	10.05	0.01	1.9	0.6
1754827		6.4	1.06	14.95	0.09	1.9	<0.005	0.01	11.8	0.5	<0.01	51	4.31	0.01	2.6	1.1
1754828		5.0	0.60	32.9	0.07	1.7	0.016	0.11	20.2	1.2	<0.01	55	2.03	0.02	4.5	1.1
1754829		13.4	0.76	12.80	0.09	0.7	0.008	0.03	19.6	0.5	<0.01	42	1.91	0.01	3.0	0.8
1754830		12.9	0.70	11.90	0.07	0.7	<0.005	0.02	16.0	0.7	<0.01	56	1.82	0.01	2.8	0.8
1754831		10.2	0.49	11.50	0.05	0.7	<0.005	0.01	11.6	0.7	<0.01	50	1.20	0.01	3.1	0.9
1754832		10.0	0.41	11.45	0.06	1.1	<0.005	0.02	14.2	0.9	<0.01	42	1.20	0.01	3.6	0.7
1754833																
1754834		13.1	0.46	15.85	0.06	1.4	<0.005	0.01	9.5	1.0	<0.01	44	2.43	0.01	3.8	1.0
1754835		13.4	0.43	19.90	0.06	0.9	0.033	0.26	12.1	1.6	<0.01	46	1.56	0.03	3.5	1.5
1754836		11.6	0.38	19.40	0.05	0.8	0.049	0.35	14.6	1.2	<0.01	36	1.70	0.04	3.6	0.7
1754837		17.8	1.23	36.2	0.09	1.3	0.050	0.36	24.3	1.6	<0.01	43	5.88	0.05	3.0	0.7
1754838		16.6	1.20	44.0	0.09	1.0	0.031	0.15	19.2	1.9	<0.01	44	10.60	0.03	3.3	0.7
1754839		17.8	1.09	20.5	0.08	0.8	0.059	0.37	12.2	0.7	<0.01	44	28.7	0.05	3.5	0.7
1754840		13.8	0.91	39.9	0.08	1.3	0.083	0.57	20.8	1.5	<0.01	36	13.20	0.07	4.3	0.8
1754841		183.0	1.23	47.1	0.09	1.7	0.063	0.42	27.9	2.5	<0.01	45	11.65	0.06	4.8	3.0
1754842		170.0	3.20	39.2	0.13	1.5	0.038	0.17	16.8	2.7	<0.01	39	14.10	0.03	2.4	9.7
1754843		191.5	2.58	33.0	0.12	1.8	0.074	0.39	18.8	1.5	<0.01	48	14.35	0.05	3.6	9.5
1754844		423	3.17	39.4	0.12	1.5	0.023	0.02	18.8	2.8	<0.01	50	10.95	0.01	2.6	8.0
1754845		699	5.13	32.6	0.23	2.8	0.046	0.19	17.4	1.7	<0.01	44	22.9	0.04	2.7	17.0
1754846		476	7.50	48.4	0.29	2.8	0.015	0.03	17.4	3.8	<0.01	56	15.85	0.02	2.3	26.0
1754847		616	8.06	39.7	0.27	2.6	0.016	0.05	13.8	3.1	<0.01	57	12.60	0.02	2.1	37.1
1754848																
1754849		234	3.52	15.55	0.18	3.0	0.025	0.14	21.8	0.3	<0.01	49	15.70	0.03	2.5	3.1
1754850		47.2	2.10	33.9	0.14	2.2	0.037	0.37	24.7	1.8	0.01	47	15.95	0.06	2.5	1.4
1754851		89.4	1.90	35.0	0.11	2.9	0.035	0.52	23.9	2.2	<0.01	34	9.44	0.09	3.4	1.9
1754852		9.6	1.98	28.0	0.11	3.1	0.048	0.70	34.3	0.6	0.01	40	11.60	0.10	3.4	3.4
1754853		74.3	2.74	23.9	0.09	2.9	0.037	0.73	5.8	1.3	<0.01	41	6.03	0.09	3.4	4.8
1754854		64.3	0.83	25.7	0.06	2.8	0.052	0.77	13.0	2.1	<0.01	34	4.66	0.09	3.6	1.4
1754855		35.3	0.62	31.5	0.08	2.5	0.074	1.16	33.6	2.1	0.01	31	3.39	0.14	3.3	1.1



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 2 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
1754816		210	51.7	9.4	0.004	0.08	3.99	6.8	14	3.8	93.8	0.51	12.45	10.20	0.234	0.15
1754817		40	10.0	0.4	0.002	0.01	2.06	2.0	13	7.6	23.7	0.16	1.87	1.04	0.271	<0.02
1754818		30	8.2	0.1	0.009	0.05	1.42	1.1	4	4.3	21.8	0.11	1.07	0.74	0.161	<0.02
1754819		70	21.2	1.1	0.005	0.04	2.75	2.1	5	5.2	50.2	0.23	3.83	1.88	0.177	0.02
1754820		80	32.2	0.3	0.002	0.01	1.59	2.3	<1	4.4	71.4	0.15	2.50	1.79	0.151	<0.02
1754821		240	101.5	0.3	0.002	0.03	1.83	2.4	1	3.9	216	0.15	2.52	3.57	0.131	<0.02
1754822		280	108.5	0.2	<0.002	0.04	1.01	1.7	<1	3.9	249	0.17	1.01	3.89	0.125	<0.02
1754823		310	140.0	0.3	<0.002	0.04	0.85	1.5	<1	3.6	317	0.17	1.12	4.52	0.107	<0.02
1754824		800	285	0.1	<0.002	0.09	1.11	1.6	1	5.3	657	0.20	4.88	8.49	0.119	<0.02
1754825		460	171.0	0.2	0.002	0.06	1.14	1.7	2	4.6	406	0.17	2.71	5.32	0.111	<0.02
1754826		600	241	0.2	0.002	0.09	0.89	1.6	13	3.1	593	0.11	1.60	7.75	0.074	<0.02
1754827		350	151.0	0.1	0.005	0.35	1.10	1.6	12	4.1	355	0.16	1.61	4.23	0.103	<0.02
1754828		730	333	1.5	<0.002	0.10	1.76	1.5	1	8.7	743	0.24	2.61	7.31	0.169	0.07
1754829		1730	243	0.6	<0.002	0.14	1.36	0.8	7	4.7	551	0.18	3.82	5.71	0.118	0.02
1754830		680	227	0.3	0.002	0.08	1.03	0.7	4	4.9	539	0.17	1.85	4.83	0.111	<0.02
1754831		630	145.5	0.2	0.002	0.06	0.90	0.6	<1	4.7	340	0.17	0.68	3.13	0.124	<0.02
1754832		660	211	0.4	<0.002	0.09	1.00	0.8	<1	5.5	494	0.20	0.79	4.07	0.154	<0.02
1754833																
1754834		370	130.5	0.2	<0.002	0.05	1.20	1.0	<1	6.3	296	0.21	1.53	2.59	0.154	<0.02
1754835		540	227	3.5	0.003	0.07	1.19	1.1	1	7.1	527	0.23	2.69	3.18	0.184	0.16
1754836		450	227	5.0	0.002	0.06	0.94	1.2	1	6.0	476	0.22	1.46	3.62	0.143	0.21
1754837		990	401	5.3	0.003	0.13	1.02	2.0	22	5.4	754	0.20	11.30	4.61	0.124	0.21
1754838		620	304	2.1	0.004	0.09	0.91	1.2	16	4.7	537	0.20	17.95	3.22	0.128	0.10
1754839		540	285	5.2	0.005	0.10	1.81	1.2	21	5.1	510	0.22	38.6	2.68	0.143	0.23
1754840		590	310	7.9	0.011	0.24	1.54	2.1	15	6.6	558	0.27	17.85	4.39	0.167	0.37
1754841		950	315	6.2	0.057	1.00	2.03	2.3	22	5.8	561	0.29	17.75	5.00	0.181	0.26
1754842		450	201	2.5	0.071	3.33	0.96	1.7	43	2.8	361	0.16	6.52	3.09	0.097	0.16
1754843		490	221	5.8	0.202	2.51	1.53	2.2	37	3.5	419	0.23	13.65	4.14	0.131	0.60
1754844		550	179.5	0.3	0.096	3.15	1.05	1.5	48	2.8	344	0.16	14.15	3.97	0.100	0.08
1754845		770	277	3.1	0.107	5.43	1.56	3.2	84	4.5	516	0.18	16.70	5.34	0.113	0.23
1754846		830	245	0.5	0.102	7.90	2.62	3.1	109	4.4	469	0.14	47.8	4.70	0.086	0.06
1754847		340	137.5	1.1	0.119	8.26	10.60	3.1	120	5.2	280	0.13	61.4	4.02	0.084	0.06
1754848																
1754849		620	274	2.8	0.067	0.91	48.1	3.7	65	5.0	634	0.16	165.0	6.68	0.095	0.08
1754850		740	244	6.4	0.034	0.35	41.9	3.2	33	6.7	596	0.16	168.0	5.82	0.103	0.23
1754851		780	290	10.0	0.032	0.66	7.64	4.1	25	7.3	591	0.22	26.6	4.65	0.131	0.32
1754852		1220	327	14.7	0.033	0.98	2.31	4.8	21	6.3	730	0.23	7.88	8.12	0.137	0.44
1754853		440	138.0	11.1	0.056	2.77	3.96	4.4	24	4.4	270	0.21	14.90	2.85	0.138	0.50
1754854		530	208	11.0	0.048	0.64	2.46	4.6	9	3.9	358	0.25	9.24	4.62	0.151	0.62
1754855		810	276	17.5	0.025	0.45	0.88	4.9	6	5.1	450	0.22	1.75	8.03	0.133	0.99



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 2 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Ag-OG62
		U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.1	1	0.1	0.1	2	0.5	0.001	1
1754816		1.5	65	31.6	6.2	11	127.5		
1754817		0.6	10	5.4	1.5	<2	105.5		
1754818		0.3	6	3.2	1.2	<2	44.0		
1754819		0.5	12	47.8	2.4	2	63.7		
1754820		0.5	6	3.1	2.1	<2	76.7		
1754821		0.6	6	4.5	2.5	2	86.7		
1754822		0.4	7	3.1	1.9	<2	62.6		
1754823		0.4	7	1.8	1.8	<2	52.1		
1754824		0.4	12	3.5	2.4	<2	54.7		
1754825		0.4	9	2.4	1.9	<2	69.5		
1754826		0.5	6	1.6	2.1	<2	62.7		
1754827		0.4	8	2.1	1.9	<2	73.8		
1754828		0.4	20	4.6	1.4	<2	76.6		
1754829		0.3	10	3.7	1.7	<2	30.8		
1754830		0.4	8	2.3	1.8	<2	31.7		
1754831		0.2	9	2.6	0.9	<2	23.9		
1754832		0.2	10	3.4	1.0	<2	42.0		
1754833									
1754834		0.3	10	3.5	1.0	<2	52.8		
1754835		0.3	26	3.9	0.8	<2	39.4		
1754836		0.3	31	3.4	0.9	<2	37.6		
1754837		0.4	32	3.2	1.5	<2	59.9		
1754838		0.3	26	4.4	1.2	<2	45.6		
1754839		0.3	31	5.0	0.7	<2	35.7		
1754840		0.4	45	4.6	1.1	<2	57.0		
1754841		0.6	45	6.3	1.5	<2	74.5		
1754842		0.5	27	3.3	1.4	<2	67.8		
1754843		0.5	43	4.0	1.4	<2	77.6		
1754844		0.5	19	3.0	1.3	<2	70.1		
1754845		0.9	25	3.3	2.2	<2	140.5		
1754846		0.9	19	2.8	2.6	<2	132.5		
1754847		0.9	15	2.5	2.5	<2	117.5		
1754848									
1754849		1.1	16	2.5	3.7	<2	134.5		
1754850		0.7	33	2.9	2.3	<2	102.0		
1754851		1.0	41	3.6	2.8	<2	128.5		
1754852		1.2	41	3.7	3.9	<2	138.0		
1754853		1.0	35	2.9	2.9	<2	138.5		
1754854		1.0	53	3.2	2.5	<2	116.0		
1754855		1.1	76	3.1	2.5	<2	109.0		



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 3 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOD		0.02	0.005	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
1754856		3.32	0.015		0.03	8.21	3.1	850	0.11	0.61	0.04	<0.02	61.7	2.3	5	1.09
1754857		5.92	0.038		0.19	8.05	3.4	620	0.12	7.21	0.04	<0.02	50.7	4.0	5	1.63
1754858		0.06	1.935													
1754859		5.42	0.066		0.17	10.30	3.0	190	0.17	10.80	0.04	<0.02	36.6	2.8	5	2.42
1754860		4.18	0.540		3.89	8.71	6.7	160	0.15	160.5	0.03	<0.02	18.90	6.8	5	2.25
1754861		6.00	0.334		2.33	9.14	3.6	230	0.17	61.4	0.05	<0.02	44.8	4.3	6	3.09
1754862		6.66	1.035		3.62	6.84	68.5	390	0.12	129.0	0.05	0.07	31.6	5.9	7	1.99
1754863		5.74	0.196		0.38	6.76	13.0	270	0.13	23.2	0.05	<0.02	83.1	6.8	8	1.86
1754864		5.92	0.067		0.13	9.00	6.0	790	0.18	7.32	0.04	<0.02	84.4	4.0	5	3.34
1754865		3.94	0.311		0.70	7.65	28.5	180	0.14	39.4	0.03	<0.02	73.7	17.0	6	1.87
1754866		4.12	0.742		0.49	5.88	102.0	340	0.10	37.9	0.07	0.03	65.7	31.5	8	1.20
1754867		5.42	0.154		0.19	6.78	16.9	190	0.13	14.30	0.09	0.04	101.0	20.3	7	1.14
1754868		3.52	0.077		0.19	6.83	18.6	190	0.11	6.79	0.10	0.04	79.9	14.6	9	1.27
1754869		0.38	<0.005													
1754870		6.08	0.267		1.30	6.51	97.1	190	0.09	28.9	0.09	0.06	77.9	19.1	10	0.73
1754871		4.48	0.092		0.11	4.75	6.8	120	0.05	3.88	0.07	0.02	47.9	22.0	13	0.51
1754872		6.26	0.111		0.12	4.79	15.6	170	0.05	3.53	0.07	0.06	74.5	17.8	11	0.42
1754873		5.80	0.105		0.08	6.04	7.9	290	0.05	2.34	0.08	0.02	48.1	8.6	10	0.52
1754874		4.98	0.100		0.11	5.85	9.2	120	<0.05	2.32	0.07	0.08	57.0	21.8	13	0.41
1754875		5.42	0.096		0.10	8.32	9.9	90	0.09	2.70	0.08	0.03	65.7	18.7	9	0.95
1754876		5.82	0.377		0.11	7.64	3.9	40	0.05	3.36	0.11	0.02	35.9	10.9	11	0.37
1754877		6.22	0.135		0.10	6.92	6.6	50	<0.05	3.24	0.09	0.03	37.8	7.9	17	0.27
1754878		5.64	0.204		0.10	6.40	17.8	50	<0.05	3.24	0.07	0.08	40.7	8.4	17	0.25
1754879		0.06	0.356													
1754880		6.00	0.228		0.18	6.96	15.0	170	0.12	5.07	0.06	0.10	44.6	17.2	11	1.53
1754881		5.76	0.211		0.15	5.22	4.8	200	0.09	5.16	0.03	0.03	38.5	18.0	10	1.30
1754882		6.24	0.149		0.22	5.77	5.3	130	0.06	5.78	0.03	0.02	52.4	20.4	9	0.42
1754883		6.04	0.204		0.27	5.31	4.1	200	0.06	5.12	0.03	<0.02	47.8	19.0	11	0.39
1754884		4.22	0.234		0.25	4.17	4.0	230	0.08	7.75	0.03	0.04	49.8	18.8	10	0.73
1754885		6.36	0.224		0.34	4.55	6.6	230	0.06	10.60	0.03	0.11	44.8	20.7	17	0.12
1754886		5.44	0.373		0.34	0.51	10.6	140	<0.05	8.51	0.01	0.11	38.0	25.9	21	0.05
1754887		4.62	0.651		0.56	2.29	15.8	100	<0.05	22.7	0.01	0.12	26.4	29.3	26	<0.05
1754888		5.78	0.817		0.51	4.66	19.6	160	0.07	18.30	0.02	0.13	58.8	22.3	17	<0.05
1754889		0.06	0.729													
1754890		7.20	0.351		0.33	4.04	5.1	150	0.06	8.41	0.02	0.06	58.4	21.7	24	0.10
1754891		6.28	0.327		0.33	4.37	10.8	210	0.05	10.05	0.02	0.16	51.1	22.2	23	<0.05
1754892		4.68	0.484		0.26	5.61	9.0	150	0.07	10.50	0.02	0.19	34.3	12.4	15	<0.05
1754893		4.46	0.395		0.23	6.73	5.7	120	0.09	5.41	0.02	0.06	49.8	11.4	18	<0.05
1754894		4.68	1.105		0.70	1.10	11.0	110	<0.05	10.70	0.01	0.08	41.7	21.6	23	0.25
1754895		6.22	0.556		0.22	5.21	4.4	180	0.10	4.40	0.02	0.02	79.6	11.4	13	0.17



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 3 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
1754856		49.6	1.35	33.1	0.12	2.5	0.127	1.86	31.5	1.7	0.01	34	2.92	0.19	2.8	1.6
1754857		222	2.67	27.1	0.14	2.4	0.193	2.34	25.1	1.0	0.01	33	4.41	0.23	2.2	2.3
1754858																
1754859		133.5	7.41	35.7	0.20	1.8	0.305	3.05	18.8	1.7	0.01	39	5.58	0.29	0.9	3.6
1754860		5470	8.53	35.3	0.33	1.7	0.255	2.54	7.8	1.2	0.01	42	21.8	0.24	0.8	5.6
1754861		1885	5.86	33.8	0.20	2.1	0.331	3.54	21.2	0.3	0.02	36	8.25	0.32	0.9	4.2
1754862		3880	9.55	18.45	0.27	2.1	0.252	2.44	16.0	0.5	0.01	53	17.90	0.20	0.8	6.2
1754863		375	4.83	20.6	0.19	2.5	0.197	2.28	38.2	0.6	0.01	41	12.55	0.19	1.2	3.7
1754864		153.5	3.83	28.3	0.17	2.3	0.377	3.58	40.3	0.5	0.02	36	6.87	0.30	1.1	3.0
1754865		618	9.13	18.05	0.23	2.5	0.306	2.29	31.7	1.2	0.01	51	10.80	0.17	0.6	9.3
1754866		690	10.10	19.20	0.25	2.7	0.273	1.59	28.5	1.2	<0.01	57	18.75	0.12	1.1	13.8
1754867		222	5.59	32.3	0.21	2.9	0.268	1.38	49.1	1.9	<0.01	41	15.70	0.11	1.2	6.2
1754868		217	6.68	30.3	0.23	3.1	0.361	1.62	37.5	1.2	<0.01	64	21.6	0.17	1.7	5.9
1754869																
1754870		693	7.90	23.3	0.24	2.9	0.448	1.50	37.4	0.5	<0.01	45	11.90	0.20	1.4	10.3
1754871		44.7	7.02	15.65	0.17	2.9	0.110	1.06	23.5	0.3	<0.01	56	12.70	0.07	1.6	10.6
1754872		128.5	6.51	14.50	0.17	3.2	0.079	0.90	38.3	0.3	<0.01	45	19.60	0.06	1.5	9.6
1754873		50.7	3.77	18.10	0.12	2.7	0.073	0.94	29.1	0.2	0.01	50	16.05	0.06	1.0	14.6
1754874		122.0	3.99	19.40	0.11	3.0	0.065	0.88	30.7	0.2	0.01	52	14.80	0.12	2.0	22.5
1754875		128.5	5.63	35.8	0.16	2.3	0.135	2.84	31.1	0.4	0.01	43	7.88	0.71	1.1	23.7
1754876		67.9	7.31	32.4	0.14	2.1	0.069	1.90	18.6	0.3	<0.01	55	8.53	1.11	1.1	13.6
1754877		69.1	4.95	38.6	0.12	2.6	0.071	1.60	20.6	0.3	<0.01	63	9.31	1.00	1.8	6.6
1754878		96.5	3.56	37.5	0.11	2.5	0.056	1.28	21.0	0.3	<0.01	56	8.04	1.04	1.9	5.1
1754879																
1754880		203	5.64	35.9	0.11	2.3	0.124	2.22	23.0	0.5	0.01	53	4.58	0.41	1.5	6.0
1754881		123.0	4.70	32.2	0.11	2.4	0.124	1.42	20.5	0.8	0.01	56	9.48	0.14	1.4	4.2
1754882		114.0	9.03	26.4	0.17	2.6	0.066	0.48	28.0	1.4	<0.01	76	5.04	0.06	1.3	5.1
1754883		121.0	7.17	17.20	0.14	2.7	0.064	0.50	25.1	0.9	<0.01	46	6.57	0.06	1.5	5.5
1754884		136.0	4.84	14.25	0.12	3.0	0.100	0.89	24.1	0.3	<0.01	50	7.86	0.11	2.0	6.5
1754885		208	7.00	16.90	0.14	2.6	0.037	0.16	20.6	0.6	<0.01	49	7.30	0.02	1.5	6.7
1754886		165.0	9.33	2.22	0.16	2.2	0.025	0.06	20.0	0.3	<0.01	68	6.06	0.01	1.4	13.2
1754887		237	9.65	12.00	0.20	2.0	0.016	0.04	13.2	0.6	<0.01	70	9.74	0.01	1.3	13.0
1754888		265	7.89	20.1	0.17	2.5	0.015	0.03	31.9	0.8	<0.01	65	11.00	0.02	1.4	12.0
1754889																
1754890		139.5	6.77	12.75	0.15	2.9	0.023	0.11	29.7	0.6	<0.01	67	7.65	0.03	1.8	8.2
1754891		150.0	6.45	11.75	0.12	2.8	0.013	0.03	24.8	0.6	<0.01	73	8.35	0.02	1.9	7.5
1754892		110.0	7.41	12.60	0.14	2.6	0.006	0.02	17.2	1.0	<0.01	52	9.48	0.02	1.4	4.6
1754893		105.0	4.62	16.95	0.10	2.6	0.010	0.04	25.8	1.6	<0.01	51	12.90	0.03	1.7	4.3
1754894		234	3.33	3.33	0.09	2.4	0.036	0.27	22.5	0.2	<0.01	64	42.9	0.06	2.1	5.7
1754895		65.5	4.34	14.30	0.11	2.8	0.023	0.18	39.8	2.0	<0.01	49	16.05	0.04	1.7	4.0

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 3 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
1754856		700	211	27.2	0.028	1.26	0.91	6.0	10	4.5	352	0.19	2.91	6.64	0.117	1.80
1754857		750	271	34.3	0.045	2.73	0.95	6.5	20	4.1	463	0.16	4.96	6.07	0.097	1.92
1754858																
1754859		680	216	45.6	0.052	7.98	0.43	7.6	46	5.8	386	0.06	4.00	5.05	0.044	2.11
1754860		550	113.0	41.0	0.250	9.12	0.73	6.9	118	5.6	202	0.06	44.2	2.39	0.039	1.56
1754861		800	246	56.7	0.109	6.16	0.56	8.5	55	8.8	436	0.06	26.9	5.32	0.046	2.11
1754862		710	174.5	40.3	0.252	>10.0	53.3	7.0	88	4.3	298	0.05	243	3.78	0.039	1.41
1754863		900	307	38.5	0.161	5.08	8.84	7.7	29	5.1	570	0.08	34.7	7.85	0.056	1.16
1754864		750	298	57.1	0.119	3.97	2.19	8.3	20	5.7	545	0.08	8.77	9.20	0.056	1.98
1754865		610	196.0	34.9	0.217	9.58	10.45	7.2	48	5.1	371	0.05	55.3	9.05	0.033	1.33
1754866		1080	260	22.9	0.386	>10.0	36.3	6.6	61	6.7	517	0.08	243	7.97	0.054	0.98
1754867		1490	304	20.1	0.263	5.95	8.90	6.8	39	5.4	590	0.08	31.3	13.80	0.053	0.90
1754868		1380	392	22.2	0.243	7.02	6.29	7.2	54	7.1	742	0.12	22.2	10.95	0.072	0.92
1754869																
1754870		1240	226	14.0	0.270	8.44	10.20	7.8	59	6.0	641	0.10	63.1	8.21	0.062	1.07
1754871		790	65.1	8.9	0.398	7.38	1.72	6.9	33	6.3	376	0.10	6.04	5.81	0.063	0.81
1754872		930	65.1	8.3	0.155	6.50	2.58	6.7	34	5.0	410	0.09	69.6	7.23	0.062	0.64
1754873		950	90.2	10.1	0.098	3.02	1.54	5.9	23	4.0	442	0.07	11.95	6.05	0.044	0.52
1754874		850	130.0	9.0	0.522	4.42	2.33	6.6	21	3.8	378	0.14	8.66	6.75	0.082	0.59
1754875		1180	219	14.9	0.158	8.43	1.94	7.3	25	4.6	508	0.07	11.55	7.41	0.049	1.39
1754876		1480	215	4.8	0.398	>10.0	0.55	6.2	25	2.2	459	0.07	3.19	5.11	0.048	0.67
1754877		1170	164.0	3.7	0.234	9.28	1.01	7.3	20	3.1	448	0.12	5.24	5.54	0.074	0.40
1754878		1030	152.5	3.8	0.160	7.58	2.56	6.0	16	3.0	460	0.12	17.35	5.79	0.073	0.39
1754879																
1754880		1000	260	28.6	0.156	6.49	3.99	7.0	22	4.2	473	0.10	21.5	6.22	0.067	1.10
1754881		690	208	21.5	0.304	4.78	1.37	6.2	19	5.2	559	0.11	10.80	6.24	0.060	0.70
1754882		850	178.0	6.5	0.145	9.53	0.60	6.0	34	4.5	505	0.09	6.84	6.45	0.049	0.31
1754883		1020	167.0	6.2	0.153	7.57	0.65	5.4	28	4.5	467	0.11	8.18	6.28	0.063	0.35
1754884		630	119.0	14.7	0.243	4.99	0.49	5.7	24	5.7	347	0.13	7.53	6.83	0.080	0.61
1754885		900	85.7	2.1	0.113	7.31	0.84	4.7	33	3.1	266	0.10	10.15	5.98	0.056	0.18
1754886		320	35.6	0.9	0.096	9.53	0.79	3.3	43	2.0	164.5	0.09	13.60	4.66	0.057	0.09
1754887		360	45.3	0.7	0.125	9.40	1.89	3.7	69	3.2	154.0	0.09	34.1	3.66	0.053	0.06
1754888		440	87.6	0.5	0.183	7.47	1.10	4.6	47	3.4	259	0.09	21.9	7.94	0.055	0.05
1754889																
1754890		440	111.5	1.7	0.108	6.91	0.72	5.2	35	2.7	301	0.12	17.85	8.06	0.075	0.08
1754891		620	133.0	0.5	0.101	6.51	1.48	4.9	30	2.4	363	0.12	23.5	6.77	0.074	0.05
1754892		590	86.1	0.3	0.107	7.76	2.22	4.3	32	2.3	266	0.09	21.7	5.02	0.057	0.04
1754893		640	117.5	0.6	0.146	4.59	0.61	4.4	19	2.9	343	0.11	18.10	6.99	0.066	0.05
1754894		250	51.8	4.4	0.383	2.59	0.82	3.9	21	6.7	172.5	0.14	26.3	5.93	0.091	0.24
1754895		590	59.6	3.0	0.148	4.17	0.54	5.2	20	5.2	276	0.12	13.45	12.75	0.066	0.14





ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 3 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Ag-OG62
		U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.1	1	0.1	0.1	2	0.5	0.001	1
1754856		1.0	84	2.5	4.6	<2	109.0		
1754857		0.9	87	2.0	4.6	<2	97.9		
1754858									
1754859		0.6	116	0.9	3.2	<2	74.6		
1754860		0.7	95	0.9	3.4	<2	74.2		
1754861		0.8	117	0.8	4.6	<2	91.2		
1754862		0.8	75	0.8	5.9	2	90.4		
1754863		1.0	75	1.3	6.0	<2	111.0		
1754864		0.9	117	0.9	4.1	<2	99.3		
1754865		1.0	75	0.7	8.5	<2	102.5		
1754866		1.1	56	1.2	5.4	<2	109.5		
1754867		1.1	46	1.4	4.8	<2	127.5		
1754868		1.2	45	1.7	6.1	<2	135.5		
1754869									
1754870		1.5	51	1.9	6.8	<2	128.0		
1754871		1.2	43	1.8	7.6	<2	130.5		
1754872		1.3	41	1.7	5.3	<2	136.0		
1754873		1.0	44	1.2	4.8	<2	119.5		
1754874		1.0	48	1.5	4.2	3	124.5		
1754875		0.9	83	0.7	3.1	<2	94.4		
1754876		0.9	76	1.0	3.0	<2	88.6		
1754877		1.4	77	1.2	4.0	<2	108.5		
1754878		1.1	78	1.2	3.7	2	105.0		
1754879									
1754880		0.9	88	0.9	3.7	<2	98.9		
1754881		1.0	84	1.0	4.2	<2	100.5		
1754882		1.0	42	0.8	4.9	<2	107.0		
1754883		1.0	36	1.1	5.9	<2	105.5		
1754884		1.2	42	1.4	7.4	<2	125.5		
1754885		1.1	21	0.8	7.9	<2	108.0		
1754886		0.8	5	0.9	9.9	<2	88.6		
1754887		0.7	9	0.9	7.6	<2	83.4		
1754888		0.9	9	0.9	6.1	2	107.0		
1754889									
1754890		1.2	13	1.0	6.7	<2	121.5		
1754891		1.1	11	1.0	8.2	<2	124.0		
1754892		1.0	12	0.9	6.5	2	105.0		
1754893		1.0	15	1.0	6.3	<2	106.5		
1754894		0.9	15	1.9	7.7	<2	102.0		
1754895		1.1	18	1.1	8.5	<2	115.0		



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 4 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOD		0.02	0.005	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
1754896		5.64	0.563		0.26	3.76	4.4	210	0.07	5.67	0.02	0.05	44.0	23.5	21	<0.05
1754897		5.74	0.771		0.51	1.46	6.1	120	<0.05	16.90	0.02	0.10	56.0	31.0	22	0.10
1754898		6.14	1.410		0.85	4.50	22.0	180	0.07	26.5	0.02	0.26	69.6	34.2	20	<0.05
1754899		0.06	1.865													
1754900		5.38	0.761		0.59	3.98	11.0	680	0.07	24.9	0.03	0.17	54.4	11.4	20	0.15
1754901		3.74	1.940		1.08	1.46	17.8	110	<0.05	38.1	0.02	0.21	40.0	116.0	20	0.17
1754902		4.04	1.200		0.50	3.08	10.0	120	0.06	37.6	0.02	0.09	45.9	41.9	16	0.12
1754903		5.30	1.545		1.88	0.39	30.0	90	<0.05	80.9	0.01	0.16	24.7	109.0	22	<0.05
1754904		8.06	2.37		6.01	0.38	48.2	160	<0.05	222	0.01	<0.02	40.5	217	24	<0.05
1754905		4.70	2.97		15.05	1.43	31.5	80	<0.05	1020	0.01	<0.02	47.3	92.2	31	<0.05
1754906		5.12	3.82		15.50	0.34	73.5	20	<0.05	660	<0.01	<0.02	27.8	292	25	<0.05
1754907		4.50	2.79		3.99	0.49	21.7	50	<0.05	89.0	0.02	<0.02	61.9	106.0	27	<0.05
1754908		4.20	4.26		7.14	0.23	229	70	<0.05	421	0.01	1.19	22.9	129.0	34	<0.05
1754909		0.06	7.61													
1754910		5.20	2.41		4.16	0.13	593	20	<0.05	230	<0.01	3.42	19.40	191.5	22	<0.05
1754911		6.84	3.63		6.42	0.21	1335	40	<0.05	472	0.01	7.98	23.4	235	19	<0.05
1754912		4.42	2.37		6.74	0.23	1650	220	<0.05	586	0.01	10.55	29.0	252	10	<0.05
1754913		9.48	2.57		9.25	0.26	2180	40	<0.05	762	0.01	14.45	24.5	270	9	<0.05
1754914		6.84	2.48		10.75	0.35	1835	50	<0.05	605	0.01	12.80	21.4	288	12	<0.05
1754915		6.08	2.27		13.75	0.20	3710	50	<0.05	1170	0.01	30.4	22.5	263	22	<0.05
1754916		6.46	2.41		8.84	0.44	2020	200	<0.05	753	<0.01	14.35	14.15	220	12	<0.05
1754917		6.58	3.13		6.44	0.50	1195	40	<0.05	478	0.01	7.00	18.50	221	11	<0.05
1754918		5.28	1.515		5.90	0.38	1190	40	<0.05	547	<0.01	8.49	7.11	283	8	<0.05
1754919		0.54	0.013													
1754920		4.72	3.67		9.05	0.12	1280	20	<0.05	592	<0.01	6.96	6.44	262	14	<0.05
1754921		5.76	2.73		2.64	0.16	97.1	20	<0.05	70.9	<0.01	0.31	11.30	135.5	21	<0.05
1754922		1.98	>10.0	17.95	2.58	0.12	14.1	20	<0.05	46.2	<0.01	0.17	9.97	18.1	30	<0.05
1754923		5.42	1.720		0.54	0.26	28.7	10	<0.05	18.70	<0.01	0.12	7.63	25.0	26	<0.05
1754924		5.58	2.42		1.40	0.31	28.6	10	<0.05	37.6	<0.01	0.12	6.29	33.7	24	0.07
1754925		5.94	2.24		1.42	0.35	33.2	110	<0.05	39.1	<0.01	0.15	5.52	30.7	32	<0.05
1754926		6.38	1.080		1.52	0.27	44.3	50	<0.05	49.8	<0.01	0.17	8.32	36.0	31	<0.05
1754927		4.34	0.719		0.62	0.47	24.8	70	<0.05	22.7	0.01	0.10	26.8	34.1	23	<0.05
1754928		5.16	0.836		0.68	0.90	24.3	90	<0.05	24.3	0.01	0.14	24.4	37.8	22	<0.05
1754929		0.06	1.800													
1754930		3.50	0.376		0.37	1.30	18.1	100	<0.05	9.85	0.03	0.09	38.8	18.6	26	0.06
1754931		4.66	0.833		0.33	3.63	14.0	170	0.06	9.39	0.03	0.08	48.0	14.5	24	0.10
1754932		4.56	0.302		0.17	4.04	11.8	140	0.06	4.48	0.03	0.09	49.2	8.8	22	<0.05
1754933		4.42	0.962		0.37	1.92	9.5	240	<0.05	5.01	0.02	0.06	37.5	9.8	25	0.07
1754934		6.06	1.950		0.65	3.96	9.1	250	0.06	8.25	0.01	0.03	66.9	13.6	20	0.09
1754935		4.96	1.055		0.71	4.56	56.9	190	0.05	29.8	0.02	0.39	43.9	25.0	23	<0.05



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 4 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOD	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
1754896		134.0	5.12	11.35	0.11	2.1	0.014	0.02	24.0	1.8	<0.01	54	10.90	0.02	1.3	8.5
1754897		355	6.92	4.70	0.13	2.0	0.029	0.11	29.2	0.3	<0.01	71	11.45	0.03	1.5	10.6
1754898		454	5.33	11.65	0.16	2.5	0.022	0.04	33.9	1.1	<0.01	61	41.1	0.04	1.9	10.4
1754899																
1754900		351	1.80	11.40	0.08	1.6	0.039	0.13	28.0	1.3	<0.01	55	7.27	0.03	1.4	3.3
1754901		587	10.25	5.30	0.20	1.8	0.069	0.19	19.7	0.3	<0.01	66	28.2	0.04	1.3	23.4
1754902		736	7.44	9.92	0.16	2.2	0.053	0.12	22.8	0.7	<0.01	61	8.54	0.03	1.5	15.3
1754903		1515	13.10	2.18	0.23	2.0	0.112	0.04	11.4	0.2	<0.01	64	22.5	0.02	1.0	29.7
1754904		5200	22.9	2.37	0.42	2.8	0.138	0.02	20.1	0.3	<0.01	78	36.1	0.03	1.7	49.4
1754905		>10000	9.24	6.59	0.36	2.1	0.714	0.01	23.2	0.3	<0.01	57	13.10	0.03	1.4	25.9
1754906		>10000	20.6	2.29	0.52	1.9	0.548	0.01	14.2	0.2	<0.01	92	117.5	0.02	0.9	62.6
1754907		1260	9.61	2.69	0.19	2.1	0.107	0.01	29.2	<0.2	<0.01	76	17.55	0.01	1.1	22.0
1754908		7070	11.85	1.60	0.33	2.1	0.718	0.01	11.6	<0.2	<0.01	73	37.5	0.01	0.9	32.1
1754909																
1754910		3680	23.1	1.06	0.44	3.4	0.300	<0.01	10.2	<0.2	<0.01	74	45.3	<0.01	1.9	46.3
1754911		7400	31.4	1.52	0.66	3.3	0.563	0.01	12.3	<0.2	<0.01	75	44.1	0.01	2.2	79.5
1754912		9160	44.5	1.68	1.01	1.7	0.712	0.01	14.4	0.4	<0.01	63	18.70	<0.01	1.9	105.5
1754913		>10000	44.3	1.74	0.97	1.9	0.797	0.01	12.4	0.4	<0.01	52	69.7	<0.01	1.6	94.2
1754914		>10000	37.8	2.51	0.99	2.3	0.654	0.01	10.4	0.4	<0.01	65	84.0	<0.01	1.5	116.5
1754915		>10000	27.1	1.76	1.11	2.7	1.260	<0.01	11.2	0.3	<0.01	75	94.9	<0.01	1.4	77.9
1754916		>10000	37.9	2.78	1.00	1.9	0.771	0.01	5.7	0.3	<0.01	54	29.4	<0.01	1.1	71.7
1754917		7280	37.4	3.16	0.89	2.2	0.524	0.01	9.5	0.3	<0.01	68	65.5	<0.01	1.6	46.1
1754918		7860	43.4	2.43	1.00	2.3	0.628	<0.01	3.3	0.4	<0.01	64	63.2	<0.01	1.4	65.9
1754919																
1754920		7700	32.1	0.70	0.87	1.5	0.565	0.01	3.1	0.4	<0.01	70	64.7	<0.01	1.2	63.9
1754921		1155	21.1	0.93	0.51	1.9	0.149	0.02	4.9	0.2	<0.01	89	119.0	0.01	1.1	36.1
1754922		521	4.29	0.56	0.14	0.8	0.037	0.02	4.8	<0.2	<0.01	66	13.55	0.01	0.5	6.7
1754923		186.5	8.78	1.13	0.20	2.0	0.052	0.04	3.8	<0.2	<0.01	82	13.90	0.01	1.2	6.8
1754924		466	8.51	1.27	0.21	2.1	0.062	0.08	3.3	<0.2	<0.01	63	23.5	0.01	1.1	7.7
1754925		742	7.26	1.41	0.18	2.2	0.054	0.03	2.5	<0.2	<0.01	69	20.3	0.01	1.2	6.6
1754926		1025	9.99	1.14	0.23	1.8	0.089	0.02	3.8	<0.2	<0.01	68	10.85	<0.01	1.1	9.3
1754927		380	12.65	2.00	0.27	2.2	0.037	0.02	13.1	<0.2	<0.01	61	6.67	0.01	1.0	7.7
1754928		386	11.90	3.29	0.27	2.0	0.036	0.02	10.9	<0.2	<0.01	73	14.90	0.01	1.0	7.3
1754929																
1754930		170.5	7.95	4.49	0.21	2.2	0.030	0.08	18.8	<0.2	<0.01	62	19.70	0.01	1.1	3.9
1754931		96.8	6.00	10.55	0.21	2.5	0.021	0.11	25.2	0.3	<0.01	57	16.15	0.02	1.7	4.9
1754932		46.7	4.51	11.00	0.16	2.5	0.018	0.03	22.9	0.5	<0.01	56	5.84	0.02	2.1	3.2
1754933		34.6	3.69	3.86	0.14	1.1	0.010	0.04	19.6	<0.2	<0.01	71	6.54	0.01	1.0	6.4
1754934		39.4	4.80	6.34	0.18	1.9	0.010	0.07	33.0	0.5	<0.01	54	7.59	0.02	1.4	5.9
1754935		396	6.82	7.45	0.19	2.3	0.036	0.03	21.2	0.5	<0.01	61	21.3	0.01	2.0	7.6



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 4 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
1754896		490	52.5	0.4	0.168	5.29	0.52	3.7	31	3.0	222	0.09	15.10	6.08	0.055	0.08
1754897		550	65.6	1.8	0.141	7.00	0.90	3.4	38	4.1	265	0.11	15.70	7.48	0.062	0.12
1754898		740	89.7	0.6	0.458	5.54	1.89	3.7	38	9.0	375	0.13	34.3	9.59	0.076	0.07
1754899																
1754900		730	91.8	2.4	0.115	1.44	0.89	3.3	13	8.3	356	0.10	19.25	7.41	0.058	0.09
1754901		450	77.4	3.2	0.395	>10.0	2.32	3.4	76	7.8	332	0.09	28.6	4.78	0.050	0.17
1754902		560	62.2	2.0	0.151	7.72	1.92	3.9	53	6.3	289	0.11	29.9	6.25	0.061	0.09
1754903		150	47.8	0.7	0.301	>10.0	2.42	2.7	90	74.9	97.0	0.07	47.0	3.05	0.045	0.72
1754904		230	91.6	0.2	0.294	>10.0	3.24	3.8	165	221	151.5	0.11	90.5	5.32	0.066	0.56
1754905		230	100.0	0.2	0.267	>10.0	2.35	2.8	160	68.4	177.0	0.10	108.5	5.38	0.065	0.22
1754906		110	105.0	0.1	0.636	>10.0	7.56	3.0	228	>500	75.4	0.07	229	3.48	0.040	0.52
1754907		320	167.0	0.1	0.142	9.92	1.76	3.2	63	67.6	270	0.08	78.9	8.61	0.048	0.11
1754908		120	67.1	0.2	0.270	>10.0	26.1	3.1	141	63.2	88.7	0.06	421	3.87	0.041	0.14
1754909																
1754910		80	70.1	<0.1	0.568	>10.0	76.2	3.9	193	22.5	55.3	0.12	>500	3.60	0.077	0.21
1754911		110	65.2	0.1	0.543	>10.0	122.0	4.1	294	19.8	77.2	0.14	>500	4.33	0.091	0.17
1754912		130	79.7	<0.1	0.291	>10.0	151.5	2.1	456	16.6	94.1	0.11	>500	4.35	0.078	0.09
1754913		120	67.9	<0.1	0.704	>10.0	200	2.4	436	26.1	88.0	0.11	>500	3.84	0.070	0.09
1754914		110	78.5	<0.1	0.455	>10.0	165.0	3.1	388	37.8	82.0	0.10	>500	3.09	0.074	0.23
1754915		100	55.0	<0.1	0.407	>10.0	245	3.6	460	42.6	74.8	0.08	>500	3.44	0.068	0.24
1754916		80	63.9	<0.1	0.359	>10.0	268	2.5	407	13.9	63.8	0.07	>500	2.31	0.050	0.15
1754917		140	111.0	<0.1	1.285	>10.0	167.0	2.7	343	15.9	119.5	0.10	>500	2.88	0.072	0.22
1754918		70	76.0	<0.1	1.285	>10.0	182.0	2.6	397	13.9	63.1	0.08	>500	2.20	0.064	0.16
1754919																
1754920		50	57.7	<0.1	0.201	>10.0	248	2.3	358	17.4	25.9	0.07	>500	1.48	0.055	0.14
1754921		60	62.7	0.1	0.836	>10.0	9.31	2.6	186	16.3	39.7	0.08	112.5	2.37	0.054	0.16
1754922		50	21.3	0.3	0.182	4.22	1.58	1.2	28	2.5	33.6	<0.05	179.0	1.39	0.024	0.03
1754923		50	35.2	0.4	0.151	9.15	3.83	2.9	52	7.3	31.6	0.09	36.0	1.88	0.057	0.07
1754924		40	24.1	1.2	0.250	9.14	3.20	3.3	64	10.1	22.1	0.08	39.9	1.88	0.048	0.08
1754925		30	34.0	0.4	0.155	7.69	6.82	3.5	49	8.1	16.4	0.08	58.9	2.12	0.059	0.06
1754926		40	32.6	0.1	0.052	>10.0	3.67	3.2	68	10.2	22.6	0.07	40.6	1.89	0.053	0.16
1754927		150	64.9	0.1	0.037	>10.0	1.80	3.3	81	4.9	87.3	0.07	18.55	2.68	0.041	0.05
1754928		200	65.3	0.1	0.068	>10.0	4.96	3.0	86	5.5	106.0	0.07	31.1	2.21	0.044	0.05
1754929																
1754930		360	104.5	1.1	0.082	8.52	1.32	3.5	52	4.7	247	0.07	16.55	3.80	0.050	0.10
1754931		550	140.5	1.5	0.090	6.32	0.91	3.9	36	6.0	436	0.12	22.6	6.49	0.075	0.11
1754932		500	99.4	0.4	0.046	4.42	1.38	3.4	19	7.3	363	0.15	16.55	5.75	0.099	0.04
1754933		400	66.9	0.6	0.071	3.40	0.79	1.7	15	3.0	250	0.06	29.9	4.27	0.045	0.06
1754934		250	67.6	1.2	0.093	4.98	0.63	2.5	24	3.2	229	0.09	70.4	7.15	0.060	0.13
1754935		370	73.5	0.3	0.262	7.28	6.99	2.9	39	5.9	251	0.13	92.0	5.09	0.096	0.05



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 4 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24019447
------------------------------------

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Ag-OG62
	Analyte	U	V	W	Y	Zn	Zr	Cu	Ag
	Units LOD	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5	% 0.001	ppm 1
1754896		0.8	9	1.0	5.8	<2	86.7		
1754897		0.7	10	1.3	5.4	<2	79.1		
1754898		0.8	12	1.4	6.4	3	97.9		
1754899									
1754900		0.6	16	0.9	4.3	2	64.6		
1754901		0.6	12	1.0	5.2	2	75.9		
1754902		0.7	13	1.2	5.5	<2	92.7		
1754903		0.6	4	0.9	5.2	6	81.0		
1754904		1.1	4	1.5	7.4	7	115.0		
1754905		0.8	7	1.9	5.3	4	82.3	2.50	
1754906		0.7	4	1.9	4.0	33	72.1	1.465	
1754907		0.8	4	2.4	5.3	5	81.0		
1754908		0.8	4	1.6	4.8	26	84.3		
1754909									
1754910		1.1	7	2.6	5.6	65	132.5		
1754911		1.3	8	2.7	6.6	137	142.5		
1754912		0.8	8	2.2	3.4	165	71.2		
1754913		0.9	8	2.2	3.5	217	78.6	1.175	
1754914		0.9	9	2.9	4.6	139	90.4	1.075	
1754915		1.1	7	2.3	5.6	430	103.0	1.990	
1754916		0.7	7	1.3	3.8	186	76.3	1.160	
1754917		0.9	10	1.9	4.2	90	83.4		
1754918		0.9	10	1.4	3.8	90	94.7		
1754919									
1754920		0.6	5	1.6	4.1	119	60.5		
1754921		0.7	4	2.0	4.8	6	72.4		
1754922		0.2	2	0.5	2.1	2	29.2		
1754923		0.6	4	0.9	6.5	2	75.1		
1754924		0.7	6	1.0	6.6	<2	79.0		
1754925		0.8	4	0.9	8.2	<2	86.3		
1754926		0.7	4	1.1	7.1	6	72.7		
1754927		0.9	4	0.8	6.4	2	85.2		
1754928		0.7	5	0.8	6.4	<2	77.8		
1754929									
1754930		0.9	9	0.8	8.3	<2	89.2		
1754931		1.0	15	1.3	8.2	<2	101.0		
1754932		1.0	12	2.1	8.6	<2	99.5		
1754933		0.5	7	0.9	4.9	<2	45.2		
1754934		0.7	11	1.2	5.7	<2	77.4		
1754935		0.8	13	2.1	5.8	4	90.8		

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 5 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.005	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
1754936		5.88	0.214		0.14	4.87	9.8	150	0.07	3.13	0.01	0.03	40.1	8.9	22	<0.05
1754937		2.36	0.102		0.12	6.01	6.5	260	0.12	2.30	0.03	0.02	55.6	6.6	11	0.08
1754938		4.06	0.895		0.32	4.74	5.9	60	0.08	3.27	0.01	0.03	45.6	7.9	19	0.10
1754939		0.06	7.52													
1754940		4.04		372	>100	4.68	8.3	50	0.05	4580	0.01	0.05	47.2	6.8	17	0.10
1754941		0.46	0.292													
1754942		4.54	>10.0	33.2	13.05	5.73	5.8	150	0.07	64.1	0.01	0.05	57.7	9.4	13	0.06
1754943		3.82	0.567		0.30	4.89	3.0	100	0.06	7.56	0.03	0.04	42.4	7.9	15	0.05
1754944		3.32	0.074		0.17	4.52	3.7	90	0.05	4.50	0.04	0.05	38.8	7.9	13	<0.05
1754945		5.70	0.177		0.12	5.73	4.6	120	0.06	3.60	0.03	0.03	36.4	8.1	11	0.10
1754946		5.40	0.158		0.09	4.66	3.8	180	0.07	3.47	0.02	0.03	39.4	9.5	18	0.32
1754947		5.66	0.125		0.09	4.33	4.7	240	0.09	3.74	0.05	0.05	48.4	10.8	18	0.41
1754948		5.08	0.058		0.06	5.32	3.2	220	0.10	2.69	0.02	0.04	58.1	9.1	11	0.11
1754949		6.12	0.017		0.02	0.18	0.9	10	<0.05	0.40	<0.01	0.03	4.45	1.1	40	0.07
1754950		4.68	0.098		0.16	5.86	6.2	180	0.09	7.71	0.04	0.08	42.9	15.6	14	0.37
1754951		0.06	0.363													
1754952		6.06	0.166		0.24	6.65	3.9	90	0.14	7.72	0.03	0.04	34.7	18.2	12	0.25
1754953		6.08	0.102		0.17	6.95	3.6	210	0.08	7.75	0.03	0.03	38.3	16.6	9	0.19
1754954		5.76	0.063		0.08	4.73	2.7	330	0.07	4.54	0.02	0.04	65.9	11.4	11	0.26
1754955		4.06	0.025		0.04	3.55	2.1	230	0.05	2.71	0.01	0.02	41.4	6.9	15	0.30
1754956		5.34	0.080		0.02	0.71	1.1	20	<0.05	0.33	<0.01	0.03	11.25	11.9	34	0.21
1754957		4.66	0.029		0.03	8.18	1.4	280	0.22	1.42	0.03	<0.02	64.6	13.6	7	2.84
1754958		6.40	0.033		0.02	7.16	3.3	360	0.18	1.33	0.03	<0.02	54.1	6.7	6	1.90
1754959		3.74	0.026		0.02	7.55	2.4	110	0.18	1.10	0.02	0.06	63.1	8.8	5	1.72
1754960		5.44	0.006		0.01	0.23	1.4	40	<0.05	0.13	<0.01	0.05	2.24	2.2	37	0.15
1754961		3.76	0.109		0.07	1.14	2.8	10	<0.05	1.27	<0.01	0.04	10.65	66.2	29	0.16
1754962		5.82	0.019		0.02	8.69	2.6	150	0.19	1.16	0.03	0.03	106.5	17.6	9	2.21
1754963		5.74	0.085		0.05	0.04	3.0	10	<0.05	0.55	<0.01	0.02	0.47	88.7	33	0.05
1754964		6.30	0.024		0.04	4.74	1.9	40	0.07	1.28	0.01	0.02	36.6	22.8	21	0.39
1754965		6.08	0.035		0.02	5.88	2.4	30	0.10	0.99	0.01	0.02	43.4	16.7	21	0.41



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 5 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
1754936		27.2	4.32	9.09	0.14	2.4	0.009	0.02	18.3	0.5	<0.01	69	5.71	0.01	2.3	3.5
1754937		33.2	2.87	10.85	0.14	2.6	0.009	0.06	28.4	1.0	<0.01	34	4.35	0.02	2.9	1.9
1754938		26.1	3.95	9.12	0.14	2.3	0.010	0.07	24.6	0.5	<0.01	49	5.51	0.02	1.8	4.1
1754939																
1754940		245	3.75	8.96	0.86	2.1	0.011	0.08	26.5	0.3	<0.01	58	7.75	0.02	1.7	3.0
1754941																
1754942		91.4	4.84	10.40	0.17	2.5	0.011	0.03	32.0	0.6	<0.01	43	14.70	0.02	2.1	4.4
1754943		37.0	4.37	8.77	0.14	2.4	0.013	0.03	21.9	0.4	<0.01	51	8.26	0.01	2.1	2.8
1754944		69.3	4.11	7.81	0.13	2.6	0.009	0.02	18.6	<0.2	<0.01	50	5.91	0.01	2.2	3.0
1754945		44.2	4.14	9.88	0.14	2.8	0.017	0.11	17.4	<0.2	<0.01	42	5.97	0.02	2.4	2.8
1754946		34.5	3.85	8.76	0.14	2.7	0.056	0.46	18.8	<0.2	<0.01	52	5.45	0.05	2.5	3.3
1754947		51.5	4.66	8.76	0.16	2.5	0.065	0.55	25.1	<0.2	0.01	46	9.30	0.07	2.0	3.8
1754948		37.6	5.03	9.74	0.15	2.5	0.016	0.09	30.5	1.0	<0.01	43	6.19	0.03	1.7	2.9
1754949		11.2	0.89	0.61	0.07	0.1	0.005	0.04	2.1	<0.2	<0.01	84	3.47	0.01	0.1	1.3
1754950		107.5	4.02	20.8	0.14	2.8	0.070	0.50	19.5	0.9	<0.01	45	4.09	0.06	2.7	4.5
1754951																
1754952		115.5	5.14	28.1	0.09	3.3	0.024	0.11	16.8	3.2	<0.01	43	6.73	0.03	4.1	4.4
1754953		116.5	3.79	29.6	0.09	3.5	0.029	0.19	18.6	1.9	<0.01	44	7.39	0.03	4.7	4.0
1754954		63.1	3.54	16.25	0.10	3.2	0.027	0.24	36.3	1.0	<0.01	46	7.53	0.03	4.1	4.0
1754955		17.6	2.76	11.35	0.07	2.9	0.035	0.29	21.3	0.7	<0.01	47	6.61	0.04	3.3	3.4
1754956		16.7	2.27	1.98	0.07	0.1	0.016	0.15	6.8	<0.2	<0.01	83	3.00	0.02	0.3	10.8
1754957		20.0	4.70	23.1	0.12	1.8	0.287	2.65	34.0	0.8	0.01	39	1.81	0.32	2.6	7.3
1754958		17.3	3.86	16.00	0.13	2.5	0.144	2.00	25.2	1.1	0.01	34	1.57	0.22	3.2	2.7
1754959		9.9	3.67	15.10	0.12	2.4	0.146	1.84	32.6	1.3	0.01	34	1.80	0.21	4.0	4.8
1754960		8.6	1.04	0.73	<0.05	0.1	0.011	0.07	1.3	<0.2	<0.01	82	2.96	0.01	0.1	2.3
1754961		27.6	13.75	1.88	0.22	0.3	0.015	0.08	6.1	<0.2	<0.01	76	2.62	0.02	0.1	48.8
1754962		8.5	4.16	14.95	0.17	2.7	0.146	1.94	55.0	2.4	0.01	36	5.55	0.33	3.0	9.5
1754963		12.9	11.75	0.22	0.19	<0.1	<0.005	0.01	<0.5	<0.2	<0.01	86	2.60	<0.01	<0.1	43.7
1754964		18.1	4.53	11.60	0.09	1.8	0.023	0.22	20.7	1.5	<0.01	54	5.10	0.07	2.0	11.5
1754965		13.7	4.38	9.03	0.09	1.7	0.020	0.20	23.1	1.5	<0.01	54	2.87	0.09	1.7	9.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 5 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
1754936		310	61.5	0.3	0.048	4.42	0.77	3.1	17	5.2	220	0.15	12.90	4.68	0.097	0.02
1754937		430	65.9	0.8	0.062	2.96	0.91	3.5	12	4.9	288	0.20	6.92	6.02	0.134	0.04
1754938		250	37.4	1.1	0.063	4.05	0.62	2.9	16	3.5	167.5	0.13	19.50	5.04	0.082	0.05
1754939																
1754940		170	47.4	1.4	0.087	3.76	2.71	2.9	405	3.0	133.5	0.11	>500	5.72	0.077	0.06
1754941																
1754942		260	48.0	0.5	0.167	5.17	0.66	3.2	26	2.6	203	0.14	>500	6.64	0.092	0.06
1754943		590	54.9	0.4	0.067	4.51	0.74	2.5	14	2.5	320	0.15	19.70	5.43	0.092	0.02
1754944		830	95.9	0.2	0.044	4.26	0.76	2.4	12	1.8	463	0.15	4.89	5.22	0.101	0.02
1754945		560	79.1	1.5	0.086	4.35	0.74	3.2	13	2.1	346	0.18	5.74	5.22	0.112	0.10
1754946		430	75.3	5.8	0.067	3.90	0.75	3.8	14	2.5	268	0.17	5.34	5.30	0.111	0.41
1754947		860	93.0	7.9	0.106	4.93	1.04	4.4	19	3.7	360	0.14	6.02	6.26	0.091	0.44
1754948		450	61.7	1.7	0.096	5.33	0.59	4.0	15	1.7	306	0.11	3.86	7.91	0.077	0.06
1754949		30	5.0	0.4	0.003	0.10	0.15	0.2	<1	0.3	22.4	<0.05	1.59	0.65	0.005	0.02
1754950		800	172.0	6.6	0.064	4.22	0.88	4.5	15	5.4	549	0.20	6.19	5.10	0.125	0.36
1754951																
1754952		670	168.0	3.0	0.142	5.54	0.97	4.6	15	5.6	526	0.32	4.68	4.75	0.141	0.11
1754953		670	118.5	2.9	0.158	3.98	1.04	5.6	8	6.7	478	0.31	3.93	5.09	0.155	0.17
1754954		420	55.8	4.2	0.149	3.60	1.13	4.9	8	4.7	249	0.27	2.70	10.05	0.134	0.17
1754955		360	46.2	4.7	0.099	2.77	0.79	4.4	6	3.5	198.5	0.22	2.15	6.92	0.107	0.21
1754956		40	5.7	3.0	0.007	1.73	0.24	0.6	5	0.6	24.0	<0.05	0.82	1.60	0.010	0.10
1754957		570	55.9	45.3	0.041	4.94	0.85	8.9	12	5.6	263	0.16	2.17	9.65	0.096	1.60
1754958		630	65.8	32.1	0.014	4.14	0.91	7.4	11	1.9	309	0.20	3.56	7.51	0.115	1.21
1754959		310	39.6	30.8	0.031	3.86	1.07	7.8	11	3.6	184.5	0.24	3.04	10.15	0.141	1.11
1754960		10	1.4	1.4	0.002	0.30	0.14	0.3	<1	0.3	8.6	<0.05	0.33	0.31	<0.005	0.04
1754961		30	4.1	1.7	0.008	>10.0	0.16	0.7	60	0.3	19.3	<0.05	4.25	1.53	0.005	0.05
1754962		490	48.4	35.9	0.083	4.49	0.80	7.2	13	4.0	231	0.18	2.28	16.25	0.110	1.09
1754963		10	<0.5	0.1	0.004	>10.0	0.11	<0.1	55	<0.2	2.4	<0.05	2.62	0.04	<0.005	<0.02
1754964		150	27.3	5.1	0.232	4.62	0.49	4.1	16	1.8	123.0	0.13	2.80	5.63	0.068	0.15
1754965		190	23.8	4.6	0.009	4.46	0.44	4.3	18	1.0	125.5	0.10	2.39	6.06	0.057	0.14

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: 5 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Ag-OG62
		U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.1	1	0.1	0.1	2	0.5	0.001	1
1754936		0.9	14	2.2	6.4	<2	97.9		
1754937		1.0	19	4.2	8.2	<2	104.0		
1754938		0.8	14	2.2	6.9	<2	93.9		
1754939									
1754940		0.8	14	1.6	5.8	<2	83.9		113
1754941									
1754942		0.8	15	2.0	7.2	<2	96.0		
1754943		0.9	15	1.8	9.5	<2	105.5		
1754944		1.0	15	1.8	11.3	<2	109.5		
1754945		1.0	24	2.1	9.8	<2	112.5		
1754946		1.1	40	2.1	8.1	<2	111.0		
1754947		1.0	39	1.6	9.8	<2	104.5		
1754948		1.0	16	1.6	9.2	<2	97.5		
1754949		<0.1	2	0.2	0.4	<2	3.4		
1754950		1.1	38	3.0	8.7	<2	109.0		
1754951									
1754952		1.0	23	3.5	7.9	<2	121.0		
1754953		1.1	29	3.6	8.3	<2	129.5		
1754954		1.0	22	2.8	7.6	<2	118.5		
1754955		1.0	20	2.2	6.4	<2	114.0		
1754956		0.1	7	0.3	0.4	<2	5.0		
1754957		0.6	108	1.4	6.5	<2	70.1		
1754958		0.8	71	2.2	8.6	<2	97.4		
1754959		1.0	73	2.3	9.4	<2	97.3		
1754960		<0.1	4	0.2	0.4	<2	2.3		
1754961		0.1	6	0.2	0.9	<2	9.7		
1754962		1.0	75	1.6	7.7	<2	102.5		
1754963		<0.1	1	0.1	0.1	<2	<0.5		
1754964		0.6	19	0.9	4.2	<2	68.7		
1754965		0.7	22	0.8	6.6	<2	67.2		



ALS USA Inc.  
 4977 Energy Way  
 Reno NV 89502  
 Phone: +1 775 356 5395 Fax: +1 775 355 0179  
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.  
 PO BOX 627  
 CARRBORO NC 27510

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 24-FEB-2024  
 Account: PANTIN

Project: Brewer

**CERTIFICATE OF ANALYSIS TF24019447**

	<b>CERTIFICATE COMMENTS</b>
	<b>ANALYTICAL COMMENTS</b>
Applies to Method:	REEs may not be totally soluble in this method. ME-MS61
	<b>LABORATORY ADDRESSES</b>
Applies to Method:	Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23 Au-GRA21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Ag-OG62 Cu-OG62 ME-MS61 ME-OG62
Applies to Method:	Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho CRU-21 CRU-31 CRU-QC LOG-21 LOG-23 PUL-31 PUL-QC SND-ALS SPL-22Y WEI-21