



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

CERTIFICATE TF24022348

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 101 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 29-JAN-2024.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ21	Disposal of R/B Split after analysis.
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	1	0.05	0.2	
1754966		2.24	0.059	1.52	6.53	27.8	100	0.25	13.50	0.03	<0.02	40.6	1.8	35	1.83	200
1754967		3.32	0.019	0.26	2.59	5.1	110	0.07	11.25	0.02	<0.02	26.3	0.8	5	0.22	11.1
1754968		4.62	0.109	0.23	0.52	7.0	160	<0.05	9.81	0.02	<0.02	12.10	1.5	15	0.05	17.0
1754969		3.24	0.082	0.27	0.80	8.5	120	<0.05	9.50	0.04	<0.02	9.08	0.8	6	<0.05	10.5
1754970		3.66	0.087	0.18	1.02	5.0	200	<0.05	4.74	0.04	<0.02	26.5	2.1	6	<0.05	11.7
1754971		3.92	0.082	0.17	3.43	4.6	840	0.17	15.05	0.05	<0.02	49.9	1.5	6	<0.05	11.2
1754972		3.44	0.041	0.15	0.83	4.4	410	<0.05	9.19	0.08	<0.02	26.5	0.7	6	<0.05	12.3
1754973		2.78	0.067	0.25	1.22	4.3	60	<0.05	11.00	0.02	<0.02	6.06	0.5	7	<0.05	10.6
1754974		3.04	0.030	0.05	1.40	0.8	130	<0.05	4.15	0.04	<0.02	35.4	0.2	6	0.24	4.2
1754975		3.90	0.037	0.09	4.37	4.0	220	0.12	3.15	0.03	<0.02	59.5	0.4	5	0.68	4.3
1754976		4.92	0.012	0.01	5.19	1.0	180	0.12	8.45	0.03	<0.02	66.1	0.3	6	0.59	3.5
1754977		4.52	0.026	0.02	4.47	1.0	100	0.11	13.15	0.02	<0.02	41.8	0.3	7	0.28	4.0
1754978		4.98	0.048	0.12	1.36	5.6	50	<0.05	2.35	0.02	<0.02	23.0	0.6	7	<0.05	14.0
1754979		2.72	0.141	0.47	2.72	12.7	220	0.05	6.78	0.06	<0.02	45.0	1.0	7	<0.05	12.0
1754980		0.06	0.328													
1754981		1.86	0.127	0.15	5.56	3.2	190	0.12	3.20	0.04	<0.02	26.0	0.5	7	<0.05	7.6
1754982		4.88	0.066	0.26	3.73	4.1	110	0.06	3.00	0.03	<0.02	40.8	0.6	7	0.40	10.4
1754983		5.08	0.353	1.28	3.78	10.1	170	0.06	6.15	0.06	<0.02	32.6	0.6	9	0.29	19.8
1754984		4.66	0.127	0.63	2.79	4.1	100	0.05	2.69	0.03	<0.02	26.7	1.8	13	0.57	13.7
1754985		5.50	0.106	0.25	2.86	3.0	230	0.06	1.56	0.02	<0.02	25.4	1.1	7	0.61	7.2
1754986		2.56	0.535	0.36	3.07	4.1	600	0.06	5.49	0.09	<0.02	28.9	0.3	5	0.27	6.2
1754987		6.34	0.852	0.13	3.29	3.8	190	0.06	18.40	0.10	<0.02	13.40	1.0	19	<0.05	10.9
1754988		5.78	0.152	0.06	2.46	2.1	280	0.06	2.91	0.02	<0.02	41.9	0.6	13	0.15	8.4
1754989		5.82	0.025	0.03	2.20	1.8	60	<0.05	1.01	0.01	<0.02	38.7	0.4	21	0.24	4.7
1754990		0.54	0.005													
1754991		5.76	0.048	0.04	2.42	2.5	70	<0.05	1.96	0.02	<0.02	25.7	1.9	26	0.07	19.3
1754992		3.86	0.042	0.04	1.26	2.6	250	<0.05	1.00	0.02	<0.02	28.0	2.0	28	0.07	13.8
1754993		3.30	0.021	0.05	2.82	1.9	110	0.07	0.94	0.02	<0.02	42.5	0.5	10	0.28	3.7
1754994		6.50	0.023	0.08	4.56	2.8	160	0.14	1.75	0.03	<0.02	56.7	0.7	7	0.13	4.6
1754995		7.70	0.037	0.24	2.76	2.6	70	0.05	4.11	0.01	<0.02	23.9	1.3	7	0.06	22.7
1754996		4.58	0.469	0.50	3.16	13.8	660	0.07	39.2	0.04	<0.02	71.2	0.8	7	0.42	48.9
1754997		8.16	0.309	1.54	1.80	10.2	70	<0.05	51.4	0.01	0.08	27.5	25.2	22	0.13	780
1754998		4.00	0.404	0.48	2.85	11.0	250	<0.05	23.5	0.03	<0.02	41.2	2.7	8	0.32	56.9
1754999		5.00	2.06	2.93	1.30	585	110	<0.05	196.5	0.02	1.96	37.5	43.8	26	<0.05	3060
1755000		0.06	7.31													
1755001		6.36	3.74	2.77	1.58	615	110	<0.05	166.0	0.02	2.92	34.2	61.3	22	<0.05	3270
1755002		6.50	0.696	1.63	0.44	347	40	<0.05	93.8	0.01	1.86	20.5	21.4	25	<0.05	1775
1755003		5.58	0.889	1.52	0.45	327	30	<0.05	163.5	0.01	1.68	11.00	17.8	44	<0.05	2030
1755004		4.16	0.763	3.60	1.26	416	50	<0.05	397	0.01	2.07	17.85	14.8	28	<0.05	3270
1755005		4.04	0.211	0.73	0.83	28.6	50	<0.05	23.9	0.01	<0.02	16.55	11.8	28	<0.05	252



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1754966		3.14	24.1	0.12	3.5	0.121	0.22	20.6	13.0	0.03	22	110.0	0.03	8.1	10.2	330
1754967		1.26	12.20	0.09	2.6	0.028	0.22	12.4	0.5	<0.01	38	59.8	0.04	4.7	0.7	390
1754968		1.68	2.82	0.08	1.3	0.013	0.04	6.6	<0.2	<0.01	74	15.20	0.01	2.7	1.1	360
1754969		2.17	3.97	0.08	1.2	0.013	0.01	5.3	0.2	<0.01	30	20.9	<0.01	2.0	0.4	420
1754970		3.05	4.69	0.15	1.5	0.005	0.01	17.7	0.2	<0.01	41	40.6	0.01	2.3	0.7	620
1754971		2.00	14.90	0.11	1.4	0.006	0.03	28.2	1.1	<0.01	47	26.1	0.01	2.1	0.7	1210
1754972		1.49	3.53	0.07	1.4	<0.005	0.01	15.0	<0.2	<0.01	38	22.7	0.01	2.1	0.5	1110
1754973		1.24	5.52	0.05	1.6	<0.005	0.01	3.6	0.3	<0.01	44	20.9	<0.01	2.6	0.6	270
1754974		0.67	7.25	<0.05	2.5	0.045	0.23	19.8	0.3	<0.01	55	7.41	0.03	3.8	0.6	640
1754975		1.14	25.6	0.12	1.9	0.127	0.66	35.2	0.7	<0.01	17	15.50	0.06	4.3	0.2	680
1754976		0.28	27.2	0.05	2.2	0.095	0.57	37.2	1.2	<0.01	21	2.80	0.06	4.8	0.3	680
1754977		0.36	22.5	<0.05	2.8	0.044	0.28	23.1	1.0	<0.01	33	2.94	0.03	4.7	0.5	390
1754978		1.74	6.31	0.09	3.1	0.005	0.03	11.5	0.3	<0.01	32	48.4	0.01	2.6	0.5	270
1754979		3.01	9.98	0.19	2.3	0.016	0.04	21.9	0.3	<0.01	33	150.5	0.02	2.0	0.6	1030
1754980																
1754981		0.64	21.6	<0.05	1.9	0.006	0.04	12.2	1.0	<0.01	24	9.74	0.02	3.2	0.3	590
1754982		1.59	17.90	0.13	3.1	0.054	0.49	20.8	0.5	<0.01	33	61.0	0.05	3.6	0.5	550
1754983		4.29	17.00	0.31	2.5	0.064	0.33	18.1	0.4	<0.01	24	56.9	0.04	1.6	0.3	870
1754984		2.97	15.10	0.19	2.6	0.069	0.65	13.9	0.3	<0.01	37	32.7	0.06	2.5	1.0	580
1754985		2.10	15.15	0.15	2.6	0.078	0.70	13.4	0.2	<0.01	42	26.9	0.06	2.7	0.7	460
1754986		1.38	11.70	0.11	2.4	0.046	0.30	15.5	0.4	<0.01	24	13.35	0.03	3.0	0.6	2740
1754987		1.71	12.70	0.11	3.0	<0.005	0.03	8.1	0.9	<0.01	36	26.6	0.01	3.0	2.0	1000
1754988		1.28	9.27	0.08	3.1	0.016	0.17	25.6	0.5	<0.01	59	10.75	0.02	2.4	1.2	500
1754989		0.59	9.00	0.05	3.4	0.032	0.30	23.7	0.6	<0.01	31	27.4	0.03	3.7	0.8	300
1754990																
1754991		2.38	9.01	0.11	3.4	0.006	0.06	14.8	0.8	<0.01	56	33.4	0.01	2.6	2.3	310
1754992		2.04	4.76	0.10	3.6	0.008	0.07	15.9	0.5	<0.01	42	27.8	0.01	2.4	1.8	360
1754993		0.73	11.65	0.05	3.7	0.038	0.33	24.6	0.6	<0.01	32	14.75	0.04	3.9	0.7	330
1754994		0.81	18.80	0.08	4.0	0.017	0.13	32.6	1.3	<0.01	42	10.60	0.02	4.3	0.8	550
1754995		1.52	13.25	0.09	3.4	0.011	0.07	14.2	0.5	<0.01	30	11.90	0.01	2.6	0.8	260
1754996		4.55	19.00	0.33	4.1	0.131	0.58	40.0	0.4	<0.01	30	30.9	0.06	1.9	0.6	1070
1754997		6.33	11.15	0.36	3.5	0.044	0.17	15.6	0.4	<0.01	68	35.5	0.02	1.4	9.1	260
1754998		2.88	21.1	0.19	3.7	0.077	0.38	22.8	0.4	<0.01	25	38.8	0.05	2.0	0.6	650
1754999		14.30	10.05	0.92	3.4	0.637	0.03	19.4	0.4	<0.01	51	26.3	0.01	1.5	14.0	470
1755000																
1755001		16.55	12.45	0.83	2.9	0.492	0.01	20.0	0.6	<0.01	90	31.1	0.01	1.3	34.2	450
1755002		17.45	3.62	0.83	2.9	0.382	0.01	12.0	<0.2	<0.01	60	27.7	0.01	1.1	9.5	220
1755003		8.97	3.02	0.60	2.8	0.204	0.01	6.2	<0.2	<0.01	60	38.7	<0.01	1.1	6.6	130
1755004		13.15	8.43	1.26	2.6	0.328	0.01	9.2	0.4	<0.01	70	63.9	0.01	1.4	8.3	200
1755005		7.25	5.56	0.36	2.5	0.052	0.02	8.5	<0.2	<0.01	73	13.00	0.01	1.5	4.4	170

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1754966		89.6	10.6	0.005	0.11	6.66	7.0	23	4.0	191.0	0.56	31.7	12.30	0.221	0.24	1.7
1754967		137.0	3.8	0.004	0.04	1.96	2.5	24	6.5	308	0.28	7.11	4.27	0.165	0.12	0.7
1754968		69.5	0.7	0.005	0.12	3.83	1.3	21	4.6	153.0	0.13	14.50	1.78	0.112	0.02	0.3
1754969		55.1	0.2	0.003	0.04	3.20	1.4	27	4.3	117.0	0.10	14.55	1.38	0.090	<0.02	0.4
1754970		147.0	0.2	0.005	0.07	2.48	1.7	37	4.4	337	0.12	8.66	4.62	0.098	<0.02	0.5
1754971		174.0	0.7	0.005	0.08	1.55	2.2	23	3.9	444	0.13	7.40	5.63	0.078	0.02	0.5
1754972		174.0	0.2	0.006	0.10	1.64	1.4	10	4.5	406	0.11	5.84	5.26	0.092	<0.02	0.4
1754973		36.8	0.2	0.007	0.02	2.47	1.5	14	5.5	92.0	0.14	12.95	1.41	0.110	<0.02	0.4
1754974		244	3.3	0.005	0.08	1.41	2.4	2	7.9	602	0.20	1.56	7.11	0.149	0.15	0.6
1754975		264	9.3	0.004	0.08	2.20	3.1	25	10.9	594	0.24	2.69	8.93	0.163	0.43	0.6
1754976		290	7.8	0.005	0.08	1.95	3.2	1	13.6	672	0.29	2.80	8.42	0.192	0.35	0.6
1754977		156.5	4.0	0.006	0.04	1.70	3.5	<1	9.3	359	0.30	2.59	5.52	0.186	0.19	0.8
1754978		88.3	0.6	0.015	0.04	1.20	3.0	16	4.5	237	0.15	4.46	3.61	0.102	0.02	0.8
1754979		222	0.7	0.011	0.11	3.59	2.9	50	3.8	597	0.12	16.85	6.36	0.081	0.03	0.7
1754980																
1754981		119.0	0.8	0.006	0.06	2.40	2.0	7	5.8	300	0.20	6.63	3.57	0.127	0.02	0.5
1754982		202	6.2	0.012	0.11	2.24	3.8	35	6.9	504	0.21	6.22	5.86	0.145	0.34	0.8
1754983		262	4.7	0.007	0.12	5.32	3.7	100	3.3	630	0.09	42.5	5.11	0.062	0.21	0.7
1754984		225	8.4	0.014	0.61	2.23	3.6	51	4.7	564	0.14	6.65	5.41	0.101	0.40	0.6
1754985		146.0	9.5	0.007	0.27	2.05	3.5	34	5.0	367	0.15	2.65	4.35	0.113	0.45	0.5
1754986		108.5	4.4	0.004	0.09	4.12	2.9	19	4.6	257	0.17	11.65	3.58	0.120	0.21	0.5
1754987		72.1	0.7	0.019	0.31	2.54	2.3	28	4.3	146.0	0.18	8.69	2.69	0.132	0.03	0.6
1754988		123.0	2.6	0.016	0.29	1.69	2.9	15	4.1	311	0.14	6.32	5.68	0.109	0.11	0.8
1754989		111.5	4.3	0.028	0.11	2.18	3.9	5	6.3	277	0.22	4.48	5.93	0.159	0.21	0.9
1754990																
1754991		98.9	1.1	0.126	2.02	1.53	3.5	25	3.9	218	0.18	4.69	4.47	0.096	0.05	1.0
1754992		92.1	1.2	0.049	1.40	0.99	3.6	23	3.3	211	0.15	2.92	4.58	0.086	0.05	1.1
1754993		122.0	5.1	0.003	0.03	1.90	4.6	5	6.6	274	0.25	1.77	6.16	0.137	0.24	1.0
1754994		207	2.1	0.007	0.05	2.56	5.0	7	6.1	484	0.27	3.55	10.85	0.151	0.10	1.2
1754995		84.5	1.2	0.012	0.38	1.45	4.3	23	3.4	208	0.18	5.32	5.57	0.093	0.06	1.0
1754996		241	7.7	0.027	0.10	2.27	6.9	87	3.4	574	0.12	25.7	14.35	0.066	0.41	1.9
1754997		115.5	2.4	0.579	5.50	1.25	5.0	105	2.3	243	0.09	12.95	8.09	0.051	0.33	1.7
1754998		257	5.8	0.046	0.15	2.34	5.8	45	6.7	533	0.13	16.90	10.35	0.076	0.34	1.9
1754999		226	0.4	0.215	>10.0	121.5	4.9	297	6.6	436	0.10	>500	7.59	0.055	0.26	1.8
1755000																
1755001		226	0.1	0.355	>10.0	83.9	4.1	274	5.4	435	0.08	>500	6.80	0.047	1.13	1.4
1755002		107.5	0.1	0.140	>10.0	43.2	4.0	269	6.2	206	0.07	>500	5.70	0.040	0.19	1.5
1755003		58.3	0.1	0.129	9.26	89.7	3.3	222	4.8	105.0	0.07	>500	3.49	0.045	0.04	1.3
1755004		86.5	0.2	0.220	>10.0	163.0	3.5	442	10.5	154.5	0.09	>500	4.11	0.052	0.08	1.3
1755005		59.2	0.3	0.086	6.30	4.87	3.1	115	5.2	122.5	0.10	149.0	3.42	0.061	0.03	1.1

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1754966		76	9.1	6.5	9	138.5
1754967		20	9.6	2.5	<2	94.3
1754968		8	2.9	1.0	<2	54.4
1754969		7	2.6	0.9	<2	51.4
1754970		7	2.9	1.1	<2	58.8
1754971		11	2.8	1.6	<2	51.0
1754972		7	2.7	1.3	<2	53.0
1754973		8	3.0	1.0	<2	60.1
1754974		21	4.0	1.9	<2	96.6
1754975		51	4.2	1.8	<2	80.4
1754976		45	5.3	2.3	<2	94.6
1754977		27	6.6	3.4	<2	114.0
1754978		7	3.9	3.9	<2	120.5
1754979		12	2.8	2.4	<2	88.9
1754980						
1754981		17	3.7	1.6	<2	73.6
1754982		35	3.9	2.6	<2	130.5
1754983		27	2.0	2.4	<2	97.0
1754984		39	2.3	1.8	<2	105.0
1754985		40	2.3	1.5	<2	117.0
1754986		24	2.8	1.5	<2	89.8
1754987		10	2.6	1.6	<2	120.5
1754988		15	2.0	2.1	<2	111.5
1754989		23	2.7	2.6	<2	138.0
1754990						
1754991		9	2.3	3.5	<2	141.5
1754992		8	1.8	3.8	<2	138.5
1754993		25	3.7	3.5	<2	147.0
1754994		19	3.9	5.8	<2	158.0
1754995		11	2.4	5.0	<2	133.0
1754996		28	2.1	8.0	<2	165.5
1754997		12	1.5	5.4	<2	147.5
1754998		27	2.4	5.5	<2	143.0
1754999		15	1.7	6.4	18	133.5
1755000						
1755001		12	1.5	5.2	29	108.5
1755002		6	1.4	4.5	19	117.5
1755003		5	1.3	4.0	15	112.0
1755004		10	1.9	4.5	22	98.7
1755005		9	1.8	4.0	<2	98.1



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755006		5.92	0.725	1.41	1.24	77.1	130	<0.05	52.5	0.01	0.02	24.8	8.1	32	<0.05	1130
1755007		9.96	0.459	1.94	1.25	38.2	200	<0.05	58.1	0.01	0.02	21.7	12.8	28	0.08	942
1755008		4.84	0.599	1.80	3.43	8.9	390	0.05	52.6	0.03	<0.02	44.4	5.1	17	0.31	1240
1755009		5.64	0.965	2.60	5.10	185.0	150	0.07	107.0	0.06	0.09	67.0	8.4	15	0.12	1885
1755010		0.54	0.013													
1755011		4.88	0.837	0.57	5.07	40.4	160	0.07	33.6	0.05	<0.02	49.7	8.1	10	0.28	543
1755012		5.12	0.736	0.40	4.01	15.6	410	0.07	43.0	0.05	<0.02	40.0	5.0	13	0.41	372
1755013		6.56	0.560	0.33	3.48	51.1	310	0.05	55.7	0.04	<0.02	36.0	3.4	32	0.09	490
1755014		6.18	1.095	0.57	2.46	107.0	110	<0.05	61.1	0.04	<0.02	33.0	9.9	21	0.06	913
1755015		5.22	0.395	0.24	6.58	17.7	190	0.13	11.90	0.01	<0.02	30.5	6.9	13	<0.05	300
1755016		5.34	1.885	0.90	1.59	77.8	50	<0.05	36.1	0.01	<0.02	26.2	6.0	22	<0.05	531
1755017		4.86	0.911	0.82	0.42	89.9	20	<0.05	46.2	0.01	0.10	13.60	9.3	32	<0.05	556
1755018		6.16	0.775	0.65	0.50	62.3	30	<0.05	36.5	0.01	0.03	7.69	5.3	22	<0.05	356
1755019		5.18	0.234	0.21	3.89	27.8	160	<0.05	15.25	0.03	<0.02	47.4	7.7	12	<0.05	246
1755020		0.06	1.890													
1755021		5.98	0.288	0.31	4.31	37.0	150	0.06	23.8	0.03	<0.02	30.7	9.2	10	<0.05	348
1755022		5.96	0.342	0.22	3.27	35.0	200	<0.05	24.9	0.02	<0.02	36.6	7.4	14	<0.05	433
1755023		5.48	0.772	0.92	2.24	152.5	230	<0.05	78.4	0.02	0.14	28.7	12.0	19	0.06	1785
1755024		5.48	0.522	0.51	1.15	78.7	180	<0.05	52.4	0.03	0.09	25.9	12.2	32	<0.05	1390
1755025		6.42	1.365	1.44	2.19	253	100	<0.05	232	0.02	0.24	31.4	19.7	23	<0.05	4150
1755026		4.94	0.267	0.17	5.67	40.1	190	0.06	33.7	0.02	0.07	37.0	7.6	15	<0.05	482
1755027		5.76	0.392	0.17	4.53	34.8	140	<0.05	29.5	0.03	0.03	49.0	7.6	17	<0.05	547
1755028		6.16	0.389	0.48	4.84	64.7	260	<0.05	49.9	0.03	0.11	48.5	11.0	14	<0.05	1255
1755029		5.96	0.389	0.60	4.26	65.6	300	<0.05	52.0	0.03	0.09	50.1	9.2	17	<0.05	1595
1755030		0.50	0.005													
1755031		5.84	0.318	0.51	6.18	15.6	70	<0.05	41.1	0.03	0.05	56.5	8.0	16	<0.05	1385
1755032		5.94	0.336	0.50	5.07	6.7	110	<0.05	33.0	0.03	0.02	52.3	8.4	22	<0.05	1085
1755033		5.32	0.407	1.01	4.59	20.6	240	<0.05	42.2	0.02	0.04	43.5	11.4	15	0.08	1560
1755034		5.44	0.174	0.43	4.07	24.6	220	<0.05	22.8	0.03	0.03	48.8	7.8	21	0.19	546
1755035		5.78	0.144	0.26	4.77	11.8	190	<0.05	17.15	0.03	0.03	54.9	6.4	15	0.07	294
1755036		5.82	0.256	0.27	3.73	10.6	160	<0.05	15.10	0.04	0.04	57.5	5.9	15	<0.05	172.5
1755037		5.88	0.261	0.38	4.86	32.3	150	<0.05	28.1	0.04	0.03	47.2	9.0	19	0.06	505
1755038		5.84	0.164	0.35	5.75	19.3	110	0.05	30.2	0.04	0.03	64.0	7.7	17	0.21	250
1755039		5.94	0.186	0.41	6.27	13.6	190	0.05	19.05	0.03	0.04	48.7	7.0	10	0.31	337
1755040		0.06	0.335													
1755041		5.20	0.082	0.36	7.32	11.6	240	0.08	13.35	0.03	0.04	58.3	6.8	8	0.52	256
1755042		4.46	0.182	0.73	6.69	8.4	440	0.11	19.85	0.03	0.02	53.1	6.2	7	1.50	764
1755043		4.92	0.175	0.23	7.65	2.8	400	0.14	11.50	0.03	0.09	42.5	7.0	5	2.42	180.0
1755044		5.46	0.061	0.27	7.75	1.8	360	0.15	9.86	0.03	0.06	54.6	7.9	6	2.54	194.0
1755045		6.76	0.042	0.20	6.63	1.8	210	0.13	7.17	0.04	0.03	107.5	10.0	6	1.60	189.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755006		4.33	7.09	0.31	2.9	0.032	0.04	13.1	0.3	<0.01	47	17.45	0.01	2.0	2.9	250
1755007		7.00	6.90	0.51	2.9	0.066	0.08	11.5	0.2	<0.01	63	17.65	0.01	1.6	3.9	220
1755008		2.45	19.05	0.31	3.1	0.128	0.38	26.0	0.5	<0.01	23	10.85	0.06	3.2	1.2	570
1755009		5.27	27.4	0.58	3.0	0.103	0.15	36.6	0.9	<0.01	39	13.20	0.04	2.7	2.2	1270
1755010																
1755011		2.75	24.6	0.18	2.5	0.085	0.35	26.5	0.7	<0.01	20	6.15	0.06	2.6	1.7	980
1755012		2.18	18.40	0.18	2.2	0.127	0.47	22.6	0.4	<0.01	33	7.79	0.08	2.3	1.4	1020
1755013		2.79	14.05	0.21	2.8	0.039	0.12	19.1	0.5	<0.01	34	11.90	0.03	2.6	1.5	940
1755014		6.69	9.19	0.33	2.9	0.037	0.08	17.5	0.3	<0.01	71	7.18	0.02	1.9	2.6	780
1755015		4.70	20.3	0.19	3.6	0.017	0.01	17.5	1.6	<0.01	36	4.81	0.01	2.9	1.9	370
1755016		4.11	5.09	0.20	2.9	0.018	0.03	14.3	0.2	<0.01	59	8.49	0.01	2.5	1.8	230
1755017		5.65	1.50	0.19	2.8	0.023	0.02	7.5	<0.2	<0.01	81	14.90	0.01	2.1	2.2	120
1755018		3.63	1.63	0.12	2.2	0.009	<0.01	4.3	<0.2	<0.01	48	23.2	<0.01	1.6	1.3	140
1755019		4.56	11.35	0.18	2.9	0.012	0.01	25.3	0.4	<0.01	49	12.30	0.02	2.0	1.8	630
1755020																
1755021		5.68	11.85	0.18	2.9	0.010	0.02	16.3	0.8	<0.01	59	12.85	0.01	2.5	2.5	580
1755022		6.12	8.83	0.16	2.9	0.010	0.01	19.7	0.4	<0.01	57	15.55	0.01	2.2	1.8	460
1755023		5.88	7.40	0.33	1.8	0.070	0.08	15.6	0.3	<0.01	68	31.0	0.02	1.1	3.9	480
1755024		4.64	3.80	0.22	2.5	0.059	0.02	13.7	<0.2	<0.01	55	18.60	0.01	2.3	3.1	570
1755025		7.24	6.04	0.60	2.8	0.146	0.03	17.7	<0.2	<0.01	61	53.4	0.01	2.4	6.3	500
1755026		5.38	16.00	0.22	2.9	0.035	0.01	19.9	0.4	<0.01	76	29.4	0.01	2.0	2.5	600
1755027		4.79	14.05	0.20	3.1	0.035	0.01	22.9	<0.2	<0.01	44	38.8	0.01	3.3	2.3	660
1755028		7.33	14.40	0.30	3.3	0.056	0.01	22.6	<0.2	<0.01	57	38.4	0.01	3.1	3.4	690
1755029		7.34	11.70	0.28	3.1	0.079	0.02	23.0	0.2	<0.01	69	9.15	0.02	3.2	2.7	800
1755030																
1755031		7.18	14.85	0.30	3.4	0.112	0.01	27.8	0.3	<0.01	54	10.95	0.02	3.3	2.5	840
1755032		4.93	10.80	0.20	3.2	0.040	0.01	24.8	<0.2	<0.01	70	6.66	0.01	3.4	2.6	670
1755033		8.03	10.60	0.26	3.1	0.022	0.07	20.6	0.3	<0.01	47	7.15	0.02	2.0	3.0	480
1755034		5.93	10.05	0.18	2.9	0.028	0.20	23.7	<0.2	<0.01	59	8.32	0.03	2.9	2.6	750
1755035		7.42	14.10	0.21	3.1	0.023	0.09	25.1	<0.2	<0.01	68	3.20	0.02	2.1	2.0	700
1755036		5.96	12.30	0.18	2.9	0.013	0.02	25.9	0.2	<0.01	34	2.43	0.01	2.1	1.7	900
1755037		5.16	11.25	0.18	3.5	0.024	0.06	23.6	0.2	<0.01	65	8.18	0.02	3.5	2.9	1080
1755038		5.70	14.40	0.18	3.8	0.049	0.26	30.4	0.3	<0.01	56	12.30	0.03	3.7	2.9	1050
1755039		3.41	14.75	0.16	3.1	0.051	0.46	23.2	0.4	<0.01	16	4.46	0.05	4.1	1.7	730
1755040																
1755041		3.91	14.00	0.14	3.0	0.074	0.64	28.1	0.5	<0.01	18	5.08	0.06	3.5	1.3	900
1755042		2.88	12.40	0.11	2.5	0.272	1.64	26.7	0.2	0.01	36	3.33	0.15	3.1	1.6	760
1755043		3.46	14.50	0.11	2.3	0.465	2.54	20.5	<0.2	0.01	19	3.89	0.24	2.5	1.8	810
1755044		3.85	13.70	0.13	2.5	0.463	2.50	26.1	0.2	0.01	32	6.68	0.25	2.5	2.9	830
1755045		4.28	12.60	0.13	2.4	0.267	1.56	50.9	0.5	0.01	27	7.38	0.16	2.2	4.4	1310

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755006		78.5	0.8	0.100	4.53	23.0	3.6	106	7.0	180.0	0.14	199.0	4.55	0.080	0.05	1.2
1755007		70.2	1.3	0.097	6.61	4.33	4.1	158	5.8	170.0	0.11	180.0	4.74	0.063	0.09	1.4
1755008		200	6.0	0.065	2.70	4.84	4.9	96	7.1	530	0.22	43.6	5.91	0.120	0.29	1.5
1755009		345	2.4	0.082	4.88	90.4	6.0	196	6.6	1070	0.18	>500	6.93	0.104	0.12	1.6
1755010																
1755011		280	5.7	0.065	3.11	19.40	5.2	58	7.4	892	0.18	132.5	5.35	0.098	0.25	1.2
1755012		287	8.0	0.042	2.27	3.83	4.5	47	7.3	875	0.15	68.0	4.94	0.088	0.32	1.1
1755013		226	2.0	0.042	2.93	19.40	4.0	60	5.6	612	0.18	176.5	5.06	0.101	0.09	1.1
1755014		193.5	1.5	0.037	6.82	40.8	3.4	105	5.0	472	0.13	296	4.93	0.071	0.09	1.2
1755015		92.8	0.2	0.025	4.06	5.47	4.4	53	6.3	260	0.19	88.6	4.59	0.109	0.03	1.3
1755016		70.2	0.5	0.024	2.84	23.0	3.4	58	8.5	171.5	0.17	259	4.49	0.098	0.07	1.1
1755017		39.1	0.3	0.033	4.51	52.7	2.6	65	8.6	91.5	0.13	244	3.24	0.084	0.14	1.0
1755018		31.0	0.1	0.041	1.89	39.2	2.5	40	6.7	83.5	0.10	198.0	1.74	0.061	0.04	0.8
1755019		233	0.3	0.090	4.63	18.30	3.3	35	6.5	676	0.13	87.8	6.31	0.073	0.06	1.1
1755020																
1755021		176.0	0.3	0.084	5.85	26.5	3.9	50	6.4	478	0.16	109.0	4.33	0.093	0.15	1.2
1755022		165.0	0.2	0.074	6.35	15.75	3.1	44	6.5	481	0.15	83.9	5.09	0.084	0.10	1.1
1755023		161.0	1.5	0.107	6.05	80.0	2.5	105	7.3	519	0.07	332	4.18	0.041	0.09	0.8
1755024		175.5	0.4	0.066	4.91	58.6	3.6	73	9.0	688	0.16	208	4.62	0.093	0.07	1.1
1755025		155.5	0.4	0.168	7.74	244	3.8	200	12.0	562	0.15	>500	4.63	0.092	0.08	1.2
1755026		203	0.2	0.108	5.48	21.3	3.9	52	1.9	724	0.13	111.0	4.63	0.073	0.04	1.3
1755027		230	0.2	0.108	5.20	11.20	4.5	44	2.0	799	0.20	74.1	5.59	0.111	0.04	1.4
1755028		224	0.1	0.331	7.73	40.4	4.5	85	2.2	818	0.20	156.5	5.75	0.109	0.04	1.4
1755029		258	0.3	0.100	7.66	52.5	5.1	84	2.0	974	0.19	172.0	5.93	0.110	0.03	1.4
1755030																
1755031		266	0.1	0.353	7.61	6.19	5.2	77	2.1	956	0.20	76.1	7.85	0.116	0.02	1.4
1755032		224	0.1	0.164	5.07	3.61	5.2	47	1.8	747	0.21	72.6	7.34	0.122	0.02	1.4
1755033		145.0	1.1	0.237	8.63	4.99	4.7	74	1.4	511	0.13	52.0	5.65	0.073	0.09	1.2
1755034		217	3.0	0.181	6.34	9.56	4.6	43	2.3	859	0.19	61.0	5.91	0.102	0.17	1.3
1755035		176.5	1.1	0.040	7.71	5.42	4.9	46	0.8	698	0.14	32.1	5.94	0.073	0.09	1.3
1755036		181.0	0.2	0.024	6.44	7.05	4.2	45	0.8	744	0.13	50.2	6.34	0.073	0.02	1.2
1755037		163.5	0.8	0.167	5.49	5.27	5.5	43	2.6	566	0.22	89.2	5.37	0.123	0.06	1.5
1755038		146.5	3.8	0.223	5.51	15.20	5.6	46	2.3	485	0.23	53.9	7.28	0.134	0.19	1.5
1755039		115.5	6.5	0.103	3.86	6.51	6.0	27	2.2	348	0.25	37.8	5.51	0.147	0.37	1.3
1755040																
1755041		116.5	9.0	0.090	3.72	4.86	5.9	27	1.6	374	0.22	29.1	6.51	0.125	0.49	1.2
1755042		114.5	23.9	0.054	2.96	8.34	6.5	15	2.0	380	0.20	24.1	6.47	0.113	1.03	0.9
1755043		110.0	40.0	0.061	3.80	1.16	7.9	17	1.8	357	0.16	23.8	5.30	0.097	1.59	0.9
1755044		103.0	43.3	0.082	4.11	0.86	8.5	12	2.3	370	0.16	4.44	6.71	0.087	1.75	0.9
1755045		105.0	25.4	0.108	4.54	0.82	6.8	14	3.0	458	0.14	3.43	15.05	0.080	1.06	0.8

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755006		10	2.0	4.7	<2	109.5
1755007		11	1.6	5.4	<2	112.5
1755008		35	3.0	6.5	<2	122.0
1755009		45	3.1	8.6	<2	118.5
1755010						
1755011		50	3.0	7.4	<2	95.9
1755012		53	2.5	6.2	<2	102.5
1755013		26	2.6	7.0	<2	110.5
1755014		17	2.1	7.5	<2	111.5
1755015		25	4.1	8.3	<2	136.5
1755016		14	2.4	7.6	<2	111.5
1755017		9	2.1	6.4	<2	105.0
1755018		7	1.8	5.8	<2	84.7
1755019		16	2.6	7.0	<2	107.0
1755020						
1755021		19	3.5	8.0	<2	111.5
1755022		15	3.3	6.5	<2	106.0
1755023		15	1.5	5.9	3	70.8
1755024		13	3.1	7.8	<2	101.5
1755025		15	3.3	7.8	4	107.5
1755026		21	3.4	8.3	<2	113.5
1755027		22	5.3	8.6	3	123.5
1755028		21	4.8	7.6	2	126.5
1755029		19	4.7	10.4	<2	121.5
1755030						
1755031		23	4.4	8.7	<2	130.5
1755032		20	4.5	10.7	<2	124.5
1755033		17	2.4	8.0	<2	122.5
1755034		25	3.2	7.8	<2	113.5
1755035		22	1.9	8.9	<2	120.0
1755036		17	2.4	8.0	<2	109.0
1755037		22	6.1	9.7	<2	139.0
1755038		28	6.2	8.8	<2	151.5
1755039		40	4.5	9.8	<2	121.5
1755040						
1755041		41	3.2	9.6	<2	114.5
1755042		64	1.8	9.2	<2	96.7
1755043		98	1.4	9.4	<2	90.3
1755044		93	1.5	8.8	<2	96.7
1755045		68	1.4	8.5	<2	86.9



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755046		3.04	0.027	0.09	1.21	2.5	790	0.09	0.65	0.04	0.23	6.14	2.3	31	0.14	21.6
1755047		6.12	0.044	0.06	6.90	1.7	270	0.14	2.23	0.02	0.02	95.4	12.4	8	1.92	41.9
1755048		5.82	0.034	0.08	7.52	1.4	270	0.13	2.23	0.02	0.02	55.6	10.3	6	1.65	56.2
1755049		6.46	0.041	0.09	3.01	1.2	270	0.06	1.56	0.03	0.04	62.2	6.3	25	0.46	23.1
1755050		0.06	0.681													
1755051		3.66	0.028	0.05	6.07	1.9	220	0.07	1.73	0.01	0.02	64.5	6.7	13	0.44	35.3
1755052		5.74	0.029	0.10	6.99	1.8	180	0.08	1.86	0.02	0.02	61.4	11.1	12	0.86	23.3
1755053		4.54	0.029	0.12	5.25	1.9	150	<0.05	1.58	0.02	0.02	39.6	10.4	16	0.23	41.1
1755054		5.48	0.030	0.04	6.69	2.6	240	0.06	1.99	0.02	<0.02	60.4	6.9	12	0.51	40.2
1755055		5.42	0.008	0.02	0.53	1.4	20	<0.05	0.23	<0.01	0.04	13.60	1.6	45	0.11	14.8
1755056		5.58	0.036	0.02	5.01	1.6	90	<0.05	1.35	0.04	<0.02	139.5	7.3	14	0.30	8.3
1755057		5.96	0.035	0.18	6.00	1.3	330	0.06	1.88	0.03	0.03	108.0	9.0	19	0.81	12.4
1755058		5.52	0.025	0.02	5.83	2.5	270	<0.05	1.16	0.01	<0.02	100.5	6.9	19	0.07	8.3
1755059		5.24	0.063	0.19	0.87	2.0	40	<0.05	0.76	<0.01	0.03	10.80	26.0	36	0.18	24.4
1755060		0.06	0.337													
1755061		3.56	0.012	0.22	1.48	2.2	30	<0.05	0.42	0.01	0.03	20.8	4.5	32	0.22	9.8
1755062		5.30	0.022	0.03	3.89	1.4	160	0.09	0.79	0.03	0.02	57.9	4.2	24	0.56	15.6
1755063		4.76	0.023	0.09	0.73	1.8	280	0.06	1.18	0.04	0.03	35.4	26.2	31	0.14	24.0
1755064		6.06	0.040	0.06	6.60	3.7	140	0.08	1.53	0.02	0.02	49.5	8.3	20	0.27	23.2
1755065		6.16	0.038	0.06	6.32	5.1	180	0.09	2.00	0.02	0.02	33.8	7.9	16	0.12	28.6
1755066		5.70	0.035	0.03	6.88	3.2	270	0.09	2.10	0.04	0.06	42.0	8.3	18	0.13	28.1

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755046		1.45	1.91	<0.05	0.1	0.026	0.03	2.5	0.2	0.01	77	3.17	0.01	0.4	2.2	1660
1755047		4.10	13.55	0.14	2.1	0.360	1.78	45.4	0.5	0.01	46	4.18	0.19	2.1	6.3	600
1755048		4.33	13.10	0.12	2.3	0.259	1.91	27.1	0.6	0.01	41	3.36	0.19	2.0	5.7	740
1755049		3.03	5.17	0.10	1.1	0.058	0.47	31.8	0.3	<0.01	65	3.81	0.06	1.3	4.3	730
1755050																
1755051		2.38	7.78	0.06	2.8	0.062	0.50	34.7	0.9	<0.01	45	2.81	0.06	3.3	2.4	430
1755052		4.03	10.60	0.11	2.7	0.106	1.04	32.4	0.4	<0.01	58	2.55	0.12	3.6	4.5	470
1755053		4.47	7.23	0.09	2.3	0.023	0.23	20.7	0.6	<0.01	48	3.92	0.03	2.3	4.5	410
1755054		3.90	10.70	0.08	2.6	0.057	0.64	29.5	0.8	<0.01	47	8.87	0.08	3.5	2.9	530
1755055		1.05	1.04	<0.05	0.2	0.009	0.05	7.7	<0.2	<0.01	77	3.92	0.01	0.3	1.8	60
1755056		2.51	6.67	0.12	1.9	0.025	0.26	71.1	0.7	<0.01	42	5.03	0.04	2.2	2.7	990
1755057		3.54	9.02	0.12	1.6	0.063	0.69	55.5	0.7	<0.01	73	3.80	0.08	2.1	4.9	700
1755058		3.28	6.23	0.11	2.0	0.006	0.05	50.0	1.1	<0.01	87	3.33	0.01	2.3	2.8	410
1755059		4.10	1.42	0.10	0.2	0.019	0.13	6.1	<0.2	<0.01	81	3.37	0.02	0.2	28.1	90
1755060																
1755061		2.62	2.43	<0.05	0.6	0.014	0.13	11.5	<0.2	<0.01	90	2.72	0.02	0.6	11.0	150
1755062		2.87	7.16	0.08	1.6	0.049	0.54	31.4	0.4	<0.01	87	3.60	0.07	2.3	2.5	990
1755063		4.78	1.26	0.13	0.4	0.011	0.04	19.6	<0.2	<0.01	76	2.96	0.01	0.4	18.0	1370
1755064		5.63	8.95	0.12	2.7	0.032	0.25	25.2	0.7	<0.01	62	3.34	0.04	3.0	4.1	370
1755065		4.30	7.98	0.10	2.9	0.019	0.09	17.3	0.5	<0.01	84	3.03	0.02	3.4	2.9	370
1755066		3.08	8.51	0.11	3.0	0.014	0.09	20.5	0.5	<0.01	54	7.99	0.02	3.9	2.0	720

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755046		3.9	0.6	0.004	0.44	0.37	0.8	5	0.5	212	<0.05	11.05	0.16	0.014	0.03	0.1
1755047		90.1	30.6	0.052	4.17	0.80	7.1	13	3.2	348	0.14	2.71	14.35	0.075	1.23	0.8
1755048		67.9	26.4	0.041	4.24	0.71	7.3	15	2.5	306	0.13	6.06	7.81	0.076	1.28	0.8
1755049		67.1	6.9	0.037	2.73	0.44	3.2	8	1.3	296	0.08	3.46	9.00	0.049	0.34	0.5
1755050																
1755051		88.3	7.4	0.017	2.31	0.72	6.0	5	1.5	360	0.23	4.33	9.62	0.115	0.35	1.1
1755052		77.7	15.0	0.016	4.01	0.67	7.2	7	2.0	327	0.24	2.71	9.21	0.129	0.70	1.1
1755053		41.0	3.4	0.029	4.68	0.48	5.0	10	1.1	181.5	0.15	2.98	6.03	0.080	0.18	0.9
1755054		77.4	8.9	0.049	4.05	0.68	6.1	9	2.9	345	0.25	2.94	8.37	0.126	0.43	1.1
1755055		8.5	0.9	0.007	0.36	0.15	0.5	<1	0.3	33.9	<0.05	2.62	1.85	0.010	0.04	0.1
1755056		90.9	4.5	0.034	2.47	0.75	3.8	5	1.3	375	0.14	2.51	21.1	0.084	0.15	0.8
1755057		72.2	12.4	0.035	3.32	0.71	4.0	9	2.3	301	0.12	4.20	15.85	0.077	0.41	0.7
1755058		71.1	0.8	0.029	2.90	0.74	3.2	8	1.1	275	0.15	2.31	14.95	0.088	0.03	0.8
1755059		7.7	2.0	0.005	3.30	0.20	0.6	21	0.6	44.9	<0.05	2.10	1.52	0.006	0.09	0.1
1755060																
1755061		16.9	2.5	0.005	0.98	0.34	1.4	10	0.6	83.9	<0.05	1.06	2.77	0.024	0.09	0.2
1755062		41.9	9.2	0.025	1.86	0.84	4.2	6	2.3	284	0.15	1.98	7.66	0.088	0.34	0.7
1755063		24.2	0.9	0.011	4.37	0.28	1.0	17	0.4	494	<0.05	1.51	3.84	0.014	0.03	0.4
1755064		41.8	3.9	0.053	5.64	0.78	5.8	20	1.1	154.5	0.18	3.83	6.84	0.112	0.20	1.1
1755065		49.4	1.3	0.051	4.12	0.98	5.4	13	0.9	180.5	0.22	4.41	5.49	0.124	0.09	1.2
1755066		104.5	1.4	0.087	3.06	0.90	5.5	9	1.5	416	0.27	2.81	5.99	0.149	0.07	1.3

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755046		5	0.3	2.7	4	2.6
1755047		77	1.3	6.6	<2	82.8
1755048		67	1.5	7.1	<2	90.1
1755049		22	1.2	4.6	<2	40.1
1755050						
1755051		30	2.5	7.9	<2	105.0
1755052		47	3.0	7.5	<2	97.8
1755053		17	2.8	6.3	<2	85.3
1755054		36	2.5	7.7	<2	91.8
1755055		3	0.3	0.5	<2	7.3
1755056		20	1.6	6.2	<2	80.2
1755057		36	2.0	5.4	<2	66.5
1755058		11	1.7	6.3	<2	81.9
1755059		7	0.2	0.8	<2	7.7
1755060						
1755061		9	0.5	2.6	<2	22.0
1755062		31	1.7	8.7	<2	65.9
1755063		5	0.3	18.8	<2	13.5
1755064		26	3.1	9.6	<2	107.0
1755065		22	3.6	9.1	<2	114.5
1755066		29	3.5	7.9	<2	117.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 13-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24022348

	CERTIFICATE COMMENTS												
	ANALYTICAL COMMENTS												
Applies to Method:	REEs may not be totally soluble in this method. ME-MS61												
	LABORATORY ADDRESSES												
Applies to Method:	Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS61												
Applies to Method:	Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho												
	<table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-21</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">DIS-REJ21</td> </tr> <tr> <td>LOG-21</td> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> </tr> <tr> <td>SND-ALS</td> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-21	CRU-31	CRU-QC	DIS-REJ21	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21	
CRU-21	CRU-31	CRU-QC	DIS-REJ21										
LOG-21	LOG-23	PUL-31	PUL-QC										
SND-ALS	SPL-22Y	WEI-21											