



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

CERTIFICATE TF24033724

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 54 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 7-FEB-2024.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ21	Disposal of R/B Split after analysis.
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755196		2.54	0.015	0.17	8.67	9.5	420	0.84	0.84	0.10	<0.02	62.9	0.1	37	6.05	2.5
1755197		1.90	0.105	1.20	4.76	35.6	260	0.45	1.99	0.05	<0.02	38.9	0.5	22	1.04	12.1
1755198		5.56	0.138	0.29	6.52	8.1	250	0.25	2.27	0.03	<0.02	47.9	2.0	24	0.12	12.2
1755199		2.90	0.155	0.49	7.31	12.1	600	0.25	2.11	0.05	<0.02	64.9	0.3	21	0.81	5.8
1755200		4.96	0.061	0.14	1.93	4.1	290	0.06	6.00	0.02	<0.02	23.5	0.3	6	0.25	4.6
1755201		3.28	0.112	0.04	1.24	2.5	80	<0.05	3.12	0.01	<0.02	19.35	0.2	5	0.10	4.6
1755202		4.92	0.109	0.13	4.42	4.7	690	0.15	2.81	0.03	<0.02	60.1	0.2	6	0.41	6.5
1755203		3.84	0.119	0.20	9.59	4.3	3170	0.30	4.21	0.17	<0.02	245	0.2	7	0.95	11.5
1755204		3.30	0.084	0.11	13.80	15.1	4180	0.54	5.68	0.16	<0.02	376	0.2	9	0.05	6.1
1755205		3.84	0.039	0.26	13.45	59.7	9220	0.80	4.42	0.32	<0.02	323	0.3	8	0.07	8.1
1755206		0.06	1.975													
1755207		4.62	0.044	0.19	11.10	5.4	4750	0.45	6.48	0.20	<0.02	305	0.1	10	0.36	11.1
1755208		3.58	0.026	0.20	4.47	13.2	220	0.15	4.21	0.26	0.02	228	0.2	13	0.05	31.0
1755209		4.88	0.028	0.64	5.05	10.5	2970	0.21	3.06	0.18	0.02	244	0.2	8	0.07	8.9
1755210		4.18	0.022	0.32	5.23	9.9	420	0.13	1.85	0.11	<0.02	135.0	1.5	12	<0.05	22.5
1755211		4.58	0.035	0.68	4.86	10.7	1280	0.14	1.96	0.08	<0.02	99.4	0.5	8	<0.05	13.6
1755212		2.70	0.033	0.49	6.26	3.9	550	0.14	0.77	0.04	<0.02	76.2	0.6	9	0.18	10.8
1755213		5.72	0.013	0.22	8.03	1.2	850	0.23	3.07	0.04	<0.02	73.4	0.2	6	2.54	4.4
1755214		5.16	<0.005	0.02	9.52	1.3	1950	0.27	2.02	0.08	<0.02	119.5	0.1	5	1.70	5.0
1755215		5.72	0.207	2.17	8.49	26.2	3500	0.17	49.6	0.08	<0.02	105.5	4.3	6	1.22	51.3
1755216		0.48	<0.005													
1755217		5.06	0.237	0.48	10.65	3.0	190	0.19	9.59	0.04	0.02	54.6	102.5	5	2.31	252
1755218		5.88	0.238	0.21	10.50	6.1	300	0.15	4.23	0.05	0.03	70.8	54.1	6	0.68	153.0
1755219		5.38	0.168	0.25	10.25	6.3	480	0.21	3.94	0.04	0.02	63.9	45.8	5	2.64	204
1755220		6.32	0.336	0.36	9.43	13.8	510	0.18	6.57	0.05	0.04	63.8	70.2	6	0.67	191.0
1755221		6.06	0.639	0.65	9.14	4.2	80	0.19	12.70	0.06	0.07	63.4	145.0	6	0.61	88.8
1755222		6.08	1.175	0.84	8.82	12.6	100	0.16	14.90	0.06	0.14	52.9	150.0	7	0.12	188.0
1755223		5.64	0.219	0.35	8.51	5.8	290	0.15	3.85	0.04	0.05	55.8	55.2	11	0.21	88.3
1755224		3.10	0.060	0.24	5.58	2.7	300	0.06	2.70	0.05	0.05	55.4	3.2	10	0.09	16.8
1755225		3.48	0.228	0.43	5.29	3.3	160	0.06	5.09	0.02	0.05	28.6	0.5	9	0.53	95.2
1755226		0.06	1.865													
1755227		5.44	0.057	0.17	6.33	3.1	190	0.11	1.66	0.02	0.02	34.5	35.0	11	1.09	40.7
1755228		4.06	0.016	0.08	6.88	1.3	770	0.13	1.05	0.03	<0.02	52.1	1.7	7	0.30	35.1
1755229		3.78	0.048	0.38	5.46	2.3	430	0.08	1.94	0.02	0.04	23.5	14.2	11	0.24	19.0
1755230		5.00	0.012	0.02	6.96	1.2	810	0.19	0.70	0.04	<0.02	41.9	0.2	6	0.72	5.1
1755231		3.04	0.015	0.03	7.15	0.6	930	0.22	0.87	0.04	<0.02	35.2	2.3	4	1.06	70.9
1755232		4.74	0.018	0.02	7.43	0.6	180	0.22	0.98	0.04	<0.02	36.1	6.4	4	0.89	109.5
1755233		4.58	0.034	0.06	7.22	0.9	150	0.21	1.05	0.03	<0.02	37.8	8.2	5	1.00	37.9
1755234		6.10	0.019	0.04	7.06	0.7	320	0.20	0.69	0.02	<0.02	37.5	6.0	6	0.74	46.1
1755235		3.24	0.021	0.02	4.43	1.2	140	0.16	0.41	0.02	0.05	9.49	6.9	15	1.57	15.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOD	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755196		2.14	22.3	0.21	4.1	0.158	3.53	32.7	4.1	0.05	22	33.8	0.38	3.9	1.2	550
1755197		4.43	11.05	0.11	3.2	0.111	0.82	20.1	2.0	0.01	38	142.0	0.26	2.3	1.8	590
1755198		3.78	15.85	0.12	2.8	0.032	0.08	24.5	4.1	<0.01	26	42.7	0.03	3.4	3.1	410
1755199		3.65	20.8	0.18	3.5	0.162	0.73	34.3	3.0	0.01	21	175.0	0.13	3.2	1.6	970
1755200		1.05	6.35	0.07	2.9	0.064	0.20	12.4	0.4	<0.01	40	40.6	0.03	3.4	1.0	340
1755201		0.79	4.07	0.07	2.6	0.025	0.08	10.4	0.2	<0.01	39	142.0	0.02	3.0	0.9	170
1755202		2.27	18.65	0.14	3.3	0.120	0.34	33.8	1.4	<0.01	23	162.0	0.05	3.3	0.7	950
1755203		8.91	67.0	0.44	5.9	0.376	0.85	132.5	2.8	<0.01	21	129.0	0.14	3.5	0.8	4250
1755204		4.84	90.3	0.47	4.6	0.118	0.05	202	10.4	<0.01	19	20.8	0.06	4.4	1.7	4670
1755205		7.13	90.2	0.46	3.6	0.193	0.07	173.0	7.5	<0.01	21	59.7	0.05	4.0	1.8	>10000
1755206																
1755207		4.32	110.0	0.38	10.2	0.360	0.37	168.0	4.5	<0.01	22	21.7	0.08	8.1	1.2	5430
1755208		5.90	63.5	0.32	5.2	0.112	0.04	124.5	0.6	<0.01	39	13.80	0.03	4.6	0.6	5870
1755209		5.43	72.7	0.28	6.1	0.100	0.06	142.0	1.3	<0.01	31	38.1	0.02	5.4	0.7	4070
1755210		4.82	59.2	0.25	5.6	0.083	0.02	70.1	1.0	<0.01	36	23.3	0.01	5.7	1.5	2870
1755211		3.08	46.1	0.21	5.6	0.059	0.01	52.2	0.9	<0.01	35	16.70	<0.01	5.6	0.8	1860
1755212		3.30	50.2	0.20	3.8	0.080	0.13	40.9	1.9	<0.01	35	9.63	0.02	4.7	1.3	810
1755213		1.15	65.5	0.13	4.0	0.353	2.22	41.0	1.1	0.01	28	2.79	0.33	6.4	1.0	940
1755214		0.54	90.0	0.14	5.2	0.778	1.60	59.5	2.3	0.01	28	1.66	0.23	9.0	0.8	2060
1755215		2.72	63.7	0.30	5.9	0.720	1.11	52.0	1.2	0.01	27	28.8	0.19	6.1	2.3	2550
1755216																
1755217		6.99	45.6	0.25	3.8	0.561	2.21	26.5	1.2	0.01	39	3.64	0.31	3.4	57.4	870
1755218		6.33	39.2	0.21	4.9	0.148	0.65	32.5	2.2	0.01	36	3.95	0.10	4.0	39.2	1110
1755219		3.43	37.0	0.16	4.6	0.307	2.17	30.2	0.9	0.01	32	3.57	0.27	4.6	18.4	920
1755220		4.45	29.8	0.13	4.1	0.126	0.52	31.2	1.2	<0.01	47	5.00	0.07	4.1	26.0	1800
1755221		9.31	28.0	0.24	3.5	0.120	0.47	29.4	1.9	<0.01	42	5.69	0.08	3.5	63.6	1290
1755222		6.82	22.6	0.17	3.6	0.072	0.07	25.0	2.2	<0.01	37	4.06	0.03	3.4	74.6	1120
1755223		5.67	19.70	0.18	2.9	0.082	0.15	27.7	1.9	0.01	76	4.03	0.04	2.9	26.4	860
1755224		4.44	14.50	0.14	2.7	0.046	0.04	30.9	0.5	<0.01	39	3.36	0.03	2.2	2.4	650
1755225		14.05	13.20	0.43	1.5	0.062	0.38	15.5	0.6	<0.01	45	2.17	0.07	1.1	2.7	410
1755226																
1755227		7.29	15.95	0.19	1.8	0.100	0.86	17.6	0.9	0.01	70	2.61	0.15	2.4	32.3	440
1755228		3.39	15.30	0.10	2.1	0.041	0.24	27.5	1.1	<0.01	34	2.47	0.04	3.4	1.6	790
1755229		7.71	11.55	0.19	2.2	0.044	0.16	11.5	0.8	<0.01	57	5.12	0.03	2.3	16.9	580
1755230		2.56	15.30	0.08	2.1	0.075	0.68	21.6	0.9	0.01	48	1.79	0.10	4.6	1.2	950
1755231		2.00	14.80	0.08	2.1	0.080	1.06	17.9	0.7	0.01	21	1.58	0.17	5.4	1.1	900
1755232		3.80	14.35	0.10	1.8	0.073	0.84	17.5	1.3	0.01	41	1.99	0.14	4.2	3.6	990
1755233		4.87	13.95	0.10	2.0	0.080	0.95	18.7	1.0	0.01	58	1.77	0.15	4.6	2.7	720
1755234		3.58	13.40	0.10	1.9	0.064	0.66	19.3	1.1	0.01	34	2.35	0.10	3.9	2.6	510
1755235		3.36	12.05	0.09	1.0	0.151	1.35	5.6	<0.2	0.01	75	3.82	0.19	1.9	8.0	270



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755196		12.4	109.5	<0.002	0.04	1.82	20.0	2	2.1	73.4	0.28	3.44	9.87	0.180	3.48	1.5
1755197		21.7	21.9	0.002	0.07	2.93	8.6	8	1.5	211	0.17	11.70	5.59	0.088	0.75	0.9
1755198		27.1	1.8	0.003	0.47	1.71	8.2	8	1.5	250	0.26	8.04	7.33	0.146	0.07	1.3
1755199		71.7	14.8	0.010	0.12	2.95	10.2	27	2.5	593	0.24	9.44	8.42	0.129	0.59	1.3
1755200		49.8	3.8	0.006	0.04	2.08	4.1	7	3.0	217	0.22	7.14	3.84	0.120	0.24	1.0
1755201		40.9	1.5	0.015	0.02	1.96	3.1	3	2.5	145.5	0.18	8.42	3.60	0.099	0.09	0.9
1755202		149.0	6.4	0.011	0.07	1.25	7.2	17	2.4	533	0.22	5.47	7.99	0.112	0.51	1.4
1755203		726	15.6	0.026	0.33	1.96	16.4	47	1.7	2480	0.24	11.20	30.8	0.125	1.61	3.1
1755204		1070	0.6	0.008	0.43	2.20	13.1	30	1.2	3170	0.54	8.57	55.9	0.154	0.05	2.8
1755205		772	1.0	0.016	0.50	4.40	13.8	37	1.4	2830	0.33	17.80	34.8	0.144	0.07	2.2
1755206																
1755207		679	6.0	0.013	0.34	3.90	20.9	31	2.2	1990	0.54	14.40	50.3	0.282	0.69	4.8
1755208		1355	0.7	0.021	2.78	1.51	12.8	36	1.1	2610	0.32	7.96	30.0	0.169	0.05	3.5
1755209		828	1.1	0.008	0.30	5.05	15.2	30	1.2	1890	0.32	20.6	34.3	0.181	0.05	3.0
1755210		410	0.3	0.041	1.51	2.25	13.2	38	1.2	949	0.36	11.40	18.10	0.190	0.03	2.6
1755211		196.5	0.2	0.023	0.37	2.53	11.4	26	1.2	590	0.34	12.75	16.80	0.192	0.02	2.1
1755212		93.6	2.6	0.029	0.32	1.71	8.1	44	1.2	342	0.29	4.14	11.85	0.155	0.11	1.3
1755213		121.5	43.8	0.002	0.07	2.20	11.2	13	2.5	449	0.38	8.76	12.45	0.222	1.49	1.4
1755214		291	29.2	<0.002	0.14	2.55	12.3	1	1.6	1155	0.54	3.08	19.55	0.295	2.49	2.2
1755215		157.5	20.2	0.523	0.46	2.59	13.5	66	1.1	873	0.37	94.6	13.25	0.204	1.92	3.2
1755216																
1755217		94.2	38.8	1.510	7.84	0.89	11.2	42	1.0	423	0.19	6.82	7.29	0.120	5.30	1.5
1755218		98.1	10.8	0.187	7.22	0.79	10.8	23	0.9	496	0.25	13.00	10.15	0.133	1.67	2.4
1755219		110.0	38.3	0.072	3.99	0.89	15.7	10	1.8	480	0.27	9.33	10.05	0.158	6.20	2.0
1755220		117.5	9.8	0.216	5.01	0.83	11.6	12	1.4	604	0.24	24.7	8.86	0.134	1.24	1.9
1755221		116.0	8.3	0.188	>10.0	0.95	11.8	29	1.1	577	0.20	15.45	8.90	0.120	1.75	1.6
1755222		75.9	1.2	1.570	7.70	4.34	12.3	17	0.6	400	0.20	28.1	6.79	0.112	0.83	1.5
1755223		68.0	2.8	1.050	5.22	0.86	9.5	15	0.7	390	0.16	13.05	7.39	0.093	0.50	1.3
1755224		51.2	0.8	0.060	0.60	0.82	8.6	16	0.6	276	0.13	13.05	7.86	0.072	0.09	1.2
1755225		30.7	7.9	0.016	0.14	0.47	5.4	111	1.1	174.5	0.06	7.15	3.97	0.037	0.31	0.6
1755226																
1755227		36.7	17.9	0.009	5.09	0.81	6.9	32	2.0	238	0.13	5.01	4.74	0.084	0.65	0.7
1755228		42.4	4.8	0.004	0.88	0.84	6.7	8	0.7	344	0.21	2.31	6.79	0.118	0.27	1.1
1755229		14.9	3.4	0.006	2.57	1.08	6.7	37	0.9	159.0	0.14	11.20	3.11	0.085	0.19	1.0
1755230		28.0	13.5	0.002	0.07	0.92	7.0	6	0.7	314	0.28	1.09	6.47	0.163	0.94	1.1
1755231		31.2	20.7	0.005	1.22	0.93	7.0	2	0.8	313	0.33	2.24	5.95	0.199	1.29	1.0
1755232		34.0	17.0	0.018	4.13	0.71	6.0	3	0.7	331	0.26	4.16	5.66	0.151	0.94	0.9
1755233		31.1	18.6	0.017	5.08	0.73	6.7	3	0.8	277	0.28	1.31	6.07	0.165	0.98	0.9
1755234		32.4	13.7	0.019	3.52	0.64	6.0	4	0.9	278	0.24	2.74	5.78	0.136	0.66	0.9
1755235		8.2	28.9	0.014	2.86	0.60	5.6	7	3.3	73.2	0.11	1.17	1.38	0.065	1.21	0.3



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755196		120	3.5	10.4	3	150.0
1755197		54	11.0	9.4	7	125.5
1755198		38	7.5	12.0	<2	110.5
1755199		63	6.2	13.4	3	132.0
1755200		19	4.8	6.5	<2	110.0
1755201		10	4.3	5.7	<2	99.2
1755202		27	5.6	9.7	<2	132.5
1755203		56	9.1	15.6	<2	239
1755204		52	16.3	10.8	2	181.0
1755205		60	17.3	16.2	2	140.5
1755206						
1755207		50	18.5	23.6	<2	376
1755208		32	13.2	20.1	3	199.5
1755209		31	11.8	20.9	<2	257
1755210		24	10.8	18.0	<2	223
1755211		21	8.6	15.6	<2	238
1755212		26	7.4	9.6	<2	150.5
1755213		79	9.5	9.2	<2	158.0
1755214		83	4.7	11.2	<2	197.0
1755215		69	1.7	12.6	<2	221
1755216						
1755217		88	0.9	8.1	<2	146.5
1755218		49	1.1	9.6	<2	185.5
1755219		110	1.2	9.3	<2	175.0
1755220		44	1.1	9.5	<2	156.5
1755221		50	1.1	10.1	<2	135.5
1755222		28	1.0	12.2	2	134.0
1755223		32	1.0	10.4	<2	110.0
1755224		19	0.8	9.4	<2	108.5
1755225		29	0.6	5.4	2	60.1
1755226						
1755227		48	2.1	8.2	<2	69.6
1755228		34	0.8	12.4	<2	80.9
1755229		21	0.8	9.0	<2	79.0
1755230		53	0.7	9.6	<2	80.6
1755231		56	0.8	8.0	<2	79.7
1755232		46	0.6	9.8	<2	67.7
1755233		52	0.7	10.6	<2	77.4
1755234		44	0.8	8.4	<2	69.7
1755235		56	0.8	3.6	2	46.8



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS	TF24033724
-------------------------	------------

Sample Description	Method	Analyte	Units	LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61				
					Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	
					kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
					0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	
1755236					0.50	<0.005														
1755237					4.00	0.042	0.02	9.16	0.6	270	0.36	0.53	0.01	<0.02	22.2	8.3	7	2.76	64.9	
1755238					5.14	0.035	0.03	8.05	1.0	240	0.27	0.79	0.03	<0.02	34.3	5.9	4	1.50	84.5	
1755239					3.74	0.025	0.02	7.84	1.4	140	0.21	0.62	0.02	0.02	33.9	7.0	5	0.76	53.5	
1755240					3.26	0.022	0.08	7.41	1.6	80	0.19	0.64	0.02	0.04	34.0	4.8	8	0.20	32.7	
1755241					4.36	0.016	0.11	4.14	1.5	80	0.09	0.51	0.02	0.07	30.2	0.3	14	0.35	6.7	
1755242					5.56	0.013	0.06	2.71	1.9	60	0.07	0.60	0.03	0.09	30.1	3.1	18	0.40	10.3	
1755243					4.80	0.015	0.03	6.99	1.1	90	0.21	0.70	0.05	0.08	44.0	3.3	13	1.91	20.7	
1755244					4.86	0.012	0.02	7.92	1.4	240	0.25	1.46	0.08	0.04	112.5	4.8	10	1.42	45.8	
1755245					3.32	0.032	0.04	6.87	1.6	170	0.21	1.50	0.09	0.07	83.9	15.3	9	0.74	40.9	
1755246					0.06	0.322														
1755247					4.68	0.014	0.02	9.04	1.0	130	0.28	0.62	0.04	<0.02	56.5	8.3	6	1.60	60.7	
1755248					4.74	0.018	0.02	7.95	1.2	180	0.25	0.57	0.09	0.03	51.4	6.6	6	0.61	62.0	
1755249					3.44	0.012	0.02	8.93	1.2	320	0.35	0.74	0.16	0.06	77.1	6.1	4	0.58	96.1	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755236		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755237		2.72	22.5	0.07	1.8	0.230	2.64	11.9	1.4	0.02	33	6.30	0.40	2.6	4.0	270
1755238		3.32	15.55	0.10	1.7	0.087	1.41	17.7	1.4	0.01	47	4.19	0.23	2.8	3.4	480
1755239		2.74	14.05	0.08	2.3	0.045	0.67	17.7	1.1	0.01	39	2.22	0.12	2.9	2.4	350
1755240		3.63	23.0	0.10	2.5	0.022	0.12	18.4	2.3	<0.01	42	3.28	0.03	2.4	3.3	360
1755241		2.58	16.40	0.09	1.5	0.034	0.24	16.1	0.5	<0.01	66	3.48	0.05	1.4	2.9	380
1755242		2.45	11.95	0.06	0.9	0.042	0.25	16.7	0.4	<0.01	89	2.77	0.05	0.9	3.3	470
1755243		2.09	25.2	0.08	1.0	0.206	1.52	23.8	0.6	0.01	43	2.51	0.24	1.7	1.9	790
1755244		2.30	55.0	0.11	1.7	0.127	1.19	64.6	1.1	0.01	62	3.45	0.19	2.9	2.7	1450
1755245		4.65	38.0	0.10	1.6	0.060	0.56	49.5	1.6	0.01	48	6.72	0.11	2.1	7.7	1280
1755246																
1755247		2.71	40.0	0.07	2.1	0.120	1.32	30.1	1.4	0.01	46	3.57	0.22	3.5	4.4	820
1755248		2.23	24.3	0.07	1.9	0.065	0.48	25.2	1.1	0.01	56	2.16	0.09	3.5	3.6	2060
1755249		2.32	18.20	0.12	2.0	0.055	0.40	35.0	2.1	0.01	32	2.02	0.08	3.7	3.3	2400

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755236																
1755237		19.5	53.6	0.069	2.72	0.56	9.0	3	3.3	138.5	0.16	3.05	4.22	0.099	2.49	0.7
1755238		31.4	29.3	0.031	3.53	0.52	6.6	3	0.9	268	0.17	2.02	5.79	0.102	1.35	0.8
1755239		27.8	13.2	0.038	2.88	0.53	5.9	2	0.5	235	0.18	6.18	6.22	0.109	0.56	0.9
1755240		23.4	2.8	0.017	2.21	0.64	5.8	7	0.6	237	0.15	3.30	6.30	0.084	0.11	1.1
1755241		27.2	5.6	<0.002	0.07	0.38	5.3	11	0.7	230	0.08	3.36	4.62	0.048	0.18	0.6
1755242		29.5	5.6	0.002	0.56	0.37	3.7	5	0.7	208	0.06	3.69	4.13	0.035	0.18	0.4
1755243		42.3	31.2	0.004	1.23	0.56	7.6	2	2.5	331	0.10	4.43	5.22	0.064	0.96	0.5
1755244		103.0	24.5	0.018	1.51	0.71	11.4	3	2.1	938	0.18	2.06	15.20	0.105	0.75	0.9
1755245		64.6	11.7	0.043	4.80	0.56	8.9	10	1.1	566	0.13	2.31	11.00	0.079	0.38	0.9
1755246																
1755247		33.5	26.4	0.026	2.77	0.72	11.4	2	2.6	339	0.21	2.39	8.04	0.130	0.82	1.0
1755248		19.6	9.9	0.021	2.09	0.68	8.5	1	1.3	483	0.23	2.37	6.43	0.130	0.35	1.1
1755249		26.7	7.8	0.031	2.52	1.08	8.9	2	1.0	923	0.26	3.78	7.39	0.145	0.35	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1755236						
1755237		98	0.8	5.5	<2	70.1
1755238		56	0.5	8.1	<2	66.8
1755239		35	0.5	9.6	<2	86.4
1755240		24	0.5	9.6	4	97.1
1755241		25	0.4	5.7	5	55.3
1755242		19	0.4	6.3	8	32.9
1755243		75	0.7	5.6	6	36.8
1755244		71	1.1	10.4	3	68.6
1755245		42	0.9	9.8	5	61.1
1755246						
1755247		76	1.3	9.8	2	80.8
1755248		53	1.0	15.0	2	71.4
1755249		62	0.9	20.3	3	73.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 25-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033724

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23</p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS61</p>												
Applies to Method:	<p>Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">DIS-REJ21</td> <td style="width: 25%;">LOG-21</td> </tr> <tr> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> <td>SND-ALS</td> </tr> <tr> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> <td></td> </tr> </table>	CRU-31	CRU-QC	DIS-REJ21	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21		
CRU-31	CRU-QC	DIS-REJ21	LOG-21										
LOG-23	PUL-31	PUL-QC	SND-ALS										
SPL-22Y	WEI-21												