



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

CERTIFICATE TF24033734

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 129 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 7-FEB-2024.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
DIS-REJ21	Disposal of R/B Split after analysis.
CRU-21	Crush entire sample
SND-ALS	Send samples to internal laboratory
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755067		5.12	0.088	0.10	6.08	3.3	200	0.06	17.35	0.06	<0.02	62.5	1.1	8	0.05	11.1
1755068		2.32	0.157	0.07	4.80	7.9	400	0.05	31.8	0.04	0.02	47.7	0.3	5	0.05	5.0
1755069		5.50	0.078	0.05	3.79	6.4	330	<0.05	8.57	0.03	<0.02	43.1	0.3	5	<0.05	7.1
1755070		5.22	0.023	0.03	5.24	3.2	410	<0.05	3.81	0.03	<0.02	49.9	0.2	8	<0.05	5.8
1755071		3.62	0.043	0.05	4.92	3.4	280	0.05	4.25	0.03	<0.02	57.8	0.6	8	<0.05	8.1
1755072		7.10	0.551	0.11	3.65	9.4	290	0.05	4.68	0.02	<0.02	41.2	1.0	7	<0.05	21.9
1755073		4.94	1.070	0.16	3.74	14.0	290	<0.05	5.28	0.02	<0.02	38.3	4.3	7	<0.05	34.5
1755074		4.24	0.789	0.19	3.14	12.2	240	<0.05	4.95	0.02	0.08	40.7	15.5	11	<0.05	37.9
1755075		0.06	2.02													
1755076		5.62	0.466	0.11	4.53	14.6	90	<0.05	3.84	0.02	0.10	44.5	24.3	12	<0.05	64.6
1755077		5.50	0.292	0.07	5.51	8.9	100	<0.05	2.34	0.02	0.04	36.5	12.3	14	<0.05	54.6
1755078		4.48	0.711	1.07	5.12	20.6	260	<0.05	5.73	0.02	0.03	38.5	6.9	8	<0.05	42.3
1755079		4.34	1.000	0.19	1.94	19.9	250	0.06	4.71	0.02	0.03	51.4	3.8	14	<0.05	35.3
1755080		5.40	0.234	0.05	3.85	8.7	420	0.05	2.24	0.03	<0.02	58.3	4.6	12	<0.05	28.1
1755081		3.48	0.059	0.03	4.71	6.0	150	0.05	2.89	0.02	0.02	49.8	6.4	13	<0.05	37.2
1755082		8.44	0.075	0.06	3.21	18.3	300	<0.05	3.53	0.02	0.11	43.2	8.7	14	<0.05	24.5
1755083		5.82	0.061	0.05	3.26	12.0	350	<0.05	2.25	0.02	0.07	39.8	11.4	18	<0.05	47.9
1755084		5.28	0.040	0.05	3.22	24.5	250	<0.05	2.64	0.02	<0.02	45.1	2.5	8	<0.05	11.2
1755085		0.60	<0.005													
1755086		5.96	0.033	0.02	5.22	7.5	120	<0.05	1.90	0.03	0.07	35.7	8.7	13	<0.05	14.6
1755087		6.76	0.045	0.04	4.12	13.8	160	<0.05	2.62	0.03	0.13	43.1	16.6	17	<0.05	26.8
1755088		6.90	0.032	0.03	3.81	8.0	140	<0.05	2.06	0.02	0.04	45.5	8.2	16	<0.05	15.0
1755089		5.12	0.024	0.03	5.03	8.8	120	0.05	1.92	0.02	<0.02	46.4	6.7	13	<0.05	21.3
1755090		6.68	0.036	0.03	4.73	9.5	340	<0.05	2.27	0.03	0.02	54.0	6.8	12	<0.05	16.4
1755091		5.48	0.045	0.04	3.97	11.5	320	<0.05	2.54	0.03	0.02	42.9	2.9	9	<0.05	19.6
1755092		6.40	0.035	0.04	4.50	6.0	160	<0.05	1.68	0.02	0.02	36.9	7.3	11	<0.05	27.6
1755093		6.46	0.046	0.03	5.19	6.5	90	0.05	1.66	0.02	0.02	36.7	11.2	14	<0.05	19.0
1755094		6.08	0.059	0.03	5.15	5.6	110	<0.05	2.09	0.03	<0.02	33.1	7.3	8	<0.05	24.9
1755095		0.06	0.703													
1755096		5.60	0.047	0.03	5.02	5.7	230	<0.05	1.58	0.02	0.04	30.7	9.4	14	<0.05	18.0
1755097		6.08	0.087	0.08	5.31	22.4	150	<0.05	2.73	0.02	0.06	25.0	13.6	13	<0.05	56.6
1755098		6.86	0.059	0.03	4.90	8.4	140	<0.05	1.18	0.02	0.05	23.0	3.7	15	<0.05	28.2
1755099		6.12	0.082	0.03	5.68	8.7	70	<0.05	1.51	0.02	0.06	27.2	7.6	20	<0.05	32.6
1755100		6.14	0.066	0.04	4.78	9.3	120	<0.05	1.91	0.03	0.04	39.1	9.0	16	<0.05	36.4
1755101		5.80	0.071	0.05	7.40	7.0	90	0.05	2.43	0.04	0.03	40.6	12.9	10	<0.05	50.4
1755102		6.26	0.065	0.04	5.35	5.0	310	0.05	2.06	0.03	0.02	47.5	7.6	12	<0.05	38.7
1755103		7.40	0.026	0.02	5.51	4.1	270	<0.05	1.28	0.02	0.04	40.6	10.6	15	<0.05	31.2
1755104		5.84	0.039	0.05	5.08	9.5	130	0.06	2.54	0.02	0.04	43.5	9.6	13	<0.05	49.5
1755105		0.48	0.007													
1755106		6.52	0.039	0.04	3.39	13.8	200	<0.05	2.05	0.03	0.11	26.9	11.0	18	<0.05	37.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOD	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755067		3.71	6.14	0.12	3.9	0.041	2.16	31.9	0.2	0.01	71	15.10	0.32	2.9	3.3	500
1755068		2.08	4.83	0.10	3.8	0.038	1.76	26.4	<0.2	<0.01	47	16.50	0.27	3.2	1.1	380
1755069		2.95	3.70	0.10	3.4	0.027	1.39	24.7	<0.2	<0.01	53	10.20	0.20	2.7	0.8	310
1755070		2.03	3.00	0.08	3.4	0.032	1.98	25.8	<0.2	<0.01	39	10.65	0.29	2.5	1.9	390
1755071		2.83	3.14	0.09	3.4	0.036	1.78	29.1	<0.2	<0.01	56	5.04	0.25	2.4	0.7	450
1755072		3.46	3.36	0.12	3.3	0.036	1.36	20.6	<0.2	<0.01	39	12.55	0.18	2.3	0.8	280
1755073		4.06	4.35	0.14	3.4	0.051	1.38	19.6	<0.2	<0.01	51	30.2	0.20	2.6	2.6	280
1755074		4.28	3.81	0.17	3.6	0.036	1.14	21.0	<0.2	<0.01	56	7.89	0.17	2.4	2.6	260
1755075																
1755076		3.89	4.82	0.12	3.4	0.057	1.70	21.8	<0.2	<0.01	40	7.74	0.24	2.7	4.0	310
1755077		3.13	6.95	0.12	3.1	0.098	2.12	17.4	<0.2	<0.01	46	19.60	0.28	3.2	4.4	350
1755078		4.32	9.79	0.17	3.5	0.120	1.93	19.6	0.2	<0.01	56	15.60	0.26	2.6	1.8	400
1755079		4.19	3.21	0.14	3.8	0.051	0.70	25.3	<0.2	<0.01	41	11.00	0.10	2.7	1.1	290
1755080		3.26	5.44	0.10	4.2	0.042	1.35	30.5	0.2	<0.01	50	8.85	0.19	3.1	2.8	440
1755081		3.17	5.21	0.11	4.0	0.040	1.56	28.0	0.3	<0.01	55	4.24	0.23	3.3	2.4	410
1755082		3.03	2.77	0.11	3.6	0.034	1.14	23.3	<0.2	<0.01	47	8.39	0.18	2.8	2.0	300
1755083		2.92	3.08	0.10	3.6	0.026	1.04	21.1	0.2	<0.01	49	14.55	0.15	2.9	4.2	370
1755084		5.71	3.02	0.15	3.8	0.033	0.90	24.3	0.2	<0.01	50	8.03	0.14	2.4	1.2	390
1755085																
1755086		2.66	4.96	0.10	3.1	0.031	1.87	17.2	0.2	<0.01	49	8.05	0.30	2.9	4.1	420
1755087		4.58	3.92	0.12	3.1	0.024	1.42	20.3	0.3	<0.01	61	10.50	0.23	2.5	4.1	370
1755088		4.92	2.75	0.10	3.2	0.015	1.33	22.1	0.3	<0.01	36	12.70	0.19	2.4	1.3	320
1755089		4.75	3.83	0.10	3.3	0.022	1.48	22.4	0.4	<0.01	57	5.32	0.21	2.5	1.5	400
1755090		3.63	3.78	0.11	3.5	0.025	1.59	29.7	0.3	<0.01	53	7.76	0.23	2.7	3.2	500
1755091		4.64	5.14	0.09	2.9	0.027	1.35	23.0	<0.2	<0.01	39	6.68	0.18	1.9	1.0	540
1755092		5.54	4.12	0.11	3.1	0.023	1.13	19.0	0.4	<0.01	57	6.60	0.15	2.6	1.8	570
1755093		5.24	6.32	0.10	3.1	0.027	1.30	18.1	0.5	<0.01	51	6.94	0.17	2.5	4.3	390
1755094		3.34	9.91	0.10	3.6	0.038	1.77	17.3	0.3	<0.01	37	5.02	0.24	2.8	1.6	490
1755095																
1755096		3.20	5.41	0.09	3.1	0.023	1.63	16.1	0.3	<0.01	59	4.37	0.21	3.1	2.4	320
1755097		6.76	5.56	0.17	2.6	0.026	1.92	11.5	0.3	<0.01	46	17.60	0.24	1.8	5.1	350
1755098		1.97	5.23	0.07	3.0	0.014	1.84	12.5	0.2	<0.01	41	9.07	0.28	2.7	1.3	320
1755099		4.16	5.26	0.09	2.9	0.026	2.10	13.3	0.3	<0.01	57	8.94	0.27	2.4	2.1	360
1755100		2.74	9.27	0.09	3.0	0.029	1.79	19.5	0.3	<0.01	55	9.23	0.21	3.0	3.8	440
1755101		3.20	13.80	0.10	2.9	0.059	2.85	19.4	0.4	<0.01	48	10.80	0.33	2.4	2.4	690
1755102		3.16	5.82	0.09	3.1	0.037	1.80	24.5	0.4	<0.01	57	6.12	0.21	3.0	2.1	490
1755103		2.90	6.96	0.10	3.8	0.019	1.45	21.0	0.5	<0.01	51	11.80	0.17	4.9	4.3	430
1755104		4.30	6.41	0.10	3.3	0.026	1.44	21.3	0.6	<0.01	39	6.76	0.16	2.6	2.3	400
1755105																
1755106		4.43	5.88	0.09	3.3	0.024	1.12	13.3	<0.2	0.01	54	5.52	0.13	2.3	4.5	370



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755067		59.5	2.4	0.028	5.06	0.52	5.0	9	1.9	186.5	0.20	2.31	8.89	0.087	0.71	1.7
1755068		73.2	1.9	0.032	3.67	0.66	4.3	5	2.2	139.0	0.23	3.34	6.80	0.106	0.45	1.4
1755069		64.2	1.4	0.022	2.91	0.45	3.9	8	1.5	117.5	0.18	2.50	7.17	0.091	0.28	1.5
1755070		108.5	1.9	0.015	4.11	0.39	3.2	6	1.7	225	0.18	1.36	7.36	0.082	0.44	1.4
1755071		106.5	1.7	0.013	3.99	0.42	3.8	9	1.3	228	0.18	2.24	8.01	0.076	0.46	1.5
1755072		91.5	1.3	0.041	3.26	0.41	3.7	14	1.6	127.0	0.18	9.86	7.02	0.077	0.44	1.5
1755073		77.9	1.1	0.085	4.09	0.60	3.1	21	2.5	126.5	0.19	14.20	6.34	0.089	0.42	1.5
1755074		63.6	0.9	0.089	4.47	0.67	3.6	32	2.0	122.0	0.18	13.90	7.60	0.081	0.81	1.6
1755075																
1755076		78.1	1.4	0.182	7.20	0.74	4.1	22	2.3	160.5	0.19	15.85	7.33	0.085	1.08	1.6
1755077		108.0	1.6	0.240	7.40	0.55	4.2	15	3.1	201	0.21	8.26	4.97	0.096	0.49	1.4
1755078		129.0	1.4	0.112	4.93	0.63	4.3	35	2.6	202	0.18	17.50	6.22	0.082	0.40	1.5
1755079		66.6	0.7	0.055	1.96	0.64	4.2	19	1.5	131.0	0.17	17.20	7.58	0.077	0.33	1.9
1755080		106.5	1.3	0.072	3.50	0.48	5.0	11	2.6	244	0.22	7.24	7.37	0.101	0.49	1.9
1755081		102.5	1.6	0.048	5.27	0.45	4.3	18	2.4	233	0.23	5.63	6.40	0.097	0.43	1.7
1755082		75.0	1.0	0.112	4.25	0.65	3.7	15	1.9	148.5	0.19	9.02	5.70	0.087	0.90	1.5
1755083		66.5	1.0	0.200	3.92	0.68	3.8	11	3.8	179.5	0.20	4.71	5.34	0.101	0.73	1.4
1755084		52.9	1.2	0.044	3.21	0.49	4.4	20	1.3	132.5	0.15	4.94	6.48	0.079	0.44	1.7
1755085																
1755086		80.5	1.4	0.129	6.15	0.44	3.9	11	2.0	211	0.22	2.41	5.59	0.099	0.64	1.4
1755087		80.0	1.1	0.154	7.37	0.41	3.4	14	1.6	187.5	0.17	3.21	5.40	0.089	0.98	1.3
1755088		50.9	1.1	0.067	7.76	0.28	3.6	12	1.2	158.0	0.17	2.60	5.42	0.080	0.25	1.2
1755089		52.3	1.6	0.035	6.81	0.29	3.7	14	1.7	166.0	0.16	2.08	5.12	0.084	0.47	1.3
1755090		51.6	1.2	0.051	5.55	0.39	4.0	9	1.7	181.5	0.18	2.79	7.07	0.102	0.30	1.3
1755091		40.9	1.1	0.039	4.49	0.25	3.8	13	1.2	159.5	0.12	3.01	5.80	0.073	0.24	1.1
1755092		36.5	1.0	0.058	6.85	0.32	3.5	14	1.6	152.5	0.17	1.62	5.44	0.098	0.22	1.1
1755093		41.3	1.2	0.087	7.64	0.31	3.7	14	1.6	176.0	0.17	2.59	5.60	0.095	0.33	1.2
1755094		58.3	1.3	0.058	5.75	0.48	4.5	11	1.9	202	0.20	5.00	6.18	0.102	0.23	1.3
1755095																
1755096		32.7	1.3	0.073	5.92	0.51	3.7	12	1.7	138.5	0.21	3.27	4.94	0.110	0.32	1.2
1755097		42.7	1.4	0.096	>10.0	0.70	4.1	29	0.9	198.5	0.13	6.82	4.55	0.061	0.34	1.0
1755098		77.6	1.1	0.046	5.37	1.36	3.8	9	1.0	191.5	0.18	4.43	4.53	0.088	0.21	1.0
1755099		54.6	1.5	0.080	8.22	0.82	4.1	10	1.1	187.0	0.16	3.45	4.82	0.082	0.24	1.1
1755100		46.4	1.3	0.101	6.07	0.65	4.2	9	1.6	197.5	0.20	4.58	6.10	0.104	0.26	1.3
1755101		70.9	2.0	0.194	8.13	0.55	4.9	11	1.5	319	0.16	6.33	6.12	0.081	0.30	1.4
1755102		43.9	1.5	0.152	5.68	0.43	4.2	6	1.5	187.0	0.21	3.64	6.47	0.110	0.19	1.3
1755103		45.9	1.4	0.227	5.55	0.43	5.0	5	2.3	153.0	0.35	2.13	6.07	0.180	0.22	1.5
1755104		50.3	2.2	0.101	7.25	0.36	4.5	12	1.2	166.0	0.16	5.71	6.47	0.093	0.58	1.2
1755105																
1755106		40.4	0.8	0.119	6.72	0.38	4.6	11	0.8	125.5	0.14	5.25	4.40	0.087	0.45	1.2



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755067		26	1.7	8.9	<2	144.0
1755068		21	1.5	6.7	<2	130.5
1755069		17	1.4	7.3	<2	127.0
1755070		18	1.4	5.8	<2	119.5
1755071		16	1.0	7.6	<2	126.5
1755072		15	1.0	10.5	<2	124.5
1755073		21	1.1	8.7	<2	128.0
1755074		18	2.2	8.9	<2	130.0
1755075						
1755076		23	1.5	11.0	<2	119.5
1755077		28	1.6	7.2	<2	110.5
1755078		27	1.3	8.5	<2	123.0
1755079		16	0.8	15.1	<2	139.0
1755080		23	1.4	8.7	<2	151.0
1755081		22	1.6	6.8	<2	137.0
1755082		16	1.2	6.4	<2	130.5
1755083		16	1.5	5.9	2	127.5
1755084		16	1.3	6.3	<2	140.5
1755085						
1755086		24	1.7	6.5	<2	118.5
1755087		19	1.5	5.4	2	116.5
1755088		18	1.4	6.4	<2	121.5
1755089		18	1.4	5.9	<2	117.5
1755090		21	1.6	5.7	<2	127.0
1755091		19	1.3	4.6	<2	113.0
1755092		19	1.9	4.6	<2	118.5
1755093		21	1.6	4.5	<2	111.0
1755094		27	1.6	5.2	<2	127.0
1755095						
1755096		19	1.8	4.4	<2	114.5
1755097		32	1.1	4.6	<2	95.6
1755098		31	1.3	5.3	<2	110.5
1755099		31	1.0	5.1	<2	102.0
1755100		27	1.1	5.5	<2	106.0
1755101		40	1.2	5.8	<2	107.5
1755102		25	1.8	5.4	<2	116.5
1755103		23	2.7	5.6	<2	136.0
1755104		28	1.2	5.1	<2	120.5
1755105						
1755106		25	1.1	4.4	<2	122.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
1755107		6.88	0.031	0.03	4.85	2.2	100	<0.05	0.96	0.02	0.03	23.7	8.2	12	<0.05	14.6
1755108		7.30	0.028	0.03	5.94	3.7	130	0.06	1.17	0.02	0.04	42.2	15.3	9	<0.05	25.7
1755109		5.76	0.039	0.03	4.84	6.2	110	<0.05	1.12	0.02	0.05	44.3	9.8	13	<0.05	36.7
1755110		6.58	0.033	0.02	5.93	3.5	150	0.05	1.36	0.02	0.03	46.3	9.1	11	<0.05	30.1
1755111		6.46	0.027	0.04	5.56	3.7	200	0.05	1.29	0.02	0.04	40.4	7.5	11	<0.05	23.0
1755112		6.18	0.069	0.06	4.78	6.4	130	0.05	1.78	0.02	0.12	50.0	11.7	11	<0.05	38.7
1755113		6.14	0.061	0.05	5.64	11.4	130	0.06	2.34	0.03	0.07	51.1	22.6	10	<0.05	47.8
1755114		6.56	0.049	0.05	5.31	4.1	160	<0.05	1.79	0.03	0.03	49.2	13.8	9	<0.05	48.4
1755115		0.06	1.910													
1755116		6.62	0.044	0.03	5.06	3.1	130	<0.05	1.14	0.02	0.02	46.3	12.0	11	<0.05	27.3
1755117		6.74	0.034	0.02	6.27	4.5	120	0.06	1.10	0.02	0.05	45.2	7.9	17	<0.05	26.1
1755118		5.90	0.034	0.04	4.33	9.3	180	<0.05	1.38	0.02	0.03	37.6	5.2	14	<0.05	25.3
1755119		6.26	0.054	0.05	4.21	13.2	200	<0.05	1.87	0.03	0.06	46.9	13.0	18	<0.05	37.7
1755120		6.70	0.042	0.05	4.28	9.9	230	<0.05	1.54	0.03	0.10	30.0	8.1	21	<0.05	26.8
1755121		6.60	0.042	0.02	6.24	5.4	240	0.07	1.23	0.02	0.06	39.2	9.4	11	<0.05	11.6
1755122		6.18	0.036	0.02	4.58	4.6	220	0.05	0.96	0.02	0.02	22.6	8.2	10	<0.05	11.1
1755123		6.64	0.024	0.03	5.60	2.7	310	0.05	0.96	0.02	0.03	27.1	5.2	11	<0.05	10.9
1755124		6.88	0.037	0.01	5.99	2.8	240	0.05	1.39	0.02	0.03	19.05	8.5	8	<0.05	13.0
1755125		0.54	0.007													
1755126		7.06	0.038	0.01	8.14	4.2	200	0.09	1.62	0.01	0.03	60.8	14.4	10	<0.05	10.6
1755127		6.36	0.047	0.03	6.49	3.5	230	0.07	2.17	0.02	0.04	67.3	9.6	8	<0.05	20.5
1755128		6.94	0.039	0.04	6.36	4.5	110	0.08	1.54	0.02	0.03	51.2	9.6	10	0.05	14.6
1755129		5.14	0.045	0.01	6.00	7.2	160	0.07	1.85	0.01	0.04	26.9	9.8	10	<0.05	17.4
1755130		4.64	0.065	0.03	4.96	6.5	190	0.05	3.15	0.02	0.08	24.3	12.8	11	<0.05	30.4
1755131		6.38	0.106	0.06	4.78	16.9	80	<0.05	4.56	0.02	0.08	35.6	19.3	11	<0.05	39.9
1755132		6.18	0.163	0.09	6.77	63.1	50	<0.05	8.15	0.03	0.10	48.1	35.8	9	<0.05	67.4
1755133		5.88	0.077	0.04	6.11	15.8	180	<0.05	3.65	0.04	0.06	47.1	12.1	10	<0.05	27.7
1755134		3.84	0.093	0.05	6.15	19.9	110	<0.05	4.58	0.04	0.09	32.0	11.2	10	<0.05	41.4
1755135		0.06	0.727													
1755136		4.12	0.089	0.05	6.49	24.1	90	<0.05	5.01	0.04	0.08	29.2	10.5	11	<0.05	28.4
1755137		5.20	0.053	0.02	5.86	5.2	270	<0.05	2.61	0.03	0.03	42.7	8.0	10	<0.05	14.3
1755138		6.84	0.046	0.03	5.01	3.0	330	0.05	2.87	0.03	0.04	55.1	5.8	12	<0.05	19.2
1755139		6.84	0.050	0.03	7.43	4.1	380	0.06	2.63	0.03	0.04	48.7	6.9	12	0.08	23.4
1755140		6.86	0.062	0.03	5.90	4.6	300	0.06	3.06	0.02	0.04	78.4	9.0	10	<0.05	19.6
1755141		7.04	0.143	0.24	8.19	17.3	90	0.05	56.3	0.04	0.05	65.6	28.4	8	<0.05	110.5
1755142		6.48	0.071	0.05	6.32	7.7	310	<0.05	4.23	0.03	0.04	80.0	9.6	9	<0.05	33.4
1755143		6.36	0.059	0.04	5.39	5.3	310	<0.05	2.51	0.02	0.08	91.8	10.9	10	<0.05	24.2
1755144		6.22	0.033	0.01	6.53	3.7	350	<0.05	1.82	0.03	0.05	53.9	7.4	9	<0.05	14.3
1755145		0.48	<0.005													
1755146		6.50	0.049	0.02	6.78	4.8	240	0.07	1.70	0.03	0.07	55.2	10.9	9	<0.05	21.9



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755107		2.91	11.25	0.06	3.2	0.037	1.24	12.2	0.2	<0.01	52	3.22	0.14	3.1	3.9	320
1755108		5.78	10.35	0.12	3.3	0.022	1.06	21.4	0.4	<0.01	60	5.35	0.13	3.1	3.9	350
1755109		3.40	5.10	0.09	3.0	0.021	1.24	20.0	0.3	<0.01	48	3.93	0.16	2.9	2.7	400
1755110		4.03	6.11	0.12	3.1	0.021	1.11	21.2	0.4	<0.01	51	4.16	0.14	3.0	4.7	390
1755111		3.26	5.89	0.09	3.1	0.031	1.24	18.9	0.3	<0.01	57	4.50	0.15	3.4	2.7	480
1755112		4.29	5.96	0.11	3.1	0.046	1.01	22.8	0.2	<0.01	41	3.96	0.11	3.0	3.9	480
1755113		5.49	7.42	0.13	3.8	0.043	1.19	22.7	0.3	<0.01	50	5.21	0.12	2.5	6.1	490
1755114		5.19	6.35	0.12	3.1	0.028	1.16	21.4	0.4	<0.01	59	4.97	0.14	2.6	4.4	440
1755115																
1755116		4.64	5.48	0.10	2.9	0.022	1.02	20.6	<0.2	<0.01	37	6.09	0.12	2.5	3.8	500
1755117		2.76	6.79	0.08	3.0	0.033	1.69	20.6	0.4	<0.01	53	6.71	0.21	3.0	4.2	470
1755118		2.82	4.81	0.12	3.1	0.019	1.60	18.5	<0.2	<0.01	53	6.33	0.20	2.7	2.3	300
1755119		4.93	4.89	0.12	3.1	0.027	1.38	22.1	0.2	<0.01	39	10.05	0.17	2.5	3.3	520
1755120		4.49	5.07	0.07	3.3	0.018	1.10	15.2	0.2	<0.01	48	5.78	0.14	2.6	4.2	520
1755121		4.42	8.29	0.11	3.3	0.019	0.91	19.2	0.5	<0.01	63	2.70	0.12	2.6	3.0	650
1755122		3.76	7.86	0.06	3.4	0.016	0.66	11.9	0.4	<0.01	40	2.57	0.08	3.0	2.6	370
1755123		2.02	10.15	<0.05	3.4	0.022	1.04	17.6	<0.2	<0.01	56	1.79	0.12	3.5	2.0	600
1755124		2.89	9.97	0.07	3.1	0.016	0.90	9.3	0.3	<0.01	38	1.35	0.11	3.1	2.9	570
1755125																
1755126		3.19	18.10	0.08	3.3	0.017	0.52	29.0	0.3	<0.01	63	2.06	0.06	3.4	5.4	860
1755127		3.01	14.70	0.09	3.1	0.022	0.83	29.3	0.5	<0.01	36	2.27	0.09	3.3	4.0	470
1755128		2.58	15.60	0.05	3.3	0.022	0.60	29.4	0.2	<0.01	66	3.46	0.06	4.1	9.2	860
1755129		1.72	9.14	<0.05	3.2	0.015	0.71	15.0	<0.2	<0.01	55	2.86	0.09	4.3	3.4	410
1755130		3.73	6.27	0.05	3.2	0.020	0.86	16.4	<0.2	<0.01	36	2.06	0.10	4.0	2.3	470
1755131		6.50	7.87	0.09	2.9	0.015	1.06	20.8	<0.2	<0.01	43	2.70	0.12	2.5	5.4	460
1755132		7.49	9.03	0.11	2.9	0.027	1.82	23.4	<0.2	<0.01	60	4.73	0.17	2.5	6.2	760
1755133		2.67	5.71	0.09	3.1	0.021	2.22	23.6	<0.2	<0.01	31	3.24	0.22	2.9	2.7	580
1755134		3.75	5.57	0.10	3.1	0.022	2.32	17.8	<0.2	<0.01	47	3.79	0.20	2.7	4.7	530
1755135																
1755136		4.78	5.60	0.12	2.9	0.024	2.35	14.0	<0.2	<0.01	57	3.35	0.22	2.7	3.4	550
1755137		1.80	5.88	0.07	2.7	0.022	1.31	21.1	<0.2	<0.01	38	2.25	0.15	3.5	1.8	760
1755138		1.25	4.94	0.07	2.9	0.024	1.34	30.0	<0.2	<0.01	49	2.98	0.14	4.0	3.4	530
1755139		2.27	4.80	0.09	2.9	0.053	2.03	26.8	<0.2	<0.01	66	3.20	0.19	3.5	2.1	610
1755140		2.05	5.04	0.07	3.3	0.025	1.36	41.5	<0.2	<0.01	39	6.15	0.16	3.6	2.1	420
1755141		4.38	18.85	0.12	2.7	0.052	2.38	29.1	0.2	<0.01	41	14.15	0.32	2.3	8.0	660
1755142		2.77	6.04	0.10	3.1	0.024	2.12	36.7	<0.2	<0.01	48	7.19	0.23	3.2	2.3	450
1755143		2.01	3.52	0.09	3.2	0.017	1.48	40.9	<0.2	<0.01	39	11.60	0.16	3.9	2.3	460
1755144		1.81	3.70	0.07	3.4	0.023	1.70	25.0	<0.2	<0.01	43	3.81	0.17	4.2	3.3	560
1755145																
1755146		2.62	6.37	0.07	3.0	0.022	1.36	26.1	<0.2	<0.01	37	3.41	0.16	3.3	3.0	690

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
1755107		40.7	2.9	0.069	5.09	0.32	5.1	5	1.2	130.5	0.19	2.41	4.83	0.104	0.89	1.1
1755108		42.2	1.1	0.266	8.02	0.31	4.5	10	1.3	118.0	0.16	2.73	6.33	0.108	0.27	1.2
1755109		47.0	0.9	0.138	5.94	0.37	3.9	7	1.0	144.0	0.19	6.53	6.21	0.092	0.35	1.2
1755110		34.6	1.3	0.090	6.23	0.26	4.2	9	1.2	139.0	0.20	3.87	5.96	0.096	0.39	1.3
1755111		45.0	1.4	0.071	5.53	0.27	4.8	7	1.5	177.0	0.22	2.97	5.90	0.111	0.42	1.5
1755112		35.0	2.0	0.085	6.21	0.27	4.4	10	1.1	149.0	0.17	5.39	6.60	0.100	0.91	1.4
1755113		39.8	3.0	0.126	7.69	0.28	4.9	8	1.0	153.0	0.17	4.01	6.79	0.084	1.21	1.4
1755114		40.9	1.0	0.102	7.53	0.26	4.2	9	0.9	168.5	0.18	2.80	6.30	0.086	0.27	1.3
1755115																
1755116		31.2	0.8	0.089	6.87	0.20	3.7	8	0.9	140.5	0.16	2.04	5.89	0.079	0.19	1.2
1755117		44.2	1.6	0.065	5.90	0.23	4.0	7	1.4	216	0.19	1.95	6.06	0.101	0.40	1.3
1755118		42.9	1.0	0.039	5.19	0.31	3.7	11	0.8	144.5	0.19	3.82	5.78	0.087	0.19	1.3
1755119		44.0	1.1	0.119	7.73	0.33	4.2	12	0.8	143.5	0.16	4.58	6.87	0.078	0.34	1.3
1755120		30.9	0.8	0.095	6.91	0.29	4.6	6	0.7	126.5	0.19	3.34	7.51	0.082	0.25	1.3
1755121		32.1	0.8	0.053	6.16	0.37	4.6	6	0.8	131.5	0.19	2.31	8.46	0.093	0.25	1.3
1755122		28.4	0.9	0.034	5.16	0.30	4.4	5	0.9	109.5	0.19	1.58	6.80	0.092	0.30	1.4
1755123		35.7	0.8	0.013	3.74	0.34	5.8	3	0.9	132.5	0.23	0.88	8.19	0.123	0.20	1.4
1755124		26.8	0.9	0.012	4.62	0.26	5.5	2	1.2	131.0	0.21	1.48	5.45	0.120	0.24	1.3
1755125																
1755126		18.2	1.1	0.013	3.92	0.35	5.9	2	1.3	121.5	0.21	1.02	9.38	0.119	0.40	1.3
1755127		16.6	2.0	0.020	4.52	0.40	5.8	3	1.0	112.0	0.20	1.33	8.34	0.120	0.73	1.3
1755128		11.9	3.7	0.015	3.37	0.70	7.7	3	1.2	51.3	0.25	0.98	7.48	0.146	1.24	1.4
1755129		14.2	0.7	0.022	2.77	0.46	6.3	3	1.6	73.3	0.27	0.94	6.34	0.154	0.14	1.4
1755130		19.7	1.2	0.026	5.58	0.30	7.0	6	1.1	104.5	0.21	2.02	5.72	0.116	0.29	1.5
1755131		23.6	1.2	0.020	8.99	0.29	6.5	11	0.8	191.0	0.17	3.48	6.10	0.075	0.19	1.3
1755132		29.3	1.5	0.138	>10.0	0.49	8.3	15	0.9	276	0.16	10.75	7.91	0.084	0.76	1.3
1755133		25.8	2.0	0.055	7.06	0.29	6.2	7	0.7	225	0.20	3.14	7.88	0.107	0.42	1.3
1755134		23.4	1.7	0.034	8.25	0.28	6.8	17	0.7	198.0	0.18	4.71	4.94	0.098	0.40	1.3
1755135																
1755136		24.8	2.1	0.035	9.30	0.27	6.7	22	0.8	191.0	0.18	5.16	5.61	0.088	0.55	1.3
1755137		23.5	1.5	0.015	4.27	0.31	6.2	5	1.0	184.0	0.21	1.58	6.87	0.125	0.24	1.2
1755138		22.5	2.0	0.020	3.55	0.38	7.1	4	1.0	202	0.25	1.56	8.19	0.136	0.58	1.4
1755139		27.4	6.7	0.027	5.45	0.30	6.7	7	1.2	233	0.19	1.61	7.63	0.111	2.20	1.3
1755140		31.3	1.9	0.062	4.66	0.32	5.5	6	1.2	240	0.23	2.00	12.20	0.120	0.40	1.6
1755141		69.3	2.3	0.476	9.42	0.43	4.8	16	1.3	386	0.14	18.45	7.80	0.070	0.59	1.2
1755142		36.9	1.6	0.091	6.84	0.29	5.9	13	1.1	238	0.22	2.91	8.22	0.107	0.42	1.3
1755143		24.5	1.3	0.117	4.83	0.36	6.1	5	0.8	182.0	0.24	2.03	7.20	0.139	0.40	1.5
1755144		26.6	1.6	0.027	4.97	0.34	5.9	4	0.7	190.0	0.25	1.35	7.29	0.139	0.36	1.4
1755145																
1755146		25.5	1.7	0.036	5.31	0.28	4.7	6	0.7	168.0	0.20	1.96	7.36	0.112	0.42	1.3

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1755107		33	1.4	4.1	<2	122.0
1755108		24	1.8	4.1	<2	133.0
1755109		23	1.8	6.0	<2	121.5
1755110		24	1.5	6.2	<2	122.0
1755111		24	1.6	6.4	<2	130.0
1755112		21	1.5	6.0	<2	126.0
1755113		25	1.4	8.6	<2	128.5
1755114		25	1.7	7.2	<2	125.0
1755115						
1755116		21	1.0	6.9	<2	120.0
1755117		28	1.2	5.9	<2	119.5
1755118		21	0.9	6.5	<2	126.0
1755119		18	1.0	8.3	<2	130.5
1755120		16	1.5	8.7	<2	130.5
1755121		22	1.5	5.3	<2	126.5
1755122		18	1.8	6.1	<2	134.5
1755123		32	2.2	5.1	<2	127.5
1755124		37	1.8	4.2	<2	115.5
1755125						
1755126		35	2.0	4.3	<2	127.5
1755127		35	2.2	5.1	<2	128.0
1755128		34	2.8	6.0	3	117.5
1755129		37	2.5	5.7	<2	122.0
1755130		31	1.2	6.2	<2	125.0
1755131		29	0.7	7.5	<2	112.0
1755132		39	0.9	5.9	<2	112.5
1755133		31	1.2	6.4	<2	116.5
1755134		31	0.8	5.5	<2	117.5
1755135						
1755136		28	0.6	6.2	<2	114.5
1755137		30	2.0	6.2	<2	103.0
1755138		30	2.3	6.5	<2	114.5
1755139		44	1.2	6.0	<2	116.5
1755140		33	1.8	7.3	<2	129.0
1755141		39	1.1	5.1	<2	106.5
1755142		37	1.3	6.2	<2	114.5
1755143		27	1.7	7.1	<2	121.0
1755144		35	2.3	7.6	<2	125.5
1755145						
1755146		34	2.5	7.0	<2	118.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
1755147		6.12	0.033	0.01	6.01	4.9	250	<0.05	1.00	0.03	0.02	42.3	10.5	10	<0.05	9.1
1755148		6.26	0.120	0.05	6.27	9.8	200	<0.05	1.22	0.03	0.06	32.0	17.3	10	<0.05	26.6
1755149		6.02	0.076	0.02	6.21	4.5	150	0.05	0.71	0.02	0.02	13.15	11.7	14	<0.05	16.0
1755150		6.22	0.027	0.01	6.17	6.5	190	<0.05	0.64	0.03	0.02	33.0	6.0	8	<0.05	12.3
1755151		6.96	0.036	0.01	6.76	3.9	300	0.07	0.63	0.03	0.02	29.2	9.5	10	0.11	8.2
1755152		6.58	0.052	0.02	7.29	5.9	380	0.07	0.92	0.03	0.03	45.3	10.2	10	0.05	9.2
1755153		7.22	0.271	0.12	5.63	16.6	100	0.05	3.69	0.03	0.16	45.3	48.8	10	<0.05	33.2
1755154		7.00	0.082	0.04	5.88	13.5	120	0.06	1.51	0.03	0.12	51.5	23.8	12	<0.05	22.7
1755155		0.06	1.885													
1755156		6.70	0.026	0.01	6.12	4.8	350	0.08	0.59	0.02	0.02	39.9	5.5	12	<0.05	5.6
1755157		6.10	0.057	0.03	4.87	5.2	340	0.05	0.73	0.02	0.02	48.9	4.6	19	<0.05	12.1
1755158		5.54	0.069	0.03	6.26	5.0	320	0.06	0.88	0.03	0.03	53.2	6.2	13	<0.05	17.4
1755159		6.62	0.047	0.01	6.23	3.6	330	0.07	0.83	0.03	0.02	65.3	5.2	11	<0.05	6.3
1755160		6.38	0.019	0.01	5.45	1.7	510	0.05	0.39	0.02	0.03	39.7	1.9	12	<0.05	7.3
1755161		6.74	0.017	<0.01	6.26	4.0	920	0.09	0.59	0.02	0.02	62.9	3.3	12	0.06	4.0
1755162		3.24	0.051	0.01	6.12	2.1	140	<0.05	0.42	0.01	0.04	29.2	3.4	10	<0.05	12.4
1755163		5.18	0.009	0.01	5.23	1.1	240	<0.05	0.37	0.02	<0.02	25.0	0.3	12	<0.05	1.9
1755164		5.94	0.029	0.02	5.75	1.2	310	<0.05	0.40	0.02	<0.02	16.95	0.5	14	<0.05	4.4
1755165		0.44	<0.005													
1755166		4.06	0.029	0.02	5.00	5.7	130	<0.05	0.59	0.01	<0.02	13.95	3.4	14	<0.05	13.8
1755167		3.98	0.083	0.04	3.67	6.1	90	0.07	1.52	0.02	0.07	33.0	10.0	19	<0.05	29.3
1755168		4.82	0.247	0.09	2.90	16.2	120	0.08	3.66	0.01	0.12	31.3	25.0	18	<0.05	70.9
1755169		4.24	0.219	0.10	5.07	35.9	80	0.10	4.86	0.02	0.13	42.5	25.0	15	<0.05	152.5
1755170		5.68	0.017	<0.01	5.16	1.0	470	0.05	0.40	0.02	<0.02	29.1	0.6	20	<0.05	2.9
1755171		5.62	0.030	<0.01	5.35	5.8	500	0.06	0.66	0.03	<0.02	53.9	2.7	20	<0.05	2.1
1755172		7.00	0.033	0.01	5.77	4.4	380	0.06	0.52	0.02	0.02	46.0	1.4	16	<0.05	3.1
1755173		5.54	0.041	0.01	5.55	4.5	210	0.10	0.75	0.02	<0.02	56.7	5.9	13	0.07	8.3
1755174		4.58	0.038	0.01	6.39	9.1	500	0.06	0.71	0.03	<0.02	52.7	4.4	15	0.05	5.4
1755175		0.06	0.333													
1755176		5.48	0.033	0.01	5.62	4.4	350	0.06	0.68	0.03	<0.02	58.6	3.8	18	0.06	3.4
1755177		5.60	0.019	<0.01	6.37	2.5	440	0.11	0.73	0.03	<0.02	62.7	2.7	12	0.10	2.5
1755178		5.10	0.008	0.01	5.76	4.5	220	0.07	0.78	0.03	<0.02	54.7	2.3	13	0.06	3.2
1755179		4.52	0.005	0.01	5.69	1.8	200	0.08	0.66	0.03	<0.02	67.4	0.3	17	0.05	2.3
1755180		3.46	0.085	0.02	6.72	1.6	290	0.09	1.30	0.05	<0.02	30.1	8.4	11	0.08	13.4
1755181		5.88	0.039	0.02	5.61	0.8	470	0.10	1.62	0.03	<0.02	48.9	3.4	14	0.30	14.8
1755182		5.44	0.016	0.02	6.89	1.1	140	0.11	0.44	0.01	<0.02	49.4	2.7	9	0.74	14.0
1755183		5.42	0.041	0.03	7.70	1.2	190	0.16	1.66	0.02	0.03	49.3	5.3	7	0.80	8.3
1755184		5.98	0.038	0.01	10.15	0.8	640	0.26	1.08	0.04	<0.02	63.9	6.0	6	0.92	4.4
1755185		0.44	<0.005													
1755186		5.98	0.073	0.02	6.55	2.0	150	0.12	1.04	0.04	0.02	42.6	8.8	12	0.16	11.6

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOD	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	
1755147	1.80	2.92	0.07	3.0	0.024	2.00	22.4	<0.2	<0.01	32	4.31	0.21	3.1	2.2	500	
1755148	2.79	4.64	0.08	2.8	0.041	1.62	15.4	<0.2	<0.01	46	3.78	0.19	3.6	5.7	500	
1755149	3.05	6.08	0.05	2.7	0.020	1.60	7.6	<0.2	<0.01	48	4.54	0.19	3.0	3.6	370	
1755150	1.55	3.94	0.06	2.7	0.023	2.25	16.4	<0.2	<0.01	31	1.90	0.28	3.2	1.5	500	
1755151	2.08	4.21	0.05	3.3	0.040	1.70	14.6	<0.2	<0.01	39	4.44	0.16	3.5	4.0	660	
1755152	1.47	5.99	0.05	3.2	0.032	1.58	25.7	0.4	<0.01	46	6.02	0.17	4.3	2.6	510	
1755153	2.96	6.61	0.08	3.1	0.041	1.70	24.0	<0.2	<0.01	39	7.77	0.21	3.0	11.8	450	
1755154	2.89	9.30	0.08	3.3	0.035	1.76	27.2	<0.2	<0.01	51	5.11	0.22	3.4	6.7	500	
1755155																
1755156	1.22	5.64	0.05	3.4	0.021	1.60	19.8	<0.2	<0.01	48	1.53	0.20	4.3	2.2	340	
1755157	1.20	3.68	0.06	3.4	0.028	1.77	24.3	<0.2	<0.01	46	3.85	0.25	3.6	2.0	350	
1755158	1.53	4.79	0.08	3.5	0.029	1.77	26.7	<0.2	<0.01	48	4.92	0.26	4.3	2.7	520	
1755159	1.21	5.09	0.07	3.4	0.020	0.49	32.4	0.2	<0.01	47	8.96	0.07	4.4	2.4	540	
1755160	0.74	4.48	<0.05	3.4	0.015	1.12	19.8	0.2	<0.01	50	6.23	0.13	5.3	1.2	350	
1755161	1.11	6.75	<0.05	3.6	0.018	0.46	31.2	0.3	<0.01	50	12.85	0.05	5.1	1.8	520	
1755162	0.84	4.76	<0.05	2.2	0.022	1.92	13.5	<0.2	<0.01	41	10.55	0.31	2.8	1.5	420	
1755163	0.51	5.48	<0.05	3.4	0.025	1.84	12.3	<0.2	<0.01	49	2.32	0.29	4.3	0.8	350	
1755164	0.44	5.60	<0.05	3.4	0.029	2.16	8.9	<0.2	<0.01	40	3.59	0.29	4.6	0.5	340	
1755165																
1755166	1.02	8.02	<0.05	3.5	0.048	1.86	6.7	<0.2	<0.01	50	3.80	0.24	4.0	1.4	330	
1755167	4.07	7.90	0.09	2.8	0.035	0.55	15.0	0.3	<0.01	60	20.2	0.07	2.9	3.6	460	
1755168	6.80	6.98	0.15	2.9	0.027	0.20	14.0	0.5	<0.01	47	26.6	0.04	2.0	9.7	430	
1755169	5.25	8.72	0.11	3.9	0.047	0.79	19.7	0.7	<0.01	55	22.3	0.12	3.0	8.2	500	
1755170	0.46	3.52	0.05	3.3	0.044	1.81	15.8	0.4	<0.01	46	7.22	0.25	4.2	0.8	320	
1755171	0.65	4.22	0.06	3.6	0.029	1.65	25.6	0.4	<0.01	43	8.16	0.26	4.4	1.1	480	
1755172	0.67	6.75	0.09	3.5	0.034	1.76	23.2	0.4	<0.01	45	4.86	0.28	4.0	1.5	510	
1755173	0.89	7.28	0.11	3.0	0.012	0.21	27.0	1.0	<0.01	40	4.98	0.05	4.5	2.1	580	
1755174	1.21	5.26	0.06	3.4	0.032	1.24	23.8	0.9	<0.01	44	11.40	0.21	4.8	1.6	620	
1755175																
1755176	1.11	4.67	0.08	2.7	0.022	1.06	28.4	0.9	<0.01	49	5.85	0.23	4.1	2.1	740	
1755177	0.35	7.20	0.09	3.6	0.031	0.34	30.2	1.5	<0.01	20	8.49	0.06	4.9	1.3	750	
1755178	0.85	8.59	0.08	3.4	0.009	0.18	26.7	1.5	<0.01	45	6.39	0.04	4.4	1.6	640	
1755179	0.43	11.95	0.11	3.0	0.009	0.15	29.3	1.4	<0.01	30	6.36	0.05	4.4	0.3	550	
1755180	2.08	9.35	0.11	2.2	0.015	1.41	15.3	1.4	<0.01	35	12.45	0.36	2.5	2.7	830	
1755181	1.23	6.64	0.08	1.5	0.032	1.63	21.8	0.5	<0.01	41	5.96	0.42	2.6	1.4	710	
1755182	0.94	11.90	0.08	1.3	0.044	2.25	22.7	0.8	0.01	31	3.02	0.56	3.0	1.3	320	
1755183	1.69	14.45	0.13	1.5	0.034	1.52	17.4	3.8	0.01	30	4.48	0.44	2.8	3.1	650	
1755184	1.74	13.35	0.10	1.4	0.048	2.68	29.3	3.4	0.01	31	4.22	0.82	2.5	1.7	840	
1755185																
1755186	4.76	11.85	0.15	2.6	0.011	1.08	20.8	2.7	<0.01	43	4.84	0.26	2.2	2.6	800	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755147		28.3	2.6	0.074	5.62	0.30	4.5	3	0.7	223	0.23	2.14	6.29	0.119	0.61	1.3
1755148		39.5	3.3	0.130	5.89	0.32	4.9	6	1.1	291	0.21	3.86	4.44	0.131	1.79	1.2
1755149		34.5	1.6	0.113	6.23	0.21	3.9	7	1.3	293	0.19	2.69	3.62	0.113	0.27	1.0
1755150		45.0	2.5	0.075	5.96	0.21	3.7	3	0.9	349	0.21	1.26	4.38	0.110	0.36	1.1
1755151		31.2	10.3	0.056	4.62	0.30	5.6	5	1.4	215	0.22	1.12	5.82	0.123	4.71	1.2
1755152		32.7	4.9	0.136	4.08	0.33	4.7	3	2.1	256	0.26	1.85	6.02	0.149	2.67	1.3
1755153		43.1	2.4	0.733	6.44	0.30	4.4	11	1.2	265	0.20	9.47	6.30	0.098	4.30	1.2
1755154		45.1	2.1	0.324	6.36	0.34	4.2	6	1.2	280	0.21	4.08	6.68	0.114	2.99	1.2
1755155																
1755156		27.5	2.0	0.053	4.02	0.27	3.8	2	1.1	167.5	0.27	0.89	7.17	0.116	0.77	1.4
1755157		49.7	1.7	0.076	4.31	0.22	3.6	3	0.8	207	0.24	1.86	6.37	0.103	0.87	1.3
1755158		61.5	1.6	0.141	4.94	0.25	3.4	3	1.2	302	0.27	1.61	6.61	0.125	0.69	1.4
1755159		47.0	1.3	0.206	1.82	0.24	3.8	2	1.6	440	0.29	0.94	7.21	0.144	0.68	1.5
1755160		40.6	1.0	0.071	2.53	0.25	3.9	1	1.6	365	0.31	0.25	5.89	0.145	0.17	1.4
1755161		51.4	1.5	0.159	1.57	0.27	3.5	2	1.8	574	0.34	0.45	7.51	0.154	0.52	1.4
1755162		51.1	1.1	0.067	4.59	0.14	2.5	2	0.9	430	0.18	1.09	3.92	0.086	0.18	0.7
1755163		49.3	1.3	0.008	3.92	0.17	3.1	<1	1.3	258	0.30	0.15	6.54	0.130	0.10	1.1
1755164		38.4	1.4	0.015	4.46	0.18	3.7	1	1.3	249	0.32	0.53	6.17	0.146	0.14	1.1
1755165																
1755166		42.1	1.7	0.051	4.29	0.22	3.9	3	1.7	242	0.30	1.45	4.63	0.127	0.42	1.1
1755167		96.6	0.9	0.366	5.21	0.26	2.5	11	2.3	287	0.18	2.70	4.89	0.093	0.43	1.1
1755168		58.6	0.7	0.595	7.68	0.27	1.8	19	1.8	160.0	0.12	6.91	4.89	0.068	1.37	1.0
1755169		99.7	1.0	0.667	7.05	0.65	2.9	12	2.5	316	0.21	33.5	5.96	0.098	1.09	1.3
1755170		48.6	2.0	0.060	3.81	0.18	3.4	1	2.7	213	0.27	0.21	4.42	0.134	0.36	1.1
1755171		54.4	1.6	0.079	3.75	0.16	3.9	1	2.5	301	0.31	0.58	6.24	0.136	0.31	1.3
1755172		54.0	1.4	0.031	3.87	0.20	4.0	1	2.9	354	0.28	0.65	6.74	0.131	0.21	1.1
1755173		48.8	0.7	0.096	1.00	0.32	3.8	2	3.6	397	0.29	0.99	7.80	0.167	0.30	1.2
1755174		55.9	2.1	0.221	3.38	0.24	4.3	3	2.7	428	0.30	0.95	6.84	0.184	0.56	1.3
1755175																
1755176		76.8	1.5	0.149	3.14	0.25	3.3	3	2.8	610	0.27	0.90	6.08	0.155	0.32	1.0
1755177		54.3	2.4	0.185	0.58	0.33	4.7	1	3.4	563	0.31	0.52	9.21	0.188	0.71	1.4
1755178		60.4	1.2	0.105	0.77	0.26	3.9	2	2.7	614	0.27	0.39	6.87	0.173	0.34	1.1
1755179		55.4	0.8	0.032	0.32	0.34	3.3	1	3.2	495	0.27	0.18	6.99	0.175	0.18	1.1
1755180		66.4	1.2	0.222	5.12	0.16	3.7	8	2.5	346	0.17	1.58	4.32	0.104	0.14	1.0
1755181		110.5	3.1	0.037	2.84	0.28	5.0	2	2.7	389	0.18	1.00	5.72	0.114	0.27	0.8
1755182		63.8	9.8	0.022	1.73	0.37	5.8	2	3.4	308	0.19	0.85	8.65	0.119	0.56	0.7
1755183		87.3	14.0	0.099	1.97	0.26	4.9	3	2.7	387	0.19	1.62	12.30	0.118	0.49	0.6
1755184		147.0	8.3	0.056	4.04	0.23	9.1	2	2.6	409	0.14	0.52	7.44	0.112	0.51	1.1
1755185																
1755186		36.8	1.8	0.037	7.13	0.16	3.9	6	1.6	191.5	0.14	3.32	4.99	0.095	0.09	1.2



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1755147		36	1.7	6.7	<2	114.0
1755148		32	1.8	4.6	<2	110.0
1755149		30	1.2	3.5	<2	105.0
1755150		29	1.0	4.7	<2	104.5
1755151		32	1.7	5.9	<2	128.0
1755152		33	2.4	5.8	<2	123.5
1755153		24	0.9	6.8	<2	121.0
1755154		23	1.4	6.5	2	120.0
1755155						
1755156		23	1.7	9.1	<2	128.5
1755157		20	0.8	8.1	<2	130.5
1755158		25	1.4	9.2	<2	133.5
1755159		26	1.9	9.1	<2	130.5
1755160		38	1.9	7.4	<2	132.0
1755161		31	2.2	8.3	2	134.5
1755162		40	1.1	3.2	<2	84.9
1755163		24	1.0	6.2	<2	131.5
1755164		36	2.1	6.0	<2	132.0
1755165						
1755166		30	1.3	5.9	<2	135.5
1755167		20	2.1	4.2	5	107.5
1755168		11	1.8	3.9	8	111.0
1755169		24	2.5	5.7	6	140.0
1755170		22	2.2	6.0	3	126.0
1755171		22	2.3	8.5	<2	138.0
1755172		27	2.2	7.7	<2	133.0
1755173		22	2.8	6.0	3	116.5
1755174		33	2.7	7.1	<2	131.5
1755175						
1755176		31	2.6	5.3	<2	108.5
1755177		29	3.7	6.1	2	140.0
1755178		24	3.8	5.4	<2	131.0
1755179		22	3.3	5.2	<2	117.0
1755180		31	1.5	5.3	<2	83.6
1755181		44	1.6	5.0	<2	59.2
1755182		52	1.9	2.5	<2	47.8
1755183		41	0.9	5.0	2	57.8
1755184		50	1.1	4.3	2	51.1
1755185						
1755186		33	1.0	9.2	<2	101.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755187		5.88	0.040	<0.01	6.62	0.3	140	0.12	0.46	0.02	<0.02	45.0	4.2	15	0.17	7.8
1755188		6.38	0.062	0.02	6.23	2.9	200	0.08	0.78	0.04	0.07	50.0	7.5	15	0.14	11.2
1755189		5.76	0.061	0.02	6.96	2.1	230	0.08	0.72	0.03	0.04	51.4	5.9	15	0.11	10.7
1755190		5.28	0.054	0.01	6.90	1.5	270	0.16	0.80	0.05	0.02	51.2	5.5	13	0.19	6.8
1755191		5.84	0.074	0.02	6.85	2.6	200	0.20	0.98	0.03	<0.02	49.9	6.4	13	0.35	12.6
1755192		4.86	0.113	0.05	4.63	2.0	220	0.05	2.49	0.02	<0.02	43.4	2.9	18	0.11	23.1
1755193		5.24	0.169	0.07	7.58	3.7	140	0.11	4.35	0.03	0.03	35.1	6.7	16	0.24	47.1
1755194		6.08	0.057	0.01	6.82	1.8	380	0.12	0.66	0.04	0.02	43.2	3.0	17	0.10	7.6
1755195		6.76	0.038	0.02	6.73	1.4	260	0.09	0.41	0.03	<0.02	42.0	3.4	19	0.18	6.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS	TF24033734
-------------------------	------------

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units LOD	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755187		1.48	11.60	0.09	3.2	0.023	1.18	20.7	0.6	<0.01	72	3.53	0.18	4.5	1.7	690
1755188		3.30	10.00	0.12	2.8	0.010	1.13	23.1	0.6	<0.01	43	3.36	0.21	2.7	2.5	790
1755189		2.00	16.10	0.13	3.1	0.008	0.85	23.1	0.5	<0.01	50	4.69	0.17	3.4	2.1	900
1755190		1.42	9.33	0.09	3.3	0.011	0.94	23.7	0.9	<0.01	41	4.28	0.23	3.8	2.0	770
1755191		1.56	7.01	0.09	3.1	0.014	1.31	23.1	0.8	<0.01	42	3.38	0.19	3.6	1.7	550
1755192		2.01	6.26	0.08	3.0	0.027	1.51	20.3	<0.2	<0.01	50	9.12	0.38	3.2	1.2	350
1755193		2.53	11.25	0.10	2.6	0.041	2.31	16.8	0.3	<0.01	45	19.30	0.58	2.9	2.5	540
1755194		1.21	4.90	0.10	2.5	0.011	1.39	20.4	0.3	<0.01	43	5.13	0.47	3.5	1.6	700
1755195		1.53	7.34	0.08	3.0	0.006	1.12	19.4	0.4	<0.01	54	4.46	0.32	4.6	1.2	680

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
1755187		17.5	3.5	0.032	2.88	0.19	4.5	2	5.1	70.9	0.25	1.04	5.99	0.158	0.22	1.3
1755188		23.4	2.5	0.100	5.43	0.14	4.4	8	2.8	176.5	0.17	1.48	6.35	0.117	0.14	1.1
1755189		28.1	1.7	0.044	3.46	0.13	4.2	4	3.1	317	0.21	1.44	6.31	0.140	0.08	1.1
1755190		59.0	2.5	0.046	3.08	0.19	4.7	3	2.5	367	0.25	1.20	6.92	0.157	0.11	1.2
1755191		38.4	6.3	0.025	2.93	0.21	4.8	2	2.5	169.0	0.24	1.44	6.85	0.163	0.29	1.2
1755192		77.7	2.2	0.098	5.17	0.20	4.1	3	2.1	174.5	0.22	2.26	4.88	0.131	0.11	0.9
1755193		132.5	5.1	0.461	7.09	0.41	4.6	5	2.7	322	0.21	4.56	4.31	0.120	0.23	0.8
1755194		59.0	1.7	0.041	4.44	0.21	3.2	2	2.5	289	0.22	1.78	5.88	0.158	0.06	0.8
1755195		19.4	3.8	0.038	3.33	0.18	4.7	3	2.8	239	0.29	0.86	6.21	0.186	0.15	1.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755187		40	0.9	8.4	<2	123.0
1755188		39	0.7	8.8	<2	109.0
1755189		35	0.8	9.1	2	116.5
1755190		38	0.8	8.1	2	122.5
1755191		38	1.1	7.5	<2	117.5
1755192		23	1.1	6.3	3	117.5
1755193		37	1.1	4.2	<2	100.5
1755194		28	0.9	5.1	2	93.1
1755195		43	0.7	6.4	4	116.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 26-FEB-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24033734

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23</p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS61</p>												
Applies to Method:	<p>Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-21</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">DIS-REJ21</td> </tr> <tr> <td>LOG-21</td> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> </tr> <tr> <td>SND-ALS</td> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-21	CRU-31	CRU-QC	DIS-REJ21	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21	
CRU-21	CRU-31	CRU-QC	DIS-REJ21										
LOG-21	LOG-23	PUL-31	PUL-QC										
SND-ALS	SPL-22Y	WEI-21											