



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 1
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

CERTIFICATE TF24038801

Project: Brewer
 P.O. No.: US23-1032301r1-PANTIN
 This report is for 179 samples of Drill Core submitted to our lab in Twin Falls, ID, USA on 13-FEB-2024.
 The following have access to data associated with this certificate:

LAYTON CROFT PATRICK QUIGLEY	PATRICK QUIGLEY ASHLEY QUIGLEY	ASHLEY QUIGLEY JEN SPOHN
---------------------------------	-----------------------------------	-----------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DIS-REJ21	Disposal of R/B Split after analysis.
SND-ALS	Send samples to internal laboratory
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755250		4.68	0.132	0.12	1.04	3.0	200	<0.05	12.80	0.02	<0.02	21.4	0.4	6	<0.05	7.4
1755251		4.40	0.141	0.11	0.17	2.2	20	<0.05	6.87	0.01	<0.02	6.73	0.2	7	<0.05	5.8
1755252		7.56	0.136	0.12	0.23	1.7	10	<0.05	23.3	0.01	0.03	1.66	0.2	7	<0.05	5.6
1755253		8.66	0.020	0.03	0.04	0.7	20	<0.05	0.53	0.01	0.03	0.62	0.2	9	<0.05	3.7
1755254		5.62	0.015	0.01	0.05	0.6	10	<0.05	0.42	0.01	<0.02	1.41	0.2	14	<0.05	3.3
1755255		6.18	0.011	0.02	0.04	0.6	<10	<0.05	0.25	<0.01	0.03	0.54	0.2	7	<0.05	4.1
1755256		5.00	0.023	0.34	1.03	2.2	220	0.05	3.98	0.02	<0.02	10.60	0.2	10	0.18	5.5
1755257		4.72	0.019	0.11	0.33	0.6	40	<0.05	0.75	0.01	<0.02	1.56	0.2	7	0.12	5.0
1755258		2.42	0.005	1.09	7.21	5.8	1400	1.24	0.63	0.01	<0.02	38.5	0.3	3	5.42	5.1
1755259		0.06	0.344													
1755260		4.66	0.015	0.07	0.92	2.7	80	<0.05	2.04	0.02	<0.02	27.8	0.2	9	0.07	3.3
1755261		4.80	0.025	0.28	2.98	4.1	100	0.05	5.10	0.03	<0.02	29.4	0.3	11	0.23	17.0
1755262		5.50	0.038	0.21	8.60	3.3	280	0.22	2.40	0.05	<0.02	106.5	0.2	7	0.33	6.4
1755263		4.32	0.033	0.04	8.12	5.8	330	0.19	4.42	0.06	<0.02	118.0	0.2	8	0.14	6.7
1755264		7.88	0.011	0.02	3.22	4.3	100	0.07	5.70	0.03	<0.02	33.3	0.1	11	<0.05	3.6
1755265		4.86	0.017	0.06	1.25	7.0	40	<0.05	4.26	0.02	<0.02	13.50	0.2	17	<0.05	4.8
1755266		5.24	0.023	0.02	4.23	4.5	60	0.08	7.54	0.02	<0.02	20.1	0.2	11	<0.05	4.9
1755267		5.56	0.010	0.01	2.79	3.7	50	0.05	2.91	0.01	<0.02	16.00	0.2	14	<0.05	3.8
1755268		4.24	0.009	0.01	3.64	2.2	50	<0.05	1.99	0.02	<0.02	20.2	0.1	14	<0.05	3.1
1755269		0.50	<0.005													
1755270		5.34	0.010	0.02	2.59	3.1	40	<0.05	2.09	0.02	<0.02	15.35	0.1	11	<0.05	3.4
1755271		4.66	0.015	0.01	2.28	1.5	30	<0.05	6.74	0.01	<0.02	9.54	0.1	11	0.27	2.8
1755272		5.46	0.011	0.07	3.07	1.6	40	0.05	3.16	0.01	<0.02	12.55	0.4	10	0.46	23.1
1755273		5.74	0.010	0.02	3.17	0.7	60	0.06	2.34	0.01	<0.02	17.20	0.1	10	0.36	2.5
1755274		5.54	0.023	0.08	1.56	1.9	40	<0.05	6.33	0.01	<0.02	9.80	0.4	17	0.11	8.0
1755275		5.06	0.022	0.03	2.19	7.9	30	0.05	2.52	0.01	<0.02	4.59	0.1	14	0.06	3.0
1755276		5.28	0.007	0.07	1.02	6.1	30	<0.05	0.58	0.01	0.02	7.52	0.5	14	0.11	6.4
1755277		5.30	0.020	0.03	2.89	1.8	50	0.05	1.64	0.01	<0.02	10.95	0.3	11	0.32	4.0
1755278		5.80	0.017	0.02	3.60	1.5	30	<0.05	1.10	0.01	<0.02	4.97	0.2	9	0.08	2.5
1755279		0.06	0.802													
1755280		5.04	0.023	0.01	3.57	1.6	60	<0.05	2.22	0.01	<0.02	12.85	0.3	7	0.05	2.4
1755281		5.90	0.008	<0.01	3.35	1.2	80	<0.05	0.58	0.02	<0.02	15.30	0.2	8	0.08	1.8
1755282		4.14	0.006	0.01	2.61	0.7	60	<0.05	0.54	0.01	<0.02	11.00	0.2	8	0.08	1.9
1755283		5.84	0.033	0.03	4.50	8.1	90	<0.05	3.96	0.03	<0.02	24.6	0.2	8	0.07	2.5
1755284		5.04	0.027	0.02	3.25	1.5	80	0.05	3.80	0.02	<0.02	19.50	0.2	8	0.08	2.4
1755285		5.24	0.020	0.02	3.91	3.6	100	0.07	2.88	0.01	<0.02	18.55	0.1	6	0.07	2.8
1755286		5.24	0.859	2.49	4.33	25.9	120	0.08	6.26	0.02	<0.02	54.5	0.3	6	0.46	7.8
1755287		4.90	0.038	0.03	5.98	2.6	180	0.12	2.81	0.03	<0.02	65.3	0.1	6	0.82	2.7
1755288		2.64	0.016	0.02	8.40	2.4	440	0.13	1.41	0.04	<0.02	79.8	1.5	6	0.11	21.1
1755289		0.48	<0.005													



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755250		0.77	3.98	0.06	3.6	0.006	0.01	11.1	<0.2	<0.01	54	7.14	0.01	4.0	2.7	380
1755251		0.52	0.67	<0.05	2.6	0.007	0.02	3.3	<0.2	<0.01	44	4.52	0.01	2.9	1.3	90
1755252		0.65	0.87	<0.05	2.8	0.007	0.02	0.8	<0.2	<0.01	44	10.80	<0.01	3.2	0.8	50
1755253		0.48	0.24	<0.05	3.3	0.008	0.01	<0.5	<0.2	<0.01	53	3.53	<0.01	3.8	0.7	40
1755254		0.36	0.26	<0.05	3.3	<0.005	0.02	0.8	<0.2	<0.01	39	1.78	<0.01	3.4	0.9	30
1755255		0.47	0.23	<0.05	3.2	<0.005	0.01	<0.5	0.3	<0.01	51	1.32	<0.01	3.1	0.8	20
1755256		0.64	3.75	0.05	3.6	0.017	0.21	5.3	<0.2	<0.01	32	4.90	0.02	3.5	0.9	360
1755257		0.34	1.12	<0.05	3.8	0.011	0.11	0.7	<0.2	<0.01	37	1.83	0.01	4.0	0.6	80
1755258		0.45	20.1	0.08	3.3	0.038	3.20	21.0	1.2	0.17	25	0.60	0.23	3.9	3.0	220
1755259																
1755260		0.61	2.68	0.06	3.6	0.011	0.05	15.5	0.3	<0.01	37	6.42	0.01	3.4	0.5	330
1755261		1.84	9.64	0.12	3.6	0.037	0.30	16.8	0.4	<0.01	24	18.30	0.04	3.6	0.5	570
1755262		0.75	33.0	0.12	2.8	0.053	0.46	62.3	4.6	<0.01	23	15.75	0.07	3.2	0.9	1260
1755263		1.19	30.7	0.15	3.8	0.021	0.15	66.6	4.3	<0.01	30	10.90	0.04	2.7	1.4	1360
1755264		0.42	10.50	0.05	3.8	0.009	0.02	19.4	1.3	<0.01	27	3.91	0.01	3.1	0.6	520
1755265		0.66	3.83	0.05	3.8	0.009	0.01	7.7	0.5	<0.01	37	15.30	0.01	3.5	0.6	230
1755266		0.56	14.75	0.06	4.1	0.008	0.02	12.6	1.4	<0.01	32	24.4	0.01	4.2	1.0	330
1755267		0.46	8.84	<0.05	3.5	0.006	0.02	9.2	0.9	<0.01	32	14.65	0.01	3.5	2.7	270
1755268		0.40	10.60	<0.05	4.2	0.010	0.07	12.0	0.5	<0.01	34	13.25	0.02	4.5	4.0	300
1755269																
1755270		0.48	7.29	<0.05	3.9	0.009	0.05	9.1	0.7	<0.01	39	8.70	0.02	3.5	0.3	270
1755271		0.40	7.70	<0.05	6.0	0.045	0.38	4.6	0.8	<0.01	32	12.00	0.04	5.0	1.1	180
1755272		0.69	11.80	0.05	4.9	0.081	0.67	7.1	0.6	<0.01	39	10.35	0.06	4.3	0.5	210
1755273		0.41	11.60	<0.05	4.4	0.069	0.54	10.1	0.9	<0.01	31	7.32	0.05	5.0	0.8	280
1755274		0.96	4.73	0.08	2.7	0.018	0.14	4.7	0.6	<0.01	54	12.60	0.02	3.6	0.8	230
1755275		0.73	6.03	<0.05	2.7	0.012	0.08	2.8	0.7	<0.01	32	12.40	0.01	3.0	4.7	130
1755276		0.45	3.06	<0.05	2.8	0.020	0.15	3.7	0.3	<0.01	43	7.97	0.02	3.4	4.1	170
1755277		0.60	9.09	<0.05	1.9	0.050	0.49	6.7	0.8	<0.01	46	19.70	0.05	3.6	1.9	240
1755278		0.43	10.25	0.06	2.5	0.016	0.13	3.1	0.8	<0.01	40	8.85	0.02	3.3	2.7	140
1755279																
1755280		0.55	11.45	<0.05	2.9	0.012	0.08	8.3	0.6	<0.01	47	7.51	0.02	3.5	0.9	240
1755281		0.42	10.80	<0.05	3.2	0.017	0.14	11.4	0.7	<0.01	43	3.02	0.02	4.1	0.4	370
1755282		0.48	9.17	<0.05	2.5	0.021	0.14	8.4	0.6	<0.01	47	3.53	0.02	3.7	0.6	260
1755283		0.89	16.05	0.05	2.9	0.021	0.12	18.4	0.6	<0.01	34	23.6	0.03	3.8	0.3	560
1755284		0.65	11.85	<0.05	2.4	0.017	0.11	13.4	0.8	<0.01	44	43.8	0.02	4.1	0.6	440
1755285		0.51	14.45	<0.05	2.7	0.012	0.11	12.5	1.5	<0.01	34	12.80	0.02	3.8	0.5	340
1755286		3.17	16.35	0.16	3.2	0.059	0.72	30.8	1.0	<0.01	38	130.0	0.10	2.3	0.7	520
1755287		0.49	22.4	0.07	1.8	0.114	1.21	37.7	1.1	0.01	26	19.90	0.14	4.5	0.3	610
1755288		0.56	33.3	0.07	2.6	0.018	0.15	43.5	3.3	<0.01	39	19.85	0.04	3.2	1.0	1060
1755289																

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755250		84.2	0.2	0.002	0.04	2.30	4.1	6	2.3	345	0.21	31.0	5.54	0.132	<0.02	1.2
1755251		28.3	0.4	0.002	0.03	1.99	3.3	3	1.3	112.5	0.14	11.65	3.06	0.121	<0.02	1.0
1755252		12.4	0.5	<0.002	0.02	1.60	3.0	7	1.2	39.4	0.14	9.34	1.49	0.122	<0.02	0.8
1755253		9.2	0.3	<0.002	0.01	0.83	3.3	<1	1.4	19.3	0.18	0.84	1.26	0.138	<0.02	0.9
1755254		6.5	0.5	<0.002	0.01	0.69	3.2	<1	1.3	27.7	0.16	0.51	1.90	0.122	<0.02	0.9
1755255		5.3	0.4	<0.002	<0.01	0.64	3.3	<1	1.0	11.8	0.15	0.31	1.50	0.108	<0.02	1.0
1755256		33.5	5.7	0.002	0.03	1.01	3.9	8	1.2	234	0.18	1.68	3.49	0.114	0.09	1.2
1755257		9.1	3.4	0.002	0.01	0.95	3.7	<1	1.5	46.8	0.19	0.74	1.44	0.145	0.04	1.1
1755258		25.5	138.5	<0.002	0.01	1.93	2.8	1	0.7	94.2	0.44	0.88	12.95	0.105	1.58	3.1
1755259																
1755260		92.9	1.7	0.002	0.05	1.22	2.8	7	1.5	398	0.21	2.64	5.71	0.151	0.03	1.0
1755261		157.0	3.8	0.007	0.46	1.58	3.0	38	1.6	725	0.26	5.34	7.63	0.149	0.18	1.1
1755262		391	5.8	0.003	0.15	1.33	3.5	14	3.4	1480	0.21	5.47	18.20	0.123	0.29	1.2
1755263		401	2.1	0.005	0.17	1.54	4.6	27	2.6	1590	0.19	3.15	18.85	0.093	0.10	1.6
1755264		133.0	0.4	0.002	0.07	1.03	3.7	3	1.5	623	0.21	2.25	9.33	0.119	<0.02	1.3
1755265		57.2	0.3	0.003	0.04	1.26	3.6	9	1.6	268	0.22	7.92	4.82	0.137	<0.02	1.1
1755266		84.9	0.3	0.003	0.05	1.40	4.2	13	1.6	399	0.28	3.33	6.33	0.145	<0.02	1.4
1755267		69.6	0.4	0.003	0.04	0.93	3.5	2	1.6	335	0.23	2.31	5.46	0.136	<0.02	1.1
1755268		71.4	1.4	0.004	0.04	1.00	4.6	2	1.8	366	0.29	1.29	6.66	0.153	0.04	1.3
1755269																
1755270		62.6	1.0	0.004	0.04	0.87	4.1	1	1.5	299	0.24	5.39	5.37	0.128	0.03	1.3
1755271		50.6	4.9	0.004	0.03	0.83	7.1	3	2.2	222	0.38	2.85	4.97	0.183	0.25	2.0
1755272		51.5	8.7	0.006	0.17	0.85	6.4	10	2.0	241	0.30	1.88	4.62	0.161	0.47	1.7
1755273		74.0	6.7	0.004	0.04	1.06	4.6	3	2.1	359	0.34	1.20	4.90	0.207	0.39	1.4
1755274		51.1	1.8	0.005	0.13	1.12	1.7	15	1.5	257	0.21	3.73	2.88	0.172	0.10	0.8
1755275		25.2	1.2	0.002	0.02	1.06	1.8	9	1.3	140.0	0.21	2.36	2.00	0.145	0.05	0.8
1755276		46.3	1.7	0.003	0.03	1.29	1.8	2	1.9	204	0.22	1.08	2.53	0.164	0.10	0.5
1755277		68.5	5.8	0.006	0.04	0.87	1.7	5	2.1	344	0.26	0.62	2.95	0.171	0.29	0.4
1755278		29.6	1.7	0.003	0.02	0.75	1.6	2	2.1	165.5	0.24	0.68	2.15	0.163	0.09	0.4
1755279																
1755280		59.6	1.1	0.003	0.04	0.67	2.0	2	1.9	330	0.25	1.40	3.39	0.169	0.05	0.5
1755281		86.1	1.5	0.002	0.06	0.58	2.0	1	2.0	514	0.29	0.85	4.80	0.203	0.09	0.6
1755282		66.1	1.5	<0.002	0.04	0.55	1.6	1	2.5	356	0.26	0.89	3.76	0.183	0.10	0.4
1755283		135.5	1.4	<0.002	0.09	2.06	2.1	10	2.4	813	0.25	9.06	7.29	0.172	0.08	0.5
1755284		104.0	1.5	0.002	0.07	1.35	1.7	4	3.2	622	0.24	4.22	6.37	0.158	0.07	0.5
1755285		78.6	1.5	0.003	0.05	1.14	2.3	5	3.0	429	0.25	3.38	5.15	0.166	0.06	0.4
1755286		124.5	12.4	0.002	0.39	2.27	3.1	54	3.1	586	0.16	17.20	11.20	0.108	0.36	0.6
1755287		159.5	20.6	0.007	0.08	1.81	3.3	4	4.1	655	0.30	4.58	13.05	0.191	0.64	0.4
1755288		231	2.0	0.017	0.26	1.39	2.6	5	2.2	958	0.23	1.66	14.85	0.144	0.09	0.6
1755289																



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
		1	0.1	0.1	2	0.5
1755250		8	3.6	4.8	4	132.5
1755251		6	2.4	4.1	2	117.0
1755252		6	2.2	3.2	6	116.5
1755253		6	2.4	3.8	6	128.0
1755254		5	2.1	3.9	<2	135.5
1755255		4	1.6	4.0	4	125.5
1755256		8	5.9	4.8	<2	144.5
1755257		6	2.8	4.6	2	144.5
1755258		17	5.7	8.9	12	118.0
1755259						
1755260		8	2.6	3.3	<2	146.0
1755261		21	3.2	3.8	<2	151.5
1755262		33	3.4	4.2	<2	113.5
1755263		23	3.2	7.6	<2	161.5
1755264		9	2.8	5.3	<2	156.5
1755265		9	3.1	4.7	<2	166.5
1755266		11	3.8	6.5	<2	173.5
1755267		9	3.9	4.8	<2	142.0
1755268		12	4.3	5.2	<2	178.0
1755269						
1755270		11	3.5	4.9	<2	165.0
1755271		20	6.6	8.8	<2	253
1755272		29	4.4	6.2	<2	222
1755273		27	5.1	3.9	<2	186.5
1755274		12	3.6	2.5	<2	123.0
1755275		10	2.3	2.5	<2	120.0
1755276		11	3.3	2.3	7	118.0
1755277		21	6.9	2.1	2	82.4
1755278		16	6.7	2.4	<2	96.0
1755279						
1755280		15	4.7	2.6	<2	120.5
1755281		15	3.8	2.7	<2	130.5
1755282		15	5.4	2.0	<2	95.0
1755283		22	5.3	2.5	<2	121.5
1755284		18	6.3	2.2	<2	99.2
1755285		18	4.7	2.0	<2	109.5
1755286		32	13.8	2.6	<2	132.0
1755287		57	4.4	2.3	<2	86.2
1755288		25	3.0	2.8	<2	111.0
1755289						



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755290		5.00	0.029	0.03	5.51	2.1	950	0.07	2.30	0.05	<0.02	101.5	0.7	6	0.09	6.3
1755291		5.62	0.168	0.09	4.91	6.7	590	0.08	10.75	0.04	0.02	89.2	22.1	8	0.33	46.5
1755292		5.52	0.259	0.14	2.83	9.5	150	<0.05	6.68	0.03	0.03	83.7	18.4	11	0.11	68.3
1755293		5.20	0.577	0.19	4.02	12.5	150	<0.05	10.50	0.04	0.09	85.9	61.2	12	0.12	122.0
1755294		4.12	0.186	0.13	2.25	11.4	110	<0.05	6.32	0.03	0.02	84.5	9.1	13	0.07	25.8
1755295		5.42	0.123	0.08	5.02	14.6	160	0.07	3.58	0.04	<0.02	53.8	1.5	7	0.58	6.9
1755296		4.96	0.151	0.09	4.71	5.1	140	0.06	6.58	0.03	0.02	53.6	17.6	8	0.15	16.1
1755297		4.38	0.072	0.06	4.95	3.5	170	<0.05	3.26	0.05	<0.02	59.9	17.0	8	0.16	44.9
1755298		4.22	0.209	0.22	6.45	10.8	910	0.13	12.10	0.04	0.03	91.1	16.5	11	0.48	32.7
1755299		5.68	0.157	0.20	8.76	8.0	1180	0.19	16.35	0.03	<0.02	81.4	18.2	7	1.55	48.9
1755300		0.06	0.823													
1755301		5.80	0.177	0.33	5.81	9.5	470	0.11	16.75	0.02	0.03	33.7	19.0	7	1.00	140.0
1755302		5.50	0.083	0.09	6.63	7.5	730	0.08	3.80	0.02	<0.02	33.3	15.8	8	0.27	68.4
1755303		6.18	0.171	0.12	8.45	5.5	580	0.07	2.96	0.01	<0.02	26.6	24.4	8	0.14	65.4
1755304		5.80	0.165	0.09	8.38	4.4	360	0.08	3.57	0.01	0.03	28.0	22.7	7	0.32	42.3
1755305		5.54	0.070	0.08	8.60	6.7	400	0.11	4.36	0.02	0.06	27.9	15.4	6	0.79	42.6
1755306		5.92	0.199	0.16	8.37	14.8	400	0.08	9.25	0.02	0.06	31.0	33.2	6	0.11	146.5
1755307		4.88	0.156	0.18	9.97	12.5	1140	0.11	8.87	0.03	0.04	40.0	30.1	8	0.42	145.0
1755308		3.54	0.131	0.12	7.74	17.5	360	0.13	5.44	0.04	<0.02	66.8	22.3	9	0.95	101.5
1755309		3.58	0.160	0.15	3.54	6.6	190	0.07	3.53	0.01	<0.02	33.0	5.8	10	0.52	36.0
1755310		0.54	<0.005													
1755311		5.82	1.555	0.68	7.43	46.1	110	0.09	61.4	0.02	0.18	36.8	48.9	9	0.06	370
1755312		4.68	0.072	0.07	6.76	5.8	450	0.10	2.85	0.03	<0.02	101.0	5.0	9	0.09	25.3
1755313		5.64	0.077	0.04	5.79	9.8	330	0.07	2.38	0.02	<0.02	81.3	2.6	7	<0.05	12.0
1755314		5.00	0.072	0.02	7.11	4.4	170	0.07	1.96	0.01	<0.02	53.5	0.5	6	<0.05	7.6
1755315		5.50	0.037	0.04	8.46	3.9	510	0.10	1.74	0.04	<0.02	73.5	2.9	7	0.05	87.0
1755316		3.34	0.058	0.04	6.97	3.5	240	0.08	2.99	0.02	<0.02	60.0	1.1	8	0.07	15.0
1755317		3.82	0.214	0.54	7.04	57.9	180	0.11	27.5	0.02	0.04	56.1	40.5	6	0.26	355
1755318		5.34	0.035	0.10	7.76	5.4	620	0.12	7.95	0.04	<0.02	47.6	16.6	5	0.96	120.0
1755319		3.62	0.029	0.14	6.19	4.1	840	0.12	7.80	0.03	0.02	44.1	12.3	5	1.14	125.5
1755320		0.06	1.870													
1755321		4.64	0.152	0.26	8.67	14.9	320	0.18	6.25	0.02	<0.02	42.3	15.2	5	1.99	212
1755322		4.82	0.190	0.21	11.10	9.0	580	0.25	10.55	0.02	<0.02	40.3	3.4	4	2.35	25.8
1755323		5.08	0.050	0.08	7.20	2.5	580	0.20	5.46	0.02	0.02	48.1	0.6	11	1.17	24.0
1755324		5.84	0.057	0.14	7.75	8.3	310	0.16	6.57	0.02	0.03	31.7	3.4	6	1.31	152.5
1755325		3.08	0.025	0.07	1.78	1.7	50	0.05	1.58	0.01	0.08	16.15	1.2	22	0.21	29.5
1755326		4.88	0.236	0.35	3.57	9.6	410	0.13	16.85	0.01	0.02	7.86	16.2	16	0.45	160.5
1755327		3.04	0.081	0.31	3.37	4.6	400	0.08	8.21	0.01	<0.02	14.30	1.5	14	0.49	24.7
1755328		4.72	0.232	0.71	8.20	15.7	190	0.18	23.0	0.04	<0.02	67.4	49.5	6	0.47	413
1755329		4.74	1.005	4.52	8.13	16.1	100	0.13	284	0.03	<0.02	79.2	47.7	6	0.39	1265

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755290		0.63	17.05	0.11	2.6	0.012	0.12	52.8	1.8	<0.01	40	11.05	0.03	2.6	0.6	1130
1755291		1.37	18.70	0.12	2.3	0.052	0.40	44.8	1.6	<0.01	41	31.2	0.05	2.8	2.4	810
1755292		2.35	10.05	0.13	3.2	0.030	0.14	42.1	0.6	<0.01	39	14.70	0.03	2.1	2.2	600
1755293		5.24	14.05	0.19	3.2	0.030	0.15	43.5	0.8	<0.01	45	18.90	0.03	1.8	8.5	800
1755294		2.97	8.63	0.14	2.8	0.020	0.08	43.3	0.5	<0.01	43	22.0	0.02	1.8	1.8	610
1755295		1.78	18.85	0.12	2.5	0.075	0.72	27.4	1.1	<0.01	36	51.8	0.09	2.0	0.9	670
1755296		2.96	15.20	0.12	2.4	0.029	0.21	30.1	0.8	<0.01	46	23.6	0.03	1.6	2.6	580
1755297		2.17	14.90	0.10	2.2	0.030	0.22	33.4	0.6	<0.01	43	10.30	0.03	1.5	2.2	700
1755298		2.61	27.4	0.16	2.0	0.091	0.70	49.1	1.8	<0.01	47	7.32	0.08	1.8	2.7	1530
1755299		2.50	37.3	0.14	3.6	0.177	2.09	45.7	1.8	0.01	36	12.65	0.23	4.3	3.4	1160
1755300																
1755301		2.15	16.95	0.09	2.9	0.094	1.29	20.2	1.2	0.01	38	13.35	0.16	3.2	2.6	490
1755302		1.47	14.30	0.07	2.4	0.047	0.31	18.0	1.7	<0.01	42	8.36	0.04	2.4	2.5	810
1755303		3.01	17.45	0.09	1.9	0.020	0.13	14.3	1.8	<0.01	45	8.64	0.02	2.0	4.2	460
1755304		3.41	21.0	0.11	2.4	0.053	0.39	15.3	1.4	<0.01	45	11.10	0.05	2.6	4.8	420
1755305		2.07	36.2	0.06	1.9	0.146	1.14	15.5	1.1	0.01	43	4.92	0.10	2.5	3.6	590
1755306		2.95	38.3	0.10	3.1	0.017	0.12	17.0	1.9	<0.01	26	16.05	0.02	3.4	8.0	620
1755307		2.12	51.8	0.08	2.1	0.088	0.67	22.1	2.4	<0.01	38	9.36	0.07	3.2	6.0	1030
1755308		3.96	42.7	0.13	2.7	0.148	1.31	36.0	1.9	0.01	38	195.5	0.14	2.7	12.2	1410
1755309		2.47	16.70	0.08	2.0	0.101	0.73	17.6	1.1	<0.01	45	57.5	0.08	1.7	2.6	310
1755310																
1755311		6.74	35.8	0.19	2.2	0.021	0.05	18.2	2.9	<0.01	39	98.3	0.02	1.5	11.0	470
1755312		1.92	39.9	0.13	2.4	0.015	0.10	55.9	1.6	<0.01	39	8.27	0.02	2.7	1.4	1070
1755313		1.29	26.6	0.09	2.3	0.005	0.04	44.5	1.2	<0.01	30	31.5	0.01	2.6	1.2	810
1755314		0.76	29.8	0.07	2.7	0.008	0.04	29.0	0.8	<0.01	36	18.10	0.01	2.6	0.5	520
1755315		0.61	30.5	0.09	2.6	0.010	0.05	38.4	0.8	<0.01	38	12.30	0.01	3.5	1.4	1550
1755316		0.69	24.3	0.06	2.0	0.009	0.05	33.9	0.6	<0.01	27	14.05	0.01	3.3	1.0	410
1755317		4.65	27.2	0.18	2.1	0.052	0.31	31.0	1.0	<0.01	30	57.7	0.04	2.1	8.6	710
1755318		1.74	30.1	0.07	1.6	0.167	1.32	27.7	0.9	0.01	30	6.41	0.15	2.9	3.8	880
1755319		1.36	22.5	0.06	1.4	0.093	1.47	24.1	0.6	0.01	24	5.32	0.20	2.4	2.8	850
1755320																
1755321		1.77	41.7	0.09	2.1	0.156	2.41	24.1	0.6	0.02	24	14.20	0.30	2.9	3.5	500
1755322		1.92	65.1	0.11	3.4	0.223	3.21	20.8	1.1	0.02	24	27.4	0.37	3.3	1.5	450
1755323		0.66	32.6	0.06	2.2	0.125	1.53	27.2	0.9	0.01	32	5.06	0.17	2.4	1.0	620
1755324		0.70	36.3	<0.05	2.6	0.148	1.55	19.1	1.0	0.01	27	10.35	0.16	3.8	1.4	530
1755325		1.14	7.66	<0.05	1.0	0.019	0.15	9.4	0.3	<0.01	77	4.95	0.02	1.1	1.7	90
1755326		2.62	18.50	0.11	2.3	0.046	0.78	4.6	0.5	0.01	30	15.00	0.07	2.4	5.3	250
1755327		2.16	16.00	0.10	1.9	0.057	0.83	8.1	0.4	0.01	51	12.10	0.08	1.2	2.1	290
1755328		4.37	47.7	0.16	3.0	0.069	0.72	33.9	1.3	0.01	41	21.5	0.08	2.3	8.3	1230
1755329		5.97	43.2	0.43	3.2	0.180	0.57	41.5	1.6	0.01	29	22.7	0.07	2.6	9.0	1090



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755290		175.5	2.0	0.012	0.16	1.11	2.3	4	2.2	667	0.17	2.63	17.55	0.099	0.06	0.6
1755291		151.5	5.5	0.125	0.80	2.36	3.0	14	3.5	555	0.18	15.05	15.45	0.125	0.26	0.5
1755292		107.5	2.1	0.060	1.29	1.17	3.6	23	1.9	401	0.15	9.02	13.75	0.103	0.11	0.5
1755293		149.0	2.3	0.275	5.20	1.19	3.4	47	1.9	599	0.13	8.91	11.90	0.077	0.14	0.6
1755294		120.0	1.2	0.131	0.99	0.90	3.0	24	1.5	446	0.13	6.66	13.45	0.083	0.06	0.5
1755295		141.0	10.8	0.035	0.51	1.08	3.6	23	2.8	517	0.16	3.05	7.55	0.111	0.39	0.3
1755296		84.5	2.8	0.139	2.38	0.91	3.3	25	1.6	313	0.12	3.96	9.48	0.081	0.14	0.4
1755297		102.0	3.1	0.074	1.75	1.03	3.0	18	1.8	379	0.12	4.86	9.53	0.083	0.15	0.4
1755298		119.5	10.4	0.032	1.32	1.99	4.0	26	3.0	496	0.13	11.75	14.15	0.084	0.57	0.4
1755299		118.0	35.0	0.088	2.33	3.16	7.2	28	6.2	492	0.30	12.05	12.65	0.193	1.47	0.8
1755300																
1755301		79.9	21.6	0.129	2.10	2.15	4.9	19	3.3	308	0.21	13.60	5.20	0.143	0.78	0.6
1755302		55.9	4.0	0.143	1.23	1.70	3.4	9	2.1	237	0.16	9.76	5.55	0.106	0.22	0.4
1755303		53.8	1.8	0.177	3.04	0.89	2.5	18	1.5	200	0.12	10.10	4.28	0.097	0.12	0.2
1755304		66.6	5.0	0.258	3.59	1.54	3.5	20	2.3	232	0.17	12.00	5.00	0.132	0.28	0.3
1755305		75.1	15.0	0.085	1.99	1.52	4.9	10	2.7	248	0.16	5.35	5.44	0.130	0.74	0.4
1755306		96.8	1.8	0.418	3.26	5.43	3.7	20	2.4	311	0.22	20.4	5.63	0.173	0.15	0.6
1755307		153.0	8.1	0.244	2.21	5.31	4.0	12	3.5	488	0.21	16.60	7.23	0.164	0.55	0.4
1755308		137.0	20.5	2.48	4.24	2.18	5.7	26	5.7	444	0.17	8.25	10.30	0.120	0.95	0.6
1755309		62.0	9.6	0.221	1.58	1.06	3.5	15	3.7	175.5	0.13	6.31	4.57	0.073	0.51	0.4
1755310																
1755311		87.3	0.8	1.205	7.11	30.5	2.3	57	2.1	247	0.10	52.7	5.92	0.054	0.12	0.4
1755312		192.5	1.5	0.091	0.88	0.91	2.7	11	2.9	640	0.18	5.52	18.75	0.100	0.07	0.6
1755313		127.0	0.7	0.081	0.42	0.67	2.8	11	2.0	401	0.18	4.15	14.75	0.095	0.03	0.6
1755314		99.4	0.6	0.031	0.09	0.84	3.1	5	1.8	317	0.18	4.40	10.30	0.101	0.02	0.6
1755315		134.0	0.7	0.233	0.27	1.19	3.0	3	2.1	549	0.23	4.46	12.75	0.130	0.04	0.6
1755316		83.8	1.0	0.045	0.08	1.02	2.1	5	1.8	276	0.19	6.17	9.22	0.112	0.03	0.6
1755317		90.5	4.8	0.802	5.09	7.36	2.6	40	1.6	326	0.13	36.1	8.97	0.068	0.36	0.7
1755318		171.0	19.1	0.166	1.75	0.73	3.6	10	2.2	566	0.18	12.20	7.33	0.098	1.06	0.6
1755319		154.5	22.8	0.104	1.34	0.44	2.9	6	1.8	547	0.15	10.20	6.83	0.085	1.16	0.6
1755320																
1755321		106.0	39.4	0.108	1.53	0.70	5.2	13	3.7	428	0.17	11.90	7.63	0.094	1.95	0.6
1755322		80.3	50.5	0.056	0.41	0.81	8.8	19	6.2	358	0.19	18.45	7.92	0.112	2.59	1.0
1755323		133.5	23.6	0.019	0.08	0.47	4.7	4	2.7	602	0.15	8.13	9.59	0.080	1.16	0.7
1755324		148.5	23.5	0.085	0.25	0.90	5.5	7	4.0	567	0.22	18.65	8.40	0.123	1.20	1.0
1755325		23.6	2.6	0.005	0.16	0.35	1.5	4	1.2	71.1	0.07	8.98	2.73	0.039	0.13	0.2
1755326		11.9	12.0	0.127	2.26	0.73	4.0	27	3.4	89.8	0.15	31.5	1.94	0.086	0.63	0.5
1755327		24.5	12.5	0.014	0.25	0.43	3.9	25	2.5	129.5	0.07	15.15	2.48	0.046	0.66	0.5
1755328		127.0	11.0	0.493	4.61	0.90	5.3	37	4.3	698	0.15	27.5	8.20	0.093	0.65	1.4
1755329		100.5	8.2	0.624	6.66	2.74	5.0	115	10.5	563	0.16	460	8.67	0.094	0.59	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755290		17	2.0	2.9	<2	105.0
1755291		30	2.9	2.5	<2	93.8
1755292		14	2.1	2.6	<2	130.5
1755293		15	1.7	3.2	2	137.5
1755294		11	1.8	2.6	<2	113.0
1755295		38	2.4	2.1	<2	90.6
1755296		20	1.9	2.2	<2	103.5
1755297		22	2.0	1.9	<2	102.0
1755298		35	2.2	3.4	<2	91.9
1755299		69	4.3	3.7	<2	165.5
1755300						
1755301		38	3.6	2.3	<2	126.5
1755302		23	2.3	2.3	<2	101.0
1755303		19	1.9	1.6	<2	74.7
1755304		32	3.0	1.6	<2	93.1
1755305		57	3.1	1.5	<2	75.9
1755306		22	4.0	2.4	<2	120.0
1755307		51	3.7	1.8	<2	87.3
1755308		71	2.6	2.5	<2	122.0
1755309		39	1.2	1.7	<2	81.4
1755310						
1755311		13	1.4	1.8	5	83.5
1755312		21	1.7	1.9	<2	95.0
1755313		12	1.5	2.5	<2	95.7
1755314		15	1.5	2.2	<2	109.0
1755315		21	1.7	3.5	<2	101.5
1755316		14	1.5	2.0	<2	73.9
1755317		20	1.2	3.5	2	75.7
1755318		36	1.2	1.7	<2	59.9
1755319		28	1.3	2.4	<2	53.9
1755320						
1755321		56	1.4	1.7	<2	75.7
1755322		95	1.8	2.5	<2	126.5
1755323		43	1.4	2.5	2	78.4
1755324		47	2.7	2.8	<2	98.6
1755325		8	0.6	0.9	3	33.9
1755326		27	1.8	1.9	<2	88.2
1755327		30	1.1	2.0	<2	53.7
1755328		41	2.4	4.8	2	106.5
1755329		32	2.5	5.4	3	112.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	
1755330		0.06	1.930														
1755331		4.44	1.440	4.82	5.93	41.8	170	0.18	328	0.03	0.02	57.5	61.8	6	0.59	2850	
1755332		1.08	0.039	0.06	9.20	6.7	880	0.52	18.80	0.05	<0.02	41.1	1.6	178	0.47	34.6	
1755333		5.06	0.165	0.57	10.70	5.9	1150	0.25	11.85	0.03	<0.02	67.8	10.2	6	1.91	177.5	
1755334		3.90	0.089	0.21	9.06	4.4	1050	0.17	6.16	0.03	0.07	59.6	11.0	5	1.30	65.6	
1755335		6.10	0.255	1.05	8.70	71.4	80	0.14	61.0	0.04	0.81	37.2	35.0	4	1.10	455	
1755336		5.82	0.258	0.56	7.89	59.8	120	0.13	19.10	0.03	0.44	42.4	59.8	4	1.13	166.0	
1755337		5.62	0.704	0.72	6.83	48.6	100	0.10	26.6	0.04	0.33	51.2	65.3	5	0.67	157.5	
1755338		6.18	0.203	0.34	7.22	26.2	70	0.11	13.40	0.03	0.15	37.4	43.8	5	0.90	84.8	
1755339		6.26	0.242	0.37	7.44	46.1	100	0.13	20.3	0.03	0.16	54.2	75.8	4	1.01	126.5	
1755340		0.58	<0.005														
1755341		5.78	0.277	0.34	7.97	19.1	90	0.15	15.90	0.03	0.08	36.0	42.8	4	1.34	76.4	
1755342		5.74	0.268	0.31	7.55	21.4	90	0.13	13.70	0.03	0.09	40.1	38.9	4	0.86	55.2	
1755343		6.04	0.165	0.31	5.79	12.8	90	0.16	13.90	0.04	0.08	44.7	22.7	5	0.79	73.7	
1755344		5.50	0.148	0.22	6.03	16.7	160	0.21	16.45	0.05	0.07	39.2	21.4	9	0.94	62.9	
1755345		6.00	0.129	0.21	7.05	13.1	80	0.14	13.15	0.03	0.04	37.0	17.4	6	1.08	38.3	
1755346		5.68	0.061	0.17	7.78	10.9	640	0.18	8.29	0.03	0.08	56.3	9.7	6	1.64	37.1	
1755347		5.60	0.068	0.14	7.78	12.6	730	0.20	9.22	0.03	0.06	54.7	8.8	6	1.68	36.7	
1755348		4.02	0.094	0.35	5.39	18.2	200	0.15	14.60	0.02	0.15	24.4	14.8	7	0.96	72.1	
1755349		4.02	0.248	0.70	6.90	26.6	100	0.50	33.2	0.02	0.22	26.1	24.1	6	1.16	215	
1755350		0.06	0.379														
1755351		1.90	0.012	0.02	8.14	5.8	2250	5.77	2.11	0.03	0.02	73.0	25.0	246	2.19	29.6	
1755352		4.84	0.090	0.22	7.04	15.1	290	0.51	12.15	0.02	0.16	52.4	11.6	6	1.31	80.6	
1755353		5.28	0.103	0.31	7.29	27.5	230	0.21	18.70	0.04	0.24	57.1	15.4	8	1.11	93.9	
1755354		5.82	0.113	0.42	6.03	37.9	160	0.16	20.4	0.03	0.18	38.7	25.0	6	0.94	116.5	
1755355		5.92	0.183	0.20	6.17	27.3	120	0.16	12.25	0.04	0.07	42.1	30.5	4	0.94	39.3	
1755356		3.64	0.361	0.23	6.15	25.6	90	0.15	13.90	0.03	0.11	35.7	38.2	5	1.05	63.2	
1755357		5.68	0.181	0.16	5.32	18.3	100	0.12	10.85	0.03	0.05	34.5	22.4	5	0.68	65.2	
1755358		5.98	0.222	0.26	3.10	23.4	120	0.05	11.75	0.03	0.10	41.0	45.0	9	0.13	65.9	
1755359		5.66	0.055	0.07	5.98	11.9	110	0.11	4.86	0.03	0.02	56.1	12.8	7	0.13	22.0	
1755360		0.46	<0.005														
1755361		5.78	0.034	0.08	5.82	7.3	290	0.11	5.75	0.02	0.05	34.9	9.1	7	0.08	25.4	
1755362		6.06	0.033	0.07	5.65	11.6	70	0.12	4.47	0.02	0.03	37.7	6.1	5	0.08	18.0	
1755363		5.70	0.023	0.04	5.96	2.4	250	0.15	3.92	0.03	0.02	44.5	5.5	5	0.05	14.6	
1755364		5.48	0.023	0.05	5.46	5.5	190	0.14	5.09	0.03	0.02	34.0	5.6	7	0.06	18.2	
1755365		5.60	0.017	0.03	5.29	2.4	230	0.13	3.91	0.03	0.02	37.0	4.7	9	0.05	13.6	
1755366		5.80	0.021	0.05	5.11	3.3	170	0.12	3.21	0.03	0.02	42.5	6.3	8	0.05	19.2	
1755367		5.88	0.025	0.07	6.06	3.2	120	0.13	2.19	0.02	<0.02	41.5	6.0	7	0.05	25.7	
1755368		3.98	0.023	0.08	6.08	2.5	180	0.15	2.26	0.03	0.03	48.2	7.3	7	0.05	29.9	
1755369		1.90	0.168	1.07	6.33	12.6	120	0.14	37.3	0.05	<0.02	51.8	23.9	5	0.05	75.9	

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755330		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755331		4.03	26.2	0.32	3.4	0.152	0.71	29.9	2.4	0.01	36	21.4	0.35	2.5	9.4	510
1755332		0.62	30.0	0.06	0.8	0.213	0.32	19.0	6.5	0.02	17	4.05	0.23	8.3	96.5	500
1755333		1.21	49.8	0.08	2.5	0.183	2.43	35.3	3.4	0.02	39	12.85	0.51	3.0	5.3	420
1755334		1.28	47.5	0.10	2.3	0.159	1.67	28.1	1.3	0.01	36	5.01	0.19	3.2	4.0	860
1755335		6.31	44.0	0.20	1.7	0.150	1.41	17.7	1.3	0.01	40	6.94	0.18	1.7	8.9	1180
1755336		6.41	34.5	0.17	2.0	0.113	1.42	20.5	1.0	0.01	45	8.54	0.19	1.6	9.5	710
1755337		8.97	24.6	0.22	2.6	0.123	0.82	23.0	1.2	0.01	42	6.70	0.10	1.5	9.5	800
1755338		9.26	24.9	0.17	2.8	0.118	1.24	16.3	1.0	0.01	48	8.57	0.15	1.4	6.0	530
1755339		8.06	26.5	0.17	2.7	0.125	1.31	24.9	0.7	0.01	44	12.50	0.15	1.6	8.9	600
1755340																
1755341		6.39	28.0	0.13	3.2	0.173	1.79	16.4	1.0	0.01	42	8.25	0.20	1.6	5.7	550
1755342		6.73	23.2	0.18	3.1	0.110	1.15	18.5	1.4	0.01	44	8.74	0.13	1.6	8.9	520
1755343		6.03	14.50	0.15	3.3	0.106	0.88	20.4	1.3	0.01	36	6.59	0.11	1.5	7.1	680
1755344		5.90	16.50	0.13	3.5	0.093	1.30	18.3	0.7	0.01	46	5.97	0.15	2.0	7.4	1280
1755345		6.62	18.40	0.15	3.0	0.113	1.70	16.8	1.0	0.01	41	3.99	0.19	1.7	5.7	520
1755346		2.80	21.0	0.11	3.6	0.171	2.58	26.8	0.5	0.01	33	6.51	0.28	2.7	2.5	760
1755347		2.51	19.55	0.11	3.9	0.184	2.68	26.7	0.6	0.02	32	2.58	0.29	3.0	3.0	600
1755348		4.13	14.25	0.12	3.2	0.111	1.51	12.4	0.9	0.01	46	6.66	0.17	2.4	5.7	390
1755349		5.95	19.45	0.15	3.2	0.143	2.14	11.3	1.1	0.02	35	7.86	0.21	1.6	7.9	520
1755350																
1755351		4.02	24.5	0.11	12.7	0.101	2.33	33.3	13.2	2.82	204	2.53	0.17	15.0	187.0	430
1755352		3.77	19.05	0.13	3.4	0.210	2.20	24.9	1.1	0.02	41	9.74	0.21	2.1	6.0	530
1755353		4.08	19.70	0.12	3.6	0.237	1.77	27.5	1.1	0.01	38	6.87	0.20	2.6	3.9	660
1755354		4.95	16.40	0.13	3.7	0.261	1.44	19.6	0.7	0.01	31	8.70	0.16	2.2	6.4	580
1755355		5.72	16.45	0.14	3.4	0.294	1.41	19.5	0.5	0.01	27	7.94	0.16	2.1	6.9	660
1755356		6.40	17.40	0.14	2.9	0.375	1.44	16.3	0.7	0.01	46	22.1	0.17	1.8	5.5	510
1755357		6.17	13.40	0.15	3.2	0.279	0.89	16.3	0.7	0.01	27	8.90	0.11	2.5	5.1	510
1755358		7.85	14.20	0.17	3.2	0.074	0.13	19.2	0.5	<0.01	52	18.80	0.02	2.5	6.6	620
1755359		5.03	12.50	0.13	2.8	0.097	0.12	26.3	0.8	<0.01	41	4.58	0.02	2.8	3.3	700
1755360																
1755361		3.78	8.94	0.08	3.1	0.039	0.04	18.7	0.5	<0.01	33	4.12	0.01	2.6	1.6	340
1755362		6.86	7.93	0.15	2.9	0.042	0.04	18.2	0.6	<0.01	31	2.41	0.01	2.0	2.0	400
1755363		3.53	8.68	0.08	3.0	0.018	0.01	22.1	0.5	<0.01	42	1.74	0.01	2.2	1.5	520
1755364		4.36	8.94	0.12	2.7	0.043	0.05	17.0	0.7	<0.01	45	3.84	0.01	2.4	1.9	480
1755365		4.87	6.75	0.13	2.9	0.011	0.01	19.4	0.2	<0.01	42	2.34	0.01	2.3	1.6	540
1755366		5.27	7.58	0.14	3.0	0.012	0.01	21.5	0.6	<0.01	32	2.49	0.01	2.3	1.6	540
1755367		6.83	13.70	0.14	3.3	0.014	0.01	20.9	0.4	<0.01	57	2.55	0.01	1.8	2.1	430
1755368		4.57	14.20	0.10	3.8	0.013	0.01	24.5	0.5	<0.01	37	3.03	0.01	2.3	2.5	560
1755369		6.83	15.20	0.17	3.4	0.080	0.01	26.8	0.6	<0.01	56	10.90	0.01	2.6	6.1	890



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755330																
1755331		44.9	11.2	0.516	4.33	1.71	7.6	95	17.4	401	0.17	244	7.58	0.099	0.68	1.3
1755332		34.1	7.1	0.004	0.02	2.47	12.0	4	5.1	237	0.53	110.0	1.66	1.530	0.28	0.4
1755333		49.7	36.8	0.135	0.77	0.53	8.8	15	8.8	377	0.17	15.65	10.45	0.104	2.07	1.0
1755334		101.5	23.8	0.148	1.10	0.63	6.3	8	6.1	427	0.20	33.1	8.30	0.118	1.52	1.1
1755335		103.0	20.6	0.245	6.86	5.56	5.3	43	4.0	415	0.09	69.4	4.87	0.067	1.34	0.8
1755336		99.9	20.8	0.265	6.97	2.46	5.9	34	2.9	347	0.09	44.1	5.06	0.058	1.42	0.9
1755337		116.5	11.9	0.228	9.69	2.18	5.4	45	2.2	340	0.11	54.8	7.95	0.058	0.93	1.2
1755338		89.7	17.2	0.273	9.94	1.50	6.3	33	2.3	236	0.10	28.4	5.60	0.058	1.25	1.2
1755339		118.5	18.6	0.280	8.83	2.88	6.3	29	4.1	306	0.09	43.4	6.14	0.061	1.43	1.2
1755340																
1755341		79.0	25.7	0.213	6.89	1.80	7.8	25	4.4	204	0.11	34.2	6.01	0.063	1.84	1.2
1755342		96.3	15.6	0.218	7.39	1.42	6.1	42	2.7	251	0.10	36.3	8.71	0.057	1.65	1.3
1755343		117.0	14.4	0.179	6.58	1.18	5.5	28	1.9	371	0.10	30.0	7.72	0.056	0.95	1.6
1755344		113.5	18.3	0.158	6.34	1.60	7.1	28	2.4	374	0.13	22.0	6.24	0.068	1.49	1.6
1755345		107.5	22.1	0.074	7.27	1.43	7.1	25	2.4	285	0.11	15.50	5.87	0.063	1.92	1.5
1755346		150.5	35.4	0.163	2.98	1.52	9.0	9	2.9	406	0.18	12.65	8.42	0.094	2.95	1.9
1755347		139.0	37.3	0.054	2.68	1.59	9.2	9	3.0	399	0.20	14.10	7.20	0.101	3.01	1.8
1755348		81.3	20.3	0.155	4.37	2.90	6.4	22	2.7	277	0.15	30.7	4.71	0.076	1.70	1.3
1755349		58.7	31.4	0.211	6.28	3.46	6.8	35	2.5	292	0.11	53.2	5.13	0.059	1.93	1.1
1755350																
1755351		37.5	55.7	0.015	0.24	2.47	18.0	3	3.8	330	0.74	2.79	6.16	0.485	1.44	2.3
1755352		97.3	32.9	0.091	3.91	1.23	7.0	19	2.8	442	0.14	20.3	5.47	0.076	2.18	1.4
1755353		140.0	23.1	0.236	4.41	3.99	7.0	17	3.0	455	0.15	33.1	5.90	0.092	2.09	1.6
1755354		95.5	19.4	0.229	5.41	4.24	6.8	24	2.9	286	0.15	42.1	5.37	0.081	2.04	1.3
1755355		120.5	18.9	0.176	6.39	1.20	6.2	26	3.0	349	0.13	15.35	5.30	0.077	2.44	1.4
1755356		115.5	20.3	0.294	6.91	1.73	6.0	28	3.1	304	0.12	24.8	3.85	0.066	2.09	1.1
1755357		86.8	12.8	0.145	6.83	1.17	5.6	24	2.0	272	0.13	22.1	5.51	0.071	1.48	1.2
1755358		85.6	2.0	0.294	8.49	1.18	4.1	33	1.2	300	0.16	23.4	5.11	0.089	0.61	1.2
1755359		104.5	2.0	0.057	5.35	0.74	5.2	20	1.4	500	0.17	6.55	6.32	0.094	0.25	1.1
1755360																
1755361		64.7	0.8	0.083	4.09	1.25	4.3	18	1.2	313	0.16	7.65	5.66	0.085	0.08	1.1
1755362		59.8	0.8	0.008	7.49	0.64	4.3	27	0.9	289	0.12	5.38	5.17	0.065	0.17	1.1
1755363		65.4	0.3	0.017	3.66	0.67	4.7	13	1.0	356	0.13	4.19	6.10	0.074	0.02	1.2
1755364		58.4	0.8	0.044	4.56	0.70	4.4	19	1.1	335	0.15	6.52	4.90	0.080	0.09	1.0
1755365		64.9	0.2	0.014	5.21	0.43	4.3	28	0.9	391	0.14	4.33	5.77	0.076	0.03	1.1
1755366		65.8	0.2	0.018	5.81	0.48	4.2	35	1.0	425	0.14	3.80	5.96	0.079	0.04	1.1
1755367		45.2	0.2	0.013	7.20	0.34	3.3	27	0.8	299	0.11	3.43	5.08	0.061	0.02	1.2
1755368		58.7	0.2	0.021	4.92	0.40	4.0	21	1.3	327	0.15	3.09	6.39	0.076	0.02	1.4
1755369		99.6	0.2	0.053	7.35	0.90	5.3	38	6.8	529	0.15	31.5	7.20	0.090	0.04	1.5



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
1755330						
1755331		33	2.2	8.4	2	115.0
1755332		98	1.4	14.0	7	32.6
1755333		87	2.2	4.2	2	88.2
1755334		85	3.0	3.4	3	84.5
1755335		56	1.7	4.0	18	62.0
1755336		47	1.3	4.3	11	72.1
1755337		32	1.4	6.4	8	111.5
1755338		38	1.3	5.5	4	97.8
1755339		43	1.4	5.2	4	97.6
1755340						
1755341		45	1.3	5.9	3	116.0
1755342		33	1.1	5.8	3	110.5
1755343		21	1.3	6.8	3	118.0
1755344		28	1.3	8.8	3	123.0
1755345		35	1.2	6.2	<2	103.5
1755346		47	2.0	7.4	2	126.0
1755347		40	1.8	8.4	2	135.5
1755348		28	2.0	6.4	3	109.0
1755349		34	1.2	7.1	5	120.0
1755350						
1755351		154	1.2	15.6	72	>500
1755352		40	1.2	9.3	2	122.0
1755353		36	1.6	7.5	3	131.0
1755354		30	1.5	7.3	4	125.0
1755355		33	1.4	6.9	2	127.5
1755356		35	1.2	6.4	3	107.5
1755357		26	1.1	6.7	2	120.5
1755358		14	3.2	10.2	5	123.5
1755359		23	2.2	8.5	2	107.0
1755360						
1755361		16	1.6	6.8	2	111.5
1755362		16	1.2	7.2	3	105.0
1755363		19	1.2	8.2	<2	106.5
1755364		19	1.5	6.5	<2	101.5
1755365		16	1.5	7.3	<2	110.0
1755366		15	1.7	8.0	2	108.5
1755367		16	1.3	9.3	<2	118.5
1755368		16	1.2	8.7	<2	140.0
1755369		16	1.7	10.6	2	123.0



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755370		0.06	1.825													
1755371		5.18	0.050	0.10	3.97	4.7	130	0.08	2.97	0.03	0.06	47.7	8.8	9	0.05	39.2
1755372		5.80	0.056	0.08	4.58	7.6	160	0.08	1.83	0.02	0.03	61.5	7.7	9	0.05	18.6
1755373		6.34	0.060	0.08	4.15	7.1	110	0.09	3.04	0.04	0.03	39.7	13.3	10	<0.05	23.0
1755374		4.82	0.049	0.10	4.76	9.5	120	0.10	3.25	0.03	0.02	37.3	13.7	16	<0.05	34.5
1755375		4.00	0.046	0.10	5.21	4.2	110	0.09	3.61	0.03	<0.02	40.3	12.1	10	<0.05	47.1
1755376		3.92	0.062	0.16	5.11	10.6	130	0.12	4.79	0.04	<0.02	41.5	16.5	14	<0.05	52.3
1755377		5.74	0.074	0.20	4.45	15.8	110	0.10	8.86	0.03	0.07	31.6	18.8	18	<0.05	68.5
1755378		5.72	0.056	0.18	3.60	15.1	180	0.09	11.90	0.03	0.04	29.9	18.2	16	<0.05	60.4
1755379		5.50	0.058	0.19	3.33	14.7	270	0.08	11.65	0.04	0.06	32.5	20.0	17	<0.05	65.4
1755380		0.50	0.005													
1755381		5.56	0.060	0.17	3.61	14.2	180	0.10	11.25	0.03	0.04	28.7	19.5	16	<0.05	69.0
1755382		4.66	0.061	0.21	3.62	11.8	220	0.10	10.20	0.04	0.06	30.9	21.2	14	<0.05	45.4
1755383		5.24	0.073	0.21	3.04	8.9	190	0.08	9.87	0.04	0.07	31.1	28.3	13	<0.05	57.3
1755384		4.80	0.054	0.18	3.40	8.0	260	0.08	7.64	0.03	0.08	29.1	23.0	12	<0.05	57.9
1755385		5.44	0.052	0.19	3.73	8.5	240	0.09	8.22	0.03	0.07	29.5	24.1	12	<0.05	56.3
1755386		5.84	0.067	0.27	4.08	15.2	260	0.11	17.90	0.04	0.21	29.1	28.2	13	<0.05	88.9
1755387		5.14	0.036	0.20	3.49	7.3	280	0.09	9.79	0.03	0.10	23.4	19.7	12	<0.05	63.8
1755388		4.42	0.101	0.32	4.19	13.4	280	0.09	9.39	0.05	0.24	23.4	24.5	13	<0.05	127.5
1755389		4.20	0.167	0.40	4.11	21.4	90	0.13	10.55	0.06	0.28	35.2	37.2	11	<0.05	161.0
1755390		0.06	0.732													
1755391		4.22	0.040	0.05	3.17	4.4	220	0.10	2.90	0.06	0.02	52.3	8.7	9	0.06	26.0
1755392		6.40	0.047	0.09	4.71	5.4	230	0.14	3.98	0.06	<0.02	54.5	12.5	15	0.06	23.8
1755393		6.32	0.053	0.09	4.49	12.2	150	0.11	7.19	0.06	<0.02	51.0	14.7	18	0.06	39.9
1755394		6.40	0.045	0.08	6.37	12.3	80	0.15	5.19	0.06	0.03	45.3	14.5	15	0.10	36.8
1755395		6.54	0.054	0.09	6.32	13.0	120	0.20	5.19	0.05	0.02	65.4	15.4	18	0.09	47.2
1755396		6.30	0.020	0.01	6.15	5.6	170	0.17	0.88	0.04	0.03	73.3	6.0	12	0.08	6.2
1755397		6.24	0.028	0.05	5.72	3.6	130	0.14	1.36	0.03	<0.02	51.7	6.4	12	0.07	11.4
1755398		6.08	0.025	0.04	6.80	1.4	180	0.17	1.08	0.03	0.04	52.8	5.9	15	0.21	9.0
1755399		6.06	0.059	0.13	7.75	3.7	130	0.20	3.52	0.05	0.04	75.9	10.9	10	0.12	42.1
1755400		0.54	0.006													
1755401		6.34	0.043	0.16	9.29	8.1	580	0.27	5.59	0.05	0.07	85.8	10.3	12	0.10	42.5
1755402		6.40	0.025	0.11	5.59	3.7	150	0.17	2.35	0.04	0.02	60.0	7.0	23	0.06	34.7
1755403		6.10	0.026	0.09	5.69	2.3	120	0.16	1.85	0.04	0.02	46.4	6.1	17	0.17	27.4
1755404		5.80	0.015	0.03	6.20	1.9	430	0.16	0.91	0.05	0.05	63.3	4.5	14	0.09	8.2
1755405		6.56	0.021	0.05	5.47	4.1	40	0.12	0.95	0.01	0.03	54.1	9.4	16	0.13	11.6
1755406		4.70	0.005	0.01	0.15	1.0	10	<0.05	0.08	0.01	0.06	0.54	0.7	26	0.07	10.7
1755407		5.74	0.019	0.02	6.85	2.7	70	0.13	0.77	0.02	0.02	44.1	7.6	12	0.29	14.8
1755408		5.96	0.025	0.08	6.22	2.5	300	0.09	3.61	0.04	0.08	47.6	5.6	10	0.46	24.5
1755409		5.80	0.023	0.05	6.66	1.9	140	0.14	1.64	0.03	0.04	35.6	8.3	13	1.12	10.3



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOD	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755370																
1755371		5.66	8.38	0.13	2.7	0.014	0.02	23.1	0.5	<0.01	63	6.01	0.01	2.0	4.0	450
1755372		5.76	9.60	0.16	2.7	0.011	0.02	34.5	0.6	<0.01	38	4.93	0.01	1.9	4.3	380
1755373		4.74	11.25	0.14	2.9	0.014	0.01	19.5	0.5	<0.01	53	8.67	0.01	2.3	3.4	680
1755374		5.59	13.10	0.16	2.6	0.023	0.01	16.7	0.7	<0.01	69	6.03	0.01	2.1	3.7	580
1755375		7.15	16.15	0.18	2.9	0.014	<0.01	19.6	0.6	<0.01	55	7.56	<0.01	1.9	2.6	490
1755376		9.01	15.55	0.25	2.8	0.026	0.01	20.9	0.5	<0.01	73	5.13	0.01	1.5	5.4	620
1755377		4.65	13.45	0.15	3.5	0.019	0.01	15.7	0.4	<0.01	49	14.45	0.01	3.1	5.2	510
1755378		4.73	11.80	0.19	3.5	0.029	0.02	14.2	0.5	<0.01	53	12.35	0.01	3.3	6.1	490
1755379		3.90	12.00	0.14	3.7	0.036	0.02	16.1	0.3	<0.01	61	14.30	0.01	3.6	4.7	530
1755380																
1755381		3.68	14.25	0.17	3.7	0.041	0.01	14.2	0.5	<0.01	60	13.95	0.01	3.8	5.1	500
1755382		4.10	15.05	0.23	4.1	0.054	0.01	16.1	0.5	<0.01	71	13.40	0.01	4.0	5.5	580
1755383		4.23	12.55	0.18	3.4	0.048	0.01	15.2	0.5	<0.01	51	12.60	0.01	3.4	6.4	560
1755384		3.86	13.00	0.14	3.7	0.026	0.01	15.0	0.4	<0.01	53	12.10	0.01	3.7	4.8	470
1755385		3.79	15.00	0.15	3.8	0.034	0.01	15.0	0.6	<0.01	61	17.25	0.01	3.8	5.0	500
1755386		3.98	17.00	0.20	3.9	0.052	0.01	14.8	0.8	<0.01	41	21.0	0.01	3.3	5.9	610
1755387		2.99	14.35	0.13	4.1	0.044	0.01	12.0	0.7	<0.01	46	12.15	0.01	3.5	6.1	420
1755388		3.85	16.05	0.15	3.9	0.055	0.01	11.7	0.8	<0.01	50	13.65	0.01	3.6	7.2	580
1755389		8.26	15.55	0.34	3.3	0.060	0.01	17.7	0.9	<0.01	42	14.30	0.01	1.9	11.5	770
1755390																
1755391		5.13	15.45	0.13	3.4	0.066	0.03	21.8	0.9	<0.01	44	8.09	0.01	2.1	2.5	860
1755392		7.16	21.7	0.24	3.1	0.034	0.01	23.1	0.7	<0.01	69	23.6	0.01	1.8	4.1	970
1755393		7.04	21.6	0.24	3.3	0.021	0.01	22.5	0.6	<0.01	52	43.1	0.01	1.9	3.8	870
1755394		7.85	24.7	0.23	3.3	0.027	0.01	19.4	0.6	<0.01	47	27.8	0.01	1.8	3.3	940
1755395		6.44	21.1	0.23	3.6	0.036	0.01	31.0	0.6	<0.01	57	5.48	0.01	2.0	4.3	930
1755396		4.35	12.75	0.20	3.4	0.021	0.01	31.7	0.5	<0.01	42	3.06	0.01	1.9	2.0	650
1755397		7.17	11.75	0.20	3.5	0.022	0.01	21.6	0.3	<0.01	41	2.14	0.01	1.9	2.4	660
1755398		3.35	14.60	0.12	3.2	0.089	0.16	24.4	0.5	<0.01	64	3.52	0.02	2.4	2.4	480
1755399		6.39	28.8	0.27	3.1	0.038	0.01	31.7	1.0	<0.01	54	6.22	0.01	2.2	4.1	890
1755400																
1755401		3.99	23.1	0.24	2.9	0.042	0.02	36.5	0.8	<0.01	66	3.44	0.01	2.3	3.8	980
1755402		5.36	7.81	0.22	3.2	0.027	0.03	27.7	0.4	<0.01	47	14.15	0.01	2.2	1.7	590
1755403		4.68	13.55	0.16	3.1	0.032	0.15	20.3	0.5	<0.01	60	4.24	0.02	2.6	1.8	800
1755404		3.04	9.01	0.11	3.0	0.015	0.02	28.6	0.5	<0.01	58	11.70	0.01	2.3	1.5	750
1755405		7.08	12.95	0.17	3.1	0.008	0.06	25.9	1.7	<0.01	51	12.35	0.02	1.6	4.3	250
1755406		0.72	0.43	<0.05	<0.1	0.005	0.01	<0.5	0.3	<0.01	70	2.01	0.01	0.1	1.6	20
1755407		4.30	13.35	0.12	2.6	0.029	0.18	20.9	1.7	<0.01	58	2.18	0.05	2.5	3.7	320
1755408		3.58	16.15	0.15	2.5	0.046	0.57	20.9	0.7	0.01	42	1.91	0.07	3.1	1.7	590
1755409		3.81	16.55	0.09	1.6	0.099	1.26	18.8	1.2	0.01	45	3.06	0.16	2.0	4.9	310



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755370																
1755371		54.9	0.4	0.045	5.88	0.45	3.7	23	1.3	282	0.13	8.98	6.61	0.070	0.04	1.1
1755372		54.2	0.4	0.040	6.23	0.42	3.9	27	1.1	272	0.12	6.94	8.71	0.065	0.09	1.0
1755373		79.1	0.2	0.100	4.92	0.44	3.2	29	1.0	430	0.15	13.35	5.57	0.074	0.09	1.1
1755374		72.7	0.1	0.134	5.73	0.57	3.3	36	1.1	400	0.13	9.43	4.93	0.074	0.11	1.0
1755375		61.8	0.1	0.297	7.64	0.37	3.4	42	1.0	310	0.12	7.66	5.13	0.066	0.03	1.0
1755376		79.3	0.1	0.099	9.47	0.37	3.7	62	0.8	380	0.10	10.05	5.26	0.053	0.05	1.0
1755377		79.7	0.1	0.143	4.87	1.07	4.0	43	2.9	397	0.19	16.45	5.21	0.098	0.13	1.3
1755378		70.4	0.4	0.430	4.94	1.79	4.2	49	2.5	385	0.22	21.4	4.68	0.104	0.11	1.4
1755379		68.9	0.3	0.138	3.89	3.21	4.3	31	3.2	387	0.25	22.2	5.32	0.119	0.09	1.6
1755380																
1755381		70.6	0.2	0.124	3.74	3.93	4.4	31	3.4	384	0.26	24.1	5.39	0.133	0.06	1.6
1755382		78.4	0.1	0.134	4.02	1.80	4.9	24	3.8	448	0.27	18.50	5.86	0.143	0.08	1.9
1755383		78.6	0.2	0.117	4.41	0.76	4.8	27	3.3	467	0.22	20.9	5.50	0.120	0.08	1.7
1755384		64.5	0.2	0.128	3.96	0.70	4.7	21	4.0	364	0.26	20.5	5.59	0.136	0.08	1.7
1755385		71.9	0.1	0.234	3.80	0.79	4.8	21	4.6	404	0.26	21.3	5.80	0.136	0.09	1.9
1755386		80.7	0.2	0.361	4.19	1.05	4.9	33	4.0	456	0.25	29.5	5.61	0.118	0.18	1.8
1755387		51.6	0.1	0.117	3.06	0.86	4.5	25	4.4	306	0.24	21.9	4.67	0.125	0.08	1.8
1755388		60.9	0.1	0.208	3.97	1.45	5.0	29	5.2	362	0.25	26.7	4.68	0.131	0.07	1.9
1755389		70.0	0.1	0.182	9.04	1.45	4.7	72	2.9	385	0.13	29.2	5.74	0.067	0.08	1.7
1755390																
1755391		76.4	0.5	0.098	5.44	0.47	3.7	22	1.2	429	0.14	5.95	6.96	0.076	0.04	1.5
1755392		77.8	0.2	0.100	7.48	0.74	4.3	36	1.2	454	0.12	7.81	7.16	0.072	0.04	1.3
1755393		66.2	0.2	0.243	7.60	2.15	4.4	41	1.3	377	0.13	12.40	6.97	0.074	0.05	1.5
1755394		51.6	0.2	0.210	8.54	1.45	3.8	48	1.1	327	0.13	9.25	5.80	0.068	0.04	1.4
1755395		58.7	0.2	0.044	6.85	1.06	4.5	31	1.4	373	0.13	9.67	7.11	0.079	0.02	1.5
1755396		34.7	0.2	0.027	4.56	0.44	4.0	20	0.7	215	0.13	1.96	7.16	0.072	<0.02	1.4
1755397		24.8	0.2	0.011	7.72	0.44	4.2	27	0.6	167.5	0.12	4.16	6.28	0.069	0.02	1.3
1755398		30.2	3.0	0.029	3.19	0.64	4.7	20	1.3	176.5	0.16	2.18	6.33	0.097	0.15	1.3
1755399		51.7	0.3	0.040	6.81	0.58	5.6	41	1.3	318	0.14	9.26	7.37	0.079	0.02	1.4
1755400																
1755401		74.2	0.3	0.028	3.93	0.57	5.7	34	1.5	428	0.14	15.05	8.68	0.085	0.03	1.5
1755402		42.1	0.5	0.268	5.69	0.47	7.6	36	2.6	247	0.14	17.20	6.56	0.084	0.04	1.4
1755403		46.3	2.7	0.018	4.81	0.61	6.2	24	1.3	238	0.17	10.60	6.36	0.101	0.14	1.3
1755404		53.5	0.5	0.050	2.87	0.63	5.7	7	2.2	289	0.15	1.83	8.28	0.090	0.02	1.2
1755405		29.7	1.2	0.221	7.56	0.44	5.5	36	1.5	119.5	0.10	3.33	6.98	0.064	0.04	1.1
1755406		1.4	0.1	0.002	0.12	0.11	0.1	1	<0.2	4.5	<0.05	0.08	0.07	<0.005	<0.02	<0.1
1755407		26.0	3.8	0.021	4.32	0.69	4.9	13	1.3	120.5	0.17	2.07	6.01	0.094	0.10	0.9
1755408		24.3	9.3	0.018	3.68	0.80	5.7	10	1.0	150.5	0.19	5.39	6.09	0.119	0.35	1.0
1755409		18.0	21.6	0.029	3.84	0.55	5.6	10	2.2	103.0	0.11	3.57	5.39	0.080	0.73	0.6

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
1755370						
1755371		11	1.8	8.5	<2	101.0
1755372		12	1.9	6.6	<2	98.4
1755373		15	2.4	7.4	2	103.5
1755374		17	2.5	6.7	<2	98.9
1755375		16	1.9	7.3	2	101.5
1755376		17	1.0	7.0	<2	103.5
1755377		20	3.0	7.0	<2	125.5
1755378		19	3.7	6.9	<2	124.5
1755379		18	4.3	7.5	<2	141.5
1755380						
1755381		20	4.6	7.1	2	141.5
1755382		20	4.8	8.0	<2	149.0
1755383		18	3.7	7.7	<2	147.5
1755384		20	3.6	7.3	<2	139.0
1755385		21	4.1	8.1	2	145.0
1755386		20	4.0	8.2	3	157.5
1755387		21	3.6	7.3	2	142.5
1755388		23	4.2	8.5	4	152.5
1755389		14	1.9	7.6	7	129.5
1755390						
1755391		13	1.3	11.2	2	138.0
1755392		18	1.2	8.5	2	117.0
1755393		20	1.5	9.1	2	127.0
1755394		25	1.5	7.5	3	130.5
1755395		24	1.7	11.7	2	140.5
1755396		22	1.0	19.0	2	128.0
1755397		20	0.9	13.4	<2	143.0
1755398		38	1.5	12.5	<2	129.5
1755399		39	1.5	12.3	2	115.0
1755400						
1755401		45	1.5	8.8	3	113.5
1755402		24	1.2	13.3	<2	121.0
1755403		35	1.3	18.2	2	121.5
1755404		21	0.9	9.7	<2	110.0
1755405		19	0.5	8.9	<2	120.0
1755406		1	0.1	0.3	3	1.6
1755407		24	0.8	9.4	2	95.4
1755408		43	0.8	9.7	2	102.5
1755409		53	0.6	6.1	2	59.7



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
1755410		0.06	0.323													
1755411		5.06	0.020	0.02	7.61	1.2	370	0.15	0.84	0.03	0.03	34.9	5.1	11	1.11	8.0
1755412		7.26	0.025	0.04	10.30	2.7	480	0.30	1.04	0.10	0.06	72.1	8.7	6	2.10	8.2
1755413		6.26	0.018	0.02	7.31	1.6	140	0.18	0.93	0.02	0.03	51.3	5.6	5	1.52	6.8
1755414		5.36	0.019	0.02	6.11	2.7	300	0.13	0.91	0.04	<0.02	43.6	5.2	10	0.27	6.5
1755415		6.70	0.028	0.06	4.26	3.2	170	0.08	2.37	0.04	0.04	53.5	7.5	14	0.21	34.2
1755416		5.76	0.031	0.04	4.85	1.5	80	0.09	2.06	0.05	0.03	65.4	6.8	11	0.14	22.0
1755417		5.72	0.032	0.05	4.80	2.1	40	0.09	1.68	0.01	0.04	42.8	10.7	12	0.29	19.5
1755418		5.80	0.039	0.05	4.31	4.3	70	0.09	2.79	0.04	0.03	61.0	7.7	13	0.11	35.3
1755419		5.72	0.046	0.11	5.40	2.7	100	0.14	3.85	0.04	0.02	36.1	5.5	12	0.11	90.1
1755420		0.52	0.007													
1755421		5.70	0.028	0.10	5.85	2.6	30	0.10	1.36	0.02	0.03	35.5	7.0	12	0.12	24.6
1755422		6.18	0.022	0.05	5.42	2.2	30	0.10	1.32	0.02	0.05	55.4	6.7	14	0.17	20.1
1755423		5.50	0.025	0.03	3.66	1.3	10	0.09	0.75	0.01	0.05	30.3	5.3	14	0.12	12.3
1755424		5.76	0.025	0.04	5.25	1.2	10	0.15	1.87	0.06	0.02	47.5	5.5	10	0.10	26.7
1755425		5.60	0.028	0.05	5.27	1.4	10	0.14	1.74	0.10	0.03	47.0	5.0	10	0.12	18.1
1755426		5.74	0.024	0.03	5.21	1.2	10	0.15	0.82	0.04	0.02	48.0	6.9	14	0.17	10.7
1755427		5.72	0.018	0.01	4.74	0.8	10	0.15	0.81	0.02	<0.02	47.8	6.3	18	0.16	7.5
1755428		5.00	0.021	0.03	5.68	1.0	10	0.19	1.03	0.07	0.02	47.7	5.8	17	0.12	8.9



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
1755410		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
1755411		2.71	15.60	0.10	1.9	0.097	1.30	17.4	1.2	0.01	42	2.99	0.17	2.7	2.7	340
1755412		4.66	28.0	0.19	2.9	0.120	1.97	33.1	3.1	0.03	44	1.54	0.34	2.0	6.9	1120
1755413		2.75	20.4	0.09	2.2	0.091	1.64	23.4	1.0	0.01	33	3.33	0.21	2.6	1.5	370
1755414		3.06	12.60	0.10	2.6	0.009	0.18	19.8	1.5	0.01	47	1.71	0.03	2.7	2.1	580
1755415		5.72	19.55	0.17	2.9	0.012	0.10	25.1	1.0	<0.01	43	2.90	0.02	2.3	2.4	500
1755416		5.57	29.9	0.18	3.3	0.009	0.02	30.9	1.4	<0.01	40	4.17	0.02	2.7	2.1	650
1755417		5.23	23.0	0.15	2.3	0.009	0.08	22.6	1.4	<0.01	42	4.26	0.07	1.7	5.0	210
1755418		5.37	26.9	0.20	2.8	0.006	0.03	29.1	1.1	<0.01	49	3.77	0.02	2.5	4.2	680
1755419		6.12	26.2	0.20	2.7	0.006	0.01	17.6	1.7	<0.01	49	1.72	0.01	2.7	2.8	760
1755420																
1755421		5.90	18.15	0.11	2.4	0.005	0.01	20.2	1.0	<0.01	45	2.76	0.01	2.2	8.1	350
1755422		4.55	7.07	0.10	2.6	0.006	0.05	29.0	1.1	<0.01	54	2.15	0.04	2.0	4.0	240
1755423		3.22	3.86	0.10	1.8	0.005	0.02	18.1	0.7	<0.01	49	1.86	0.01	1.5	3.1	140
1755424		4.67	5.45	0.11	2.4	<0.005	0.01	22.3	0.9	0.01	44	1.97	0.01	2.0	2.1	720
1755425		6.05	6.93	0.13	2.5	<0.005	<0.01	23.9	0.7	<0.01	57	1.50	0.01	1.7	2.0	860
1755426		3.14	6.08	0.11	2.7	0.007	0.05	22.6	0.9	<0.01	41	1.88	0.03	2.3	2.6	320
1755427		3.53	4.78	0.09	2.4	0.007	0.07	21.9	0.7	<0.01	45	2.07	0.02	2.3	2.0	220
1755428		3.88	4.96	0.10	2.7	0.007	0.02	22.4	0.4	<0.01	62	2.21	0.01	2.2	2.1	640

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
1755410																
1755411		17.5	22.5	0.038	2.71	0.88	5.7	7	2.0	125.0	0.17	2.18	5.90	0.110	0.76	0.7
1755412		14.3	36.4	0.132	5.05	0.83	8.8	18	3.2	171.0	0.14	2.71	11.45	0.091	1.10	1.0
1755413		34.9	27.9	0.224	2.76	0.69	6.9	10	2.0	178.5	0.16	2.51	7.65	0.104	1.03	0.9
1755414		26.8	3.1	0.132	3.03	0.86	4.5	12	1.4	190.0	0.19	2.70	6.42	0.109	0.13	1.0
1755415		33.2	1.9	0.023	6.16	0.83	5.1	25	1.1	217	0.15	4.39	7.26	0.091	0.07	1.6
1755416		52.9	0.4	0.039	6.04	0.97	6.2	24	1.2	377	0.19	4.97	9.32	0.102	<0.02	1.6
1755417		35.0	1.9	0.041	5.61	0.69	4.6	22	1.1	167.5	0.11	3.57	6.32	0.063	0.06	0.9
1755418		100.0	0.6	0.014	5.73	1.04	5.3	23	1.6	739	0.17	13.85	8.12	0.099	0.03	1.1
1755419		67.9	0.2	0.004	6.56	1.07	5.2	28	1.3	843	0.16	9.32	5.18	0.101	<0.02	1.2
1755420																
1755421		34.5	0.2	0.005	6.30	1.41	4.9	20	1.4	290	0.13	3.39	5.97	0.092	0.02	0.9
1755422		29.1	1.2	0.004	4.66	1.34	4.8	13	1.7	158.0	0.13	3.12	8.30	0.082	0.04	1.0
1755423		17.0	0.5	<0.002	3.21	0.66	3.5	9	1.2	93.4	0.10	1.99	5.07	0.064	0.02	0.7
1755424		8.2	0.1	0.005	5.00	0.60	5.0	13	1.7	182.0	0.12	2.64	6.81	0.081	<0.02	1.0
1755425		7.5	0.1	0.005	6.43	0.59	4.8	16	0.9	241	0.11	4.12	7.32	0.071	<0.02	1.0
1755426		5.2	1.1	0.007	3.25	0.64	4.5	9	1.1	85.7	0.16	2.06	6.29	0.096	0.04	1.0
1755427		4.0	1.5	0.004	3.69	0.60	5.0	11	1.1	63.9	0.14	2.58	5.94	0.097	0.04	0.9
1755428		4.0	0.4	0.003	3.80	0.49	5.5	11	0.7	120.0	0.15	2.51	6.29	0.095	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
1755410		1	0.1	0.1	2	0.5
1755411		58	0.8	7.0	4	68.8
1755412		96	0.9	7.0	3	116.5
1755413		76	0.8	6.7	2	82.9
1755414		23	1.0	9.2	<2	96.5
1755415		16	0.9	9.5	<2	112.0
1755416		13	0.9	10.6	<2	122.0
1755417		13	0.6	4.7	<2	92.6
1755418		13	0.8	8.4	<2	105.5
1755419		20	0.7	8.7	<2	106.0
1755420		17	0.7	6.0	9	95.4
1755421		16	0.7	9.0	4	100.0
1755422		10	0.5	6.4	3	71.8
1755423		12	0.5	9.3	2	101.0
1755424		13	0.4	9.5	2	95.8
1755425		16	0.7	9.5	2	104.0
1755426		19	0.7	9.2	2	96.2
1755427		22	0.7	9.6	2	103.5
1755428						



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: +1 775 356 5395 Fax: +1 775 355 0179
 www.alsglobal.com/geochemistry

To: PANCON RESOURCES CAROLINAS CORP.
 PO BOX 627
 CARRBORO NC 27510

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 4-MAR-2024
 Account: PANTIN

Project: Brewer

CERTIFICATE OF ANALYSIS TF24038801

	CERTIFICATE COMMENTS												
	ANALYTICAL COMMENTS												
Applies to Method:	REEs may not be totally soluble in this method. ME-MS61												
	LABORATORY ADDRESSES												
Applies to Method:	Processed at ALS Reno located at 4977 Energy Way, Reno, NV, USA. Au-AA23												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS61												
Applies to Method:	Processed at 621 Washington Street, Suite 600, Twin Falls, Idaho												
	<table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-21</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">DIS-REJ21</td> </tr> <tr> <td>LOG-21</td> <td>LOG-23</td> <td>PUL-31</td> <td>PUL-QC</td> </tr> <tr> <td>SND-ALS</td> <td>SPL-22Y</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-21	CRU-31	CRU-QC	DIS-REJ21	LOG-21	LOG-23	PUL-31	PUL-QC	SND-ALS	SPL-22Y	WEI-21	
CRU-21	CRU-31	CRU-QC	DIS-REJ21										
LOG-21	LOG-23	PUL-31	PUL-QC										
SND-ALS	SPL-22Y	WEI-21											